

The Comprehensive L^AT_EX Symbol List

Scott Pakin <scott+cls1@pakin.org>*

30 November 2015

Abstract

This document lists 14032 symbols and the corresponding L^AT_EX commands that produce them. Some of these symbols are guaranteed to be available in every L^AT_EX 2_ε system; others require fonts and packages that may not accompany a given distribution and that therefore need to be installed. All of the fonts and packages used to prepare this document—as well as this document itself—are freely available from the Comprehensive T_EX Archive Network (<http://www.ctan.org/>).

Contents

Contents	1
1 Introduction	11
1.1 Document Usage	11
1.2 Frequently Requested Symbols	11
2 Body-text symbols	13
Table 1: L ^A T _E X 2 _ε Escapable “Special” Characters	13
Table 2: Predefined L ^A T _E X 2 _ε Text-mode Commands	13
Table 3: L ^A T _E X 2 _ε Commands Defined to Work in Both Math and Text Mode	14
Table 4: $\mathcal{AMS}$ Commands Defined to Work in Both Math and Text Mode	14
Table 5: Non-ASCII Letters (Excluding Accented Letters)	14
Table 6: textgreek Upright Greek Letters	14
Table 7: Letters Used to Typeset African Languages	15
Table 8: Letters Used to Typeset Vietnamese	15
Table 9: Punctuation Marks Not Found in OT1	15
Table 10: pifont Decorative Punctuation Marks	15
Table 11: tipa Phonetic Symbols	16
Table 12: tipx Phonetic Symbols	17
Table 13: wsuipa Phonetic Symbols	18
Table 14: wasysym Phonetic Symbols	18
Table 15: phonetic Phonetic Symbols	18
Table 16: t4phonet Phonetic Symbols	19
Table 17: semtrans Transliteration Symbols	19
Table 18: Text-mode Accents	19
Table 19: tipa Text-mode Accents	20
Table 20: extraipa Text-mode Accents	21
Table 21: wsuipa Text-mode Accents	21
Table 22: phonetic Text-mode Accents	22
Table 23: metre Text-mode Accents	22
Table 24: t4phonet Text-mode Accents	22
Table 25: arcs Text-mode Accents	22
Table 26: semtrans Accents	23
Table 27: ogonek Accents	23

*The original version of this document was written by David Carlisle, with several additional tables provided by Alexander Holt. See Section 10.8 on page 225 for more information about who did what.

Table 28:	combelow Accents	23
Table 29:	wsuipa Diacritics	23
Table 30:	textcomp Diacritics	23
Table 31:	marvosym Diacritics	24
Table 32:	textcomp Currency Symbols	24
Table 33:	marvosym Currency Symbols	24
Table 34:	fontawesome Currency Symbols	24
Table 35:	wasysym Currency Symbols	24
Table 36:	GpA2e Currency Symbols	25
Table 37:	teubner Currency Symbols	25
Table 38:	tfrupee Currency Symbols	25
Table 39:	eurosym Euro Signs	25
Table 40:	fourier Euro Signs	25
Table 41:	textcomp Legal Symbols	25
Table 42:	fontawesome Legal Symbols	25
Table 43:	cclicenses Creative Commons License Icons	26
Table 44:	ccicons Creative Commons License Icons	26
Table 45:	textcomp Old-style Numerals	26
Table 46:	Miscellaneous textcomp Symbols	26
Table 47:	Miscellaneous wasysym Text-mode Symbols	26

3 Mathematical symbols 27

Table 48:	Math-Mode Versions of Text Symbols	27
Table 49:	cmll Unary Operators	27
Table 50:	Binary Operators	28
Table 51:	$\mathcal{AMS}$ Binary Operators	28
Table 52:	stmaryrd Binary Operators	28
Table 53:	wasysym Binary Operators	29
Table 54:	txfonts/pxfonts Binary Operators	29
Table 55:	mathabx Binary Operators	29
Table 56:	MnSymbol Binary Operators	29
Table 57:	fdsymbol Binary Operators	30
Table 58:	boisik Binary Operators	31
Table 59:	stix Binary Operators	32
Table 60:	mathdesign Binary Operators	32
Table 61:	cmll Binary Operators	33
Table 62:	shuffle Binary Operators	33
Table 63:	ulsy Geometric Binary Operators	33
Table 64:	mathabx Geometric Binary Operators	33
Table 65:	MnSymbol Geometric Binary Operators	34
Table 66:	fdsymbol Geometric Binary Operators	34
Table 67:	boisik Geometric Binary Operators	35
Table 68:	stix Geometric Binary Operators	36
Table 69:	stix Small Integrals	36
Table 70:	stix Small Integrals with Explicit Slant	37
Table 71:	Variable-sized Math Operators	37
Table 72:	$\mathcal{AMS}$ Variable-sized Math Operators	38
Table 73:	stmaryrd Variable-sized Math Operators	38
Table 74:	wasysym Variable-sized Math Operators	38
Table 75:	mathabx Variable-sized Math Operators	38
Table 76:	txfonts/pxfonts Variable-sized Math Operators	39
Table 77:	esint Variable-sized Math Operators	40
Table 78:	bigints Variable-sized Math Operators	41
Table 79:	MnSymbol Variable-sized Math Operators	41
Table 80:	fdsymbol Variable-sized Math Operators	42
Table 81:	boisik Variable-sized Math Operators	43
Table 82:	stix Variable-sized Math Operators	43
Table 83:	stix Integrals with Explicit Slant	44

Table 84:	<code>mathdesign</code> Variable-sized Math Operators	46
Table 85:	<code>prodint</code> Variable-sized Math Operators	46
Table 86:	<code>cmll</code> Large Math Operators	46
Table 87:	Binary Relations	46
Table 88:	$\mathcal{AMS}$ Binary Relations	47
Table 89:	$\mathcal{AMS}$ Negated Binary Relations	47
Table 90:	<code>stmaryrd</code> Binary Relations	47
Table 91:	<code>wasysym</code> Binary Relations	47
Table 92:	<code>txfonts/pxfonts</code> Binary Relations	48
Table 93:	<code>txfonts/pxfonts</code> Negated Binary Relations	48
Table 94:	<code>mathabx</code> Binary Relations	48
Table 95:	<code>mathabx</code> Negated Binary Relations	49
Table 96:	<code>MnSymbol</code> Binary Relations	49
Table 97:	<code>MnSymbol</code> Negated Binary Relations	50
Table 98:	<code>fdsymbol</code> Binary Relations	51
Table 99:	<code>fdsymbol</code> Negated Binary Relations	53
Table 100:	<code>boisik</code> Binary Relations	54
Table 101:	<code>boisik</code> Negated Binary Relations	54
Table 102:	<code>stix</code> Binary Relations	55
Table 103:	<code>stix</code> Negated Binary Relations	56
Table 104:	<code>mathtools</code> Binary Relations	56
Table 105:	<code>turnstile</code> Binary Relations	57
Table 106:	<code>trsym</code> Binary Relations	58
Table 107:	<code>trfsigns</code> Binary Relations	58
Table 108:	<code>cmll</code> Binary Relations	58
Table 109:	<code>colonequals</code> Binary Relations	58
Table 110:	<code>fourier</code> Binary Relations	58
Table 111:	Subset and Superset Relations	58
Table 112:	$\mathcal{AMS}$ Subset and Superset Relations	59
Table 113:	<code>stmaryrd</code> Subset and Superset Relations	59
Table 114:	<code>wasysym</code> Subset and Superset Relations	59
Table 115:	<code>txfonts/pxfonts</code> Subset and Superset Relations	59
Table 116:	<code>mathabx</code> Subset and Superset Relations	59
Table 117:	<code>MnSymbol</code> Subset and Superset Relations	60
Table 118:	<code>fdsymbol</code> Subset and Superset Relations	60
Table 119:	<code>boisik</code> Subset and Superset Relations	60
Table 120:	<code>stix</code> Subset and Superset Relations	61
Table 121:	Inequalities	61
Table 122:	$\mathcal{AMS}$ Inequalities	61
Table 123:	<code>wasysym</code> Inequalities	62
Table 124:	<code>txfonts/pxfonts</code> Inequalities	62
Table 125:	<code>mathabx</code> Inequalities	62
Table 126:	<code>MnSymbol</code> Inequalities	63
Table 127:	<code>fdsymbol</code> Inequalities	64
Table 128:	<code>boisik</code> Inequalities	65
Table 129:	<code>stix</code> Inequalities	65
Table 130:	$\mathcal{AMS}$ Triangle Relations	66
Table 131:	<code>stmaryrd</code> Triangle Relations	66
Table 132:	<code>mathabx</code> Triangle Relations	66
Table 133:	<code>MnSymbol</code> Triangle Relations	67
Table 134:	<code>fdsymbol</code> Triangle Relations	68
Table 135:	<code>boisik</code> Triangle Relations	68
Table 136:	<code>stix</code> Triangle Relations	68
Table 137:	Arrows	69
Table 138:	Harpoons	69
Table 139:	<code>textcomp</code> Text-mode Arrows	69
Table 140:	$\mathcal{AMS}$ Arrows	69
Table 141:	$\mathcal{AMS}$ Negated Arrows	69

Table 142:	$\mathcal{AMS}$ Harpoons	69
Table 143:	stmaryrd Arrows	70
Table 144:	txfonts/pxfonts Arrows	70
Table 145:	mathabx Arrows	70
Table 146:	mathabx Negated Arrows	70
Table 147:	mathabx Harpoons	71
Table 148:	MnSymbol Arrows	71
Table 149:	MnSymbol Negated Arrows	72
Table 150:	MnSymbol Harpoons	74
Table 151:	MnSymbol Negated Harpoons	74
Table 152:	fdsymbol Arrows	75
Table 153:	fdsymbol Negated Arrows	76
Table 154:	fdsymbol Harpoons	78
Table 155:	fdsymbol Negated Harpoons	79
Table 156:	boisik Arrows	79
Table 157:	boisik Negated Arrows	80
Table 158:	boisik Harpoons	80
Table 159:	stix Arrows	81
Table 160:	stix Negated Arrows	83
Table 161:	stix Harpoons	83
Table 162:	harpoon Extensible Harpoons	84
Table 163:	chemarrow Arrows	84
Table 164:	fge Arrows	84
Table 165:	MnSymbol Spoons	84
Table 166:	MnSymbol Pitchforks	84
Table 167:	MnSymbol Smiles and Frowns	85
Table 168:	fdsymbol Spoons	85
Table 169:	fdsymbol Pitchforks	86
Table 170:	fdsymbol Smiles and Frowns	86
Table 171:	ulsy Contradiction Symbols	86
Table 172:	Extension Characters	86
Table 173:	stmaryrd Extension Characters	86
Table 174:	txfonts/pxfonts Extension Characters	86
Table 175:	mathabx Extension Characters	86
Table 176:	stix Extension Characters	87
Table 177:	Log-like Symbols	87
Table 178:	$\mathcal{AMS}$ Log-like Symbols	87
Table 179:	$\mathbb{A}2e$ Number Sets	87
Table 180:	Greek Letters	88
Table 181:	$\mathcal{AMS}$ Greek Letters	88
Table 182:	txfonts/pxfonts Upright Greek Letters	89
Table 183:	upgreek Upright Greek Letters	89
Table 184:	fourier Variant Greek Letters	89
Table 185:	txfonts/pxfonts Variant Latin Letters	90
Table 186:	boisik Variant Greek Letters	90
Table 187:	boisik Variant Latin Letters	90
Table 188:	stix Variant Greek Letters	90
Table 189:	stix Transformed Greek Letters	90
Table 190:	$\mathcal{AMS}$ Hebrew Letters	90
Table 191:	MnSymbol Hebrew Letters	90
Table 192:	fdsymbol Hebrew Letters	90
Table 193:	boisik Hebrew Letters	90
Table 194:	stix Hebrew Letters	91
Table 195:	Letter-like Symbols	91
Table 196:	$\mathcal{AMS}$ Letter-like Symbols	91
Table 197:	txfonts/pxfonts Letter-like Symbols	91
Table 198:	mathabx Letter-like Symbols	91
Table 199:	MnSymbol Letter-like Symbols	91

Table 200:	fdsymbol Letter-like Symbols	92
Table 201:	boisik Letter-like Symbols	92
Table 202:	stix Letter-like Symbols	92
Table 203:	trfsigns Letter-like Symbols	92
Table 204:	mathdesign Letter-like Symbols	92
Table 205:	fge Letter-like Symbols	92
Table 206:	fourier Letter-like Symbols	93
Table 207:	cmll Letter-like Symbols	93
Table 208:	$\mathcal{AMS}$ Delimiters	93
Table 209:	stmaryrd Delimiters	93
Table 210:	mathabx Delimiters	93
Table 211:	boisik Delimiters	93
Table 212:	stix Delimiters	93
Table 213:	nath Delimiters	93
Table 214:	Variable-sized Delimiters	94
Table 215:	Large, Variable-sized Delimiters	94
Table 216:	$\mathcal{AMS}$ Variable-sized Delimiters	94
Table 217:	stmaryrd Variable-sized Delimiters	94
Table 218:	mathabx Variable-sized Delimiters	95
Table 219:	MnSymbol Variable-sized Delimiters	95
Table 220:	fdsymbol Variable-sized Delimiters	96
Table 221:	stix Variable-sized Delimiters	97
Table 222:	mathdesign Variable-sized Delimiters	98
Table 223:	nath Variable-sized Delimiters (Double)	99
Table 224:	nath Variable-sized Delimiters (Triple)	99
Table 225:	fourier Variable-sized Delimiters	99
Table 226:	textcomp Text-mode Delimiters	99
Table 227:	metre Text-mode Delimiters	100
Table 228:	Math-mode Accents	100
Table 229:	$\mathcal{AMS}$ Math-mode Accents	100
Table 230:	MnSymbol Math-mode Accents	100
Table 231:	fdsymbol Math-mode Accents	101
Table 232:	boisik Math-mode Accents	101
Table 233:	stix Math-mode Accents	101
Table 234:	fge Math-mode Accents	101
Table 235:	yhmath Math-mode Accents	101
Table 236:	Extensible Accents	102
Table 237:	overrightarrow Extensible Accents	102
Table 238:	yhmath Extensible Accents	102
Table 239:	$\mathcal{AMS}$ Extensible Accents	102
Table 240:	MnSymbol Extensible Accents	103
Table 241:	fdsymbol Extensible Accents	103
Table 242:	stix Extensible Accents	103
Table 243:	mathtools Extensible Accents	104
Table 244:	mathabx Extensible Accents	104
Table 245:	fourier Extensible Accents	104
Table 246:	esvect Extensible Accents	104
Table 247:	abracas Extensible Accents	105
Table 248:	undertilde Extensible Accents	105
Table 249:	ushort Extensible Accents	105
Table 250:	mdwmath Extensible Accents	105
Table 251:	actuarialangle Extensible Accents	105
Table 252:	$\mathcal{AMS}$ Extensible Arrows	105
Table 253:	mathtools Extensible Arrows	106
Table 254:	chemarr Extensible Arrows	106
Table 255:	chemarrow Extensible Arrows	106
Table 256:	extarrows Extensible Arrows	106
Table 257:	extpfeil Extensible Arrows	107

Table 258:	DotArrow Extensible Arrows	107
Table 259:	trfsigns Extensible Transform Symbols	107
Table 260:	holtpolt Non-commutative Division Symbols	107
Table 261:	Dots	107
Table 262:	$\mathcal{AMS}$ Dots	108
Table 263:	wasysym Dots	108
Table 264:	MnSymbol Dots	108
Table 265:	fdsymbol Dots	108
Table 266:	stix Dots	109
Table 267:	mathdots Dots	109
Table 268:	yhmath Dots	109
Table 269:	teubner Dots	109
Table 270:	begriff Begriffsschrift Symbols	109
Table 271:	frege Begriffsschrift Symbols	110
Table 272:	mathcomp Math Symbols	110
Table 273:	marvosym Math Symbols	110
Table 274:	marvosym Digits	110
Table 275:	fge Digits	110
Table 276:	dozenal Base-12 Digits	110
Table 277:	mathabx Mayan Digits	110
Table 278:	stix Infinities	111
Table 279:	stix Primes	111
Table 280:	stix Empty Sets	111
Table 281:	$\mathcal{AMS}$ Angles	111
Table 282:	MnSymbol Angles	111
Table 283:	fdsymbol Angles	111
Table 284:	boisik Angles	111
Table 285:	stix Angles	112
Table 286:	Miscellaneous L ^A T _E X 2 _ε Math Symbols	112
Table 287:	Miscellaneous $\mathcal{AMS}$ Math Symbols	112
Table 288:	Miscellaneous wasysym Math Symbols	112
Table 289:	Miscellaneous txfonts/pxfonts Math Symbols	112
Table 290:	Miscellaneous mathabx Math Symbols	113
Table 291:	Miscellaneous MnSymbol Math Symbols	113
Table 292:	Miscellaneous Internal MnSymbol Math Symbols	113
Table 293:	Miscellaneous fdsymbol Math Symbols	113
Table 294:	Miscellaneous boisik Math Symbols	114
Table 295:	Miscellaneous stix Math Symbols	114
Table 296:	Miscellaneous textcomp Text-mode Math Symbols	114
Table 297:	Miscellaneous fge Math Symbols	115
Table 298:	Miscellaneous mathdesign Math Symbols	115
Table 299:	Math Alphabets	116
4	Science and technology symbols	118
Table 300:	gensymb Symbols Defined to Work in Both Math and Text Mode	118
Table 301:	wasysym Electrical and Physical Symbols	118
Table 302:	ifsym Pulse Diagram Symbols	118
Table 303:	ar Aspect Ratio Symbol	118
Table 304:	textcomp Text-mode Science and Engineering Symbols	118
Table 305:	steinmetz Extensible Phasor Symbol	119
Table 306:	wasysym Astronomical Symbols	119
Table 307:	marvosym Astronomical Symbols	119
Table 308:	fontawesome Astronomical Symbols	119
Table 309:	mathabx Astronomical Symbols	120
Table 310:	stix Astronomical Symbols	120
Table 311:	starfont Astronomical Symbols	120
Table 312:	wasysym APL Symbols	121
Table 313:	stix APL Symbols	121

Table 314:	apl APL Symbols	121
Table 315:	marvosym Computer Hardware Symbols	121
Table 316:	keystroke Computer Keys	122
Table 317:	ascii Control Characters (CP437)	122
Table 318:	logic Logic Gates	123
Table 319:	marvosym Communication Symbols	123
Table 320:	marvosym Engineering Symbols	123
Table 321:	wasysym Biological Symbols	123
Table 322:	stix Biological Symbols	124
Table 323:	marvosym Biological Symbols	124
Table 324:	fontawesome Biological Symbols	124
Table 325:	marvosym Safety-related Symbols	124
Table 326:	feyn Feynman Diagram Symbols	125
Table 327:	svrsymbols Physics Ideograms	125

5 Dingbats 126

Table 328:	bbding Arrows	126
Table 329:	pifont Arrows	126
Table 330:	adfsymbols Arrows	126
Table 331:	adorn Arrows	127
Table 332:	arev Arrows	127
Table 333:	fontawesome Arrows	127
Table 334:	fontawesome Chevrons	127
Table 335:	marvosym Scissors	127
Table 336:	bbding Scissors	127
Table 337:	pifont Scissors	127
Table 338:	dingbat Pencils	128
Table 339:	arev Pencils	128
Table 340:	fontawesome Pencils	128
Table 341:	bbding Pencils and Nibs	128
Table 342:	pifont Pencils and Nibs	128
Table 343:	dingbat Fists	128
Table 344:	bbding Fists	128
Table 345:	pifont Fists	128
Table 346:	fourier Fists	129
Table 347:	arev Fists	129
Table 348:	fontawesome Fists	129
Table 349:	bbding Crosses and Plusses	129
Table 350:	pifont Crosses and Plusses	129
Table 351:	adfsymbols Crosses and Plusses	129
Table 352:	arev Crosses	129
Table 353:	bbding Xs and Check Marks	129
Table 354:	pifont Xs and Check Marks	130
Table 355:	wasysym Xs and Check Marks	130
Table 356:	marvosym Xs and Check Marks	130
Table 357:	arev Xs and Check Marks	130
Table 358:	fontawesome Xs and Check Marks	130
Table 359:	pifont Circled Numerals	130
Table 360:	wasysym Stars	131
Table 361:	bbding Stars, Flowers, and Similar Shapes	131
Table 362:	pifont Stars, Flowers, and Similar Shapes	131
Table 363:	adfsymbols Stars, Flowers, and Similar Shapes	131
Table 364:	adorn Stars	131
Table 365:	fontawesome Stars	132
Table 366:	fourier Fleurons and Flowers	132
Table 367:	adorn Fleurons and Flowers	132
Table 368:	wasysym Geometric Shapes	132
Table 369:	MnSymbol Geometric Shapes	132

Table 370:	fdsymbol Geometric Shapes	133
Table 371:	boisik Geometric Shapes	133
Table 372:	stix Geometric Shapes	133
Table 373:	ifsym Geometric Shapes	135
Table 374:	bbding Geometric Shapes	135
Table 375:	pifont Geometric Shapes	136
Table 376:	universa Geometric Shapes	136
Table 377:	adfsymbols Geometric Shapes	136
Table 378:	fontawesome Geometric Shapes	136
Table 379:	L ^A T _E X 2 _ε Playing-Card Suits	136
Table 380:	txfonts/pxfonts Playing-Card Suits	136
Table 381:	MnSymbol Playing-Card Suits	136
Table 382:	fdsymbol Playing-Card Suits	136
Table 383:	boisik Playing-Card Suits	136
Table 384:	stix Playing-Card Suits	137
Table 385:	arev Playing-Card Suits	137
Table 386:	adorn Flourishes	137
Table 387:	Miscellaneous dingbat Dingbats	137
Table 388:	Miscellaneous bbding Dingbats	137
Table 389:	Miscellaneous pifont Dingbats	137
Table 390:	Miscellaneous adorn Dingbats	137
6	Ancient languages	138
Table 391:	phaistos Symbols from the Phaistos Disk	138
Table 392:	protosem Proto-Semitic Characters	138
Table 393:	hieroglf Hieroglyphics	139
Table 394:	linearA Linear A Script	139
Table 395:	linearb Linear B Basic and Optional Letters	142
Table 396:	linearb Linear B Numerals	142
Table 397:	linearb Linear B Weights and Measures	142
Table 398:	linearb Linear B Ideograms	143
Table 399:	linearb Unidentified Linear B Symbols	143
Table 400:	cypriot Cypriot Letters	143
Table 401:	sarabian South Arabian Letters	144
Table 402:	teubner Archaic Greek Letters and Greek Numerals	144
Table 403:	boisik Archaic Greek Letters and Greek Numerals	144
Table 404:	epiolmec Epi-Olmec Script	144
Table 405:	epiolmec Epi-Olmec Numerals	146
7	Musical symbols	147
Table 406:	L ^A T _E X 2 _ε Musical Symbols	147
Table 407:	textcomp Musical Symbols	147
Table 408:	wasysym Musical Symbols	147
Table 409:	MnSymbol Musical Symbols	147
Table 410:	fdsymbol Musical Symbols	147
Table 411:	boisik Musical Symbols	147
Table 412:	stix Musical Symbols	147
Table 413:	arev Musical Symbols	147
Table 414:	MusiX _T E _X Musical Symbols	148
Table 415:	MusiX _T E _X Alternative Clefs	149
Table 416:	harmony Musical Symbols	149
Table 417:	harmony Musical Accents	149
Table 418:	<i>lily</i> _{ly} <i>pbs</i> Single Notes	150
Table 419:	<i>lily</i> _{ly} <i>pbs</i> Beamed Notes	150
Table 420:	<i>lily</i> _{ly} <i>pbs</i> Clefs	151
Table 421:	<i>lily</i> _{ly} <i>pbs</i> Time Signatures	151
Table 422:	<i>lily</i> _{ly} <i>pbs</i> Accidentals	151

Table 423:	<i>lily</i> Rests	151
Table 424:	<i>lily</i> Dynamics Letters	152
Table 425:	<i>lily</i> Dynamics Symbols	152
Table 426:	<i>lily</i> Articulations	152
Table 427:	<i>lily</i> Scripts	152
Table 428:	<i>lily</i> Accordion Notation	152
Table 429:	<i>lily</i> Named Time Signatures	153
Table 430:	<i>lily</i> Named Scripts	153
Table 431:	<i>lily</i> Named Rests	154
Table 432:	<i>lily</i> Named Pedals	154
Table 433:	<i>lily</i> Named Flags	155
Table 434:	<i>lily</i> Named Custodes	155
Table 435:	<i>lily</i> Named Clefs	156
Table 436:	<i>lily</i> Named Noteheads	157
Table 437:	<i>lily</i> Named Accordion Symbols	161
Table 438:	<i>lily</i> Named Accidentals	162
Table 439:	<i>lily</i> Named Arrowheads	162
Table 440:	<i>lily</i> Named Alphanumerics and Punctuation	163
Table 441:	Miscellaneous <i>lily</i> Named Musical Symbols	163
8	Other symbols	164
Table 442:	<i>textcomp</i> Genealogical Symbols	164
Table 443:	<i>wasysym</i> General Symbols	164
Table 444:	<i>manfnt</i> Dangerous Bend Symbols	164
Table 445:	Miscellaneous <i>manfnt</i> Symbols	164
Table 446:	<i>marvosym</i> Media Control Symbols	164
Table 447:	<i>marvosym</i> Laundry Symbols	165
Table 448:	<i>marvosym</i> Information Symbols	165
Table 449:	Other <i>marvosym</i> Symbols	165
Table 450:	Miscellaneous <i>universa</i> Symbols	165
Table 451:	Miscellaneous <i>fourier</i> Symbols	165
Table 452:	<i>ifsym</i> Weather Symbols	166
Table 453:	<i>ifsym</i> Alpine Symbols	166
Table 454:	<i>ifsym</i> Clocks	166
Table 455:	Other <i>ifsym</i> Symbols	166
Table 456:	<i>clock</i> Clocks	167
Table 457:	<i>epsdice</i> Dice	167
Table 458:	<i>hhcount</i> Dice	167
Table 459:	<i>stix</i> Dice	167
Table 460:	<i>bullcntr</i> Tally Markers	168
Table 461:	<i>hhcount</i> Tally Markers	168
Table 462:	<i>dozenal</i> Tally Markers	168
Table 463:	<i>skull</i> Symbols	169
Table 464:	Non-Mathematical <i>mathabx</i> Symbols	169
Table 465:	<i>skak</i> Chess Informator Symbols	169
Table 466:	<i>skak</i> Chess Pieces and Chessboard Squares	170
Table 467:	<i>igo</i> Go Symbols	170
Table 468:	<i>go</i> Go Symbols	171
Table 469:	<i>metre</i> Metrical Symbols	171
Table 470:	<i>metre</i> Small and Large Metrical Symbols	171
Table 471:	<i>teubner</i> Metrical Symbols	172
Table 472:	<i>dictsym</i> Dictionary Symbols	172

Table 473:	<code>simpsons</code> Characters from <i>The Simpsons</i>	172
Table 474:	<code>pmbboxdraw</code> Box-Drawing Symbols	173
Table 475:	<code>staves</code> Magical Staves	173
Table 476:	<code>pigpen</code> Cipher Symbols	174
Table 477:	<code>GpA2e</code> Phases of the Moon	174
Table 478:	<code>GpA2e</code> Recycling Symbols	174
Table 479:	<code>marvosym</code> Recycling Symbols	175
Table 480:	<code>recycle</code> Recycling Symbols	175
Table 481:	Other <code>GpA2e</code> Symbols	175
Table 482:	<code>soyombo</code> Soyombo Symbols	175
Table 483:	<code>knitting</code> Knitting Symbols	176
Table 484:	<code>CountriesOfEurope</code> Country Maps	176
Table 485:	Miscellaneous <code>arev</code> Symbols	178
Table 486:	<code>cookingsymbols</code> Cooking Symbols	178
Table 487:	<code>tikzsymbols</code> Cooking Symbols	179
Table 488:	<code>tikzsymbols</code> Emoticons	179
Table 489:	<code>tikzsymbols</code> 3D Emoticons	179
Table 490:	<code>tikzsymbols</code> Trees	179
Table 491:	Miscellaneous <code>tikzsymbols</code> Symbols	180
Table 492:	Miscellaneous <code>bclogo</code> Symbols	180
Table 493:	<code>fontawesome</code> Web-Related Icons	181
Table 494:	<code>rubikcube</code> Rubik’s Cube Rotations	185
9	Fonts with minimal L^AT_EX support	186
Table 495:	<code>hands</code> Fists	186
Table 496:	<code>greenpoint</code> Recycling Symbols	186
Table 497:	<code>nkarta</code> Map Symbols	186
Table 498:	<code>moonphase</code> Astronomical Symbols	188
Table 499:	<code>astrosym</code> Astronomical Symbols	188
Table 500:	<code>webomints</code> Decorative Borders	191
Table 501:	<code>umranda</code> Decorative Borders	192
Table 502:	<code>umrandb</code> Decorative Borders	193
Table 503:	<code>dingbat</code> Decorative Borders	194
Table 504:	<code>knot</code> Celtic Knots	194
Table 505:	<code>dancers</code> Dancing Men	198
Table 506:	<code>semaphor</code> Semaphore Alphabet	200
Table 507:	<code>cryst</code> Crystallography Symbols	202
Table 508:	<code>dice</code> Dice	203
Table 509:	<code>magic</code> Trading Card Symbols	204
Table 510:	<code>bartel-chess-fonts</code> Chess Pieces and Chessboard Squares	204
10	Additional Information	206
10.1	Symbol Name Clashes	206
10.2	Resizing symbols	206
10.3	Where can I find the symbol for ...?	206
10.4	Math-mode spacing	219
10.5	Bold mathematical symbols	219
10.6	ASCII and Latin 1 quick reference	220
10.7	Unicode characters	223
10.8	About this document	225
10.9	Copyright and license	227
	References	228
	Index	229

1 Introduction

Welcome to the Comprehensive L^AT_EX Symbol List! This document strives to be your primary source of L^AT_EX symbol information: font samples, L^AT_EX commands, packages, usage details, caveats—everything needed to put thousands of different symbols at your disposal. All of the fonts covered herein meet the following criteria:

1. They are freely available from the Comprehensive T_EX Archive Network (<http://www.ctan.org/>).
2. All of their symbols have L^AT_EX 2_ε bindings. That is, a user should be able to access a symbol by name (e.g., `\bigtriangleup`).

As of version 12 of the Comprehensive L^AT_EX Symbol List, that second restriction has been relaxed with the inclusion of Section 9, which showcases fonts that provide, at a minimum, either T_EX font-metric files (`.tfm`) or the METAFONT sources (`.mf`) that produce those font-metric files. Some of the Section 9 fonts do include L^AT_EX font-definition files (`.fd`). However, what sets the fonts in Section 9 apart from the fonts in rest of the document is that they lack a L^AT_EX style file (`.sty`) that individually names each of the glyphs.

The restrictions listed above are not particularly limiting criteria; the Comprehensive L^AT_EX Symbol List contains samples of 14032 symbols—quite a large number. Some of these symbols are guaranteed to be available in every L^AT_EX 2_ε system; others require fonts and packages that may not accompany a given distribution and that therefore need to be installed. See <http://www.tex.ac.uk/cgi-bin/texfaq2html?label=instpackages+wherefiles> for help with installing new fonts and packages.

1.1 Document Usage

Each section of this document contains a number of font tables. Each table shows a set of symbols, with the corresponding L^AT_EX command to the right of each symbol. A table’s caption indicates what package needs to be loaded in order to access that table’s symbols. For example, the symbols in Table 45, “textcomp Old-Style Numerals”, are made available by putting “`\usepackage{textcomp}`” in your document’s preamble. “*AMS*” means to use the *AMS* packages, viz. `amssymb` and/or `amsmath`. Notes below a table provide additional information about some or all the symbols in that table.

One note that appears a few times in this document, particularly in Section 2, indicates that certain symbols do not exist in the OT1 font encoding (Donald Knuth’s original, 7-bit font encoding, which is the default font encoding for L^AT_EX) and that you should use `fontenc` to select a different encoding, such as T1 (a common 8-bit font encoding). That means that you should put “`\usepackage[encoding]{fontenc}`” in your document’s preamble, where *encoding* is, e.g., T1 or LY1. To limit the change in font encoding to the current group, use “`\fontencoding{encoding}\selectfont`”.

Section 10 contains some additional information about the symbols in this document. It discusses how certain mathematical symbols can vary in height, shows which symbol names are not unique across packages, gives examples of how to create new symbols out of existing symbols, explains how symbols are spaced in math mode, compares various schemes for boldfacing symbols, presents L^AT_EX ASCII and Latin 1 tables, shows how to input and output Unicode characters, and provides some information about this document itself. The Comprehensive L^AT_EX Symbol List ends with an index of all the symbols in the document and various additional useful terms.

1.2 Frequently Requested Symbols

There are a number of symbols that are requested over and over again on `comp.text.tex`. If you’re looking for such a symbol the following list will help you find it quickly.

␣, as in “Spaces_are_significant.”	13	ℳ	39
ī, î, ĩ, ı, ȩ, etc. (versus ī, î, ï, ı, and ȩ)	19	∴	47
¢	24	≐ and ≑	48
€	24	≲ and ≳	61
©, ®, and ™	25	∴	109
%	26	°, as in “180°” or “15°C”	114

$\mathcal{L}, \mathcal{F}$, etc.	116	$\grave{\text{a}}, \grave{\text{e}}$, etc. (i.e., several accents per character)	
$\mathbb{N}, \mathbb{Z}, \mathbb{R}$, etc.	116		214
$\mathfrak{z}$	116	$<, >$, and $ $ (instead of $\mathfrak{j}, \mathfrak{l}$, and $—$) . . .	221
f	212	$\hat{}$ and $\tilde{}$ (or $\sim$)	221

2 Body-text symbols

This section lists symbols that are intended for use in running text, such as punctuation marks, accents, ligatures, and currency symbols.

TABLE 1: L^AT_EX 2_ε Escapable “Special” Characters

\$	\\$	%	\%	-	_*	}	\}	&	\&	#	\#	{	\{

* The `underscore` package redefines “_” to produce an underscore in text mode (i.e., it makes it unnecessary to escape the underscore character).

TABLE 2: Predefined L^AT_EX 2_ε Text-mode Commands

^	\textasciicircum*	<	\textless
~	\textasciitilde*	a	\textordfeminine
*	\textasteriskcentered	o	\textordmasculine
\	\textbackslash	¶	\textparagraph [†]
	\textbar	.	\textperiodcentered
	\textbardbl	% ₀₀₀	\textpertenthousand
○	\textbigcircle	% ₀₀	\textperthousand
{	\textbraceleft [†]	¿	\textquestiondown
}	\textbraceright [†]	“	\textquotedblleft
•	\textbullet	”	\textquotedblright
©	\textcopyright [†]	‘	\textquoteleft
†	\textdagger [†]	,’	\textquoteright
‡	\textdaggerdbl [†]	®	\textregistered
\$	\textdollar [†]	§	\textsection [†]
...	\textellipsis [†]	£	\textsterling [†]
—	\textemdash	™	\texttrademark
-	\textendash	-	\textunderscore [†]
¡	\textexclamdown	˘	\textvisiblespace
>	\textgreater		

The first symbol column represents the—sometimes “faked”—symbol that L^AT_EX 2_ε provides by default. The second symbol column represents the symbol as redefined by `textcomp` (if `textcomp` redefines it). The `textcomp` package is generally required to typeset Table 2’s symbols in italic, and some symbols additionally require the T1 font encoding for italic.

* `\^{}` and `\~{}` can be used instead of `\textasciicircum` and `\textasciitilde`. See the discussion of “~” on page 221.

[†] It’s generally preferable to use the corresponding symbol from Table 3 on the following page because the symbols in that table work properly in both text mode and math mode.

TABLE 3: L^AT_EX 2_ε Commands Defined to Work in Both Math and Text Mode

{	\{	-	_	‡	‡	\ddag	£	\pounds
}	\}	©	©	\copyright	...	\dots	§	\S
\$	\$	\\$	†	†	\dag	¶	¶	\P

The first symbol column represents the—sometimes “faked”—symbol that L^AT_EX 2_ε provides by default. The second symbol column represents the symbol as redefined by `textcomp` (if `textcomp` redefines it). The `textcomp` package is generally required to typeset Table 3’s symbols in italic, and some symbols additionally require the T1 font encoding for italic.

TABLE 4: $\mathcal{A}\mathcal{M}\mathcal{S}$ Commands Defined to Work in Both Math and Text Mode

✓	\checkmark	®	\circledR	✠	\maltese

TABLE 5: Non-ASCII Letters (Excluding Accented Letters)

å	\aa	Ð	\DH*	L	\L	ø	\o	ß	\ss
Å	\AA	ð	\dh*	l	\l	Ø	\O	SS	\SS
Æ	\AE	Ð	\DJ*	l	\NG*	Œ	\OE	Þ	\TH*
æ	\ae	ð	\dj*	l	\ng*	œ	\oe	þ	\th*

* Not available in the OT1 font encoding. Use the `fontenc` package to select an alternate font encoding, such as T1.

TABLE 6: `textgreek` Upright Greek Letters

α	\textalpha	η	\texteta	ν	\textnu	τ	\texttau
β	\textbeta	θ	\texttheta	ξ	\textxi	υ	\textupsilon
γ	\textgamma	ι	\textiota	ο	\textomikron	φ	\textphi
δ	\textdelta	κ	\textkappa	π	\textpi	χ	\textchi
ε	\textepsilon	λ	\textlambda	ρ	\textrho	ψ	\textpsi
ζ	\textzeta	μ	\textmu*	σ	\textsigma	ω	\textomega
Α	\textAlpha	Η	\textEta	Ν	\textNu	Τ	\textTau
Β	\textBeta	Θ	\textTheta	Ξ	\textXi	Υ	\textUpsilon
Γ	\textGamma	Ι	\textIota	Ο	\textOmikron	Φ	\textPhi
Δ	\textDelta	Κ	\textKappa	Π	\textPi	Χ	\textChi
Ε	\textEpsilon	Λ	\textLambda	Ρ	\textRho	Ψ	\textPsi
Ζ	\textZeta	Μ	\textMu	Σ	\textSigma	Ω	\textOmega

* Synonyms for `\textmu` include `\textmicro` and `\textmugreek`.

`textgreek` tries to use a Greek font that matches the body text. As a result, the glyphs may appear slightly different from the above.

Unlike `upgreek` (Table 183 on page 89), `textgreek` works in text mode.

The symbols in this table are intended to be used sporadically throughout a document (e.g., in phrases such as “β-decay”). In contrast, Greek body text can be typeset using the `babel` package’s `greek` (or `polutonikogreek`) option—and, of course, a font that provides the glyphs for the Greek alphabet.

TABLE 7: Letters Used to Typeset African Languages

Đ	\B{D}	ċ	\m{c}	f	\m{f}	ķ	\m{k}	t	\M{t}	Ʒ	\m{Z}
đ	\B{d}	Đ	\m{D}	F	\m{F}	Đ	\m{N}	T	\M{T}	Ě	\T{E}
H	\B{H}	ċ	\M{d}	Y	\m{G}	ŋ	\m{n}	t	\m{t}	ē	\T{e}
h	\B{h}	Đ	\M{D}	Y	\m{g}	o	\m{o}	T	\m{T}	Ō	\T{O}
t	\B{t}	d	\m{d}	l	\m{l}	o	\m{o}	u	\m{u}*	ō	\T{o}
T	\B{T}	E	\m{E}	i	\m{i}	P	\m{P}	U	\m{U}*		
b	\m{b}	e	\m{e}	N	\m{J}	p	\m{p}	Y	\m{Y}		
B	\m{B}	Ě	\M{E}	j	\m{j}	s	\m{s}	y	\m{y}		
C	\m{C}	ə	\M{e}	K	\m{K}	S	\m{S}	z	\m{z}		

These characters all need the T4 font encoding, which is provided by the `fc` package.

* `\m{v}` and `\m{V}` are synonyms for `\m{u}` and `\m{U}`.

TABLE 8: Letters Used to Typeset Vietnamese

Ō	\OHORN	ơ	\ohorn	Ũ	\UHORN	ư	\uhorn

These characters all need the T5 font encoding, which is provided by the `vntex` package.

TABLE 9: Punctuation Marks Not Found in OT1

«	\guillemotleft	<	\guilsinglleft	„	\quotedblbase	"	\textquotedbl
»	\guillemotright	>	\guilsinglright	,	\quotesinglbase		

To get these symbols, use the `fontenc` package to select an alternate font encoding, such as T1.

TABLE 10: pifont Decorative Punctuation Marks

•	\ding{123}	“	\ding{125}	‡	\ding{161}	•	\ding{163}
•	\ding{124}	”	\ding{126}	‡	\ding{162}		

TABLE 11: tipa Phonetic Symbols

ɤ	\textbabygamma	ʔ	\textglotstop	ɳ	\textrtailn
ḃ	\textbarb	˙	\texthalflength	ɽ	\textrtailr
Ḅ	\textbarc	ᵇ	\texthardsign	ɿ	\textrtails
Ḍ	\textbard	˘	\texthooktop	ʈ	\textrtailt
Ḑ	\textbardotlessj	Ḅ	\texthtb	ʌ	\textrtailz
ḑ	\textbarg	f	\texthtbardotlessj	˘	\texttrthook
ʔ	\textbarglotstop	Ḅ	\texthtc	A	\texttsca
i	\textbari	Ḅ	\texthtd	B	\texttscb
ḡ	\textbarl	Ḅ	\texthtg	E	\texttsce
Ḣ	\textbaro	Ḅ	\texthth	G	\texttscg
Ḥ	\textbarrevglotstop	Ḅ	\texththeng	H	\texttsch
Ḧ	\textbaru	Ḅ	\texthtk	ə	\texttschwa
Ḩ	\textbeltl	Ḅ	\texthtp	I	\texttsci
Ḭ	\textbeta	Ḅ	\texthtq	J	\textscj
Ṁ	\textbullseye	Ḅ	\texthttrtaild	L	\texttscl
˘	\textceltpal	Ḅ	\texthtscg	N	\texttscn
χ	\textchi	f	\texthtt	œ	\texttscoelig
Ḫ	\textcloseepsilon	Ḅ	\texthvlig	Ω	\texttscomega
Ṳ	\textcloseomega	Ḅ	\textinvglotstop	R	\texttscr
Ṵ	\textcloserevepsilon	Ḅ	\textinvscr	α	\texttscripta
Ṷ	\textcommatailz	ι	\textiota	g	\texttscriptg
˘	\textcorner	λ	\textlambda	υ	\texttscriptv
Ḅ	\textcrb	:	\textlengthmark	U	\texttscu
Ḍ	\textcrd	Ḅ	\textlhookt	Y	\texttscy
Ḓ	\textcrg	l	\textlhtlongi	˘	\textsecstress
Ḣ	\textcrh	q	\textlhtlongy	Ḅ	\textsoftsign
Ḥ	\textcrinvglotstop	l	\textlongleg	Ḅ	\textstretchc
λ	\textcrlambda	˘	\textlptr	Ḅ	\texttctclig
2	\textcrtwo	Ḅ	\textltailm	Ḅ	\texttेशlig
Ḅ	\textctc	Ḅ	\textltailn	Ḅ	\textttheta
Ḍ	\textctd	Ḅ	\textltilde	Ḅ	\texttthorn
Ḍ	\textctdctzlig	Ḅ	\textlyoghlig	l	\texttoneletterstem
Ḓ	\textctesh	J	\textṀbardotlessj	ts	\textttslig
j	\textctj	Ḅ	\textṀlyoghlig	e	\texttturna
Ḣ	\textctn	ω	\textomega	æ	\texttturncelig
Ḣ	\textctt	˘	\textopencorner	q	\texttturnh
Ḅ	\textcttctclig	o	\textopeno	Ḅ	\texttturnk
3	\textcttyogh	˘	\textpalhook	I	\texttturnlongleg
z	\textctz	φ	\textphi	uu	\texttturnm
Ḍ	\textdctzlig	l	\textpipe	uq	\texttturnmrleg
f	\textdoublebaresh	˘	\textprimstress	˘	\texttturnr
Ḅ	\textdoublebarpipe	ʔ	\textraiseglotstop	Ḅ	\texttturnrrtail
≠	\textdoublebarslash	l	\textraisevibyi	Ḅ	\texttturnscripta
	\textdoublepipe	γ	\texttramshorns	Ḅ	\texttturnt
	\textdoublevertline	˘	\textrevapostrophe	Λ	\texttturnv
↓	\textdownstep	ə	\textreve	Λ	\texttturnw
Ḅ	\textdyoghlig	3	\textreveysion	Λ	\texttturny
Ḍ	\textdzlig	f	\textrevglotstop	U	\texttupsilon
ε	\textepsilon	Ḅ	\textrevyogh	˘	\texttupstep
Ḓ	\textesh	3	\texttrhookreveysion	l	\texttvertline
r	\textfishhookr	æ	\texttrhookschwa	l	\texttvibyi

(continued on next page)

(continued from previous page)

g	\textg	˘	\textrhoticity	ʉ	\textvibyy
γ	\textgamma	>	\textrptr	p	\textwynn
↘	\textglobfall	d	\textrtaild	ʒ	\textyogh
↗	\textglobrise	l	\textrtail		

tipa defines shortcut characters for many of the above. It also defines a command \tone for denoting tone letters (itches). See the tipa documentation for more information.

TABLE 12: tipx Phonetic Symbols

æ	\texttaolig	f	\texthtbardotlessjvar	ʌ	\textrthooklong
ɜ̃	\textbenttailyogh	ω	\textinvomega	ʌ	\textscaolig
γ	\textbktailgamma	v	\textinvsc	Δ	\textscdelta
ɔ̣	\textctinvglotstop	σ	\textinvscripta	F	\textscf
j	\textctjvar	ʰ	\textlfishhookrlig	K	\textscK
Ḷ	\textctstretchc	ʃ	\textlhookfour	M	\textscM
Ḹ	\textctstretchcvar	p	\textlhookp	P	\textscP
Ṱ	\textctturnt	ɿ	\textlhti	Q	\textscQ
ɔ̥	\textdblig	ʌ	\textlooptoprevesh	←	\textspleftarrow
≠	\textdoublebarpipevar	η	\textnrleg	↗	\textstretchcvar
	\textdoublepipevar	⊙	\textObullseye	↔	\textsubdoublearrow
↓	\textdownfullarrow	ɹ	\textpalhooklong	→	\textsubbrightarrow
♀	\textfemale	ɹ	\textpalhookvar	þ	\textthornvari
n	\textfrbarn		\textpipevar	þ	\textthornvarii
ɹ	\textfrhookd	q	\textqplig	þ	\textthornvariii
ɹ	\textfrhookdvar	◻	\textrectangle	þ	\textthornvariv
ɹ	\textfrhookt	↵	\textretractingvar	Ț	\textturnglotstop
γ	\textfrtailgamma	ɹ	\textrevscl	ɹ	\textturnsck
?	\textglotstopvari	ɹ	\textrevscr	ɹ	\textturnscu
?	\textglotstopvarii	ɑ	\textrhooka	ɹ	\textturnthree
?	\textglotstopvariii	ε	\textrhooke	Ț	\textturntwo
γ	\textgrgamma	ε	\textrhookepsilon	♀	\textuncrfemale
h	\textheng	ɹ	\textrhookopeno	↑	\textupfullarrow
h	\texthmlig	h	\textrtailhth		

TABLE 13: wsuipa Phonetic Symbols

ɤ	\babygamma	ŋ	\eng	ɱ	\labdentalnas	ə	\schwa
ḃ	\barb	ʄ	\er	ɬ	\latfric	ɪ	\sci
ḅ	\bard	ʃ	\esh	ɰ	\legm	ɲ	\scn
ḇ	\bari	ð	\eth	ɾ	\legr	ʀ	\scr
Ḉ	\barl	ɹ	\flapr	ɿ	\lz	ɑ	\scripta
ḉ	\baro	ʔ	\glotstop	α	\nialpha	ɡ	\scriptg
Ḋ	\barp	ḃ	\hookb	β	\nibeta	ʋ	\scriptv
ḅ	\barsci	ḁ	\hookd	χ	\nich	ʊ	\scu
ḇ	\barscu	ḡ	\hookg	ε	\niepsilon	ʏ	\scy
Ḉ	\baru	ḥ	\hookh	γ	\nigamma	ɸ	\slashb
ḉ	\clickb	ḥ	\hookheng	ι	\niiota	ϕ	\slashc
Ḋ	\clickc	ʔ	\hookrepsilon	λ	\nilambda	ϕ	\slashd
ḅ	\clickt	ḥ	\hv	ω	\niomega	ϕ	\slashu
ḉ	\closedniomega	ɐ	\inva	φ	\niphi	ɖ	\taild
Ḋ	\closedrepsilon	ɪ	\invf	σ	\nisigma	ɹ	\tailinvr
ḅ	\crossb	ɓ	\invglotstop	θ	\nitheta	ɭ	\taill
ḇ	\crossd	ɰ	\invh	ʋ	\niupsilon	ɳ	\tailn
Ḉ	\crossh	ɭ	\invlegr	ɲ	\nj	ɽ	\tailr
λ	\crossnilambda	ʉ	\invm	∞	\oo	ɿ	\tails
ɛ	\curlyc	ɹ	\invr	ɔ	\openo	ɿ	\tailt
ʃ	\curlyesh	ʄ	\invscr	ə	\reve	ɿ	\tailz
ʒ	\curlyyogh	ɖ	\invscripta	ɣ	\reveject	ʃ	\tesh
ʒ	\curlyz	Λ	\invv	ɜ	\revepsilon	þ	\thorn
ɿ	\dlbari	Λ	\invw	ɿ	\revglotstop	ɿ	\tildel
ɖ	\dz	ɿ	\invy	ɖ	\scd	ʒ	\yogh
ɿ	\ejective	ɿ	\ipagamma	ɱ	\scg		

TABLE 14: wasysym Phonetic Symbols

Ḋ	\DH	ð	\dh	ɔ	\openo
ḅ	\Thorn	ə	\inve	þ	\thorn

TABLE 15: phonetic Phonetic Symbols

ɪ	\barj	ɹ	\flap	ɪ	\libar	ɖ	\rotvara	ɪ	\vari
λ	\barlambda	ʔ	\glottal	ɔ	\openo	Λ	\rotw	ω	\varomega
ɱ	\emgma	Ḃ	\hausab	ḥ	\planck	ɿ	\roty	ɔ	\varopeno
ɱ	\engma	ḃ	\hausab	Λ	\pwedge	ə	\schwa	ʏ	\vod
ɲ	\enya	ḁ	\hausad	ɖ	\revD	þ	\thorn	fi	\voicedh
ε	\epsi	Ḋ	\hausad	ɿ	\riota	ɱ	\ubar	ʒ	\yogh
ʃ	\esh	ḥ	\hausak	ʉ	\rotm	ɰ	\udesc		
ð	\eth	Ḉ	\hausak	ʋ	\rotOmega	ɑ	\vara		
ḥ	\fj	ḁ	\hookd	ɹ	\rotr	ɱ	\varg		

TABLE 16: t4phonet Phonetic Symbols

đ	\textcrd	d'	\texthtd		\textpipe
h	\textcrh	k	\texthtk	d	\textrtaild
ε	\textepsilon	p	\texthtp	t	\textrtailt
ʃ	\textesh	f	\texthtt	d'	\textschwa
fj	\textfjlig	ι	\textiota	ʃ	\textscriptv
β	\texthtb	ɲ	\textltailn	ʒ	\texttेशlig
℄	\texthtc	ɔ	\textopeno	ʒ	\textyogh

The idea behind the **t4phonet** package’s phonetic symbols is to provide an interface to some of the characters in the T4 font encoding (Table 7 on page 15) but using the same names as the **tipa** characters presented in Table 11 on page 16.

TABLE 17: semtrans Transliteration Symbols

ʾ	\Alif	ʿ	\Ayn

TABLE 18: Text-mode Accents

Ää	\{"A}\{a}	Áá	\ {A}\ {a}†	Ââ	\f{A}\f{a}¶	Ââ	\t{A}\t{a}
Áá	\' {A}\' {a}	Ãã	\~ {A}\~ {a}	Ää	\G{A}\G{a}‡	Ää	\u{A}\u{a}
Ââ	\. {A}\. {a}	Ää	\b{A}\b{a}	Ää	\h{A}\h{a}§	Ää	\U{A}\U{a}‡
Ää	\={A}\={a}	Ää	\c{A}\c{a}	Ää	\H{A}\H{a}	Ää	\U{A}\U{a}¶
Ää	\^{A}\^{a}	Ää	\C{A}\C{a}¶	Ää	\k{A}\k{a}†	Ää	\v{A}\v{a}
Ää	\‘ {A}\‘ {a}	Ää	\d{A}\d{a}	Ää	\r{A}\r{a}		

Ââ \newtie{A}\newtie{a}* ⒶⒶ \textcircled{A}\textcircled{a}

* Requires the **textcomp** package.

† Not available in the OT1 font encoding. Use the **fontenc** package to select an alternate font encoding, such as T1.

‡ Requires the T4 font encoding, provided by the **fc** package.

§ Requires the T5 font encoding, provided by the **vtex** package.

¶ Requires one of the Cyrillic font encodings (T2A, T2B, T2C, or X2). Use the **fontenc** package to select an encoding.

Also note the existence of **\i** and **\j**, which produce dotless versions of “i” and “j” (viz., “i” and “j”). These are useful when the accent is supposed to replace the dot in encodings that need to composite (i.e., combine) letters and accents. For example, “**na\{"i}ve**” always produces a correct “naïve”, while “**na\{"i}ve**” yields the rather odd-looking “naïve” when using the OT1 font encoding and older versions of L^AT_EX. Font encodings other than OT1 and newer versions of L^AT_EX properly typeset “**na\{"i}ve**” as “naïve”.

TABLE 19: tipa Text-mode Accents

Āā	<code>\textacutemacron{A}\textacutemacron{a}</code>
Ăă	<code>\textacutewedge{A}\textacutewedge{a}</code>
Ȧȧ	<code>\textadvancing{A}\textadvancing{a}</code>
Ⓐⓐ	<code>\textbottomtiebar{A}\textbottomtiebar{a}</code>
Ȧȧ	<code>\textbreve{A}\textbreve{a}</code>
Ȧȧ	<code>\textcircumacute{A}\textcircumacute{a}</code>
Ââ	<code>\textcircumdot{A}\textcircumdot{a}</code>
Ǻǻ	<code>\textdotacute{A}\textdotacute{a}</code>
Ȧȧ	<code>\textdotbreve{A}\textdotbreve{a}</code>
Ää	<code>\textdoublegrave{A}\textdoublegrave{a}</code>
Ăă	<code>\textdoublevbaraccent{A}\textdoublevbaraccent{a}</code>
Ȧȧ	<code>\textfallrise{A}\textfallrise{a}</code>
Ȧȧ	<code>\textgravecircum{A}\textgravecircum{a}</code>
Ȧȧ	<code>\textgravedot{A}\textgravedot{a}</code>
Ȧȧ	<code>\textgravemacron{A}\textgravemacron{a}</code>
Ȧȧ	<code>\textgravemid{A}\textgravemid{a}</code>
Ȧȧ	<code>\texthighrise{A}\texthighrise{a}</code>
Ȧȧ	<code>\textinvsubbridge{A}\textinvsubbridge{a}</code>
Ȧȧ	<code>\textlowering{A}\textlowering{a}</code>
Ȧȧ	<code>\textlowrise{A}\textlowrise{a}</code>
Ȧȧ	<code>\textmidacute{A}\textmidacute{a}</code>
Ȧȧ	<code>\textovercross{A}\textovercross{a}</code>
Ȧȧ	<code>\textoverw{A}\textoverw{a}</code>
Ȧȧ	<code>\textpolhook{A}\textpolhook{a}</code>
Ȧȧ	<code>\textraising{A}\textraising{a}</code>
Ȧȧ	<code>\textretracting{A}\textretracting{a}</code>
Ȧȧ	<code>\textringmacron{A}\textringmacron{a}</code>
Ȧȧ	<code>\textrisefall{A}\textrisefall{a}</code>
Ȧȧ	<code>\textroundcap{A}\textroundcap{a}</code>
Ȧȧ	<code>\textseagull{A}\textseagull{a}</code>
Ȧȧ	<code>\textsubacute{A}\textsubacute{a}</code>
Ȧȧ	<code>\textsubarch{A}\textsubarch{a}</code>
Ȧȧ	<code>\textsubbar{A}\textsubbar{a}</code>
Ȧȧ	<code>\textsubbridge{A}\textsubbridge{a}</code>
Ȧȧ	<code>\textsubcircum{A}\textsubcircum{a}</code>
Ȧȧ	<code>\textsubdot{A}\textsubdot{a}</code>
Ȧȧ	<code>\textsubgrave{A}\textsubgrave{a}</code>
Ȧȧ	<code>\textsublhalfring{A}\textsublhalfring{a}</code>
Ȧȧ	<code>\textsubplus{A}\textsubplus{a}</code>
Ȧȧ	<code>\textsubrhalfring{A}\textsubrhalfring{a}</code>
Ȧȧ	<code>\textsubring{A}\textsubring{a}</code>

(continued on next page)

(continued from previous page)

$\text{\AA}_{\square}$	<code>\textsubsquare{A}\textsubsquare{a}</code>
$\text{\AA}_{\sim}$	<code>\textsubtilde{A}\textsubtilde{a}</code>
$\text{\AA}_{\grave{}}$	<code>\textsubumlaut{A}\textsubumlaut{a}</code>
$\text{\AA}_{\omega}$	<code>\textsubw{A}\textsubw{a}</code>
$\text{\AA}_{\triangle}$	<code>\textsubwedge{A}\textsubwedge{a}</code>
$\text{\AA}_{\text{\tiny{A}}}$	<code>\textsuperimposetilde{A}\textsuperimposetilde{a}</code>
$\text{\AA}_{\text{\tiny{A}}}$	<code>\textsyllabic{A}\textsyllabic{a}</code>
$\text{\AA}_{\text{\tiny{A}}}$	<code>\texttildedot{A}\texttildedot{a}</code>
$\text{\AA}_{\text{\tiny{A}}}$	<code>\texttoptiebar{A}\texttoptiebar{a}</code>
$\text{\AA}_{\text{\tiny{A}}}$	<code>\textvbaraccent{A}\textvbaraccent{a}</code>

`tipa` defines shortcut sequences for many of the above. See the `tipa` documentation for more information.

TABLE 20: `extraipa` Text-mode Accents

$\text{\AA}_{\text{\tiny{A}}}$	<code>\bibridge{A}\bibridge{a}</code>	$\text{\AA}_{\text{\tiny{A}}}$	<code>\partvoiceless{A}\partvoiceless{a}</code>
$\text{\AA}_{\text{\tiny{A}}}$	<code>\crtilde{A}\crtilde{a}</code>	$\text{\AA}_{\text{\tiny{A}}}$	<code>\sliding{A}\sliding{a}</code>
$\text{\AA}_{\text{\tiny{A}}}$	<code>\dottedtilde{A}\dottedtilde{a}</code>	$\text{\AA}_{\text{\tiny{A}}}$	<code>\spreadlips{A}\spreadlips{a}</code>
$\text{\AA}_{\text{\tiny{A}}}$	<code>\doubletilde{A}\doubletilde{a}</code>	$\text{\AA}_{\text{\tiny{A}}}$	<code>\subcorner{A}\subcorner{a}</code>
$\text{\AA}_{\text{\tiny{A}}}$	<code>\finpartvoice{A}\finpartvoice{a}</code>	$\text{\AA}_{\text{\tiny{A}}}$	<code>\subdoublebar{A}\subdoublebar{a}</code>
$\text{\AA}_{\text{\tiny{A}}}$	<code>\finpartvoiceless{A}\finpartvoiceless{a}</code>	$\text{\AA}_{\text{\tiny{A}}}$	<code>\subdoublevert{A}\subdoublevert{a}</code>
$\text{\AA}_{\text{\tiny{A}}}$	<code>\inipartvoice{A}\inipartvoice{a}</code>	$\text{\AA}_{\text{\tiny{A}}}$	<code>\sublptr{A}\sublptr{a}</code>
$\text{\AA}_{\text{\tiny{A}}}$	<code>\inipartvoiceless{A}\inipartvoiceless{a}</code>	$\text{\AA}_{\text{\tiny{A}}}$	<code>\subrptra{A}\subrptra{a}</code>
$\text{\AA}_{\text{\tiny{A}}}$	<code>\overbridge{A}\overbridge{a}</code>	$\text{\AA}_{\text{\tiny{A}}}$	<code>\whistle{A}\whistle{a}</code>
$\text{\AA}_{\text{\tiny{A}}}$	<code>\partvoice{A}\partvoice{a}</code>		

TABLE 21: `wsuipa` Text-mode Accents

$\text{\AA}_{\text{\tiny{A}}}$	<code>\dental{A}\dental{a}</code>
$\text{\AA}_{\text{\tiny{A}}}$	<code>\underarch{A}\underarch{a}</code>

TABLE 22: phonetic Text-mode Accents

$\underset{\cdot}{A}\underset{\cdot}{a}$	<code>\hill{A}\hill{a}</code>	$\underset{\cdot}{A}\underset{\cdot}{a}$	<code>\rc{A}\rc{a}</code>	$\underset{\cdot}{A}\underset{\cdot}{a}$	<code>\ut{A}\ut{a}</code>
$\underset{\circ}{A}\underset{\circ}{a}$	<code>\od{A}\od{a}</code>	$\underset{\cdot}{A}\underset{\cdot}{a}$	<code>\syl{A}\syl{a}</code>		
$\overset{\cdot}{A}\overset{\cdot}{a}$	<code>\ohill{A}\ohill{a}</code>	$\underset{\cdot}{A}\underset{\cdot}{a}$	<code>\td{A}\td{a}</code>		

The `phonetic` package provides a few additional macros for linguistic accents. `\acbar` and `\acarc` compose characters with multiple accents; for example, `\acbar{'}{a}` produces “ $\acute{a}$ ” and `\acarc{"}{e}` produces “ $\ddot{e}$ ”. `\labvel` joins two characters with an arc: `\labvel{mn}` $\rightarrow$ “ $\widehat{mn}$ ”. `\upbar` is intended to go between characters as in “ $x\upbar{y}$ ” $\rightarrow$ “ x^y ”. Lastly, `\uplett` behaves like `\textsuperscript` but uses a smaller font. Contrast “ $p\uplett{h}$ ” $\rightarrow$ “ p^h ” with “ p^{h} ” $\rightarrow$ “ p^h ”.

TABLE 23: metre Text-mode Accents

$\acute{A}\acute{a}$	<code>\acutus{A}\acutus{a}</code>
$\breve{A}\breve{a}$	<code>\breve{A}\breve{a}</code>
$\tilde{A}\tilde{a}$	<code>\circumflexus{A}\circumflexus{a}</code>
$\ddot{A}\ddot{a}$	<code>\diaeresis{A}\diaeresis{a}</code>
$\grave{A}\grave{a}$	<code>\gravis{A}\gravis{a}</code>
$\bar{A}\bar{a}$	<code>\macron{A}\macron{a}</code>

TABLE 24: t4phonet Text-mode Accents

$\ddot{A}\ddot{a}$	<code>\textdoublegrave{A}\textdoublegrave{a}</code>
$\dot{A}\dot{a}$	<code>\textvbaraccent{A}\textvbaraccent{a}</code>
$\ddot{A}\ddot{a}$	<code>\textdoublevbaraccent{A}\textdoublevbaraccent{a}</code>

The idea behind the `t4phonet` package’s text-mode accents is to provide an interface to some of the accents in the T4 font encoding (accents marked with “ $\ddot{}$ ” in Table 18 on page 19) but using the same names as the `tipa` accents presented in Table 19 on page 20.

TABLE 25: arcs Text-mode Accents

$\widehat{A}\widehat{a}$	<code>\overarc{A}\overarc{a}</code>	$\underline{A}\underline{a}$	<code>\underarc{A}\underarc{a}</code>

The accents shown above scale only to a few characters wide. An optional macro argument alters the effective width of the accented characters. See the `arcs` documentation for more information.

At the time of this writing (2015/11/12), there exists an incompatibility between the `arcs` package and the `resize` package, upon which `arcs` depends. As a workaround, one should apply the patch proposed by Michael Sharpe on the X_YTeX mailing list (Subject: “The `arcs` package”, dated 2013/08/25) to prevent spurious text from being added to the document (as in, “5.0pt $\widehat{A}$ ” when “ $\widehat{A}$ ” is expected).

TABLE 26: semtrans Accents

$\grave{A}\grave{a}$	<code>\D{A}\D{a}</code>	$\grave{U}\grave{u}$	<code>\U{A}\U{a}</code>
$\text{\texttt{V}}\text{\texttt{e}}$	<code>\T{A}\T{a}</code>	*	

`\T` is not actually an accent but a command that rotates its argument 180° using the `graphicx` package’s `\rotatebox` command.

TABLE 27: ogonek Accents

$\text{\texttt{A}}\text{\texttt{a}}$	<code>\k{A}\k{a}</code>

TABLE 28: combelow Accents

$\text{\texttt{A}}\text{\texttt{a}}$	<code>\cb{A}\cb{a}</code>

`\cb` places a comma *above* letters with descenders. Hence, while “`\cb{s}`” produces “š”, “`\cb{g}`” produces “ġ”.

TABLE 29: wsuipa Diacritics

$\text{\texttt{a}}$	<code>\ain</code>	$\text{\texttt{<}}$	<code>\leftp</code>	$\text{\texttt{°}}$	<code>\overring</code>	$\text{\texttt{!}}$	<code>\stress</code>	$\text{\texttt{^}}$	<code>\underwedge</code>
$\text{\texttt{┐}}$	<code>\corner</code>	$\text{\texttt{+}}$	<code>\leftt</code>	$\text{\texttt{˘}}$	<code>\polishhook</code>	$\text{\texttt{,}}$	<code>\syllabic</code>	$\text{\texttt{^}}$	<code>\upp</code>
$\text{\texttt{v}}$	<code>\downp</code>	$\text{\texttt{!}}$	<code>\length</code>	$\text{\texttt{>}}$	<code>\rightp</code>	$\text{\texttt{..}}$	<code>\underdots</code>	$\text{\texttt{+}}$	<code>\upt</code>
$\text{\texttt{τ}}$	<code>\downt</code>	$\text{\texttt{~}}$	<code>\midtilde</code>	$\text{\texttt{+}}$	<code>\rightt</code>	$\text{\texttt{°}}$	<code>\underring</code>		
$\text{\texttt{v}}$	<code>\halflength</code>	$\text{\texttt{˘}}$	<code>\open</code>	$\text{\texttt{,}}$	<code>\secstress</code>	$\text{\texttt{~}}$	<code>\undertilde</code>		

The `wsuipa` package defines all of the above as ordinary characters, not as accents. However, it does provide `\diatop` and `\diaunder` commands, which are used to compose diacritics with other characters. For example, `\diatop[\overring|a]` produces “å”, and `\diaunder[\underdots|a]` produces “ä”. See the `wsuipa` documentation for more information.

TABLE 30: textcomp Diacritics

$\text{\texttt{”}}$	<code>\textacutedbl</code>	$\text{\texttt{˘}}$	<code>\textasciicaron</code>	$\text{\texttt{—}}$	<code>\textasciimacron</code>
$\text{\texttt{’}}$	<code>\textasciiacute</code>	$\text{\texttt{”}}$	<code>\textasciidieresis</code>	$\text{\texttt{”}}$	<code>\textgravedbl</code>
$\text{\texttt{˘}}$	<code>\textasciibreve</code>	$\text{\texttt{`}}$	<code>\textasciigrave</code>		

The `textcomp` package defines all of the above as ordinary characters, not as accents. You can use `\llap` or `\rlap` to combine them with other characters. See the discussion of `\llap` and `\rlap` on page 213 for more information.

TABLE 31: marvosym Diacritics

$\overrightarrow{}$	<code>\arrowOver</code>	$\overline{}$	<code>\barOver</code>	$\text{\textcancel{a}}$	<code>\StrikingThrough</code>
$\overleftarrow{}$	<code>\ArrowOver</code>	$\overline{}$	<code>\BarOver</code>		

The `marvosym` package defines all of the above as ordinary characters, not as accents. You can use `\llap` or `\rlap` to combine them with other characters. See the discussion of `\llap` and `\rlap` on page 213 for more information.

TABLE 32: textcomp Currency Symbols

฿	<code>\textbaht</code>	\$	<code>\textdollar*</code>	₵	<code>\textguarani</code>	₩	<code>\textwon</code>
¢	<code>\textcent</code>	\$	<code>\textdollaroldstyle</code>	£	<code>\textlira</code>	¥	<code>\textyen</code>
¢	<code>\textcentoldstyle</code>	₫	<code>\textdong</code>	₦	<code>\textnaira</code>		
₭	<code>\textcolonmonetary</code>	€	<code>\texteuro</code>	₱	<code>\textpeso</code>		
₱	<code>\textcurrency</code>	f	<code>\textflorin</code>	£	<code>\textsterling*</code>		

* It's generally preferable to use the corresponding symbol from Table 3 on page 14 because the symbols in that table work properly in both text mode and math mode.

TABLE 33: marvosym Currency Symbols

₴	<code>\Denarius</code>	€	<code>\EURcr</code>	€	<code>\EURtm</code>	₴	<code>\Pfund</code>
€	<code>\Ecommerce</code>	€	<code>\EURdig</code>	\$	<code>\EyesDollar</code>	β	<code>\Shilling</code>
€	<code>\EUR</code>	€	<code>\EURhv</code>	₣	<code>\Florin</code>		

The different euro signs are meant to be visually compatible with different fonts—Courier (`\EURcr`), Helvetica (`\EURhv`), Times Roman (`\EURtm`), and the `marvosym` digits listed in Table 274 (`\EURdig`). The `mathdesign` package redefines `\texteuro` to be visually compatible with one of three additional fonts: Utopia (€), Charter (€), or Garamond (€).

TABLE 34: fontawesome Currency Symbols

₿	<code>\faBtc</code>	₹	<code>\faIls</code>	₩	<code>\faKrw</code>	\$	<code>\faUsd</code>
€	<code>\faEur</code>	₹	<code>\faInr</code>	₱	<code>\faRub</code>	₿	<code>\faViacoin</code>
£	<code>\faGbp</code>	¥	<code>\faJpy</code>	₣	<code>\faTry</code>		

`fontawesome` defines `\faBitcoin` as a synonym for `\faBtc`; `\faCny`, `\faYen`, and `\faRmb` as synonyms for `\faJpy`; `\faDollar` as a synonym for `\faUsd`; `\faEuro` as a synonym for `\faEur`; `\faRouble` and `\faRuble` as synonyms for `\faRub`; `\faRupee` as a synonym for `\faInr`; `\faShekel` and `\faSheqel` as synonyms for `\faIls`; `\faTurkishLira` as a synonym for `\faTry`; and `\faWon` as a synonym for `\faKrw`.

TABLE 35: wasysym Currency Symbols

¢	<code>\cent</code>	₱	<code>\currency</code>

TABLE 36: GpA2e Currency Symbols

€	<code>\Euro</code>	£	<code>\Pound</code>

TABLE 37: teubner Currency Symbols

✕	<code>\denarius</code>	c	<code>\hemiobelion</code>	▷	<code>\tetartemorion</code>
⊢	<code>\dracma</code>	⋄	<code>\stater</code>		

TABLE 38: tfruppee Currency Symbols

₹	<code>\rupee</code>

TABLE 39: eurosym Euro Signs

€	<code>\geneuro</code>	€	<code>\geneuronarrow</code>	€	<code>\geneurowide</code>	€	<code>\officiaeuro</code>

`\euro` is automatically mapped to one of the above—by default, `\officiaeuro`—based on a `eurosym` package option. See the `eurosym` documentation for more information. The `\geneuro...` characters are generated from the current body font’s “C” character and therefore may not appear exactly as shown.

TABLE 40: fourier Euro Signs

€	<code>\eurologo</code>	€	<code>\texteuro</code>

TABLE 41: textcomp Legal Symbols

⒫	<code>\textcircledP</code>	©	©	<code>\textcopyright</code>	SM	<code>\textservicemark</code>
Ⓒ	<code>\textcircyleft</code>	®	®	<code>\textregistered</code>	TM	<code>\texttrademark</code>

The first symbol column represents the—sometimes “faked”—symbol that $\text{\LaTeX}2_{\epsilon}$ provides by default. The second symbol column represents the symbol as redefined by `textcomp`. The `textcomp` package is generally required to typeset Table 41’s symbols in italic.

See <http://www.tex.ac.uk/cgi-bin/texfaq2html?label=tradesyms> for solutions to common problems that occur when using these symbols (e.g., getting a “Ⓒ” when you expected to get a “®”).

TABLE 42: fontawesome Legal Symbols

©	<code>\faCopyright</code>	®	<code>\faRegistered</code>
cc	<code>\faCreativeCommons</code>	TM	<code>\faTrademark</code>

TABLE 43: ccllicenses Creative Commons License Icons

	<code>\cc</code>		<code>\ccnc*</code>		<code>\ccsa*</code>
	<code>\ccbby</code>		<code>\ccnd</code>		

* These symbols utilize the `rotating` package and therefore display improperly in some DVI viewers.

TABLE 44: ccicons Creative Commons License Icons

	<code>\ccAttribution</code>		<code>\ccNonCommercialEU</code>		<code>\ccShare</code>
	<code>\ccCopy</code>		<code>\ccNonCommercialJP</code>		<code>\ccShareAlike</code>
	<code>\ccLogo</code>		<code>\ccPublicDomain</code>		<code>\ccZero</code>
	<code>\ccNoDerivatives</code>		<code>\ccRemix</code>		
	<code>\ccNonCommercial</code>		<code>\ccSampling</code>		

`ccicons` additionally defines a set of commands for typesetting many complete Creative Commons licenses (i.e., juxtapositions of two or more of the preceding icons). For example, the `\ccbbyncnd` command typesets the “Attribution–Noncommercial–No Derivative Works” license (“”). See the `ccicons` documentation for more information.

TABLE 45: textcomp Old-style Numerals

0	<code>\textzerooldstyle</code>	4	<code>\textfouroldstyle</code>	8	<code>\texteightoldstyle</code>
1	<code>\textoneoldstyle</code>	5	<code>\textfiveoldstyle</code>	9	<code>\textnineoldstyle</code>
2	<code>\texttwooldstyle</code>	6	<code>\textsixoldstyle</code>		
3	<code>\textthreeoldstyle</code>	7	<code>\textsevenoldstyle</code>		

Rather than use the bulky `\textoneoldstyle`, `\texttwooldstyle`, etc. commands shown above, consider using `\oldstylenums{...}` to typeset an old-style number.

TABLE 46: Miscellaneous textcomp Symbols

<code>\textblank</code>		<code>\textpilcrow</code>
<code>\textbrokenbar</code>	<code>'</code>	<code>\textquotesingle</code>
<code>\textdblhyphen</code>	<code>,</code>	<code>\textquotestraightbase</code>
<code>\textdblhyphenchar</code>	<code>„</code>	<code>\textquotestraightdblbase</code>
<code>\textdiscount</code>	<code>R</code>	<code>\textrecipe</code>
<code>\textestimated</code>	<code>※</code>	<code>\textreferencemark</code>
<code>\textinterrobang</code>	<code>—</code>	<code>\textthreequartersemdash</code>
<code>\textinterrobangdown</code>	<code>~</code>	<code>\texttildelow</code>
<code>\textnumero</code>	<code>—</code>	<code>\texttwelveudash</code>
<code>\textopenbullet</code>		

TABLE 47: Miscellaneous wasysym Text-mode Symbols

<code>%o</code>	<code>\permil</code>

3 Mathematical symbols

Most, but not all, of the symbols in this section are math-mode only. That is, they yield a “Missing \$ inserted” error message if not used within $\$. . \$$, $\[. . \]$, or another math-mode environment. Operators marked as “variable-sized” are taller in displayed formulas, shorter in in-text formulas, and possibly shorter still when used in various levels of superscripts or subscripts.

Alphanumeric symbols (e.g., “ $\mathcal{L}$ ” and “ $\mathbb{Z}$ ”) are usually produced using one of the math alphabets in Table 299 rather than with an explicit symbol command. Look there first if you need a symbol for a transform, number set, or some other alphanumeric.

Although there have been many requests on `comp.text.tex` for a contradiction symbol, the ensuing discussion invariably reveals innumerable ways to represent contradiction in a proof, including “ $\blacksquare$ ” (`\blitza`), “ $\Rightarrow\Leftarrow$ ” (`\Rightarrow\Leftarrow`), “ $\perp$ ” (`\bot`), “ $\nleftrightarrow$ ” (`\nletrightarrow`), and “ $\text{\textcircled{X}}$ ” (`\textcircled{X}`). Because of the lack of notational consensus, it is probably better to spell out “Contradiction!” than to use a symbol for this purpose. Similarly, discussions on `comp.text.tex` have revealed that there are a variety of ways to indicate the mathematical notion of “is defined as”. Common candidates include “ $\triangleq$ ” (`\triangleq`), “ $\equiv$ ” (`\equiv`), “ $\stackrel{\text{def}}{=}$ ” (`\stackrel{\text{def}}{=}`), and “ $\stackrel{\text{def}}{=}$ ” (`\stackrel{\text{def}}{=}`). See also the example of `\equalsfill` on page 214. Depending upon the context, disjoint union may be represented as “ $\coprod$ ” (`\coprod`), “ $\sqcup$ ” (`\sqcup`), “ $\dot{\cup}$ ” (`\dotcup`), “ $\oplus$ ” (`\oplus`), or any of a number of other symbols.² Finally, the average value of a variable x is written by some people as “ $\overline{x}$ ” (`\overline{x}`), by some people as “ $\langle x \rangle$ ” (`\langle x \rangle`), and by some people as “ $\varnothing x$ ” or “ $\emptyset x$ ” (`\diameter x` or `\varnothing x`). The moral of the story is that you should be careful always to explain your notation to avoid confusing your readers.

TABLE 48: Math-Mode Versions of Text Symbols

$\$$	<code>\mathdollar</code>	$\P$	<code>\mathparagraph</code>	$\pounds$	<code>\mathsterling</code>
$\dots$	<code>\mathellipsis</code>	$\S$	<code>\mathsection</code>	$-$	<code>\mathunderscore</code>

It’s generally preferable to use the corresponding symbol from Table 3 on page 14 because the symbols in that table work properly in both text mode and math mode.

TABLE 49: `cmll` Unary Operators

$!$	<code>\oc*</code>	$\uparrow$	<code>\shneg</code>	$?$	<code>\wn*</code>
$\Downarrow$	<code>\shift</code>	$\downarrow$	<code>\shpos</code>		

* `\oc` and `\wn` differ from “!” and “?” in terms of their math-mode spacing:
 $\$A=!B\$$ produces “ $A =!B$ ”, for example, while $\$A=\oc B\$$ produces “ $A =!B$ ”.

¹In `txfonts`, `pxfonts`, and `mathtools` the symbol is called `\coloneqq`. In `mathabx` and `MnSymbol` it’s called `\coloneq`. In `colonequals` it’s called `\colonequals`.

²Bob Tennent listed these and other disjoint-union symbol possibilities in a November 2007 post to `comp.text.tex`.

TABLE 50: Binary Operators

$\amalg$	<code>\amalg</code>	$\cup$	<code>\cup</code>	$\oplus$	<code>\oplus</code>	$\times$	<code>\times</code>
$\ast$	<code>\ast</code>	$\dagger$	<code>\dagger</code>	$\oslash$	<code>\oslash</code>	$\triangleleft$	<code>\triangleleft</code>
$\bigcirc$	<code>\bigcirc</code>	$\ddagger$	<code>\ddagger</code>	$\otimes$	<code>\otimes</code>	$\triangleright$	<code>\triangleright</code>
$\bigtriangledown$	<code>\bigtriangledown</code>	$\diamond$	<code>\diamond</code>	$\pm$	<code>\pm</code>	$\leq$	<code>\leq</code>
$\bigtriangleup$	<code>\bigtriangleup</code>	$\div$	<code>\div</code>	$\rhd$	<code>\rhd</code>	$\geq$	<code>\geq</code>
$\bullet$	<code>\bullet</code>	$\lhd$	<code>\lhd</code>	$\setminus$	<code>\setminus</code>	$\uplus$	<code>\uplus</code>
$\cap$	<code>\cap</code>	$\mp$	<code>\mp</code>	$\sqcap$	<code>\sqcap</code>	$\vee$	<code>\vee</code>
$\cdot$	<code>\cdot</code>	$\odot$	<code>\odot</code>	$\sqcup$	<code>\sqcup</code>	$\wedge$	<code>\wedge</code>
$\circ$	<code>\circ</code>	$\ominus$	<code>\ominus</code>	$\star$	<code>\star</code>	$\wr$	<code>\wr</code>

* Not predefined by the $\text{\LaTeX} 2_{\epsilon}$ core. Use the `latexsym` package to expose this symbol.

TABLE 51: $\mathcal{AMS}$ Binary Operators

$\bar{\wedge}$	<code>\barwedge</code>	$\odot$	<code>\circledcirc</code>	$\intercal$	<code>\intercal*</code>
$\boxdot$	<code>\boxdot</code>	$\ominus$	<code>\circleddash</code>	$\leftthreetimes$	<code>\leftthreetimes</code>
$\boxminus$	<code>\boxminus</code>	$\cup$	<code>\Cup</code>	$\ltimes$	<code>\ltimes</code>
$\boxplus$	<code>\boxplus</code>	$\curlyvee$	<code>\curlyvee</code>	$\rightthreetimes$	<code>\rightthreetimes</code>
$\boxtimes$	<code>\boxtimes</code>	$\curlywedge$	<code>\curlywedge</code>	$\rtimes$	<code>\rtimes</code>
$\Cap$	<code>\Cap</code>	$\divideontimes$	<code>\divideontimes</code>	$\smallsetminus$	<code>\smallsetminus</code>
$\centerdot$	<code>\centerdot</code>	$\dotplus$	<code>\dotplus</code>	$\veebar$	<code>\veebar</code>
$\circledast$	<code>\circledast</code>	$\bar{\wedge}$	<code>\doublebarwedge</code>		

* Some people use a superscripted `\intercal` for matrix transpose: “ $A^{\intercal}$ ” $\mapsto$ “ A^T ”. (See the May 2009 `comp.text.tex` thread, “raising math symbols”, for suggestions about altering the height of the superscript.) `\top` (Table 195 on page 91), `T`, and `\mathsf{T}` are other popular choices: “ A^T ”, “ A^T ”, “ A^T ”.

TABLE 52: `stmaryrd` Binary Operators

Φ	<code>\baro</code>	$\parallel$	<code>\interleave</code>	$\otimes$	<code>\varoast</code>
$\parallel$	<code>\bbslash</code>	$\triangleleft$	<code>\leftslice</code>	$\oplus$	<code>\varobar</code>
$\&$	<code>\binampersand</code>	$\M$	<code>\merge</code>	$\oslash$	<code>\varobslash</code>
$\wp$	<code>\bindnasrepma</code>	$\ominus$	<code>\minuso</code>	$\odot$	<code>\varocircle</code>
$\boxast$	<code>\boxast</code>	$\pm$	<code>\moo</code>	$\odot$	<code>\varodot</code>
$\boxbar$	<code>\boxbar</code>	$\oplus$	<code>\nplus</code>	$\oslash$	<code>\varogreaterthan</code>
$\boxbox$	<code>\boxbox</code>	$\oplus$	<code>\obar</code>	$\oslash$	<code>\varolessthan</code>
$\boxbslash$	<code>\boxbslash</code>	$\square$	<code>\oblong</code>	$\ominus$	<code>\varominus</code>
$\boxcircle$	<code>\boxcircle</code>	$\oslash$	<code>\obslash</code>	$\oplus$	<code>\varoplus</code>
$\boxdot$	<code>\boxdot</code>	$\oslash$	<code>\ogreaterthan</code>	$\oslash$	<code>\varoslash</code>
$\boxempty$	<code>\boxempty</code>	$\oslash$	<code>\olessthan</code>	$\otimes$	<code>\varotimes</code>
$\boxslash$	<code>\boxslash</code>	$\oslash$	<code>\ovee</code>	$\oslash$	<code>\varovee</code>
$\curlyveedownarrow$	<code>\curlyveedownarrow</code>	$\oslash$	<code>\owedge</code>	$\oslash$	<code>\varowedge</code>
$\curlyveeuparrow$	<code>\curlyveeuparrow</code>	$\triangleright$	<code>\rightslice</code>	$\times$	<code>\vartimes</code>
$\curlywedgedownarrow$	<code>\curlywedgedownarrow</code>	$\parallel$	<code>\sslash</code>	Υ	<code>\Ydown</code>
$\curlywedgeuparrow$	<code>\curlywedgeuparrow</code>	$\parallel$	<code>\talloblong</code>	$\prec$	<code>\Yleft</code>
$\fatbslash$	<code>\fatbslash</code>	$\bigcirc$	<code>\varbigcirc</code>	$\succ$	<code>\Yright</code>
$\fatsemi$	<code>\fatsemi</code>	Υ	<code>\varcurlyvee</code>	Υ	<code>\Yup</code>
$\fatslash$	<code>\fatslash</code>	Υ	<code>\varcurlywedge</code>		

TABLE 53: wasysym Binary Operators

$\triangleleft$	<code>\lhd</code>	$\bigcirc$	<code>\ocircle</code>	$\blacktriangleright$	<code>\RHD</code>	$\trianglerighteq$	<code>\unrhd</code>
$\blacktriangleleft$	<code>\LHD</code>	$\triangleright$	<code>\rhd</code>	$\trianglelefteq$	<code>\unlhd</code>		

TABLE 54: txfonts/pxfonts Binary Operators

$\textcircled{\small{D}}$	<code>\circledbar</code>	$\textcircled{\small{W}}$	<code>\circledwedge</code>	$\bigcirc$	<code>\medcirc</code>
$\textcircled{\small{S}}$	<code>\circledbslash</code>	$\textcircled{\small{V}}$	<code>\invamp</code>	$\textcircled{\small{+}}$	<code>\sqcapplus</code>
$\textcircled{\small{V}}$	<code>\circledvee</code>	$\bullet$	<code>\medbullet</code>	$\textcircled{\small{+}}$	<code>\sqcupplus</code>

TABLE 55: mathabx Binary Operators

$*$	<code>\ast</code>	$\wedge$	<code>\curlywedge</code>	$\sqcap$	<code>\sqcap</code>
$*$	<code>\Asterisk</code>	$\div$	<code>\divdot</code>	$\sqcup$	<code>\sqcup</code>
$\bar{\wedge}$	<code>\barwedge</code>	$*$	<code>\divideontimes</code>	$\sqcap\sqcup$	<code>\sqdoublecap</code>
$\star$	<code>\bigstar</code>	$\dot{\div}$	<code>\dotdiv</code>	$\sqcup\sqcup$	<code>\sqdoublecup</code>
$\star$	<code>\bigvarstar</code>	$\dot{+}$	<code>\dotplus</code>	$\square$	<code>\square</code>
$\blacklozenge$	<code>\blackdiamond</code>	$\dot{\times}$	<code>\dottimes</code>	$\boxplus$	<code>\squplus</code>
$\cap$	<code>\cap</code>	$\overline{\wedge}$	<code>\doublebarwedge</code>	$\cdot$	<code>\udot</code>
$\dot{+}$	<code>\circplus</code>	$\cap\cap$	<code>\doublecap</code>	$\oplus$	<code>\uplus</code>
$*$	<code>\coasterisk</code>	$\cup\cup$	<code>\doublecup</code>	$*$	<code>\varstar</code>
$\ast$	<code>\coAsterisk</code>	$\times$	<code>\ltimes</code>	$\vee$	<code>\vee</code>
$*$	<code>\convolution</code>	$\oplus$	<code>\pluscirc</code>	$\veebar$	<code>\veebar</code>
$\cup$	<code>\cup</code>	$\rtimes$	<code>\rtimes</code>	$\veedoublebar$	<code>\veedoublebar</code>
$\curlyvee$	<code>\curlyvee</code>	$\blacksquare$	<code>\sqbullet</code>	$\wedge$	<code>\wedge</code>

Many of the preceding glyphs go by multiple names. `\centerdot` is equivalent to `\sqbullet`, and `\ast` is equivalent to `*`. `\asterisk` produces the same glyph as `\ast`, but as an ordinary symbol, not a binary operator. Similarly, `\bigast` produces a large-operator version of the `\Asterisk` binary operator, and `\bigcoast` produces a large-operator version of the `\coAsterisk` binary operator.

TABLE 56: MnSymbol Binary Operators

$\amalg$	<code>\amalg</code>	$\sqcup\sqcup$	<code>\doublecup</code>	$\therefore$	<code>\righttherefore</code>
$*$	<code>\ast</code>	$\mathbb{W}$	<code>\doublevee</code>	$\times$	<code>\rightthreetimes</code>
$\backslash$	<code>\backslash</code>	$\mathbb{W}$	<code>\doublewedge</code>	$\succ$	<code>\rightY</code>
$\bowtie$	<code>\bowtie</code>	$\therefore$	<code>\downtherefore</code>	$\times$	<code>\rtimes</code>
$\bullet$	<code>\bullet</code>	γ	<code>\downY</code>	$\%$	<code>\slashdiv</code>
$\cap$	<code>\cap</code>	$\times$	<code>\dtimes</code>	$\prod$	<code>\smallprod</code>
$\cap\dot{\cap}$	<code>\capdot</code>	$\therefore$	<code>\fivedots</code>	$\sqcap$	<code>\sqcap</code>
$\cap\oplus$	<code>\capplus</code>	∞	<code>\hbipropto</code>	$\cap\cap\dot{\cap}$	<code>\sqcapdot</code>
$\cdot$	<code>\cdot</code>	$\cdots$	<code>\hdotdot</code>	$\cap\oplus$	<code>\sqcapplus</code>
$\circ$	<code>\circ</code>	$\sqcap$	<code>\lefthalfcap</code>	$\sqcup$	<code>\sqcup</code>

(continued on next page)

(continued from previous page)

$\curlyvee$	<code>\closedcurlyvee</code>	$\leftthalfcup$	<code>\lefthalfcup</code>	$\sqcup$	<code>\sqcupdot</code>
$\curlywedge$	<code>\closedcurlywedge</code>	$\lefttherefore$	<code>\lefttherefore</code>	$\sqcupplus$	<code>\sqcupplus</code>
$\cup$	<code>\cup</code>	$\leftthreetimes$	<code>\leftthreetimes</code>	$\squaredots$	<code>\squaredots</code>
$\cupdot$	<code>\cupdot</code>	$\leftY$	<code>\leftY</code>	$\times$	<code>\times</code>
$\cupplus$	<code>\cupplus</code>	$\ltimes$	<code>\ltimes</code>	$\udotdot$	<code>\udotdot</code>
$\curlyvee$	<code>\curlyvee</code>	$\medbackslash$	<code>\medbackslash</code>	$\uptherefore$	<code>\uptherefore</code>
$\curlyveedot$	<code>\curlyveedot</code>	$\medcircle$	<code>\medcircle</code>	$\upY$	<code>\upY</code>
$\curlywedge$	<code>\curlywedge</code>	$\medslash$	<code>\medslash</code>	$\utimes$	<code>\utimes</code>
$\curlywedgedot$	<code>\curlywedgedot</code>	$\medvert$	<code>\medvert</code>	$\vbipropto$	<code>\vbipropto</code>
$\ddot{\cdot}$	<code>\ddot{\cdot}</code>	$\medvertdot$	<code>\medvertdot</code>	$\vdots$	<code>\vdots</code>
$\diamonddot$	<code>\diamonddot</code>	$\minus$	<code>\minus</code>	$\vee$	<code>\vee</code>
$\div$	<code>\div</code>	$\minusdot$	<code>\minusdot</code>	$\veedot$	<code>\veedot</code>
$\dot{\mid}$	<code>\dotmedvert</code>	$\mp$	<code>\mp</code>	$\vertbowtie$	<code>\vertbowtie</code>
$\dot{-}$	<code>\dotminus</code>	$\neswbipropto$	<code>\neswbipropto</code>	$\vertdiv$	<code>\vertdiv</code>
$\doublecap$	<code>\doublecap</code>	$\nwsebipropto$	<code>\nwsebipropto</code>	$\wedge$	<code>\wedge</code>
$\doublecup$	<code>\doublecup</code>	$\plus$	<code>\plus</code>	$\wedgedot$	<code>\wedgedot</code>
$\doublecurlyvee$	<code>\doublecurlyvee</code>	$\pm$	<code>\pm</code>	$\wreath$	<code>\wreath</code>
$\doublecurlywedge$	<code>\doublecurlywedge</code>	$\righthalfcap$	<code>\righthalfcap</code>		
$\doublelesqcap$	<code>\doublelesqcap</code>	$\righthalfcup$	<code>\righthalfcup</code>		

MnSymbol defines `\setminusminus` and `\smallsetminusminus` as synonyms for `\medbackslash`; `\Join` as a synonym for `\bowtie`; `\wr` as a synonym for `\wreath`; `\shortmid` as a synonym for `\medvert`; `\Cap` as a synonym for `\doublecap`; `\Cup` as a synonym for `\doublecup`; and, `\uplus` as a synonym for `\cupplus`.

TABLE 57: fdsymbol Binary Operators

$\amalg$	<code>\amalg</code>	$\doublevee$	<code>\doublevee</code>	$\rtimes$	<code>\rtimes</code>
$\ast$	<code>\ast</code>	$\doublewedge$	<code>\doublewedge</code>	$\setminus$	<code>\setminus</code>
$\bar{\wedge}$	<code>\barwedge</code>	$\downY$	<code>\downY</code>	$\sqcap$	<code>\sqcap</code>
$\cap$	<code>\cap</code>	$\dimes$	<code>\dimes</code>	$\sqcapdot$	<code>\sqcapdot</code>
$\capdot$	<code>\capdot</code>	$\hdotdot$	<code>\hdotdot</code>	$\sqcapplus$	<code>\sqcapplus</code>
$\capplus$	<code>\capplus</code>	$\intercal$	<code>\intercal</code>	$\sqcup$	<code>\sqcup</code>
$\cdot$	<code>\cdot</code>	$\intprod$	<code>\intprod</code>	$\sqcupdot$	<code>\sqcupdot</code>
$\centerdot$	<code>\centerdot</code>	$\intprodr$	<code>\intprodr</code>	$\sqcupplus$	<code>\sqcupplus</code>
$\cup$	<code>\cup</code>	$\leftthreetimes$	<code>\leftthreetimes</code>	$\times$	<code>\times</code>
$\cupdot$	<code>\cupdot</code>	$\leftY$	<code>\leftY</code>	$\timesbar$	<code>\timesbar</code>
$\cupplus$	<code>\cupplus</code>	$\ltimes$	<code>\ltimes</code>	$\udotdot$	<code>\udotdot</code>
$\curlyvee$	<code>\curlyvee</code>	$\medbackslash$	<code>\medbackslash</code>	$\upbowtie$	<code>\upbowtie</code>
$\curlywedge$	<code>\curlywedge</code>	$\medslash$	<code>\medslash</code>	$\upY$	<code>\upY</code>
$\ddot{\cdot}$	<code>\ddot{\cdot}</code>	$\minus$	<code>\minus</code>	$\utimes$	<code>\utimes</code>
$\div$	<code>\div</code>	$\minusdot$	<code>\minusdot</code>	$\varamalg$	<code>\varamalg</code>
$\divideontimes$	<code>\divideontimes</code>	$\minusfdots$	<code>\minusfdots</code>	$\vdots$	<code>\vdots</code>
$/$	<code>\divslash</code>	$\minusrdots$	<code>\minusrdots</code>	$\vdots$	<code>\vdots</code>
$\dot{-}$	<code>\dotminus</code>	$\mp$	<code>\mp</code>	$\vee$	<code>\vee</code>
$\dot{+}$	<code>\dotplus</code>	$\plus$	<code>\plus</code>	$\veebar$	<code>\veebar</code>

(continued on next page)

(continued from previous page)

$\times$	<code>\dottimes</code>	$\pm$	<code>\plusdot</code>	$\vee$	<code>\veedot</code>
$\overline{\wedge}$	<code>\doublebarwedge</code>	$\pm$	<code>\pm</code>	$\underline{\vee}$	<code>\veedoublebar</code>
$\cap$	<code>\doublecap</code>	$\lrcorner$	<code>\pullback</code>	$\wedge$	<code>\wedge</code>
$\cup$	<code>\doublecup</code>	$\lhd$	<code>\pushout</code>	$\wedge$	<code>\wedgedot</code>
$\sqcap$	<code>\doublesqcap</code>	$\times$	<code>\rightthreetimes</code>	$\wr$	<code>\wreath</code>
$\sqcup$	<code>\doublesqcup</code>	$\succ$	<code>\rightY</code>		

fdsymbol defines `\btimes` as a synonym for `\dtimes`; `\Cap` as a synonym for `\doublecap`; `\Cup` as a synonym for `\doublecup`; `\hookupminus` as a synonym for `\intprodr`; `\hourglass` as a synonym for `\upbowtie`; `\land` as a synonym for `\wedge`; `\lor` as a synonym for `\vee`; `\minushookup` as a synonym for `\intprod`; `\smalldivslash` as a synonym for `\medslash`; `\smallsetminus` as a synonym for `\medbackslash`; `\Sqcap` as a synonym for `\doublesqcap`; `\Sqcup` as a synonym for `\doublesqcup`; `\ttimes` as a synonym for `\utimes`; `\lJoin` as a synonym for `\ltimes`; `\rJoin` as a synonym for `\rtimes`; `\Join` and `\lrtimes` as synonyms for `\bowtie`; `\uplus` as a synonym for `\cupplus`; `\veeonvee` as a synonym for `\doublevee`; `\wedgeonwedge` as a synonym for `\doublewedge`; and `\wr` as a synonym for `\wreath`).

TABLE 58: boisik Binary Operators

$*$	<code>\ast</code>	$\times$	<code>\dottimes</code>	$\rtimes$	<code>\rtimesblack</code>
Φ	<code>\baro</code>	$\overline{\wedge}$	<code>\doublebarwedge</code>	$\setminus$	<code>\smallsetminus</code>
$\overline{\wedge}$	<code>\barwedge</code>	$\text{\textasciix2013}$	<code>\fatsemi</code>	$\otimes$	<code>\smashtimes</code>
$\parallel$	<code>\bbslash</code>	$\succ$	<code>\gtrdot</code>	$\sqcup$	<code>\sqcupplus</code>
$\&$	<code>\binampersand</code>	$\top$	<code>\intercal</code>	$\parallel$	<code>\sslash</code>
$\wp$	<code>\bindnasrepma</code>	$\wr$	<code>\lbag</code>	$\times$	<code>\times</code>
$\blacktriangleleft$	<code>\blackbowtie</code>	$\blacktriangleleft$	<code>\lblackbowtie</code>	$\uplus$	<code>\uplus</code>
$\bowtie$	<code>\bowtie</code>	$\lhd$	<code>\leftslice</code>	$\cap$	<code>\varcap</code>
$\cap$	<code>\cap</code>	λ	<code>\leftthreetimes</code>	$\cup$	<code>\varcup</code>
$\Cap$	<code>\Cap</code>	$\leq$	<code>\lessdot</code>	$\top$	<code>\varintercal</code>
$\cdot$	<code>\cdot</code>	$\times$	<code>\ltimes</code>	$\sqcap$	<code>\varsqcap</code>
$\cdot$	<code>\centerdot</code>	$\rtimes$	<code>\ltimesblack</code>	$\sqcup$	<code>\varsqcup</code>
$\dagger$	<code>\circplus</code>	$\M$	<code>\merge</code>	$\times$	<code>\vartimes</code>
$*$	<code>\coAsterisk</code>	$\ominus$	<code>\minuso</code>	$\vee$	<code>\vee</code>
$*$	<code>\convolution</code>	$\pm$	<code>\moo</code>	$\vee$	<code>\Vee</code>
$\cup$	<code>\cup</code>	$\mp$	<code>\mp</code>	$\underline{\vee}$	<code>\veebar</code>
$\cup$	<code>\Cup</code>	$\oplus$	<code>\nplus</code>	$\vee$	<code>\veeonvee</code>
$\cup$	<code>\cupleftarrow</code>	$\oplus$	<code>\pluscirc</code>	$\wedge$	<code>\wedge</code>
$\curlyvee$	<code>\curlyvee</code>	$\oplus$	<code>\plustrif</code>	$\wedge$	<code>\Wedge</code>
$\curlywedge$	<code>\curlywedge</code>	$\pm$	<code>\pm</code>	$\curlyvee$	<code>\Ydown</code>
$\dagger$	<code>\dagger</code>	$\int$	<code>\rbag</code>	$\curlyvee$	<code>\Yleft</code>
$\ddagger$	<code>\ddagger</code>	$\blacktriangleleft$	<code>\rblackbowtie</code>	$\succ$	<code>\Yright</code>
$\div$	<code>\div</code>	$\rhd$	<code>\rightslice</code>	$\curlyvee$	<code>\Yup</code>
$\otimes$	<code>\divideontimes</code>	$\times$	<code>\rightthreetimes</code>		
$\dot{+}$	<code>\dotplus</code>	$\rtimes$	<code>\rtimes</code>		

TABLE 59: stix Binary Operators

$\amalg$	<code>\amalg</code>	$\frown$	<code>\frown</code>	$\sqcup$	<code>\sqcup</code>
$\ast$	<code>\ast</code>	$\frac{\cdot}{\cdot}$	<code>\frac{\cdot}{\cdot}</code>	$\sqcup$	<code>\Sqcup</code>
$\bar{\cap}$	<code>\bar{\cap}</code>	$\intercal$	<code>\intercal</code>	$\parallel$	<code>\sslash</code>
$\bar{\cup}$	<code>\bar{\cup}</code>	$\interleave$	<code>\interleave</code>	$:$	<code>\threedotcolon</code>
∇	<code>\nabla</code>	$\int$	<code>\int</code>	$\times$	<code>\times</code>
$\bar{\wedge}$	<code>\bar{\wedge}</code>	$\int$	<code>\int</code>	$\times$	<code>\timesbar</code>
$\slopedvee$	<code>\slopedvee</code>	$\sim$	<code>\sim</code>	$-$	<code>\tminus</code>
$\slopedwedge$	<code>\slopedwedge</code>	λ	<code>\lambda</code>	$+$	<code>\tplus</code>
$\times$	<code>\times</code>	$\triangleleft$	<code>\triangleleft</code>	$\#$	<code>\tripleplus</code>
$\cap$	<code>\cap</code>	$\ltimes$	<code>\ltimes</code>	$\parallel$	<code>\trslash</code>
$\Cap$	<code>\Cap</code>	$\bar{\vee}$	<code>\bar{\vee}</code>	$\cap$	<code>\twocaps</code>
$\capbarcup$	<code>\capbarcup</code>	$\bar{\wedge}$	<code>\bar{\wedge}</code>	$\cup$	<code>\twocups</code>
$\capdot$	<code>\capdot</code>	$\dot{-}$	<code>\dot{-}</code>	$:$	<code>\typecolon</code>
$\capovercup$	<code>\capovercup</code>	$\dot{-}$	<code>\dot{-}</code>	$\ominus$	<code>\uminus</code>
$\capwedge$	<code>\capwedge</code>	$\dot{-}$	<code>\dot{-}</code>	$\triangleleft$	<code>\unlhd</code>
$\closedvarcap$	<code>\closedvarcap</code>	$\mp$	<code>\mp</code>	$\triangleleft$	<code>\unrhd</code>
$\closedvarcup$	<code>\closedvarcup</code>	$\nVdash$	<code>\nVdash</code>	$\uplus$	<code>\upand</code>
$\closedvarcupsmashprod$	<code>\closedvarcupsmashprod</code>	$\oplus$	<code>\oplus</code>	$\oplus$	<code>\uplus</code>
$\commaminus$	<code>\commaminus</code>	$\oplus$	<code>\oplus</code>	$\bar{\wedge}$	<code>\varbarwedge</code>
$\cup$	<code>\cup</code>	$\otimes$	<code>\otimes</code>	$\bar{\wedge}$	<code>\vardoublebarwedge</code>
$\Cup$	<code>\Cup</code>	$\otimes$	<code>\otimes</code>	$\vee$	<code>\varveebar</code>
$\cupbarcap$	<code>\cupbarcap</code>	$\dot{+}$	<code>\dot{+}</code>	$\times$	<code>\vectimes</code>
$\cupdot$	<code>\cupdot</code>	$\pm$	<code>\pm</code>	$\vee$	<code>\Vee</code>
$\cupleftarrow$	<code>\cupleftarrow</code>	$\hat{+}$	<code>\hat{+}</code>	$\vee$	<code>\vee</code>
$\cupovercap$	<code>\cupovercap</code>	$\pm$	<code>\pm</code>	$\vee$	<code>\veebar</code>
$\cupvee$	<code>\cupvee</code>	$\pm$	<code>\pm</code>	$\vee$	<code>\veedot</code>
$\curlyvee$	<code>\curlyvee</code>	$\pm$	<code>\pm</code>	$\vee$	<code>\veedoublebar</code>
$\curlywedge$	<code>\curlywedge</code>	$\pm$	<code>\pm</code>	$\vee$	<code>\veemidvert</code>
$\dagger$	<code>\dagger</code>	$\triangleright$	<code>\triangleright</code>	$\dot{\vee}$	<code>\veeodot</code>
$\ddagger$	<code>\ddagger</code>	$\times$	<code>\times</code>	$\vee$	<code>\veeonvee</code>
$\div$	<code>\div</code>	$\dagger$	<code>\dagger</code>	$\wedge$	<code>\Wedge</code>
$\divideontimes$	<code>\divideontimes</code>	$\dagger$	<code>\dagger</code>	$\wedge$	<code>\wedge</code>
$\dot{-}$	<code>\dot{-}</code>	$\rtimes$	<code>\rtimes</code>	$\triangle$	<code>\wedgebar</code>
$\dot{+}$	<code>\dot{+}</code>	$\setminus$	<code>\setminus</code>	$\triangle$	<code>\wedgedot</code>
$\dot{\times}$	<code>\dot{\times}</code>	$\shuf$	<code>\shuf</code>	$\triangle$	<code>\wedgedoublebar</code>
$\doublebarvee$	<code>\doublebarvee</code>	$\sim$	<code>\sim</code>	$\triangle$	<code>\wedgemidvert</code>
$\doublebarwedge$	<code>\doublebarwedge</code>	$\smallsetminus$	<code>\smallsetminus</code>	$\wedge$	<code>\wedgeodot</code>
$\doubleplus$	<code>\doubleplus</code>	$\smashtimes$	<code>\smashtimes</code>	$\wedge$	<code>\wedgeonwedge</code>
$\dsol$	<code>\dsol</code>	$\sqcap$	<code>\sqcap</code>	$\wr$	<code>\wr</code>
$\eqqplus$	<code>\eqqplus</code>	$\sqcap$	<code>\Sqcap</code>		

stix defines `\land` as a synonym for `\wedge`, `\lor` as a synonym for `\vee`, `\doublecap` as a synonym for `\Cap`, and `\doublecup` as a synonym for `\Cup`.

TABLE 60: mathdesign Binary Operators

$\times$ `\dtimes` $\times$ `\udtimes` $\times$ `\utimes`

The `mathdesign` package additionally provides versions of each of the binary operators shown in Table 51 on page 28.

TABLE 61: cml Binary Operators

 $\P$ `\parr*` $\&$ `\with`[†]

* cml defines `\invamp` as a synonym for `\parr`.

[†] `\with` differs from `\&` in terms of its math-mode spacing: `$A \& B$` produces “ $A \& B$ ”, for example, while `$A \with B$` produces “ $A \& B$ ”.

TABLE 62: shuffle Binary Operators

 $\sqcup$ `\cshuffle` $\sqcup$ `\shuffle`

TABLE 63: ulsy Geometric Binary Operators

 $\oplus$ `\odplus`

TABLE 64: mathabx Geometric Binary Operators

$\blacktriangledown$	<code>\blacktriangledown</code>	$\boxplus$	<code>\boxright</code>	$\ominus$	<code>\ominus</code>
$\blacktriangleleft$	<code>\blacktriangleleft</code>	$\boxslash$	<code>\boxslash</code>	$\oplus$	<code>\oplus</code>
$\blacktriangleright$	<code>\blacktriangleright</code>	$\boxtimes$	<code>\boxtimes</code>	$\oplus$	<code>\oright</code>
$\blacktriangleup$	<code>\blacktriangleup</code>	$\boxtop$	<code>\boxtop</code>	$\oslash$	<code>\oslash</code>
$\boxast$	<code>\boxasterisk</code>	$\boxtriangleup$	<code>\boxtriangleup</code>	$\otimes$	<code>\otimes</code>
$\boxbackslash$	<code>\boxbackslash</code>	$\boxvoid$	<code>\boxvoid</code>	$\otop$	<code>\otop</code>
$\boxbot$	<code>\boxbot</code>	$\oasterisk$	<code>\oasterisk</code>	$\otriangleup$	<code>\otriangleup</code>
$\boxcirc$	<code>\boxcirc</code>	$\obackslash$	<code>\obackslash</code>	$\ovoid$	<code>\ovoid</code>
$\boxcoasterisk$	<code>\boxcoasterisk</code>	$\obot$	<code>\obot</code>	$\smalltriangledown$	<code>\smalltriangledown</code>
$\boxdiv$	<code>\boxdiv</code>	$\ocirc$	<code>\ocirc</code>	$\smalltriangleleft$	<code>\smalltriangleleft</code>
$\boxdot$	<code>\boxdot</code>	$\ocoasterisk$	<code>\ocoasterisk</code>	$\smalltriangleright$	<code>\smalltriangleright</code>
$\boxleft$	<code>\boxleft</code>	$\odiv$	<code>\odiv</code>	$\smalltriangleup$	<code>\smalltriangleup</code>
$\boxminus$	<code>\boxminus</code>	$\odot$	<code>\odot</code>		
$\boxplus$	<code>\boxplus</code>	$\oleft$	<code>\oleft</code>		

TABLE 65: MnSymbol Geometric Binary Operators

$\boxbackslash$	<code>\boxbackslash</code>	$\blacktriangledown$	<code>\filledmedtriangledown</code>	$\odot$	<code>\ocirc</code>
$\boxbox$	<code>\boxbox</code>	$\blacktriangleleft$	<code>\filledmedtriangleleft</code>	$\odot$	<code>\odot</code>
$\boxdot$	<code>\boxdot</code>	$\blacktriangleright$	<code>\filledmedtriangleright</code>	$\ominus$	<code>\ominus</code>
$\boxminus$	<code>\boxminus</code>	$\blacktriangleup$	<code>\filledmedtriangleup</code>	$\oplus$	<code>\oplus</code>
$\boxplus$	<code>\boxplus</code>	$\blacksquare$	<code>\filledsquare</code>	$\oslash$	<code>\oslash</code>
$\boxslash$	<code>\boxslash</code>	$\star$	<code>\filledstar</code>	$\otimes$	<code>\otimes</code>
$\boxtimes$	<code>\boxtimes</code>	$\blacktriangledown$	<code>\filledtriangledown</code>	$\otimes$	<code>\otimes</code>
$\boxvert$	<code>\boxvert</code>	$\blacktriangleleft$	<code>\filledtriangleleft</code>	$\otimes$	<code>\otimes</code>
$\diamondbackslash$	<code>\diamondbackslash</code>	$\blacktriangleright$	<code>\filledtriangleright</code>	$\oslash$	<code>\oslash</code>
$\diamondddiamond$	<code>\diamondddiamond</code>	$\blacktriangleup$	<code>\filledtriangleup</code>	$\star$	<code>\pentagram</code>
$\diamondddot$	<code>\diamondddot</code>	$\diamond$	<code>\meddiamond</code>	$\diamond$	<code>\smalldiamond</code>
$\diamondminus$	<code>\diamondminus</code>	$\square$	<code>\medsquare</code>	$\square$	<code>\smallsquare</code>
$\diamondplus$	<code>\diamondplus</code>	$\star$	<code>\medstar</code>	$\star$	<code>\smallstar</code>
$\diamondslash$	<code>\diamondslash</code>	$\blacktriangledown$	<code>\medtriangledown</code>	$\blacktriangledown$	<code>\smalltriangledown</code>
$\diamondtimes$	<code>\diamondtimes</code>	$\blacktriangleleft$	<code>\medtriangleleft</code>	$\blacktriangleleft$	<code>\smalltriangleleft</code>
$\diamondvert$	<code>\diamondvert</code>	$\blacktriangleright$	<code>\medtriangleright</code>	$\blacktriangleright$	<code>\smalltriangleright</code>
$\downslice$	<code>\downslice</code>	$\blacktriangleup$	<code>\medtriangleup</code>	$\blacktriangleup$	<code>\smalltriangleup</code>
$\filleddiamond$	<code>\filleddiamond</code>	$\otimes$	<code>\oast</code>	$\star$	<code>\thinstar</code>
$\filledmedsquare$	<code>\filledmedsquare</code>	$\oslash$	<code>\obackslash</code>	$\triangle$	<code>\upslice</code>

MnSymbol defines `\blacksquare` as a synonym for `\filledmedsquare`; `\square` and `\Box` as synonyms for `\medsquare`; `\diamond` as a synonym for `\smalldiamond`; `\Diamond` as a synonym for `\meddiamond`; `\star` as a synonym for `\thinstar`; `\circledast` as a synonym for `\oast`; `\circledcirc` as a synonym for `\ocirc`; and, `\circleddash` as a synonym for `\ominus`.

TABLE 66: fdsymbol Geometric Binary Operators

$\boxbackslash$	<code>\boxbackslash</code>	$\blacktriangledown$	<code>\medblacktriangledown</code>	$\oplus$	<code>\oplus</code>
$\boxbox$	<code>\boxbox</code>	$\blacktriangleleft$	<code>\medblacktriangleleft</code>	$\oslash$	<code>\oslash</code>
$\boxdot$	<code>\boxdot</code>	$\blacktriangleright$	<code>\medblacktriangleright</code>	$\otimes$	<code>\otimes</code>
$\boxminus$	<code>\boxminus</code>	$\blacktriangleup$	<code>\medblacktriangleup</code>	$\oslash$	<code>\oslash</code>
$\boxplus$	<code>\boxplus</code>	$\circ$	<code>\medcircle</code>	$\bullet$	<code>\smallblackcircle</code>
$\boxslash$	<code>\boxslash</code>	$\diamond$	<code>\meddiamond</code>	$\blacklozenge$	<code>\smallblackdiamond</code>
$\boxtimes$	<code>\boxtimes</code>	$\diagup$	<code>\medslash</code>	$\blacksquare$	<code>\smallblacksquare</code>
$\boxvert$	<code>\boxvert</code>	$\square$	<code>\medsquare</code>	$\star$	<code>\smallblackstar</code>
$\diamondbackslash$	<code>\diamondbackslash</code>	$\blacktriangledown$	<code>\medtriangledown</code>	$\blacktriangledown$	<code>\smallblacktriangledown</code>
$\diamondddiamond$	<code>\diamondddiamond</code>	$\blacktriangleleft$	<code>\medtriangleleft</code>	$\blacktriangleleft$	<code>\smallblacktriangleleft</code>
$\diamondddot$	<code>\diamondddot</code>	$\blacktriangleright$	<code>\medtriangleright</code>	$\blacktriangleright$	<code>\smallblacktriangleright</code>
$\diamondminus$	<code>\diamondminus</code>	$\blacktriangleup$	<code>\medtriangleup</code>	$\blacktriangleup$	<code>\smallblacktriangleup</code>
$\diamondplus$	<code>\diamondplus</code>	$\star$	<code>\medwhitestar</code>	$\circ$	<code>\smallcircle</code>
$\diamondslash$	<code>\diamondslash</code>	$\otimes$	<code>\oast</code>	$\diamond$	<code>\smalldiamond</code>
$\diamondtimes$	<code>\diamondtimes</code>	$\oslash$	<code>\obackslash</code>	$\square$	<code>\smallsquare</code>
$\diamondvert$	<code>\diamondvert</code>	$\odot$	<code>\ocirc</code>	$\blacktriangledown$	<code>\smalltriangledown</code>
$\medblackcircle$	<code>\medblackcircle</code>	$\ominus$	<code>\odash</code>	$\blacktriangleleft$	<code>\smalltriangleleft</code>
$\medblackdiamond$	<code>\medblackdiamond</code>	$\odot$	<code>\odot</code>	$\blacktriangleright$	<code>\smalltriangleright</code>
$\medblacksquare$	<code>\medblacksquare</code>	$\odot$	<code>\oequal</code>	$\blacktriangleup$	<code>\smalltriangleup</code>
$\medblackstar$	<code>\medblackstar</code>	$\ominus$	<code>\ominus</code>	$\star$	<code>\smallwhitestar</code>

fdsymbol defines synonyms for most of the preceding symbols:

◆	\blackdiamond	◇	\diamond	●	\smblkcircle
▲	\blacktriangle	◇	\Diamond	◆	\smblkdiamond
▼	\blacktriangledown	◇	\diamondbslash	■	\smblksquare
◀	\blacktriangleleft	◇	\diamondcdot	☆	\smwhitestar
▶	\blacktriangleright	◆	\mdblkdiamond	◦	\smwhtcircle
□	\Box	■	\mdblksquare	◇	\smwhtdiamond
▣	\boxbar	●	\mdlgbkcircle	◻	\smwhtsquare
▤	\boxbslash	◆	\mdlgbkdiamond	□	\square
▥	\boxdiag	■	\mdlgbksquare	★	\star
•	\bullet	○	\mdlgwhtcircle	△	\triangle
◦	\circ	◇	\mdlgwhtdiamond	▽	\triangledown
⊗	\circledast	◻	\mdlgwhtsquare	◁	\triangleleft
⊙	\circledcirc	◇	\mdwhtdiamond	▷	\triangleright
⊖	\circleddash	◻	\mdwhtsquare	△	\vartriangle
⊕	\circledequal	★	\medstar		
⊖	\circledvert	⊗	\obslash		

TABLE 67: boisik Geometric Binary Operators

◆	\blacklozenge	▣	\boxright	◻	\oblong
■	\blacksquare	▤	\boxslash	⊕	\obot
▲	\blacktriangle	▥	\boxtimes	⊗	\obslash
▼	\blacktriangledown	▣	\boxtop	⊗	\ogreaterthan
◀	\blacktriangleleft	▤	\boxtriangle	⊕	\oleft
▶	\blacktriangleright	⊗	\circledast	⊗	\olessthan
⊗	\boxast	⊙	\circledcirc	⊖	\ominus
▣	\boxbar	⊖	\circleddash	⊕	\oplus
▤	\boxbot	◇	\diamond	⊕	\oright
▥	\boxbox	◊	\diamondbar	⊗	\oslash
▤	\boxbslash	⊗	\diamondcircle	⊗	\otimes
▥	\boxcircle	⊖	\diamondminus	⊕	\otop
▤	\boxdivision	◇	\diamondop	⊗	\otriangle
▥	\boxdot	⊕	\diamondplus	⊗	\ovee
▣	\boxleft	⊗	\diamondtimes	⊗	\owedge
▤	\boxminus	⊗	\diamondtriangle	★	\star
▥	\boxplus	⊖	\obar	⏚	\talloblong

TABLE 68: stix Geometric Binary Operators

	<code>\blackhourglass</code>		<code>\concavediamondtickleft</code>		<code>\oplus</code>
	<code>\boxast</code>		<code>\concavediamondtickright</code>		<code>\oslash</code>
	<code>\boxbar</code>		<code>\diamond</code>		<code>\otimes</code>
	<code>\boxbox</code>		<code>\dsub</code>		<code>\Otimes</code>
	<code>\boxbslash</code>		<code>\hourglass</code>		<code>\otimeshat</code>
	<code>\boxcircle</code>		<code>\lozengeminus</code>		<code>\rsub</code>
	<code>\boxdiag</code>		<code>\mdlgblklozenge</code>		<code>\smbldcircle</code>
	<code>\boxdot</code>		<code>\mdlgwhtcircle</code>		<code>\star</code>
	<code>\boxminus</code>		<code>\obar</code>		<code>\talloblong</code>
	<code>\boxplus</code>		<code>\obot*</code>		<code>\triangle</code>
	<code>\boxtimes</code>		<code>\obslash</code>		<code>\triangleminus</code>
	<code>\circledast</code>		<code>\odiv</code>		<code>\triangleplus</code>
	<code>\circledcirc</code>		<code>\odot</code>		<code>\triangle serif</code>
	<code>\circleddash</code>		<code>\odot slash dot*</code>		<code>\triangle times</code>
	<code>\circledequal</code>		<code>\ogreaterthan</code>		<code>\vysmbldcircle[†]</code>
	<code>\circledparallel</code>		<code>\olcross*</code>		<code>\vysmwhtcircle</code>
	<code>\circledvert</code>		<code>\olessthan</code>		<code>\whitesquaretickleft</code>
	<code>\circlehbar</code>		<code>\ominus</code>		<code>\whitesquaretickright</code>
	<code>\concavediamond</code>		<code>\operp</code>		

* Defined as an ordinary character, not as a binary relation. However, these symbols more closely resemble the other symbols in this table than they do the geometric shapes presented in Table 372, which is why they are included here.

[†] stix defines `\bullet` as a synonym for `\vysmbldcircle`.

TABLE 69: stix Small Integrals

	<code>\smallawint</code>		<code>\smallintcap</code>		<code>\smalloint</code>
	<code>\smallcirfnint</code>		<code>\smallintclockwise</code>		<code>\smallointctr clockwise</code>
	<code>\smallfint</code>		<code>\smallintcup</code>		<code>\smallpointint</code>
	<code>\smalliiiint</code>		<code>\smallintlarhk</code>		<code>\smallrppointint</code>
	<code>\smalliiint</code>		<code>\smallintx</code>		<code>\smallscpointint</code>
	<code>\smalliint</code>		<code>\smalllloint</code>		<code>\smallsqint</code>
	<code>\smallint</code>		<code>\smallnpointint</code>		<code>\smallsumint</code>
	<code>\smallintbar</code>		<code>\smalloiiiint</code>		<code>\smallupoint</code>
	<code>\smallintBar</code>		<code>\smalloiiint</code>		<code>\smallvaroint clockwise</code>

By default, each of the preceding commands points to a slanted version of the glyph, as shown. The `upint` package option typesets each integral instead as an upright version. Slanted and upright integrals can be mixed, however, by explicitly using the commands shown in Table 70.

TABLE 70: stix Small Integrals with Explicit Slant

$\int$	<code>\smallawintsl</code>	$\int$	<code>\smallawintup</code>
$\oint$	<code>\smallcirfnintsl</code>	$\oint$	<code>\smallcirfnintup</code>
$\int$	<code>\smallfintsl</code>	$\int$	<code>\smallfintup</code>
$\iiint$	<code>\smallliiiintsl</code>	$\iiint$	<code>\smallliiiintup</code>
$\iiint$	<code>\smallliiintsl</code>	$\iiint$	<code>\smallliiintup</code>
$\iint$	<code>\smallliintsl</code>	$\iint$	<code>\smallliintup</code>
$\int$	<code>\smalllintbarsl</code>	$\int$	<code>\smalllintBarup</code>
$\int$	<code>\smalllintBarsl</code>	$\int$	<code>\smalllintbarup</code>
$\oint$	<code>\smalllintcapsl</code>	$\oint$	<code>\smalllintcapup</code>
$\int$	<code>\smallintclockwisesl</code>	$\int$	<code>\smallintclockwiseup</code>
$\int$	<code>\smallintcupsl</code>	$\int$	<code>\smallintcupup</code>
$\int$	<code>\smallintlarhksl</code>	$\int$	<code>\smallintlarhkup</code>
$\int$	<code>\smallintsl</code>	$\int$	<code>\smallintup</code>
$\int$	<code>\smallintxsl</code>	$\int$	<code>\smallintxup</code>
$\int$	<code>\smalllowintsl</code>	$\int$	<code>\smalllowintup</code>
$\int$	<code>\smallnpolintsl</code>	$\int$	<code>\smallnpolintup</code>
$\iiint$	<code>\smallloiiintsl</code>	$\iiint$	<code>\smallloiiintup</code>
$\iint$	<code>\smallloiiintsl</code>	$\iint$	<code>\smallloiiintup</code>
$\int$	<code>\smallointctrlockwisesl</code>	$\int$	<code>\smallointctrlockwiseup</code>
$\int$	<code>\smallointsl</code>	$\int$	<code>\smallointup</code>
$\int$	<code>\smallpointintsl</code>	$\int$	<code>\smallpointintup</code>
$\int$	<code>\smallrppolintsl</code>	$\int$	<code>\smallrppolintup</code>
$\int$	<code>\smallscpolintsl</code>	$\int$	<code>\smallscpolintup</code>
$\int$	<code>\smallsqintsl</code>	$\int$	<code>\smallsqintup</code>
$\int$	<code>\smallsumintsl</code>	$\int$	<code>\smallsumintup</code>
$\int$	<code>\smallupintsl</code>	$\int$	<code>\smallupintup</code>
$\int$	<code>\smallvarointclockwisesl</code>	$\int$	<code>\smallvarointclockwiseup</code>

Instead of using the preceding symbols directly, it is generally preferable to use the symbols listed in Table 69 either with or without the `upint` package option. Specifying `upint` selects each integral's upright (`up`) variant, while omitting `upint` selects each integral's slanted (`sl`) variant. Use the symbols shown in Table 70 only when you need to include both upright and slanted variations of a symbol in the same document.

TABLE 71: Variable-sized Math Operators

$\bigcap$	<code>\bigcap</code>	$\bigotimes$	<code>\bigotimes</code>	$\bigwedge$	<code>\bigwedge</code>	$\prod$	<code>\prod</code>
$\bigcup$	<code>\bigcup</code>	$\bigsqcup$	<code>\bigsqcup</code>	$\coprod$	<code>\coprod</code>	$\sum$	<code>\sum</code>
$\bigodot$	<code>\bigodot</code>	$\biguplus$	<code>\biguplus</code>	$\int$	<code>\int</code>		
$\bigoplus$	<code>\bigoplus</code>	$\bigvee$	<code>\bigvee</code>	$\oint$	<code>\oint</code>		

(continued from previous page)

$\boxtimes \boxtimes$	<code>\bigboxasterisk</code>	$\boxtriangle \boxtriangle$	<code>\bigboxtriangleup</code>	$\bigtriangleup \bigtriangleup$	<code>\bigotriangleup</code>
$\boxbackslash \boxbackslash$	<code>\bigboxbackslash</code>	$\boxminus \boxminus$	<code>\bigboxvoid</code>	$\bigcirc \bigcirc$	<code>\bigovoid</code>
$\boxbot \boxbot$	<code>\bigboxbot</code>	$\complement \complement$	<code>\bigcomplementtop</code>	$\bigplus \bigplus$	<code>\bigplus</code>
$\boxcirc \boxcirc$	<code>\bigboxcirc</code>	$\bigodot \bigodot$	<code>\bigodasterisk</code>	$\bigsqcup \bigsqcup$	<code>\bigsqcupplus</code>
$\boxcoasterisk \boxcoasterisk$	<code>\bigboxcoasterisk</code>	$\bigodot \bigodot$	<code>\bigobackslash</code>	$\bigtimes \bigtimes$	<code>\bigtimes</code>
$\boxdiv \boxdiv$	<code>\bigboxdiv</code>	$\bigoplus \bigoplus$	<code>\bigobot</code>	$\iiint \iiint$	<code>\iiint</code>
$\boxdot \boxdot$	<code>\bigboxdot</code>	$\bigodot \bigodot$	<code>\bigocirc</code>	$\iint \iint$	<code>\iint</code>
$\boxleftarrow \boxleftarrow$	<code>\bigboxleft</code>	$\boxcoasterisk \boxcoasterisk$	<code>\bigocoasterisk</code>	$\int \int$	<code>\int</code>
$\boxminus \boxminus$	<code>\bigboxminus</code>	$\bigodiv \bigodiv$	<code>\bigodiv</code>	$\oint \oint$	<code>\oint</code>
$\boxplus \boxplus$	<code>\bigboxplus</code>	$\bigoplus \bigoplus$	<code>\bigoleft</code>	$\oint \oint$	<code>\oint</code>
$\boxrightarrow \boxrightarrow$	<code>\bigboxright</code>	$\bigominus \bigominus$	<code>\bigominus</code>		

TABLE 76: txfonts/pxfonts Variable-sized Math Operators

$\bigsqcap \bigsqcap$	<code>\bigsqcapplus</code>	$\oint \oint$	<code>\ointclockwise</code>
$\bigsqcup \bigsqcup$	<code>\bigsqcupplus</code>	$\oint \oint$	<code>\ointctrcklockwise</code>
$\fint \fint$	<code>\fint</code>	$\sqiiint \sqiiint$	<code>\sqiiint</code>
$\dotsint \dotsint$	<code>\dotsint</code>	$\sqint \sqint$	<code>\sqint</code>
$\iiint \iiint$	<code>\iiint</code>	$\sqint \sqint$	<code>\sqint</code>

(continued from previous page)

$\iiint$	$\iiint$	<code>\iiint</code>	$\varoiint$	$\varoiint$	<code>\varoiintclockwise</code>
$\iint$	$\iint$	<code>\iint</code>	$\varoiint$	$\varoiint$	<code>\varoiintctrlockwise</code>
$\oiint$	$\oiint$	<code>\oiintclockwise</code>	$\oiint$	$\oiint$	<code>\varoiintclockwise</code>
$\oiint$	$\oiint$	<code>\oiintctrlockwise</code>	$\oiint$	$\oiint$	<code>\varoiintctrlockwise</code>
$\oiint$	$\oiint$	<code>\oiint</code>	$\oint$	$\oint$	<code>\varointclockwise</code>
$\oint$	$\oint$	<code>\ointclockwise</code>	$\oint$	$\oint$	<code>\varointctrlockwise</code>
$\oint$	$\oint$	<code>\ointctrlockwise</code>	$\times$	$\times$	<code>\varprod</code>
$\oint$	$\oint$	<code>\oint</code>			

TABLE 77: esint Variable-sized Math Operators

$\int \cdots \int$	$\int \cdots \int$	<code>\dotsint</code>	$\oint$	$\oint$	<code>\ointclockwise</code>
$\int$	$\int$	<code>\fint</code>	$\oint$	$\oint$	<code>\ointctrlockwise</code>
$\iiint$	$\iiint$	<code>\iiiint</code>	$\sqint$	$\sqint$	<code>\sqint</code>
$\iint$	$\iint$	<code>\iiint</code>	$\sqint$	$\sqint$	<code>\sqint</code>
$\iint$	$\iint$	<code>\iint</code>	$\varoiint$	$\varoiint$	<code>\varoiint</code>
$\int$	$\int$	<code>\landdownint</code>	$\oint$	$\oint$	<code>\varointclockwise</code>
$\int$	$\int$	<code>\landupint</code>	$\oint$	$\oint$	<code>\varointctrlockwise</code>
$\oint$	$\oint$	<code>\oint</code>			

TABLE 78: bigints Variable-sized Math Operators

$\int$	$\int$	<code>\bigint</code>	$\oint$	$\oint$	<code>\bigoint</code>
$\int$	$\int$	<code>\bigints</code>	$\oint$	$\oint$	<code>\bigoints</code>
$\int$	$\int$	<code>\bigintss</code>	$\oint$	$\oint$	<code>\bigointss</code>
$\int$	$\int$	<code>\bigintsss</code>	$\oint$	$\oint$	<code>\bigintsss</code>
$\int$	$\int$	<code>\bigintssss</code>	$\oint$	$\oint$	<code>\bigintssss</code>

TABLE 79: MnSymbol Variable-sized Math Operators

$\cap$	$\cap$	<code>\bigcap</code>	$\ominus$	$\ominus$	<code>\bigominus</code>	$\complement$	$\complement$	<code>\complement</code>
$\cap$	$\cap$	<code>\bigcapdot</code>	$\oplus$	$\oplus$	<code>\bigoplus</code>	$\coprod$	$\coprod$	<code>\coprod</code>
$\cap$	$\cap$	<code>\bigcapplus</code>	$\oslash$	$\oslash$	<code>\bigoslash</code>	$\int \cdots \int$	$\int \cdots \int$	<code>\idotsint</code>
$\bigcirc$	$\bigcirc$	<code>\bigcircle</code>	$\bigotimes$	$\bigotimes$	<code>\bigostar</code>	$\iiint$	$\iiint$	<code>\iiint</code>
$\bigcup$	$\bigcup$	<code>\bigcup</code>	$\bigotimes$	$\bigotimes$	<code>\bigotimes</code>	$\iiint$	$\iiint$	<code>\iiint</code>
$\bigcup$	$\bigcup$	<code>\bigcupdot</code>	$\bigtriangleup$	$\bigtriangleup$	<code>\bigotriangle</code>	$\iint$	$\iint$	<code>\iint</code>
$\bigcup$	$\bigcup$	<code>\bigcupplus*</code>	$\bigodot$	$\bigodot$	<code>\bigover</code>	$\int$	$\int$	<code>\int</code>
$\curlyvee$	$\curlyvee$	<code>\bigcurlyvee</code>	$\bigplus$	$\bigplus$	<code>\bigplus</code>	$\int$	$\int$	<code>\landdownint</code>
$\curlyvee$	$\curlyvee$	<code>\bigcurlyveedot</code>	$\bigsqcap$	$\bigsqcap$	<code>\bigsqcap</code>	$\int$	$\int$	<code>\landupint</code>
$\curlywedge$	$\curlywedge$	<code>\bigcurlywedge</code>	$\bigsqcap$	$\bigsqcap$	<code>\bigsqcapdot</code>	$\oint$	$\oint$	<code>\lcircleleftint</code>
$\curlywedge$	$\curlywedge$	<code>\bigcurlywedgedot</code>	$\bigsqcap$	$\bigsqcap$	<code>\bigsqcapplus</code>	$\oint$	$\oint$	<code>\lcircleleftint</code>
$\curlywedge$	$\curlywedge$	<code>\bigdoublecurlyvee</code>	$\bigsqcup$	$\bigsqcup$	<code>\bigsqcup</code>	$\oint$	$\oint$	<code>\oint</code>
$\curlywedge$	$\curlywedge$	<code>\bigdoublecurlywedge</code>	$\bigsqcup$	$\bigsqcup$	<code>\bigsqcupdot</code>	$\oint$	$\oint$	<code>\oint</code>
$\curlywedge$	$\curlywedge$	<code>\bigdoublevee</code>	$\bigsqcup$	$\bigsqcup$	<code>\bigsqcupplus</code>	$\prod$	$\prod$	<code>\prod</code>
$\curlywedge$	$\curlywedge$	<code>\bigdoublewedge</code>	$\bigtimes$	$\bigtimes$	<code>\bigtimes</code>	$\oint$	$\oint$	<code>\rcircleleftint</code>
$\bigotimes$	$\bigotimes$	<code>\bigotimes</code>	$\bigvee$	$\bigvee$	<code>\bigvee</code>	$\oint$	$\oint$	<code>\rcircleleftint</code>

(continued on next page)

(continued from previous page)

$\bigcirc$	$\bigcirc$	<code>\bigobackslash</code>	$\bigvee$	$\bigvee$	<code>\bigveedot</code>	f	f	<code>\strokedint</code>
$\odot$	$\odot$	<code>\bigocirc</code>	$\bigwedge$	$\bigwedge$	<code>\bigwedge</code>	Σ	Σ	<code>\sum</code>
$\odot$	$\odot$	<code>\bigodot</code>	$\bigwedge$	$\bigwedge$	<code>\bigwedgedot</code>	$\int$	$\int$	<code>\sumint</code>

* MnSymbol defines `\biguplus` as a synonym for `\bigcupplus`.

TABLE 80: fdsymbol Variable-sized Math Operators

$\bigcap$	$\bigcap$	<code>\bigcap</code>	$\bigsqcup$	$\bigsqcup$	<code>\bigsqcup</code>	$\int$	$\int$	<code>\landupint</code>
$\bigcap$	$\bigcap$	<code>\bigcapdot</code>	$\bigsqcup$	$\bigsqcup$	<code>\bigsqcupdot</code>	$\oint$	$\oint$	<code>\lcircleleftint</code>
$\bigcap$	$\bigcap$	<code>\bigcapplus</code>	$\bigsqcup$	$\bigsqcup$	<code>\bigsqcupplus</code>	$\oint$	$\oint$	<code>\lcircleleftint</code>
$\bigcup$	$\bigcup$	<code>\bigcup</code>	$\bigtimes$	$\bigtimes$	<code>\bigtimes</code>	$\oint$	$\oint$	<code>\oiint</code>
$\bigcup$	$\bigcup$	<code>\bigcupdot</code>	$\bigvee$	$\bigvee$	<code>\bigvee</code>	$\oint$	$\oint$	<code>\oiint</code>
$\bigcup$	$\bigcup$	<code>\bigcupplus</code>	$\bigvee$	$\bigvee$	<code>\bigveedot</code>	$\oint$	$\oint$	<code>\oint</code>
$\bigcurlyvee$	$\bigcurlyvee$	<code>\bigcurlyvee</code>	$\bigwedge$	$\bigwedge$	<code>\bigwedge</code>	Σ	Σ	<code>\osum</code>
$\bigcurlywedge$	$\bigcurlywedge$	<code>\bigcurlywedge</code>	$\bigwedge$	$\bigwedge$	<code>\bigwedgedot</code>	$\prod$	$\prod$	<code>\prod</code>
$\bigdoublevee$	$\bigdoublevee$	<code>\bigdoublevee</code>	$\bigsqcup$	$\bigsqcup$	<code>\coprod</code>	$\oint$	$\oint$	<code>\rcircleleftint</code>
$\bigdoublewedge$	$\bigdoublewedge$	<code>\bigdoublewedge</code>	$\int$	$\int$	<code>\int</code>	$\oint$	$\oint$	<code>\rcircleleftint</code>
$\bigcirc$	$\bigcirc$	<code>\bigcircast</code>	$\int \dots \int$	$\int \dots \int$	<code>\idotsint</code>	Σ	Σ	<code>\sum</code>
$\bigodot$	$\bigodot$	<code>\bigodot</code>	$\iiint$	$\iiint$	<code>\iiint</code>	$\int$	$\int$	<code>\sumint</code>
$\bigoplus$	$\bigoplus$	<code>\bigoplus</code>	$\iiint$	$\iiint$	<code>\iiint</code>	$\prod$	$\prod$	<code>\varcoprod</code>
$\bigotimes$	$\bigotimes$	<code>\bigotimes</code>	$\iint$	$\iint$	<code>\iint</code>	Σ	Σ	<code>\varosum</code>
$\bigplus$	$\bigplus$	<code>\bigplus</code>	$\int$	$\int$	<code>\int</code>	$\prod$	$\prod$	<code>\varprod</code>
$\bigsqcap$	$\bigsqcap$	<code>\bigsqcap</code>	$\int$	$\int$	<code>\intbar</code>	Σ	Σ	<code>\varsum</code>
$\bigsqcap$	$\bigsqcap$	<code>\bigsqcapdot</code>	$\int$	$\int$	<code>\intBar</code>	$\int$	$\int$	<code>\varsumint</code>
$\bigsqcap$	$\bigsqcap$	<code>\bigsqcapplus</code>	$\int$	$\int$	<code>\landdownint</code>			

* fdsymbol defines \awint as a synonym for \landdownint, \biguplus as a synonym for \bigcupplus, \conjquant as a synonym for \bigdoublewedge, \disjquant as a synonym for \bigdoublevee, \dotsint as a synonym for \idotsint, \intclockwise as a synonym for \landupint, \intctrclockwise as a synonym for \landdownint, \modtwosum as a synonym for \osum, \ointclockwise as a synonym for \lcircleleftint, \ointctrclockwise as a synonym for \rcirclerightint, \varmodtwosum as a synonym for \varosum, \varointclockwise as a synonym for \lcircleleftint, and \varointctrclockwise as a synonym for \rcircleleftint.

TABLE 81: boisk Variable-sized Math Operators

$$\int \int \backslash intup$$

boisk additionally provides all of the symbols in Table 71.

TABLE 82: stix Variable-sized Math Operators

$\int$	$\int$	$\backslash awint$	$\amalg$	$\amalg$	$\backslash coprod$	$\coprod$	$\coprod$	$\backslash oiiiint$
$\sum$	$\sum$	$\backslash Bbbsum$	$\mathbb{W}$	$\mathbb{W}$	$\backslash disjquant$	$\oint$	$\oint$	$\backslash ooint$
$\cap$	$\cap$	$\backslash bigcap$	$\int$	$\int$	$\backslash fint$	$\oint$	$\oint$	$\backslash oint$
$\cup$	$\cup$	$\backslash bigcup$	$\iiint$	$\iiint$	$\backslash iiiint$	$\oint$	$\oint$	$\backslash ointctrclockwise$
$\cup$	$\cup$	$\backslash bigcupdot$	$\iiint$	$\iiint$	$\backslash iiint$	$\oint$	$\oint$	$\backslash pointint$
$\odot$	$\odot$	$\backslash bigodot$	$\iint$	$\iint$	$\backslash iint$	$\prod$	$\prod$	$\backslash prod$
$\oplus$	$\oplus$	$\backslash bigoplus$	$\int$	$\int$	$\backslash int$	$\int$	$\int$	$\backslash rppolint$
$\otimes$	$\otimes$	$\backslash bigotimes$	$\int$	$\int$	$\backslash intbar$	$\int$	$\int$	$\backslash scpolint$
$\sqcap$	$\sqcap$	$\backslash bigsqcap$	$\neq$	$\neq$	$\backslash intBar$	$\int$	$\int$	$\backslash sqint$
$\sqcup$	$\sqcup$	$\backslash bigsqcup$	$\int$	$\int$	$\backslash intcap$	$\sum$	$\sum$	$\backslash sum$
$\llbracket$	$\llbracket$	$\backslash bigtalloblong$	$\int$	$\int$	$\backslash intclockwise$	$\sum$	$\sum$	$\backslash sumint$

(continued on next page)

(continued from previous page)

$\times$	$\bigtimes$	<code>\bigtimes</code>	ψ	$\int$	<code>\intcup</code>	$\bar{\int}$	$\int$	<code>\upint</code>
$\uplus$	$\biguplus$	<code>\biguplus</code>	$\int$	$\int$	<code>\intlarhk</code>	$\oint$	$\oint$	<code>\varointclockwise</code>
$\vee$	$\bigvee$	<code>\bigvee</code>	$\int$	$\int$	<code>\intx</code>	$\backslash$	$\backslash$	<code>\xbsol</code>
$\wedge$	$\bigwedge$	<code>\bigwedge</code>	$\int$	$\int$	<code>\lowint</code>	$/$	$/$	<code>\xsol</code>
$\oint$	$\oint$	<code>\cirfnint</code>	Σ	Σ	<code>\modtwosum</code>			
$\mathbb{M}$	$\mathbb{M}$	<code>\conjquant</code>	$\oint$	$\oint$	<code>\npolint</code>			

By default, each of the integral-producing commands in Table 82 points to a slanted version of the glyph, as shown. The `upint` package option typesets each integral instead as an upright version. Slanted and upright integrals can be mixed, however, by explicitly using the commands shown in Table 83.

TABLE 83: `stix` Integrals with Explicit Slant

$\int$	$\int$	<code>\ints1</code>	$\int$	$\int$	<code>\intup</code>
$\iint$	$\iint$	<code>\iints1</code>	$\iint$	$\iint$	<code>\iintup</code>
$\iiint$	$\iiint$	<code>\iiints1</code>	$\iiint$	$\iiint$	<code>\iiintup</code>
$\oint$	$\oint$	<code>\oints1</code>	$\oint$	$\oint$	<code>\ointup</code>
$\oint$	$\oint$	<code>\oiints1</code>	$\oint$	$\oint$	<code>\oiintup</code>
$\oint$	$\oint$	<code>\oiints1</code>	$\oint$	$\oint$	<code>\oiintup</code>
$\oint$	$\oint$	<code>\oiints1</code>	$\oint$	$\oint$	<code>\oiintup</code>
$\oint$	$\oint$	<code>\ointclockwise1</code>	$\oint$	$\oint$	<code>\ointclockwiseup</code>
$\oint$	$\oint$	<code>\varointclockwise1</code>	$\oint$	$\oint$	<code>\varointclockwiseup</code>
$\oint$	$\oint$	<code>\ointctrackwise1</code>	$\oint$	$\oint$	<code>\ointctrackwiseup</code>

(continued on next page)

(continued from previous page)

$\sumint$	$\sumint$	<code>\sumintsl</code>	$\sumint$	$\sumint$	<code>\sumintup</code>
$\iiint$	$\iiint$	<code>\iiintsl</code>	$\iiint$	$\iiint$	<code>\iiintup</code>
$\int$	$\int$	<code>\intbarsl</code>	$\int$	$\int$	<code>\intbarup</code>
$\int$	$\int$	<code>\intBarsl</code>	$\int$	$\int$	<code>\intBarup</code>
$\int$	$\int$	<code>\fintsl</code>	$\int$	$\int$	<code>\fintup</code>
$\oint$	$\oint$	<code>\cirfnintsl</code>	$\oint$	$\oint$	<code>\cirfnintup</code>
$\int$	$\int$	<code>\awintsl</code>	$\int$	$\int$	<code>\awintup</code>
$\int$	$\int$	<code>\rppolintsl</code>	$\int$	$\int$	<code>\rppolintup</code>
$\int$	$\int$	<code>\scpolintsl</code>	$\int$	$\int$	<code>\scpolintup</code>
$\int$	$\int$	<code>\npolintsl</code>	$\int$	$\int$	<code>\npolintup</code>
$\int$	$\int$	<code>\pointintsl</code>	$\int$	$\int$	<code>\pointintup</code>
$\int$	$\int$	<code>\sqintsl</code>	$\int$	$\int$	<code>\sqintup</code>
$\int$	$\int$	<code>\intlarhksl</code>	$\int$	$\int$	<code>\intlarhkup</code>
$\int$	$\int$	<code>\intxsl</code>	$\int$	$\int$	<code>\intxup</code>
$\int$	$\int$	<code>\intcapsl</code>	$\int$	$\int$	<code>\intcapup</code>
$\int$	$\int$	<code>\intcupsl</code>	$\int$	$\int$	<code>\intcupup</code>
$\int$	$\int$	<code>\upintsl</code>	$\int$	$\int$	<code>\upintup</code>
$\int$	$\int$	<code>\lowintsl</code>	$\int$	$\int$	<code>\lowintup</code>

Instead of using the preceding symbols directly, it is generally preferable to use the symbols listed in Table 82 either with or without the `upint` package option. Specifying `upint` selects each integral's upright (`up`) variant, while omitting `upint` selects each integral's slanted (`sl`) variant. Use the symbols shown in Table 83 only when you need to include both upright and slanted variations of a symbol in the same document.

TABLE 84: `mathdesign` Variable-sized Math Operators

$\int$	$\int$	<code>\intclockwise</code>	$\oint$	$\oint$	<code>\ointclockwise</code>
$\iiint$	$\iiint$	<code>\oiint</code>	$\oint$	$\oint$	<code>\ointctrlockwise</code>
$\iint$	$\iint$	<code>\oiint</code>			

The `mathdesign` package provides three versions of each integral—in fact, of every symbol—to accompany different text fonts: Utopia ($\int$), Garamond ($\int$), and Charter ($\int$).

TABLE 85: `prodint` Variable-sized Math Operators

$\prod$	<code>\prod</code>	$\prod$	<code>\Prodi</code>	$\prod$	<code>\PRODI</code>

`prodint` currently requires the author to manually specify `\prod` for inlined expressions ($\dots$), `\Prodi` for displayed math ($\big[\dots\big]$), and `\PRODI` for displayed math involving tall integrands. The package does not define a product integral command that scales automatically akin to the symbols in Table 71.

TABLE 86: `cmll` Large Math Operators

$\bigwedge$	<code>\bigparr*</code>	$\&$	<code>\bigwith</code>

* `cmll` defines `\biginvamp` as a synonym for `\bigparr`.

TABLE 87: Binary Relations

$\approx$	<code>\approx</code>	$\equiv$	<code>\equiv</code>	$\perp$	<code>\perp</code>	$\smile$	<code>\smile</code>
$\asymp$	<code>\asymp</code>	$\frown$	<code>\frown</code>	$\prec$	<code>\prec</code>	$\succ$	<code>\succ</code>
$\bowtie$	<code>\bowtie</code>	$\Join$	<code>\Join*</code>	$\preceq$	<code>\preceq</code>	$\succeq$	<code>\succeq</code>
$\cong$	<code>\cong</code>	$\mid$	<code>\mid[†]</code>	$\propto$	<code>\propto</code>	$\vdash$	<code>\vdash</code>
$\dashv$	<code>\dashv</code>	$\models$	<code>\models</code>	$\sim$	<code>\sim</code>		
$\doteq$	<code>\doteq</code>	$\parallel$	<code>\parallel</code>	$\simeq$	<code>\simeq</code>		

* Not predefined by the $\text{\LaTeX} 2_{\epsilon}$ core. Use the `latexsym` package to expose this symbol.

[†] The difference between `\mid` and `|` is that the former is a binary relation while the latter is a math ordinal. Consequently, $\text{\LaTeX}$ typesets the two with different surrounding spacing. Contrast “ $P(A \mid B)$ ” $\mapsto$ “ $P(A|B)$ ” with “ $P(A \mid B)$ ” $\mapsto$ “ $P(A \mid B)$ ”.

TABLE 88: $\mathcal{AMS}$ Binary Relations

$\approx$	<code>\approxeq</code>	$\equiv$	<code>\eqcirc</code>	$\rightsquigarrow$	<code>\succapprox</code>
$\backsimeq$	<code>\backepsilon</code>	$\fallingdotseq$	<code>\fallingdotseq</code>	$\succcurlyeq$	<code>\succcurlyeqeq</code>
$\backsim$	<code>\backsim</code>	$\multimap$	<code>\multimap</code>	$\succsim$	<code>\succsim</code>
$\backsimeq$	<code>\backsimeq</code>	$\pitchfork$	<code>\pitchfork</code>	$\therefore$	<code>\therefore</code>
$\because$	<code>\because</code>	$\precapprox$	<code>\precapprox</code>	$\thickapprox$	<code>\thickapprox</code>
$\between$	<code>\between</code>	$\preccurlyeq$	<code>\preccurlyeq</code>	$\thicksim$	<code>\thicksim</code>
$\bumpeq$	<code>\bumpeq</code>	$\precsim$	<code>\precsim</code>	$\varpropto$	<code>\varpropto</code>
$\bumpeq$	<code>\bumpeq</code>	$\risingdotseq$	<code>\risingdotseq</code>	$\Vdash$	<code>\Vdash</code>
$\circeq$	<code>\circeq</code>	$\shortmid$	<code>\shortmid</code>	$\vDash$	<code>\vDash</code>
$\curlyeqprec$	<code>\curlyeqprec</code>	$\shortparallel$	<code>\shortparallel</code>	$\Vdash$	<code>\Vdash</code>
$\curlyeqsucc$	<code>\curlyeqsucc</code>	$\smallfrown$	<code>\smallfrown</code>		
$\doteqdot$	<code>\doteqdot</code>	$\smallsmile$	<code>\smallsmile</code>		

TABLE 89: $\mathcal{AMS}$ Negated Binary Relations

$\ncong$	<code>\ncong</code>	$\nshortparallel$	<code>\nshortparallel</code>	$\nVDash$	<code>\nVDash</code>
$\nmid$	<code>\nmid</code>	$\nsim$	<code>\nsim</code>	$\precnapprox$	<code>\precnapprox</code>
$\nparallel$	<code>\nparallel</code>	$\nsucc$	<code>\nsucc</code>	$\precnsim$	<code>\precnsim</code>
$\nprec$	<code>\nprec</code>	$\nsucceq$	<code>\nsucceq</code>	$\succnapprox$	<code>\succnapprox</code>
$\npreceq$	<code>\npreceq</code>	$\nVDash$	<code>\nVDash</code>	$\succnsim$	<code>\succnsim</code>
$\nshortmid$	<code>\nshortmid</code>	$\nvdash$	<code>\nvdash</code>		

TABLE 90: stmaryrd Binary Relations

$\in$	<code>\inplus</code>	$\ni$	<code>\niplus</code>

TABLE 91: wasysym Binary Relations

$\neg$	<code>\invneg</code>	$\leadsto$	<code>\leadsto</code>	$\asymp$	<code>\wasympto</code>
$\Join$	<code>\Join</code>	$\otimes$	<code>\logof</code>		

TABLE 92: txfonts/pxfonts Binary Relations

$\odot$	<code>\circledgtr</code>	$\ltimes$	<code>\lJoin</code>	$\times$	<code>\opentimes</code>
$\oslash$	<code>\circledless</code>	$\rtimes$	<code>\rJoin</code>	$\perp$	<code>\Perp</code>
$\colonapprox$	<code>\colonapprox</code>	$\multimap$	<code>\multimap</code>	$\preceq$	<code>\preceqq</code>
$\Colonapprox$	<code>\Colonapprox</code>	$\multimapboth$	<code>\multimapboth</code>	$\precneq$	<code>\precneqq</code>
$\coloneq$	<code>\coloneq</code>	$\multimapbothvert$	<code>\multimapbothvert</code>	$\Join$	<code>\rJoin</code>
$\Coloneq$	<code>\Coloneq</code>	$\multimapdot$	<code>\multimapdot</code>	$\strictfi$	<code>\strictfi</code>
$\Coloneqq$	<code>\Coloneqq</code>	$\multimapdotboth$	<code>\multimapdotboth</code>	$\strictif$	<code>\strictif</code>
$\coloneqq^*$	<code>\coloneqq^*</code>	$\multimapdotbothA$	<code>\multimapdotbothA</code>	$\strictiff$	<code>\strictiff</code>
$\Colonsim$	<code>\Colonsim</code>	$\multimapdotbothAvert$	<code>\multimapdotbothAvert</code>	$\succeq$	<code>\succeqq</code>
$\colonsim$	<code>\colonsim</code>	$\multimapdotbothB$	<code>\multimapdotbothB</code>	$\succneq$	<code>\succneqq</code>
$\Eqcolon$	<code>\Eqcolon</code>	$\multimapdotbothBvert$	<code>\multimapdotbothBvert</code>	$\varparallel$	<code>\varparallel</code>
$\eqcolon$	<code>\eqcolon</code>	$\multimapdotbothvert$	<code>\multimapdotbothvert</code>	$\varparallelinv$	<code>\varparallelinv</code>
$\eqqcolon$	<code>\eqqcolon</code>	$\multimapdotinv$	<code>\multimapdotinv</code>	$\Vdash$	<code>\Vdash</code>
$\Eqqqcolon$	<code>\Eqqqcolon</code>	$\multimapinv$	<code>\multimapinv</code>		
$\eqsim$	<code>\eqsim</code>	$\Join$	<code>\openJoin</code>		

* As an alternative to using txfonts/pxfonts, a “ $\coloneqq$ ” symbol can be constructed with “`\mathrel{\mathop:}=`”.

TABLE 93: txfonts/pxfonts Negated Binary Relations

$\napprox$	<code>\napprox</code>	$\npreccurlyeq$	<code>\npreccurlyeq</code>	$\nthickapprox$	<code>\nthickapprox</code>
$\nasympt$	<code>\nasympt</code>	$\npreceq$	<code>\npreceq</code>	$\twoheadleftarrow$	<code>\twoheadleftarrow</code>
$\nbacksim$	<code>\nbacksim</code>	$\nprec$	<code>\nprec</code>	$\twoheadrightarrow$	<code>\twoheadrightarrow</code>
$\nbacksimeq$	<code>\nbacksimeq</code>	$\nsimeq$	<code>\nsimeq</code>	$\nvarparallel$	<code>\nvarparallel</code>
$\nbumpeq$	<code>\nbumpeq</code>	$\nsuccapprox$	<code>\nsuccapprox</code>	$\nvarparallelinv$	<code>\nvarparallelinv</code>
$\nBumpeq$	<code>\nBumpeq</code>	$\nsucccurlyeq$	<code>\nsucccurlyeq</code>	$\nVdash$	<code>\nVdash</code>
$\nequiv$	<code>\nequiv</code>	$\nsucceq$	<code>\nsucceq</code>		
$\nprecapprox$	<code>\nprecapprox</code>	$\nsuccsim$	<code>\nsuccsim</code>		

TABLE 94: mathabx Binary Relations

$\between$	<code>\between</code>	$\divides$	<code>\divides</code>	$\risingdotseq$	<code>\risingdotseq</code>
$\botdoteq$	<code>\botdoteq</code>	$\dotseq$	<code>\dotseq</code>	$\succapprox$	<code>\succapprox</code>
$\Bumpedeq$	<code>\Bumpedeq</code>	$\eqbumped$	<code>\eqbumped</code>	$\succcurlyeq$	<code>\succcurlyeq</code>
$\bumpedeq$	<code>\bumpedeq</code>	$\eqcirc$	<code>\eqcirc</code>	$\succdot$	<code>\succdot</code>
$\circeq$	<code>\circeq</code>	$\eqcolon$	<code>\eqcolon</code>	$\succsim$	<code>\succsim</code>
$\coloneq$	<code>\coloneq</code>	$\fallingdotseq$	<code>\fallingdotseq</code>	$\therefore$	<code>\therefore</code>
$\corresponds$	<code>\corresponds</code>	$\ggcurly$	<code>\ggcurly</code>	$\topdoteq$	<code>\topdoteq</code>
$\curlyeqprec$	<code>\curlyeqprec</code>	$\llcurly$	<code>\llcurly</code>	$\vdash$	<code>\vdash</code>
$\curlyeqsucc$	<code>\curlyeqsucc</code>	$\precapprox$	<code>\precapprox</code>	$\Vdash$	<code>\Vdash</code>
$\DashV$	<code>\DashV</code>	$\preccurlyeq$	<code>\preccurlyeq</code>	$\VDash$	<code>\VDash</code>
$\Dashv$	<code>\Dashv</code>	$\precdot$	<code>\precdot</code>	$\Vdash$	<code>\Vdash</code>
$\dashVv$	<code>\dashVv</code>	$\prec$	<code>\prec</code>		

TABLE 95: mathabx Negated Binary Relations

$\approx$	<code>\napprox</code>	$\nmid$	<code>\notperp</code>	$\nVdash$	<code>\nvDash</code>
$\ncong$	<code>\ncong</code>	$\nprec$	<code>\nprec</code>	$\nVDash$	<code>\nVDash</code>
$\ncurlyeqprec$	<code>\ncurlyeqprec</code>	$\nprecapprox$	<code>\nprecapprox</code>	$\nVdash$	<code>\nVdash</code>
$\ncurlyeqsucc$	<code>\ncurlyeqsucc</code>	$\npreccurlyeq$	<code>\npreccurlyeq</code>	$\nvDash$	<code>\nvDash</code>
$\nDashv$	<code>\nDashv</code>	$\npreceq$	<code>\npreceq</code>	$\nVdash$	<code>\nVdash</code>
$\ndashV$	<code>\ndashV</code>	$\nprecsim$	<code>\nprecsim</code>	$\precapprox$	<code>\precapprox</code>
$\ndashv$	<code>\ndashv</code>	$\nsim$	<code>\nsim</code>	$\precneq$	<code>\precneq</code>
$\nDashV$	<code>\nDashV</code>	$\nsimeq$	<code>\nsimeq</code>	$\precnsim$	<code>\precnsim</code>
$\ndashVv$	<code>\ndashVv</code>	$\nsucc$	<code>\nsucc</code>	$\succapprox$	<code>\succapprox</code>
$\neq$	<code>\neq</code>	$\nsuccapprox$	<code>\nsuccapprox</code>	$\succneq$	<code>\succneq</code>
$\notasympt$	<code>\notasympt</code>	$\nsucccurlyeq$	<code>\nsucccurlyeq</code>	$\succsim$	<code>\succsim</code>
$\notdivides$	<code>\notdivides</code>	$\nsucceq$	<code>\nsucceq</code>		
$\notequiv$	<code>\notequiv</code>	$\succsim$	<code>\succsim</code>		

The `\changenotsign` command toggles the behavior of `\not` to produce either a vertical or a diagonal slash through a binary operator. Thus, “`$a \not= b$`” can be made to produce either “ $a \nmid b$ ” or “ $a \neq b$ ”.

TABLE 96: MnSymbol Binary Relations

$\approx$	<code>\approx</code>	$\hat{=}$	<code>\hateq</code>	∞	<code>\rightpropto</code>
$\approxeq$	<code>\approxeq</code>	$\times$	<code>\hcrossing</code>	$\triangleright$	<code>\rightslice</code>
$\backapprox$	<code>\backapprox</code>	$\vdash$	<code>\leftfootline</code>	$\Vdash$	<code>\rightVdash</code>
$\backapproxeq$	<code>\backapproxeq</code>	$\leftarrow$	<code>\leftfree</code>	$\vdash$	<code>\rightvdash</code>
$\backcong$	<code>\backcong</code>	$\models$	<code>\leftmodels</code>	$\dot{=}$	<code>\risingdotseq</code>
$\backeqsim$	<code>\backeqsim</code>	$\models$	<code>\leftModels</code>	$\searrow$	<code>\sefootline</code>
$\backsim$	<code>\backsim</code>	$\propto$	<code>\leftpropto</code>	$\searrow$	<code>\sefree</code>
$\backsimeq$	<code>\backsimeq</code>	$-$	<code>\leftrightline</code>	$\searrow$	<code>\seModels</code>
$\backtriple sim$	<code>\backtriple sim</code>	$=$	<code>\Leftrightarrow</code>	$\searrow$	<code>\semodels</code>
$\between$	<code>\between</code>	$\triangleleft$	<code>\leftslice</code>	$\searrow$	<code>\separated</code>
$\bumpeq$	<code>\bumpeq</code>	$\models$	<code>\leftVdash</code>	$\searrow$	<code>\seVdash</code>
$\Bumpeq$	<code>\Bumpeq</code>	$\vdash$	<code>\leftvdash</code>	$\searrow$	<code>\sevdash</code>
$\circeq$	<code>\circeq</code>	$\nearrow$	<code>\nefootline</code>	$\parallel$	<code>\shortparallel</code>
$\closedequal$	<code>\closedequal</code>	$\nearrow$	<code>\nefree</code>	$\sim$	<code>\sim</code>
$\closedprec$	<code>\closedprec</code>	$\searrow$	<code>\neModels</code>	$\simeq$	<code>\simeq</code>
$\closedsucc$	<code>\closedsucc</code>	$\searrow$	<code>\nemodels</code>	$\succ$	<code>\succ</code>
$\coloneq$	<code>\coloneq</code>	$\nearrow$	<code>\neswline</code>	$\succapprox$	<code>\succapprox</code>
$\cong$	<code>\cong</code>	$\searrow$	<code>\Neswline</code>	$\succcurlyeq$	<code>\succcurlyeq</code>
$\curlyeqprec$	<code>\curlyeqprec</code>	$\searrow$	<code>\neVdash</code>	$\succeq$	<code>\succeq</code>
$\curlyeqsucc$	<code>\curlyeqsucc</code>	$\searrow$	<code>\nevDash</code>	$\succsim$	<code>\succsim</code>
$\Doteq$	<code>\Doteq</code>	$\nwarrow$	<code>\nwfootline</code>	$\swarrow$	<code>\swfootline</code>
$\doteq$	<code>\doteq</code>	$\nwarrow$	<code>\nwfree</code>	$\swarrow$	<code>\swfree</code>
$\downfootline$	<code>\downfootline</code>	$\searrow$	<code>\nwmodels</code>	$\searrow$	<code>\swModels</code>
$\downfree$	<code>\downfree</code>	$\searrow$	<code>\nwModels</code>	$\searrow$	<code>\swmodels</code>
$\downmodels$	<code>\downmodels</code>	$\nmid$	<code>\nwseccrossing</code>	$\searrow$	<code>\swVdash</code>
$\downModels$	<code>\downModels</code>	$\searrow$	<code>\Nwseline</code>	$\searrow$	<code>\swvdash</code>
$\downpropto$	<code>\downpropto</code>	$\searrow$	<code>\nwseline</code>	$\approx$	<code>\triplesim</code>
$\downvdash$	<code>\downvdash</code>	$\searrow$	<code>\nwvdash</code>	$ $	<code>\updownline</code>

(continued on next page)

(continued from previous page)

$\dashv$	<code>\downVdash</code>	$\asymp$	<code>\nwVdash</code>	$\parallel$	<code>\Updownline</code>
$\bumpeq$	<code>\eqbump</code>	$<$	<code>\prec</code>	$\Uparrow$	<code>\upfootline</code>
$\eqcirc$	<code>\eqcirc</code>	$\approx$	<code>\precapprox</code>	$\Uparrow$	<code>\upfree</code>
$\eqdot$	<code>\eqdot</code>	$\preccurlyeq$	<code>\preccurlyeq</code>	$\parallel$	<code>\upModels</code>
$\eqsim$	<code>\eqsim</code>	$\preceq$	<code>\preceq</code>	$\parallel$	<code>\upmodels</code>
$=$	<code>\equal</code>	$\precsim$	<code>\precsim</code>	$\propto$	<code>\uppropto</code>
$\equalclosed$	<code>\equalclosed</code>	$\rightarrow$	<code>\rightfootline</code>	$\perp$	<code>\upvdash</code>
$\equiv$	<code>\equiv</code>	$\rightarrow$	<code>\rightfree</code>	$\perp$	<code>\upVdash</code>
$\equivclosed$	<code>\equivclosed</code>	$\models$	<code>\rightmodels</code>	$\times$	<code>\vcrossing</code>
$\fallingdotseq$	<code>\fallingdotseq</code>	$\models$	<code>\rightModels</code>	$\Vdash$	<code>\Vdash</code>

MnSymbol additionally defines synonyms for some of the preceding symbols:

$\dashv$	<code>\dashv</code>	(same as <code>\leftvdash</code>)
$\diagdown$	<code>\diagdown</code>	(same as <code>\nwseline</code>)
$\diagup$	<code>\diagup</code>	(same as <code>\neswline</code>)
$\divides$	<code>\divides</code>	(same as <code>\updownline</code>)
$\doteqdot$	<code>\doteqdot</code>	(same as <code>\Doteq</code>)
$\models$	<code>\models</code>	(same as <code>\rightmodels</code>)
$\parallel$	<code>\parallel</code>	(same as <code>\Updownline</code>)
$\perp$	<code>\perp</code>	(same as <code>\upvdash</code>)
$\propto$	<code>\propto</code>	(same as <code>\leftpropto</code>)
$\relbar$	<code>\relbar</code>	(same as <code>\leftrighthline</code>)
$\Relbar$	<code>\Relbar</code>	(same as <code>\Leftrightarrow</code>)
$\varpropto$	<code>\varpropto</code>	(same as <code>\leftpropto</code>)
$\vDash$	<code>\vDash</code>	(same as <code>\rightmodels</code>)
$\Vdash$	<code>\Vdash</code>	(same as <code>\rightModels</code>)
$\vdash$	<code>\vdash</code>	(same as <code>\rightvdash</code>)
$\Vdash$	<code>\Vdash</code>	(same as <code>\rightVdash</code>)

TABLE 97: MnSymbol Negated Binary Relations

$\napprox$	<code>\napprox</code>	$\nleftfootline$	<code>\nleftfootline</code>	$\nrisngdotseq$	<code>\nrisngdotseq</code>
$\napproxeq$	<code>\napproxeq</code>	$\nleftfree$	<code>\nleftfree</code>	$\nsefootline$	<code>\nsefootline</code>
$\nbackapprox$	<code>\nbackapprox</code>	$\nleftmodels$	<code>\nleftmodels</code>	$\nsefree$	<code>\nsefree</code>
$\nbackapproxeq$	<code>\nbackapproxeq</code>	$\nleftModels$	<code>\nleftModels</code>	$\nseModels$	<code>\nseModels</code>
$\nbackcong$	<code>\nbackcong</code>	$\nleftrighthline$	<code>\nleftrighthline</code>	$\nsemodels$	<code>\nsemodels</code>
$\nbackeqsim$	<code>\nbackeqsim</code>	$\nLeftrightarrow$	<code>\nLeftrightarrow</code>	$\nsevdash$	<code>\nsevdash</code>
$\nbacksim$	<code>\nbacksim</code>	$\nleftvdash$	<code>\nleftvdash</code>	$\nseVdash$	<code>\nseVdash</code>
$\nbacksimeq$	<code>\nbacksimeq</code>	$\nleftVdash$	<code>\nleftVdash</code>	$\nshortmid$	<code>\nshortmid</code>
$\nbacktriplesim$	<code>\nbacktriplesim</code>	$\nnefootline$	<code>\nnefootline</code>	$\nshortparallel$	<code>\nshortparallel</code>
$\nbumpeq$	<code>\nbumpeq</code>	$\nnefree$	<code>\nnefree</code>	$\nsim$	<code>\nsim</code>
$\nBumpeq$	<code>\nBumpeq</code>	$\nnemodels$	<code>\nnemodels</code>	$\nsimeq$	<code>\nsimeq</code>
$\ncirceq$	<code>\ncirceq</code>	$\nneModels$	<code>\nneModels</code>	$\nsucc$	<code>\nsucc</code>
$\nclosedequal$	<code>\nclosedequal</code>	$\nneswline$	<code>\nneswline</code>	$\nsuccapprox$	<code>\nsuccapprox</code>
$\ncong$	<code>\ncong</code>	$\nNeswline$	<code>\nNeswline</code>	$\nsucccurlyeq$	<code>\nsucccurlyeq</code>
$\ncurlyeqprec$	<code>\ncurlyeqprec</code>	$\nneVdash$	<code>\nneVdash</code>	$\nsucceq$	<code>\nsucceq</code>
$\ncurlyeqsucc$	<code>\ncurlyeqsucc</code>	$\nnevDash$	<code>\nnevDash</code>	$\nsuccsim$	<code>\nsuccsim</code>

(continued on next page)

(continued from previous page)

$\neq$	<code>\ndoteq</code>	$\nwarrow$	<code>\nnwfootline</code>	$\swarrow$	<code>\nswfootline</code>
$\dot{\neq}$	<code>\nDoteq</code>	$\nwarrow$	<code>\nnwfree</code>	$\swarrow$	<code>\nswfree</code>
$\downarrow$	<code>\ndownfootline</code>	$\nwarrow$	<code>\nnwmodels</code>	$\swarrow$	<code>\nswModels</code>
$\downarrow$	<code>\ndownfree</code>	$\nwarrow$	<code>\nnwModels</code>	$\swarrow$	<code>\nswmodels</code>
$\Downarrow$	<code>\ndownModels</code>	$\nwarrow$	<code>\nNwseline</code>	$\swarrow$	<code>\nswvdash</code>
$\Downarrow$	<code>\ndownmodels</code>	$\nwarrow$	<code>\nnwseline</code>	$\swarrow$	<code>\nswVdash</code>
$\dashv$	<code>\ndownVdash</code>	$\nwarrow$	<code>\nnwvdash</code>	$\approx$	<code>\ntriplesim</code>
$\dashv$	<code>\ndownvdash</code>	$\nwarrow$	<code>\nnwVdash</code>	$\Uparrow$	<code>\nUpdownline</code>
$\neq$	<code>\neqbump</code>	$\prec$	<code>\nprec</code>	$\uparrow$	<code>\nupdownline</code>
$\neq$	<code>\neqcirc</code>	$\approx$	<code>\nprecapprox</code>	$\uparrow$	<code>\nupfootline</code>
$\neq$	<code>\neqdot</code>	$\prec$	<code>\npreccurlyeq</code>	$\uparrow$	<code>\nupfree</code>
$\neq$	<code>\neqsim</code>	$\prec$	<code>\npreceq</code>	$\Updownarrow$	<code>\nupModels</code>
$\neq$	<code>\nequal</code>	$\prec$	<code>\nprecsim</code>	$\Updownarrow$	<code>\nupmodels</code>
$\neq$	<code>\nequalclosed</code>	$\rightarrow$	<code>\nrightfootline</code>	$\pm$	<code>\nupVdash</code>
$\neq$	<code>\nequiv</code>	$\rightarrow$	<code>\nrightfree</code>	$\pm$	<code>\nupvdash</code>
$\neq$	<code>\nequivclosed</code>	$\rightarrow$	<code>\nrighModels</code>	$\approx$	<code>\precnapprox</code>
$\neq$	<code>\neswcrossing</code>	$\rightarrow$	<code>\nrighmodels</code>	$\approx$	<code>\precnsim</code>
$\neq$	<code>\nfallingdotseq</code>	$\rightarrow$	<code>\nrighvdash</code>	$\approx$	<code>\succnapprox</code>
$\neq$	<code>\nhateq</code>	$\rightarrow$	<code>\nrighVdash</code>	$\approx$	<code>\succnsim</code>

MnSymbol additionally defines synonyms for some of the preceding symbols:

$\dashv$	<code>\ndashv</code>	(same as <code>\nleftvdash</code>)
$\nwarrow$	<code>\ndiagdown</code>	(same as <code>\nnwseline</code>)
$\nearrow$	<code>\ndiagup</code>	(same as <code>\nneswline</code>)
$\uparrow$	<code>\ndivides</code>	(same as <code>\nupdownline</code>)
$\neq$	<code>\ne</code>	(same as <code>\nequal</code>)
$\neq$	<code>\neq</code>	(same as <code>\nequal</code>)
$\uparrow$	<code>\nmid</code>	(same as <code>\nupdownline</code>)
$\rightarrow$	<code>\nmodels</code>	(same as <code>\nrighmodels</code>)
$\Uparrow$	<code>\nparallel</code>	(same as <code>\nUpdownline</code>)
$\pm$	<code>\nperp</code>	(same as <code>\nupvdash</code>)
$\rightarrow$	<code>\nrelbar</code>	(same as <code>\nleftrightrightline</code>)
$\rightarrow$	<code>\nRelbar</code>	(same as <code>\nLeftrightline</code>)
$\rightarrow$	<code>\nvDash</code>	(same as <code>\nrighmodels</code>)
$\rightarrow$	<code>\nvdash</code>	(same as <code>\nrighvdash</code>)
$\rightarrow$	<code>\nVdash</code>	(same as <code>\nrighVdash</code>)
$\rightarrow$	<code>\nVDash</code>	(same as <code>\nrighModels</code>)

TABLE 98: fdsymbol Binary Relations

$\approx$	<code>\approx</code>	$\equiv$	<code>\equiv</code>	$\models$	<code>\rightmodels</code>
$\approx$	<code>\approxeq</code>	$\equiv$	<code>\fallingdotseq</code>	$\models$	<code>\rightVdash</code>
$\equiv$	<code>\backcong</code>	$\sim$	<code>\frown</code>	$\models$	<code>\rightVDash</code>
∞	<code>\backpropto</code>	$\equiv$	<code>\frowneq</code>	$\models$	<code>\rightvdash</code>
$\sim$	<code>\backsim</code>	$\subset$	<code>\frownsmile</code>	$\models$	<code>\rightvDash</code>
$\simeq$	<code>\backsimeq</code>	$\in$	<code>\in</code>	$\equiv$	<code>\risingdotseq</code>
$\emptyset$	<code>\between</code>	$\dashv$	<code>\leftassert</code>	$\vdash$	<code>\shortmid</code>

(continued on next page)

(continued from previous page)

$\bowtie$	<code>\bowtie</code>	$\dashv$	<code>\leftAssert</code>	$\parallel$	<code>\shortparallel</code>
$\bumpeq$	<code>\bumpeq</code>	$\vdash$	<code>\leftfootline</code>	$\sim$	<code>\sim</code>
$\Bumpeq$	<code>\Bumpeq</code>	$\dashv$	<code>\leftmodels</code>	$\simeq$	<code>\simeq</code>
$\bumpeq$	<code>\bumpeq</code>	$\vdash$	<code>\leftvdash</code>	$\smile$	<code>\smile</code>
$\circeq$	<code>\circeq</code>	$\dashv$	<code>\leftvDash</code>	$\smileeq$	<code>\smileeq</code>
$\coloneq$	<code>\coloneq</code>	$\dashv$	<code>\leftVdash</code>	$\smilefrown$	<code>\smilefrown</code>
$\cong$	<code>\cong</code>	$\dashv$	<code>\leftVDash</code>	$\stareq$	<code>\stareq</code>
$\times$	<code>\crossing</code>	$\vdash$	<code>\longleftfootline</code>	$\succ$	<code>\succ</code>
$\curlyeqprec$	<code>\curlyeqprec</code>	$\dashv$	<code>\Longmapsfrom</code>	$\succapprox$	<code>\succapprox</code>
$\curlyeqsucc$	<code>\curlyeqsucc</code>	$\vdash$	<code>\longmapsfrom</code>	$\succcurlyeq$	<code>\succcurlyeq</code>
$\dashv$	<code>\dashv</code>	$\vdash$	<code>\longrightfootline</code>	$\succeq$	<code>\succeq</code>
$\Ddashv$	<code>\Ddashv</code>	$\vdash$	<code>\mid</code>	$\succeqq$	<code>\succeqq</code>
$\dotcong$	<code>\dotcong</code>	$\ni$	<code>\owns</code>	$\succsim$	<code>\succsim</code>
$\doteq$	<code>\doteq</code>	$\parallel$	<code>\parallel</code>	$\thickapprox$	<code>\thickapprox</code>
$\Doteq$	<code>\Doteq</code>	$\prec$	<code>\prec</code>	$\thicksim$	<code>\thicksim</code>
$\dotso$	<code>\dotsminusdots</code>	$\approx$	<code>\precapprox</code>	$\triplesim$	<code>\triplesim</code>
$\Downarrow$	<code>\downAssert</code>	$\prec$	<code>\preccurlyeq</code>	$\Uparrow$	<code>\upassert</code>
$\Downarrow$	<code>\downassert</code>	$\prec$	<code>\preceq</code>	$\Uparrow$	<code>\upAssert</code>
$\Downarrow$	<code>\downmodels</code>	$\preceq$	<code>\preceqq</code>	$\Uparrow$	<code>\upmodels</code>
$\Downarrow$	<code>\downvDash</code>	$\preceq$	<code>\precnapprox</code>	$\Uparrow$	<code>\upvdash</code>
$\Downarrow$	<code>\downVdash</code>	$\preceq$	<code>\precneq</code>	$\Uparrow$	<code>\upvDash</code>
$\Downarrow$	<code>\downvdash</code>	$\preceq$	<code>\precneqq</code>	$\Uparrow$	<code>\upVdash</code>
$\Downarrow$	<code>\downVDash</code>	$\preceq$	<code>\precnsim</code>	$\Uparrow$	<code>\upVDash</code>
$\equiv$	<code>\eqcirc</code>	$\prec$	<code>\precsim</code>	$\Vdash$	<code>\vDash</code>
$\equiv$	<code>\eqcolon</code>	$\propto$	<code>\propto</code>	$\veeeq$	<code>\veeeq</code>
$\equiv$	<code>\eqdot</code>	$\vdash$	<code>\rightassert</code>	$\Vdash$	<code>\Vdash</code>
$\equiv$	<code>\eqsim</code>	$\vdash$	<code>\rightAssert</code>	$\wedge$	<code>\wedgeeq</code>
$=$	<code>\equal</code>	$\vdash$	<code>\rightfootline</code>		

fdsymbol defines synonyms for many of the preceding symbols:

$\approx$	<code>\approxident</code>	$\dashv$	<code>\dashv</code>	$\vdash$	<code>\shortrighttack</code>
$\arceq$	<code>\arceq</code>	$\dotso$	<code>\doteqdot</code>	$\perp$	<code>\shortuptack</code>
$\Assert$	<code>\Assert</code>	$\equiv$	<code>\eqqcolon</code>	$\frown$	<code>\smallfrown</code>
$\assert$	<code>\assert</code>	$\hat{=}$	<code>\hateq</code>	$\smile$	<code>\smallsmile</code>
$\asymp$	<code>\asymp</code>	$\Join$	<code>\Join</code>	$\varpropto$	<code>\varpropto</code>
$\Barv$	<code>\Barv</code>	$\longdashv$	<code>\longdashv</code>	$\vDash$	<code>\vDash</code>
$\bar{V}$	<code>\bar{V}</code>	$\models$	<code>\models</code>	$\Vdash$	<code>\Vdash</code>
$\circ$	<code>\closure</code>	$\ni$	<code>\ni</code>	$\Vdash$	<code>\Vdash</code>
$\coloneqq$	<code>\coloneqq</code>	$\perp$	<code>\perp</code>	$\Vdash$	<code>\Vdash</code>
$\dashv$	<code>\dashv</code>	$\propto$	<code>\propfrom</code>	$\vdash$	<code>\vdash</code>
$\DashV$	<code>\DashV</code>	$\top$	<code>\shortdowntack</code>	$\vdash$	<code>\vdash</code>
$\Dashv$	<code>\Dashv</code>	$\vdash$	<code>\shortlefttack</code>	$\vdash$	<code>\vdash</code>

TABLE 99: fdsymbol Negated Binary Relations

$\napprox$	<code>\backsimneqq</code>	$\notin$	<code>\nin</code>	$\nmid$	<code>\nsim</code>
$\napprox$	<code>\napprox</code>	$\nleftarrow$	<code>\nleftAssert</code>	$\nsmile$	<code>\nsimeq</code>
$\napprox$	<code>\napproxeq</code>	$\nleftarrow$	<code>\nleftassert</code>	$\nsmile$	<code>\nsmile</code>
$\napprox$	<code>\nbackcong</code>	$\nleftarrow$	<code>\nleftfootline</code>	$\nsmileeq$	<code>\nsmileeq</code>
$\nmid$	<code>\nbacksim</code>	$\nleftarrow$	<code>\nleftmodels</code>	$\nsmilefrown$	<code>\nsmilefrown</code>
$\nmid$	<code>\nbacksimseq</code>	$\nleftarrow$	<code>\nleftvDash</code>	$\nstareq$	<code>\nstareq</code>
$\nmid$	<code>\nbumpeq</code>	$\nleftarrow$	<code>\nleftvdash</code>	$\nsucc$	<code>\nsucc</code>
$\nmid$	<code>\nBumpeq</code>	$\nleftarrow$	<code>\nleftVDash</code>	$\nsuccapprox$	<code>\nsuccapprox</code>
$\nmid$	<code>\nbumpeqeq</code>	$\nleftarrow$	<code>\nleftVdash</code>	$\nsucccurlyeq$	<code>\nsucccurlyeq</code>
$\nmid$	<code>\ncirceq</code>	$\nleftarrow$	<code>\nlongleftfootline</code>	$\nsucceq$	<code>\nsucceq</code>
$\nmid$	<code>\ncong</code>	$\nleftarrow$	<code>\nLongmapsfrom</code>	$\nsucceqq$	<code>\nsucceqq</code>
$\nmid$	<code>\ncurlyeqprec</code>	$\nleftarrow$	<code>\nlongmapsfrom</code>	$\nsuccsim$	<code>\nsuccsim</code>
$\nmid$	<code>\ncurlyeqsucc</code>	$\nleftarrow$	<code>\nlongrightfootline</code>	$\ntriplesim$	<code>\ntriplesim</code>
$\nmid$	<code>\ndashVv</code>	$\nmid$	<code>\nmid</code>	$\nupassert$	<code>\nupassert</code>
$\nmid$	<code>\nDdashv</code>	$\nmid$	<code>\nowns</code>	$\nupAssert$	<code>\nupAssert</code>
$\nmid$	<code>\ndoteq</code>	$\nmid$	<code>\nparallel</code>	$\nupmodels$	<code>\nupmodels</code>
$\nmid$	<code>\nDoteq</code>	$\nmid$	<code>\nprec</code>	$\nupVDash$	<code>\nupVDash</code>
$\nmid$	<code>\ndownassert</code>	$\nmid$	<code>\nprecapprox</code>	$\nupvDash$	<code>\nupvDash</code>
$\nmid$	<code>\ndownAssert</code>	$\nmid$	<code>\npreccurlyeq</code>	$\nupVDash$	<code>\nupVDash</code>
$\nmid$	<code>\ndownmodels</code>	$\nmid$	<code>\npreceq</code>	$\nupvdash$	<code>\nupvdash</code>
$\nmid$	<code>\ndownvdash</code>	$\nmid$	<code>\npreceqq</code>	$\nvDash$	<code>\nvDash</code>
$\nmid$	<code>\ndownVDash</code>	$\nmid$	<code>\nprecsim</code>	$\nveeeq$	<code>\nveeeq</code>
$\nmid$	<code>\ndownVdash</code>	$\nmid$	<code>\nrightassert</code>	$\nVdash$	<code>\nVdash</code>
$\nmid$	<code>\ndownvDash</code>	$\nmid$	<code>\nrightAssert</code>	$\nwedgeeq$	<code>\nwedgeeq</code>
$\nmid$	<code>\neqcirc</code>	$\nmid$	<code>\nrightfootline</code>	$\precneq$	<code>\precneq</code>
$\nmid$	<code>\neqdot</code>	$\nmid$	<code>\nrightmodels</code>	$\precneqq$	<code>\precneqq</code>
$\nmid$	<code>\neqsim</code>	$\nmid$	<code>\nrightvdash</code>	$\simneqq$	<code>\simneqq</code>
$\nmid$	<code>\nequal</code>	$\nmid$	<code>\nrightVdash</code>	$\succnapprox$	<code>\succnapprox</code>
$\nmid$	<code>\nequiv</code>	$\nmid$	<code>\nrightvDash</code>	$\succneq$	<code>\succneq</code>
$\nmid$	<code>\nfallingdotseq</code>	$\nmid$	<code>\nrightVDash</code>	$\succneqq$	<code>\succneqq</code>
$\nmid$	<code>\nfrown</code>	$\nmid$	<code>\nrisingdotseq</code>	$\succnsim$	<code>\succnsim</code>
$\nmid$	<code>\nfrownseq</code>	$\nmid$	<code>\nshortmid</code>		
$\nmid$	<code>\nfrownsmile</code>	$\nmid$	<code>\nshortparallel</code>		

`fdsymbol` defines synonyms for many of the preceding symbols:

$\napprox$	<code>\napproxident</code>	$\nmid$	<code>\ndashV</code>	$\nmid$	<code>\nshorttrighttack</code>
$\nmid$	<code>\narceq</code>	$\nmid$	<code>\ne</code>	$\nmid$	<code>\nshortuptack</code>
$\nmid$	<code>\nAssert</code>	$\nmid$	<code>\neq</code>	$\nmid$	<code>\nsime</code>
$\nmid$	<code>\nassert</code>	$\nmid$	<code>\nhateq</code>	$\nmid$	<code>\nvBar</code>
$\nmid$	<code>\nasymp</code>	$\nmid$	<code>\nlongdashv</code>	$\nmid$	<code>\nvBar</code>
$\nmid$	<code>\nBarv</code>	$\nmid$	<code>\nmodels</code>	$\nmid$	<code>\nVdash</code>
$\nmid$	<code>\nbarV</code>	$\nmid$	<code>\nni</code>	$\nmid$	<code>\nvDash</code>
$\nmid$	<code>\nclosure</code>	$\nmid$	<code>\notin</code>	$\nmid$	<code>\nVDash</code>
$\nmid$	<code>\nDashV</code>	$\nmid$	<code>\nperp</code>	$\nmid$	<code>\nvDash</code>
$\nmid$	<code>\nDashv</code>	$\nmid$	<code>\nshortdowntack</code>	$\nmid$	<code>\nvlongdash</code>
$\nmid$	<code>\ndashv</code>	$\nmid$	<code>\nshortlefttack</code>		

TABLE 100: boisik Binary Relations

$\approx$	<code>\ac</code>	$\parallel$	<code>\fatslash</code>	$\curvearrowright$	<code>\scurel</code>
$\approx$	<code>\approxeq</code>	$\ni$	<code>\forkv</code>	$\mid$	<code>\shortmid</code>
$\arceq$	<code>\arceq</code>	$\frown$	<code>\frown</code>	$\parallel$	<code>\shortparallel</code>
$\backsimeq$	<code>\backsimeq</code>	$\ggcurly$	<code>\ggcurly</code>	$\sim$	<code>\simrdots</code>
$\backsimeq$	<code>\backsimeq</code>	$\#$	<code>\hash</code>	$\smallfrown$	<code>\smallfrown</code>
$\in$	<code>\bagmember</code>	$\inplus$	<code>\inplus</code>	$\smallsmile$	<code>\smallsmile</code>
$\because$	<code>\because</code>	$\kernelcontraction$	<code>\kernelcontraction</code>	$\smile$	<code>\smile</code>
$\between$	<code>\between</code>	$\llcurly$	<code>\llcurly</code>	$\strictfi$	<code>\strictfi</code>
$\bumpeq$	<code>\bumpeq</code>	$\multimap$	<code>\multimap</code>	$\strictif$	<code>\strictif</code>
$\Bumpeq$	<code>\Bumpeq</code>	$\multimapboth$	<code>\multimapboth</code>	$\succapprox$	<code>\succapprox</code>
$\circeq$	<code>\circeq</code>	$\multimapbothvert$	<code>\multimapbothvert</code>	$\succcurlyeq$	<code>\succcurlyeq</code>
$\CircledEq$	<code>\CircledEq</code>	$\multimapdot$	<code>\multimapdot</code>	$\succnapprox$	<code>\succnapprox</code>
$\cong$	<code>\cong</code>	$\multimapdotboth$	<code>\multimapdotboth</code>	$\succneqq$	<code>\succneqq</code>
$\corresponds$	<code>\corresponds</code>	$\multimapdotbothA$	<code>\multimapdotbothA</code>	$\succnsim$	<code>\succnsim</code>
$\curlyeqprec$	<code>\curlyeqprec</code>	$\multimapdotbothAvert$	<code>\multimapdotbothAvert</code>	$\succsim$	<code>\succsim</code>
$\curlyeqsucc$	<code>\curlyeqsucc</code>	$\multimapdotbothB$	<code>\multimapdotbothB</code>	$\therefore$	<code>\therefore</code>
$\dashV$	<code>\dashV</code>	$\multimapdotbothBvert$	<code>\multimapdotbothBvert</code>	$\thickapprox$	<code>\thickapprox</code>
$\DashV$	<code>\DashV</code>	$\multimapdotbothvert$	<code>\multimapdotbothvert</code>	$\thicksim$	<code>\thicksim</code>
$\dashVv$	<code>\dashVv</code>	$\multimapdotinv$	<code>\multimapdotinv</code>	$\topfork$	<code>\topfork</code>
$\dfourier$	<code>\dfourier</code>	$\multimapinv$	<code>\multimapinv</code>	$\triangleq$	<code>\triangleq</code>
$\Dfourier$	<code>\Dfourier</code>	$\niplus$	<code>\niplus</code>	$\varhash$	<code>\varhash</code>
$\disin$	<code>\disin</code>	$\nisd$	<code>\nisd</code>	$\varisins$	<code>\varisins</code>
$\doteq$	<code>\doteq</code>	$\Perp$	<code>\Perp</code>	$\varnis$	<code>\varnis</code>
$\doteqdot$	<code>\doteqdot</code>	$\pitchfork$	<code>\pitchfork</code>	$\varpropto$	<code>\varpropto</code>
$\dotminus$	<code>\dotminus</code>	$\precapprox$	<code>\precapprox</code>	$\Vdash$	<code>\Vdash</code>
$\dotsim$	<code>\dotsim</code>	$\preccurlyeq$	<code>\preccurlyeq</code>	$\vDash$	<code>\vDash</code>
$\eqbumped$	<code>\eqbumped</code>	$\precnapprox$	<code>\precnapprox</code>	$\VDash$	<code>\VDash</code>
$\eqcirc$	<code>\eqcirc</code>	$\precneqq$	<code>\precneqq</code>	$\veeeq$	<code>\veeeq</code>
$\eqsim$	<code>\eqsim</code>	$\precnsim$	<code>\precnsim</code>	$\Vvdash$	<code>\Vvdash</code>
$\equalparallel$	<code>\equalparallel</code>	$\precsim$	<code>\precsim</code>	$\ztransf$	<code>\ztransf</code>
$\fallingdotseq$	<code>\fallingdotseq</code>	$\prurel$	<code>\prurel</code>	$\Ztransf$	<code>\Ztransf</code>
$\fatbslash$	<code>\fatbslash</code>	$\risingdotseq$	<code>\risingdotseq</code>		

TABLE 101: boisik Negated Binary Relations

$\ncong$	<code>\ncong</code>	$\npreceq$	<code>\npreceq</code>	$\nVDash$	<code>\nVDash</code>
$\neq$	<code>\neq</code>	$\nshortmid$	<code>\nshortmid</code>	$\nVdash$	<code>\nVdash</code>
$\nequiv$	<code>\nequiv</code>	$\nshortparallel$	<code>\nshortparallel</code>	$\nvdash$	<code>\nvdash</code>
$\nmid$	<code>\nmid</code>	$\nsim$	<code>\nsim</code>	$\nvDash$	<code>\nvDash</code>
$\nparallel$	<code>\nparallel</code>	$\nsucc$	<code>\nsucc</code>		
$\nprec$	<code>\nprec</code>	$\nsucceq$	<code>\nsucceq</code>		

TABLE 102: stix Binary Relations

$\approx$	<code>\approx</code>	$\#$	<code>\eqvparsl</code>	$\rightarrow$	<code>\rightfishtail</code>
$\approx\approx$	<code>\approxeq</code>	$\fallingdotseq$	<code>\fallingdotseq</code>	$\Rightarrow$	<code>\rightimply</code>
$\approx\approx\approx$	<code>\approxeqq</code>	$\bowtie$	<code>\fbowtie</code>	$\dashrightarrow$	<code>\righttail</code>
$\approx\approx\approx\approx$	<code>\approxident</code>	$\forksnot$	<code>\forksnot</code>	$\risingdotseq$	<code>\risingdotseq</code>
$\approx\approx\approx\approx\approx$	<code>\arceq</code>	$\forkv$	<code>\forkv</code>	$\rsqhook$	<code>\rsqhook</code>
$\vdash$	<code>\assert</code>	$\frown$	<code>\frown</code>	$\rightarrowtail$	<code>\ruledelayed</code>
$\approx\approx\approx\approx\approx\approx$	<code>\asteq</code>	$\gleichstark$	<code>\gleichstark</code>	$\scurel$	<code>\scurel</code>
$\asymp$	<code>\asymp</code>	$\hat{\approx}$	<code>\hatapprox</code>	$\shortdown tack$	<code>\shortdown tack</code>
$\backcong$	<code>\backcong</code>	$\imageof$	<code>\imageof</code>	$\shortleft tack$	<code>\shortleft tack</code>
$\backsim$	<code>\backsim</code>	$\in$	<code>\in</code>	$\shortmid$	<code>\shortmid</code>
$\backsimeq$	<code>\backsimeq</code>	$\isindot$	<code>\isindot</code>	$\shortparallel$	<code>\shortparallel</code>
$\bagmember$	<code>\bagmember</code>	$\isinE$	<code>\isinE</code>	$\shortuptack$	<code>\shortuptack</code>
$\Barv$	<code>\Barv</code>	$\isinobar$	<code>\isinobar</code>	$\sim$	<code>\sim</code>
$\bar{V}$	<code>\bar{V}</code>	$\isins$	<code>\isins</code>	$\simeq$	<code>\simeq</code>
$\between$	<code>\between</code>	$\isinvb$	<code>\isinvb</code>	$\simminussim$	<code>\simminussim</code>
$\bNot$	<code>\bNot</code>	$\kernelcontraction$	<code>\kernelcontraction</code>	$\simneqq$	<code>\simneqq</code>
$\bowtie$	<code>\bowtie</code>	$\lefthdbl tail$	<code>\lefthdbl tail</code>	$\simr dots$	<code>\simr dots</code>
$\Bumpeq$	<code>\Bumpeq</code>	$\leftfishtail$	<code>\leftfishtail</code>	$\smallfrown$	<code>\smallfrown</code>
$\bumpeq$	<code>\bumpeq</code>	$\lefttail$	<code>\lefttail</code>	$\smallin$	<code>\smallin</code>
$\bumpeq\approx$	<code>\bumpeq\approx</code>	$\lfbowtie$	<code>\lfbowtie</code>	$\smallni$	<code>\smallni</code>
$\cirbot$	<code>\cirbot</code>	$\lftimes$	<code>\lftimes</code>	$\smallsmile$	<code>\smallsmile</code>
$\circeq$	<code>\circeq</code>	$\longdashv$	<code>\longdashv</code>	$\smeparsl$	<code>\smeparsl</code>
$\cirmid$	<code>\cirmid</code>	$\lsqhook$	<code>\lsqhook</code>	$\smile$	<code>\smile</code>
$\closure$	<code>\closure</code>	$\measeq$	<code>\measeq</code>	$\stareq$	<code>\stareq</code>
$\Coloneq$	<code>\Coloneq</code>	$\mid$	<code>\mid</code>	$\succ$	<code>\succ</code>
$\coloneq$	<code>\coloneq</code>	$\midcir$	<code>\midcir</code>	$\Succ$	<code>\Succ</code>
$\cong$	<code>\cong</code>	$\mlcp$	<code>\mlcp</code>	$\succapprox$	<code>\succapprox</code>
$\cong\dot{}$	<code>\cong\dot{}</code>	$\models$	<code>\models</code>	$\succcurlyeq$	<code>\succcurlyeq</code>
$\curlyeqprec$	<code>\curlyeqprec</code>	$\multimap$	<code>\multimap</code>	$\succeq$	<code>\succeq</code>
$\curlyeqsucc$	<code>\curlyeqsucc</code>	$\multimap\inv$	<code>\multimap\inv</code>	$\succeqq$	<code>\succeqq</code>
$\dashcolon$	<code>\dashcolon</code>	$\ni$	<code>\ni</code>	$\succnapprox$	<code>\succnapprox</code>
$\dashv$	<code>\dashv</code>	$\niobar$	<code>\niobar</code>	$\succneq$	<code>\succneq</code>
$\dashV$	<code>\dashV</code>	$\nis$	<code>\nis</code>	$\succneqq$	<code>\succneqq</code>
$\Dashv$	<code>\Dashv</code>	$\nisd$	<code>\nisd</code>	$\succnsim$	<code>\succnsim</code>
$\DashV$	<code>\DashV</code>	$\Not$	<code>\Not</code>	$\succsim$	<code>\succsim</code>
$\DashVDash$	<code>\DashVDash</code>	$\notchar$	<code>\notchar</code>	$\thickapprox$	<code>\thickapprox</code>
$\dashVdash$	<code>\dashVdash</code>	$\origof$	<code>\origof</code>	$\thicksim$	<code>\thicksim</code>
$\ddot{}$	<code>\ddot{}</code>	$\parallel$	<code>\parallel</code>	$\topfork$	<code>\topfork</code>
$\disin$	<code>\disin</code>	$\parsim$	<code>\parsim</code>	$\upfishtail$	<code>\upfishtail</code>
$\Doteq$	<code>\Doteq</code>	$\perp$	<code>\perp</code>	$\upin$	<code>\upin</code>
$\doteq$	<code>\doteq</code>	$\pitchfork$	<code>\pitchfork</code>	$\varisinobar$	<code>\varisinobar</code>
$\dotequiv$	<code>\dotequiv</code>	$\prec$	<code>\prec</code>	$\varisins$	<code>\varisins</code>
$\dot{\sim}$	<code>\dot{\sim}</code>	$\Prec$	<code>\Prec</code>	$\varniobar$	<code>\varniobar</code>
$\dot{\sim}\dot{\sim}$	<code>\dot{\sim}\dot{\sim}</code>	$\precapprox$	<code>\precapprox</code>	$\varnis$	<code>\varnis</code>
$\downfishtail$	<code>\downfishtail</code>	$\preccurlyeq$	<code>\preccurlyeq</code>	$\varpropto$	<code>\varpropto</code>
$\dualmap$	<code>\dualmap</code>	$\preceq$	<code>\preceq</code>	$\varVdash$	<code>\varVdash</code>
$\#$	<code>\eparsl</code>	$\preceqq$	<code>\preceqq</code>	$\vBar$	<code>\vBar</code>
$\#$	<code>\eqcirc</code>	$\precnapprox$	<code>\precnapprox</code>	$\Vbar$	<code>\Vbar</code>
$\equiv$	<code>\eqcolon</code>	$\precneq$	<code>\precneq</code>	$\vBarv$	<code>\vBarv</code>
$\stackrel{\text{def}}{=}$	<code>\eqdef</code>	$\precneqq$	<code>\precneqq</code>	$\Vdash$	<code>\Vdash</code>
$\equiv$	<code>\eqdot</code>	$\precnsim$	<code>\precnsim</code>	$\vdash$	<code>\vdash</code>

(continued on next page)

(continued from previous page)

$\approx$	<code>\eqeq</code>	$\lesssim$	<code>\precsim</code>	$\models$	<code>\vDash</code>
$\approx\approx$	<code>\eqeqeq</code>	$\propto$	<code>\propto</code>	$\Vdash$	<code>\VDash</code>
$\approx\approx\approx$	<code>\eqqsim</code>	$\rightsquigarrow$	<code>\prurel</code>	$\equiv$	<code>\vDash</code>
$\approx$	<code>\eqsim</code>	$\lrcorner$	<code>\pullback</code>	$\vdots$	<code>\vdots</code>
$\#$	<code>\equalparallel</code>	$\sqsupset$	<code>\pushout</code>	$\leq$	<code>\veeq</code>
$\equiv$	<code>\equiv</code>	$\stackrel{?}{=}$	<code>\questeq</code>	$\wedge$	<code>\veeonwedge</code>
$\equiv$	<code>\Equiv</code>	$\dagger$	<code>\revnmid</code>	$\mid$	<code>\vertoverlay</code>
$\equiv$	<code>\equivDD</code>	$\bowtie$	<code>\rfbowtie</code>	$\longdash$	<code>\vlongdash</code>
$\#$	<code>\equivVert</code>	$\rtimes$	<code>\rftimes</code>	$\Vdash$	<code>\Vdash</code>
$\#$	<code>\equivVvert</code>	$\rightharpoonup$	<code>\rightdbltail</code>	$\triangleq$	<code>\wedqeq</code>

stix defines `\owns` as a synonym for `\ni` and `\doteqdot` as a synonym for `\Doteq`.

TABLE 103: stix Negated Binary Relations

$\nmid$	<code>\forks</code>	$\nparallel$	<code>\nhpar</code>	$\nsime$	<code>\nsime</code>
$\napprox$	<code>\napprox</code>	$\nmid$	<code>\nmid</code>	$\nsucc$	<code>\nsucc</code>
$\napprox\approx$	<code>\napproxeqq</code>	$\nparallel$	<code>\nni</code>	$\nsucccurlyeq$	<code>\nsucccurlyeq</code>
$\nasymp$	<code>\nasympt</code>	$\notin$	<code>\notin</code>	$\nsucceq$	<code>\nsucceq</code>
$\nbumpeq$	<code>\nbumpeq</code>	$\nparallel$	<code>\nparallel</code>	$\nvarisinobar$	<code>\nvarisinobar</code>
$\nbumpeq$	<code>\nbumpeq</code>	$\nprec$	<code>\nprec</code>	$\nvarniobar$	<code>\nvarniobar</code>
$\ncong$	<code>\ncong</code>	$\nprec$	<code>\npreccurlyeq</code>	$\nvDash$	<code>\nvDash</code>
$\ncong\dot{=}$	<code>\ncongdot</code>	$\npreceq$	<code>\npreceq</code>	$\nvDash$	<code>\nvDash</code>
$\neq$	<code>\neq</code>	$\nshortmid$	<code>\nshortmid</code>	$\nVDash$	<code>\nVDash</code>
$\neqsim$	<code>\neqsim</code>	$\nshortparallel$	<code>\nshortparallel</code>	$\nVdash$	<code>\nVdash</code>
$\nequiv$	<code>\nequiv</code>	$\nsim$	<code>\nsim</code>		

stix defines `\neq` as a synonym for `\neq`, `\nsimeq` as a synonym for `\nsime`, and `\nforksnot` as a synonym for `\forks`.

TABLE 104: mathtools Binary Relations

$\approx$	<code>\Colonapprox</code>	$\coloneq$	<code>\coloneq</code>	$\Eqcolon$	<code>\Eqcolon</code>
$\approx$	<code>\colonapprox</code>	$\colonsim$	<code>\colonsim</code>	$\eqqcolon$	<code>\eqqcolon</code>
$\approx$	<code>\coloneqq</code>	$\Colonsim$	<code>\Colonsim</code>	$\Eqqcolon$	<code>\Eqqcolon</code>
$\approx$	<code>\Coloneqq</code>	$\dblcolon$	<code>\dblcolon</code>		
$\approx$	<code>\Coloneq</code>	$\eqcolon$	<code>\eqcolon</code>		

Similar symbols can be defined using mathtools's `\vcentcolon`, which produces a colon centered on the font's math axis:

$$\begin{array}{ccc} \approx & \text{vs.} & \approx \\ \text{"=:="} & & \text{"=\vcentcolon="} \end{array}$$

TABLE 105: turnstile Binary Relations

$\frac{def}{abc}$	<code>\dddtstyle{abc}{def}</code>	$\frac{def}{abc}$	<code>\nntstyle{abc}{def}</code>	$\frac{def}{abc}$	<code>\stdtstyle{abc}{def}</code>
$\frac{def}{abc}$	<code>\ddststyle{abc}{def}</code>	$\frac{def}{abc}$	<code>\nnttstyle{abc}{def}</code>	$\frac{def}{abc}$	<code>\stststyle{abc}{def}</code>
$\frac{def}{abc}$	<code>\ddtstyle{abc}{def}</code>	$\frac{def}{abc}$	<code>\nsdtstyle{abc}{def}</code>	$\frac{def}{abc}$	<code>\sttstyle{abc}{def}</code>
$\frac{def}{abc}$	<code>\ddttstyle{abc}{def}</code>	$\frac{def}{abc}$	<code>\nsststyle{abc}{def}</code>	$\frac{def}{abc}$	<code>\stttstyle{abc}{def}</code>
$\frac{def}{abc}$	<code>\dndtstyle{abc}{def}</code>	$\frac{def}{abc}$	<code>\nststyle{abc}{def}</code>	$\frac{def}{abc}$	<code>\tddtstyle{abc}{def}</code>
$\frac{def}{abc}$	<code>\dnststyle{abc}{def}</code>	$\frac{def}{abc}$	<code>\nsttstyle{abc}{def}</code>	$\frac{def}{abc}$	<code>\tdststyle{abc}{def}</code>
$\frac{def}{abc}$	<code>\dntstyle{abc}{def}</code>	$\frac{def}{abc}$	<code>\ntdtstyle{abc}{def}</code>	$\frac{def}{abc}$	<code>\tdtstyle{abc}{def}</code>
$\frac{def}{abc}$	<code>\dnttstyle{abc}{def}</code>	$\frac{def}{abc}$	<code>\ntststyle{abc}{def}</code>	$\frac{def}{abc}$	<code>\tdttstyle{abc}{def}</code>
$\frac{def}{abc}$	<code>\dsdtstyle{abc}{def}</code>	$\frac{def}{abc}$	<code>\nttstyle{abc}{def}</code>	$\frac{def}{abc}$	<code>\tndtstyle{abc}{def}</code>
$\frac{def}{abc}$	<code>\dsststyle{abc}{def}</code>	$\frac{def}{abc}$	<code>\ntttstyle{abc}{def}</code>	$\frac{def}{abc}$	<code>\tnststyle{abc}{def}</code>
$\frac{def}{abc}$	<code>\dststyle{abc}{def}</code>	$\frac{def}{abc}$	<code>\sddtstyle{abc}{def}</code>	$\frac{def}{abc}$	<code>\tntstyle{abc}{def}</code>
$\frac{def}{abc}$	<code>\dsttstyle{abc}{def}</code>	$\frac{def}{abc}$	<code>\sdststyle{abc}{def}</code>	$\frac{def}{abc}$	<code>\tnttstyle{abc}{def}</code>
$\frac{def}{abc}$	<code>\dtdtstyle{abc}{def}</code>	$\frac{def}{abc}$	<code>\sdtstyle{abc}{def}</code>	$\frac{def}{abc}$	<code>\tsdtstyle{abc}{def}</code>
$\frac{def}{abc}$	<code>\dtststyle{abc}{def}</code>	$\frac{def}{abc}$	<code>\sdtstyle{abc}{def}</code>	$\frac{def}{abc}$	<code>\tsststyle{abc}{def}</code>
$\frac{def}{abc}$	<code>\dttstyle{abc}{def}</code>	$\frac{def}{abc}$	<code>\sndtstyle{abc}{def}</code>	$\frac{def}{abc}$	<code>\tststyle{abc}{def}</code>
$\frac{def}{abc}$	<code>\dtttstyle{abc}{def}</code>	$\frac{def}{abc}$	<code>\snststyle{abc}{def}</code>	$\frac{def}{abc}$	<code>\tsttstyle{abc}{def}</code>
$\frac{def}{abc}$	<code>\nddtstyle{abc}{def}</code>	$\frac{def}{abc}$	<code>\sntstyle{abc}{def}</code>	$\frac{def}{abc}$	<code>\ttdtstyle{abc}{def}</code>
$\frac{def}{abc}$	<code>\ndststyle{abc}{def}</code>	$\frac{def}{abc}$	<code>\snttstyle{abc}{def}</code>	$\frac{def}{abc}$	<code>\ttststyle{abc}{def}</code>
$\frac{def}{abc}$	<code>\ndtstyle{abc}{def}</code>	$\frac{def}{abc}$	<code>\ssdtstyle{abc}{def}</code>	$\frac{def}{abc}$	<code>\tttstyle{abc}{def}</code>
$\frac{def}{abc}$	<code>\ndttstyle{abc}{def}</code>	$\frac{def}{abc}$	<code>\ssststyle{abc}{def}</code>	$\frac{def}{abc}$	<code>\ttttstyle{abc}{def}</code>
$\frac{def}{abc}$	<code>\nndtstyle{abc}{def}</code>	$\frac{def}{abc}$	<code>\sststyle{abc}{def}</code>		
$\frac{def}{abc}$	<code>\nnststyle{abc}{def}</code>	$\frac{def}{abc}$	<code>\ssttstyle{abc}{def}</code>		

Each of the above takes an optional argument that controls the size of the upper and lower expressions. See the turnstile documentation for more information.

TABLE 106: trsym Binary Relations

$\bullet \circ$	<code>\InversTransformHoriz</code>	$\circ \bullet$	<code>\TransformHoriz</code>
$\bullet \downarrow$	<code>\InversTransformVert</code>	$\downarrow \bullet$	<code>\TransformVert</code>

TABLE 107: trfsigns Binary Relations

$\swarrow$	<code>\dfourier</code>	$\searrow$	<code>\Dfourier</code>
---	<code>\fourier</code>	---	<code>\Fourier</code>
$\text{---}\bullet$	<code>\laplace</code>	$\bullet\text{---}$	<code>\Laplace</code>
$\swarrow\bullet$	<code>\ztransf</code>	$\bullet\searrow$	<code>\Ztransf</code>

TABLE 108: cml Binary Relations

$\subset$	<code>\coh</code>	$\supset$	<code>\scoh</code>
$\supsetneq$	<code>\incoh</code>	$\subsetneq$	<code>\sincoh</code>
$\perp$	<code>\Perp</code>	$\perp$	<code>\simperp</code>
$\circ\circ$	<code>\multimapboth</code>		

TABLE 109: colonequals Binary Relations

$\approx$	<code>\approxcolon</code>	$::-$	<code>\coloncolonminus</code>	$=::$	<code>\equalscoloncolon</code>
$\approx::$	<code>\approxcoloncolon</code>	$::\sim$	<code>\coloncolonsim</code>	$-:$	<code>\minuscolon</code>
$:\approx$	<code>\colonapprox</code>	$:=$	<code>\colonequals</code>	$-::$	<code>\minuscoloncolon</code>
$::$	<code>\coloncolon</code>	$:-$	<code>\colonminus</code>	$:$	<code>\ratio</code>
$::\approx$	<code>\coloncolonapprox</code>	$:\sim$	<code>\colonsim</code>	$\sim:$	<code>\simcolon</code>
$::=$	<code>\coloncolonequals</code>	$=:$	<code>\equalscolon</code>	$\sim::$	<code>\simcoloncolon</code>

TABLE 110: fourier Binary Relations

$\#$	<code>\nparallelslant</code>	$//$	<code>\parallelslant</code>

TABLE 111: Subset and Superset Relations

$\sqsubset$	<code>\sqsubset*</code>	$\sqsupseteq$	<code>\sqsupseteq</code>	$\supset$	<code>\supset</code>
$\sqsubseteq$	<code>\sqsubseteq</code>	$\subset$	<code>\subset</code>	$\supseteq$	<code>\supseteq</code>
$\sqsupset$	<code>\sqsupset*</code>	$\subseteq$	<code>\subseteq</code>		

* Not predefined by the $\text{\LaTeX} 2_{\varepsilon}$ core. Use the `latexsym` package to expose this symbol.

TABLE 112: $\mathcal{AMS}$ Subset and Superset Relations

$\not\subset$	<code>\nsubseteq</code>	$\subsetneq$	<code>\subsetneqq</code>	$\supsetneq$	<code>\supsetneqq</code>
$\not\supset$	<code>\nsupseteq</code>	$\subsetneq$	<code>\subsetneqq</code>	$\varsubsetneq$	<code>\varsubsetneqq</code>
$\not\supseteq$	<code>\nsupseteqq</code>	$\subsetneqq$	<code>\subsetneqq</code>	$\varsubsetneqq$	<code>\varsubsetneqq</code>
$\sqsubset$	<code>\sqsubset</code>	$\supset$	<code>\Supset</code>	$\varsupsetneq$	<code>\varsupsetneqq</code>
$\sqsupset$	<code>\sqsupset</code>	$\supseteq$	<code>\supseteqq</code>	$\varsupsetneqq$	<code>\varsupsetneqq</code>
$\Subset$	<code>\Subset</code>	$\supsetneq$	<code>\supsetneqq</code>		

TABLE 113: `stmaryrd` Subset and Superset Relations

$\Subset$	<code>\subsetplus</code>	$\supsetplus$	<code>\supsetplus</code>
$\Subseteq$	<code>\subsetpluseq</code>	$\supsetpluseq$	<code>\supsetpluseq</code>

TABLE 114: `wasysym` Subset and Superset Relations

$\sqsubset$	<code>\sqsubset</code>	$\sqsupset$	<code>\sqsupset</code>

TABLE 115: `txfonts/pxfonts` Subset and Superset Relations

$\not\sqsubset$	<code>\nsqsubset</code>	$\not\supseteq$	<code>\nsqsupseteq</code>	$\not\supset$	<code>\nSupset</code>
$\not\sqsupseteq$	<code>\nsqsupseteq</code>	$\not\subset$	<code>\nSubset</code>		
$\not\supset$	<code>\nsqsupset</code>	$\not\subsetneq$	<code>\nsubseteq</code>		

TABLE 116: `mathabx` Subset and Superset Relations

$\not\sqsubset$	<code>\nsqsubset</code>	$\not\supset$	<code>\nsupset</code>	$\supseteq$	<code>\sqsupseteq</code>	$\supseteq$	<code>\supseteq</code>
$\not\sqsupseteq$	<code>\nsqSupset</code>	$\not\supseteq$	<code>\nSupset</code>	$\supseteqq$	<code>\sqsupseteqq</code>	$\supseteqq$	<code>\supseteqq</code>
$\not\subset$	<code>\nsqsubseteq</code>	$\not\subsetneq$	<code>\nsupseteq</code>	$\supsetneq$	<code>\sqsupsetneq</code>	$\supsetneq$	<code>\supsetneq</code>
$\not\subsetneq$	<code>\nsqsubseteqq</code>	$\not\subsetneqq$	<code>\nsupseteqq</code>	$\supsetneqq$	<code>\sqsupsetneqq</code>	$\supsetneqq$	<code>\supsetneqq</code>
$\not\supset$	<code>\nsqsupset</code>	$\not\supseteq$	<code>\sqsubset</code>	$\varsubsetneq$	<code>\varsqsubsetneq</code>	$\varsubsetneq$	<code>\varsqsubsetneq</code>
$\not\supseteq$	<code>\nsqSupset</code>	$\not\supseteqq$	<code>\sqSubset</code>	$\varsubsetneqq$	<code>\varsqsubsetneqq</code>	$\varsubsetneqq$	<code>\varsqsubsetneqq</code>
$\not\supsetneq$	<code>\nsqsupseteq</code>	$\not\supsetneq$	<code>\sqsubsetneq</code>	$\varsupsetneq$	<code>\varsqsupsetneq</code>	$\varsupsetneq$	<code>\varsqsupsetneq</code>
$\not\supsetneqq$	<code>\nsqsupseteqq</code>	$\not\supsetneqq$	<code>\sqsubsetneqq</code>	$\varsupsetneqq$	<code>\varsqsupsetneqq</code>	$\varsupsetneqq$	<code>\varsqsupsetneqq</code>
$\not\varsubsetneq$	<code>\nsubset</code>	$\not\varsubsetneq$	<code>\sqsubsetneq</code>	$\varsubsetneqq$	<code>\varsqsubsetneq</code>	$\varsubsetneqq$	<code>\varsqsubsetneq</code>
$\not\varsubsetneqq$	<code>\nSubset</code>	$\not\varsubsetneqq$	<code>\sqsubsetneqq</code>	$\varsubsetneqq$	<code>\varsqsubsetneqq</code>	$\varsubsetneqq$	<code>\varsqsubsetneqq</code>
$\not\varsupsetneq$	<code>\nsubseteq</code>	$\not\varsupsetneq$	<code>\sqSupset</code>	$\varsupsetneq$	<code>\varsqsupsetneq</code>	$\varsupsetneq$	<code>\varsqsupsetneq</code>
$\not\varsupsetneqq$	<code>\nsubseteqq</code>	$\not\varsupsetneqq$	<code>\sqSupset</code>	$\varsupsetneqq$	<code>\varsqsupsetneqq</code>	$\varsupsetneqq$	<code>\varsqsupsetneqq</code>

TABLE 117: MnSymbol Subset and Superset Relations

$\nsubseteq$	<code>\nSsubset</code>	$\not\subseteq$	<code>\nsubseteqq</code>	$\sqsubsetneq$	<code>\sqsubsetneq</code>	$\subseteq$	<code>\subseteqq</code>
$\sqsubset$	<code>\nsqsubset</code>	$\not\sqsubseteq$	<code>\nsubseteqqq</code>	$\sqsubsetneqq$	<code>\sqsubsetneqq</code>	$\subseteq$	<code>\subseteqqq</code>
$\supsetneq$	<code>\nsqsupseteq</code>	$\not\supset$	<code>\nSupset</code>	$\sqsupset$	<code>\Sqsupset</code>	$\supsetneq$	<code>\supsetneq</code>
$\sqsupseteq$	<code>\nsqsupseteqq</code>	$\not\supseteq$	<code>\nsupset</code>	$\sqsupseteq$	<code>\sqsupseteq</code>	$\supsetneqq$	<code>\supsetneqq</code>
$\supset$	<code>\nSsupset</code>	$\not\supseteq$	<code>\nsupseteq</code>	$\sqsupseteq$	<code>\sqsupseteq</code>	$\supset$	<code>\Supset</code>
$\sqsupset$	<code>\nsqsupset</code>	$\not\supseteq$	<code>\nsupseteqq</code>	$\sqsupseteq$	<code>\sqsupseteqq</code>	$\supseteq$	<code>\supseteq</code>
$\supseteq$	<code>\nsqsupseteq</code>	$\sqsubseteq$	<code>\Sqsubset</code>	$\sqsupsetneq$	<code>\sqsupsetneq</code>	$\supseteq$	<code>\supseteqq</code>
$\supseteqq$	<code>\nsqsupseteqq</code>	$\sqsubset$	<code>\sqsubset</code>	$\sqsupsetneqq$	<code>\sqsupsetneqq</code>	$\supseteqq$	<code>\supseteqqq</code>
$\Subset$	<code>\nSubset</code>	$\sqsubseteq$	<code>\sqsubseteq</code>	$\Subset$	<code>\Subset</code>	$\supsetneq$	<code>\supsetneq</code>
$\subset$	<code>\nsubset</code>	$\sqsubseteq$	<code>\sqsubseteqq</code>	$\subset$	<code>\subset</code>	$\supsetneqq$	<code>\supsetneqq</code>

MnSymbol additionally defines `\varsubsetneq` as a synonym for `\subsetneq`, `\varsubsetneqq` as a synonym for `\subsetneqq`, `\varsupsetneq` as a synonym for `\supsetneq`, and `\varsupsetneqq` as a synonym for `\supsetneqq`.

TABLE 118: fdsymbol Subset and Superset Relations

$\sqsubset$	<code>\nsqsubset</code>	$\not\subseteq$	<code>\nsubseteqq</code>	$\sqsubsetneq$	<code>\sqsubsetneq</code>	$\subseteq$	<code>\subseteqq</code>
$\nsubseteq$	<code>\nSsubset</code>	$\not\sqsubseteq$	<code>\nsubseteqqq</code>	$\sqsubsetneqq$	<code>\sqsubsetneqq</code>	$\subseteq$	<code>\subseteqqq</code>
$\supsetneq$	<code>\nsqsupseteq</code>	$\not\supset$	<code>\nsupset</code>	$\sqsupset$	<code>\Sqsupset</code>	$\supsetneq$	<code>\supsetneq</code>
$\sqsupseteq$	<code>\nsqsupseteqq</code>	$\not\supseteq$	<code>\nSupset</code>	$\sqsupseteq$	<code>\Sqsupseteq</code>	$\supsetneqq$	<code>\supsetneqq</code>
$\supset$	<code>\nsqsupset</code>	$\not\supseteq$	<code>\nsupseteq</code>	$\sqsupseteq$	<code>\sqsupseteq</code>	$\supseteq$	<code>\supseteq</code>
$\supseteq$	<code>\nSsupset</code>	$\not\supseteq$	<code>\nsupseteqq</code>	$\sqsupseteq$	<code>\sqsupseteqq</code>	$\supseteq$	<code>\Supset</code>
$\supseteqq$	<code>\nsqsupseteq</code>	$\sqsubset$	<code>\sqsubset</code>	$\sqsupsetneq$	<code>\sqsupsetneq</code>	$\supseteq$	<code>\supseteqq</code>
$\supseteqq$	<code>\nsqsupseteqq</code>	$\sqsubseteq$	<code>\Sqsubset</code>	$\sqsupsetneqq$	<code>\sqsupsetneqq</code>	$\supseteqq$	<code>\supseteqqq</code>
$\subset$	<code>\nsubset</code>	$\sqsubseteq$	<code>\sqsubseteq</code>	$\subset$	<code>\subset</code>	$\supsetneq$	<code>\supsetneq</code>
$\Subset$	<code>\nSubset</code>	$\sqsubseteq$	<code>\sqsubseteqq</code>	$\Subset$	<code>\Subset</code>	$\supsetneqq$	<code>\supsetneqq</code>

fdsymbol additionally defines `\varsubsetneqq` as a synonym for `\subsetneqq`, `\varsubsetneq` as a synonym for `\subsetneq`, `\varsupsetneqq` as a synonym for `\supsetneqq`, and `\varsupsetneq` as a synonym for `\supsetneq`.

TABLE 119: boisik Subset and Superset Relations

$\subset$	<code>\nsubset</code>	$\sqsubseteq$	<code>\sqSubset</code>	$\subsetplus$	<code>\subsetplus</code>	$\supsetplus$	<code>\supsetplus</code>
$\subseteq$	<code>\nsubseteqq</code>	$\supset$	<code>\sqSupset</code>	$\subsetplus$	<code>\subsetplus</code>	$\varsubsetneq$	<code>\varsubsetneq</code>
$\sqsubseteq$	<code>\nsubseteqqq</code>	$\sqsupset$	<code>\sqsupset</code>	$\Supset$	<code>\Supset</code>	$\varsubsetneqq$	<code>\varsubsetneqq</code>
$\supset$	<code>\nsupset</code>	$\sqsubseteq$	<code>\Subset</code>	$\supseteq$	<code>\supseteqq</code>	$\varsupsetneq$	<code>\varsupsetneq</code>
$\supseteq$	<code>\nsupseteq</code>	$\sqsubseteq$	<code>\subseteqqq</code>	$\supsetneq$	<code>\supsetneq</code>	$\varsupsetneqq$	<code>\varsupsetneqq</code>
$\supseteqq$	<code>\nsupseteqq</code>	$\sqsubset$	<code>\subseteq</code>	$\supsetneqq$	<code>\supsetneqq</code>		
$\sqsubset$	<code>\sqsubset</code>	$\not\sqsubseteq$	<code>\subseteq</code>	$\supsetplus$	<code>\supsetplus</code>		

TABLE 120: stix Subset and Superset Relations

[illegible]

* Defined as an ordinary character, not as a binary relation.

TABLE 121: Inequalities

$$\geq \backslash geq \gg \backslash gg \leq \backslash leq \ll \neq \backslash neq$$
TABLE 122: $\mathcal{AMS}$ Inequalities

$\gtrsim$	<code>\eqslantgtr</code>	$\gtrdot$	$\lesseqgtr$	$\nlessgtr$	$\ngeq$
$\lessgtr$	<code>\eqslantless</code>	$\gtreqless$	$\lesseqqgtr$	$\nlessgtr$	$\ngeqq$
$\geqq$	$\gtreqqless$	$\lessgtr$	$\ngeqslant$		
$\geqslant$	$\gtrless$	$\lessssim$	$\ngtr$		
$\ggg$	$\gtrsim$	$\lll$	$\nleq$		
$\gapprox$	$\gvertneqq$	$\lnapprox$	$\nleqq$		
$\gneq$	$\leqq$	$\lneq$	$\nleqslant$		
$\gneqq$	$\leqslant$	$\lneqq$	$\nless$		
$\gnsim$	$\lessapprox$	$\lnsim$			
$\gtrapprox$	$\lessdot$	$\lvertneqq$			

TABLE 123: wasysym Inequalities

 $\gtrsim$ `\apprge` $\lesssim$ `\apprle`

TABLE 124: txfonts/pxfonts Inequalities

$\nlessgtr$	<code>\ngg</code>	$\nlessgtrsim$	<code>\ngtrsim</code>	$\nlessssim$	<code>\nlesssim</code>
$\nlessgtrapprox$	<code>\ngtrapprox</code>	$\nlessgtrapprox$	<code>\nlessapprox</code>	$\nll$	<code>\nll</code>
$\nlessgtrless$	<code>\ngtrless</code>	$\nlessgtr$	<code>\nlessgtr</code>		

TABLE 125: mathabx Inequalities

$\gtrsim$	<code>\eqslantgtr</code>	$\gtrless$	<code>\gtreqless</code>	$\lessssim$	<code>\lesssim</code>	$\ngtr$	<code>\ngtr</code>
$\less$	<code>\eqslantless</code>	$\gtreqless$	<code>\gtreqqlless</code>	$\ll$	<code>\ll</code>	$\ngtrapprox$	<code>\ngtrapprox</code>
$\geq$	<code>\geq</code>	$\gtrless$	<code>\gtrless</code>	$\lll$	<code>\lll</code>	$\ngtrsim$	<code>\ngtrsim</code>
$\geqq$	<code>\geqq</code>	$\gtrsim$	<code>\gtrsim</code>	$\lnapprox$	<code>\lnapprox</code>	$\nleq$	<code>\nleq</code>
$\gg$	<code>\gg</code>	$\gvertneqq$	<code>\gvertneqq</code>	$\lneq$	<code>\lneq</code>	$\nleqq$	<code>\nleqq</code>
$\ggg$	<code>\ggg</code>	$\leq$	<code>\leq</code>	$\lneqq$	<code>\lneqq</code>	$\nless$	<code>\nless</code>
$\gapprox$	<code>\gapprox</code>	$\leqq$	<code>\leqq</code>	$\lnsim$	<code>\lnsim</code>	$\nlessapprox$	<code>\nlessapprox</code>
$\gneq$	<code>\gneq</code>	$\lessapprox$	<code>\lessapprox</code>	$\lvertneqq$	<code>\lvertneqq</code>	$\nlesssim$	<code>\nlesssim</code>
$\gneqq$	<code>\gneqq</code>	$\lessdot$	<code>\lessdot</code>	$\neqslantgtr$	<code>\neqslantgtr</code>	$\nvareq$	<code>\nvareq</code>
$\gnsim$	<code>\gnsim</code>	$\lesseqgtr$	<code>\lesseqgtr</code>	$\neqslantless$	<code>\neqslantless</code>	$\nvarleq$	<code>\nvarleq</code>
$\gtrapprox$	<code>\gtrapprox</code>	$\lesseqqgtr$	<code>\lesseqqgtr</code>	$\ngeq$	<code>\ngeq</code>	$\vargeq$	<code>\vargeq</code>
$\gtrdot$	<code>\gtrdot</code>	$\lessgtr$	<code>\lessgtr</code>	$\ngeqq$	<code>\ngeqq</code>	$\varleq$	<code>\varleq</code>

`mathabx` defines `\leqslant` and `\le` as synonyms for `\leq`, `\geqslant` and `\ge` as synonyms for `\geq`, `\nleqslant` as a synonym for `\nleq`, and `\ngeqslant` as a synonym for `\ngeq`.

TABLE 126: MnSymbol Inequalities

$\gtr$	<code>\eqslantgtr</code>	$\gtrsim$	<code>\gtreqqless</code>	$\lesssim$	<code>\lessssim</code>	$\nless$	<code>\ngtreqlless</code>
$\less$	<code>\eqslantless</code>	$\gtrless$	<code>\gtrless</code>	$\ll$	<code>\ll</code>	$\ngtrless$	<code>\ngtreqllessslant</code>
$\geq$	<code>\geq</code>	$\gtrneqqless$	<code>\gtrneqqless</code>	$\lll$	<code>\lll</code>	$\ngtrneqqless$	<code>\ngtreqqless</code>
$\geqslant$	<code>\geqclosed</code>	$\gtrsim$	<code>\gtrsim</code>	$\lnapprox$	<code>\lnapprox</code>	$\ngtrless$	<code>\ngtrless</code>
$\geqdot$	<code>\geqdot</code>	$\leq$	<code>\leq</code>	$\lneqq$	<code>\lneqq</code>	$\nleq$	<code>\nleq</code>
$\geqq$	<code>\geqq</code>	$\leqclosed$	<code>\leqclosed</code>	$\lnsim$	<code>\lnsim</code>	$\nleqclosed$	<code>\nleqclosed</code>
$\geqslant$	<code>\geqslant</code>	$\leqdot$	<code>\leqdot</code>	$\neqslantgtr$	<code>\neqslantgtr</code>	$\nleqdot$	<code>\nleqdot</code>
$\geqslantdot$	<code>\geqslantdot</code>	$\leqq$	<code>\leqq</code>	$\neqslantless$	<code>\neqslantless</code>	$\nleqq$	<code>\nleqq</code>
$\gg$	<code>\gg</code>	$\leqslant$	<code>\leqslant</code>	$\ngeq$	<code>\ngeq</code>	$\nleqslant$	<code>\nleqslant</code>
$\ggg$	<code>\ggg</code>	$\leqslantdot$	<code>\leqslantdot</code>	$\ngeqclosed$	<code>\ngeqclosed</code>	$\nleqslantdot$	<code>\nleqslantdot</code>
$\gapprox$	<code>\gapprox</code>	$\less$	<code>\less</code>	$\ngeqdot$	<code>\ngeqdot</code>	$\nless$	<code>\nless</code>
$\gneqq$	<code>\gneqq</code>	$\lessapprox$	<code>\lessapprox</code>	$\ngeqq$	<code>\ngeqq</code>	$\nlessclosed$	<code>\nlessclosed</code>
$\gnsim$	<code>\gnsim</code>	$\lessclosed$	<code>\lessclosed</code>	$\ngeqslant$	<code>\ngeqslant</code>	$\nlessdot$	<code>\nlessdot</code>
$>$	<code>\gtr</code>	$\lessdot$	<code>\lessdot</code>	$\ngeqslantdot$	<code>\ngeqslantdot</code>	$\nlesseqgtr$	<code>\nlesseqgtr</code>
$\gtrapprox$	<code>\gtrapprox</code>	$\lesseqgtr$	<code>\lesseqgtr</code>	$\ngg$	<code>\ngg</code>	$\nlesseqgtrslant$	<code>\nlesseqgtrslant</code>
$\gtrclosed$	<code>\gtrclosed</code>	$\lesseqgtrslant$	<code>\lesseqgtrslant</code>	$\nggg$	<code>\nggg</code>	$\nlesseqqgtr$	<code>\nlesseqqgtr</code>
$\gtrdot$	<code>\gtrdot</code>	$\lesseqqgtr$	<code>\lesseqqgtr</code>	$\ngtr$	<code>\ngtr</code>	$\nlessgtr$	<code>\nlessgtr</code>
$\gtreqless$	<code>\gtreqless</code>	$\lessgtr$	<code>\lessgtr</code>	$\ngtrclosed$	<code>\ngtrclosed</code>	$\nll$	<code>\nll</code>
$\gtreqlessslant$	<code>\gtreqlessslant</code>	$\lessneqqgtr$	<code>\lessneqqgtr</code>	$\ngtrdot$	<code>\ngtrdot</code>	$\nlll$	<code>\nlll</code>

MnSymbol additionally defines synonyms for some of the preceding symbols:

$\gggtr$	<code>\gggtr</code>	(same as <code>\ggg</code>)
$\gvertneqq$	<code>\gvertneqq</code>	(same as <code>\gneqq</code>)
$\lhd$	<code>\lhd</code>	(same as <code>\lessclosed</code>)
$\lllless$	<code>\lllless</code>	(same as <code>\lll</code>)
$\lvertneqq$	<code>\lvertneqq</code>	(same as <code>\lneqq</code>)
$\ntrianglelefteq$	<code>\ntrianglelefteq</code>	(same as <code>\nleqclosed</code>)
$\ntriangleleft$	<code>\ntriangleleft</code>	(same as <code>\nlessclosed</code>)
$\ntrianglerighteq$	<code>\ntrianglerighteq</code>	(same as <code>\ngeqclosed</code>)
$\ntriangleright$	<code>\ntriangleright</code>	(same as <code>\ngtrclosed</code>)
$\rhd$	<code>\rhd</code>	(same as <code>\gtrclosed</code>)
$\trianglelefteq$	<code>\trianglelefteq</code>	(same as <code>\leqclosed</code>)
$\trianglerighteq$	<code>\trianglerighteq</code>	(same as <code>\geqclosed</code>)
$\unlhd$	<code>\unlhd</code>	(same as <code>\leqclosed</code>)
$\unrhd$	<code>\unrhd</code>	(same as <code>\geqclosed</code>)
$\vartriangleleft$	<code>\vartriangleleft</code>	(same as <code>\lessclosed</code>)
$\vartriangleright$	<code>\vartriangleright</code>	(same as <code>\gtrclosed</code>)

TABLE 127: fdsymbol Inequalities

$\geq$	<code>\eqslantgtr</code>	$\leq$	<code>\leqslantdot</code>	$\nless$	<code>\ngtrapprox</code>
$\leq$	<code>\eqslantless</code>	$\geq$	<code>\leqslcc</code>	$\ngtrcc$	<code>\ngtrcc</code>
$\geq$	<code>\geq</code>	$<$	<code>\less</code>	$\ngtrclosed$	<code>\ngtrclosed</code>
$\geq$	<code>\geqclosed</code>	$\approx$	<code>\lessapprox</code>	$\ngtrdot$	<code>\ngtrdot</code>
$\geq$	<code>\geqdot</code>	$\triangleleft$	<code>\lesscc</code>	$\ngtreqlless$	<code>\ngtreqlless</code>
$\geq$	<code>\geqq</code>	$\triangleleft$	<code>\lessclosed</code>	$\ngtreqqless$	<code>\ngtreqqless</code>
$\geq$	<code>\geqslant</code>	$\triangleleft$	<code>\lessdot</code>	$\ngtreqslantless$	<code>\ngtreqslantless</code>
$\geq$	<code>\geqslantdot</code>	$\lesseqgtr$	<code>\lesseqgtr</code>	$\ngtrless$	<code>\ngtrless</code>
$\geq$	<code>\geqslcc</code>	$\lesseqqgtr$	<code>\lesseqqgtr</code>	$\ngtrsim$	<code>\ngtrsim</code>
$\gg$	<code>\gg</code>	$\lesseqslantgtr$	<code>\lesseqslantgtr</code>	$\nleq$	<code>\nleq</code>
$\ggg$	<code>\ggg</code>	$\lessgtr$	<code>\lessgtr</code>	$\nleqclosed$	<code>\nleqclosed</code>
$\gapprox$	<code>\gnapprox</code>	$\lessssim$	<code>\lessssim</code>	$\nleqdot$	<code>\nleqdot</code>
$\gneq$	<code>\gneq</code>	$\ll$	<code>\ll</code>	$\nleqq$	<code>\nleqq</code>
$\gneqq$	<code>\gneqq</code>	$\lll$	<code>\lll</code>	$\nleqslant$	<code>\nleqslant</code>
$\gnsim$	<code>\gnsim</code>	$\lnapprox$	<code>\lnapprox</code>	$\nleqslantdot$	<code>\nleqslantdot</code>
$>$	<code>\gtr</code>	$\lneq$	<code>\lneq</code>	$\nleqslcc$	<code>\nleqslcc</code>
$\gtrapprox$	<code>\gtrapprox</code>	$\lneqq$	<code>\lneqq</code>	$\nless$	<code>\nless</code>
$\gtrcc$	<code>\gtrcc</code>	$\lnsim$	<code>\lnsim</code>	$\nlessapprox$	<code>\nlessapprox</code>
$\gtrclosed$	<code>\gtrclosed</code>	$\neqslantgtr$	<code>\neqslantgtr</code>	$\nlesscc$	<code>\nlesscc</code>
$\gtrdot$	<code>\gtrdot</code>	$\neqslantless$	<code>\neqslantless</code>	$\nlessclosed$	<code>\nlessclosed</code>
$\gtreqlless$	<code>\gtreqlless</code>	$\ngeq$	<code>\ngeq</code>	$\nlessdot$	<code>\nlessdot</code>
$\gtreqqless$	<code>\gtreqqless</code>	$\ngeqclosed$	<code>\ngeqclosed</code>	$\nlesseqgtr$	<code>\nlesseqgtr</code>
$\gtreqslantless$	<code>\gtreqslantless</code>	$\ngeqdot$	<code>\ngeqdot</code>	$\nlesseqqgtr$	<code>\nlesseqqgtr</code>
$\gtrless$	<code>\gtrless</code>	$\ngeqq$	<code>\ngeqq</code>	$\nlesseqslantgtr$	<code>\nlesseqslantgtr</code>
$\gtrsim$	<code>\gtrsim</code>	$\ngeqslant$	<code>\ngeqslant</code>	$\nlessgtr$	<code>\nlessgtr</code>
$\leq$	<code>\leq</code>	$\ngeqslantdot$	<code>\ngeqslantdot</code>	$\nlessssim$	<code>\nlessssim</code>
$\leqclosed$	<code>\leqclosed</code>	$\ngeqslcc$	<code>\ngeqslcc</code>	$\nll$	<code>\nll</code>
$\leqdot$	<code>\leqdot</code>	$\ngg$	<code>\ngg</code>	$\nlll$	<code>\nlll</code>
$\leqq$	<code>\leqq</code>	$\nggg$	<code>\nggg</code>		
$\leqslant$	<code>\leqslant</code>	$\ngtr$	<code>\ngtr</code>		

`fdsymbol` defines synonyms for some of the preceding symbols:

$\geq$	<code>\ge</code>	$\leq$	<code>\lesdot</code>	$\ngtcc$	<code>\ngtcc</code>
$\geq$	<code>\gescc</code>	$\lesseqgtr$	<code>\lesseqgtr</code>	$\ngtreqllessslant$	<code>\ngtreqllessslant</code>
$\geq$	<code>\gesdot</code>	$\lesseqgtrslant$	<code>\lesseqgtrslant</code>	$\nlesscc$	<code>\nlesscc</code>
$\geq$	<code>\gesl</code>	$\lhd$	<code>\lhd</code>	$\nlessdot$	<code>\nlessdot</code>
$\ggg$	<code>\gggtr</code>	$\lllless$	<code>\lllless</code>	$\nlessg$	<code>\nlessg</code>
$\gtrcc$	<code>\gtcc</code>	$\ltcc$	<code>\ltcc</code>	$\nlesseqgtrslant$	<code>\nlesseqgtrslant</code>
$\gtreqllessslant$	<code>\gtreqllessslant</code>	$\lvertneqq$	<code>\lvertneqq</code>	$\nltcc$	<code>\nltcc</code>
$\gvertneqq$	<code>\gvertneqq</code>	$\ngescc$	<code>\ngescc</code>	$\rhd$	<code>\rhd</code>

(continued on next page)

(continued from previous page)

$\leq$	<code>\le</code>	$\nlessdot$	<code>\ngesdot</code>	$\sqsubseteq$	<code>\unlhd</code>
$\leqslant$	<code>\lescc</code>	$\nlessl$	<code>\ngesl</code>	$\sqsupseteq$	<code>\unrhd</code>

TABLE 128: boisik Inequalities

$\gg$	<code>\eqslantgtr</code>	$\gtrdot$	<code>\gtcir</code>	$\lesseqgtr$	<code>\lesseqgtr</code>	$\ngeq$	<code>\ngeq</code>
$\lessgtr$	<code>\eqslantless</code>	$\gtrapprox$	<code>\gtrapprox</code>	$\lessgtr$	<code>\lessgtr</code>	$\ngeqq$	<code>\ngeqq</code>
$\geq$	<code>\geqq</code>	$\gtreqless$	<code>\gtreqless</code>	$\lesssim$	<code>\lesssim</code>	$\ngeqslant$	<code>\ngeqslant</code>
$\gtrsim$	<code>\geqslant</code>	$\gtreqqless$	<code>\gtreqqless</code>	$\lll$	<code>\lll</code>	$\ngtr$	<code>\ngtr</code>
$\ggg$	<code>\ggg</code>	$\gtrless$	<code>\gtrless</code>	$\lnapprox$	<code>\lnapprox</code>	$\nleq$	<code>\nleq</code>
$\glj$	<code>\glj</code>	$\gtrsim$	<code>\gtrsim</code>	$\lneq$	<code>\lneq</code>	$\nleqq$	<code>\nleqq</code>
$\gnaprox$	<code>\gnaprox</code>	$\gvertneqq$	<code>\gvertneqq</code>	$\lneqq$	<code>\lneqq</code>	$\nleqslant$	<code>\nleqslant</code>
$\gneq$	<code>\gneq</code>	$\leqq$	<code>\leqq</code>	$\lnsim$	<code>\lnsim</code>	$\nless$	<code>\nless</code>
$\gneqq$	<code>\gneqq</code>	$\leqslant$	<code>\leqslant</code>	$\Lt$	<code>\Lt</code>		
$\gnsim$	<code>\gnsim</code>	$\lessapprox$	<code>\lessapprox</code>	$\ltcir$	<code>\ltcir</code>		
$\Gt$	<code>\Gt</code>	$\lesseqgtr$	<code>\lesseqgtr</code>	$\lvertneqq$	<code>\lvertneqq</code>		

TABLE 129: stix Inequalities

$\egsdot$	<code>\egsdot</code>	$\gtquest$	<code>\gtquest</code>	$\lnsim$	<code>\lnsim</code>
$\elsdot$	<code>\elsdot</code>	$\gtrapprox$	<code>\gtrapprox</code>	$\lsime$	<code>\lsime</code>
$\eqgtr$	<code>\eqgtr</code>	$\gtrarr$	<code>\gtrarr</code>	$\lsimg$	<code>\lsimg</code>
$\eqless$	<code>\eqless</code>	$\gtrdot$	<code>\gtrdot</code>	$\Lt$	<code>\Lt</code>
$\eqqgtr$	<code>\eqqgtr</code>	$\gtreqless$	<code>\gtreqless</code>	$\ltcc$	<code>\ltcc</code>
$\eqqless$	<code>\eqqless</code>	$\gtreqqless$	<code>\gtreqqless</code>	$\ltcir$	<code>\ltcir</code>
$\eqqslantgtr$	<code>\eqqslantgtr</code>	$\gtrless$	<code>\gtrless</code>	$\ltlarr$	<code>\ltlarr</code>
$\eqqslantless$	<code>\eqqslantless</code>	$\gtrsim$	<code>\gtrsim</code>	$\ltquest$	<code>\ltquest</code>
$\eqslantgtr$	<code>\eqslantgtr</code>	$\gvertneqq$	<code>\gvertneqq</code>	$\lvertneqq$	<code>\lvertneqq</code>
$\eqslantless$	<code>\eqslantless</code>	$\lat$	<code>\lat</code>	$\neqslantgtr$	<code>\neqslantgtr</code>
$\geq$	<code>\geq</code>	$\late$	<code>\late</code>	$\neqslantless$	<code>\neqslantless</code>
$\geqq$	<code>\geqq</code>	$\leftarrowless$	<code>\leftarrowless</code>	$\ngeq$	<code>\ngeq</code>
$\geqqslant$	<code>\geqqslant</code>	$\leq$	<code>\leq</code>	$\ngeqq$	<code>\ngeqq</code>
$\geqslant$	<code>\geqslant</code>	$\leqq$	<code>\leqq</code>	$\ngeqslant$	<code>\ngeqslant</code>
$\gescc$	<code>\gescc</code>	$\leqqslant$	<code>\leqqslant</code>	$\ngg$	<code>\ngg</code>
$\gesdot$	<code>\gesdot</code>	$\leqslant$	<code>\leqslant</code>	$\ngtr$	<code>\ngtr</code>
$\gesdoto$	<code>\gesdoto</code>	$\lescc$	<code>\lescc</code>	$\ngtrless$	<code>\ngtrless</code>
$\gesdotol$	<code>\gesdotol</code>	$\lesdot$	<code>\lesdot</code>	$\ngtrsim$	<code>\ngtrsim</code>

(continued on next page)

(continued from previous page)

$\approx$	<code>\gesles</code>	$\leq$	<code>\lesdoto</code>	$\nless$	<code>\nleq</code>
$\gg$	<code>\gg</code>	$\leq$	<code>\lesdotor</code>	$\nlessq$	<code>\nleqq</code>
$\ggg$	<code>\ggg</code>	$\lesges$	<code>\lesges</code>	$\nlesslant$	<code>\nleqslant</code>
$\ggg\text{nest}$	<code>\ggg\text{nest}</code>	$\lesapprox$	<code>\lessapprox</code>	$\nless$	<code>\nless</code>
$\times$	<code>\gla</code>	$\lessdot$	<code>\lessdot</code>	$\nlessgtr$	<code>\nlessgtr</code>
$\approx$	<code>\glE</code>	$\lesseqgtr$	<code>\lesseqgtr</code>	$\nlesssim$	<code>\nlesssim</code>
$\times$	<code>\glj</code>	$\lesseqqgtr$	<code>\lesseqqgtr</code>	$\nll$	<code>\nll</code>
$\approx$	<code>\gnapprox</code>	$\lessgtr$	<code>\lessgtr</code>	$\partialmeetcontraction$	<code>\partialmeetcontraction</code>
$\nless$	<code>\gneq</code>	$\lessssim$	<code>\lessssim</code>	$\rightarrowgtr$	<code>\rightarrowgtr</code>
$\nlessq$	<code>\gneqq</code>	$\lgE$	<code>\lgE</code>	$\simE$	<code>\simE</code>
$\nlesslant$	<code>\gnsim</code>	$\ll$	<code>\ll</code>	$\simgtr$	<code>\simgtr</code>
$\nlesslant$	<code>\gsime</code>	$\lll$	<code>\lll</code>	$\simlE$	<code>\simlE</code>
$\nlesslant$	<code>\gsiml</code>	$\lll\text{nest}$	<code>\lll\text{nest}</code>	$\simless$	<code>\simless</code>
$\nlesslant$	<code>\Gt</code>	$\lnapprox$	<code>\lnapprox</code>	$\smt$	<code>\smt</code>
$\nlesslant$	<code>\gtcc</code>	$\lneq$	<code>\lneq</code>	$\smte$	<code>\smte</code>
$\nlesslant$	<code>\gtcir</code>	$\lneqq$	<code>\lneqq</code>		

stix defines `\le` as a synonym for `\leq`, `\ge` as a synonym for `\geq`, `\llless` as a synonym for `\lll`, `\gggtr` as a synonym for `\ggg`, `\nle` as a synonym for `\nleq`, and `\nge` as a synonym for `\ngeq`.

TABLE 130: $\mathcal{AMS}$ Triangle Relations

$\blacktriangleleft$	<code>\blacktriangleleft</code>	$\ntriangleright$	<code>\ntriangleright</code>	$\trianglerighteq$	<code>\trianglerighteq</code>
$\blacktriangleright$	<code>\blacktriangleright</code>	$\ntrianglerighteq$	<code>\ntrianglerighteq</code>	$\triangleleft$	<code>\triangleleft</code>
$\ntriangleleft$	<code>\ntriangleleft</code>	$\trianglelefteq$	<code>\trianglelefteq</code>	$\triangleright$	<code>\triangleright</code>
$\ntrianglelefteq$	<code>\ntrianglelefteq</code>	$\trianglelefteq$	<code>\trianglelefteq</code>		

TABLE 131: stmaryrd Triangle Relations

$\trianglelefteqslant$	<code>\trianglelefteqslant</code>	$\trianglerighteqslant$	<code>\trianglerighteqslant</code>
$\ntrianglelefteqslant$	<code>\ntrianglelefteqslant</code>	$\ntrianglerighteqslant$	<code>\ntrianglerighteqslant</code>

TABLE 132: mathabx Triangle Relations

$\ntriangleleft$	<code>\ntriangleleft</code>	$\triangleleft$	<code>\triangleleft</code>	$\vartriangleleft$	<code>\vartriangleleft</code>
$\ntrianglelefteq$	<code>\ntrianglelefteq</code>	$\trianglelefteq$	<code>\trianglelefteq</code>	$\vartriangleright$	<code>\vartriangleright</code>
$\ntriangleright$	<code>\ntriangleright</code>	$\triangleright$	<code>\triangleright</code>		
$\ntrianglerighteq$	<code>\ntrianglerighteq</code>	$\trianglerighteq$	<code>\trianglerighteq</code>		

TABLE 133: MnSymbol Triangle Relations

▼	<code>\filledmedtriangledown</code>	△	<code>\largetriangleup</code>	▽	<code>\smalltriangledown</code>
◀	<code>\filledmedtriangleleft</code>	▽	<code>\medtriangledown</code>	◄	<code>\smalltriangleleft</code>
▶	<code>\filledmedtriangleright</code>	◄	<code>\medtriangleleft</code>	►	<code>\smalltriangleright</code>
▲	<code>\filledmedtriangleup</code>	▷	<code>\medtriangleright</code>	△	<code>\smalltriangleup</code>
▼	<code>\filledtriangledown</code>	△	<code>\medtriangleup</code>	≐	<code>\triangleeq</code>
◀	<code>\filledtriangleleft</code>	≐	<code>\ntriangleeq</code>	◄	<code>\trianglelefteq</code>
▶	<code>\filledtriangleright</code>	◄	<code>\ntriangleleft</code>	►	<code>\trianglerighteq</code>
▲	<code>\filledtriangleup</code>	◄	<code>\ntrianglelefteq</code>	◄	<code>\vartriangleleft</code>
▽	<code>\largetriangledown</code>	►	<code>\ntriangleright</code>	►	<code>\vartriangleright</code>
◄	<code>\largetriangleleft</code>	►	<code>\ntrianglerighteq</code>		
►	<code>\largetriangleright</code>	⊗	<code>\otriangle</code>		

MnSymbol additionally defines synonyms for many of the preceding symbols: `\triangleeq` is a synonym for `\triangleeq`; `\lhd` and `\lessclosed` are synonyms for `\vartriangleleft`; `\rhd` and `\gtrclosed` are synonyms for `\vartriangleright`; `\unlhd` and `\leqclosed` are synonyms for `\trianglelefteq`; `\unrhd` and `\geqclosed` are synonyms for `\trianglerighteq`; `\blacktriangledown`, `\blacktriangleleft`, `\blacktriangleright`, and `\blacktriangle` [*sic*] are synonyms for, respectively, `\filledmedtriangledown`, `\filledmedtriangleleft`, `\filledmedtriangleright`, and `\filledmedtriangleup`; `\triangleright` is a synonym for `\medtriangleright`; `\triangle`, `\vartriangle`, and `\bigtriangleup` are synonyms for `\medtriangleup`; `\triangleleft` is a synonym for `\medtriangleleft`; `\triangledown` and `\bigtriangledown` are synonyms for `\medtriangledown`; `\nlessclosed` is a synonym for `\ntriangleleft`; `\ngtrclosed` is a synonym for `\ntriangleright`; `\nleqclosed` is a synonym for `\ntrianglelefteq`; and `\ngeqclosed` is a synonym for `\ntrianglerighteq`.

The title “Triangle Relations” is a bit of a misnomer here as only `\triangleeq` and `\ntriangleeq` are defined as TeX relations (class 3 symbols). The `\largetriangle...` symbols are defined as TeX “ordinary” characters (class 0) and all of the remaining characters are defined as TeX binary operators (class 2).

TABLE 134: fdsymbol Triangle Relations

$\rhd$	<code>\geqclosed</code>	∇	<code>\medtriangledown</code>	$\blacktriangleleft$	<code>\smallblacktriangleleft</code>
$\triangleright$	<code>\gtrclosed</code>	$\triangleleft$	<code>\medtriangleleft</code>	$\blacktriangleright$	<code>\smallblacktriangleright</code>
$\bigtriangledown$	<code>\largetriangledown</code>	$\triangleright$	<code>\medtriangleright</code>	$\blacktriangleup$	<code>\smallblacktriangleup</code>
$\bigtriangleup$	<code>\largetriangleup</code>	$\triangleup$	<code>\medtriangleup</code>	$\smalltriangledown$	<code>\smalltriangledown</code>
$\leqclosed$	<code>\leqclosed</code>	$\ngeqclosed$	<code>\ngeqclosed</code>	$\smalltriangleleft$	<code>\smalltriangleleft</code>
$\lessclosed$	<code>\lessclosed</code>	$\ngtrclosed$	<code>\ngtrclosed</code>	$\smalltriangleright$	<code>\smalltriangleright</code>
$\blacktriangledown$	<code>\medblacktriangledown</code>	$\nleqclosed$	<code>\nleqclosed</code>	$\smalltriangleup$	<code>\smalltriangleup</code>
$\blacktriangleleft$	<code>\medblacktriangleleft</code>	$\nlessclosed$	<code>\nlessclosed</code>	$\trianglelefteq$	<code>\trianglelefteq</code>
$\blacktriangleright$	<code>\medblacktriangleright</code>	$\ntrianglelefteq$	<code>\ntrianglelefteq</code>		
$\blacktriangleup$	<code>\medblacktriangleup</code>	$\smallblacktriangledown$	<code>\smallblacktriangledown</code>		

fdsymbol defines synonyms for almost all of the preceding symbols:

$\bigtriangledown$	<code>\bigtriangledown</code>	$\ntrianglelefteq$	<code>\ntrianglelefteq</code>	$\trianglelefteq$	<code>\trianglelefteq</code>
$\bigtriangleup$	<code>\bigtriangleup</code>	$\ntriangleright$	<code>\ntriangleright</code>	$\triangleright$	<code>\triangleright</code>
$\blacktriangle$	<code>\blacktriangle</code>	$\ntrianglerighteq$	<code>\ntrianglerighteq</code>	$\trianglerighteq$	<code>\trianglerighteq</code>
$\blacktriangledown$	<code>\blacktriangledown</code>	$\triangle$	<code>\triangle</code>	$\vartriangle$	<code>\vartriangle</code>
$\blacktriangleleft$	<code>\blacktriangleleft</code>	$\triangledown$	<code>\triangledown</code>	$\triangleleft$	<code>\triangleleft</code>
$\blacktriangleright$	<code>\blacktriangleright</code>	$\triangleleft$	<code>\triangleleft</code>	$\triangleright$	<code>\triangleright</code>
$\blacktriangleleft$	<code>\blacktriangleleft</code>	$\trianglelefteq$	<code>\trianglelefteq</code>		

The title “Triangle Relations” is a bit of a misnomer here as only `\trianglelefteq` and `\ntrianglelefteq` are defined as T_EX relations (class 3 symbols). The `\largetriangle...` symbols are defined as T_EX “ordinary” characters (class 0) and all of the remaining characters are defined as T_EX binary operators (class 2).

TABLE 135: boisik Triangle Relations

$\ntriangleleft$	<code>\ntriangleleft</code>	$\trianglelefteq$	<code>\trianglelefteq</code>	$\vartriangleleft$	<code>\vartriangleleft</code>
$\ntrianglelefteq$	<code>\ntrianglelefteq</code>	$\trianglelefteqslant$	<code>\trianglelefteqslant</code>	$\vartriangle$	<code>\vartriangle</code>
$\ntriangleright$	<code>\ntriangleright</code>	$\triangleright$	<code>\triangleright</code>	$\triangleleft$	<code>\triangleleft</code>
$\ntrianglerighteq$	<code>\ntrianglerighteq</code>	$\trianglerighteq$	<code>\trianglerighteq</code>	$\triangleright$	<code>\triangleright</code>
$\triangleleft$	<code>\triangleleft</code>	$\trianglerighteqslant$	<code>\trianglerighteqslant</code>		

TABLE 136: stix Triangle Relations

$\lrrtrianglelefteq$	<code>\lrrtrianglelefteq</code>	$\nvartriangleright$	<code>\nvartriangleright</code>	$\vartriangle$	<code>\vartriangle</code>
$\lrrtrivb$	<code>\lrrtrivb</code>	$\rtriltri$	<code>\rtriltri</code>	$\triangleleft$	<code>\triangleleft</code>
$\ntrianglelefteq$	<code>\ntrianglelefteq</code>	$\trianglelefteq$	<code>\trianglelefteq</code>	$\triangleright$	<code>\triangleright</code>
$\ntrianglerighteq$	<code>\ntrianglerighteq</code>	$\trianglelefteq$	<code>\trianglelefteq</code>	$\vartriangleright$	<code>\vartriangleright</code>
$\nvartriangleleft$	<code>\nvartriangleleft</code>	$\trianglerighteq$	<code>\trianglerighteq</code>		

TABLE 137: Arrows

$\Downarrow$	<code>\Downarrow</code>	$\longleftarrow$	<code>\longleftarrow</code>	$\nwarrow$	<code>\nwarrow</code>
$\downarrow$	<code>\downarrow</code>	$\Longleftarrow$	<code>\Longleftarrow</code>	$\Rightarrow$	<code>\Rightarrow</code>
$\hookleftarrow$	<code>\hookleftarrow</code>	$\longleftrightarrow$	<code>\longleftrightarrow</code>	$\rightarrow$	<code>\rightarrow</code>
$\hookrightarrow$	<code>\hookrightarrow</code>	$\Longleftrightarrow$	<code>\Longleftrightarrow</code>	$\searrow$	<code>\searrow</code>
$\leadsto$	<code>\leadsto*</code>	$\mapsto$	<code>\mapsto</code>	$\swarrow$	<code>\swarrow</code>
$\leftarrow$	<code>\leftarrow</code>	$\Longrightarrow$	<code>\Longrightarrow</code>	$\uparrow$	<code>\uparrow</code>
$\Leftarrow$	<code>\Leftarrow</code>	$\longrightarrow$	<code>\longrightarrow</code>	$\Uparrow$	<code>\Uparrow</code>
$\Leftrightarrow$	<code>\Leftrightarrow</code>	$\mapsto$	<code>\mapsto</code>	$\updownarrow$	<code>\updownarrow</code>
$\leftrightharpoonup$	<code>\leftrightharpoonup</code>	$\nearrow^\dagger$	<code>\nearrow^\dagger</code>	$\Updownarrow$	<code>\Updownarrow</code>

* Not predefined by the L^AT_EX 2_ε core. Use the latexsym package to expose this symbol.

† See the note beneath Table 236 for information about how to put a diagonal arrow across a mathematical expression (as in “ $\nabla \cdot \vec{B}$ ”).

TABLE 138: Harpoons

$\leftharpoonup$	<code>\leftharpoonup</code>	$\rightharpoonup$	<code>\rightharpoonup</code>	$\leftharpoonup$	<code>\leftharpoonup</code>
$\leftharpoonup$	<code>\leftharpoonup</code>	$\rightharpoonup$	<code>\rightharpoonup</code>	$\leftharpoonup$	<code>\leftharpoonup</code>

TABLE 139: textcomp Text-mode Arrows

$\downarrow$	<code>\textdownarrow</code>	$\rightarrow$	<code>\textrightarrow</code>
$\leftarrow$	<code>\textleftarrow</code>	$\uparrow$	<code>\textuparrow</code>

TABLE 140: $\mathcal{AMS}$ Arrows

$\circlearrowleft$	<code>\circlearrowleft</code>	$\leftrightsquigarrow$	<code>\leftrightsquigarrow</code>	$\rightleftarrows$	<code>\rightleftarrows</code>
$\circlearrowright$	<code>\circlearrowright</code>	$\leftrightsquigarrow$	<code>\leftrightsquigarrow</code>	$\rightrightarrows$	<code>\rightrightarrows</code>
$\curvearrowleft$	<code>\curvearrowleft</code>	$\Lleftarrow$	<code>\Lleftarrow</code>	$\rightsquigarrow$	<code>\rightsquigarrow</code>
$\curvearrowright$	<code>\curvearrowright</code>	$\Lleftarrow$	<code>\Lleftarrow</code>	$\Rsh$	<code>\Rsh</code>
$\dashleftarrow$	<code>\dashleftarrow</code>	$\looparrowleft$	<code>\looparrowleft</code>	$\twoheadleftarrow$	<code>\twoheadleftarrow</code>
$\dashrightarrow$	<code>\dashrightarrow</code>	$\looparrowright$	<code>\looparrowright</code>	$\twoheadrightarrow$	<code>\twoheadrightarrow</code>
$\downdownarrows$	<code>\downdownarrows</code>	$\Lsh$	<code>\Lsh</code>	$\upuparrows$	<code>\upuparrows</code>
$\leftarrowtail$	<code>\leftarrowtail</code>	$\rightarrowtail$	<code>\rightarrowtail</code>		

TABLE 141: $\mathcal{AMS}$ Negated Arrows

$\nleftarrow$	<code>\nleftarrow</code>	$\nrightarrow$	<code>\nrightarrow</code>	$\nrightarrow$	<code>\nrightarrow</code>
$\nleftarrow$	<code>\nleftarrow</code>	$\nrightarrow$	<code>\nrightarrow</code>	$\nrightarrow$	<code>\nrightarrow</code>

TABLE 142: $\mathcal{AMS}$ Harpoons

$\downharpoonleft$	<code>\downharpoonleft</code>	$\leftrightharpoons$	<code>\leftrightharpoons</code>	$\upharpoonleft$	<code>\upharpoonleft</code>
$\downharpoonright$	<code>\downharpoonright</code>	$\leftrightharpoons$	<code>\leftrightharpoons</code>	$\upharpoonright$	<code>\upharpoonright</code>

TABLE 143: stmaryrd Arrows

$\leftarrow$	<code>\leftarrowtriangle</code>	$\Leftarrow$	<code>\Mapsfrom</code>	$\leftarrow$	<code>\shortleftarrow</code>
$\Leftrightarrow$	<code>\leftrightharroweq</code>	$\mapsto$	<code>\mapsfrom</code>	$\rightarrow$	<code>\shortrightarrow</code>
$\leftrightarrow$	<code>\leftrightharrowtriangle</code>	$\mapsto$	<code>\Mapsto</code>	$\uparrow$	<code>\shortuparrow</code>
$\lightning$	<code>\lightning</code>	$\nearrow$	<code>\nnearrow</code>	$\searrow$	<code>\ssearrow</code>
$\Longmapsfrom$	<code>\Longmapsfrom</code>	$\nwarrow$	<code>\nnwarrow</code>	$\swarrow$	<code>\sswarrow</code>
$\longmapsfrom$	<code>\longmapsfrom</code>	$\rightarrowtriangle$	<code>\rightarrowtriangle</code>		
$\Longmapsto$	<code>\Longmapsto</code>	$\downarrow$	<code>\shortdownarrow</code>		

TABLE 144: txfonts/pxfonts Arrows

$\boxdotleft$	<code>\boxdotLeft</code>	$\circrightarrow$	<code>\circleddotright</code>	$\diamondleft$	<code>\Diamondleft</code>
$\boxdotleft$	<code>\boxdotleft</code>	$\circleftarrow$	<code>\circleleft</code>	$\diamondrightarrow$	<code>\Diamondright</code>
$\boxdotright$	<code>\boxdotright</code>	$\circrightarrow$	<code>\circcleright</code>	$\diamondrightarrow$	<code>\DiamondRight</code>
$\boxdotright$	<code>\boxdotRight</code>	$\dashrightarrow$	<code>\dashlefrightharrow</code>	$\leftrightsquigarrow$	<code>\leftsquigarrow</code>
$\boxleftarrow$	<code>\boxLeft</code>	$\diamondleftarrow$	<code>\DiamondddotLeft</code>	$\nearrow$	<code>\Nearrow</code>
$\boxleftarrow$	<code>\boxleft</code>	$\diamondleftarrow$	<code>\Diamondddotleft</code>	$\nwarrow$	<code>\Nwarrow</code>
$\boxrightarrow$	<code>\boxright</code>	$\diamondrightarrow$	<code>\Diamondddotright</code>	$\Rightarrow$	<code>\Rightarrow</code>
$\boxrightarrow$	<code>\boxRight</code>	$\diamondrightarrow$	<code>\DiamondddotRight</code>	$\searrow$	<code>\Searrow</code>
$\circleftarrow$	<code>\circleddotleft</code>	$\diamondleftarrow$	<code>\DiamondLeft</code>	$\swarrow$	<code>\Swarrow</code>

TABLE 145: mathabx Arrows

$\circlearrowleft$	<code>\circlearrowleft</code>	$\leftarrow$	<code>\leftarrow</code>	$\nwarrow$	<code>\nwarrow</code>
$\circlearrowright$	<code>\circlearrowright</code>	$\leftleftarrows$	<code>\leftleftarrows</code>	$\restriction$	<code>\restriction</code>
$\curvearrowleft$	<code>\curvearrowleft</code>	$\leftrightarrows$	<code>\leftrightarrows</code>	$\rightarrow$	<code>\rightarrow</code>
$\curvearrowleft$	<code>\curvearrowleft</code>	$\leftrightsquigarrow$	<code>\leftrightsquigarrow</code>	$\rightleftarrows$	<code>\rightleftarrows</code>
$\curvearrowright$	<code>\curvearrowright</code>	$\rightsquigarrow$	<code>\rightsquigarrow</code>	$\rightrightarrows$	<code>\rightrightarrows</code>
$\curvearrowright$	<code>\curvearrowright</code>	$\lefttorightarrow$	<code>\lefttorightarrow</code>	$\rightsquigarrow$	<code>\rightsquigarrow</code>
$\curvearrowright$	<code>\curvearrowright</code>	$\looparrowleft$	<code>\looparrowleft</code>	$\righttoleftarrow$	<code>\righttoleftarrow</code>
$\curvearrowright$	<code>\curvearrowright</code>	$\looparrowright$	<code>\looparrowright</code>	$\Rsh$	<code>\Rsh</code>
$\dls$	<code>\dls</code>	$\looparrowleft$	<code>\looparrowleft</code>	$\searrow$	<code>\searrow</code>
$\downarrow$	<code>\downarrow</code>	$\looparrowright$	<code>\looparrowright</code>	$\swarrow$	<code>\swarrow</code>
$\downto$	<code>\downto</code>	$\Lsh$	<code>\Lsh</code>	$\updownarrows$	<code>\updownarrows</code>
$\downarrow$	<code>\downarrow</code>	$\nearrow$	<code>\nearrow</code>	$\uptodownarrow$	<code>\uptodownarrow</code>
$\drsh$	<code>\drsh</code>			$\upuparrows$	<code>\upuparrows</code>

TABLE 146: mathabx Negated Arrows

$\nleftarrow$	<code>\nleftarrow</code>	$\nrightarrow$	<code>\nrightarrow</code>	$\nrightarrow$	<code>\nrightarrow</code>
$\nleftarrow$	<code>\nleftarrow</code>	$\nrightarrow$	<code>\nrightarrow</code>	$\nrightarrow$	<code>\nrightarrow</code>

TABLE 147: mathabx Harpoons

$\leftharpoonup$	<code>\barleftharpoonup</code>	$\leftarrow$	<code>\leftharpoonupup</code>	$\Rightarrow$	<code>\rightleftharpoons</code>
$\rightharpoonup$	<code>\barrightharpoonup</code>	$\Leftarrow$	<code>\leftleftharpoons</code>	$\Rightarrow$	<code>\rightrightarpoons</code>
$\Downarrow$	<code>\downdownharpoons</code>	$\leftrightarrow$	<code>\leftrightharpoonup</code>	$\Downarrow$	<code>\updownharpoons</code>
$\harpoonleft$	<code>\downharpoonleft</code>	$\Leftrightarrow$	<code>\leftrightharpoons</code>	$\Uparrow$	<code>\upharpoonleft</code>
$\harpoonright$	<code>\downharpoonright</code>	$\Rightarrow$	<code>\rightbarharpoonup</code>	$\Uparrow$	<code>\upharpoonright</code>
$\Updownarrow$	<code>\downupharpoons</code>	$\rightarrow$	<code>\rightharpoonowdown</code>	$\Uparrow$	<code>\upupharpoons</code>
$\Leftarrow$	<code>\leftbarharpoonup</code>	$\rightarrow$	<code>\rightharpoonupup</code>		
$\leftarrow$	<code>\leftharpoonowdown</code>	$\leftrightarrow$	<code>\rightleftharpoonup</code>		

TABLE 148: MnSymbol Arrows

$\curvearrowright$	<code>\curvearrowdownup</code>	$\longleftarrow$	<code>\longleftarrow</code>	$\hookrightarrow$	<code>\rhookswarrow</code>
$\curvearrowleft$	<code>\curvearrowleftright</code>	$\Longleftarrow$	<code>\Longleftarrow</code>	$\Uparrow$	<code>\rhookuparrow</code>
$\curvearrowright$	<code>\curvearrownesw</code>	$\longleftrightarrow$	<code>\longleftarrowrightarrow</code>	$\rightarrow$	<code>\rightarrow</code>
$\curvearrowleft$	<code>\curvearrownwse</code>	$\Longleftrightarrow$	<code>\Longleftarrowrightarrow</code>	$\Rightarrow$	<code>\rightarrow</code>
$\curvearrowright$	<code>\curvearrowrightleft</code>	$\mapsto$	<code>\longmapsto</code>	$\rightarrowtail$	<code>\rightarrowtail</code>
$\curvearrowleft$	<code>\curvearrowsenw</code>	$\rightarrow$	<code>\rightarrow</code>	$\rightleftarrows$	<code>\rightleftarrows</code>
$\curvearrowright$	<code>\curvearrowswne</code>	$\Rightarrow$	<code>\rightarrow</code>	$\rightsquigarrow$	<code>\rightsquigarrow</code>
$\curvearrowright$	<code>\curvearrowupdown</code>	$\looparrowleft$	<code>\looparrowleft</code>	$\mapsto$	<code>\rightarrow</code>
$\dashrightarrow$	<code>\dasheddownarrow</code>	$\looparrowright$	<code>\looparrowright</code>	$\Rightarrow$	<code>\rightarrow</code>
$\dashleftarrow$	<code>\dashedleftarrow</code>	$\Lsh$	<code>\Lsh</code>	$\rightsquigarrow$	<code>\rightsquigarrow</code>
$\nearrow$	<code>\dashednearrow</code>	$\nearrow$	<code>\nearrow</code>	$\Rightarrow$	<code>\rightarrow</code>
$\nearrow$	<code>\dashednarrow</code>	$\nearrow$	<code>\nearrow</code>	$\rightarrow$	<code>\rightarrow</code>
$\rightarrow$	<code>\dashedrightarrow</code>	$\nearrowtail$	<code>\nearrowtail</code>	$\searrow$	<code>\searrow</code>
$\searrow$	<code>\dashedsearrow</code>	$\nrightarrow$	<code>\nrightarrow</code>	$\searrow$	<code>\searrow</code>
$\swarrow$	<code>\dashedswarrow</code>	$\nrightarrow$	<code>\nrightarrow</code>	$\searrowtail$	<code>\searrowtail</code>
$\uparrow$	<code>\dasheduparrow</code>	$\nrightarrow$	<code>\nrightarrow</code>	$\searrow$	<code>\searrow</code>
$\Downarrow$	<code>\Downarrow</code>	$\nrightarrow$	<code>\nrightarrow</code>	$\searrow$	<code>\searrow</code>
$\downarrow$	<code>\downarrow</code>	$\nrightarrow$	<code>\nrightarrow</code>	$\searrow$	<code>\searrow</code>
$\Downarrow$	<code>\downarrowtail</code>	$\nrightarrow$	<code>\nrightarrow</code>	$\searrow$	<code>\searrow</code>
$\Downarrow$	<code>\downarrowarrows</code>	$\nrightarrow$	<code>\nrightarrow</code>	$\searrow$	<code>\searrow</code>
$\Downarrow$	<code>\downarrowsquigarrow</code>	$\nrightarrow$	<code>\nrightarrow</code>	$\searrow$	<code>\searrow</code>
$\Downarrow$	<code>\downmapsto</code>	$\nrightarrow$	<code>\nrightarrow</code>	$\searrow$	<code>\searrow</code>
$\Downarrow$	<code>\downrsquigarrow</code>	$\nrightarrow$	<code>\nrightarrow</code>	$\searrow$	<code>\searrow</code>
$\Downarrow$	<code>\downuparrows</code>	$\nrightarrow$	<code>\nrightarrow</code>	$\searrow$	<code>\searrow</code>
$\Downarrow$	<code>\lccirclearrowdown</code>	$\nrightarrow$	<code>\nrightarrow</code>	$\searrow$	<code>\searrow</code>
$\Downarrow$	<code>\lccirclearrowleft</code>	$\nrightarrow$	<code>\nrightarrow</code>	$\searrow$	<code>\searrow</code>
$\Downarrow$	<code>\lccirclearrowright</code>	$\nrightarrow$	<code>\nrightarrow</code>	$\searrow$	<code>\searrow</code>
$\Downarrow$	<code>\lccirclearrowup</code>	$\nrightarrow$	<code>\nrightarrow</code>	$\searrow$	<code>\searrow</code>
$\Downarrow$	<code>\lccurvearrowdown</code>	$\nrightarrow$	<code>\nrightarrow</code>	$\searrow$	<code>\searrow</code>
$\Downarrow$	<code>\lccurvearrowleft</code>	$\nrightarrow$	<code>\nrightarrow</code>	$\searrow$	<code>\searrow</code>
$\Downarrow$	<code>\lccurvearrowne</code>	$\nrightarrow$	<code>\nrightarrow</code>	$\searrow$	<code>\searrow</code>
$\Downarrow$	<code>\lccurvearrownw</code>	$\nrightarrow$	<code>\nrightarrow</code>	$\searrow$	<code>\searrow</code>
$\Downarrow$	<code>\lccurvearrowright</code>	$\nrightarrow$	<code>\nrightarrow</code>	$\searrow$	<code>\searrow</code>
$\Downarrow$	<code>\lccurvearrowse</code>	$\nrightarrow$	<code>\nrightarrow</code>	$\searrow$	<code>\searrow</code>
$\Downarrow$	<code>\lccurvearrowsw</code>	$\nrightarrow$	<code>\nrightarrow</code>	$\searrow$	<code>\searrow</code>
$\Downarrow$	<code>\lccurvearrowup</code>	$\nrightarrow$	<code>\nrightarrow</code>	$\searrow$	<code>\searrow</code>
$\Leftarrow$	<code>\Leftarrow</code>	$\nrightarrow$	<code>\nrightarrow</code>	$\searrow$	<code>\searrow</code>

(continued on next page)

$\leftarrow$	<code>\leftarrow</code>		<code>\partial\mathrm{partialvartrcircularrightint}^*</code>	$\leftarrow$	<code>\twoheadleftarrow</code>
$\leftarrowtail$	<code>\leftarrowtail</code>		<code>\rcirclearrowdown</code>	$\nearrow$	<code>\twoheadnearrow</code>
$\leftrightsquigarrow$	<code>\leftrightsquigarrow</code>		<code>\rcirclearrowleft</code>	$\nwarrow$	<code>\twoheadnwarrow</code>
$\leftleftarrows$	<code>\leftleftarrows</code>		<code>\rcirclearrowright</code>	$\rightarrow$	<code>\twoheadrightarrow</code>
$\mapsto$	<code>\mapsto</code>		<code>\rcirclearrowup</code>	$\searrow$	<code>\twoheadsearrow</code>
$\rightleftarrows$	<code>\rightleftarrows</code>		<code>\rcurvearrowdown</code>	$\swarrow$	<code>\twoheadswarrow</code>
$\rightleftharpoons$	<code>\rightleftharpoons</code>		<code>\rcurvearrowleft</code>	$\Uparrow$	<code>\twoheaduparrow</code>
$\rightleftarrows$	<code>\rightleftarrows</code>		<code>\rcurvearrowne</code>	$\uparrow$	<code>\uparrow</code>
$\rightsquigarrow$	<code>\rightsquigarrow</code>		<code>\rcurvearrownw</code>	$\Uparrow$	<code>\Uparrow</code>
$\hookrightarrow$	<code>\hookrightarrow</code>		<code>\rcurvearrowright</code>	$\uparrowtail$	<code>\uparrowtail</code>
$\hookleftarrow$	<code>\hookleftarrow</code>		<code>\rcurvearrowse</code>	$\updownarrow$	<code>\updownarrow</code>
$\hooknearrow$	<code>\hooknearrow</code>		<code>\rcurvearrowsw</code>	$\Updownarrow$	<code>\Updownarrow</code>
$\hookrightarrow$	<code>\hookrightarrow</code>		<code>\rcurvearrowup</code>	$\updownarrows$	<code>\updownarrows</code>
$\hookleftarrow$	<code>\hookleftarrow</code>		<code>\rhookdownarrow</code>	$\uplsql$	<code>\uplsql</code>
$\hooksearrow$	<code>\hooksearrow</code>		<code>\rhookleftarrow</code>	$\upmapsto$	<code>\upmapsto</code>
$\hookswarrow$	<code>\hookswarrow</code>		<code>\rhooknearrow</code>	$\uprsquigarrow$	<code>\uprsquigarrow</code>
$\hookuparrow$	<code>\hookuparrow</code>		<code>\rhooknwarrow</code>	$\upuparrows$	<code>\upuparrows</code>
$\lightning$	<code>\lightning</code>		<code>\rhookrightarrow</code>		
$\Lleftarrow$	<code>\Lleftarrow</code>		<code>\rhooksearrow</code>		

	<code>\circleftarrowleft</code>	(same as <code>\rcirclearrowup</code>)
	<code>\circrightarrowright</code>	(same as <code>\lcirclearrowup</code>)
	<code>\curvearrowleft</code>	(same as <code>\rcurvearrowleft</code>)
	<code>\curvearrowright</code>	(same as <code>\lcurvearrowright</code>)
	<code>\dashleftarrow</code>	(same as <code>\dashedleftarrow</code>)
	<code>\dashrightarrow</code>	(same as <code>\dashedrightarrow</code>)
	<code>\hookleftarrow</code>	(same as <code>\rhookleftarrow</code>)
	<code>\hookrightarrow</code>	(same as <code>\lhookrightarrow</code>)
	<code>\leadsto</code>	(same as <code>\righttsquigarrow</code>)
	<code>\leftrightsquigarrow</code>	(same as <code>\squigarrowleftright</code>)
	<code>\mapsto</code>	(same as <code>\rightmapsto</code>)
	<code>\rightsquigarrow</code>	(same as <code>\righttsquigarrow</code>)

* The `\partialvar...int` macros are intended to be used internally by MnSymbol to produce various types of integrals.

	<code>\ncurvecarrowdownup</code>		<code>\nlhookknwarrow</code>		<code>\nrightleftarrows</code>
	<code>\ncurvecarrowleftright</code>		<code>\nlhookrightarrow</code>		<code>\nrightlsquigarrow</code>
	<code>\ncurvecarrownesw</code>		<code>\nlhooksearrow</code>		<code>\nrightmapsto</code>
	<code>\ncurvecarrownwse</code>		<code>\nlhookswarrow</code>		<code>\nrightrightarrow</code>
	<code>\ncurvecarrowrightleft</code>		<code>\nlhookuparrow</code>		<code>\nrightrsquigarrow</code>
	<code>\ncurvearrowsenw</code>		<code>\nLleftarrow</code>		<code>\nRrightarrow</code>
	<code>\ncurvearrowswne</code>		<code>\nnearrow</code>		<code>\nsearrow</code>
	<code>\ncurvecarrowupdown</code>		<code>\nNearrow</code>		<code>\nsearrow</code>

72

(continued from previous page)

	<code>\ndasheddownarrow</code>		<code>\nnearrowtail</code>		<code>\nsearrowtail</code>
	<code>\ndashedleftarrow</code>		<code>\nnelsquigarrow</code>		<code>\nselsquigarrow</code>
	<code>\ndashednearrow</code>		<code>\nnemapsto</code>		<code>\nsemapsto</code>
	<code>\ndashednrightarrow</code>		<code>\nnenearrows</code>		<code>\nsenarrows</code>
	<code>\ndashedrightarrow</code>		<code>\nnersquigarrow</code>		<code>\nrsersquigarrow</code>
	<code>\ndashedsearrow</code>		<code>\nNeswarrow</code>		<code>\nsesearrows</code>
	<code>\ndashedswarrow</code>		<code>\nneswarrow</code>		<code>\nsquigarrowdownup</code>
	<code>\ndasheduparrow</code>		<code>\nneswarrows</code>		<code>\nsquigarrowleftright</code>
	<code>\ndownarrow</code>		<code>\nNwarrow</code>		<code>\nsquigarrownesw</code>
	<code>\nDownarrow</code>		<code>\nnwarrow</code>		<code>\nsquigarrownwse</code>
	<code>\ndownarrowtail</code>		<code>\nnwarrowtail</code>		<code>\nsquigarrowrightleft</code>
	<code>\ndowndownarrows</code>		<code>\nnwlsquigarrow</code>		<code>\nsquigarrowswne</code>
	<code>\ndownlsquigarrow</code>		<code>\nnwmapsto</code>		<code>\nsquigarrowswne</code>
	<code>\ndownmapsto</code>		<code>\nnwnwarrows</code>		<code>\nsquigarrowupdown</code>
	<code>\ndownrsquigarrow</code>		<code>\nnwrsquigarrow</code>		<code>\nswarrow</code>
	<code>\ndownuparrows</code>		<code>\nnwsearrow</code>		<code>\nSwarrow</code>
	<code>\nlcirclearrowdown</code>		<code>\nNwsearrow</code>		<code>\nswarrowtail</code>
	<code>\nlcirclearrowleft</code>		<code>\nnwsearrows</code>		<code>\nswlsquigarrow</code>
	<code>\nlcirclearrowright</code>		<code>\nrcirclearrowdown</code>		<code>\nswmapsto</code>
	<code>\nlcirclearrowup</code>		<code>\nrcirclearrowleft</code>		<code>\nswnearrows</code>
	<code>\nlcurv arrowdown</code>		<code>\nrcirclearrowright</code>		<code>\nswrsquigarrow</code>
	<code>\nlcurv arrowleft</code>		<code>\nrcirclearrowup</code>		<code>\nswswarrows</code>
	<code>\nlcurv arrowne</code>		<code>\nrcurve arrowdown</code>		<code>\ntwoheaddownarrow</code>
	<code>\nlcurv arrownw</code>		<code>\nrcurve arrowleft</code>		<code>\ntwoheadleftarrow</code>
	<code>\nlcurv arrowright</code>		<code>\nrcurve arrowne</code>		<code>\ntwoheadnearrow</code>
	<code>\nlcurv arrowse</code>		<code>\nrcurve arrownw</code>		<code>\ntwoheadnarrow</code>
	<code>\nlcurv arrowsw</code>		<code>\nrcurve arrowright</code>		<code>\ntwoheadrightarrow</code>
	<code>\nlcurv arrowup</code>		<code>\nrcurve arrowse</code>		<code>\ntwoheadsearrow</code>
	<code>\nLeftarrow</code>		<code>\nrcurve arrowsw</code>		<code>\ntwoheadswarrow</code>
	<code>\nleftarrow</code>		<code>\nrcurve arrowup</code>		<code>\ntwoheaduparrow</code>
	<code>\nleftarrowtail</code>		<code>\nrhookdownarrow</code>		<code>\nuparrow</code>
	<code>\nleftleftarrows</code>		<code>\nrhookleftarrow</code>		<code>\nUparrow</code>
	<code>\nleftlsquigarrow</code>		<code>\nrhooknearrow</code>		<code>\nuparrowtail</code>
	<code>\nleftmapsto</code>		<code>\nrhooknarrow</code>		<code>\nupdownarrow</code>
	<code>\nleftrightarrow</code>		<code>\nrhookrightarrow</code>		<code>\nUpdownarrow</code>
	<code>\nLeftrightarrow</code>		<code>\nrhooksearrow</code>		<code>\nupdownarrows</code>
	<code>\nleftrightarrows</code>		<code>\nrhookswarrow</code>		<code>\nuplsquigarrow</code>
	<code>\nleft rsquigarrow</code>		<code>\nrhookuparrow</code>		<code>\nupmapsto</code>
	<code>\nlhookdownarrow</code>		<code>\nrightarrow</code>		<code>\nuprsquigarrow</code>
	<code>\nlhookleftarrow</code>		<code>\nRightarrow</code>		<code>\nupuparrows</code>
	<code>\nlhooknearrow</code>		<code>\nrightarrowtail</code>		

MnSymbol additionally defines synonyms for some of the preceding symbols:

	<code>\ncirclearrowleft</code>	(same as <code>\nrcirclearrowup</code>)
	<code>\ncirclearrowright</code>	(same as <code>\nlcirclearrowup</code>)
	<code>\ncurvearrowleft</code>	(same as <code>\nrcurvearrowleft</code>)
	<code>\ncurvearrowright</code>	(same as <code>\nlcurvearrowright</code>)
$\dashrightarrow$	<code>\ndasharrow</code>	(same as <code>\ndashedrightarrow</code>)
$\dashleftarrow$	<code>\ndashleftarrow</code>	(same as <code>\ndashedleftarrow</code>)
$\dashrightarrow$	<code>\ndashrightarrow</code>	(same as <code>\ndashedrightarrow</code>)
$\leftarrow$	<code>\ngets</code>	(same as <code>\nleftarrow</code>)
$\hookleftarrow$	<code>\nhookleftarrow</code>	(same as <code>\nrhookleftarrow</code>)
$\hookrightarrow$	<code>\nhookrightarrow</code>	(same as <code>\nlhookrightarrow</code>)
$\rightarrowtail$	<code>\nleadsto</code>	(same as <code>\nrighttsquigarrow</code>)
$\leftrightsquigarrow$	<code>\nleftrightsquigarrow</code>	(same as <code>\nsquigarrowleftright</code>)
$\mapsto$	<code>\nmapsto</code>	(same as <code>\nrightmapsto</code>)
$\rightarrowtail$	<code>\nrighttsquigarrow</code>	(same as <code>\nrighttsquigarrow</code>)
$\rightarrow$	<code>\nto</code>	(same as <code>\nrightarrow</code>)

TABLE 150: MnSymbol Harpoons

$\downharpoonccw^*$	$\swharpoon$	$\searrow$	<code>\seharpooncw</code>
$\downharpooncw^*$	$\swharpoonsw$	$\nwarrow$	<code>\senwharpoons</code>
$\downupharpoons$	$\nwarrow$	$\swarrow$	<code>\swharpoonccw</code>
$\leftharpoonccw^*$	$\nwarrow$	$\swarrow$	<code>\swharpooncw</code>
$\leftharpooncw^*$	$\nwarrow$	$\swarrow$	<code>\swneharpoons</code>
$\leftrightharpoondownup$	$\nwarrow$	$\updownharpoonleftright$	
$\leftrightharpoons$	$\nwarrow$	$\updownharpoonrightleft$	
$\leftrightharpoonupdown$	$\rightarrow$	$\updownharpoons$	
$\nearrow$	$\rightarrow$	$\upharpoonccw^*$	
$\nearrow$	$\rightarrow$	$\upharpooncw^*$	
$\nearrow$	$\rightarrow$	$\upharpooncw^*$	

* Where marked, the “ccw” suffix can be replaced with “up” and the “cw” suffix can be replaced with “down”. (In addition, `\upharpooncw` can be written as `\restriction`.)

TABLE 151: MnSymbol Negated Harpoons

$\downharpoonccw^*$	$\nwarrow$	$\nwarrow$	<code>\nseharpooncw</code>
$\downharpooncw^*$	$\nwarrow$	$\nwarrow$	<code>\nsenwharpoons</code>
$\downupharpoons$	$\nwarrow$	$\nwarrow$	<code>\nswharpoonccw</code>
$\leftharpoonccw^*$	$\nwarrow$	$\nwarrow$	<code>\nswharpooncw</code>
$\leftharpooncw^*$	$\nwarrow$	$\nwarrow$	<code>\nswnearpoons</code>
$\leftrightharpoondownup$	$\nwarrow$	$\updownharpoonleftright$	
$\leftrightharpoons$	$\nwarrow$	$\updownharpoonrightleft$	
$\leftrightharpoonupdown$	$\rightarrow$	$\updownharpoons$	
$\nearrow$	$\rightarrow$	$\upharpoonccw^*$	
$\nearrow$	$\rightarrow$	$\upharpooncw^*$	
$\nearrow$	$\rightarrow$	$\upharpooncw^*$	

* Where marked, the “ccw” suffix can be replaced with “up” and the “cw” suffix can be replaced with “down”. (In addition, `\nupharpooncw` can be written as `\nrestriction`.)

TABLE 152: fdsymbol Arrows

	<code>\acwcirclearrowdown</code>		<code>\leftarrow</code>		<code>\rightrightarrows</code>
	<code>\acwcirclearrowleft</code>		<code>\leftarrowtail</code>		<code>\rightwvearrow</code>
	<code>\acwcirclearrowright</code>		<code>\lefttbkarrow</code>		<code>\Rrightarrow</code>
	<code>\acwcirclearrowup</code>		<code>\leftleftarrows</code>		<code>\Rsh</code>
	<code>\acwleftarcarrow</code>		<code>\leftmapsto</code>		<code>\searrow</code>
	<code>\acwnearcarrow</code>		<code>\Leftmapsto</code>		<code>\Searrow</code>
	<code>\acwnwarcarrow</code>		<code>\Leftrightarrow</code>		<code>\searrowtail</code>
	<code>\acwoverarcarrow</code>		<code>\leftrightarrow</code>		<code>\sebkarrow</code>
	<code>\acwrightarcarrow</code>		<code>\leftrightharrows</code>		<code>\senwarrows</code>
	<code>\acwsearcarrow</code>		<code>\leftrightwvearrow</code>		<code>\sesearrows</code>
	<code>\acswwarcarrow</code>		<code>\leftwvearrow</code>		<code>\Swarrow</code>
	<code>\acwunderarcarrow</code>		<code>\lightning</code>		<code>\swarrow</code>
	<code>\bdleftarcarrow</code>		<code>\Lleftarrow</code>		<code>\swarrowtail</code>
	<code>\bdnearcarrow</code>		<code>\Longleftarrow</code>		<code>\swbkarrow</code>
	<code>\bdnwarcarrow</code>		<code>\longleftarrow</code>		<code>\swnearrows</code>
	<code>\bdoverarcarrow</code>		<code>\longleftrightharrows</code>		<code>\swswarrows</code>
	<code>\bdrigharcarrow</code>		<code>\Longleftrightharrows</code>		<code>\twoheaddownarrow</code>
	<code>\bdsearcarrow</code>		<code>\longleftwvearrow</code>		<code>\twoheadleftarrow</code>
	<code>\bdswarcarrow</code>		<code>\Longmapsfrom</code>		<code>\twoheadnearrow</code>
	<code>\bdunderarcarrow</code>		<code>\longmapsfrom</code>		<code>\twoheadnwarrow</code>
	<code>\cwcirclearrowdown</code>		<code>\Longmapsto</code>		<code>\twoheadrightarrow</code>
	<code>\cwcirclearrowleft</code>		<code>\longmapsto</code>		<code>\twoheadsearrow</code>
	<code>\cwcirclearrowright</code>		<code>\longrightarrow</code>		<code>\twoheadswarrow</code>
	<code>\cwcirclearrowup</code>		<code>\Longrightarrow</code>		<code>\twoheaduparrow</code>
	<code>\cwleftarcarrow</code>		<code>\longrightwvearrow</code>		<code>\uparrow</code>
	<code>\cwnearcarrow</code>		<code>\looparrowleft</code>		<code>\Uparrow</code>
	<code>\cwnwarcarrow</code>		<code>\looparrowright</code>		<code>\uparrowtail</code>
	<code>\cwoverarcarrow</code>		<code>\Lsh</code>		<code>\upbkarrow</code>
	<code>\cwrightarcarrow</code>		<code>\nearrow</code>		<code>\Updownarrow</code>
	<code>\cwsearcarrow</code>		<code>\Nearrow</code>		<code>\updownarrow</code>
	<code>\cswwarcarrow</code>		<code>\nearrowtail</code>		<code>\updownarrows</code>
	<code>\cwunderarcarrow</code>		<code>\nebkarrow</code>		<code>\updownwvearrow</code>
	<code>\Ddownarrow</code>		<code>\nenearrows</code>		<code>\upmapsto</code>
	<code>\Downarrow</code>		<code>\Neswarrow</code>		<code>\Upmapsto</code>
	<code>\downarrow</code>		<code>\neswarrow</code>		<code>\upuparrows</code>
	<code>\downarrowtail</code>		<code>\neswarrows</code>		<code>\upwvearrow</code>
	<code>\downnbkarrow</code>		<code>\Nwarrow</code>		<code>\Uparrow</code>
	<code>\downdownarrows</code>		<code>\nwarrow</code>		<code>\vardownwvearrow</code>
	<code>\Downmapsto</code>		<code>\nwarrowtail</code>		<code>\varhookdownarrow</code>
	<code>\downmapsto</code>		<code>\nwbkarrow</code>		<code>\varhookleftarrow</code>
	<code>\downuparrows</code>		<code>\nwnwarrows</code>		<code>\varhooknearrow</code>
	<code>\downwvearrow</code>		<code>\Nwsearrow</code>		<code>\varhooknwarrow</code>
	<code>\hookdownarrow</code>		<code>\nwsearrow</code>		<code>\varhookrightarrow</code>
	<code>\hookleftarrow</code>		<code>\nwsearrows</code>		<code>\varhooksearrow</code>
	<code>\hooknearrow</code>		<code>\Rdsh</code>		<code>\varhookswarrow</code>
	<code>\hooknwarrow</code>		<code>\Rrightarrow</code>		<code>\varhookuparrow</code>
	<code>\hookrightarrow</code>		<code>\rightarrow</code>		<code>\varleftrightwvearrow</code>
	<code>\hooksearrow</code>		<code>\rightarrowtail</code>		<code>\varleftwvearrow</code>
	<code>\hookswarrow</code>		<code>\rightbkarrow</code>		<code>\varrightwvearrow</code>
	<code>\hookuparrow</code>		<code>\rightleftarrows</code>		<code>\varupdownwvearrow</code>
	<code>\Ldsh</code>		<code>\Rightmapsto</code>		<code>\varupwvearrow</code>

(continued on next page)

(continued from previous page)

$\Leftarrow$ `\Leftarrow` $\mapsto$ `\rightmapsto`

`fdsymbol` defines synonyms for most of the preceding symbols:

	<code>\acwgapcirclearrow</code>		<code>\leftrightsquigarrow</code>		<code>\rhookknwarrow</code>
	<code>\acwopencirclearrow</code>		<code>\leftrsquigarrow</code>		<code>\rhookrightarrow</code>
	<code>\circlearrowleft</code>		<code>\leftsquigarrow</code>		<code>\rhooksearrow</code>
	<code>\circlearrowright</code>		<code>\leftupcurvedarrow</code>		<code>\rhookswarrow</code>
	<code>\curvearrowleft</code>		<code>\lhookdownarrow</code>		<code>\rhookuparrow</code>
	<code>\curvearrowright</code>		<code>\lhookleftarrow</code>		<code>\rightcurvedarrow</code>
	<code>\cwgapcirclearrow</code>		<code>\lhooknearrow</code>		<code>\rightdowncurvedarrow</code>
	<code>\cwopencirclearrow</code>		<code>\lhooknwarrow</code>		<code>\righttlcurvearrow</code>
	<code>\dasharrow</code>		<code>\lhookrightarrow</code>		<code>\rightleftcurvearrow</code>
	<code>\dashleftarrow</code>		<code>\lhooksearrow</code>		<code>\rightleftsquigarrow</code>
	<code>\dashrightarrow</code>		<code>\lhookswarrow</code>		<code>\rightlsquigarrow</code>
	<code>\downlcurvearrow</code>		<code>\lhookuparrow</code>		<code>\rightrcurvearrow</code>
	<code>\downleftcurvedarrow</code>		<code>\longleadsto</code>		<code>\righttrsquigarrow</code>
	<code>\downlsquigarrow</code>		<code>\longleftsquigarrow</code>		<code>\rightsquigarrow</code>
	<code>\downrcurvearrow</code>		<code>\longrightsquigarrow</code>		<code>\rightupcurvedarrow</code>
	<code>\downrightcurvedarrow</code>		<code>\mapsdown</code>		<code>\selcurvearrow</code>
	<code>\downrsquigarrow</code>		<code>\Mapsdown</code>		<code>\senwcurvearrow</code>
	<code>\downupcurvearrow</code>		<code>\mapsfrom</code>		<code>\sercurvearrow</code>
	<code>\downupsquigarrow</code>		<code>\Mapsfrom</code>		<code>\swlcurvearrow</code>
	<code>\downzigzagarrow</code>		<code>\mapsto</code>		<code>\swnecurvearrow</code>
	<code>\gets</code>		<code>\Mapsto</code>		<code>\swrcurvearrow</code>
	<code>\hknearrow</code>		<code>\mapsup</code>		<code>\to</code>
	<code>\hknwarrow</code>		<code>\Mapsup</code>		<code>\updowncurvearrow</code>
	<code>\hksearrow</code>		<code>\nelcurvearrow</code>		<code>\updownsquigarrow</code>
	<code>\hkswarrow</code>		<code>\nercurvearrow</code>		<code>\uplcurvearrow</code>
	<code>\leadsto</code>		<code>\neswcurvearrow</code>		<code>\upleftcurvedarrow</code>
	<code>\leftcurvedarrow</code>		<code>\nwlcurvearrow</code>		<code>\uplsquigarrow</code>
	<code>\leftdowncurvedarrow</code>		<code>\nwrcurvearrow</code>		<code>\uprcurvearrow</code>
	<code>\lefttlcurvearrow</code>		<code>\nwsecurvearrow</code>		<code>\uprightcurvearrow</code>
	<code>\leftlsquigarrow</code>		<code>\rhookdownarrow</code>		<code>\uprsquigarrow</code>
	<code>\leftrcurvearrow</code>		<code>\rhookleftarrow</code>		
	<code>\leftrightcurvearrow</code>		<code>\rhooknearrow</code>		

TABLE 153: `fdsymbol` Negated Arrows

	<code>\nacwcirclearrowdown</code>		<code>\nleftarrow</code>		<code>\nrightarrow</code>
	<code>\nacwcirclearrowleft</code>		<code>\nLeftarrow</code>		<code>\nsearrow</code>
	<code>\nacwcirclearrowright</code>		<code>\nleftarrowtail</code>		<code>\nsearrowtail</code>
	<code>\nacwcirclearrowup</code>		<code>\nlefttbkarrow</code>		<code>\nsearrowtail</code>
	<code>\nacwleftarcarrow</code>		<code>\nleftleftarrows</code>		<code>\nsebkarrow</code>
	<code>\nacwnearcarrow</code>		<code>\nleftmapsto</code>		<code>\nsenwarrows</code>
	<code>\nacwnwarcarrow</code>		<code>\nLeftmapsto</code>		<code>\nsesearrows</code>
	<code>\nacwoverarcarrow</code>		<code>\nleftrightarrow</code>		<code>\nswarrow</code>

(continued on next page)

(continued from previous page)

	<code>\nacwrightarcarrow</code>		<code>\nLefttrightarrow</code>		<code>\nSwarrow</code>
	<code>\nacwsearcarrow</code>		<code>\nlefttrightarrows</code>		<code>\nswarrowtail</code>
	<code>\nacwswarcarrow</code>		<code>\nlefttrightwvearrow</code>		<code>\nswbkarrow</code>
	<code>\nacwunderarcarrow</code>		<code>\nleftwvearrow</code>		<code>\nswnearrows</code>
	<code>\nbdleftarcarrow</code>		<code>\nLleftarrow</code>		<code>\nswswarrows</code>
	<code>\nbdnearcarrow</code>		<code>\nlongleftarrow</code>		<code>\ntwoheaddownarrow</code>
	<code>\nbdnwarcarrow</code>		<code>\nLongleftarrow</code>		<code>\ntwoheadleftarrow</code>
	<code>\nbdoverarcarrow</code>		<code>\nlongleftrightharrow</code>		<code>\ntwoheadnearrow</code>
	<code>\nbdrightarcarrow</code>		<code>\nLongleftrightharrow</code>		<code>\ntwoheadnwarrow</code>
	<code>\nbdsearcarrow</code>		<code>\nlongleftwvearrow</code>		<code>\ntwoheadrightarrow</code>
	<code>\nbdswarcarrow</code>		<code>\nlongmapsfrom</code>		<code>\ntwoheadsearrow</code>
	<code>\nbdunderarcarrow</code>		<code>\nLongmapsfrom</code>		<code>\ntwoheadswarrow</code>
	<code>\ncwcirculararrowdown</code>		<code>\nlongmapsto</code>		<code>\ntwoheaduparrow</code>
	<code>\ncwcirculararrowleft</code>		<code>\nLongmapsto</code>		<code>\nuparrow</code>
	<code>\ncwcirculararrowright</code>		<code>\nlongrightarrow</code>		<code>\nUparrow</code>
	<code>\ncwcirculararrowup</code>		<code>\nLongrightarrow</code>		<code>\nuparrowtail</code>
	<code>\ncwleftarcarrow</code>		<code>\nlongrightwvearrow</code>		<code>\nupbkarrow</code>
	<code>\ncwnearcarrow</code>		<code>\nnearrow</code>		<code>\nupdownarrow</code>
	<code>\ncwnwarcarrow</code>		<code>\nNearrow</code>		<code>\nUpdownarrow</code>
	<code>\ncwoverarcarrow</code>		<code>\nnearrowtail</code>		<code>\nupdownarrows</code>
	<code>\ncwrightarcarrow</code>		<code>\nnebkarrow</code>		<code>\nupdownwvearrow</code>
	<code>\ncwsearcarrow</code>		<code>\nnenearrows</code>		<code>\nupmapsto</code>
	<code>\ncwswarcarrow</code>		<code>\nneswarrow</code>		<code>\nUpmapsto</code>
	<code>\ncwunderarcarrow</code>		<code>\nNeswarrow</code>		<code>\nupuparrows</code>
	<code>\nDdownarrow</code>		<code>\nneswarrows</code>		<code>\nupwvearrow</code>
	<code>\ndownarrow</code>		<code>\nnwarrow</code>		<code>\nUpuparrow</code>
	<code>\nDownarrow</code>		<code>\nNwarrow</code>		<code>\nvardownwvearrow</code>
	<code>\ndownarrowtail</code>		<code>\nnwarrowtail</code>		<code>\nvarhookdownarrow</code>
	<code>\ndownbkarrow</code>		<code>\nnwbkarrow</code>		<code>\nvarhookleftarrow</code>
	<code>\ndowndownarrows</code>		<code>\nnwnwarrows</code>		<code>\nvarhooknearrow</code>
	<code>\ndownmapsto</code>		<code>\nnwsearrow</code>		<code>\nvarhooknwarrow</code>
	<code>\nDownmapsto</code>		<code>\nNwsearrow</code>		<code>\nvarhookrightarrow</code>
	<code>\ndownuparrows</code>		<code>\nnwsearrows</code>		<code>\nvarhooksearrow</code>
	<code>\ndownwvearrow</code>		<code>\nrightarrow</code>		<code>\nvarhookswarrow</code>
	<code>\nhookdownarrow</code>		<code>\nrightarrow</code>		<code>\nvarhookuparrow</code>
	<code>\nhookleftarrow</code>		<code>\nrightarrowtail</code>		<code>\nvarleftrighthwvearrow</code>
	<code>\nhooknearrow</code>		<code>\nrightbkarrow</code>		<code>\nvarleftwvearrow</code>
	<code>\nhooknwarrow</code>		<code>\nrightleftarrows</code>		<code>\nvarrightwvearrow</code>
	<code>\nhookrightarrow</code>		<code>\nrightmapsto</code>		<code>\nvarupdownwvearrow</code>
	<code>\nhooksearrow</code>		<code>\nRightmapsto</code>		<code>\nvarupwvearrow</code>
	<code>\nhookswarrow</code>		<code>\nrighttrightarrows</code>		
	<code>\nhookuparrow</code>		<code>\nrightwvearrow</code>		

fdsymbol defines synonyms for most of the preceding symbols:

	<code>\nacwgapcirculararrow</code>		<code>\nleftdowncurvedarrow</code>		<code>\nrightcurvedarrow</code>
	<code>\nacwopencirculararrow</code>		<code>\nleftlcurvearrow</code>		<code>\nrightdowncurvedarrow</code>
	<code>\ncirculararrowleft</code>		<code>\nleftlsquigarrow</code>		<code>\nrightlcurvearrow</code>
	<code>\ncirculararrowright</code>		<code>\nleftrcurvearrow</code>		<code>\nrightleftcurvearrow</code>
	<code>\ncurvearrowleft</code>		<code>\nleftrighcurvearrow</code>		<code>\nrightleftsquigarrow</code>
	<code>\ncurvearrowright</code>		<code>\nleftrightsquigarrow</code>		<code>\nrightlsquigarrow</code>
	<code>\ncwgapcirculararrow</code>		<code>\nleftrsquigarrow</code>		<code>\nrightrcurvearrow</code>
	<code>\ncwopencirculararrow</code>		<code>\nleftsquigarrow</code>		<code>\nrightrsquigarrow</code>

(continued on next page)

(continued from previous page)

$\dashrightarrow$	<code>\ndasharrow</code>	$\curvearrowleft$	<code>\nleftupcurvedarrow</code>	$\curvearrowright$	<code>\nrightsquigarrow</code>
$\dashleftarrow$	<code>\ndashleftarrow</code>	$\leadsto$	<code>\nlongleadsto</code>	$\curvearrowright$	<code>\nrightupcurvedarrow</code>
$\dashrightarrow$	<code>\ndashrightarrow</code>	$\rightsquigarrow$	<code>\nlongleftsquigarrow</code>	$\curvearrowleft$	<code>\nselcurvearrow</code>
$\downarrow$	<code>\ndownlcurvearrow</code>	$\rightsquigarrow$	<code>\nlongrightsquigarrow</code>	$\curvearrowleft$	<code>\nsenwcurvearrow</code>
$\downarrow$	<code>\ndownleftcurvedarrow</code>	$\Downarrow$	<code>\nmapsdown</code>	$\curvearrowleft$	<code>\nsercurvearrow</code>
$\downarrow$	<code>\ndownlsquigarrow</code>	$\Downarrow$	<code>\nMapsdown</code>	$\curvearrowleft$	<code>\nswlcurvearrow</code>
$\downarrow$	<code>\ndownrcurvearrow</code>	$\Leftarrow$	<code>\nmapsfrom</code>	$\curvearrowleft$	<code>\nswnecurvearrow</code>
$\downarrow$	<code>\ndownrightcurvedarrow</code>	$\Leftarrow$	<code>\nMapsfrom</code>	$\curvearrowleft$	<code>\nswrcurvearrow</code>
$\downarrow$	<code>\ndownrsquigarrow</code>	$\mapsto$	<code>\nmapsto</code>	$\rightarrow$	<code>\nto</code>
$\downarrow$	<code>\ndownupcurvearrow</code>	$\mapsto$	<code>\nMapsto</code>	$\updownarrow$	<code>\nupdowncurvearrow</code>
$\downarrow$	<code>\ndownupsquigarrow</code>	$\Uparrow$	<code>\nmapsup</code>	$\downarrow$	<code>\nupdownsquigarrow</code>
$\leftarrow$	<code>\ngets</code>	$\Uparrow$	<code>\nMapsup</code>	$\uparrow$	<code>\nuplcurvearrow</code>
$\nearrow$	<code>\nhknearrow</code>	$\rightarrow$	<code>\nnelcurvearrow</code>	$\rightarrow$	<code>\nupleftcurvedarrow</code>
$\nearrow$	<code>\nhknwarrow</code>	$\rightarrow$	<code>\nnercurvearrow</code>	$\rightarrow$	<code>\nuplsquigarrow</code>
$\nearrow$	<code>\nhksearrow</code>	$\rightarrow$	<code>\nneswcurvearrow</code>	$\rightarrow$	<code>\nuprcurvearrow</code>
$\nearrow$	<code>\nhkswarrow</code>	$\rightarrow$	<code>\nnwlcurvearrow</code>	$\rightarrow$	<code>\nuprightcurvearrow</code>
$\rightarrow$	<code>\nleadsto</code>	$\curvearrowleft$	<code>\nnwrcurvearrow</code>	$\rightarrow$	<code>\nuprsquigarrow</code>
$\rightarrow$	<code>\nleftcurvedarrow</code>	$\curvearrowleft$	<code>\nnwsecurvearrow</code>		

TABLE 154: fdsymbol Harpoons

$\downarrow$	<code>\downharpoonleft</code>	$\nearrow$	<code>\neswharpoons</code>	$\searrow$	<code>\seharpoonsw</code>
$\downarrow$	<code>\downharpoonright</code>	$\nearrow$	<code>\neswharpoonsenw</code>	$\searrow$	<code>\senwharpoons</code>
$\uparrow$	<code>\downupharpoons</code>	$\searrow$	<code>\nwharpoonne</code>	$\swarrow$	<code>\swharpoonnw</code>
$\leftarrow$	<code>\leftharpoondown</code>	$\searrow$	<code>\nwharpoonsw</code>	$\swarrow$	<code>\swharpoonse</code>
$\leftarrow$	<code>\leftharpoonup</code>	$\searrow$	<code>\nwseharpoonnesw</code>	$\swarrow$	<code>\swneharpoons</code>
$\rightarrow$	<code>\leftrightharpoondownup</code>	$\searrow$	<code>\nwseharpoons</code>	$\updownarrow$	<code>\updownharpoonleftright</code>
$\rightarrow$	<code>\leftrightharpoons</code>	$\searrow$	<code>\nwseharpoonswne</code>	$\downarrow$	<code>\updownharpoonrightleft</code>
$\rightarrow$	<code>\leftrightharpoonupdown</code>	$\rightarrow$	<code>\rightharpoondown</code>	$\updownarrow$	<code>\updownharpoons</code>
$\nearrow$	<code>\neharpoonnw</code>	$\rightarrow$	<code>\rightharpoonup</code>	$\uparrow$	<code>\upharpoonleft</code>
$\nearrow$	<code>\neharpoonse</code>	$\rightarrow$	<code>\rightleftharpoons</code>	$\uparrow$	<code>\upharpoonright</code>
$\nearrow$	<code>\neswharpoonnwse</code>	$\searrow$	<code>\seharpoonne</code>		

fdsymbol defines `\restriction` as a synonym for `\upharpoonright`,
`\updownharpoonsleftright` as a synonym for `\updownharpoons`, and
`\downupharpoonsleftright` as a synonym for `\downupharpoons`.

TABLE 155: fdsymbol Negated Harpoons

$\dharpoonleft$	<code>\ndownharpoonleft</code>	$\nharpoonleft$	<code>\nneswharpoons</code>	$\nwarrow$	<code>\nseharpoonsw</code>
$\rharpoonleft$	<code>\ndownharpoonright</code>	$\nharpoonright$	<code>\nneswharpoonsenw</code>	$\nwarrow$	<code>\nsenwharpoons</code>
$\dharpoonup$	<code>\ndownupharpoons</code>	$\nwarrow$	<code>\nnwharpoonne</code>	$\nwarrow$	<code>\nswharpoonnw</code>
$\leftharpoonup$	<code>\nleftharpoondown</code>	$\nwarrow$	<code>\nnwharpoonsw</code>	$\nwarrow$	<code>\nswharpoonse</code>
$\leftharpoonup$	<code>\nleftharpoonup</code>	$\nwarrow$	<code>\nnwseharpoonsesw</code>	$\nwarrow$	<code>\nswneharpoons</code>
$\leftrightharpoonup$	<code>\nleftrightharpoondownup</code>	$\nwarrow$	<code>\nnwseharpoons</code>	$\nwarrow$	<code>\nupdownharpoonleftright</code>
$\leftrightharpoons$	<code>\nleftrightharpoons</code>	$\nwarrow$	<code>\nnwseharpoonswne</code>	$\nwarrow$	<code>\nupdownharpoonrightleft</code>
$\leftrightharpoonup$	<code>\nleftrightharpoonupdown</code>	$\nwarrow$	<code>\nrightharpoondown</code>	$\nwarrow$	<code>\nupdownharpoons</code>
$\nwarrow$	<code>\nneharpoonnw</code>	$\nwarrow$	<code>\nrightharpoonup</code>	$\nwarrow$	<code>\nupharpoonleft</code>
$\nwarrow$	<code>\nneharpoonse</code>	$\nwarrow$	<code>\nrightharpoonright</code>	$\nwarrow$	<code>\nupharpoonright</code>
$\nwarrow$	<code>\nneswharpoonnwse</code>	$\nwarrow$	<code>\nseharpoonne</code>		

fdsymbol defines `\nrestriction` as a synonym for `\nupharpoonright`, `\ndownupharpoonsleftright` as a synonym for `\ndownupharpoons`, and `\nupdownharpoonsleftright` as a synonym for `\nupdownharpoons`.

TABLE 156: boisik Arrows

$\bar{\leftarrow}$	<code>\barleftarrow</code>	$\upharpoonleft$	<code>\Lsh</code>
$\bar{\leftrightarrow}$	<code>\barleftarrowrightarrowbar</code>	$\Downarrow$	<code>\mapsdown</code>
$\bar{\nwarrow}$	<code>\barovernorthwestarrow</code>	$\Leftarrow$	<code>\Mapsfrom</code>
$\hookleftarrow$	<code>\carriagereturn</code>	$\Leftarrow$	<code>\mapsfrom</code>
$\circlearrowleft$	<code>\circlearrowleft</code>	$\Rightarrow$	<code>\Mapsto</code>
$\circlearrowright$	<code>\circlearrowright</code>	$\Rightarrow$	<code>\mapsto</code>
$\cupleftarrow$	<code>\cupleftarrow</code>	$\Uparrow$	<code>\mapsup</code>
$\curlyvee\downarrow$	<code>\curlyveedownarrow</code>	$\nearrow$	<code>\Nearrow</code>
$\curlyvee\uparrow$	<code>\curlyveeuparrow</code>	$\nearrow$	<code>\nearrowcorner</code>
$\curlywedgedownarrow$	<code>\curlywedgedownarrow</code>	$\nearrow$	<code>\nnearrow</code>
$\curlywedgeuparrow$	<code>\curlywedgeuparrow</code>	$\nearrow$	<code>\nnwarrow</code>
$\curvearrowleft$	<code>\curvearrowleft</code>	$\nearrow$	<code>\Nwarrow</code>
$\curvearrowleft\rightarrow$	<code>\curvearrowleft\rightarrow</code>	$\nearrow$	<code>\nwarrowcorner</code>
$\curvearrowright$	<code>\curvearrowright</code>	$\rightarrow$	<code>\rightarrowbar</code>
$\curvearrowright\rightarrow$	<code>\curvearrowright\rightarrow</code>	$\rightarrow$	<code>\rightarrowcircle</code>
$\curvearrowright\rightarrow$	<code>\curvearrowright\rightarrow</code>	$\rightarrow$	<code>\rightarrowtail</code>
$\curvearrowright\rightarrow$	<code>\curvearrowright\rightarrow</code>	$\rightarrow$	<code>\rightarrowTriangle</code>
$\downarrow$	<code>\dlsh</code>	$\rightarrow$	<code>\rightarrowtriangle</code>
$\downarrow$	<code>\downblackarrow</code>	$\rightarrow$	<code>\rightblackarrow</code>
$\downarrow$	<code>\downdasharrow</code>	$\rightarrow$	<code>\rightdasharrow</code>
$\downarrow$	<code>\downdownarrows</code>	$\rightarrow$	<code>\rightleftarrows</code>
$\downarrow$	<code>\downtouparrow</code>	$\rightarrow$	<code>\rightrightarrows</code>
$\downarrow$	<code>\downwhitearrow</code>	$\rightarrow$	<code>\rightsquigarrow</code>
$\downarrow$	<code>\downzigzagarrow</code>	$\rightarrow$	<code>\rightthreearrows</code>
$\downarrow$	<code>\drsh</code>	$\rightarrow$	<code>\righttoleftarrow</code>
$\leftrightarrow$	<code>\eqleftarrow</code>	$\rightarrow$	<code>\rightwhitearrow</code>
$\hookleftarrow$	<code>\hookleftarrow</code>	$\rightarrow$	<code>\rightwhiteroundarrow</code>
$\hookrightarrow$	<code>\hookrightarrow</code>	$\Rightarrow$	<code>\Rrightarrow</code>
$\leftarrow$	<code>\leftarrowtail</code>	$\rightarrow$	<code>\Rsh</code>
$\leftarrow$	<code>\leftarrowTriangle</code>	$\rightarrow$	<code>\Searrow</code>

(continued on next page)

(continued from previous page)

$\leftarrow$	<code>\leftarrowtriangle</code>	$\searrow$	<code>\ssearrow</code>
$\blackleftarrow$	<code>\leftblackarrow</code>	$\swarrow$	<code>\sswarrow</code>
$\dashleftarrow$	<code>\leftdasharrow</code>	$\swarrow\swarrow$	<code>\Sswarrow</code>
$\leftrightsquigarrow$	<code>\leftrightsquigarrow</code>	$\Downarrow$	<code>\twoheaddownarrow</code>
$\rightleftarrows$	<code>\rightleftarrows</code>	$\Leftarrow$	<code>\twoheadleftarrow</code>
$\leftrightarrows$	<code>\leftrightarrows</code>	$\Rightarrow$	<code>\twoheadrightarrow</code>
$\rightleftarrows$	<code>\rightleftarrows</code>	$\Uparrow$	<code>\twoheaduparrow</code>
$\rightleftarrows$	<code>\rightleftarrows</code>	$\Updownarrow$	<code>\twoheadwhiteuparrow</code>
$\rightleftarrows$	<code>\rightleftarrows</code>	$\Updownarrow$	<code>\twoheadwhiteuparrowpedestal</code>
$\rightleftarrows$	<code>\rightleftarrows</code>	$\Uparrow$	<code>\upblackarrow</code>
$\rightleftarrows$	<code>\rightleftarrows</code>	$\Uparrow$	<code>\updasharrow</code>
$\rightleftarrows$	<code>\rightleftarrows</code>	$\Updownarrow$	<code>\updownarrowbar</code>
$\rightleftarrows$	<code>\rightleftarrows</code>	$\Updownarrow$	<code>\updownblackarrow</code>
$\rightleftarrows$	<code>\rightleftarrows</code>	$\Updownarrow$	<code>\updownwhitearrow</code>
$\rightleftarrows$	<code>\rightleftarrows</code>	$\Updownarrow$	<code>\uptodownarrow</code>
$\rightleftarrows$	<code>\rightleftarrows</code>	$\Uparrow$	<code>\upuparrows</code>
$\rightleftarrows$	<code>\rightleftarrows</code>	$\Uparrow$	<code>\upwhitearrow</code>
$\rightleftarrows$	<code>\rightleftarrows</code>	$\Updownarrow$	<code>\whitearrowupfrombar</code>
$\rightleftarrows$	<code>\rightleftarrows</code>	$\Updownarrow$	<code>\whitearrowuppedestal</code>
$\rightleftarrows$	<code>\rightleftarrows</code>	$\Updownarrow$	<code>\whitearrowuppedestalthbar</code>
$\rightleftarrows$	<code>\rightleftarrows</code>	$\Updownarrow$	<code>\whitearrowuppedestaltvbar</code>

Many of these symbols are defined only if the `arrows` package option is specified.

TABLE 157: boisik Negated Arrows

$\nrightarrow$	<code>\nrightarrow</code>	$\nrightarrow$	<code>\nrightarrow</code>	$\nrightarrow$	<code>\nrightarrow</code>
$\nrightarrow$	<code>\nrightarrow</code>	$\nrightarrow$	<code>\nrightarrow</code>	$\nrightarrow$	<code>\nrightarrow</code>
$\nrightarrow$	<code>\nrightarrow</code>	$\nrightarrow$	<code>\nrightarrow</code>	$\nrightarrow$	<code>\nrightarrow</code>
$\nrightarrow$	<code>\nrightarrow</code>	$\nrightarrow$	<code>\nrightarrow</code>	$\nrightarrow$	<code>\nrightarrow</code>

Many of these symbols are defined only if the `arrows` package option is specified.

TABLE 158: boisik Harpoons

$\Downarrow$	<code>\downharpoonleft</code>	$\leftrightharpoons$	<code>\leftrightharpoons</code>	$\Uparrow$	<code>\upharpoonleft</code>
$\Downarrow$	<code>\downharpoonright</code>	$\rightarrow$	<code>\rightarrow</code>	$\Uparrow$	<code>\upharpoonright</code>
$\leftarrow$	<code>\leftharpoonup</code>	$\rightarrow$	<code>\rightarrow</code>		
$\leftarrow$	<code>\leftharpoonup</code>	$\rightarrow$	<code>\rightarrow</code>		

TABLE 159: stix Arrows

	<code>\acwccirclearrow</code>		<code>\longmapsto</code>
	<code>\acwgapccirclearrow</code>		<code>\Longmapsto</code>
	<code>\acwleftarcarrow</code>		<code>\longrightarrow</code>
	<code>\acwoverarcarrow</code>		<code>\Longrightarrow</code>
	<code>\acwunderarcarrow</code>		<code>\longrightsquigarrow</code>
	<code>\barleftarrow</code>		<code>\looparrowleft</code>
	<code>\barleftarrowrightarrowbar*</code>		<code>\looparrowright</code>
	<code>\barrightarrowdiamond</code>		<code>\Lsh</code>
	<code>\baruparrow</code>		<code>\mapsdown</code>
	<code>\bsimilarleftarrow</code>		<code>\Mapsfrom</code>
	<code>\bsimilarrightarrow</code>		<code>\mapsfrom</code>
	<code>\carriagereturn*</code>		<code>\mapsto</code>
	<code>\ccwundercurvearrow</code>		<code>\Mapsto</code>
	<code>\circlearrowleft</code>		<code>\mapsup</code>
	<code>\circlearrowright</code>		<code>\Nearrow</code>
	<code>\circleonleftarrow</code>		<code>\nearrow</code>
	<code>\circleonrightarrow</code>		<code>\neovnwarrow*</code>
	<code>\curvearrowleft</code>		<code>\neovsearrow*</code>
	<code>\curvearrowleftplus</code>		<code>\neswarrow</code>
	<code>\curvearrowright</code>		<code>\nwarrow</code>
	<code>\curvearrowrightminus</code>		<code>\Nwarrow</code>
	<code>\cwcirclearrow</code>		<code>\nwovnearrow*</code>
	<code>\cwgapccirclearrow</code>		<code>\nwsearrow</code>
	<code>\cwrightarcarrow</code>		<code>\rdiagovsearrow*</code>
	<code>\cwundercurvearrow</code>		<code>\Rdsh</code>
	<code>\dbkarow</code>		<code>\Rightarrow</code>
	<code>\DDownarrow</code>		<code>\rightarrow</code>
	<code>\Ddownarrow</code>		<code>\rightarrowapprox</code>
	<code>\diamondleftarrow</code>		<code>\rightarrowbackapprox</code>
	<code>\diamondleftarrowbar</code>		<code>\rightarrowbar</code>
	<code>\downarrow</code>		<code>\rightarrowbsimilar</code>
	<code>\Downarrow</code>		<code>\rightarrowdiamond</code>
	<code>\downarrowbar</code>		<code>\rightarrowonoplus</code>
	<code>\downarrowbarred</code>		<code>\rightarrowplus</code>
	<code>\downdasharrow*</code>		<code>\rightarrowshortleftarrow</code>
	<code>\downdownarrows</code>		<code>\rightarrowsimilar</code>
	<code>\downrightcurvedarrow*</code>		<code>\rightarrowtail</code>
	<code>\downuparrows</code>		<code>\rightarrowtriangle</code>
	<code>\downwhitearrow*</code>		<code>\rightarrowx</code>
	<code>\downzigzagarrow</code>		<code>\rightarrowbkarrow</code>
	<code>\draftingarrow*</code>		<code>\rightarrowcurvedarrow</code>
	<code>\drbkarow</code>		<code>\rightarrowdasharrow*</code>
	<code>\eualleftarrow</code>		<code>\rightarrowdotarrow</code>
	<code>\equalrightarrow</code>		<code>\rightarrowdowncurvedarrow</code>
	<code>\fdiagovnearrow*</code>		<code>\rightleftarrows</code>
	<code>\hknearrow</code>		<code>\rightrightarrows</code>
	<code>\hknwarrow</code>		<code>\rightsquigarrow</code>
	<code>\hksearrow</code>		<code>\rightthreearrows</code>
	<code>\hkswarrow</code>		<code>\rightwavearrow</code>
	<code>\hookleftarrow</code>		<code>\rightarrowwhitearrow*</code>
	<code>\hookrightarrow</code>		<code>\RRrightarrow</code>
	<code>\Ldsh</code>		<code>\Rrightarrow</code>

(continued on next page)

(continued from previous page)

$\leftarrow$	<code>\leftarrow</code>	$\rightarrow$	<code>\Rsh</code>
$\Leftarrow$	<code>\Leftarrow</code>	$\searrow$	<code>\searrow</code>
$\approxleftarrow$	<code>\leftarrowapprox</code>	$\swarrow$	<code>\swarrow</code>
$\backleftarrow$	<code>\leftarrowbackapprox</code>	$\nearrow$	<code>\nearrow*</code>
$\rightsquigarrow$	<code>\leftarrowbsimilar</code>	$\leftrightarrow$	<code>\shortrightarrowleftarrow</code>
$\oplusleftarrow$	<code>\leftarrowonoplus</code>	$\leftarrowsim$	<code>\similarleftarrow</code>
$\rightarrowtail$	<code>\leftarrowplus</code>	$\rightsquigarrow$	<code>\similarrightarrow</code>
$\rightarrowtail$	<code>\leftarrowshortrightarrow</code>	$\swarrow$	<code>\swarrow</code>
$\rightarrowtail$	<code>\leftarrowsimilar</code>	$\swarrow$	<code>\swarrow</code>
$\rightarrowtail$	<code>\leftarrowtail</code>	$\times$	<code>\toea</code>
$\rightarrowtail$	<code>\leftarrowtriangle</code>	$\times$	<code>\tona</code>
$\rightarrowtail$	<code>\leftarrowx</code>	$\times$	<code>\tosa</code>
$\rightarrowtail$	<code>\leftbkarrow</code>	$\times$	<code>\towa</code>
$\rightarrowtail$	<code>\leftcurvedarrow</code>	$\downarrow$	<code>\twoheaddownarrow</code>
$\rightarrowtail$	<code>\leftdasharrow*</code>	$\leftarrow$	<code>\twoheadleftarrow</code>
$\rightarrowtail$	<code>\leftdbkarrow</code>	$\leftarrow$	<code>\twoheadleftarrowtail</code>
$\rightarrowtail$	<code>\leftdotarrow</code>	$\leftarrow$	<code>\twoheadleftdbkarrow</code>
$\rightarrowtail$	<code>\leftdowncurvedarrow</code>	$\leftarrow$	<code>\twoheadmapsfrom</code>
$\rightarrowtail$	<code>\leftleftarrows</code>	$\rightarrow$	<code>\twoheadmapsto</code>
$\rightarrowtail$	<code>\leftrightarrow</code>	$\rightarrow$	<code>\twoheadrightarrow</code>
$\rightarrowtail$	<code>\leftrightharpoonup</code>	$\rightarrow$	<code>\twoheadrightarrowtail</code>
$\rightarrowtail$	<code>\leftrightharpoonupcircle</code>	$\uparrow$	<code>\twoheaduparrow</code>
$\rightarrowtail$	<code>\leftrightharpoons</code>	$\uparrow$	<code>\twoheaduparrowcircle</code>
$\rightarrowtail$	<code>\leftrightharpoonuptriangle</code>	$\uparrow$	<code>\uparrow</code>
$\rightarrowtail$	<code>\leftrightsquigarrow</code>	$\Uparrow$	<code>\Uparrow</code>
$\rightarrowtail$	<code>\leftsquigarrow</code>	$\uparrow$	<code>\uparrowbarred</code>
$\rightarrowtail$	<code>\leftthreearrows</code>	$\vdash$	<code>\updasharrow*</code>
$\rightarrowtail$	<code>\leftwvearrow</code>	$\Updownarrow$	<code>\Updownarrow</code>
$\rightarrowtail$	<code>\leftwhitearrow*</code>	$\updownarrow$	<code>\updownarrow</code>
$\rightarrowtail$	<code>\linefeed*</code>	$\updownarrow$	<code>\updownarrowbar*</code>
$\rightarrowtail$	<code>\LLeftarrow</code>	$\updownarrow$	<code>\updownarrows</code>
$\rightarrowtail$	<code>\Lleftarrow</code>	$\rightarrow$	<code>\uprightcurvearrow*</code>
$\rightarrowtail$	<code>\longleftarrow</code>	$\Uparrow$	<code>\upuparrows</code>
$\rightarrowtail$	<code>\Longleftarrow</code>	$\uparrow$	<code>\upwhitearrow*</code>
$\rightarrowtail$	<code>\Longleftrightarrow</code>	$\Uparrow$	<code>\Uparrow</code>
$\rightarrowtail$	<code>\Longleftrightharpoonup</code>	$\Uparrow$	<code>\Uparrow</code>
$\rightarrowtail$	<code>\longleftrightharpoonup</code>	$\hookrightarrow$	<code>\varcarriagereturn*</code>
$\rightarrowtail$	<code>\longleftsquigarrow</code>	$\hookrightarrow$	<code>\whitearrowupfrombar*</code>
$\rightarrowtail$	<code>\Longmapsfrom</code>		
$\rightarrowtail$	<code>\longmapsfrom</code>		

* Defined as an ordinary character, not as a binary relation.

stix defines `\acwopencirclearrow` as a synonym for `\circlearrowleft`, `\cwopencirclearrow` as a synonym for `\circlearrowright`, `\leadsto` as a synonym for `\rightsquigarrow`, `\dashleftarrow` as a synonym for `\leftdbkarrow`, and `\dashrightarrow` and `\dasharrow` as synonyms for `\dbkarrow`.

TABLE 160: stix Negated Arrows

$\nrightarrow$	<code>\nHdownarrow*</code>	$\nleftrightarrow$	<code>\nvLeftrightarrow</code>
$\nrightarrow$	<code>\nHuparrow*</code>	$\nrightarrow$	<code>\nVrightarrow</code>
$\nleftarrow$	<code>\nleftarrow[†]</code>	$\nrightarrow$	<code>\nvrightarrow</code>
$\nleftarrow$	<code>\nLeftarrow</code>	$\rightarrow$	<code>\nvrightarrow</code>
$\nleftrightarrow$	<code>\nleftrightarrow</code>	$\rightarrow$	<code>\nVrightarrowtail</code>
$\nleftrightarrow$	<code>\nLeftrightarrow</code>	$\rightarrow$	<code>\nvrightarrowtail</code>
$\rightarrow$	<code>\nrightarrow</code>	$\nleftarrow$	<code>\nVtwoheadleftarrow</code>
$\rightarrow$	<code>\nrightarrow</code>	$\nleftarrow$	<code>\nVtwoheadleftarrow</code>
$\nleftarrow$	<code>\nvleftarrow</code>	$\nleftarrow$	<code>\nVtwoheadleftarrowtail</code>
$\nleftarrow$	<code>\nvLeftarrow</code>	$\nleftarrow$	<code>\nVtwoheadleftarrowtail</code>
$\nleftarrow$	<code>\nVleftarrow</code>	$\rightarrow$	<code>\nVtwoheadrightarrow</code>
$\nleftarrow$	<code>\nVleftarrowtail</code>	$\rightarrow$	<code>\nVtwoheadrightarrow</code>
$\nleftarrow$	<code>\nvleftarrowtail</code>	$\rightarrow$	<code>\nVtwoheadrightarrowtail</code>
$\nleftrightarrow$	<code>\nvleftrightarrow</code>	$\rightarrow$	<code>\nVtwoheadrightarrowtail</code>
$\nleftrightarrow$	<code>\nVleftrightarrow</code>		

* Defined as an ordinary character, not as a binary relation.

[†] stix defines `\ngets` as a synonym for `\nleftarrow`.

TABLE 161: stix Harpoons

$\nrightarrow$	<code>\bardownharpoonleft</code>	$\nleftrightarrow$	<code>\leftrightharpoons</code>
$\nrightarrow$	<code>\bardownharpoonright</code>	$\nleftrightarrow$	<code>\leftrightharpoonsdown</code>
$\nleftarrow$	<code>\barleftharpoonup</code>	$\nleftrightarrow$	<code>\leftrightharpoonsup</code>
$\nleftarrow$	<code>\barleftharpoonup</code>	$\nleftrightarrow$	<code>\leftrightharpoonupdown</code>
$\nleftarrow$	<code>\barleftharpoonup</code>	$\nleftrightarrow$	<code>\leftrightharpoonupup</code>
$\nleftarrow$	<code>\barleftharpoonup</code>	$\nleftrightarrow$	<code>\leftrightharpoonupup</code>
$\nleftarrow$	<code>\barupharpoonleft</code>	$\nleftrightarrow$	<code>\rightharpoonupdownbar</code>
$\nleftarrow$	<code>\barupharpoonright</code>	$\nleftrightarrow$	<code>\rightharpoonupdownbar</code>
$\nleftrightarrow$	<code>\dashleftharpoonupdown</code>	$\nleftrightarrow$	<code>\rightharpoonupup</code>
$\nleftrightarrow$	<code>\dashrightharpoonupdown</code>	$\nleftrightarrow$	<code>\rightharpoonupupbar</code>
$\nleftrightarrow$	<code>\downharpoonleft</code>	$\nleftrightarrow$	<code>\rightharpoonupupdash</code>
$\nleftrightarrow$	<code>\downharpoonleftbar</code>	$\nleftrightarrow$	<code>\rightleftharpoons</code>
$\nleftrightarrow$	<code>\downharpoonright</code>	$\nleftrightarrow$	<code>\rightleftharpoonsdown</code>
$\nleftrightarrow$	<code>\downharpoonrightbar</code>	$\nleftrightarrow$	<code>\rightleftharpoonsup</code>
$\nleftrightarrow$	<code>\downharpoonsleftright</code>	$\nleftrightarrow$	<code>\updownharpoonleftleft</code>
$\nleftrightarrow$	<code>\downupharpoonsleftright</code>	$\nleftrightarrow$	<code>\updownharpoonleftright</code>
$\nleftrightarrow$	<code>\leftharpoonupdown</code>	$\nleftrightarrow$	<code>\updownharpoonrightleft</code>
$\nleftrightarrow$	<code>\leftharpoonupdownbar</code>	$\nleftrightarrow$	<code>\updownharpoonrightright</code>
$\nleftrightarrow$	<code>\leftharpoonsupdown</code>	$\nleftrightarrow$	<code>\updownharpoonsleftright</code>
$\nleftrightarrow$	<code>\leftharpoonup</code>	$\nleftrightarrow$	<code>\upharpoonleft</code>
$\nleftrightarrow$	<code>\leftharpoonupbar</code>	$\nleftrightarrow$	<code>\upharpoonleftbar</code>
$\nleftrightarrow$	<code>\leftharpoonupdash</code>	$\nleftrightarrow$	<code>\upharpoonright*</code>
$\nleftrightarrow$	<code>\leftrightharpoonupdown</code>	$\nleftrightarrow$	<code>\upharpoonrightbar</code>
$\nleftrightarrow$	<code>\leftrightharpoonupdown</code>	$\nleftrightarrow$	<code>\upharpoonsleftright</code>

* stix defines `\restriction` as a synonym for `\upharpoonright`.

TABLE 162: harpoon Extensible Harpoons

$\overleftarrow{abc}$	<code>\overleftharp{abc}</code>	$\overrightarrow{abc}$	<code>\overrightharpdown{abc}</code>	$\underline{abc}$	<code>\underrightharp{abc}</code>
$\overleftarrow{abc}$	<code>\overleftharpdown{abc}</code>	$\underline{abc}$	<code>\underleftharp{abc}</code>	$\underline{abc}$	<code>\underrightharpdown{abc}</code>
$\overrightarrow{abc}$	<code>\overrightharp{abc}</code>	$\underline{abc}$	<code>\underleftharpdown{abc}</code>		

All of the `harpoon` symbols are implemented using the `graphics` package (specifically, `graphics`'s `\resizebox` command). Consequently, only $\text{\TeX}$ backends that support graphical transformations (e.g., *not* $\text{\Xdvi}$) can properly display these symbols.

TABLE 163: chemarrow Arrows

$\rightarrow$ `\chemarrow`

TABLE 164: fge Arrows

$\Rightarrow$ `\fgerightarrow` $\Uparrow$ `\fgeuparrow`

TABLE 165: MnSymbol Spoons

$\downarrow$	<code>\downfilledspoon</code>	$\nearrow$	<code>\nnespoon</code>	$\nwarrow$	<code>\nwfilledspoon</code>
$\downarrow$	<code>\downspoon</code>	$\nwarrow$	<code>\nnwfilledspoon</code>	$\nwarrow$	<code>\nwspoon</code>
$\leftarrow$	<code>\leftfilledspoon</code>	$\nwarrow$	<code>\nnwspoon</code>	$\rightarrow$	<code>\rightfilledspoon</code>
$\leftarrow$	<code>\leftspoon</code>	$\rightarrow$	<code>\nrightfilledspoon</code>	$\rightarrow$	<code>\rightspoon*</code>
$\downarrow$	<code>\ndownfilledspoon</code>	$\rightarrow$	<code>\nrightspoon*</code>	$\searrow$	<code>\sefilledspoon</code>
$\downarrow$	<code>\ndownspoon</code>	$\searrow$	<code>\nsefilledspoon</code>	$\searrow$	<code>\sespoon</code>
$\nearrow$	<code>\nefilledspoon</code>	$\searrow$	<code>\nsespoon</code>	$\swarrow$	<code>\swfilledspoon</code>
$\nearrow$	<code>\nespoon</code>	$\swarrow$	<code>\nswfilledspoon</code>	$\swarrow$	<code>\swspoon</code>
$\leftarrow$	<code>\nleftfilledspoon</code>	$\swarrow$	<code>\nswspoon</code>	$\uparrow$	<code>\upfilledspoon</code>
$\leftarrow$	<code>\nleftspoon</code>	$\uparrow$	<code>\nupfilledspoon</code>	$\uparrow$	<code>\upspoon</code>
$\nearrow$	<code>\nnefilledspoon</code>	$\uparrow$	<code>\nupspoon</code>		

* `MnSymbol` defines `\multimap` as a synonym for `\rightspoon` and `\nmultimap` as a synonym for `\nrightspoon`.

TABLE 166: MnSymbol Pitchforks

Ψ	<code>\downpitchfork</code>	$\bowtie$	<code>\nnwpitchfork</code>	$\Rightarrow$	<code>\rightpitchfork</code>
$\Leftarrow$	<code>\leftpitchfork</code>	$\bowtie$	<code>\nrightpitchfork</code>	$\searrow$	<code>\sepitchfork</code>
Ψ	<code>\ndownpitchfork</code>	$\searrow$	<code>\nsepitchfork</code>	$\swarrow$	<code>\swpitchfork</code>
$\nearrow$	<code>\nepitchfork</code>	$\searrow$	<code>\nswpitchfork</code>	$\uparrow$	<code>\uppitchfork</code>
$\Leftarrow$	<code>\nleftpitchfork</code>	$\uparrow$	<code>\nuppitchfork</code>		
$\nearrow$	<code>\nnepitchfork</code>	$\searrow$	<code>\nwpitchfork</code>		

* `MnSymbol` defines `\pitchfork` as a synonym for `\uppitchfork` and `\npitchfork` as a synonym for `\nuppitchfork`.

TABLE 167: MnSymbol Smiles and Frowns

$\curvearrowright$	<code>\doublefrown</code>	$\smile$	<code>\nsmileeq</code>	$\smile$	<code>\smileeq</code>
$\curvearrowright$	<code>\doublefrowneq</code>	$\smile$	<code>\nsmileeqfrown</code>	$\smile$	<code>\smileeqfrown</code>
$\smile$	<code>\doublesmile</code>	$\smile$	<code>\nsmilefrown</code>	$\smile$	<code>\smilefrown</code>
$\smile$	<code>\doublesmileeq</code>	$\smile$	<code>\nsmilefrowneq</code>	$\smile$	<code>\smilefrowneq</code>
$\frown$	<code>\eqfrown</code>	$\frown$	<code>\nsqdoublefrown</code>	$\frown$	<code>\sqdoublefrown</code>
$\frown$	<code>\eqsmile</code>	$\frown$	<code>\nsqdoublefrowneq</code>	$\frown$	<code>\sqdoublefrowneq</code>
$\frown$	<code>\frown</code>	$\frown$	<code>\nsqdoublesmile</code>	$\frown$	<code>\sqdoublesmile</code>
$\frown$	<code>\frowneq</code>	$\frown$	<code>\nsqdoublesmileeq</code>	$\frown$	<code>\sqdoublesmileeq</code>
$\frown$	<code>\frowneqsmile</code>	$\frown$	<code>\nsqeqfrown</code>	$\frown$	<code>\sqeqfrown</code>
$\frown$	<code>\frownsmile</code>	$\frown$	<code>\nsqeqsmile</code>	$\frown$	<code>\sqeqsmile</code>
$\frown$	<code>\frownsmileeq</code>	$\frown$	<code>\nsqfrown</code>	$\frown$	<code>\sqfrown</code>
$\frown$	<code>\ndoublefrown</code>	$\frown$	<code>\nsqfrowneq</code>	$\frown$	<code>\sqfrowneq</code>
$\frown$	<code>\ndoublefrowneq</code>	$\frown$	<code>\nsqfrowneqsmile</code>	$\frown$	<code>\sqfrowneqsmile</code>
$\frown$	<code>\ndoublesmile</code>	$\frown$	<code>\nsqfrownsmile</code>	$\frown$	<code>\sqfrownsmile</code>
$\frown$	<code>\ndoublesmileeq</code>	$\frown$	<code>\nsqsmile</code>	$\frown$	<code>\sqsmile</code>
$\frown$	<code>\neqfrown</code>	$\frown$	<code>\nsqsmileeq</code>	$\frown$	<code>\sqsmileeq</code>
$\frown$	<code>\neqsmile</code>	$\frown$	<code>\nsqsmileeqfrown</code>	$\frown$	<code>\sqsmileeqfrown</code>
$\frown$	<code>\nfrown</code>	$\frown$	<code>\nsqsmilefrown</code>	$\frown$	<code>\sqsmilefrown</code>
$\frown$	<code>\nfrowneq</code>	$\frown$	<code>\nsqtriplefrown</code>	$\frown$	<code>\sqtriplefrown</code>
$\frown$	<code>\nfrowneqsmile</code>	$\frown$	<code>\nsqtriplesmile</code>	$\frown$	<code>\sqtriplesmile</code>
$\frown$	<code>\nfrownsmile</code>	$\frown$	<code>\ntriplefrown</code>	$\frown$	<code>\triplefrown</code>
$\frown$	<code>\nfrownsmileeq</code>	$\frown$	<code>\ntriplesmile</code>	$\frown$	<code>\triplesmile</code>
$\frown$	<code>\nsmile</code>	$\frown$	<code>\smile</code>		

* MnSymbol defines `\smallsmile` as a synonym for `\smile`, `\smallfrown` as a synonym for `\frown`, `\asymp` as a synonym for `\smilefrown`, and `\nasymp` as a synonym for `\nsmilefrown`.

TABLE 168: fdsymbol Spoons

$\blacklozenge$	<code>\blackwhitespoon</code>	$\blacklozenge$	<code>\ndownblackspoon</code>	$\blacklozenge$	<code>\nupblackspoon</code>
$\blacklozenge$	<code>\downblackspoon</code>	$\blacklozenge$	<code>\ndownspoon</code>	$\blacklozenge$	<code>\nupspoon</code>
$\blacklozenge$	<code>\downspoon</code>	$\blacklozenge$	<code>\nleftblackspoon</code>	$\blacklozenge$	<code>\nwhiteblackspoon</code>
$\blacklozenge$	<code>\leftblackspoon</code>	$\blacklozenge$	<code>\nleftrightblackspoon</code>	$\blacklozenge$	<code>\rightblackspoon</code>
$\blacklozenge$	<code>\leftrightblackspoon</code>	$\blacklozenge$	<code>\nleftrightspoon</code>	$\blacklozenge$	<code>\rightspoon</code>
$\blacklozenge$	<code>\leftrightspoon</code>	$\blacklozenge$	<code>\nleftspoon</code>	$\blacklozenge$	<code>\upblackspoon</code>
$\blacklozenge$	<code>\leftspoon</code>	$\blacklozenge$	<code>\nrightblackspoon</code>	$\blacklozenge$	<code>\upspoon</code>
$\blacklozenge$	<code>\nblackwhitespoon</code>	$\blacklozenge$	<code>\nrightspoon</code>	$\blacklozenge$	<code>\whiteblackspoon</code>

fdsymbol defines synonyms for many of the preceding symbols:

$\circ$	<code>\cirmid</code>	$\circ$	<code>\multimapinv</code>	$\circ$	<code>\nmultimap</code>
$\circ$	<code>\dualmap</code>	$\circ$	<code>\ncirmid</code>	$\circ$	<code>\nmultimapinv</code>
$\circ$	<code>\imageof</code>	$\circ$	<code>\ndualmap</code>	$\circ$	<code>\norigof</code>
$\circ$	<code>\midcir</code>	$\circ$	<code>\nimageof</code>	$\circ$	<code>\origof</code>
$\circ$	<code>\multimap</code>	$\circ$	<code>\nmidcir</code>		

TABLE 169: fdsymbol Pitchforks

Ψ	<code>\downpitchfork</code>	$\nleftpitchfork$	$\nrightpitchfork$
$\nleftpitchfork$	$\nrightpitchfork$	$\uppitchfork$	
$\nuppitchfork$			

`fdsymbol` defines `\npitchfork` as a synonym for `\nuppitchfork` and `\pitchfork` as a synonym for `\uppitchfork`.

TABLE 170: fdsymbol Smiles and Frowns

$\frown$	<code>\frown</code>	$\nfrown$	<code>\nfrown</code>	$\smilefrown$	<code>\smilefrown</code>
$\frown$	<code>\frown</code>	$\nfrown$	<code>\nfrown</code>	$\smile$	<code>\smile</code>
$\frown$	<code>\frown</code>	$\smile$	<code>\smile</code>	$\smileeq$	<code>\smileeq</code>
$\nfrown$	<code>\nfrown</code>	$\smileeq$	<code>\smileeq</code>	$\smilefrown$	<code>\smilefrown</code>

`fdsymbol` defines `\arceq` as a synonym for `\frowneq`, `\asym` as a synonym for `\smilefrown`, `\closure` as a synonym for `\frownsmile`, `\narceq` as a synonym for `\nfrowneq`, `\nasym` as a synonym for `\nsmilefrown`, `\nclosure` as a synonym for `\nfrownsmile`, `\smallfrown` as a synonym for `\frown`, and `\smallsmile` as a synonym for `\smile`.

TABLE 171: ulsy Contradiction Symbols

$\blitza$	$\blitzb$	$\blitzc$	$\blitzd$	$\blitze$

TABLE 172: Extension Characters

$\relbar$	<code>\relbar</code>	$\Relbar$	<code>\Relbar</code>

TABLE 173: stmaryrd Extension Characters

$\Arrownot$	$\Mapsfromchar$	$\Mapstochar$
$\arrownot$	$\mapsfromchar$	

TABLE 174: txfonts/pxfonts Extension Characters

$\Mappedfromchar$	$\Mmappedfromchar$	$\Mmapstochar$
$\mappedfromchar$	$\mmappedfromchar$	$\mmapstochar$

TABLE 175: mathabx Extension Characters

$\mapsfromchar$	$\mapstochar$
$\Mapsfromchar$	$\Mapstochar$

TABLE 176: stix Extension Characters

$\hookleftarrow$	<code>\lhook</code>	$\bar{}$	<code>\relbar</code>	$\equiv$	<code>\RRelbar</code>
$\mapsto$	<code>\mapsfromchar</code>	$\bar{}$	<code>\Relbar</code>	$\equiv$	<code>\Rrelbar</code>
$\hookrightarrow$	<code>\mapstochar</code>	$\hookrightarrow$	<code>\rhook</code>		

TABLE 177: Log-like Symbols

<code>\arccos</code>	<code>\cos</code>	<code>\csc</code>	<code>\exp</code>	<code>\ker</code>	<code>\limsup</code>	<code>\min</code>	<code>\sinh</code>
<code>\arcsin</code>	<code>\cosh</code>	<code>\deg</code>	<code>\gcd</code>	<code>\lg</code>	<code>\ln</code>	<code>\Pr</code>	<code>\sup</code>
<code>\arctan</code>	<code>\cot</code>	<code>\det</code>	<code>\hom</code>	<code>\lim</code>	<code>\log</code>	<code>\sec</code>	<code>\tan</code>
<code>\arg</code>	<code>\coth</code>	<code>\dim</code>	<code>\inf</code>	<code>\liminf</code>	<code>\max</code>	<code>\sin</code>	<code>\tanh</code>

Calling the above “symbols” may be a bit misleading.³ Each log-like symbol merely produces the eponymous textual equivalent, but with proper surrounding spacing. See Section 10.4 for more information about log-like symbols. As `\bmod` and `\pmod` are arguably not symbols we refer the reader to the Short Math Guide for L^AT_EX [Dow00] for samples.

TABLE 178: $\mathcal{A}\mathcal{M}\mathcal{S}$ Log-like Symbols

<code>\injlim</code>	<code>\injlim</code>	$\varinjlim$	<code>\varinjlim</code>	$\varinjlim$	<code>\varlimsup</code>
<code>\projlim</code>	<code>\projlim</code>	$\varprojlim$	<code>\varprojlim</code>	$\varprojlim$	<code>\varprojlim</code>

Load the `amsmath` package to get these symbols. See Section 10.4 for some additional comments regarding log-like symbols. As `\mod` and `\pod` are arguably not symbols we refer the reader to the Short Math Guide for L^AT_EX [Dow00] for samples.

TABLE 179: G_U^NA2e Number Sets

$\mathbb{C}$	<code>\Complex</code>	$\mathbb{Z}$	<code>\Integer</code>	$\mathbb{N}$	<code>\Natural</code>	$\mathbb{Q}$	<code>\Rational</code>	$\mathbb{R}$	<code>\Real</code>
$\mathbb{C}$	<code>\COMPLEX</code>	$\mathbb{Z}$	<code>\INTEGER</code>	$\mathbb{N}$	<code>\NATURAL</code>	$\mathbb{Q}$	<code>\RATIONAL</code>	$\mathbb{R}$	<code>\REAL</code>

³Michael J. Downes prefers the more general term, “atomic math objects”.

TABLE 180: Greek Letters

α	<code>\alpha</code>	θ	<code>\theta</code>	o	<code>o</code>	τ	<code>\tau</code>
β	<code>\beta</code>	ϑ	<code>\vartheta</code>	π	<code>\pi</code>	υ	<code>\upsilon</code>
γ	<code>\gamma</code>	ι	<code>\iota</code>	ϖ	<code>\varpi</code>	ϕ	<code>\phi</code>
δ	<code>\delta</code>	κ	<code>\kappa</code>	ρ	<code>\rho</code>	φ	<code>\varphi</code>
ϵ	<code>\epsilon</code>	λ	<code>\lambda</code>	ϱ	<code>\varrho</code>	χ	<code>\chi</code>
ε	<code>\varepsilon</code>	μ	<code>\mu</code>	σ	<code>\sigma</code>	ψ	<code>\psi</code>
ζ	<code>\zeta</code>	ν	<code>\nu</code>	ς	<code>\varsigma</code>	ω	<code>\omega</code>
η	<code>\eta</code>	ξ	<code>\xi</code>				
Γ	<code>\Gamma</code>	Λ	<code>\Lambda</code>	Σ	<code>\Sigma</code>	Ψ	<code>\Psi</code>
Δ	<code>\Delta</code>	Ξ	<code>\Xi</code>	Υ	<code>\Upsilon</code>	Ω	<code>\Omega</code>
Θ	<code>\Theta</code>	Π	<code>\Pi</code>	Φ	<code>\Phi</code>		

The remaining Greek majuscules can be produced with ordinary Latin letters. The symbol “M”, for instance, is used for both an uppercase “m” and an uppercase “ μ ”. To make available commands for *all* of the Greek majuscules, either use the `mathspec` package, which requires `XYLaTeX`, or copy `mathspec.sty`’s Greek-letter definitions to your document’s preamble:

```

\DeclareMathSymbol{\Alpha}{\mathalpha}{operators}{"41}
\DeclareMathSymbol{\Beta}{\mathalpha}{operators}{"42}
\DeclareMathSymbol{\Epsilon}{\mathalpha}{operators}{"45}
\DeclareMathSymbol{\Zeta}{\mathalpha}{operators}{"5A}
\DeclareMathSymbol{\Eta}{\mathalpha}{operators}{"48}
\DeclareMathSymbol{\Iota}{\mathalpha}{operators}{"49}
\DeclareMathSymbol{\Kappa}{\mathalpha}{operators}{"4B}
\DeclareMathSymbol{\Mu}{\mathalpha}{operators}{"4D}
\DeclareMathSymbol{\Nu}{\mathalpha}{operators}{"4E}
\DeclareMathSymbol{\Omicron}{\mathalpha}{operators}{"4F}
\DeclareMathSymbol{\Rho}{\mathalpha}{operators}{"50}
\DeclareMathSymbol{\Tau}{\mathalpha}{operators}{"54}
\DeclareMathSymbol{\Chi}{\mathalpha}{operators}{"58}
\DeclareMathSymbol{\omicron}{\mathord}{letters}{"6F}

```

See Section 10.5 for examples of how to produce bold Greek letters.

The symbols in this table are intended to be used in mathematical typesetting. Greek body text can be typeset using the `babel` package’s `greek` (or `polutoniko-greek`) option—and, of course, a font that provides the glyphs for the Greek alphabet.

TABLE 181: $\mathcal{AMS}$ Greek Letters

F `\digamma` $\varkappa$ `\varkappa`

TABLE 182: txfonts/pxfonts Upright Greek Letters

α	<code>\alphaup</code>	θ	<code>\thetaaup</code>	π	<code>\piup</code>	ϕ	<code>\phiup</code>
β	<code>\betaaup</code>	ϑ	<code>\varthetaaup</code>	ϖ	<code>\varpiup</code>	φ	<code>\varphiup</code>
γ	<code>\gammaaup</code>	ι	<code>\iotaaup</code>	ρ	<code>\rhoup</code>	χ	<code>\chiup</code>
δ	<code>\deltaaup</code>	κ	<code>\kappaaup</code>	ϱ	<code>\varrhoup</code>	ψ	<code>\psiup</code>
ϵ	<code>\epsilonup</code>	λ	<code>\lambdaaup</code>	σ	<code>\sigmaup</code>	ω	<code>\omegaup</code>
ε	<code>\varepsilonup</code>	μ	<code>\muup</code>	ς	<code>\varsigmaup</code>		
ζ	<code>\zetaaup</code>	ν	<code>\nuup</code>	τ	<code>\tauup</code>		
η	<code>\etaup</code>	ξ	<code>\xiup</code>	υ	<code>\upsilonup</code>		

The symbols in this table are intended to be used sporadically throughout a document (e.g., to represent mathematical units or numerical quantities—“ $\pi \approx 3.14159$ ”). In contrast, Greek body text can be typeset using the `babel` package’s `greek` (or `polutonikogreek`) option—and, of course, a font that provides the glyphs for the Greek alphabet.

TABLE 183: upgreek Upright Greek Letters

α	<code>\upalpha</code>	θ	<code>\uptheta</code>	π	<code>\uppi</code>	ϕ	<code>\upphi</code>
β	<code>\upbeta</code>	ϑ	<code>\upvartheta</code>	ϖ	<code>\upvarpi</code>	φ	<code>\upvarphi</code>
γ	<code>\upgamma</code>	ι	<code>\upiota</code>	ρ	<code>\uprho</code>	χ	<code>\upchi</code>
δ	<code>\updelta</code>	κ	<code>\upkappa</code>	ϱ	<code>\upvarrho</code>	ψ	<code>\uppsi</code>
ϵ	<code>\upepsilon</code>	λ	<code>\uplambda</code>	σ	<code>\upsigma</code>	ω	<code>\upomega</code>
ε	<code>\upvarepsilon</code>	μ	<code>\upmu</code>	ς	<code>\upvarsigma</code>		
ζ	<code>\upzeta</code>	ν	<code>\upnu</code>	τ	<code>\uptau</code>		
η	<code>\upeta</code>	ξ	<code>\upxi</code>	υ	<code>\upupsilon</code>		
Γ	<code>\Upgamma</code>	Λ	<code>\Uplambda</code>	Σ	<code>\Upsilon</code>	Ψ	<code>\Uppsi</code>
Δ	<code>\Updelta</code>	Ξ	<code>\Upxi</code>	Υ	<code>\Upupsilon</code>	Ω	<code>\Upomega</code>
Θ	<code>\Uptheta</code>	Π	<code>\Uppi</code>	Φ	<code>\Upphi</code>		

`upgreek` utilizes upright Greek characters from either the PostScript Symbol font (depicted above) or Euler Roman. As a result, the glyphs may appear slightly different from the above. Contrast, for example, “ $\Gamma\Delta\Theta\alpha\beta\gamma$ ” (Symbol) with “ $\Gamma\Delta\Theta\alpha\beta\gamma$ ” (Euler).

Unlike `textgreek` (Table 6 on page 14), `upgreek` works in math mode.

The symbols in this table are intended to be used sporadically throughout a document (e.g., to represent mathematical units or numerical quantities—“ $\pi \approx 3.14159$ ”). In contrast, Greek body text can be typeset using the `babel` package’s `greek` (or `polutonikogreek`) option—and, of course, a font that provides the glyphs for the Greek alphabet.

TABLE 184: fourier Variant Greek Letters

π	<code>\pi</code>	ρ	<code>\rho</code>
ϖ	<code>\varpi</code>	ϱ	<code>\varrho</code>
ϖ	<code>\varvarpi</code>	ϱ	<code>\varvarrho</code>

TABLE 185: txfonts/pxfonts Variant Latin Letters

g `\varg` v `\varv` w `\varw` y `\vary`

Pass the `varg` option to txfonts/pxfonts to replace g , v , w , and y with g , v , w , and y in every mathematical expression in your document.

TABLE 186: boisik Variant Greek Letters

β `\varbeta` κ `\varkappa` ϖ `\varpi` ς `\varsigma`
 ϵ `\varepsilon` φ `\varphi` ϱ `\varrho` ϑ `\vartheta`

TABLE 187: boisik Variant Latin Letters

g `\varg`

TABLE 188: stix Variant Greek Letters

ϵ `\varepsilon` φ `\varphi` ϱ `\varrho` ϑ `\vartheta`
 κ `\varkappa` ϖ `\varpi` ς `\varsigma`

TABLE 189: stix Transformed Greek Letters

ϵ `\backepsilon` turnediota `\turnediota`
 mho `\mho` upbackepsilon `\upbackepsilon`

TABLE 190: $\mathcal{AMS}$ Hebrew Letters

$\beth$ `\beth` $\gimel$ `\gimel` $\daleth$ `\daleth`

$\aleph$ ($\aleph$) appears in Table 286 on page 112.

TABLE 191: MnSymbol Hebrew Letters

$\aleph$ `\aleph` $\beth$ `\beth` $\gimel$ `\gimel` $\daleth$ `\daleth`

TABLE 192: fdsymbol Hebrew Letters

$\aleph$ `\aleph` $\beth$ `\beth` $\gimel$ `\gimel` $\daleth$ `\daleth`

TABLE 193: boisik Hebrew Letters

$\beth$ `\beth` $\gimel$ `\gimel` $\daleth$ `\daleth`

TABLE 194: stix Hebrew Letters

$\aleph$	<code>\aleph</code>	$\beth$	<code>\beth</code>	$\gimel$	<code>\gimel</code>	$\daleth$	<code>\daleth</code>

TABLE 195: Letter-like Symbols

$\bot$	<code>\bot</code>	$\forall$	<code>\forall</code>	$\imath$	<code>\imath</code>	$\ni$	<code>\ni</code>	$\top$	<code>\top</code>
ℓ	<code>\ell</code>	$\hbar$	<code>\hbar</code>	$\in$	<code>\in</code>	∂	<code>\partial</code>	$\wp$	<code>\wp</code>
$\exists$	<code>\exists</code>	$\Im$	<code>\Im</code>	j	<code>j</code>	$\Re$	<code>\Re</code>		

TABLE 196: $\mathcal{AMS}$ Letter-like Symbols

$\mathbb{k}$	<code>\Bbbk</code>	$\mathbb{C}$	<code>\complement</code>	$\hbar$	<code>\hbar</code>
$\mathbb{R}$	<code>\circledR</code>	$\Finv$	<code>\Finv</code>	$\hslash$	<code>\hslash</code>
$\mathbb{S}$	<code>\circledS</code>	$\Game$	<code>\Game</code>	$\nexists$	<code>\nexists</code>

TABLE 197: txfonts/pxfonts Letter-like Symbols

$\mathfrak{C}$	<code>\mathcent</code>	$\mathfrak{f}$	<code>\mathsterling*</code>	$\notin$	<code>\notin</code>	$\notni$	<code>\notni</code>

* It's generally preferable to use the corresponding symbol from Table 3 on page 14 because the symbols in that table work properly in both text mode and math mode.

TABLE 198: mathabx Letter-like Symbols

$\bar{\in}$	<code>\barin</code>	$\in$	<code>\in</code>	$\nottop$	<code>\nottop</code>	$\varnotin$	<code>\varnotin</code>
$\mathbb{C}$	<code>\complement</code>	$\nexists$	<code>\nexists</code>	$\owns$	<code>\owns</code>	$\varnotowner$	<code>\varnotowner</code>
$\exists$	<code>\exists</code>	$\notbot$	<code>\notbot</code>	$\ownsbar$	<code>\ownsbar</code>		
$\Finv$	<code>\Finv</code>	$\notin$	<code>\notin</code>	∂	<code>\partial</code>		
$\Game$	<code>\Game</code>	$\notowner$	<code>\notowner</code>	$\partialslash$	<code>\partialslash</code>		

TABLE 199: MnSymbol Letter-like Symbols

$\bot$	<code>\bot</code>	$\in$	<code>\in</code>	$\nexists^*$	<code>\nexists^*</code>	$\top$	<code>\top</code>
$\exists$	<code>\exists</code>	$\nexists$	<code>\nexists</code>	$\owns$	<code>\owns</code>	$\wp$	<code>\wp</code>
$\forall$	<code>\forall</code>	$\in^*$	<code>\in^*</code>	$\mathcal{P}$	<code>\powerset</code>		

* MnSymbol provides synonyms `\notin` for `\nin`, `\ni` for `\owns`, and `\intercal` for `\top`.

TABLE 200: fdsymbol Letter-like Symbols

$\perp$	<code>\bot</code>	$\forall$	<code>\forall</code>	$\in$	<code>\in</code>	$\ni$	<code>\owns</code>
$\complement$	<code>\complement</code>	$\oslash$	<code>\Game</code>	$\nexists$	<code>\nexists</code>	$\top$	<code>\top</code>
$\exists$	<code>\exists</code>	$\hbar$	<code>\hbar</code>	$\notin$	<code>\notin</code>	$\wp$	<code>\wp</code>
$\Finv$	<code>\Finv</code>	$\hslash$	<code>\hslash</code>	$\nexists$	<code>\nexists</code>		

`fdsymbol` provides synonyms `\notin` for `\nin`, `\ni` for `\owns`, and `\nni` for `\nowns`.

TABLE 201: boisik Letter-like Symbols

$\Bbbk$	<code>\Bbbk</code>	$\oslash$	<code>\Game</code>	$\imath$	<code>\imath</code>	$\nexists$	<code>\nexists</code>
$\complement$	<code>\complement</code>	$\hbar$	<code>\hbar</code>	$\intercal$	<code>\intercal</code>	$\wp$	<code>\wp</code>
$\Finv$	<code>\Finv</code>	$\hslash$	<code>\hslash</code>	$\jmath$	<code>\jmath</code>		

TABLE 202: stix Letter-like Symbols

$\text{\AA}$	<code>\Angstrom</code>	$\mathcal{E}$	<code>\Eulerconst</code>	$\imath$	<code>\imath</code>	$\top$	<code>\top</code>
$\Bbbk$	<code>\Bbbk</code>	$\exists$	<code>\exists</code>	$\intercal$	<code>\intercal</code>	$\topbot$	<code>\topbot</code>
$\perp$	<code>\bot</code>	$\Finv$	<code>\Finv</code>	$\jmath$	<code>\jmath</code>	$\wp$	<code>\wp</code>
$\text{\textcircled{R}}$	<code>\circledR</code>	$\forall$	<code>\forall</code>	$\mathdollar$	<code>\mathdollar</code>	Υ	<code>\Yup</code>
$\text{\textcircled{S}}$	<code>\circledS</code>	$\oslash$	<code>\Game</code>	$\mathparagraph$	<code>\mathparagraph</code>	$\mathbb{Z}$	<code>\Zbar</code>
$\complement$	<code>\complement</code>	$\hbar$	<code>\hbar</code>	$\mathsterling$	<code>\mathsterling</code>		
$\digamma$	<code>\digamma</code>	$\hslash$	<code>\hslash</code>	$\nexists$	<code>\nexists</code>		
ℓ	<code>\ell</code>	$\Im$	<code>\Im</code>	$\Re$	<code>\Re</code>		

TABLE 203: trfsigns Letter-like Symbols

$\mathfrak{e}$	<code>\e</code>	$\mathfrak{j}$	<code>\im</code>

TABLE 204: mathdesign Letter-like Symbols

$\in$	<code>\in</code>	$\ni$	<code>\owns</code>
$\notin$	<code>\notin</code>	$\in$	<code>\smallin</code>
$\not\in$	<code>\notsmallin</code>	$\ni$	<code>\smallowns</code>
$\not\in$	<code>\notsmallowns</code>		

The `mathdesign` package additionally provides versions of each of the letter-like symbols shown in Table 196 on the previous page.

TABLE 205: fge Letter-like Symbols

$\mathfrak{A}$	<code>\fgeA</code>	$\mathfrak{g}$	<code>\fgeeszett</code>	$\mathfrak{B}$	<code>\fgeleftB</code>	$\mathfrak{U}$	<code>\fgeU</code>
$\mathfrak{C}$	<code>\fgeC</code>	$\mathfrak{F}$	<code>\fgeF</code>	$\mathfrak{C}$	<code>\fgeleftC</code>		
$\mathfrak{p}$	<code>\fged</code>	$\mathfrak{f}$	<code>\fgef</code>	$\mathfrak{B}$	<code>\fgerightB</code>		
$\mathfrak{e}$	<code>\fgee</code>	$\mathfrak{b}$	<code>\fgeleftB*</code>	$\mathfrak{f}$	<code>\fges</code>		

* The `fge` package defines `\fgeeta`, `\fgeN`, and `\fgeoverU` as synonyms for `\fgeleftB`.

TABLE 206: fourier Letter-like Symbols

 ∂ `\partial` ∂ `\varpartialdiff`

TABLE 207: cml Letter-like Symbols

 $\perp$ `\Bot` $\sim$ `\simbot`
TABLE 208: $\mathcal{AMS}$ Delimiters
 $\ulcorner$ `\ulcorner` $\urcorner$ `\urcorner`
 $\llcorner$ `\llcorner` $\lrcorner$ `\lrcorner`

TABLE 209: stmaryrd Delimiters

 $\{$ `\Lbag` $\}$ `\Rbag` $\{$ `\lbag` $\}$ `\rbag`
 $\lceil$ `\llceil` $\rceil$ `\rrceil` $\lfloor$ `\llfloor` $\rfloor$ `\rrfloor`
 $\langle$ `\llparenthesis` $\rangle$ `\rrparenthesis`

TABLE 210: mathabx Delimiters

 $\lrcorner$ `\lrcorner` $\rcorner$ `\rcorner`
 $\ulcorner$ `\ulcorner` $\urcorner$ `\urcorner`
 $\llcorner$ `\llcorner` $\lrcorner$ `\lrcorner`

TABLE 211: boisik Delimiters

 $\ulcorner$ `\ulcorner` $\urcorner$ `\urcorner`
 $\llcorner$ `\llcorner` $\lrcorner$ `\lrcorner`

TABLE 212: stix Delimiters

 $\langle$ `\langedot` $\rangle$ `\rangedot` $\llcorner$ `\llangle` $\rrcorner$ `\rrangle`
 $\{$ `\lbag` $\}$ `\rbag` $\llcorner$ `\llcorner` $\lrcorner$ `\lrcorner`
 $\lbrack$ `\lbrackbrak` $\rbrack$ `\rbrackbrak` $\langle$ `\llparenthesis` $\rangle$ `\rrparenthesis`
 $\lbrack$ `\lbracklltick` $\rbrack$ `\rbrackurtick` $\langle$ `\lparenctr` $\rangle$ `\Rparenless`
 $\lbrack$ `\lbrackubar` $\rbrack$ `\rbrackubar` $\langle$ `\lparenless` $\rangle$ `\rparenctr`
 $\lbrack$ `\lbrackultick` $\rbrack$ `\rbracklrtick` $\{$ `\lvzigzag` $\}$ `\rvzigzag`
 $\lbrack$ `\lbrack` $\rbrack$ `\Rbrack` $\{$ `\Lvzigzag` $\}$ `\Rvzigzag`
 $\langle$ `\lcurvyangle` $\rangle$ `\rcurvyangle` $\ulcorner$ `\ulcorner` $\urcorner$ `\urcorner`

TABLE 213: nath Delimiters

 $\llcorner$ `\niv` $\lrcorner$ `\vin`

TABLE 214: Variable-sized Delimiters

$\downarrow$	$\Downarrow$	<code>\downarrow</code>	$\Downarrow$	<code>\Downarrow</code>	$[$	$[$	$[$	$]$	$]$	$]$
$\langle$	$\rangle$	<code>\langle</code>	$\rangle$	<code>\rangle</code>	$ $	$ $	$ $	$\parallel$	$\parallel$	<code>\ </code>
$\lceil$	$\rceil$	<code>\lceil</code>	$\rceil$	<code>\rceil</code>	$\uparrow$	$\uparrow$	<code>\uparrow</code>	$\Uparrow$	$\Uparrow$	<code>\Uparrow</code>
$\lfloor$	$\rfloor$	<code>\lfloor</code>	$\rfloor$	<code>\rfloor</code>	$\updownarrow$	$\updownarrow$	<code>\updownarrow</code>	$\Updownarrow$	$\Updownarrow$	<code>\Updownarrow</code>
$($	$($	$($	$)$	$)$	$\{$	$\{$	<code>\{</code>	$\}$	$\}$	<code>\}</code>
$/$	$/$	$/$	$\backslash$	$\backslash$	<code>\backslash</code>					

When used with `\left` and `\right`, these symbols expand to the height of the enclosed math expression. Note that `\vert` is a synonym for `|`, and `\Vert` is a synonym for `\|`.

ε -TeX provides a `\middle` analogue to `\left` and `\right`. `\middle` can be used, for example, to make an internal “|” expand to the height of the surrounding `\left` and `\right` symbols. (This capability is commonly needed when typesetting adjacent bras and kets in Dirac notation: “ $\langle\phi|\psi\rangle$ ”). A similar effect can be achieved in conventional L^AT_EX using the `braket` package.

TABLE 215: Large, Variable-sized Delimiters

$\int$	$\int$	<code>\lmoustache</code>	$\int$	$\int$	<code>\rmoustache</code>	$($	$($	$($	$)$	$)$	<code>\rgroup</code>
$ $	$ $	<code>\arrowvert</code>	$\parallel$	$\parallel$	<code>\Arrowvert</code>	$ $	$ $	$ $	<code>\bracevert</code>		

These symbols *must* be used with `\left` and `\right`. The `mathabx` package, however, redefines `\lgroup` and `\rgroup` so that those symbols can work without `\left` and `\right`.

TABLE 216: $\mathcal{A}\mathcal{M}\mathcal{S}$ Variable-sized Delimiters

$ $	$ $	<code>\lvert</code>	$ $	$ $	<code>\rvert</code>
$\parallel$	$\parallel$	<code>\lVert</code>	$\parallel$	$\parallel$	<code>\rVert</code>

According to the `amsmath` documentation [AMS99], the preceding symbols are intended to be used as delimiters (e.g., as in “ $| - z |$ ”) while the `\vert` and `\Vert` symbols (Table 214) are intended to be used as operators (e.g., as in “ $p|q$ ”).

TABLE 217: `stmaryrd` Variable-sized Delimiters

$\llbracket$	$\llbracket$	<code>\llbracket</code>	$\rrbracket$	$\rrbracket$	<code>\rrbracket</code>

TABLE 218: mathabx Variable-sized Delimiters

$\llbracket$	$\llbracket$	<code>\ldbrack</code>	$\rrbracket$	<code>\rdbrack</code>
$\lrcorner$	$\lrcorner$	<code>\lfilet</code>	$\rrcorner$	<code>\rfilet</code>
$\! $	$\! $	<code>\thickvert</code>	$\! $	<code>\vvvert</code>

TABLE 219: MnSymbol Variable-sized Delimiters

$\Uparrow$	$\Uparrow$	<code>\Arrowvert</code>	$\{$	$\{$	<code>\lbrace</code>	$\}$	$\}$	<code>\rceil</code>
$\downarrow$	$\downarrow$	<code>\arrowvert</code>	$\lceil$	$\lceil$	<code>\lceil</code>	$\rceil$	$\rceil$	<code>\rfloor</code>
$\backslash$	$\backslash$	<code>\backslash</code>	$\lfloor$	$\lfloor$	<code>\lfloor</code>	$\rfloor$	$\rfloor$	<code>\rgroup</code>
$\lvert$	$\lvert$	<code>\bracevert</code>	$($	$($	<code>\lgroup</code>	$\backslash$	$\backslash$	<code>\rmoustache</code>
$\llbracket$	$\llbracket$	$\llbracket$	$\llcorner$	$\llcorner$	<code>\llangle</code>	$\ggcorner$	$\ggcorner$	<code>\rrangle</code>
$\lrcorner$	$\lrcorner$	$\lrcorner$	$\llcorner$	$\llcorner$	<code>\llcorner</code>	$\rrcorner$	$\rrcorner$	<code>\rsem</code>
$($	$($	$($	$\lrcorner$	$\lrcorner$	<code>\lmoustache</code>	$\ggcorner$	$\ggcorner$	<code>\rWavy</code>
$)$	$)$	$)$	$\llcorner$	$\llcorner$	<code>\llcorner</code>	$\rrcorner$	$\rrcorner$	<code>\rWavy</code>
$/$	$/$	$/$	$\llbracket$	$\llbracket$	<code>\lsem</code>	$\ulcorner$	$\ulcorner$	<code>\ulcorner</code>
$\langle$	$\langle$	$\langle$	$\lrcorner$	$\lrcorner$	<code>\lWavy</code>	$\ulcorner$	$\ulcorner$	<code>\ullcorner</code>
$\rangle$	$\rangle$	$\rangle$	$\llbracket$	$\llbracket$	<code>\lWavy</code>	$\ulcorner$	$\ulcorner$	<code>\ulrcorner</code>
$\lvert$	$\lvert$	$\lvert$	$\rangle$	$\rangle$	<code>\rangle</code>	$\ulcorner$	$\ulcorner$	<code>\urcorner</code>

(continued on next page)

(continued from previous page)

$\langle$	$\langle$	<code>\langle</code>	$\rangle$	$\rangle$	<code>\ranglebar</code>	$\parallel$	$\parallel$	<code>\lvert</code>
$\langle$	$\langle$	<code>\ranglebar</code>	$\rangle$	$\rangle$	<code>\rbrace</code>			

`\vert` is a synonym for `|`. `\Vert` is a synonym for `\lvert`. `\mid` and `\mvert` produce the same symbol as `\vert` but designated as math relations instead of ordinals. `\divides` produces the same symbol as `\vert` but designated as a binary operator instead of an ordinal. `\parallel` and `\mVert` produce the same symbol as `\Vert` but designated as math relations instead of ordinals.

TABLE 220: fdsymbol Variable-sized Delimiters

$\backslash$	$\backslash$	<code>\backslash</code>	$\lrcorner$	$\lrcorner$	<code>\lrcorner</code>	$\rangle$	$\rangle$	<code>\rparen</code>
$\downarrow$	$\downarrow$	<code>\downarrow</code>	$\lvert$	$\lvert$	<code>\lvert</code>	$\lvert$	$\lvert$	<code>\rvert</code>
$\Downarrow$	$\Downarrow$	<code>\Downarrow</code>	$\parallel$	$\parallel$	<code>\lVert</code>	$\parallel$	$\parallel$	<code>\rVert</code>
$\llcorner$	$\llcorner$	<code>\lAngle</code>	$\lll$	$\lll$	<code>\lVvert</code>	$\lll$	$\lll$	<code>\rVvert</code>
$\langle$	$\langle$	<code>\langle</code>	$/$	$/$	<code>\mathslash</code>	$\ulcorner$	$\ulcorner$	<code>\ulcorner</code>
$\langle$	$\langle$	<code>\langledot</code>	$\rangle$	$\rangle$	<code>\rangle</code>	$\llcorner$	$\llcorner$	<code>\ullcorner</code>
$\{$	$\{$	<code>\lbrace</code>	$\rangle\rangle$	$\rangle\rangle$	<code>\rAngle</code>	$\lrcorner$	$\lrcorner$	<code>\ulrcorner</code>
$[$	$[$	<code>\lbrack</code>	$\rangle$	$\rangle$	<code>\rangle</code>	$\uparrow$	$\uparrow$	<code>\uparrow</code>
$\llbracket$	$\llbracket$	<code>\lBrack</code>	$\rangle$	$\rangle$	<code>\rbrace</code>	$\Uparrow$	$\Uparrow$	<code>\Uparrow</code>

(continued on next page)

(continued from previous page)

$\lceil$	$\lceil$	<code>\lceil</code>	$\rceil$	$\rceil$	<code>\rceil</code>	$\Updownarrow$	$\Updownarrow$	<code>\updownarrow</code>
$\lfloor$	$\lfloor$	<code>\lfloor</code>	$\rfloor$	$\rfloor$	<code>\rfloor</code>	$\Updownarrow$	$\Updownarrow$	<code>\Updownarrow</code>
$\lceil$	$\lceil$	<code>\lgroup</code>	$\rceil$	$\rceil$	<code>\rceil</code>	$\lrcorner$	$\lrcorner$	<code>\urcorner</code>
$\llcorner$	$\llcorner$	<code>\llcorner</code>	$\rfloor$	$\rfloor$	<code>\rfloor</code>	$\lvert$	$\lvert$	<code>\vert</code>
$\int$	$\int$	<code>\lmoustache</code>	$\int$	$\int$	<code>\rgroup</code>	$\parallel$	$\parallel$	<code>\Vert</code>
$($	$($	<code>\lparen</code>	$\lrcorner$	$\lrcorner$	<code>\rmoustache</code>	$\parallel\parallel$	$\parallel\parallel$	<code>\Vvert</code>

fdsymbol defines “(” as a synonym for `\lparen`, “)” as a synonym for `\rparen`, “[” as a synonym for `\lbrack`, “]” as a synonym for `\rbrack`, “{” as a synonym for `\lbrace`, “}” as a synonym for `\rbrace`, “/” as a synonym for `\mathslash`, “|” as a synonym for `\vert`, “\|” as a synonym for `\Vert`, `\lsem` as a synonym for `\lBrack`, and `\rsem` as a synonym for `\rBrack`.

TABLE 221: stix Variable-sized Delimiters

$\llcorner$	$\parallel$	<code>\Arrowvert</code>	$\llcorner$	$\llcorner$	<code>\lAngle</code>	$\lrcorner$	$\lrcorner$	<code>\rceil</code>
$\lrcorner$	$\lrcorner$	<code>\arrowvert</code>	$\{$	$\{$	<code>\lbrace</code>	$\rfloor$	$\rfloor$	<code>\rfloor</code>
$\backslash$	$\backslash$	<code>\backslash</code>	$\{$	$\{$	<code>\lBrace</code>	$\lrcorner$	$\lrcorner$	<code>\rgroup</code>
$\Downarrow$	$\Downarrow$	<code>\Ddownarrow</code>	$\parallel$	$\parallel$	<code>\lBrack</code>	$\lrcorner$	$\lrcorner$	<code>\rmoustache</code>
$\Downarrow$	$\Downarrow$	<code>\DDownarrow</code>	$($	$($	<code>\lbrbrak</code>	$\lrcorner$	$\lrcorner$	<code>\rParen</code>

(continued on next page)

(continued from previous page)

$\downarrow$	$\mid$	<code>\downarrow</code>	$\lceil$	$\lceil$	<code>\lceil</code>	$\uparrow$	$\uparrow$	<code>\uparrow</code>
$\Downarrow$	$\Downarrow$	<code>\Downarrow</code>	$\lfloor$	$\lfloor$	<code>\lfloor</code>	$\Uparrow$	$\Uparrow$	<code>\Uparrow</code>
$[$	$[$	$[$	$($	$)$	<code>\lgroup</code>	$\Updownarrow$	$\Updownarrow$	<code>\Updownarrow</code>
$]$	$]$	$]$	$\int$	$\int$	<code>\lmoustache</code>	$\updownarrow$	$\updownarrow$	<code>\updownarrow</code>
$($	$($	$($	$(($	$(($	<code>\lParen</code>	$\Uparrow$	$\Uparrow$	<code>\Uparrow</code>
$)$	$)$	$)$	$\rangle\rangle$	$\rangle\rangle$	<code>\rAngle</code>	$\Uparrow$	$\Uparrow$	<code>\Uparrow</code>
$/$	$/$	$/$	$\rangle$	$\rangle$	<code>\rangle</code>	$\parallel$	$\parallel$	<code>\Vert</code>
$\langle$	$\langle$	$<$	$\}$	$\}$	<code>\rbrace</code>	$ $	$ $	<code>\vert</code>
$\rangle$	$\rangle$	$>$	$\}$	$\}$	<code>\rbrace</code>	$\parallel$	$\parallel$	<code>\Vvert</code>
$ $	$ $	$ $	$\parallel$	$\parallel$	<code>\rBrack</code>			
$\langle$	$\langle$	<code>\langle</code>	$\rangle$	$\rangle$	<code>\rbrbrak</code>			

TABLE 222: `mathdesign` Variable-sized Delimiters

$\left\{$	$\left\{$	<code>\leftwave</code>	$\right\}$	$\right\}$	<code>\rightwave</code>
$\left\{$	$\left\{$	<code>\lefttevaw</code>	$\right\}$	$\right\}$	<code>\righttevaw</code>

The definitions of these symbols include a preceding `\left` or `\right`. It is therefore an error to specify `\left` or `\right` explicitly. The internal, “primitive” versions of these symbols are called `\lwave`, `\rwave`, `\levaw`, and `\revaw`.

TABLE 223: `nath` Variable-sized Delimiters (Double)

$\langle\langle$	<code>\lAngle</code>	$\rangle\rangle$	<code>\rAngle</code>
$\llbracket$	<code>\lBrack</code>	$\rrbracket$	<code>\rBrack</code>
$\lceil$	<code>\lCeil</code>	$\rceil$	<code>\rCeil</code>
$\lfloor$	<code>\lFloor</code>	$\rfloor$	<code>\rFloor</code>
$\ $	<code>\lVert*</code>	$\ $	<code>\rVert*</code>

* `nath` redefines all of the above to include implicit `\left` and `\right` commands. Hence, separate `\lVert` and `\rVert` commands are needed to disambiguate whether “|” is a left or right delimiter.

All of the symbols in Table 223 can also be expressed using the `\double` macro. See the `nath` documentation for examples and additional information.

TABLE 224: `nath` Variable-sized Delimiters (Triple)

$\langle\langle\langle$	<code>\triple<</code>	$\rangle\rangle\rangle$	<code>\triple></code>
$\lllbracket$	<code>\triple[</code>	$\rrrbracket$	<code>\triple]</code>
$\lllvert$	<code>\ltriple *</code>	$\rrrvert$	<code>\rtriple *</code>

* Similar to `\lVert` and `\rVert` in Table 223, `\ltriple` and `\rtriple` must be used instead of `\triple` to disambiguate whether “|” is a left or right delimiter.

Note that `\triple`—and the corresponding `\double`—is actually a macro that takes a delimiter as an argument.

TABLE 225: `fourier` Variable-sized Delimiters

$\llbracket$	<code>\llbracket</code>	$\rrbracket$	<code>\rrbracket</code>
$\ $	<code>\VERT</code>		

TABLE 226: `textcomp` Text-mode Delimiters

$\langle$	<code>\textlangle</code>	$\rangle$	<code>\textrangle</code>
$\llbracket$	<code>\textlbrackdbl</code>	$\rrbracket$	<code>\textrbrackdbl</code>
$\{$	<code>\textlquill</code>	$\}$	<code>\textrquill</code>

TABLE 227: metre Text-mode Delimiters

}	<code>\alad</code>	}	<code>\Alad</code>	†	<code>\crux</code>	†	<code>\Crux</code>
{	<code>\alas</code>	{	<code>\Alas</code>	]	<code>\quadrad</code>	]	<code>\Quadrad</code>
>	<code>\angud</code>	>	<code>\Angud</code>	⌈	<code>\quadras</code>	⌈	<code>\Quadras</code>
<	<code>\angus</code>	<	<code>\Angus</code>				

TABLE 228: Math-mode Accents

á	<code>\acute{a}</code>	ǎ	<code>\check{a}</code>	à	<code>\grave{a}</code>	ã	<code>\tilde{a}</code>
ā	<code>\bar{a}</code> *	ä	<code>\ddot{a}</code>	â	<code>\hat{a}</code>	→	<code>\vec{a}</code>
ă	<code>\breve{a}</code>	ȧ	<code>\dot{a}</code>	␣	<code>\mathring{a}</code>		

Note also the existence of `\imath` and `\jmath`, which produce dotless versions of “*i*” and “*j*”. (See Table 286 on page 112.) These are useful when the accent is supposed to replace the dot. For example, “`\hat{\imath}`” produces a correct “*î*”, while “`\hat{i}`” would yield the rather odd-looking “*î*”.

* The `\overline` command (Table 236 on page 102) produces a wider accent than `\bar`: “ $\overline{A}$ ” vs. “ $\bar{A}$ ”. However, unlike adjacent `\bars`, adjacent `\overlines` run together, which is often not desired: “ $\overline{AB}$ ” vs. “ $\overline{A}\overline{B}$ ”. If wider bars than `\bar` are needed, the following code from Enrico Gregorio can be used to add the requisite inter-symbol spacing [Gre09]:

```
\newcommand{\closure}[2][3]{%
  {\mkern#1mu\overline{\mkern-#1mu#2}}}
```

With that definition, “`\closure{A}\closure{B}`” produces “ $\overline{A}\overline{B}$ ”, with a visible gap between the two accents. The optional argument can be used to fine-tune the spacing.

TABLE 229: $\mathcal{AMS}$ Math-mode Accents

¨	<code>\dddot{a}</code>	˙˙	<code>\ddddot{a}</code>

These accents are also provided by the `mathabx` and `accents` packages and are redefined by the `mathdots` package if the `amsmath` and `amssymb` packages have previously been loaded. All of the variations except for the original $\mathcal{AMS}$ ones tighten the space between the dots (from $\ddot{a}$ to $\ddot{a}$). The `mathabx` and `mathdots` versions also function properly within subscripts and superscripts ($x^{\ddot{a}}$ instead of $x^{\ddot{a}}$).

TABLE 230: MnSymbol Math-mode Accents

ā	<code>\vec{a}</code>

TABLE 231: fdsymbol Math-mode Accents

$\overline{a}$	<code>\middlebar{a}</code>	$\not{a}$	<code>\strokethrough{a}</code>
$\overrightarrow{a}$	<code>\middleslash{a}</code>	$\vec{a}$	<code>\vec{a}</code>

`\middlebar` and `\middleslash` are applied here to “ a ” for consistency with the rest of the document, but they generally look better when applied to taller lowercase characters.

TABLE 232: boisik Math-mode Accents

$\vec{a}$	<code>\vec{a}</code>

TABLE 233: stix Math-mode Accents

$\acute{a}$	<code>\acute{a}</code>	$\hat{a}$	<code>\hat{a}</code>
$\overline{a}$	<code>\annuity{a}</code>	$\overleftarrow{a}$	<code>\leftarrowaccent{a}</code>
$\overset{*}{a}$	<code>\asteraccent{a}</code>	$\overleftarrow{\text{a}}$	<code>\leftharpoonaccent{a}</code>
$\bar{a}$	<code>\bar{a}</code>	$\overrightarrow{\text{a}}$	<code>\leftrightharpoonaccent{a}</code>
$\breve{a}$	<code>\breve{a}</code>	$\mathring{a}$	<code>\mathring{a}</code>
$\candra{a}$	<code>\candra{a}</code>	$\text{\textcircled{a}}$	<code>\ocommatoprigh{a}</code>
$\check{a}$	<code>\check{a}</code>	$\text{\textcircled{a}}$	<code>\oturnedcomma{a}</code>
$\ddot{a}$	<code>\dddot{a}</code>	$\text{\textcircled{a}}$	<code>\ovhook{a}</code>
$\ddot{a}$	<code>\dddot{a}</code>	$\overrightarrow{\text{a}}$	<code>\rightharpoonaccent{a}</code>
$\ddot{a}$	<code>\ddot{a}</code>	$\tilde{a}$	<code>\tilde{a}</code>
$\dot{a}$	<code>\dot{a}</code>	$\vec{a}$	<code>\vec{a}</code>
$\text{\textcircled{a}}$	<code>\droang{a}</code>	$\overline{\text{a}}$	<code>\widebridgeabove{a}</code>
$\grave{a}$	<code>\grave{a}</code>		

TABLE 234: fge Math-mode Accents

$\mathring{A}$	<code>\spirituslenis{A}</code>	$\mathring{a}$	<code>\spirituslenis{a}</code>

* When `fge` is passed the `crescent` option, `\spirituslenis` instead uses a crescent accent as in “ $\mathring{a}$ ”.

TABLE 235: yhmath Math-mode Accents

$\mathring{a}$	<code>\ring{a}</code>

This symbol is largely obsolete, as standard $\text{\LaTeX} 2_{\epsilon}$ has supported `\mathring` (Table 228 on the previous page) since June 1998 [L^AT₉₈].

TABLE 236: Extensible Accents

$\widetilde{abc}$	<code>\widetilde{abc}</code> *	$\widehat{abc}$	<code>\widehat{abc}</code> *
$\overleftarrow{abc}$	<code>\overleftarrow{abc}</code> †	$\overrightarrow{abc}$	<code>\overrightarrow{abc}</code> †
$\overline{abc}$	<code>\overline{abc}</code>	$\underline{abc}$	<code>\underline{abc}</code>
$\overbrace{abc}$	<code>\overbrace{abc}</code>	$\underbrace{abc}$	<code>\underbrace{abc}</code>
$\sqrt{abc}$	<code>\sqrt{abc}</code> ‡		

As demonstrated in a 1997 TUGboat article about typesetting long-division problems [Gib97], an extensible long-division sign (“ $\overline{abc}$ ”) can be faked by putting a “`\big`” in a `tabular` environment with an `\hline` or `\cline` in the preceding row. The article also presents a piece of code (uploaded to CTAN as `longdiv.tex`) that automatically solves and typesets—by putting an `\overline` atop “`\big`” and the desired text—long-division problems. More recently, the STIX fonts include a true long-division sign. See `\longdivision` in Table 242 for a sample of this symbol. See also the `polynom` package, which automatically solves and typesets polynomial-division problems in a similar manner.

* These symbols are made more extensible by the `MnSymbol` package (Table 240 on the following page). and even more extensible by the `yhmath` package (Table 238).

† If you’re looking for an extensible *diagonal* line or arrow to be used for canceling or reducing mathematical subexpressions (e.g., “ $x + \cancel{-x}$ ” or “ $\cancel{3} + 2^5$ ”) then consider using the `cancel` package.

‡ With an optional argument, `\sqrt` typesets *nth* roots. For example, “`\sqrt[3]{abc}`” produces “ $\sqrt[3]{abc}$ ” and “`\sqrt[n]{abc}`” produces “ $\sqrt[n]{abc}$ ”.

TABLE 237: overrightarrow Extensible Accents

$\overrightarrow{abc}$	<code>\Overrightarrow{abc}</code>

TABLE 238: yhmath Extensible Accents

$\widehat{abc}$	<code>\widehat{abc}</code>	$\widetilde{abc}$	<code>\widetilde{abc}</code>
$\wideparen{abc}$	<code>\wideparen{abc}</code>	$\widehat{abc}$	<code>\widehat{abc}</code>
$\overset{\circ}{abc}$	<code>\widering{abc}</code>		

TABLE 239: $\mathcal{AMS}$ Extensible Accents

$\overleftrightarrow{abc}$	<code>\overleftrightharrow{abc}</code>	$\overleftarrow{abc}$	<code>\underleftrightharrow{abc}</code>
$\overleftarrow{abc}$	<code>\underleftarrow{abc}</code>	$\overrightarrow{abc}$	<code>\underrightarrow{abc}</code>

TABLE 240: MnSymbol Extensible Accents

$\overbrace{abc}$	<code>\overbrace{abc}</code>	$\undergroup{abc}$	<code>\undergroup{abc}</code>
$\overgroup{abc}$	<code>\overgroup{abc}</code>	$\underline{abc}$	<code>\underlinesegment{abc}</code>
$\overleftharpoon{abc}$	<code>\overleftharpoon{abc}</code>	$\widehat{abc}$	<code>\widehat{abc}</code>
$\overlinesegment{abc}$	<code>\overlinesegment{abc}</code>	$\wideparen{abc}$	<code>\wideparen{abc}</code>
$\overrightarrow{abc}$	<code>\overrightarrow{abc}</code>	$\widetilde{abc}$	<code>\widetilde{abc}</code>
$\underbrace{abc}$	<code>\underbrace{abc}</code>		

TABLE 241: fdsymbol Extensible Accents

$\overbrace{abc}$	<code>\overbrace{abc}</code>	$\undergroup{abc}$	<code>\undergroup{abc}</code>
$\overgroup{abc}$	<code>\overgroup{abc}</code>	$\underline{abc}$	<code>\underlinesegment{abc}</code>
$\overleftharpoon{abc}$	<code>\overleftharpoon{abc}</code>	$\widehat{abc}$	<code>\widehat{abc}</code>
$\overlinesegment{abc}$	<code>\overlinesegment{abc}</code>	$\wideparen{abc}$	<code>\wideparen{abc}</code>
$\overrightarrow{abc}$	<code>\overrightarrow{abc}</code>	$\widetilde{abc}$	<code>\widetilde{abc}</code>
$\underbrace{abc}$	<code>\underbrace{abc}</code>		

TABLE 242: stix Extensible Accents

$\overline{abc}$	<code>\longdivision{abc}</code>	$\underbracket{abc}$	<code>\underbracket{abc}</code>
$\overbrace{abc}$	<code>\overbrace{abc}</code>	$\underline{abc}$	<code>\underleftarrow{abc}</code>
$\overbracket{abc}$	<code>\overbracket{abc}</code>	$\underline{abc}$	<code>\underleftharpoon{abc}</code>
$\overleftarrow{abc}$	<code>\overleftarrow{abc}</code>	$\underline{abc}$	<code>\underleftrightharpoon{abc}</code>
$\overleftharpoon{abc}$	<code>\overleftharpoon{abc}</code>	$\underbrace{abc}$	<code>\underparen{abc}</code>
$\overleftrightharpoon{abc}$	<code>\overleftrightharpoon{abc}</code>	$\underline{abc}$	<code>\underrightharpoon{abc}</code>
$\overparen{abc}$	<code>\overparen{abc}</code>	$\underline{abc}$	<code>\underrightharpoon{abc}</code>
$\overrightarrow{abc}$	<code>\overrightarrow{abc}</code>	$\widetilde{abc}$	<code>\widecheck{abc}</code>
$\overrightarrow{abc}$	<code>\overrightarrow{abc}</code>	$\widehat{abc}$	<code>\widehat{abc}</code>
$\sqrt{abc}$	<code>\sqrt{abc}</code>	$\widetilde{abc}$	<code>\widetilde{abc}</code>
$\underbrace{abc}$	<code>\underbrace{abc}</code>		

TABLE 243: mathtools Extensible Accents

$\overbrace{abc}$	<code>\overbrace{abc}</code>	$\underbrace{abc}$	<code>\underbrace{abc}</code>
$\overbracket{abc}$	<code>\overbracket{abc}</code> *	$\underbracket{abc}$	<code>\underbracket{abc}</code> *

* `\overbracket` and `\underbracket` accept optional arguments that specify the bracket height and thickness. See the `mathtools` documentation for more information.

TABLE 244: mathabx Extensible Accents

$\overbrace{abc}$	<code>\overbrace{abc}</code>	$\overline{abc}$	<code>\widebar{abc}</code>
$\overgroup{abc}$	<code>\overgroup{abc}</code>	$\widetilde{abc}$	<code>\widecheck{abc}</code>
$\underbrace{abc}$	<code>\underbrace{abc}</code>	$\wideparen{abc}$	<code>\wideparen{abc}</code>
$\undergroup{abc}$	<code>\undergroup{abc}</code>	$\overset{\circ}{abc}$	<code>\widering{abc}</code>
$\overrightarrow{abc}$	<code>\widearrow{abc}</code>		

The braces shown for `\overbrace` and `\underbrace` appear in their minimum size. They can expand arbitrarily wide, however.

TABLE 245: fourier Extensible Accents

$\widehat{abc}$	<code>\widearc{abc}</code>	$\widehat{abc}$	<code>\wideparen{abc}</code>
$\widehat{abc}$	<code>\wide0arc{abc}</code>	$\overset{\circ}{abc}$	<code>\widering{abc}</code>

TABLE 246: esvect Extensible Accents

$\overrightarrow{abc}$	<code>\vv{abc}</code> with package option a
$\overrightarrow{abc}$	<code>\vv{abc}</code> with package option b
$\overrightarrow{abc}$	<code>\vv{abc}</code> with package option c
$\overrightarrow{abc}$	<code>\vv{abc}</code> with package option d
$\overrightarrow{abc}$	<code>\vv{abc}</code> with package option e
$\overrightarrow{abc}$	<code>\vv{abc}</code> with package option f
$\overrightarrow{abc}$	<code>\vv{abc}</code> with package option g
$\overrightarrow{abc}$	<code>\vv{abc}</code> with package option h

`esvect` also defines a `\vv*` macro which is used to typeset arrows over vector variables with subscripts. See the `esvect` documentation for more information.

TABLE 247: `abraces` Extensible Accents
$$\overbrace{abc} \quad \backslash\mathrm{aoverbrace}\{abc\} \quad \underbrace{abc} \quad \backslash\mathrm{aunderbrace}\{abc\}$$

`\aoverbrace` and `\aunderbrace` accept optional arguments that provide a great deal of control over the braces' appearance. For example, these commands can produce braces with asymmetric endpoints, braces that span lines, dashed braces, and multicolored braces. See the `abraces` documentation for more information.

TABLE 248: `undertilde` Extensible Accents
$$\underset{\sim}{abc} \quad \backslash\mathrm{utilde}\{abc\}$$

Because `\utilde` is based on `\widetilde` it is also made more extensible by the `yhmath` package (Table 238 on page 102).

TABLE 249: `ushort` Extensible Accents
$$\underline{\hspace{0.5em}}abc \quad \backslash\mathrm{ushortdw}\{abc\} \quad \underline{\hspace{0.5em}}abc \quad \backslash\mathrm{ushortw}\{abc\}$$

`\ushortw` and `\ushortdw` are intended to be used with multi-character arguments (“words”) while `\ushortand` and `\ushortd` are intended to be used with single-character arguments.

The underlines produced by the `ushort` commands are shorter than those produced by the `\underline` command. Consider the output from the expression “`\ushort{x}\ushort{y}\underline{x}\underline{y}`”, which looks like “ $\underline{\hspace{0.5em}}xy\underline{\hspace{0.5em}}xy$ ”.

TABLE 250: `mdwmath` Extensible Accents
$$\sqrt{abc} \quad \backslash\mathrm{sqrt*}\{abc\}$$
TABLE 251: `actuarialangle` Extensible Accents
$$\overline{abc} \quad \backslash\mathrm{actuarialangle}\{abc\}$$

The `actuarialangle` package additionally defines `\angl` as `\actuarialangle` with a small amount of extra space to the right of the accented expression under the $\overline{\hspace{0.5em}}$, `\angln` as `\angl{n}`, and `\anglr` as `\angl{r}`.

TABLE 252: $\mathcal{AMS}$ Extensible Arrows
$$\overleftarrow{abc} \quad \backslash\mathrm{xleftarrow}\{abc\} \quad \overrightarrow{abc} \quad \backslash\mathrm{xrightarrow}\{abc\}$$

TABLE 253: mathtools Extensible Arrows

$\xhookleftarrow{abc}$	<code>\xhookleftarrow{abc}</code>	$\xleftrightharpoons{abc}$	<code>\xleftrightharpoons{abc}</code>
$\xhookrightarrow{abc}$	<code>\xhookrightarrow{abc}</code>	$\xmapsto{abc}$	<code>\xmapsto{abc}</code>
$\xLeftarrow{abc}$	<code>\xLeftarrow{abc}</code>	$\xRightarrow{abc}$	<code>\xRightarrow{abc}</code>
$\xleftharpoonup{abc}$	<code>\xleftharpoonup{abc}</code>	$\xrightharpoonup{abc}$	<code>\xrightharpoonup{abc}</code>
$\xleftharpoonupdown{abc}$	<code>\xleftharpoonupdown{abc}</code>	$\xrightharpoonupdown{abc}$	<code>\xrightharpoonupdown{abc}</code>
$\xleftharpoonupup{abc}$	<code>\xleftharpoonupup{abc}</code>	$\xrightharpoonupup{abc}$	<code>\xrightharpoonupup{abc}</code>
$\xleftrightarrow{abc}$	<code>\xleftrightarrow{abc}</code>	$\xrightleftharpoons{abc}$	<code>\xrightleftharpoons{abc}</code>
$\xLeftrightarrow{abc}$	<code>\xLeftrightarrow{abc}</code>		

TABLE 254: chemarr Extensible Arrows

$\xrightleftharpoons{abc}$	<code>\xrightleftharpoons{abc}</code>

TABLE 255: chemarrow Extensible Arrows

$\xleftarrow[def]{abc}$	<code>\autoleftarrow{abc}{def}</code>	$\xrightarrow[def]{abc}$	<code>\autorightarrow{abc}{def}</code>
$\xleftrightarrow[def]{abc}$	<code>\autoleftrightharpoons{abc}{def}</code>	$\xrightleftharpoons[def]{abc}$	<code>\autorightleftharpoons{abc}{def}</code>

In addition to the symbols shown above, `chemarrow` also provides `\arrowfill`, `\rarrowfill`, `\leftrightharpoonsfill`, and `\rightleftharpoonsfill` macros. Each of these takes a length argument and produces an arrow of the specified length.

TABLE 256: extarrows Extensible Arrows

$\xleftrightarrow{abc}$	<code>\xLeftrightarrow{abc}</code>	$\xLongleftrightarrow{abc}$	<code>\xLongleftrightarrow{abc}</code>
$\xleftrightarrow{abc}$	<code>\xleftrightharpoonup{abc}</code>	$\xlongleftrightharpoonup{abc}$	<code>\xlongleftrightharpoonup{abc}</code>
$\xlongequal{abc}$	<code>\xlongequal{abc}</code>	$\xLongrightarrow{abc}$	<code>\xLongrightarrow{abc}</code>
$\xLongleftarrow{abc}$	<code>\xLongleftarrow{abc}</code>	$\xlongrightarrow{abc}$	<code>\xlongrightarrow{abc}</code>
$\xlongleftarrow{abc}$	<code>\xlongleftarrow{abc}</code>		

TABLE 257: extpfeil Extensible Arrows

$\overline{\overline{abc}}$	<code>\xlongequal{abc}</code>	$\overleftarrow{\overleftarrow{abc}}$	<code>\xtwoheadleftarrow{abc}</code>
$\overrightarrow{\overrightarrow{abc}}$	<code>\xmapsto{abc}</code>	$\overrightarrow{\overrightarrow{abc}}$	<code>\xtwoheadrightarrow{abc}</code>
$\overleftrightarrow{\overleftrightarrow{abc}}$	<code>\xtofrom{abc}</code>		

The `extpfeil` package also provides a `\newextarrow` command to help you define your own extensible arrow symbols. See the `extpfeil` documentation for more information.

TABLE 258: DotArrow Extensible Arrows

$\overrightarrow{\overrightarrow{a}}$	<code>\dotarrow{a}</code>

The `DotArrow` package provides mechanisms for lengthening the arrow, adjusting the distance between the arrow and its symbol, and altering the arrowhead. See the `DotArrow` documentation for more information.

TABLE 259: trfsigns Extensible Transform Symbols

$\overline{\overline{a}}$	<code>\dft{a}</code>	$\overline{\overline{a}}$	<code>\DFT{a}</code>

TABLE 260: holtpolt Non-commutative Division Symbols

$\overline{\overline{abc}} \overline{\overline{def}}$	<code>\holter{abc}{def}</code>	$\overline{\overline{abc}} \overline{\overline{def}}$	<code>\polter{abc}{def}</code>

TABLE 261: Dots

$\cdot$	<code>\cdotp</code>	$:$	<code>\colon*</code>	$\cdot$	<code>\ldotp</code>	$\vdots$	<code>\vdots[†]</code>
$\dots$	<code>\cdots</code>	$\ddots$	<code>\ddots[†]</code>	$\dots$	<code>\ldots</code>		

* While “:” is valid in math mode, `\colon` uses different surrounding spacing. See Section 10.4 and the Short Math Guide for $\text{\LaTeX}$ [Dow00] for more information on math-mode spacing.

[†] The `mathdots` package redefines `\ddots` and `\vdots` (Table 267) to make them scale properly with font size. (They normally scale horizontally but not vertically.) `\fixedddots` and `\fixedvdots` provide the original, fixed-height functionality of $\text{\LaTeX}$ 2_ε’s `\ddots` and `\vdots` macros.

TABLE 262: $\mathcal{AMS}$ Dots

$\because$	<code>\because*</code>	$\cdots$	<code>\dotsi</code>	$\therefore$	<code>\therefore*</code>
$\dots$	<code>\dotsb</code>	$\cdots$	<code>\dotsm</code>		
$\dots$	<code>\dotsc</code>	$\cdots$	<code>\dotso</code>		

* `\because` and `\therefore` are defined as binary relations and therefore also appear in Table 88 on page 47.

The $\mathcal{AMS}$ `\dots_` symbols are named according to their intended usage: `\dotsb` between pairs of binary operators/relations, `\dotsc` between pairs of commas, `\dotsi` between pairs of integrals, `\dotsm` between pairs of multiplication signs, and `\dotso` between other symbol pairs.

TABLE 263: wasysym Dots

$\therefore$	<code>\wasytherefore</code>

TABLE 264: MnSymbol Dots

$\cdot$	<code>\cdot</code>	$\cdots$	<code>\hdotdot</code>	$\because$	<code>\udots</code>
$\ddots$	<code>\ddotdotdot</code>	$\cdots$	<code>\hdots</code>	$\therefore$	<code>\uptherefore</code>
$\ddots$	<code>\ddots</code>	$\because$	<code>\lefttherefore</code>	$\vdots$	<code>\vdotdot</code>
$\diamond$	<code>\diamonddots</code>	$\because$	<code>\righttherefore</code>	$\vdots$	<code>\vdots</code>
$\downarrow$	<code>\downtherefore</code>	$\because$	<code>\squaredots</code>		
$\ddots$	<code>\fivedots</code>	$\because$	<code>\udotdot</code>		

MnSymbol defines `\therefore` as `\uptherefore` and `\because` as `\downtherefore`. Furthermore, `\cdot` and `\colon` produce the same glyphs as `\cdot` and `\vdotdot` respectively but serve as $\mathrm{T}_{\mathrm{E}}\mathrm{X}$ math punctuation (class 6 symbols) instead of $\mathrm{T}_{\mathrm{E}}\mathrm{X}$ binary operators (class 2).

All of the above except `\hdots` and `\vdots` are defined as binary operators and therefore also appear in Table 56 on page 29.

TABLE 265: fdsymbol Dots

$\cdot$	<code>\cdot</code>	$\cdots$	<code>\hdots</code>	$\because$	<code>\udots</code>
$\ddots$	<code>\ddotdotdot</code>	$\because$	<code>\lefttherefore</code>	$\therefore$	<code>\uptherefore</code>
$\ddots$	<code>\ddots</code>	$\because$	<code>\righttherefore</code>	$\vdots$	<code>\vdotdot</code>
$\downarrow$	<code>\downtherefore</code>	$\because$	<code>\squaredots</code>		
$\cdots$	<code>\hdotdot</code>	$\because$	<code>\udotdot</code>		

fdsymbol defines `\adots` as a synonym for `\udots`; `\because` as a synonym for `\downtherefore`; `\cdot` as a synonym for `\cdot`; `\cdots` as a synonym for `\hdots`; `\Colon` as a synonym for `\squaredots`; `\colon`, `\mathcolon`, and `\mathratio` as synonyms for `\vdotdot`; and `\therefore` as a synonym for `\uptherefore`. (Some of these serve different mathematical roles, such as relations versus binary operators.)

TABLE 266: stix Dots

$\therefore$	<code>\adots</code>	$\cdots$	<code>\cdots</code>	$\vdots$	<code>\fourvdots</code>
$\because$	<code>\because</code>	$\colon$	<code>\Colon</code>	$\ldotp$	<code>\ldotp</code>
$\cdot$	<code>\cdot</code>	$\ddots$	<code>\ddots</code>	$\mathellipsis$	<code>\mathellipsis</code>
$\cdot$	<code>\cdot</code>	$\enspace\cdots\enspace$	<code>\enleadertwodots</code>	$\therefore$	<code>\therefore</code>

stix defines `\centerdot` as a synonym for `\cdot` and `\dotsb` and `\dotsm` as synonyms for `\cdots`.

TABLE 267: mathdots Dots

$\ddots$	<code>\ddots</code>	$\iddots$	<code>\iddots</code>	$\vdots$	<code>\vdots</code>

Unlike the default definitions of the above (Table 261), `mathdots`'s commands are designed to scale properly with the surrounding font size.

TABLE 268: yhmach Dots

$\therefore$	<code>\adots</code>

TABLE 269: teubner Dots

$\colon$	<code>\colon</code>	$\colon$	<code>\colon</code>	$\colon$	<code>\colon</code>	$\colon$	<code>\colon</code>

TABLE 270: begriff Begriffsschrift Symbols

$\vdash$	<code>\BGassert</code>	$\dashv$	<code>\BGcontent</code>	$\top$	<code>\BGnot</code>
$\overset{b}{\underset{a}{\lceil}}$	<code>\BGconditional{a}{b}</code>	$\smile$	<code>\BGquant{a}</code>		

The `begriff` package contains additional commands for typesetting Frege's Begriffsschrift notation for second-order logic. See the `begriff` documentation for more information.

TABLE 271: frege Begriffsschrift Symbols

$\vdash$	<code>\Facontent</code>	$\vdash$	<code>\Fanncontent</code>	$\vdash$	<code>\Fncontent</code>
$\vdash$	<code>\Fancontent</code>	$\vdash$	<code>\Fcontent</code>	$\vdash$	<code>\Fnncontent</code>
$\vdash^a$	<code>\Fannquant{a}</code>	$\vdash^a$	<code>\Faquant{a}</code>	$\vdash^a$	<code>\Fnquant{a}</code>
$\vdash^a$	<code>\Fannquantn{a}</code>	$\vdash^a$	<code>\Faquantn{a}</code>	$\vdash^a$	<code>\Fnquantn{a}</code>
$\vdash^a$	<code>\Fannquantnn{a}</code>	$\vdash^a$	<code>\Faquantnn{a}</code>	$\vdash^a$	<code>\Fnquantnn{a}</code>
$\vdash^a$	<code>\Fanquant{a}</code>	$\vdash^a$	<code>\Fnnquant{a}</code>	$\vdash^a$	<code>\Fquantn{a}</code>
$\vdash^a$	<code>\Fanquantn{a}</code>	$\vdash^a$	<code>\Fnnquantn{a}</code>	$\vdash^a$	<code>\Fquantnn{a}</code>
$\vdash^a$	<code>\Fanquantnn{a}</code>	$\vdash^a$	<code>\Fnnquantnn{a}</code>		

The `frege` package contains additional commands for typesetting Frege's Begriffsschrift notation for second-order logic. See the `frege` documentation for more information.

TABLE 272: mathcomp Math Symbols

$^{\circ}\text{C}$	<code>\tccentigrade</code>	Ω	<code>\tcohm</code>	‰	<code>\tcperthousand</code>
μ	<code>\tcmu</code>	‰‰	<code>\tcpertenthousand</code>		

TABLE 273: marvosym Math Symbols

$\angle$	<code>\AngleSign</code>	$\geq$	<code>\LargerOrEqual</code>	$\times$	<code>\MVMultiplication</code>
$\Rightarrow$	<code>\Conclusion</code>	$\leq$	<code>\LessOrEqual</code>	$\cdot$	<code>\MVPeriod</code>
$\equiv$	<code>\Congruent</code>	$\cdot$	<code>\MultiplicationDot</code>	$+$	<code>\MVPlus</code>
$\cong$	<code>\Corresponds</code>	$,$	<code>\MVComma</code>	$\rightarrow$	<code>\MVRightArrow</code>
$/$	<code>\Divides</code>	$/$	<code>\MVDivision</code>	$)$	<code>\MVRightBracket</code>
$\nmid$	<code>\DividesNot</code>	$($	<code>\MVLeftBracket</code>	$\neq$	<code>\NotCongruent</code>
$\Leftrightarrow$	<code>\Equivalence</code>	$-$	<code>\MVMinus</code>		

TABLE 274: marvosym Digits

0	<code>\MVZero</code>	2	<code>\MVTwo</code>	4	<code>\MVFour</code>	6	<code>\MVSix</code>	8	<code>\MVEight</code>
1	<code>\MVOne</code>	3	<code>\MVThree</code>	5	<code>\MVFive</code>	7	<code>\MVSeven</code>	9	<code>\MVNine</code>

TABLE 275: fge Digits

0	<code>\fgestruckzero</code>	1	<code>\fgestruckone</code>

TABLE 276: dozenal Base-12 Digits

ζ	<code>\x</code>	ξ	<code>\e</code>

TABLE 277: mathabx Mayan Digits

$\textcircled{0}$	<code>\maya{0}</code>	:	<code>\maya{2}</code>	:	<code>\maya{4}</code>
$\cdot$	<code>\maya{1}</code>	:	<code>\maya{3}</code>	:	<code>\maya{5}</code>

TABLE 278: stix Infinities

∞	<code>\acidfree</code>	∞	<code>\infty</code>	∞	<code>\tieinfty</code>
∞	<code>\iinfin</code>	∞	<code>\nviny</code>		

TABLE 279: stix Primes

$'$	<code>\prime</code>	$'$	<code>\backprime</code>
$''$	<code>\dprime</code>	$''$	<code>\backdprime</code>
$'''$	<code>\trprime</code>	$'''$	<code>\backtrprime</code>
$'''$	<code>\qprime</code>		

TABLE 280: stix Empty Sets

$\emptyset$	<code>\emptyset</code>	$\overline{\emptyset}$	<code>\emptysettoarr</code>	$\emptyset$	<code>\varnothing</code>
$\emptyset$	<code>\emptysettoarr</code>	$\emptyset$	<code>\emptysettocirc</code>		
$\emptyset$	<code>\emptysettoarrl</code>	$\emptyset$	<code>\revemptyset</code>		

TABLE 281: $\mathcal{AMS}$ Angles

$\angle$	<code>\angle</code>	$\measuredangle$	<code>\measuredangle</code>	$\sphericalangle$	<code>\sphericalangle</code>

TABLE 282: MnSymbol Angles

$\angle$	<code>\angle</code>	$\measuredangle$	<code>\measuredangle</code>	$\sphericalangle$	<code>\sphericalangle</code>

TABLE 283: fdsymbol Angles

$\angle$	<code>\angle</code>	$\sphericalangle$	<code>\sphericalangle</code>
$\measuredangle$	<code>\measuredangle</code>	$\sphericalangle$	<code>\sphericalangle</code>
$\measuredrightangle$	<code>\measuredrightangle</code>	$\sphericalangle$	<code>\sphericalangle</code>
$\measuredrightangledot$	<code>\measuredrightangledot</code>	$\sphericalangle$	<code>\sphericalangle</code>

fdsymbol defines `\measuredangleleft` as a synonym for `\revmeasuredangle`;
`\revsphericalangle` and `\gtlpar` as synonyms for `\sphericalangleleft`;
`\rightanglesqr` as a synonym for `\rightanglesquare`; and
`\rightangledmdot` as a synonym for `\measuredrightangledmdot`.

TABLE 284: boisik Angles

$\angle$	<code>\angle</code>	$\rightangle$	<code>\rightangle</code>	$\sphericalangle$	<code>\sphericalangle</code>
$\measuredangle$	<code>\measuredangle</code>	$\rightangledmdot$	<code>\rightangledmdot</code>		
$\measuredrightangle$	<code>\measuredrightangle</code>	$\rightanglesqr$	<code>\rightanglesqr</code>		

TABLE 285: stix Angles

$\angle$	<code>\angdnr</code>	$\measuredangle$	<code>\measanglerutone</code>	$\rightangle$	<code>\rightangledot</code>
$\sphericalangle$	<code>\angle</code>	$\measuredangle$	<code>\measangleultonw</code>	$\rightangle$	<code>\rightanglesqr</code>
$\sphericalangle$	<code>\angles</code>	$\measuredangle$	<code>\measangleurtone</code>	$\sphericalangle$	<code>\sphericalangle</code>
$\sphericalangle$	<code>\angleubar</code>	$\measuredangle$	<code>\measuredangle</code>	$\sphericalangle$	<code>\sphericalangleup</code>
$\gtlpar$	<code>\gtlpar</code>	$\measuredangle$	<code>\measuredangleleft</code>	$\threedangle$	<code>\threedangle</code>
$\measuredangle$	<code>\measangledltosw</code>	$\measuredangle$	<code>\measuredrightangle</code>	$\turnangle$	<code>\turnangle</code>
$\measuredangle$	<code>\measangledrtose</code>	$\rangledownzigzagarrow$	<code>\rangledownzigzagarrow</code>	$\wideangledown$	<code>\wideangledown</code>
$\measuredangle$	<code>\measangleldtosw</code>	$\revangle$	<code>\revangle</code>	$\wideangleup$	<code>\wideangleup</code>
$\measuredangle$	<code>\measanglelultonw</code>	$\revangleubar$	<code>\revangleubar</code>		
$\measuredangle$	<code>\measanglerdtose</code>	$\rightangle$	<code>\rightangle</code>		

TABLE 286: Miscellaneous L^AT_EX 2_ε Math Symbols

$\aleph$	<code>\aleph</code>	$\Box^{*,\dagger}$	<code>\Box^{*,\dagger}</code>	∇	<code>\nabla</code>	$\triangle$	<code>\triangle</code>
$\emptyset$	<code>\emptyset</code>	$\Diamond^*$	<code>\Diamond^*</code>	$\neg$	<code>\neg</code>		
$\angle$	<code>\angle</code>	∞	<code>\infty</code>	$\prime$	<code>\prime</code>		
$\backslash$	<code>\backslash</code>	$\mho^*$	<code>\mho^*</code>	$\surd$	<code>\surd</code>		

* Not predefined in L^AT_EX 2_ε. Use one of the packages `latexsym`, `amssymb`, `txfonts`, `pxfonts`, or `wasysym`. Note, however, that `amssymb` and `amssymb` define `\Diamond` to produce the same glyph as `\lozenge` (“ $\diamond$ ”); the other packages produce a squarer `\Diamond` as depicted above.

[†] To use `\Box`—or any other symbol—as an end-of-proof (Q.E.D.) marker, consider using the `ntheorem` package, which properly juxtaposes a symbol with the end of the proof text.

[‡] Many people prefer the look of $\mathcal{MS}$ ’s `\varnothing` (“ $\emptyset$ ”, Table 287) to that of L^AT_EX’s `\emptyset`.

TABLE 287: Miscellaneous $\mathcal{MS}$ Math Symbols

$\backprime$	<code>\backprime</code>	$\blacktriangledown$	<code>\blacktriangledown</code>	$\mho$	<code>\mho</code>
$\bigstar$	<code>\bigstar</code>	$\diagdown$	<code>\diagdown</code>	$\square$	<code>\square</code>
$\blacklozenge$	<code>\blacklozenge</code>	$\diagup$	<code>\diagup</code>	$\triangledown$	<code>\triangledown</code>
$\blacksquare$	<code>\blacksquare</code>	$\eth$	<code>\eth</code>	$\varnothing$	<code>\varnothing</code>
$\blacktriangle$	<code>\blacktriangle</code>	$\lozenge$	<code>\lozenge</code>	$\vartriangle$	<code>\vartriangle</code>

TABLE 288: Miscellaneous wasysym Math Symbols

$\Box$	<code>\Box</code>	$\Diamond$	<code>\Diamond</code>	$\mho^*$	<code>\mho^*</code>	$\varangle$	<code>\varangle</code>

* `wasysym` also defines an `\agem0` symbol, which is the same glyph as `\mho` but is intended for use in text mode.

TABLE 289: Miscellaneous txfonts/pxfonts Math Symbols

$\blacklozenge$	<code>\Diamondblack</code>	λ	<code>\lambdabar</code>
$\diamond$	<code>\Diamonddot</code>	λ	<code>\lambdaslash</code>

TABLE 290: Miscellaneous mathabx Math Symbols

◦	<code>\degree</code>	'''	<code>\fourth</code>	∠	<code>\measuredangle</code>	''	<code>\second</code>
\	<code>\diagdown</code>	#	<code>\hash</code>	⌢	<code>\pitchfork</code>	⋈	<code>\sphericalangle</code>
/	<code>\diagup</code>	∞	<code>\infty</code>	∝	<code>\propto</code>	'''	<code>\third</code>
∅	<code>\diameter</code>	⋈	<code>\leftthreetimes</code>	⋈	<code>\rightthreetimes</code>	#	<code>\varhash</code>

TABLE 291: Miscellaneous MnSymbol Math Symbols

⊖	<code>\backneg</code>	∅	<code>\diameter</code>	⊖	<code>\invneg</code>	⊖	<code>\neg</code>
⊖	<code>\backprime</code>	∞	<code>\infty</code>	⊖	<code>\maltese</code>	/	<code>\prime</code>
✓	<code>\checkmark</code>	⊖	<code>\invbackneg</code>	∇	<code>\nabla</code>	f	<code>\smallint</code>

MnSymbol defines `\emptyset` and `\varnothing` as synonyms for `\diameter`; `\lnot` and `\minushookdown` as synonyms for `\neg`; `\minushookup` as a synonym for `\invneg`; `\hookdownminus` as a synonym for `\backneg`; and, `\hookupminus` as a synonym for `\invbackneg`.

TABLE 292: Miscellaneous Internal MnSymbol Math Symbols

⋯	<code>\partialvardint</code>	⋯	<code>\partialvartint</code>
⋈	<code>\partialvardlanddownint</code>	⋈	<code>\partialvartlanddownint</code>
⋈	<code>\partialvardlandupint</code>	⋈	<code>\partialvartlandupint</code>
⊙	<code>\partialvardlcircleleftint</code>	⊙	<code>\partialvartlcircleleftint</code>
⊙	<code>\partialvardlrcirclerightint</code>	⊙	<code>\partialvartlrcirclerightint</code>
⊙	<code>\partialvardoiint</code>	⊙	<code>\partialvartoiint</code>
⊙	<code>\partialvardoint</code>	⊙	<code>\partialvartoint</code>
⊙	<code>\partialvardrcircleleftint</code>	⊙	<code>\partialvartrcircleleftint</code>
⊙	<code>\partialvardrcirclerightint</code>	⊙	<code>\partialvartrcirclerightint</code>
⊖	<code>\partialvardstrokedint</code>	⊖	<code>\partialvartstrokedint</code>
Σ	<code>\partialvardsumint</code>	Σ	<code>\partialvartsumint</code>

These symbols are intended to be used internally by MnSymbol to construct the integrals appearing in Table 79 on page 41 but can nevertheless be used in isolation.

TABLE 293: Miscellaneous fdsymbol Math Symbols

⊖	<code>\backneg</code>	∞	<code>\infty</code>	/	<code>\prime</code>
⊖	<code>\backprime</code>	⊖	<code>\invneg</code>	∅	<code>\reemptyset</code>
✓	<code>\checkmark</code>	⊖	<code>\maltese</code>	∇	<code>\sector</code>
∅	<code>\emptyset</code>	⊖	<code>\neg</code>	f	<code>\smallint</code>

fdsymbol defines `\hookdownminus` as a synonym for `\backneg`; `\invneg` and `\invnot` as synonyms for `\backneg`; `\lnot` and `\minushookdown` as synonyms for `\neg`; `\turnedbackneg` as a synonym for `\intprodr`; `\turnedneg` as a synonym for `\intprod`; and `\diameter` and `\varnothing` as synonyms for `\emptyset`.

TABLE 294: Miscellaneous boisik Math Symbols

$\backslash$	<code>\backepsilon</code>	$\dagger$	<code>\hermitmatrix</code>	$\nless$	<code>\notbot</code>
$\backprime$	<code>\backprime</code>	∞	<code>\iinfin</code>	$\nless$	<code>\nottop</code>
$\checkmark$	<code>\checkmark</code>	$\neg$	<code>\invnot</code>	$\riota$	<code>\riota</code>
$\square$	<code>\dalambert</code>	λ	<code>\lambdabar</code>	$\sim$	<code>\sinewave</code>
$\diagdown$	<code>\diagdown</code>	λ	<code>\lambdaslash</code>	$\emptyset$	<code>\varnothing</code>
$\diagup$	<code>\diagup</code>	maltese	<code>\maltese</code>		

TABLE 295: Miscellaneous stix Math Symbols

$\sim$	<code>\accurrent</code>	$\dagger$	<code>\hermitmatrix</code>	$\P$	<code>\PropertyLine</code>
$\backslash$	<code>\backslash</code>	$\bullet$	<code>\hyphenbullet</code>	$\blacksquare$	<code>\QED</code>
$\equiv$	<code>\bbrktbrk</code>	$\sim$	<code>\hzigzag</code>	$??$	<code>\Question</code>
$\bot$	<code>\bigbot</code>	Δ	<code>\increment</code>	$\times$	<code>\rdiagovfdiag</code>
$\equiv$	<code>\biginterleave</code>	$\blacksquare$	<code>\inversebullet</code>	$\bowtie$	<code>\rightouterjoin</code>
$\top$	<code>\bigtop</code>	$\neg$	<code>\invnot</code>	$\lrcorner$	<code>\sansLmirrored</code>
smiley	<code>\blacksmiley</code>	$\Join$	<code>\Join</code>	$\lrcorner$	<code>\sansLturned</code>
$\lvert$	<code>\bracevert</code>	$\square$	<code>\laplac</code>	$\sim$	<code>\sinewave</code>
$\wedge$	<code>\caretinsert</code>	$\bowtie$	<code>\leftouterjoin</code>	strns	<code>\strns</code>
$\checkmark$	<code>\checkmark</code>	$\llarc$	<code>\llarc</code>	thermod	<code>\thermod</code>
$\triangleright$	<code>\conictaper</code>	$\llarc$	<code>\llarc</code>	$\topcir$	<code>\topcir</code>
danger	<code>\danger</code>	maltese	<code>\maltese</code>	turnednot	<code>\turnednot</code>
$\diagdown$	<code>\diagdown</code>	$\S$	<code>\mathsection</code>	ubrbrak	<code>\ubrbrak</code>
$\diagup$	<code>\diagup</code>	mathvisiblespace	<code>\mathvisiblespace</code>	$\ularc$	<code>\ularc</code>
$\emptyset$	<code>\diameter</code>	∇	<code>\nabla</code>	$\urarc$	<code>\urarc</code>
$*$	<code>\dingasterisk</code>	$\neg$	<code>\neg</code>	viewdata	<code>\viewdata</code>
elinters	<code>\elinters</code>	obrbrak	<code>\obrbrak</code>	vzigzag	<code>\vzigzag</code>
$\eth$	<code>\eth</code>	$\perps$	<code>\perps</code>	$\yen$	<code>\yen</code>
$!!$	<code>\Exclam</code>	postalmark	<code>\postalmark</code>	zcmp	<code>\zcmp</code>
$\times$	<code>\fdiagovrdiag</code>	profline	<code>\profline</code>	zpipe	<code>\zpipe</code>
$\bowtie$	<code>\fullouterjoin</code>	profsurf	<code>\profsurf</code>	zproject	<code>\zproject</code>

* stix defines `\lnot` as a synonym for `\neg`.

TABLE 296: Miscellaneous textcomp Text-mode Math Symbols

$^\circ$	<code>\textdegree*</code>	$\frac{1}{2}$	<code>\textonehalf[†]</code>	$\frac{3}{4}$	<code>\textthreequarters[†]</code>
$\div$	<code>\textdiv</code>	$\frac{1}{4}$	<code>\textonequarter[†]</code>	^{3}	<code>\textthreesuperior</code>
$/$	<code>\textfractionsolidus</code>	^{1}	<code>\textonesuperior</code>	$\times$	<code>\texttimes</code>
$\neg$	<code>\textlnot</code>	$\pm$	<code>\textpm</code>	^{2}	<code>\texttwosuperior</code>
$-$	<code>\textminus</code>	$\sqrt{}$	<code>\textsurd</code>		

* If you prefer a larger degree symbol you might consider defining one as `\ensuremath{\sim\circ}` (“ $\circ$ ”).

[†] nicefrac (part of the units package) or the newer xfrac package can be used to construct vulgar fractions like “ $\frac{1}{2}$ ”, “ $\frac{1}{4}$ ”, “ $\frac{3}{4}$ ”, and even “ $\frac{c}{o}$ ”.

TABLE 297: Miscellaneous fge Math Symbols

$\backslash$	<code>\fgebackslash</code>	$\frown$	<code>\fgecap</code>	$\smile$	<code>\fgecupacute</code>	$\lneq$	<code>\fgeangle</code>
$\perp$	<code>\fgebaracute</code>	$\simeq$	<code>\fgecapbar</code>	$\cong$	<code>\fgecupbar</code>	$\lceil$	<code>\fgeupbracket</code>
$\approx$	<code>\fgebarcap</code>	$\cup$	<code>\fgecup</code>	∞	<code>\fgeinfty</code>		

TABLE 298: Miscellaneous mathdesign Math Symbols

$\llcorner$	<code>\rightangle</code>

TABLE 299: Math Alphabets

Font sample	Generating command	Required package
ABCdef123	<code>\mathrm{ABCdef123}</code>	<i>none</i>
<i>ABCdef123</i>	<code>\mathit{ABCdef123}</code>	<i>none</i>
<i>ABCdef123</i>	<code>\mathnormal{ABCdef123}</code>	<i>none</i>
<i>ABC</i>	<code>\mathcal{ABC}</code>	<i>none</i>
<i>ABC</i>	<code>\mathscr{ABC}</code>	mathrsfs
<i>ABC</i>	<i>or</i> <code>\mathcal{ABC}</code>	calrsfs
<i>ABC</i>	<code>\mathcal{ABC}</code>	euscript with the mathcal option
<i>ABC</i>	<i>or</i> <code>\mathscr{ABC}</code>	euscript with the mathscr option
<i>ABC</i>	<code>\mathcal{ABC}</code>	rsfs
<i>ABC</i>	<i>or</i> <code>\mathscr{ABC}</code>	rsfs with the scr option
<i>ABC</i>	<code>\mathcal{ABC}</code>	urwchancal*
<i>ABC</i>	<i>or</i> <code>\mathscr{ABC}</code>	urwchancal* with the mathscr option
ABC	<code>\mathbb{ABC}</code>	amsfonts, [§] amssymb, txfonts, or pxfonts
ABC	<code>\varmathbb{ABC}</code>	txfonts or pxfonts
ABCdef123	<code>\mathbb{ABCdef123}</code>	bbold or mathbbol [†]
ABCdef123	<code>\mathbb{ABCdef123}</code>	mbboard [†]
ABCdef12	<code>\mathbbm{ABCdef12}</code>	bbm
ABCdef12	<code>\mathbbmss{ABCdef12}</code>	bbm
ABCdef12	<code>\mathbbmtt{ABCdef12}</code>	bbm
ABC1	<code>\mathds{ABC1}</code>	dsfont
ABC1	<code>\mathds{ABC1}</code>	dsfont with the sans option
ABC	<code>\symA\symB\symC</code>	china2e [‡]
$\frac{ABCdef123}{ABCdef123}$	<code>\mathfrak{ABCdef123}</code>	eufrak
$\frac{ABCdef123}{ABCdef123}$	<code>\textfrak{ABCdef123}</code>	yfonts [¶]
$\frac{ABCdef123}{ABCdef123}$	<code>\textswab{ABCdef123}</code>	yfonts [¶]
$\frac{ABCdef123}{ABCdef123}$	<code>\textgoth{ABCdef123}</code>	yfonts [¶]

* `urwchancal` redefines `\mathcal` or `\mathscr` to use Zapf Chancery as the calligraphic or script font. However, like all `\mathcal` and `\mathscr` commands shown in Table 299, these support only uppercase letters. An alternative is to put “`\DeclareMathAlphabet{\mathpzc}{OT1}{pzc}{m}{it}`” in your document’s preamble to make `\mathpzc` typeset a wider set of characters in Zapf Chancery. Unfortunately, with this technique accents, superscripts, and subscripts don’t align as well as they do with `urwchancal`.

As a similar trick, you can typeset the Calligra font’s script “*z*” (or other calligraphic symbols) in math mode by loading the `calligra` package and putting “`\DeclareMathAlphabet{\mathcalligra}{T1}{calligra}{m}{n}`” in your document’s preamble to make `\mathcalligra` typeset its argument in the Calligra font. (You may also want to specify “`\DeclareFontShape{T1}{calligra}{m}{n}{<->s*[2.2]callig15}{}`” to set Calligra at 2.2 times its design size for a better blend with typical body fonts.)

[†] The `mathbbol` package defines some additional blackboard bold characters: parentheses, square brackets, angle brackets, and—if the `bbgreekl` option is passed to `mathbbol`—Greek letters. For instance, “ $\langle [[(\alpha\beta\gamma)]] \rangle$ ” is produced by “`\mathbb{\Langle\lbrack\lparen\bbalpha\bbbeta\bbgamma\Rparen\rbrack\Rangle}`”.

`mbboard` extends the blackboard bold symbol set significantly further. It supports not only the Greek alphabet—including “Greek-like” symbols such as `\bbnabla` (“ ∇ ”)—but also *all* punctuation marks, various currency symbols such as `\bbdollar` (“\$”) and `\bbeuro` (“€”), and the Hebrew alphabet (e.g., “`\bbfinalnun\bbod\bbqof\bbpe`” → “פּוֹקֵד נֶאֱמָר”).

[‡] The `\sym...` commands provided by the `GPA2e` package are actually text-mode commands. They are included in Table 299 because they resemble the blackboard-bold symbols that appear in the rest of the table. In addition to the 26 letters of the English alphabet, `GPA2e` provides three umlauted blackboard-bold letters: `\symAE` (“ $\text{\AA}$ ”), `\symOE` (“ $\text{\O}$ ”), and `\symUE` (“ $\text{\U}$ ”). Note that `GPA2e` does provide math-mode commands for the most common number-set symbols. These are presented in Table 179 on page 87.

[¶] As their `\text...` names imply, the fonts provided by the `yfonts` package are actually text fonts. They are included in Table 299 because they are frequently used in a mathematical context.

[§] An older (i.e., prior to 1991) version of the $\mathcal{AMS}$ ’s fonts rendered $\mathbb{C}$, $\mathbb{N}$, $\mathbb{R}$, $\mathbb{S}$, and $\mathbb{Z}$ as $\mathbb{C}$, $\mathbb{N}$, $\mathbb{R}$, $\mathbb{S}$, and $\mathbb{Z}$. As some people prefer the older glyphs—much to the $\mathcal{AMS}$ ’s surprise—and because those glyphs fail to build under modern versions of METAFONT, Berthold Horn uploaded PostScript fonts for the older blackboard-bold glyphs to CTAN, to the `fonts/msym10` directory. As of this writing, however, there are no $\text{\LaTeX} 2_{\epsilon}$ packages for utilizing the now-obsolete glyphs.

4 Science and technology symbols

This section lists symbols that are employed in various branches of science and engineering.

TABLE 300: gensymb Symbols Defined to Work in Both Math and Text Mode

°C	<code>\celsius</code>	μ	<code>\micro</code>	‰	<code>\perthousand</code>
°	<code>\degree</code>	Ω	<code>\ohm</code>		

TABLE 301: wasysym Electrical and Physical Symbols


~	<code>\AC</code>	≈	<code>\VHF</code>	f	<code>\photon</code>	F	<code>\HF</code>	⊗	<code>\gluon</code>

TABLE 302: ifsym Pulse Diagram Symbols

┐	<code>\FallingEdge</code>	┐┐	<code>\LongPulseLow</code>	┐	<code>\PulseLow</code>	┐┐	<code>\ShortPulseHigh</code>
┐┐	<code>\LongPulseHigh</code>	┐┐	<code>\PulseHigh</code>	┐	<code>\RaisingEdge</code>	┐	<code>\ShortPulseLow</code>

In addition, within `\textifsym{...}`, the following codes are valid:

<code>_ l</code>	<code>- m</code>	<code>- h</code>	<code>- d</code>	<code><</code>	<code><</code>	<code>></code>	<code>></code>
<code>_ L</code>	<code>- M</code>	<code>- H</code>	<code>- D</code>	<code><</code>	<code><<</code>	<code>></code>	<code>>></code>

This enables one to write “`\textifsym{mm<DDD>mm}`” to get “” or “`\textifsym{L|H|L|H|L}`” to get “”. See also the `timing` package, which provides a wide variety of pulse-diagram symbols within an environment designed specifically for typesetting pulse diagrams.

Finally, `\textifsym` supports the display of segmented digits, as would appear on an LCD: “`\textifsym{-123.456}`” produces “- 123.456”. “`\textifsym{b}`” outputs a blank with the same width as an “8”.

TABLE 303: ar Aspect Ratio Symbol

$\mathcal{R}$	<code>\AR</code>

TABLE 304: textcomp Text-mode Science and Engineering Symbols

°C	<code>\textcelsius</code>	Ω	<code>\textmho</code>	μ	<code>\textmu</code>	Ω	<code>\textohm</code>

TABLE 305: `steinmetz` Extensible Phasor Symbol

`/abc` `\phase{abc}`

The `\phase` command uses the `pict2e` package to draw a horizontally and vertically scalable Steinmetz phasor symbol. Consequently, `\phase` works only with those $\text{\TeX}$ backends supported by `pict2e`. See the `pict2e` documentation for more information.

TABLE 306: `wasysym` Astronomical Symbols

	<code>\mercury</code>		<code>\earth</code>		<code>\jupiter</code>		<code>\uranus</code>		<code>\pluto</code>
	<code>\venus</code>		<code>\mars</code>		<code>\saturn</code>		<code>\neptune</code>		
	<code>\astrosun</code>		<code>\fullmoon</code>		<code>\leftmoon</code>		<code>\newmoon</code>		<code>\rightmoon</code>
	<code>\aries</code>		<code>\cancer</code>		<code>\libra</code>		<code>\aquarius</code>		
	<code>\taurus</code>		<code>\leo</code>		<code>\scorpio</code>		<code>\capricornus</code>		
	<code>\gemini</code>		<code>\virgo</code>		<code>\sagittarius</code>		<code>\pisces</code>		
	<code>\ascnode</code>		<code>\descnode</code>		<code>\conjunction</code>		<code>\opposition</code>		<code>\vernal</code>

TABLE 307: `marvosym` Astronomical Symbols

	<code>\Mercury</code>		<code>\Earth</code>		<code>\Jupiter</code>		<code>\Uranus</code>		<code>\Pluto</code>
	<code>\Venus</code>		<code>\Mars</code>		<code>\Saturn</code>		<code>\Neptune</code>		
	<code>\Moon</code>		<code>\Sun</code>						
	<code>\Aries</code>		<code>\Cancer</code>		<code>\Libra</code>		<code>\Capricorn</code>		
	<code>\Taurus</code>		<code>\Leo</code>		<code>\Scorpio</code>		<code>\Aquarius</code>		
	<code>\Gemini</code>		<code>\Virgo</code>		<code>\Sagittarius</code>		<code>\Pisces</code>		

Note that `\Aries... \Pisces` can also be specified with `\Zodiac{1}... \Zodiac{12}`.

TABLE 308: `fontawesome` Astronomical Symbols

	<code>\faMars</code>		<code>\faMoon0</code>		<code>\faVenus</code>
	<code>\faMercury</code>		<code>\faSun0</code>		

TABLE 309: mathabx Astronomical Symbols

$\text{\textcircled{M}}$	<code>\Mercury</code>	$\oplus$	<code>\Earth</code>	$\text{\textcircled{J}}$	<code>\Jupiter</code>	$\text{\textcircled{U}}$	<code>\Uranus</code>	$\text{\textcircled{P}}$	<code>\Pluto</code>
$\text{\textcircled{V}}$	<code>\Venus</code>	$\text{\textcircled{M}}$	<code>\Mars</code>	$\text{\textcircled{S}}$	<code>\Saturn</code>	$\text{\textcircled{N}}$	<code>\Neptune</code>	$\text{\textcircled{E}}$	<code>\varEarth</code>
$\bigcirc$	<code>\fullmoon</code>	$\text{\textcircled{L}}$	<code>\leftmoon</code>	$\bullet$	<code>\newmoon</code>	$\text{\textcircled{R}}$	<code>\rightmoon</code>	$\odot$	<code>\Sun</code>
$\text{\textcircled{A}}$	<code>\Aries</code>	$\text{\textcircled{T}}$	<code>\Taurus</code>	$\text{\textcircled{G}}$	<code>\Gemini</code>				

mathabx also defines `\girl` as an alias for `\Venus`, `\boy` as an alias for `\Mars`, and `\Moon` as an alias for `\leftmoon`.

TABLE 310: stix Astronomical Symbols

$\odot$	<code>\astrosun</code>	$\text{\textcircled{L}}$	<code>\leftmoon</code>	$\text{\textcircled{R}}$	<code>\rightmoon</code>	$\text{\textcircled{S}}$	<code>\sun</code>

TABLE 311: starfont Astronomical Symbols

$\text{\textcircled{M}}$	<code>\Mercury</code>	$\text{\textcircled{M}}$	<code>\Mars</code>	$\text{\textcircled{U}}$	<code>\Uranus</code>	$\text{\textcircled{E}}$	<code>\varTerra</code>
$\text{\textcircled{V}}$	<code>\Venus</code>	$\text{\textcircled{J}}$	<code>\Jupiter</code>	$\text{\textcircled{N}}$	<code>\Neptune</code>	$\text{\textcircled{U}}$	<code>\varUranus</code>
$\oplus$	<code>\Terra</code>	$\text{\textcircled{S}}$	<code>\Saturn</code>	$\text{\textcircled{P}}$	<code>\Pluto</code>	$\text{\textcircled{P}}$	<code>\varPluto</code>
$\odot$	<code>\Sun</code>	$\text{\textcircled{M}}$	<code>\Moon</code>	$\text{\textcircled{L}}$	<code>\varMoon</code>		
$\text{\textcircled{C}}$	<code>\Cupido</code>	$\text{\textcircled{Z}}$	<code>\Zeus</code>	$\text{\textcircled{A}}$	<code>\Apollon</code>	$\text{\textcircled{V}}$	<code>\Vulkanus</code>
$\text{\textcircled{H}}$	<code>\Hades</code>	$\text{\textcircled{K}}$	<code>\Kronos</code>	$\text{\textcircled{A}}$	<code>\Admetos</code>	$\text{\textcircled{P}}$	<code>\Poseidon</code>
$\text{\textcircled{L}}$	<code>\Lilith</code>	$\text{\textcircled{N}}$	<code>\NorthNode</code>	$\text{\textcircled{S}}$	<code>\SouthNode</code>		
$\text{\textcircled{A}}$	<code>\Amor</code>	$\text{\textcircled{E}}$	<code>\Eros</code>	$\text{\textcircled{J}}$	<code>\Juno</code>	$\text{\textcircled{S}}$	<code>\Sappho</code>
$\text{\textcircled{C}}$	<code>\Ceres</code>	$\text{\textcircled{H}}$	<code>\Hidalgo</code>	$\text{\textcircled{P}}$	<code>\Pallas</code>	$\text{\textcircled{V}}$	<code>\Vesta</code>
$\text{\textcircled{C}}$	<code>\Chiron</code>	$\text{\textcircled{H}}$	<code>\Hygiea</code>	$\text{\textcircled{P}}$	<code>\Psyche</code>		
$\text{\textcircled{F}}$	<code>\Fortune</code>						
$\text{\textcircled{A}}$	<code>\Aries</code>	$\text{\textcircled{L}}$	<code>\Leo</code>	$\text{\textcircled{S}}$	<code>\Sagittarius</code>	$\text{\textcircled{C}}$	<code>\varCapricorn</code>
$\text{\textcircled{T}}$	<code>\Taurus</code>	$\text{\textcircled{V}}$	<code>\Virgo</code>	$\text{\textcircled{C}}$	<code>\Capricorn</code>		
$\text{\textcircled{G}}$	<code>\Gemini</code>	$\text{\textcircled{L}}$	<code>\Libra</code>	$\text{\textcircled{A}}$	<code>\Aquarius</code>		
$\text{\textcircled{C}}$	<code>\Cancer</code>	$\text{\textcircled{S}}$	<code>\Scorpio</code>	$\text{\textcircled{P}}$	<code>\Pisces</code>		
$\text{\textcircled{C}}$	<code>\Conjunction</code>	$\square$	<code>\Square</code>	$\text{\textcircled{S}}$	<code>\Semisextile</code>		
$\text{\textcircled{O}}$	<code>\Opposition</code>	$\text{\textcircled{S}}$	<code>\Sextile</code>	$\text{\textcircled{S}}$	<code>\Semisquare</code>		
$\text{\textcircled{T}}$	<code>\Trine</code>	$\text{\textcircled{Q}}$	<code>\Quincunx</code>	$\text{\textcircled{S}}$	<code>\Sesquiquadrate</code>		
$\text{\textcircled{A}^{\text{sc}}}$	<code>\ASC</code>	$\text{\textcircled{E}^{\text{p}}}$	<code>\EastPoint</code>	$\text{\textcircled{M}^{\text{c}}}$	<code>\MC</code>		
$\text{\textcircled{D}^{\text{sc}}}$	<code>\DSC</code>	$\text{\textcircled{I}^{\text{c}}}$	<code>\IC</code>	$\text{\textcircled{V}^{\text{x}}}$	<code>\Vertex</code>		
$\text{\textcircled{D}^{\text{t}}}$	<code>\Direct</code>	$\text{\textcircled{R}^{\text{x}}}$	<code>\Retrograde</code>	$\text{\textcircled{S}^{\text{t}}}$	<code>\Station</code>		
$\text{\textcircled{A}}$	<code>\Air</code>	$\text{\textcircled{E}}$	<code>\Earth</code>	$\text{\textcircled{F}}$	<code>\Fire</code>	$\text{\textcircled{W}}$	<code>\Water</code>
$\text{\textcircled{N}^{\text{u}}}$	<code>\Natal</code>	$\star$	<code>\Pentagram</code>	$\text{\textcircled{R}^{\text{ad}}}$	<code>\Radix</code>		

TABLE 312: wasysym APL Symbols

	<code>\APLbox</code>		<code>\APLinv</code>		<code>\APLstar</code>
	<code>\APLcomment</code>		<code>\APLleftarrowbox</code>		<code>\APLup</code>
	<code>\APLdown</code>		<code>\APLlog</code>		<code>\APLuparrowbox</code>
	<code>\APLdownarrowbox</code>		<code>\APLminus</code>		<code>\notbackslash</code>
	<code>\APLinput</code>		<code>\APLrightarrowbox</code>		<code>\notslash</code>
	<code>\APLcirc{a}</code>		<code>\APLnot{a}</code>		<code>\APLvert{a}</code>

TABLE 313: stix APL Symbols

	<code>\APLboxquestion</code>		<code>\APLnotbackslash</code>
	<code>\APLboxupcaret</code>		<code>\APLnotslash</code>

TABLE 314: apl APL Symbols

	<code>\AB</code>	ˆ	<code>\DD</code>	ψ	<code>\GD</code>	⊢	<code>\LK</code>	⌘	<code>\PD</code>	↑	<code>\UA</code>	<u>G</u>	<code>\ZG</code>	<i>Q</i>	<code>\ZQ</code>
α	<code>\AM</code>	⊥	<code>\DE</code>	≥	<code>\GE</code>	○	<code>\LO</code>	⌈	<code>\QQ</code>	—	<code>\US</code>	<u>H</u>	<code>\ZH</code>	<i>B</i>	<code>\ZR</code>
\	<code>\BL</code>	∇	<code>\DL</code>	→	<code>\GO</code>	⊃	<code>\LU</code>	}	<code>\RB</code>	∪	<code>\UU</code>	<u>I</u>	<code>\ZI</code>	<i>S</i>	<code>\ZS</code>
□	<code>\BX</code>	◇	<code>\DM</code>	Δ	<code>\GU</code>	≠	<code>\NE</code>	⊥	<code>\RK</code>	⊕	<code>\XQ</code>	<u>J</u>	<code>\ZJ</code>	<i>T</i>	<code>\ZT</code>
⋈	<code>\CB</code>	⊞	<code>\DQ</code>	⊥	<code>\IB</code>	—	<code>\NG</code>	ρ	<code>\RO</code>	<u>A</u>	<code>\ZA</code>	<u>K</u>	<code>\ZK</code>	<i>U</i>	<code>\ZU</code>
⌈	<code>\CE</code>	∩	<code>\DU</code>	ˆ	<code>\IO</code>	⋈	<code>\NN</code>	⊂	<code>\RU</code>	<u>B</u>	<code>\ZB</code>	<u>L</u>	<code>\ZL</code>	<i>V</i>	<code>\ZV</code>
⊇	<code>\CO</code>	⊃	<code>\EN</code>	{	<code>\LB</code>	⋈	<code>\NR</code>	φ	<code>\RV</code>	<u>C</u>	<code>\ZC</code>	<u>M</u>	<code>\ZM</code>	<i>W</i>	<code>\ZW</code>
⊙	<code>\CR</code>	∈	<code>\EP</code>	Δ	<code>\LD</code>	~	<code>\NT</code>	∘	<code>\SO</code>	<u>D</u>	<code>\ZD</code>	<u>N</u>	<code>\ZN</code>	<i>X</i>	<code>\ZX</code>
/	<code>\CS</code>	⌊	<code>\FL</code>	≤	<code>\LE</code>	ω	<code>\OM</code>	SS	<code>\SS</code>	<u>E</u>	<code>\ZE</code>	<u>O</u>	<code>\ZO</code>	<i>Y</i>	<code>\ZY</code>
↓	<code>\DA</code>	⌘	<code>\FM</code>	⊗	<code>\LG</code>	ν	<code>\OR</code>	⊗	<code>\TR</code>	<u>F</u>	<code>\ZF</code>	<u>P</u>	<code>\ZP</code>	<i>Z</i>	<code>\ZZ</code>

TABLE 315: marvosym Computer Hardware Symbols

	<code>\ComputerMouse</code>		<code>\ParallelPort</code>		<code>\SerialInterface</code>
	<code>\Keyboard</code>		<code>\Printer</code>		<code>\SerialPort</code>

TABLE 316: keystroke Computer Keys

	<code>\Alt</code>		<code>\Enter*</code>		<code>\PrtSc*</code>
	<code>\AltGr</code>		<code>\Esc*</code>		<code>\RArrow</code>
	<code>\Break*</code>		<code>\Home*</code>		<code>\Return</code>
	<code>\BSpace[†]</code>		<code>\Ins*</code>		<code>\Scroll*</code>
	<code>\Ctrl*</code>		<code>\LArrow</code>		<code>\Shift*</code>
	<code>\DArrow</code>		<code>\NumLock</code>		<code>\Spacebar</code>
	<code>\Del*</code>		<code>\PgDown*</code>		<code>\Tab[†]</code>
	<code>\End*</code>		<code>\PgUp*</code>		<code>\UArrow</code>

* Changes based on the language option passed to the `keystroke` package. For example, the `german` option makes `\Del` produce “” instead of “”.

[†] These symbols utilize the `rotating` package and therefore display improperly in most DVI viewers.

The `\keystroke` command draws a key with an arbitrary label. For example, “`\keystroke{F7}`” produces “”.

TABLE 317: ascii Control Characters (CP437)

☉ <code>\SOH</code>	■ <code>\BS</code>	✱ <code>\SI</code>	— <code>\SYN</code>	↔ <code>\GS</code>
⊙ <code>\STX</code>	○ <code>\HT</code>	► <code>\DLE</code>	‡ <code>\ETB</code>	▲ <code>\RS</code>
♥ <code>\ETX</code>	◼ <code>\LF</code>	◄ <code>\DCa</code>	↑ <code>\CAN</code>	— <code>\US</code>
♦ <code>\EOT</code>	♂ <code>\VT</code>	‡ <code>\DCb</code>	↓ <code>\EM</code>	
♣ <code>\ENQ</code>	♀ <code>\FF</code>	!! <code>\DCc</code>	→ <code>\SUB</code>	
♠ <code>\ACK</code>	⊙ <code>\CR</code>	‡ <code>\DCd</code>	← <code>\ESC</code>	
• <code>\BEL</code>	◦ <code>\SO</code>	§ <code>\NAK</code>	⌞ <code>\FS</code>	
△ <code>\DEL</code>	␣ <code>\NBSP</code>	␣ <code>\NUL</code>	! <code>\splitvert</code>	

Code Page 437 (CP437), which was first utilized by the original IBM PC, uses the symbols `\SOH` through `\US` to depict ASCII characters 1–31 and `\DEL` to depict ASCII character 127. The `\NUL` symbol, not part of CP437, represents ASCII character 0. `\NBSP`, also not part of CP437, represents a nonbreaking space. `\splitvert` is merely the “|” character drawn as it was on the IBM PC.

TABLE 318: logic Logic Gates

	<code>\ANDd</code>		<code>\BUFu</code>		<code>\NANDl</code>		<code>\ORd</code>
	<code>\ANDl</code>		<code>\BusWidth</code>		<code>\NANDr</code>		<code>\ORl</code>
	<code>\ANDr</code>		<code>\INVd</code>		<code>\NANDu</code>		<code>\ORr</code>
	<code>\ANDu</code>		<code>\INVl</code>		<code>\NORd</code>		<code>\ORu</code>
	<code>\BUFd</code>		<code>\INVR</code>		<code>\NORl</code>		
	<code>\BUF1</code>		<code>\INVu</code>		<code>\NORr</code>		
	<code>\BUFr</code>		<code>\NANDd</code>		<code>\NORu</code>		

The logic package implements the digital logic-gate symbols specified by the U.S. Department of Defense's MIL-STD-806 standard. Note that on CTAN, the package is *called* logic, but the package is *loaded* using `\usepackage{milstd}`. (There was already a—completely unrelated—`milstd` package on CTAN at the time of logic's release.) Consequently, package details are listed under `milstd` in Table 521 and Table 522 on page 226.

TABLE 319: marvosym Communication Symbols

	<code>\Email</code>		<code>\fax</code>		<code>\Faxmachine</code>		<code>\Lightning</code>		<code>\Pickup</code>
	<code>\EmailCT</code>		<code>\FAX</code>		<code>\Letter</code>		<code>\Mobilefone</code>		<code>\Telefon</code>

TABLE 320: marvosym Engineering Symbols

	<code>\Beam</code>		<code>\Force</code>		<code>\Octosteel</code>		<code>\RoundedTsteel</code>
	<code>\Bearing</code>		<code>\Hexasteel</code>		<code>\Rectpipe</code>		<code>\Squarepipe</code>
	<code>\Circpipe</code>		<code>\Lefttorque</code>		<code>\Rectsteel</code>		<code>\Squaresteel</code>
	<code>\Circsteel</code>		<code>\Lineload</code>		<code>\Righttorque</code>		<code>\Tsteel</code>
	<code>\Fixedbearing</code>		<code>\Loosebearing</code>		<code>\RoundedLsteel*</code>		<code>\TTsteel</code>
	<code>\Flatsteel</code>		<code>\Lsteel</code>		<code>\RoundedTsteel*</code>		

* `\RoundedLsteel` and `\RoundedTsteel` seem to be swapped, at least in the 2000/05/01 version of `marvosym`.

TABLE 321: wasysym Biological Symbols

	<code>\female</code>		<code>\male</code>

TABLE 322: stix Biological Symbols

♀	<code>\female</code>	♂	<code>\male</code>
♂	<code>\Hermaphrodite</code>	♀	<code>\neuter</code>

TABLE 323: marvosym Biological Symbols

♀	<code>\FEMALE</code>	♀♂	<code>\FemaleMale</code>	♂	<code>\Male</code>	○	<code>\Neutral</code>
♀	<code>\Female</code>	♂	<code>\Hermaphrodite</code>	♂	<code>\MALE</code>		
♀	<code>\FemaleFemale</code>	♂	<code>\HERMAPHRODITE</code>	♂	<code>\MaleMale</code>		

TABLE 324: fontawesome Biological Symbols

○	<code>\faGenderless</code>	♂	<code>\faMarsStrokeH</code>	♂	<code>\faTransgenderAlt</code>
♂	<code>\faMars</code>	♂	<code>\faMarsStrokeV</code>	♀	<code>\faVenus</code>
♂	<code>\faMarsDouble</code>	♀	<code>\faNeuter</code>	♀	<code>\faVenusDouble</code>
♂	<code>\faMarsStroke</code>	♂	<code>\faTransgender</code>	♀	<code>\faVenusMars</code>

fontawesome defines `\faIntersex` as a synonym for `\faTransgender`

TABLE 325: marvosym Safety-related Symbols

☠	<code>\Biohazard</code>	☠	<code>\CEsign</code>	☠	<code>\Explosionsafe</code>	☠	<code>\Radioactivity</code>
☠	<code>\BSEfree</code>	☠	<code>\Estatically</code>	☠	<code>\Laserbeam</code>	☠	<code>\Stopsign</code>

TABLE 326: feyn Feynman Diagram Symbols

	<code>\bigbosonloop</code>		<code>\hfermion</code>		<code>\smallbosonloopV</code>
	<code>\bigbosonloopA</code>		<code>\shfermion</code>		<code>\wfermion</code>
	<code>\bigbosonloopV</code>		<code>\smallbosonloop</code>		<code>\whfermion</code>
	<code>\gvcropped</code>		<code>\smallbosonloopA</code>		
	<code>\feyn{a}</code>		<code>\feyn{fu}</code>		<code>\feyn{glS}</code>
	<code>\feyn{c}</code>		<code>\feyn{fv}</code>		<code>\feyn{glu}</code>
	<code>\feyn{f}</code>		<code>\feyn{g}</code>		<code>\feyn{gu}</code>
	<code>\feyn{fd}</code>		<code>\feyn{g1}</code>		<code>\feyn{gv}</code>
	<code>\feyn{fl}</code>		<code>\feyn{gd}</code>		<code>\feyn{gvs}</code>
	<code>\feyn{flS}</code>		<code>\feyn{gl}</code>		<code>\feyn{h}</code>
	<code>\feyn{fs}</code>		<code>\feyn{glB}</code>		<code>\feyn{hd}</code>
					<code>\feyn{x}</code>

All other arguments to the `\feyn` command produce a “ $\mathfrak{z}$ ” symbol.

The `feyn` package provides various commands for composing the preceding symbols into complete Feynman diagrams. See the `feyn` documentation for examples and additional information.

TABLE 327: svrsymbols Physics Ideograms

μ^+	<code>\antimuon</code>		<code>\experimentalsym</code>	p^+	<code>\proton</code>
$\bar{\nu}$	<code>\antineutrino</code>		<code>\fermion</code>	q	<code>\quark</code>
$\bar{n}$	<code>\antineutron</code>		<code>\graphene</code>	b	<code>\quarkb</code>
p^-	<code>\antiproton</code>	h^+	<code>\hole</code>	c	<code>\quarkc</code>
$\bar{q}$	<code>\antiquark</code>		<code>\ion</code>	d	<code>\quarkd</code>
$\bar{b}$	<code>\antiquarkb</code>		<code>\method</code>	s	<code>\quarks</code>
$\bar{c}$	<code>\antiquarkc</code>	μ^-	<code>\muon</code>	t	<code>\quarkt</code>
$\bar{d}$	<code>\antiquarkd</code>	ν	<code>\neutrino</code>	u	<code>\quarku</code>
$\bar{s}$	<code>\antiquarks</code>	n^0	<code>\neutron</code>	R	<code>\reference</code>
$\bar{t}$	<code>\antiquarkt</code>		<code>\nucleus</code>		<code>\solid</code>
$\bar{u}$	<code>\antiquarku</code>		<code>\orbit</code>		<code>\spin</code>
★	<code>\assumption</code>	$\mathcal{F}$	<code>\phonon</code>		<code>\spindown</code>
	<code>\atom</code>	f	<code>\photon</code>	Φ	<code>\surface</code>
e^-	<code>\electron</code>		<code>\plasmon</code>	$\mathfrak{f}$	<code>\varphoton</code>
$\boxplus$	<code>\errorsym</code>		<code>\polaron</code>		<code>\water</code>
$\sim h^+$	<code>\exciton</code>	e^+	<code>\positron</code>		

5 Dingbats

Dingbats are symbols such as stars, arrows, and geometric shapes. They are commonly used as bullets in itemized lists or, more generally, as a means to draw attention to the text that follows.

The `pifont` dingbat package warrants special mention. Among other capabilities, `pifont` provides a $\text{\LaTeX}$ interface to the Zapf Dingbats font (one of the standard 35 PostScript fonts). However, rather than name each of the dingbats individually, `pifont` merely provides a single `\ding` command, which outputs the character that lies at a given position in the font. The consequence is that the `pifont` symbols can't be listed by name in this document's index, so be mindful of that fact when searching for a particular symbol.

TABLE 328: `bbding` Arrows

	<code>\ArrowBoldDownRight</code>		<code>\ArrowBoldRightShort</code>		<code>\ArrowBoldUpRight</code>
	<code>\ArrowBoldRightCircled</code>		<code>\ArrowBoldRightStrobe</code>		

TABLE 329: `pifont` Arrows

	<code>\ding{212}</code>		<code>\ding{221}</code>		<code>\ding{230}</code>		<code>\ding{239}</code>		<code>\ding{249}</code>
	<code>\ding{213}</code>		<code>\ding{222}</code>		<code>\ding{231}</code>		<code>\ding{241}</code>		<code>\ding{250}</code>
	<code>\ding{214}</code>		<code>\ding{223}</code>		<code>\ding{232}</code>		<code>\ding{242}</code>		<code>\ding{251}</code>
	<code>\ding{215}</code>		<code>\ding{224}</code>		<code>\ding{233}</code>		<code>\ding{243}</code>		<code>\ding{252}</code>
	<code>\ding{216}</code>		<code>\ding{225}</code>		<code>\ding{234}</code>		<code>\ding{244}</code>		<code>\ding{253}</code>
	<code>\ding{217}</code>		<code>\ding{226}</code>		<code>\ding{235}</code>		<code>\ding{245}</code>		<code>\ding{254}</code>
	<code>\ding{218}</code>		<code>\ding{227}</code>		<code>\ding{236}</code>		<code>\ding{246}</code>		
	<code>\ding{219}</code>		<code>\ding{228}</code>		<code>\ding{237}</code>		<code>\ding{247}</code>		
	<code>\ding{220}</code>		<code>\ding{229}</code>		<code>\ding{238}</code>		<code>\ding{248}</code>		

TABLE 330: `adfsymbols` Arrows

	<code>\adfarrowsw1</code>		<code>\adfarrowsw1</code>		<code>\adfarrowsw1</code>		<code>\adfarrowsw1</code>		<code>\adfarrowsw1</code>
	<code>\adfarrowsw2</code>		<code>\adfarrowsw2</code>		<code>\adfarrowsw2</code>		<code>\adfarrowsw2</code>		<code>\adfarrowsw2</code>
	<code>\adfarrowsw3</code>		<code>\adfarrowsw3</code>		<code>\adfarrowsw3</code>		<code>\adfarrowsw3</code>		<code>\adfarrowsw3</code>
	<code>\adfarrowsw4</code>		<code>\adfarrowsw4</code>		<code>\adfarrowsw4</code>		<code>\adfarrowsw4</code>		<code>\adfarrowsw4</code>
	<code>\adfarrowsw5</code>		<code>\adfarrowsw5</code>		<code>\adfarrowsw5</code>		<code>\adfarrowsw5</code>		<code>\adfarrowsw5</code>
	<code>\adfarrowsw6</code>		<code>\adfarrowsw6</code>		<code>\adfarrowsw6</code>		<code>\adfarrowsw6</code>		<code>\adfarrowsw6</code>
	<code>\adfarrowsw1</code>		<code>\adfarrowsw1</code>		<code>\adfarrowsw1</code>		<code>\adfarrowsw1</code>		<code>\adfarrowsw1</code>
	<code>\adfarrowsw2</code>		<code>\adfarrowsw2</code>		<code>\adfarrowsw2</code>		<code>\adfarrowsw2</code>		<code>\adfarrowsw2</code>
	<code>\adfarrowsw3</code>		<code>\adfarrowsw3</code>		<code>\adfarrowsw3</code>		<code>\adfarrowsw3</code>		<code>\adfarrowsw3</code>
	<code>\adfarrowsw4</code>		<code>\adfarrowsw4</code>		<code>\adfarrowsw4</code>		<code>\adfarrowsw4</code>		<code>\adfarrowsw4</code>
	<code>\adfarrowsw5</code>		<code>\adfarrowsw5</code>		<code>\adfarrowsw5</code>		<code>\adfarrowsw5</code>		<code>\adfarrowsw5</code>
	<code>\adfarrowsw6</code>		<code>\adfarrowsw6</code>		<code>\adfarrowsw6</code>		<code>\adfarrowsw6</code>		<code>\adfarrowsw6</code>

	<code>\adfhalfarrowleft</code>		<code>\adfhalfarrowright</code>
	<code>\adfhalfarrowleftsolid</code>		<code>\adfhalfarrowrightsolid</code>

Technically, the digit at the end of each `\adfarrow<dir><digit>` command is a macro argument, not part of the command name.

The preceding symbols can also be produced by passing a number or a style/direction pair to the `\adfarrow` command. For example, both `\adfarrow{19}` and `\adfarrow[comic]{east}` produce “”. See the `adfsymbols` documentation for more information.

TABLE 331: adorn Arrows

↵	<code>\adfhalfleftarrow</code>	➤	<code>\adfhalfrightarrowhead</code>
↵	<code>\adfhalfleftarrowhead</code>	↵	<code>\adleftarrowhead</code>
➤	<code>\adhalfrightarrow</code>	➤	<code>\adrightarrowhead</code>

TABLE 332: arev Arrows

➤	<code>\arrowbullet</code>

TABLE 333: fontawesome Arrows

⬇	<code>\faArrowCircleDown</code>	⬇	<code>\faArrowDown</code>	⬇	<code>\faLongArrowDown</code>
⬅	<code>\faArrowCircleLeft</code>	⬅	<code>\faArrowLeft</code>	⬅	<code>\faLongArrowLeft</code>
⬇	<code>\faArrowCircleODown</code>	➡	<code>\faArrowRight</code>	➡	<code>\faLongArrowRight</code>
⬅	<code>\faArrowCircleOLeft</code>	↔	<code>\faArrows</code>	⬆	<code>\faLongArrowUp</code>
➡	<code>\faArrowCircleORight</code>	⌘	<code>\faArrowsAlt</code>	↺	<code>\faRepeat</code>
⬆	<code>\faArrowCircleOUp</code>	↔	<code>\faArrowsH</code>	↺	<code>\faUndo</code>
➡	<code>\faArrowCircleRight</code>	⬆	<code>\faArrowsV</code>		
⬆	<code>\faArrowCircleUp</code>	⬆	<code>\faArrowUp</code>		

fontawesome defines `\faRotateLeft` as a synonym for `\faUndo` and `\faRotateRight` as a synonym for `\faRepeat`.

TABLE 334: fontawesome Chevrons

⬇	<code>\faChevronCircleDown</code>	⬆	<code>\faChevronCircleUp</code>	➤	<code>\faChevronRight</code>
⬅	<code>\faChevronCircleLeft</code>	⬇	<code>\faChevronDown</code>	⬆	<code>\faChevronUp</code>
➡	<code>\faChevronCircleRight</code>	⬅	<code>\faChevronLeft</code>		

TABLE 335: marvosym Scissors

✂	<code>\CutLeft</code>	---	<code>\CuttingLine</code>	✂	<code>\RightScissors</code>
✂	<code>\CutRight</code>	✂	<code>\LeftScissors</code>		

TABLE 336: bbding Scissors

✂	<code>\ScissorHollowLeft</code>	✂	<code>\ScissorLeftBrokenTop</code>
✂	<code>\ScissorHollowRight</code>	✂	<code>\ScissorRight</code>
✂	<code>\ScissorLeft</code>	✂	<code>\ScissorRightBrokenBottom</code>
✂	<code>\ScissorLeftBrokenBottom</code>	✂	<code>\ScissorRightBrokenTop</code>

TABLE 337: pifont Scissors

✂	<code>\ding{33}</code>	✂	<code>\ding{34}</code>	✂	<code>\ding{35}</code>	✂	<code>\ding{36}</code>

TABLE 338: dingbat Pencils

	<code>\largepencil</code>		<code>\smallpencil</code>

TABLE 339: arev Pencils

	<code>\pencil</code>

TABLE 340: fontawesome Pencils

	<code>\faPencil</code>		<code>\faPencilSquare</code>		<code>\faPencilSquareO</code>

TABLE 341: bbding Pencils and Nibs

	<code>\NibLeft</code>		<code>\PencilLeft</code>		<code>\PencilRightDown</code>
	<code>\NibRight</code>		<code>\PencilLeftDown</code>		<code>\PencilRightUp</code>
	<code>\NibSolidLeft</code>		<code>\PencilLeftUp</code>		
	<code>\NibSolidRight</code>		<code>\PencilRight</code>		

TABLE 342: pifont Pencils and Nibs

	<code>\ding{46}</code>		<code>\ding{47}</code>		<code>\ding{48}</code>		<code>\ding{49}</code>		<code>\ding{50}</code>

TABLE 343: dingbat Fists

	<code>\leftpointright</code>		<code>\rightpointleft</code>		<code>\rightpointright</code>
	<code>\leftthumbsdown</code>		<code>\rightthumbsdown</code>		
	<code>\leftthumbsup</code>		<code>\rightthumbsup</code>		

TABLE 344: bbding Fists

	<code>\HandCuffLeft</code>		<code>\HandCuffRightUp</code>		<code>\HandPencilLeft</code>
	<code>\HandCuffLeftUp</code>		<code>\HandLeft</code>		<code>\HandRight</code>
	<code>\HandCuffRight</code>		<code>\HandLeftUp</code>		<code>\HandRightUp</code>

TABLE 345: pifont Fists

	<code>\ding{42}</code>		<code>\ding{43}</code>		<code>\ding{44}</code>		<code>\ding{45}</code>

TABLE 346: fourier Fists

 `\lefthand`  `\righthand`

TABLE 347: arev Fists

 `\pointright`

TABLE 348: fontawesome Fists

 <code>\faHandLizard0</code>	 <code>\faHandPaper0</code>	 <code>\faHandSpock0</code>
 <code>\faHand0Down</code>	 <code>\faHandPeace0</code>	 <code>\faThumbsDown</code>
 <code>\faHand0Left</code>	 <code>\faHandPointer0</code>	 <code>\faThumbs0Down</code>
 <code>\faHand0Right</code>	 <code>\faHandRock0</code>	 <code>\faThumbs0Up</code>
 <code>\faHand0Up</code>	 <code>\faHandScissors0</code>	 <code>\faThumbsUp</code>

fontawesome defines `\faHandGrab0` as a synonym for `\faHandRock0` and `\faHandStop0` as a synonym for `\faHandPaper0`.

TABLE 349: bbding Crosses and Plusses

 <code>\Cross</code>	 <code>\CrossOpenShadow</code>	 <code>\PlusOutline</code>
 <code>\CrossBoldOutline</code>	 <code>\CrossOutline</code>	 <code>\PlusThinCenterOpen</code>
 <code>\CrossCloverTips</code>	 <code>\Plus</code>	
 <code>\CrossMaltese</code>	 <code>\PlusCenterOpen</code>	

TABLE 350: pifont Crosses and Plusses

 <code>\ding{57}</code>	 <code>\ding{59}</code>	 <code>\ding{61}</code>	 <code>\ding{63}</code>
 <code>\ding{58}</code>	 <code>\ding{60}</code>	 <code>\ding{62}</code>	 <code>\ding{64}</code>

TABLE 351: adfsymbols Crosses and Plusses

 <code>\adfbullet{4}</code>	 <code>\adfbullet{6}</code>	 <code>\adfbullet{8}</code>	 <code>\adfbullet{10}</code>
 <code>\adfbullet{5}</code>	 <code>\adfbullet{7}</code>	 <code>\adfbullet{9}</code>	

TABLE 352: arev Crosses

 `\eastcross`  `\westcross`

TABLE 353: bbding Xs and Check Marks

 <code>\Checkmark</code>	 <code>\XSolid</code>	 <code>\XSolidBrush</code>
 <code>\CheckmarkBold</code>	 <code>\XSolidBold</code>	

TABLE 354: pifont Xs and Check Marks

✓	<code>\ding{51}</code>	✕	<code>\ding{53}</code>	✕	<code>\ding{55}</code>
✓	<code>\ding{52}</code>	✕	<code>\ding{54}</code>	✕	<code>\ding{56}</code>

TABLE 355: wasysym Xs and Check Marks

☑	<code>\CheckedBox</code>	□	<code>\Square</code>	☒	<code>\XBox</code>

TABLE 356: marvosym Xs and Check Marks

☑	<code>\Checkedbox</code>	☒	<code>\CrossedBox*</code>	□	<code>\HollowBox</code>

* marvosym defines `\Crossedbox` as a synonym for `\CrossedBox`.

TABLE 357: arev Xs and Check Marks

✓	<code>\ballotcheck</code>	✕	<code>\ballotx</code>

TABLE 358: fontawesome Xs and Check Marks

✓	<code>\faCheck</code>	☑	<code>\faCheckSquare</code>	⊗	<code>\faTimesCircle</code>
☑	<code>\faCheckCircle</code>	☑	<code>\faCheckSquareO</code>	⊗	<code>\faTimesCircleO</code>
☑	<code>\faCheckCircleO</code>	✕	<code>\faTimes*</code>		

* fontawesome defines both `\faClose` and `\faRemove` as synonyms for `\faTimes`.

TABLE 359: pifont Circled Numerals

①	<code>\ding{172}</code>	❶	<code>\ding{182}</code>	①	<code>\ding{192}</code>	❶	<code>\ding{202}</code>
②	<code>\ding{173}</code>	❷	<code>\ding{183}</code>	②	<code>\ding{193}</code>	❷	<code>\ding{203}</code>
③	<code>\ding{174}</code>	❸	<code>\ding{184}</code>	③	<code>\ding{194}</code>	❸	<code>\ding{204}</code>
④	<code>\ding{175}</code>	❹	<code>\ding{185}</code>	④	<code>\ding{195}</code>	❹	<code>\ding{205}</code>
⑤	<code>\ding{176}</code>	❺	<code>\ding{186}</code>	⑤	<code>\ding{196}</code>	❺	<code>\ding{206}</code>
⑥	<code>\ding{177}</code>	❻	<code>\ding{187}</code>	⑥	<code>\ding{197}</code>	❻	<code>\ding{207}</code>
⑦	<code>\ding{178}</code>	❼	<code>\ding{188}</code>	⑦	<code>\ding{198}</code>	❼	<code>\ding{208}</code>
⑧	<code>\ding{179}</code>	❽	<code>\ding{189}</code>	⑧	<code>\ding{199}</code>	❽	<code>\ding{209}</code>
⑨	<code>\ding{180}</code>	❾	<code>\ding{190}</code>	⑨	<code>\ding{200}</code>	❾	<code>\ding{210}</code>
⑩	<code>\ding{181}</code>	❿	<code>\ding{191}</code>	⑩	<code>\ding{201}</code>	❿	<code>\ding{211}</code>

pifont (part of the psnfss package) provides a `dingautolist` environment which resembles `enumerate` but uses circled numbers as bullets.⁴ See the psnfss documentation for more information.

⁴In fact, `dingautolist` can use any set of consecutive Zapf Dingbats symbols.

TABLE 360: wasysym Stars

☆ \davidstar ✱ \hexstar ✱ \varhexstar

TABLE 361: bbding Stars, Flowers, and Similar Shapes

✱	\Asterisk	✿	\FiveFlowerPetal	✱	\JackStar
✱	\AsteriskBold	★	\FiveStar	✱	\JackStarBold
✱	\AsteriskCenterOpen	☆	\FiveStarCenterOpen	✱	\SixFlowerAlternate
✿	\AsteriskRoundedEnds	★	\FiveStarConvex	✱	\SixFlowerAltPetal
✱	\AsteriskThin	☆	\FiveStarLines	✱	\SixFlowerOpenCenter
✱	\AsteriskThinCenterOpen	☆	\FiveStarOpen	✱	\SixFlowerPetalDotted
☆	\DavidStar	⬤	\FiveStarOpenCircled	✱	\SixFlowerPetalRemoved
★	\DavidStarSolid	★	\FiveStarOpenDotted	✱	\SixFlowerRemovedOpenPetal
✱	\EightAsterisk	★	\FiveStarOutline	★	\SixStar
✿	\EightFlowerPetal	★	\FiveStarOutlineHeavy	✱	\SixteenStarLight
✱	\EightFlowerPetalRemoved	☆	\FiveStarShadow	✱	\Snowflake
✱	\EightStar	✱	\FourAsterisk	✱	\SnowflakeChevron
★	\EightStarBold	✱	\FourClowerOpen	✱	\SnowflakeChevronBold
✱	\EightStarConvex	✱	\FourClowerSolid	✱	\Sparkle
✱	\EightStarTaper	◆	\FourStar	✱	\SparkleBold
✱	\FiveFlowerOpen	◇	\FourStarOpen	✱	\TwelveStar

TABLE 362: pifont Stars, Flowers, and Similar Shapes

☆	\ding{65}	⬤	\ding{74}	✱	\ding{83}	✱	\ding{92}	✱	\ding{101}
✱	\ding{66}	☆	\ding{75}	✱	\ding{84}	✱	\ding{93}	✱	\ding{102}
✱	\ding{67}	★	\ding{76}	✱	\ding{85}	✱	\ding{94}	✱	\ding{103}
✱	\ding{68}	★	\ding{77}	★	\ding{86}	✱	\ding{95}	✱	\ding{104}
✱	\ding{69}	☆	\ding{78}	✱	\ding{87}	✱	\ding{96}	✱	\ding{105}
◆	\ding{70}	★	\ding{79}	✱	\ding{88}	✱	\ding{97}	✱	\ding{106}
◇	\ding{71}	☆	\ding{80}	✱	\ding{89}	✱	\ding{98}	✱	\ding{107}
★	\ding{72}	✱	\ding{81}	✱	\ding{90}	✱	\ding{99}		
☆	\ding{73}	✱	\ding{82}	✱	\ding{91}	✱	\ding{100}		

TABLE 363: adfsymbols Stars, Flowers, and Similar Shapes

◇	\adfbullet{1}	✱	\adfbullet{13}	✱	\adfbullet{18}	◇	\adfbullet{23}
✱	\adfbullet{2}	✱	\adfbullet{14}	✱	\adfbullet{19}	✱	\adfbullet{24}
✱	\adfbullet{3}	✱	\adfbullet{15}	✱	\adfbullet{20}	✱	\adfbullet{25}
✱	\adfbullet{11}	✱	\adfbullet{16}	✱	\adfbullet{21}	✱	\adfbullet{26}
✱	\adfbullet{12}	✱	\adfbullet{17}	✱	\adfbullet{22}		

TABLE 364: adorn Stars

✱	\adfast{1}	✱	\adfast{3}	✱	\adfast{5}	✱	\adfast{7}	✱	\adfast{9}
✱	\adfast{2}	✱	\adfast{4}	✱	\adfast{6}	✱	\adfast{8}	✱	\adfast{10}

TABLE 365: fontawesome Stars

★ `\faStar` ★ `\faStarHalf` ★ `\faStarHalf0` ☆ `\faStar0`

fontawesome defines both `\faStarHalfEmpty` and `\faStarHalfFull` as synonyms for `\faStarHalf0`.

TABLE 366: fourier Fleurons and Flowers

🌀	<code>\aldine</code>	✖	<code>\decoone</code>	🌸	<code>\floweroneright</code>
🌀	<code>\aldineleft</code>	✧	<code>\decosix</code>	🌿	<code>\leafleft</code>
🌀	<code>\aldineright</code>	🌀	<code>\decothreeleft</code>	🌿	<code>\leafNE</code>
🌀	<code>\aldinesmall</code>	🌀	<code>\decothreeeright</code>	🌿	<code>\leafright</code>
🌀	<code>\decofourleft</code>	🌀	<code>\decotwo</code>	✦	<code>\starredbullet</code>
🌀	<code>\decofourright</code>	🌸	<code>\floweroneleft</code>		

TABLE 367: adorn Fleurons and Flowers

🌀	<code>\adfdownhalfleafleft</code>	🌀	<code>\adfdownhalfleafright</code>
🌀	<code>\adfdownleafleft</code>	🌀	<code>\adfdownleafright</code>
🌀	<code>\adfflatdownhalfleafleft</code>	🌀	<code>\adfflatdownhalfleafright</code>
🌀	<code>\adfflatdownoutlineleafleft</code>	🌀	<code>\adfflatdownoutlineleafright</code>
🌀	<code>\adfflatleafleft</code>	🌀	<code>\adfflatleafright</code>
🌀	<code>\adfflatleafoutlineleft</code>	🌀	<code>\adfflatleafoutlineright</code>
🌀	<code>\adfflatleafsolidleft</code>	🌀	<code>\adfflatleafsolidright</code>
🌀	<code>\adfflowerleft</code>	🌀	<code>\adfflowerright</code>
🌀	<code>\adfhalfleafleft</code>	🌀	<code>\adfhalfleafright</code>
🌀	<code>\adfhangingleafleft</code>	🌀	<code>\adfhangingleafright</code>
🌀	<code>\adfleafleft</code>	🌀	<code>\adfleafright</code>
🌀	<code>\adfoutlineleafleft</code>	🌀	<code>\adfoutlineleafright</code>
🌀	<code>\adfsmlhangingleafleft</code>	🌀	<code>\adfsmlhangingleafright</code>
🌀	<code>\adfsmlleafleft</code>	🌀	<code>\adfsmlleafright</code>
🌀	<code>\adfsolidleafleft</code>	🌀	<code>\adfsolidleafright</code>

TABLE 368: wasysym Geometric Shapes

○	<code>\Circle</code>	◐	<code>\LEFTcircle</code>	◑	<code>\RIGHTcircle</code>
●	<code>\CIRCLE</code>	◓	<code>\LEFTCIRCLE</code>	◔	<code>\RIGHTCIRCLE</code>
◡	<code>\hexagon</code>	◢	<code>\Leftcircle</code>	◣	<code>\Rightcircle</code>
		◤	<code>\Rightcircle</code>	◥	<code>\varhexagon</code>

TABLE 369: MnSymbol Geometric Shapes

★	<code>\filledlargestar</code>	◊	<code>\largelozenge</code>	◊	<code>\medlozenge</code>
◆	<code>\filledlozenge</code>	☆	<code>\largepentagram</code>	☆	<code>\medstarofdavid</code>
◆	<code>\filledmedlozenge</code>	◻	<code>\largesquare</code>	◊	<code>\smalllozenge</code>
○	<code>\largecircle</code>	☆	<code>\largestar</code>		
◊	<code>\largediamond</code>	☆	<code>\largestarofdavid</code>		

MnSymbol defines `\bigcirc` as a synonym for `\largecircle`; `\bigstar` as a synonym for `\filledlargestar`; `\lozenge` as a synonym for `\medlozenge`; and, `\blacklozenge` as a synonym for `\filledmedlozenge`.

TABLE 370: fdsymbol Geometric Shapes

●	\largeblackcircle	▽	\largetriangleddown	◇	\medlozenge
■	\largeblacksquare	△	\largetriangleup	◆	\smallblacklozenge
★	\largeblackstar	☆	\largewhitestar	◇	\smalllozenge
○	\largecircle	◇	\lozengeminus	☆	\starofdavid
□	\largsquare	◆	\medblacklozenge		

fdsymbol defines synonyms for almost all of the preceding symbols:

○	\bigcirc	■	\lgblksquare	◇	\mdlgwhtlozenge
★	\bigstar	○	\lgwhtcircle	◇	\mdwhtlozenge
▽	\bigtriangledown	□	\lgwhtsquare	◆	\smbklozenge
△	\bigtriangleup	◇	\lozenge	◇	\smwhtlozenge
◆	\blacklozenge	◆	\mdblklozenge		
●	\lgblkcicle	◆	\mdlgblklozenge		

TABLE 371: boisik Geometric Shapes

★	\bigstar	◇	\diamond	▽	\triangledown
◆	\blacklozenge	◇	\lozenge	◁	\triangleleft
■	\blacksquare	◇	\lozengedot	▷	\triangleright
▲	\blacktriangle	□	\square	◁	\varltrtriangle
▼	\blacktriangledown	*	\star		

TABLE 372: stix Geometric Shapes

↺	\acwopencirclearrow	▼	\downtriangleleftblack	◁	\smalltriangleleft
↻	\barovernorthwestarrow	▼	\downtrianglerightblack	▷	\smalltriangleright
⦿	\benzenr	○	\enclosecircle	◆	\smbkldiamond
▼	\bigblacktriangledown	◇	\enclosediamond	◆	\smbklozenge
▲	\bigblacktriangleup	□	\enclosesquare	■	\smbklsquare
★	\bigstar	△	\enclosetriangle	☆	\smwhitestar
▽	\bigtriangledown	●	\errbarblackcircle	○	\smwhtcircle
◁	\bigtriangleleft	◆	\errbarblackdiamond	◇	\smwhtdiamond
△	\bigtriangleup	■	\errbarblacksquare	◇	\smwhtlozenge
☆	\bigwhitestar	○	\errbarcircle	□	\smwhtsquare
●	\blackcircledownarrow	◇	\errbardiamond	◻	\sqlozenge
●	\blackcircledrightrightdot	◻	\errbarsquare	◼	\squarebotblack
⊙	\blackcircledtwodots	●	\fisheye	▨	\squarecrossfill
◐	\blackcircleulquadwhite	▯	\fltns	▩	\squarehfill
◆	\blackdiamonddownarrow	◻	\hexagon	▩	\squarehvfill
◊	\blackinwhitediamond	●	\hexagonblack	◼	\squareleftblack
◻	\blackinwhitesquare	◻	\house	◼	\squarellblack
◐	\blacklefthalfcircle	◻	\hrectangle	◻	\squarellquad
◆	\blacklozenge	■	\hrectangleblack	◼	\squarelrblack
◀	\blackpointerleft	◉	\inversewhitecircle	◻	\squarelrquad
▶	\blackpointerright	◐	\invwhitelowerhalfcircle	▨	\squareneswfill
◑	\blackrighthalfcircle	◑	\invwhiteupperhalfcircle	▨	\squarenwsefill

(continued on next page)

(continued from previous page)

▲	\blacktriangle	●	\lgblkcircle	◻	\squaresrightblack
▼	\blacktriangledown	■	\lgblksquare	◼	\squaretopblack
◀	\blacktriangleleft	○	\lgwhtcircle	◼	\squareulblack
▶	\blacktriangleright	◻	\lgwhtsquare	◻	\squareulquad
●	\blkhorzoval	◼	\llblacktriangle	◼	\squareurblack
●	\blkvertoval	◻	\lltriangle	◻	\squareurquad
⌒	\botsemicircle	◼	\lrblacktriangle	▨	\squarevfill
▣	\boxonbox	◻	\lrtriangle	○	\squoval
◎	\bullseye	●	\mdblkcircle	⌒	\topsemicircle
◦	\circ	◆	\mdblkdiamond	◻	\trapezium
◐	\circlebottomhalfblack	◆	\mdblklozenge	△	\trianglecdot
◑	\circledbullet	■	\mdblksquare	▽	\triangledown
◓	\circledownarrow	●	\mdlgblkcircle	◼	\triangleleftblack
◔	\circledrightdot	◆	\mdlgblkdiamond	△	\triangleodot
☆	\circledstar	■	\mdlgblksquare	◼	\trianglerightblack
⊙	\circledtwodots	◇	\mdlgwhtdiamond	△	\triangles
◎	\circledwhitebullet	◇	\mdlgwhtlozenge	△	\triangleubar
◐	\circlelefthalfblack	◻	\mdlgwhtsquare	◼	\ulblacktriangle
◑	\circlellquad	●	\mdsmbkcircle	◻	\ultriangle
◒	\circlelrquad	■	\mdsmbksquare	⬆	\uparrowoncircle
◐	\cirlerrighthalfblack	◦	\mdsmwhtcircle	◼	\urblacktriangle
◑	\cirlertophalfblack	◻	\mdsmwhtsquare	◻	\urtriangle
◒	\circleulquad	○	\mdwhtcircle	⬡	\varhexagon
◒	\circleurquad	◇	\mdwhtdiamond	⬢	\varhexagonblack
◐	\circleurquadblack	◇	\mdwhtlozenge	⬢	\varhexagonnlrbonds
◐	\circlevertfill	◻	\mdwhtsquare	◻	\varlrtriangle
○	\cirE	★	\medblackstar	★	\varstar
○	\cirscir	☆	\medwhitestar	◻	\vrectangle
↻	\cwopencirclearrow	▭	\parallelogram	■	\vrectangleblack
◼	\diamondbotblack	▭	\parallelogramblack	▪	\vysmbksquare
◼	\diamondcdot	◻	\pentagon	◦	\vysmwhtsquare
◼	\diamondleftblack	◼	\pentagonblack	△	\whiteinwhitetriangle
◼	\diamondrightblack	◻	\rightpentagon	◁	\whitepointerleft
◼	\diamondtopblack	◼	\rightpentagonblack	▷	\whitepointerright
⋯	\dottedcircle	◀	\smallblacktriangleleft	○	\whthorzoval
◻	\dottedsquare	▶	\smallblacktriangleright	○	\whtvertoval

stix defines \diamond as a synonym for \smwhtdiamond, \blacksquare as a synonym for \mdlgblksquare, \square and \Box as synonyms for \mdlgwhtsquare, \triangle and \varbigtriangleup as synonyms for \bigtriangleup, \rhd as a synonym for \vartriangleright, \varbigtriangledown as a synonym for \bigtriangledown, \lhd as a synonym for \vartriangleleft, \Diamond and \lozenge as synonyms for \mglgwhtlozenge, \bigcirc as a synonym for \mglgwhtcircle, \circ as a synonym for \smwhtcircle. and \mdlgblklozenge as a synonym for \blacklozenge.

TABLE 373: ifsym Geometric Shapes

	<code>\BigCircle</code>		<code>\FilledBigTriangleRight</code>		<code>\SmallCircle</code>
	<code>\BigCross</code>		<code>\FilledBigTriangleUp</code>		<code>\SmallCross</code>
	<code>\BigDiamondshape</code>		<code>\FilledCircle</code>		<code>\SmallDiamondshape</code>
	<code>\BigHBar</code>		<code>\FilledDiamondShadowA</code>		<code>\SmallHBar</code>
	<code>\BigLowerDiamond</code>		<code>\FilledDiamondShadowC</code>		<code>\SmallLowerDiamond</code>
	<code>\BigRightDiamond</code>		<code>\FilledDiamondshape</code>		<code>\SmallRightDiamond</code>
	<code>\BigSquare</code>		<code>\FilledSmallCircle</code>		<code>\SmallSquare</code>
	<code>\BigTriangleDown</code>		<code>\FilledSmallDiamondshape</code>		<code>\SmallTriangleDown</code>
	<code>\BigTriangleLeft</code>		<code>\FilledSmallSquare</code>		<code>\SmallTriangleLeft</code>
	<code>\BigTriangleRight</code>		<code>\FilledSmallTriangleDown</code>		<code>\SmallTriangleRight</code>
	<code>\BigTriangleUp</code>		<code>\FilledSmallTriangleLeft</code>		<code>\SmallTriangleUp</code>
	<code>\BigVBar</code>		<code>\FilledSmallTriangleRight</code>		<code>\SmallVBar</code>
	<code>\Circle</code>		<code>\FilledSmallTriangleUp</code>		<code>\SpinDown</code>
	<code>\Cross</code>		<code>\FilledSquare</code>		<code>\SpinUp</code>
	<code>\DiamondShadowA</code>		<code>\FilledSquareShadowA</code>		<code>\Square</code>
	<code>\DiamondShadowB</code>		<code>\FilledSquareShadowC</code>		<code>\SquareShadowA</code>
	<code>\DiamondShadowC</code>		<code>\FilledTriangleDown</code>		<code>\SquareShadowB</code>
	<code>\Diamondshape</code>		<code>\FilledTriangleLeft</code>		<code>\SquareShadowC</code>
	<code>\FilledBigCircle</code>		<code>\FilledTriangleRight</code>		<code>\TriangleDown</code>
	<code>\FilledBigDiamondshape</code>		<code>\FilledTriangleUp</code>		<code>\TriangleLeft</code>
	<code>\FilledBigSquare</code>		<code>\HBar</code>		<code>\TriangleRight</code>
	<code>\FilledBigTriangleDown</code>		<code>\LowerDiamond</code>		<code>\TriangleUp</code>
	<code>\FilledBigTriangleLeft</code>		<code>\RightDiamond</code>		<code>\VBar</code>

The ifsym documentation points out that one can use `\rlap` to combine some of the above into useful, new symbols. For example, `\BigCircle` and `\FilledSmallCircle` combine to give “”. Likewise, `\Square` and `\Cross` combine to give “”. See Section 10.3 for more information about constructing new symbols out of existing symbols.

TABLE 374: bbding Geometric Shapes

	<code>\CircleShadow</code>		<code>\Rectangle</code>		<code>\SquareShadowTopLeft</code>
	<code>\CircleSolid</code>		<code>\RectangleBold</code>		<code>\SquareShadowTopRight</code>
	<code>\DiamondSolid</code>		<code>\RectangleThin</code>		<code>\SquareSolid</code>
	<code>\Ellipse</code>		<code>\Square</code>		<code>\TriangleDown</code>
	<code>\EllipseShadow</code>		<code>\SquareCastShadowBottomRight</code>		<code>\TriangleUp</code>
	<code>\EllipseSolid</code>		<code>\SquareCastShadowTopLeft</code>		
	<code>\HalfCircleLeft</code>		<code>\SquareCastShadowTopRight</code>		
	<code>\HalfCircleRight</code>		<code>\SquareShadowBottomRight</code>		

TABLE 375: pifont Geometric Shapes

● <code>\ding{108}</code>	□ <code>\ding{111}</code>	□ <code>\ding{114}</code>	◆ <code>\ding{117}</code>	! <code>\ding{121}</code>
○ <code>\ding{109}</code>	□ <code>\ding{112}</code>	▲ <code>\ding{115}</code>	◐ <code>\ding{119}</code>	■ <code>\ding{122}</code>
■ <code>\ding{110}</code>	□ <code>\ding{113}</code>	▼ <code>\ding{116}</code>	<code>\ding{120}</code>	

TABLE 376: universa Geometric Shapes

● <code>\baucircle</code>	■ <code>\bausquare</code>	▲ <code>\bautriangle</code>

TABLE 377: adfsymbols Geometric Shapes

• <code>\adfbullet{27}</code>	► <code>\adfbullet{32}</code>	• <code>\adfbullet{43}</code>	✦ <code>\adfbullet{48}</code>
• <code>\adfbullet{28}</code>	▲ <code>\adfbullet{33}</code>	• <code>\adfbullet{44}</code>	✦ <code>\adfbullet{49}</code>
■ <code>\adfbullet{29}</code>	▼ <code>\adfbullet{34}</code>	◦ <code>\adfbullet{45}</code>	✦ <code>\adfbullet{50}</code>
◆ <code>\adfbullet{30}</code>	• <code>\adfbullet{41}</code>	■ <code>\adfbullet{46}</code>	◊ <code>\adfbullet{51}</code>
◄ <code>\adfbullet{31}</code>	• <code>\adfbullet{42}</code>	■ <code>\adfbullet{47}</code>	◦ <code>\adfbullet{52}</code>

TABLE 378: fontawesome Geometric Shapes

● <code>\faCircle</code>	◯ <code>\faCircleONotch</code>	⦿ <code>\faDotCircle0</code>	□ <code>\faSquare0</code>
◯ <code>\faCircle0</code>	◯ <code>\faCircleThin</code>	■ <code>\faSquare</code>	

TABLE 379: L^AT_EX 2_ε Playing-Card Suits

♣ <code>\clubsuit</code>	♦ <code>\diamondsuit</code>	♥ <code>\heartsuit</code>	♠ <code>\spadesuit</code>

TABLE 380: txfonts/pxfonts Playing-Card Suits

♣ <code>\varclubsuit</code>	♦ <code>\vardiamondsuit</code>	♥ <code>\varheartsuit</code>	♠ <code>\varspadesuit</code>

TABLE 381: MnSymbol Playing-Card Suits

♣ <code>\clubsuit</code>	♦ <code>\diamondsuit</code>	♥ <code>\heartsuit</code>	♠ <code>\spadesuit</code>

TABLE 382: fdsymbol Playing-Card Suits

♣ <code>\clubsuit</code>	♥ <code>\heartsuit</code>	◆ <code>\vardiamondsuit</code>
♦ <code>\diamondsuit</code>	♠ <code>\spadesuit</code>	♥ <code>\varheartsuit</code>

TABLE 383: boisik Playing-Card Suits

♣ <code>\clubsuit</code>	♦ <code>\diamondsuit</code>	♥ <code>\heartsuit</code>	♠ <code>\spadesuit</code>

TABLE 384: stix Playing-Card Suits

♣	<code>\clubsuit</code>	♥	<code>\heartsuit</code>	♠	<code>\varclubsuit</code>	♥	<code>\varheartsuit</code>
♦	<code>\diamondsuit</code>	♠	<code>\spadesuit</code>	♦	<code>\vardiamondsuit</code>	♠	<code>\varspadesuit</code>

TABLE 385: arev Playing-Card Suits

♣	<code>\varclub</code>	♦	<code>\vardiamond</code>	♥	<code>\varheart</code>	♠	<code>\varspade</code>

TABLE 386: adorn Flourishes

~	<code>\adfclosedflourishleft</code>	~	<code>\adfclosedflourishright</code>
~	<code>\adfdoubleflourishleft</code>	~	<code>\adfdoubleflourishright</code>
~	<code>\adfdoublesharpflourishleft</code>	~	<code>\adfdoublesharpflourishright</code>
~	<code>\adfflourishleft</code>	~	<code>\adfflourishright</code>
~	<code>\adfflourishlefthdouble</code>	~	<code>\adfflourishrightdouble</code>
~	<code>\adfopenflourishleft</code>	~	<code>\adfopenflourishright</code>
~	<code>\adfsharpflourishleft</code>	~	<code>\adfsharpflourishright</code>
~	<code>\adfsickleflourishleft</code>	~	<code>\adfsickleflourishright</code>
~	<code>\adfsingleflourishleft</code>	~	<code>\adfsingleflourishright</code>
~	<code>\adftripleflourishleft</code>	~	<code>\adftripleflourishright</code>
~	<code>\adfwavesleft</code>	~	<code>\adfwavesright</code>

TABLE 387: Miscellaneous dingbat Dingbats

⚓	<code>\anchor</code>	👁	<code>\eye</code>	⎓	<code>\Sborder</code>
↩	<code>\carriagereturn</code>	◼	<code>\filledsquarewithdots</code>	◻	<code>\squarewithdots</code>
✓	<code>\checkmark</code>	📶	<code>\satellitedish</code>	⎓	<code>\Zborder</code>

TABLE 388: Miscellaneous bbding Dingbats

✉	<code>\Envelope</code>	✌	<code>\Peace</code>	📞	<code>\PhoneHandset</code>	☀	<code>\SunshineOpenCircled</code>
❖	<code>\OrnamentDiamondSolid</code>	☎	<code>\Phone</code>	✈	<code>\Plane</code>	📼	<code>\Tape</code>

TABLE 389: Miscellaneous pifont Dingbats

☎	<code>\ding{37}</code>	✈	<code>\ding{40}</code>	♥	<code>\ding{164}</code>	♠	<code>\ding{167}</code>	♠	<code>\ding{171}</code>
📞	<code>\ding{38}</code>	✉	<code>\ding{41}</code>	♠	<code>\ding{165}</code>	♣	<code>\ding{168}</code>	♦	<code>\ding{169}</code>
📼	<code>\ding{39}</code>	❖	<code>\ding{118}</code>	👁	<code>\ding{166}</code>	♥	<code>\ding{170}</code>		

TABLE 390: Miscellaneous adorn Dingbats

•	<code>\adfbullet</code>	◊	<code>\adfdiamond</code>	ſ	<code>\adfgee</code>	§	<code>\adfS</code>	◻	<code>\adfsquare</code>

6 Ancient languages

This section presents letters and ideograms from various ancient scripts. Some of these symbols may also be useful in other typesetting contexts because of their pictorial nature.

TABLE 391: phaistos Symbols from the Phaistos Disk

	<code>\PHarrow</code>		<code>\PHeagle</code>		<code>\PHplumedHead</code>
	<code>\PHbee</code>		<code>\PHflute</code>		<code>\PHram</code>
	<code>\PHbeehive</code>		<code>\PHgauntlet</code>		<code>\PHrosette</code>
	<code>\PHboomerang</code>		<code>\PHgrater</code>		<code>\PHsaw</code>
	<code>\PHbow</code>		<code>\PHhelmet</code>		<code>\PHshield</code>
	<code>\PHbullLeg</code>		<code>\PHhide</code>		<code>\PHship</code>
	<code>\PHcaptive</code>		<code>\PHhorn</code>		<code>\PHsling</code>
	<code>\PHcarpentryPlane</code>		<code>\PHlid</code>		<code>\PHsmallAxe</code>
	<code>\PHcat</code>		<code>\PHlily</code>		<code>\PHstrainer</code>
	<code>\PHchild</code>		<code>\PHmanacles</code>		<code>\PHTattooedHead</code>
	<code>\PHclub</code>		<code>\PHmattock</code>		<code>\PHTiara</code>
	<code>\PHcolumn</code>		<code>\PHoxBack</code>		<code>\PHTunny</code>
	<code>\PHcomb</code>		<code>\PHpapyrus</code>		<code>\PHvine</code>
	<code>\PHdolium</code>		<code>\PHpedestrian</code>		<code>\PHwavyBand</code>
	<code>\PHdove</code>		<code>\PHplaneTree</code>		<code>\PHwoman</code>

TABLE 392: protosem Proto-Semitic Characters

	<code>\Aaleph</code>		<code>\AAhe</code>		<code>\Akaph</code>		<code>\Asamekh</code>		<code>\AAresh</code>
	<code>\AAaleph</code>		<code>\Azayin</code>		<code>\AAkaph</code>		<code>\Ape</code>		<code>\Ashin</code>
	<code>\Abeth</code>		<code>\Avav</code>		<code>\Alamed</code>		<code>\AApe</code>		<code>\Ahelmeht</code>
	<code>\AAbeth</code>		<code>\Aheth</code>		<code>\AAlamed</code>		<code>\Asade</code>		<code>\AAhelmet</code>
	<code>\Agimel</code>		<code>\AAheth</code>		<code>\Amem</code>		<code>\AAsade</code>		<code>\Atav</code>
	<code>\Adaleth</code>		<code>\Ateth</code>		<code>\Anun</code>		<code>\Aqoph</code>		
	<code>\AAdaleth</code>		<code>\Ayod</code>		<code>\Aayin</code>		<code>\AAqoph</code>		
	<code>\Ahe</code>		<code>\AAyod</code>		<code>\AAayin</code>		<code>\Aresh</code>		

The `protosem` package defines abbreviated control sequences for each of the above. In addition, single-letter shortcuts can be used within the argument to the `\textproto` command (e.g., “`\textproto{Pakyn}`” produces “𐤑𐤕𐤐𐤕𐤕𐤕”). See the `protosem` documentation for more information.

TABLE 393: hieroglf Hieroglyphics

	\HA		\HI		\Hn		\HT
	\Ha		\Hi		\HO		\Ht
	\HB		\Hibl		\Ho		\Htongue
	\Hb		\Hibp		\Hp		\HU
	\Hc		\Hibs		\HP		\Hu
	\HC		\Hibw		\Hplural		\HV
	\HD		\HJ		\Hplus		\Hv
	\Hd		\Hj		\HQ		\Hvbar
	\Hdual		\Hk		\Hq		\Hw
	\He		\HK		\Hquery		\HW
	\HE		\HL		\HR		\HX
	\Hf		\HL		\Hr		\Hx
	\HF		\Hm		\Hs		\HY
	\HG		\HM		\HS		\Hy
	\Hg		\Hman		\Hscribe		\Hz
	\Hh		\Hms		\Hslash		\HZ
	\HH		\HN		\Hsv		
	\Hone		\Hhundred		\HXthousand		\Hmillion
	\Hten		\Hthousand		\HCthousand		

The hieroglf package defines alternate control sequences and single-letter short-cuts for each of the above which can be used within the argument to the `\textpmhg` command (e.g., “`\textpmhg{Pakin}`” produces “”). See the hieroglf documentation for more information.

TABLE 394: linearA Linear A Script

	\LinearAI		\LinearAXCIX		\LinearACXCVII		\LinearACCXCV
	\LinearAII		\LinearAC		\LinearACXCVIII		\LinearACCXCVI
	\LinearAIII		\LinearACI		\LinearACXCIX		\LinearACCXCVII
	\LinearAIV		\LinearACII		\LinearACC		\LinearACCXCVIII
	\LinearAV		\LinearACIII		\LinearACCI		\LinearACCXCIX
	\LinearAVI		\LinearACIV		\LinearACCI		\LinearACCC
	\LinearAVII		\LinearACV		\LinearACCI		\LinearACCCI
	\LinearAVIII		\LinearACVI		\LinearACCI		\LinearACCCII
	\LinearAIX		\LinearACVII		\LinearACCV		\LinearACCCIII
	\LinearAX		\LinearACVIII		\LinearACCVI		\LinearACCCIV
	\LinearAXI		\LinearACIX		\LinearACCVII		\LinearACCCV
	\LinearAXII		\LinearACX		\LinearACCVIII		\LinearACCCVI
	\LinearAXIII		\LinearACXI		\LinearACCIX		\LinearACCCVII

(continued on next page)

(continued from previous page)

𐍈	\LinearAXIV	𐍉	\LinearACXII	𐍊	\LinearACCX	𐍋	\LinearACCCVIII
𐍌	\LinearAXV	𐍍	\LinearACXIII	𐍎	\LinearACCXI	𐍏	\LinearACCCIX
𐍐	\LinearAXVI	𐍑	\LinearACXIV	𐍒	\LinearACCXII	𐍓	\LinearACCCX
𐍕	\LinearAXVII	𐍖	\LinearACXV	𐍗	\LinearACCXIII	𐍘	\LinearACCCXI
𐍛	\LinearAXVIII	𐍜	\LinearACXVI	𐍝	\LinearACCXIV	𐍞	\LinearACCCXII
𐍟	\LinearAXIX	𐍠	\LinearACXVII	𐍡	\LinearACCXV	𐍢	\LinearACCCXIII
𐍤	\LinearAXX	𐍥	\LinearACXVIII	𐍦	\LinearACCXVI	𐍧	\LinearACCCXIV
𐍩	\LinearAXXI	𐍪	\LinearACXIX	𐍫	\LinearACCXVII	𐍬	\LinearACCCXV
𐍯	\LinearAXXII	𐍰	\LinearACXX	𐍱	\LinearACCXVIII	𐍲	\LinearACCCXVI
𐍴	\LinearAXXIII	𐍵	\LinearACXXI	𐍶	\LinearACCXIX	𐍷	\LinearACCCXVII
𐍹	\LinearAXXIV	𐍺	\LinearACXXII	𐍻	\LinearACCXX	𐍼	\LinearACCCXVIII
𐍽	\LinearAXXV	𐍿	\LinearACXXIII	𐎀	\LinearACCXXI	𐎁	\LinearACCCXIX
𐎁	\LinearAXXVI	𐎂	\LinearACXXIV	𐎃	\LinearACCXXII	𐎄	\LinearACCCXX
𐎅	\LinearAXXVII	𐎆	\LinearACXXV	𐎇	\LinearACCXXIII	𐎈	\LinearACCCXXI
𐎉	\LinearAXXVIII	𐎊	\LinearACXXVI	𐎋	\LinearACCXXIV	𐎌	\LinearACCCXXII
𐎍	\LinearAXXIX	𐎎	\LinearACXXVII	𐎏	\LinearACCXXV	𐎐	\LinearACCCXXIII
𐎑	\LinearAXXX	𐎒	\LinearACXXVIII	𐎓	\LinearACCXXVI	𐎔	\LinearACCCXXIV
𐎕	\LinearAXXXI	𐎖	\LinearACXXIX	𐎗	\LinearACCXXVII	𐎘	\LinearACCCXXV
𐎙	\LinearAXXXII	𐎚	\LinearACXXX	𐎛	\LinearACCXXVIII	𐎜	\LinearACCCXXVI
𐎞	\LinearAXXXIII	𐎟	\LinearACXXXI	𐎠	\LinearACCXXIX	𐎡	\LinearACCCXXVII
𐎣	\LinearAXXXIV	𐎤	\LinearACXXXII	𐎥	\LinearACCXXX	𐎦	\LinearACCCXXVIII
𐎧	\LinearAXXXV	𐎨	\LinearACXXXIII	𐎩	\LinearACCXXXI	𐎪	\LinearACCCXXIX
𐎬	\LinearAXXXVI	𐎭	\LinearACXXXIV	𐎮	\LinearACCXXXII	𐎯	\LinearACCCXXX
𐎴	\LinearAXXXVII	𐎶	\LinearACXXXV	𐎸	\LinearACCXXXIII	𐎹	\LinearACCCXXXI
𐎼	\LinearAXXXVIII	𐎾	\LinearACXXXVI	𐎿	\LinearACCXXXIV	𐏀	\LinearACCCXXXII
𐏁	\LinearAXXXIX	𐏂	\LinearACXXXVII	𐏃	\LinearACCXXXV	𐏄	\LinearACCCXXXIII
𐏅	\LinearAXL	𐏆	\LinearACXXXVIII	𐏇	\LinearACCXXXVI	𐏈	\LinearACCCXXXIV
𐏉	\LinearAXLI	𐏊	\LinearACXXXIX	𐏋	\LinearACCXXXVII	𐏌	\LinearACCCXXXV
𐏍	\LinearAXLII	𐏎	\LinearACXL	𐏏	\LinearACCXXXVIII	𐏐	\LinearACCCXXXVI
𐏑	\LinearAXLIII	𐏒	\LinearACXLI	𐏓	\LinearACCXXXIX	𐏔	\LinearACCCXXXVII
𐏕	\LinearAXLIV	𐏖	\LinearACXLII	𐏗	\LinearACCXL	𐏘	\LinearACCCXXXVIII
𐏙	\LinearAXLV	𐏚	\LinearACXLIII	𐏛	\LinearACCXLI	𐏜	\LinearACCCXXXIX
𐏞	\LinearAXLVI	𐏟	\LinearACXLIV	𐏠	\LinearACCXLII	𐏡	\LinearACCCXL
𐏣	\LinearAXLVII	𐏤	\LinearACXLV	𐏥	\LinearACCXLIII	𐏦	\LinearACCCXLI
𐏧	\LinearAXLVIII	𐏨	\LinearACXLVI	𐏩	\LinearACCXLIV	𐏪	\LinearACCCXLII
𐏬	\LinearAXLIX	𐏭	\LinearACXLVII	𐏮	\LinearACCXLV	𐏯	\LinearACCCXLIII
𐏴	\LinearAL	𐏶	\LinearACXLVIII	𐏸	\LinearACCXLVI	𐏹	\LinearACCCXLIV
𐏼	\LinearALI	𐏾	\LinearACXLIX	𐏿	\LinearACCXLVII	𐐀	\LinearACCCXLV
𐐁	\LinearALII	𐐂	\LinearACL	𐐃	\LinearACCXLVIII	𐐄	\LinearACCCXLVI
𐐅	\LinearALIII	𐐆	\LinearACLI	𐐇	\LinearACCXLIX	𐐈	\LinearACCCXLVII
𐐉	\LinearALIV	𐐊	\LinearACLII	𐐋	\LinearACCL	𐐌	\LinearACCCXLVIII
𐐍	\LinearALV	𐐎	\LinearACLIII	𐐏	\LinearACCLI	𐐐	\LinearACCCXLIX
𐐑	\LinearALVI	𐐒	\LinearACLIV	𐐓	\LinearACCLII	𐐔	\LinearACCCCL
𐐕	\LinearALVII	𐐖	\LinearACLV	𐐗	\LinearACCLIII	𐐘	\LinearACCCCLI
𐐙	\LinearALVIII	𐐚	\LinearACLVI	𐐛	\LinearACCLIV	𐐜	\LinearACCCCLII
𐐞	\LinearALIX	𐐟	\LinearACLVII	𐐠	\LinearACCLV	𐐡	\LinearACCCCLIII
𐐣	\LinearALX	𐐤	\LinearACLVIII	𐐥	\LinearACCLVI	𐐦	\LinearACCCCLIV
𐐧	\LinearALXI	𐐨	\LinearACLIX	𐐩	\LinearACCLVII	𐐪	\LinearACCCCLV
𐐬	\LinearALXII	𐐭	\LinearACLX	𐐮	\LinearACCLVIII	𐐯	\LinearACCCCLVI
𐐴	\LinearALXIII	𐐵	\LinearACLXI	𐐶	\LinearACCLIX	𐐷	\LinearACCCCLVII
𐐹	\LinearALXIV	𐐺	\LinearACLXII	𐐻	\LinearACCLX	𐐼	\LinearACCCCLVIII
𐐽	\LinearALXV	𐐿	\LinearACLXIII	𐑀	\LinearACCLXI	𐑁	\LinearACCCCLIX
𐑁	\LinearALXVI	𐑂	\LinearACLXIV	𐑃	\LinearACCLXII	𐑄	\LinearACCCCLX

(continued on next page)

(continued from previous page)

𐎠	\LinearALXVII	𐎡	\LinearACLXV	𐎣	\LinearACCLXIII	𐎥	\LinearACCCLXI
𐎢	\LinearALXVIII	𐎣	\LinearACLXVI	𐎥	\LinearACCLXIV	𐎦	\LinearACCCLXII
𐎤	\LinearALXIX	𐎥	\LinearACLXVII	𐎦	\LinearACCLXV	𐎧	\LinearACCCLXIII
𐎧	\LinearALXX	𐎦	\LinearACLXVIII	𐎧	\LinearACCLXVI	𐎨	\LinearACCCLXIV
𐎩	\LinearALXXI	𐎧	\LinearACLXIX	𐎩	\LinearACCLXVII	𐎪	\LinearACCCLXV
𐎫	\LinearALXXII	𐎩	\LinearACLXX	𐎫	\LinearACCLXVIII	𐎬	\LinearACCCLXVI
𐎭	\LinearALXXIII	𐎫	\LinearACLXXI	𐎭	\LinearACCLXIX	𐎮	\LinearACCCLXVII
𐎯	\LinearALXXIV	𐎭	\LinearACLXXII	𐎯	\LinearACCLXX	𐎰	\LinearACCCLXVIII
𐎱	\LinearALXXV	𐎮	\LinearACLXXIII	𐎱	\LinearACCLXXI	𐎲	\LinearACCCLXIX
𐎳	\LinearALXXVI	𐎰	\LinearACLXXIV	𐎳	\LinearACCLXXII	𐎴	\LinearACCCLXX
𐎵	\LinearALXXVII	𐎱	\LinearACLXXV	𐎵	\LinearACCLXXIII	𐎶	\LinearACCCLXXI
𐎷	\LinearALXXVIII	𐎳	\LinearACLXXVI	𐎷	\LinearACCLXXIV	𐎸	\LinearACCCLXXII
𐎹	\LinearALXXIX	𐎵	\LinearACLXXVII	𐎹	\LinearACCLXXV	𐎺	\LinearACCCLXXIII
𐎻	\LinearALXXX	𐎷	\LinearACLXXVIII	𐎻	\LinearACCLXXVI	𐎼	\LinearACCCLXXIV
𐎽	\LinearALXXXI	𐎹	\LinearACLXXIX	𐎽	\LinearACCLXXVII	𐎾	\LinearACCCLXXV
𐎿	\LinearALXXXII	𐎻	\LinearACLXXX	𐎿	\LinearACCLXXVIII	𐏀	\LinearACCCLXXVI
𐏁	\LinearALXXXIII	𐎽	\LinearACLXXXI	𐏁	\LinearACCLXXIX	𐏂	\LinearACCCLXXVII
𐏃	\LinearALXXXIV	𐎿	\LinearACLXXXII	𐏃	\LinearACCLXXX	𐏄	\LinearACCCLXXVIII
𐏅	\LinearALXXXV	𐏁	\LinearACLXXXIII	𐏅	\LinearACCLXXXI	𐏆	\LinearACCCLXXIX
𐏇	\LinearALXXXVI	𐏃	\LinearACLXXXIV	𐏇	\LinearACCLXXXII	𐏈	\LinearACCCLXXX
𐏉	\LinearALXXXVII	𐏅	\LinearACLXXXV	𐏉	\LinearACCLXXXIII	𐏊	\LinearACCCLXXXI
𐏋	\LinearALXXXVIII	𐏇	\LinearACLXXXVI	𐏋	\LinearACCLXXXIV	𐏌	\LinearACCCLXXXII
𐏍	\LinearALXXXIX	𐏉	\LinearACLXXXVII	𐏍	\LinearACCLXXXV	𐏎	\LinearACCCLXXXIII
𐏏	\LinearALXXXX	𐏋	\LinearACLXXXVIII	𐏏	\LinearACCLXXXVI	𐏐	\LinearACCCLXXXIV
𐏑	\LinearAXCI	𐏍	\LinearACLXXXIX	𐏑	\LinearACCLXXXVII	𐏒	\LinearACCCLXXXV
𐏓	\LinearAXCII	𐏏	\LinearACLXXXX	𐏓	\LinearACCLXXXVIII	𐏔	\LinearACCCLXXXVI
𐏕	\LinearAXCIII	𐏑	\LinearACXCI	𐏕	\LinearACCLXXXIX	𐏖	\LinearACCCLXXXVII
𐏗	\LinearAXCIV	𐏓	\LinearACXCII	𐏗	\LinearACCLXXXX	𐏘	\LinearACCCLXXXVIII
𐏙	\LinearAXCV	𐏕	\LinearACXCIII	𐏙	\LinearACCXCI	𐏚	\LinearACCCLXXXIX
𐏛	\LinearAXCVI	𐏗	\LinearACXCIV	𐏛	\LinearACCXCII		
𐏝	\LinearAXCVII	𐏙	\LinearACXCV	𐏝	\LinearACCXCIII		
𐏟	\LinearAXCVIII	𐏛	\LinearACXCVI	𐏟	\LinearACCXCIV		

TABLE 395: linearb Linear B Basic and Optional Letters

	<code>\Ba</code>		<code>\Bja</code>		<code>\Bmu</code>		<code>\Bpte</code>		<code>\Broii</code>		<code>\Bto</code>
	<code>\Baii</code>		<code>\Bje</code>		<code>\Bna</code>		<code>\Bpu</code>		<code>\Bru</code>		<code>\Btu</code>
	<code>\Baiii</code>		<code>\Bjo</code>		<code>\Bne</code>		<code>\Bpuui</code>		<code>\Bsa</code>		<code>\Btwo</code>
	<code>\Bau</code>		<code>\Bju</code>		<code>\Bni</code>		<code>\Bqa</code>		<code>\Bse</code>		<code>\Bu</code>
	<code>\Bda</code>		<code>\Bka</code>		<code>\Bno</code>		<code>\Bqe</code>		<code>\Bsi</code>		<code>\Bwa</code>
	<code>\Bde</code>		<code>\Bke</code>		<code>\Bnu</code>		<code>\Bqi</code>		<code>\Bso</code>		<code>\Bwe</code>
	<code>\Bdi</code>		<code>\Bki</code>		<code>\Bnwa</code>		<code>\Bqo</code>		<code>\Bsu</code>		<code>\Bwi</code>
	<code>\Bdo</code>		<code>\Bko</code>		<code>\Bo</code>		<code>\Bra</code>		<code>\Bswa</code>		<code>\Bwo</code>
	<code>\Bdu</code>		<code>\Bku</code>		<code>\Bpa</code>		<code>\Braii</code>		<code>\Bswi</code>		<code>\Bza</code>
	<code>\Bdwe</code>		<code>\Bma</code>		<code>\Bpaiii</code>		<code>\Braiii</code>		<code>\Bta</code>		<code>\Bze</code>
	<code>\Bdwo</code>		<code>\Bme</code>		<code>\Bpe</code>		<code>\Bre</code>		<code>\Btaii</code>		<code>\Bzo</code>
	<code>\Be</code>		<code>\Bmi</code>		<code>\Bpi</code>		<code>\Bri</code>		<code>\Bte</code>		
	<code>\Bi</code>		<code>\Bmo</code>		<code>\Bpo</code>		<code>\Bro</code>		<code>\Bti</code>		

These symbols must appear either within the argument to `\textlinb` or following the `\linbfamily` font-selection command within a scope. Single-character shortcuts are also supported: Both “`\textlinb{\Bpa\Bki\Bna}`” and “`\textlinb{pcn}`” produce “ $\neq \nabla \bar{\gamma}$ ”, for example. See the linearb documentation for more information.

TABLE 396: linearb Linear B Numerals

	<code>\BNi</code>		<code>\BNvii</code>		<code>\BNxl</code>		<code>\BNc</code>		<code>\BNdcc</code>
	<code>\BNii</code>		<code>\BNviii</code>		<code>\BNl</code>		<code>\BNcc</code>		<code>\BNdccc</code>
	<code>\BNiii</code>		<code>\BNix</code>		<code>\BNlx</code>		<code>\BNccc</code>		<code>\BNcm</code>
	<code>\BNiv</code>		<code>\BNx</code>		<code>\BNlxx</code>		<code>\BNcd</code>		<code>\BNm</code>
	<code>\BNv</code>		<code>\BNxx</code>		<code>\BNlxxx</code>		<code>\BNd</code>		
	<code>\BNvi</code>		<code>\BNxxx</code>		<code>\BNxc</code>		<code>\BNdc</code>		

These symbols must appear either within the argument to `\textlinb` or following the `\linbfamily` font-selection command within a scope.

TABLE 397: linearb Linear B Weights and Measures

	<code>\BPtalent</code>		<code>\BPvolb</code>		<code>\BPvolcf</code>		<code>\BPwtb</code>		<code>\BPwtd</code>
	<code>\BPvola</code>		<code>\BPvolcd</code>		<code>\BPwta</code>		<code>\BPwtc</code>		

These symbols must appear either within the argument to `\textlinb` or following the `\linbfamily` font-selection command within a scope.

TABLE 398: linearb Linear B Ideograms

	\BPamphora		\BPchassis		\BPman		\BPwheat
	\BParrow		\BPcloth		\BPnanny		\BPwheel
	\BPbarley		\BPcow		\BPolive		\BPwine
	\BPbilly		\BPCup		\BPox		\BPwineiih
	\BPboar		\BPewe		\BPpig		\BPwineiiih
	\BPbronze		\BPfoal		\BPram		\BPwineivh
	\BPbull		\BPgoat		\BPsheep		\BPwoman
	\BPcauldroni		\BPgoblet		\BPsow		\BPwool
	\BPcauldronii		\BPgold		\BPspear		
	\BPchariot		\BPhorse		\BPsword		

These symbols must appear either within the argument to `\textlinb` or following the `\linbfamily` font-selection command within a scope.

TABLE 399: linearb Unidentified Linear B Symbols

	\BUi		\BUiv		\BUvii		\BUx		\Btwe
	\BUii		\BUv		\BUviii		\BUxi		
	\BUiii		\BUvi		\BUix		\BUxii		

These symbols must appear either within the argument to `\textlinb` or following the `\linbfamily` font-selection command within a scope.

TABLE 400: cypriot Cypriot Letters

	\Ca		\Cku		\Cmu		\Cpo		\Cso		\Cwi
	\Ce		\Cla		\Cna		\Cpu		\Csu		\Cwo
	\Cga		\Cle		\Cne		\Cra		\Cta		\Cxa
	\Ci		\Cli		\Cni		\Cre		\Cte		\Cxe
	\Cja		\Clo		\Cno		\Cri		\Cti		\Cya
	\Cjo		\Clu		\Cnu		\Cro		\Cto		\Cyo
	\Cka		\Cma		\Co		\Cru		\Ctu		\Cza
	\Cke		\Cme		\Cpa		\Csa		\Cu		\Czo
	\Cki		\Cmi		\Cpe		\Cse		\Cwa		
	\Cko		\Cmo		\Cpi		\Csi		\Cwe		

These symbols must appear either within the argument to `\textcypr` or following the `\cyprfamily` font-selection command within a scope. Single-character shortcuts are also supported: Both “`\textcypr{\Cpa\Cki\Cna}`” and “`\textcypr{pcn}`” produce “”, for example. See the cypriot documentation for more information.

TABLE 401: sarabian South Arabian Letters

◦	\SAa	𐩦	\SAz	𐩨	\SAm	𐩬	\SAsd	𐩮	\SAdb
𐩪	\SAb	𐩰	\SAhd	𐩲	\SAn	𐩴	\SAq	𐩶	\SAtb
𐩬	\SAg	𐩰	\SAtd	𐩲	\SAs	𐩴	\SAr	𐩶	\SAga
𐩬	\SAd	𐩰	\SAy	𐩲	\SAf	𐩴	\SAsv	𐩶	\SAzd
𐩬	\SAh	𐩰	\SAk	𐩲	\SAIq	𐩴	\SAt	𐩶	\SAsa
◦	\SAw	𐩰	\SAI	𐩲	\SAo	𐩴	\SAhu	𐩶	\SAdd

These symbols must appear either within the argument to `\textsarab` or following the `\sarabfamily` font-selection command within a scope. Single-character shortcuts are also supported: Both “`\textsarab{\SAb\SAb\SAn}`” and “`\textsarab{bkn}`” produce “𐩪𐩬𐩲”, for example. See the `sarabian` documentation for more information.

TABLE 402: teubner Archaic Greek Letters and Greek Numerals

Ϟ	\Coppa [†]	Ϟ	\Digamma*	Ϟ	\sampi*	Ϟ	\varstigma
ϟ	\coppa [†]	ϟ	\koppa*	ϟ	\Stigma		
Ϡ	\digamma* [‡]	Ϡ	\Sampi	Ϡ	\stigma*		

* Technically, these symbols do not require `teubner`; it is sufficient to load the `babel` package with the `greek` option (upon which `teubner` depends)—but use `\qoppa` for `\koppa` and `\ddigamma` for `\digamma`.

[†] For compatibility with other naming conventions `teubner` defines `\Koppa` as a synonym for `\Coppa` and `\varcoppa` as a synonym for `\coppa`.

[‡] If both `teubner` and `amssymb` are loaded, `teubner`’s `\digamma` replaces `amssymb`’s `\digamma`, regardless of package-loading order.

TABLE 403: boisik Archaic Greek Letters and Greek Numerals

Ϟ	\Digamma	ϟ	\qoppa	Ϡ	\stigma	ϡ	\varsampi
Ϡ	\digamma	ϟ	\Qoppa	Ϡ	\Stigma		
Ϡ	\heta	Ϡ	\Sampi	Ϡ	\vardigamma		
Ϡ	\Heta	Ϡ	\sampi	Ϡ	\Varsampi		

TABLE 404: epiolmec Epi-Olmec Script

	\EOafter		\EOMiddle		\EOStarWarrior
	\EOandThen		\EOMonster		\EOstep
	\EOAppear		\EOMountain		\EOSu
	\EOBeardMask		\EOMuu		\EOsu
	\EOBedeck		\EOna		\EOsun

(continued on next page)

(continued from previous page)

	\EOBlood		\EOne		\EOSuu
	\EObrace		\EOni		\EOSuu
	\EObuilding		\EOnow		\EOta
	\EOBundle		\EOnu		\EOte
	\EOChop		\EOnuu		\EOthrone
	\EOChronI		\EOofficerI		\EOti
	\EOCloth		\EOofficerII		\EOtime
	\EODealWith		\EOofficerIII		\EOTime
	\EODeer		\EOofficerIV		\EOTitle
	\EOeat		\EOpa		\EOTitleII
	\EOflint		\EOpak		\EOTitleIV
	\EOflower		\EOPatron		\EOto
	\EOFold		\EOPatronII		\EOtu
	\EOGod		\EOpe		\EOtuki
	\EOGoUp		\EOpenis		\EOtukpa
	\EOgovernor		\EOpi		\EOturtle
	\EOGuise		\EOPierce		\EOtuu
	\EOHallow		\EOPlant		\EOtza
	\EOja		\EOPlay		\EOtze
	\EOjaguar		\EOpo		\EOtzetze
	\EOje		\EOpriest		\EOtzi
	\EOji		\EOPrince		\EOtzu
	\EOJI		\EOpu		\EOtzuu
	\EOjo		\EOpuu		\EOundef
	\EOju		\EOpuuk		\EOvarBeardMask
	\EOkak		\EORain		\EOvarja
	\EOke		\EOSa		\EOvarji
	\EOki		\EOSa		\EOvarki
	\EOkij		\EOSacrifice		\EOvarkuu
	\EOKing		\EOSaw		\EOvarni
	\EOknottedCloth		\EOScorpius		\EOvarpa

(continued on next page)

(continued from previous page)

	\EOknottedClothStraps		\EOset		\EOvarSi
	\EOko		\EOsi		\EOvarsi
	\EOku		\EOSi		\EOvartza
	\EOkuu		\EOSing		\EOvarwuu
	\EOLetBlood		\EOSini		\EOvarYear
	\EOloinCloth		\EOSkin		\EOwa
	\EOlongLipII		\EOSky		\EOwe
	\EOLord		\EOSkyAnimal		\EOwi
	\EOLose		\EOSkyPillar		\EOwo
	\EOma		\EOSnake		\EOwuu
	\EOmacaw		\EOSo		\EOya
	\EOmacawI		\EOSpan		\EOyaj
	\EOme		\EOSprinkle		\EOye
	\EOmexNew		\EOstar		\EOYear
	\EOmi		\EOstarWarrior		\EOyuu

TABLE 405: epiolmec Epi-Olmec Numerals

	\EOzero		\EOvi		\EOxii		\EOxviii
	\EOi		\EOvii		\EOxiii		\EOxix
	\EOii		\EOviii		\EOxiv		\EOxx
	\EOiii		\EOix		\EOxv		
	\EOiv		\EOx		\EOxvi		
	\EOv		\EOxi		\EOxvii		

7 Musical symbols

The following symbols are used to typeset musical notation. The *lily[🎵]ly[🎵]ps* package provides a large subset of the symbols in this section. Note, however, that *lily[🎵]ly[🎵]ps* depends upon the *fontspec* package, OpenType (*.otf*) fonts, and some PDF graphics and therefore works only with Lua[🎵]TEX or Xe[🎵]TEX.

TABLE 406: L[🎵]A[🎵]T[🎵]E[🎵]X_{2 ϵ} Musical Symbols

$\flat$ `\flat` $\natural$ `\natural` $\sharp$ `\sharp`

TABLE 407: textcomp Musical Symbols

♪ `\textmusicalnote`

TABLE 408: wasysym Musical Symbols

♪ `\eighthnote` ♩ `\halfnote` ♪♪ `\twonotes` ♩ `\fullnote` ♩ `\quarternote`

TABLE 409: MnSymbol Musical Symbols

$\flat$ `\flat` $\natural$ `\natural` $\sharp$ `\sharp`

TABLE 410: fdsymbol Musical Symbols

$\flat$ `\flat` $\natural$ `\natural` $\sharp$ `\sharp`

TABLE 411: boisik Musical Symbols

$\flat$ `\flat` $\natural$ `\natural` $\sharp$ `\sharp`

TABLE 412: stix Musical Symbols

♪ `\eighthnote` $\natural$ `\natural` $\sharp$ `\sharp`
 $\flat$ `\flat` ♩ `\quarternote` ♪♪ `\twonotes`

TABLE 413: arev Musical Symbols

♩ `\quarternote` ♪ `\eighthnote` ♪♪ `\sixteenthnote`

TABLE 414: MusiX_{TEX} Musical Symbols

	<code>\allabreve</code>		<code>\lsf</code>		<code>\shake</code>
	<code>\altoclef</code>		<code>\lsfz</code>		<code>\Shake</code>
	<code>\backturn</code>		<code>\maxima</code>		<code>\Shakel</code>
	<code>\bassclef</code>		<code>\meterplus</code>		<code>\Shakene</code>
	<code>\caesura</code>		<code>\mordent</code>		<code>\Shakenw</code>
	<code>\coda</code>		<code>\Mordent</code>		<code>\Shakesw</code>
	<code>\Coda</code>		<code>\PAUSE</code>		<code>\smallaltoclef</code>
	<code>\Dep</code>		<code>\PAuse</code>		<code>\smallbassclef</code>
	<code>\doublethumb</code>		<code>\pause</code>		<code>\smalltrebleclef</code>
	<code>\downbow</code>		<code>\Ped</code>		<code>\sPed</code>
	<code>\ds</code>		<code>\qp</code>		<code>\trebleclef</code>
	<code>\duevolte</code>		<code>\qqq</code>		<code>\trill</code>
	<code>\fermatadown</code>		<code>\qs</code>		<code>\turn</code>
	<code>\fermataup</code>		<code>\reverseallabreve</code>		<code>\upbow</code>
	<code>\flageolet</code>		<code>\reverseC</code>		<code>\usf</code>
	<code>\hpause</code>		<code>\sDep</code>		<code>\usfz</code>
	<code>\hs</code>		<code>\Segno</code>		<code>\wq</code>
	<code>\longa</code>		<code>\segno</code>		<code>\wqq</code>

All of these symbols are intended to be used in the context of typesetting musical scores. See the MusiX_{TEX} documentation for more information.

TABLE 415: MusiX_{TEX} Alternative Clefs

	<code>\drumclef</code>		<code>\gregorianFclef</code>
	<code>\gregorianCclef</code>		<code>\oldGclef</code>

In addition to MusiX_{TEX}, `\drumclef` requires the `musixper` package; `\oldGclef` requires the `musixlit` package; and both `\gregorianCclef` and `\gregorianFclef` require the `musixgre` package. Together with MusiX_{TEX}, these packages provide a complete system for typesetting percussion notation (`musixper`), liturgical music (`musixlit`), and Gregorian chants (`musixgre`, including the staves and all of the necessary neumes. See the MusiX_{TEX} documentation for more information.

TABLE 416: harmony Musical Symbols

	<code>\AAcht</code>		<code>\DDohne</code>		<code>\Halb</code>		<code>\SechBR</code>		<code>> \VM</code>
	<code>\Acht</code>		<code>\Dohne</code>		<code>\HaPa</code>		<code>\SechBr</code>		<code>\Zwdr</code>
	<code>\AchtBL</code>		<code>\Ds</code>		<code>\Pu</code>		<code>\SePa</code>		<code>\ZwPa</code>
	<code>\AchtBR</code>		<code>\DS</code>		<code>\Sech</code>		<code>< \UB</code>		
	<code>\AcPa</code>		<code>\Ganz</code>		<code>\SechBL</code>		<code>\Vier</code>		
	<code>\DD</code>		<code>\GaPa</code>		<code>\SechBl</code>		<code>\ViPa</code>		

The MusiX_{TEX} package must be installed to use harmony.

TABLE 417: harmony Musical Accents

	<code>\Ferli{A}\Ferli{a}*</code>		<code>\Ohne{A}\Ohne{a}*</code>
	<code>\Fermi{A}\Fermi{a}</code>		<code>\Umd{A}\Umd{a}*</code>
	<code>\Kr{A}\Kr{a}</code>		

* These symbols take an optional argument which shifts the accent either horizontally or vertically (depending on the command) by the given distance.

In addition to the accents shown above, `\HH` is a special accent command that accepts five period-separated characters and typesets them such that “`\HH.X.a.b.c.d.`” produces “ $\overset{X}{\underset{a}{\underset{b}{\underset{c}{\underset{d}{\text{H}}}}}}$ ”. All arguments except the first can be omitted: “`\HH.X....`” produces “ $\overset{X}{\text{H}}$ ”. `\Takt` takes two arguments and composes them into a musical time signature. For example, “`\Takt{12}{8}`” produces “ $\frac{12}{8}$ ”. As two special cases, “`\Takt{c}{0}`” produces “**C**” and “`\Takt{c}{1}`” produces “**C**”.

The MusiX_{TEX} package must be installed to use harmony.

TABLE 418: *lily₆lyp_{bs}* Single Notes


	<code>\eighthNote</code>		<code>\quarterNoteDottedDown</code>
	<code>\eighthNoteDotted</code>		<code>\quarterNoteDown</code>
	<code>\eighthNoteDottedDouble</code>		<code>\sixteenthNote</code>
	<code>\eighthNoteDottedDoubleDown</code>		<code>\sixteenthNoteDotted</code>
	<code>\eighthNoteDottedDown</code>		<code>\sixteenthNoteDottedDouble</code>
	<code>\eighthNoteDown</code>		<code>\sixteenthNoteDottedDoubleDown</code>
	<code>\halfNote</code>		<code>\sixteenthNoteDottedDown</code>
	<code>\halfNoteDotted</code>		<code>\sixteenthNoteDown</code>
	<code>\halfNoteDottedDouble</code>		<code>\thirtysecondNote</code>
	<code>\halfNoteDottedDoubleDown</code>		<code>\thirtysecondNoteDotted</code>
	<code>\halfNoteDottedDown</code>		<code>\thirtysecondNoteDottedDouble</code>
	<code>\halfNoteDown</code>		<code>\thirtysecondNoteDottedDoubleDown</code>
	<code>\quarterNote</code>		<code>\thirtysecondNoteDottedDown</code>
	<code>\quarterNoteDotted</code>		<code>\thirtysecondNoteDown</code>
	<code>\quarterNoteDottedDouble</code>		<code>\wholeNote</code>
	<code>\quarterNoteDottedDoubleDown</code>		<code>\wholeNoteDotted</code>

lily₆lyp_{bs} defines synonyms for all of the preceding symbols:

	<code>\crotchet</code>		<code>\minimDottedDown</code>
	<code>\crotchetDotted</code>		<code>\minimDown</code>
	<code>\crotchetDottedDouble</code>		<code>\quaver</code>
	<code>\crotchetDottedDoubleDown</code>		<code>\quaverDotted</code>
	<code>\crotchetDottedDown</code>		<code>\quaverDottedDouble</code>
	<code>\crotchetDown</code>		<code>\quaverDottedDoubleDown</code>
	<code>\demisemiquaver</code>		<code>\quaverDottedDown</code>
	<code>\demisemiquaverDotted</code>		<code>\quaverDown</code>
	<code>\demisemiquaverDottedDouble</code>		<code>\semibreve</code>
	<code>\demisemiquaverDottedDoubleDown</code>		<code>\semibreveDotted</code>
	<code>\demisemiquaverDottedDown</code>		<code>\semiquaver</code>
	<code>\demisemiquaverDown</code>		<code>\semiquaverDotted</code>
	<code>\minim</code>		<code>\semiquaverDottedDouble</code>
	<code>\minimDotted</code>		<code>\semiquaverDottedDoubleDown</code>
	<code>\minimDottedDouble</code>		<code>\semiquaverDottedDown</code>
	<code>\minimDottedDoubleDown</code>		<code>\semiquaverDown</code>

TABLE 419: *lily₆lyp_{bs}* Beamed Notes

	<code>\twoBeamedQuavers</code>		<code>\threeBeamedQuaversII</code>
	<code>\threeBeamedQuavers</code>		<code>\threeBeamedQuaversIII</code>
	<code>\threeBeamedQuaversI</code>		

TABLE 420: *lily $\p$ bs* Clefs

Each of these symbols provides a smaller, “inline” form (`\clefCInline`, `\clefFInline`, and `\clefGInline`, respectively) intended for use within a paragraph. See the *lily $\p$ bs* documentation for more information.

TABLE 421: *lily $\p$ bs* Time Signatures

lily $\p$ bs also provides a `\lilyTimeSignature` command that lets a user type-set single and compound time signatures by specifying a numerator and a denominator. See the *lily $\p$ bs* documentation for more information.

TABLE 422: *lily $\p$ bs* Accidentals

$\times$	<code>\doublesharp</code>	$\sharp\downarrow$	<code>\sharpArrowdown</code>
$\flat$	<code>\flat</code>	$\sharp\uparrow$	<code>\sharpArrowup</code>
$\flat\flat$	<code>\flatflat</code>	$\sharp\diagup\diagdown\diagup\diagdown$	<code>\sharpSlashslashslashStem</code>
$\natural$	<code>\natural</code>	$\sharp\diagup\diagdown\diagup\diagdown\diagup\diagdown$	<code>\sharpSlashslashslashStemstem</code>
$\sharp$	<code>\sharp</code>	$\sharp\diagup\diagdown$	<code>\sharpSlashslashStem</code>
$\sharp\uparrow\downarrow$	<code>\sharpArrowboth</code>	$\sharp\diagup\diagdown\diagup\diagdown\diagup\diagdown$	<code>\sharpSlashslashStemstemstem</code>

TABLE 423: *lily $\p$ bs* Rests

crotchet	<code>\crotchetRest</code>	$\text{quaver}.$	<code>\quaverRestDotted</code>
$\text{crotchet}.$	<code>\crotchetRestDotted</code>	semiquaver	<code>\semiquaverRest</code>
half	<code>\halfNoteRest</code>	$\text{semiquaver}.$	<code>\semiquaverRestDotted</code>
$\text{half}.$	<code>\halfNoteRestDotted</code>	whole	<code>\wholeNoteRest</code>
quaver	<code>\quaverRest</code>	$\text{whole}.$	<code>\wholeNoteRestDotted</code>

Multiply dotted rests can be produced with the `\lilyPrintMoreDots` command. See the *lily $\p$ bs* documentation for more information.

TABLE 424: *lily₆ly₆ps* Dynamics Letters

<i>f</i>	<code>\lilyDynamics{f}</code>	<i>r</i>	<code>\lilyDynamics{r}</code>
<i>p</i>	<code>\lilyDynamics{p}</code>	<i>s</i>	<code>\lilyDynamics{s}</code>
<i>m</i>	<code>\lilyDynamics{m}</code>	<i>z</i>	<code>\lilyDynamics{z}</code>
<i>rf</i>	<code>\lilyRF</code>	<i>rfz</i>	<code>\lilyRFZ</code>

These letters and the digits 0–9 are the only alphanumerics defined by *lily₆ly₆ps*’s underlying Emmentaler fonts.

TABLE 425: *lily₆ly₆ps* Dynamics Symbols

$\langle$	<code>\crescHairpin</code>	$\rangle$	<code>\decrecHairpin</code>

TABLE 426: *lily₆ly₆ps* Articulations

$>$	<code>\lilyAccent</code>	$\wedge$	<code>\marcato</code>	,	<code>\staccatissimo</code>
$\langle \rangle$	<code>\lilyEspressivo</code>	$\vee$	<code>\marcatoDown</code>	$-$	<code>\tenuto</code>
$\cdot$	<code>\lilyStaccato</code>	$\pm$	<code>\portato</code>		
ϕ	<code>\lilyThumb</code>	$\mp$	<code>\portatoDown</code>		

TABLE 427: *lily₆ly₆ps* Scripts

$\frown$	<code>\fermata</code>

TABLE 428: *lily₆ly₆ps* Accordion Notation

$\boxplus$	<code>\accordionBayanBass</code>	$\otimes$	<code>\accordionOldEE</code>	$\oplus$	<code>\accordionStdBass</code>
$\ominus$	<code>\accordionDiscant</code>	$\upharpoonright$	<code>\accordionPull</code>		
$\ominus$	<code>\accordionFreeBass</code>	$\succ$	<code>\accordionPush</code>		

TABLE 429: *lilyglyphs* Named Time Signatures

Ⓒ	<code>\lilyGlyph{timesig.C22}</code>	Ⓢ	<code>\lilyGlyph{timesig.mensural98}</code>
Ⓒ	<code>\lilyGlyph{timesig.C44}</code>	Ⓒ	<code>\lilyGlyph{timesig.neomensural22}</code>
Ⓒ	<code>\lilyGlyph{timesig.mensural22}</code>	Ⓒ	<code>\lilyGlyph{timesig.neomensural24}</code>
Ⓒ	<code>\lilyGlyph{timesig.mensural24}</code>	Ⓒ	<code>\lilyGlyph{timesig.neomensural32}</code>
Ⓒ	<code>\lilyGlyph{timesig.mensural32}</code>	Ⓒ	<code>\lilyGlyph{timesig.neomensural34}</code>
Ⓒ	<code>\lilyGlyph{timesig.mensural34}</code>	Ⓒ	<code>\lilyGlyph{timesig.neomensural44}</code>
Ⓒ	<code>\lilyGlyph{timesig.mensural44}</code>	Ⓒ	<code>\lilyGlyph{timesig.neomensural48}</code>
Ⓒ	<code>\lilyGlyph{timesig.mensural48}</code>	Ⓒ	<code>\lilyGlyph{timesig.neomensural64}</code>
Ⓒ	<code>\lilyGlyph{timesig.mensural64}</code>	Ⓒ	<code>\lilyGlyph{timesig.neomensural68}</code>
Ⓒ	<code>\lilyGlyph{timesig.mensural68}</code>	Ⓒ	<code>\lilyGlyph{timesig.neomensural68alt}</code>
Ⓒ	<code>\lilyGlyph{timesig.mensural68alt}</code>	Ⓒ	<code>\lilyGlyph{timesig.neomensural94}</code>
Ⓒ	<code>\lilyGlyph{timesig.mensural94}</code>	Ⓒ	<code>\lilyGlyph{timesig.neomensural98}</code>

lilyglyphs defines shorter names for a few of these symbols. See Table 421.

TABLE 430: *lilyglyphs* Named Scripts

⋈	<code>\lilyGlyph{scripts.arpeggio}</code>	⋈	<code>\lilyGlyph{scripts.prallmordent}</code>
⋈	<code>\lilyGlyph{scripts.arpeggio.arrow.1}</code>	⋈	<code>\lilyGlyph{scripts.prallprall}</code>
⋈	<code>\lilyGlyph{scripts.arpeggio.arrow.M1}</code>	⋈	<code>\lilyGlyph{scripts.prallup}</code>
⋈	<code>\lilyGlyph{scripts.augmentum}</code>	⋈	<code>\lilyGlyph{scripts.rcomma}</code>
⋈	<code>\lilyGlyph{scripts.barline.kievan}</code>	⋈	<code>\lilyGlyph{scripts.reverseturn}</code>
⋈	<code>\lilyGlyph{scripts.caesura.curved}</code>	⋈	<code>\lilyGlyph{scripts.rvarcomma}</code>
⋈	<code>\lilyGlyph{scripts.caesura.straight}</code>	⋈	<code>\lilyGlyph{scripts.segno}</code>
⋈	<code>\lilyGlyph{scripts.circulus}</code>	⋈	<code>\lilyGlyph{scripts.sforzato}</code>
⋈	<code>\lilyGlyph{scripts.coda}</code>	⋈	<code>\lilyGlyph{scripts.snappizzicato}</code>
⋈	<code>\lilyGlyph{scripts.daccentus}</code>	⋈	<code>\lilyGlyph{scripts.staccato}</code>
⋈	<code>\lilyGlyph{scripts.dfermata}</code>	⋈	<code>\lilyGlyph{scripts.stopped}</code>
⋈	<code>\lilyGlyph{scripts.dlongfermata}</code>	⋈	<code>\lilyGlyph{scripts.tenuto}</code>
⋈	<code>\lilyGlyph{scripts.dmarcato}</code>	⋈	<code>\lilyGlyph{scripts.thumb}</code>
⋈	<code>\lilyGlyph{scripts.downbow}</code>	⋈	<code>\lilyGlyph{scripts.tickmark}</code>
⋈	<code>\lilyGlyph{scripts.downmordent}</code>	⋈	<code>\lilyGlyph{scripts.trilelement}</code>
⋈	<code>\lilyGlyph{scripts.downprall}</code>	⋈	<code>\lilyGlyph{scripts.trill}</code>
⋈	<code>\lilyGlyph{scripts.dpedalheel}</code>	⋈	<code>\lilyGlyph{scripts.trill_element}</code>
⋈	<code>\lilyGlyph{scripts.dpedaltoe}</code>	⋈	<code>\lilyGlyph{scripts.turn}</code>
⋈	<code>\lilyGlyph{scripts.dportato}</code>	⋈	<code>\lilyGlyph{scripts.uaccentus}</code>
⋈	<code>\lilyGlyph{scripts.dsemicirculus}</code>	⋈	<code>\lilyGlyph{scripts.ufermata}</code>
⋈	<code>\lilyGlyph{scripts.dshortfermata}</code>	⋈	<code>\lilyGlyph{scripts.ulongfermata}</code>
⋈	<code>\lilyGlyph{scripts.dsignumcongruentiae}</code>	⋈	<code>\lilyGlyph{scripts.umarcato}</code>
⋈	<code>\lilyGlyph{scripts.dstaccatissimo}</code>	⋈	<code>\lilyGlyph{scripts.upbow}</code>
⋈	<code>\lilyGlyph{scripts.dverylongfermata}</code>	⋈	<code>\lilyGlyph{scripts.upedalheel}</code>
⋈	<code>\lilyGlyph{scripts.espr}</code>	⋈	<code>\lilyGlyph{scripts.upedaltoe}</code>
⋈	<code>\lilyGlyph{scripts.flageolet}</code>	⋈	<code>\lilyGlyph{scripts.upmordent}</code>
⋈	<code>\lilyGlyph{scripts.halfopen}</code>	⋈	<code>\lilyGlyph{scripts.uportato}</code>
⋈	<code>\lilyGlyph{scripts.halfopenvertical}</code>	⋈	<code>\lilyGlyph{scripts.upprall}</code>
⋈	<code>\lilyGlyph{scripts.ictus}</code>	⋈	<code>\lilyGlyph{scripts.usemicirculus}</code>
⋈	<code>\lilyGlyph{scripts.lcomma}</code>	⋈	<code>\lilyGlyph{scripts.ushortfermata}</code>

(continued on next page)

(continued from previous page)

	<code>\lilyGlyph{scripts.lineprall}</code>		<code>\lilyGlyph{scripts.usignumcongruentiae}</code>
	<code>\lilyGlyph{scripts.lvarcomma}</code>		<code>\lilyGlyph{scripts.ustaccatissimo}</code>
	<code>\lilyGlyph{scripts.mordent}</code>		<code>\lilyGlyph{scripts.uverylongfermata}</code>
	<code>\lilyGlyph{scripts.open}</code>		<code>\lilyGlyph{scripts.varcoda}</code>
			
	<code>\lilyGlyph{scripts.prall}</code>		
	<code>\lilyGlyph{scripts.pralldown}</code>		

lily^glyp^{bs} defines `\fermata` as a shorter name for “” than `\lilyGlyph{scripts.ufermata}`. See Table 427.

TABLE 431: *lily^glyp^{bs}* Named Rests

	<code>\lilyGlyph{rests.0}</code>		<code>\lilyGlyph{rests.4mensural}</code>
	<code>\lilyGlyph{rests.0mensural}</code>		<code>\lilyGlyph{rests.4neomensural}</code>
	<code>\lilyGlyph{rests.0neomensural}</code>		<code>\lilyGlyph{rests.5}</code>
	<code>\lilyGlyph{rests.0o}</code>		<code>\lilyGlyph{rests.6}</code>
	<code>\lilyGlyph{rests.1}</code>		<code>\lilyGlyph{rests.7}</code>
	<code>\lilyGlyph{rests.1mensural}</code>		<code>\lilyGlyph{rests.M1}</code>
	<code>\lilyGlyph{rests.1neomensural}</code>		<code>\lilyGlyph{rests.M1mensural}</code>
	<code>\lilyGlyph{rests.1o}</code>		<code>\lilyGlyph{rests.M1neomensural}</code>
	<code>\lilyGlyph{rests.2}</code>		<code>\lilyGlyph{rests.M1o}</code>
	<code>\lilyGlyph{rests.2classical}</code>		<code>\lilyGlyph{rests.M2}</code>
	<code>\lilyGlyph{rests.2mensural}</code>		<code>\lilyGlyph{rests.M2mensural}</code>
	<code>\lilyGlyph{rests.2neomensural}</code>		<code>\lilyGlyph{rests.M2neomensural}</code>
	<code>\lilyGlyph{rests.3}</code>		<code>\lilyGlyph{rests.M3}</code>
	<code>\lilyGlyph{rests.3mensural}</code>		<code>\lilyGlyph{rests.M3mensural}</code>
	<code>\lilyGlyph{rests.3neomensural}</code>		<code>\lilyGlyph{rests.M3neomensural}</code>
	<code>\lilyGlyph{rests.4}</code>		

lily^glyp^{bs} defines shorter names for a few of these symbols. See Table 423.

TABLE 432: *lily^glyp^{bs}* Named Pedals

	<code>\lilyGlyph{pedal.*}</code>		<code>\lilyGlyph{pedal.M}</code>
	<code>\lilyGlyph{pedal..}</code>		<code>\lilyGlyph{pedal.P}</code>
	<code>\lilyGlyph{pedal.d}</code>		<code>\lilyGlyph{pedal.Ped}</code>
	<code>\lilyGlyph{pedal.e}</code>		

TABLE 433: *lilyglyphs* Named Flags

	<code>\lilyGlyph{flags.d3}</code>		<code>\lilyGlyph{flags.mensuralu03}</code>
	<code>\lilyGlyph{flags.d4}</code>		<code>\lilyGlyph{flags.mensuralu04}</code>
	<code>\lilyGlyph{flags.d5}</code>		<code>\lilyGlyph{flags.mensuralu05}</code>
	<code>\lilyGlyph{flags.d6}</code>		<code>\lilyGlyph{flags.mensuralu06}</code>
	<code>\lilyGlyph{flags.d7}</code>		<code>\lilyGlyph{flags.mensuralu13}</code>
	<code>\lilyGlyph{flags.dgrace}</code>		<code>\lilyGlyph{flags.mensuralu14}</code>
	<code>\lilyGlyph{flags.mensurald03}</code>		<code>\lilyGlyph{flags.mensuralu15}</code>
	<code>\lilyGlyph{flags.mensurald04}</code>		<code>\lilyGlyph{flags.mensuralu16}</code>
	<code>\lilyGlyph{flags.mensurald05}</code>		<code>\lilyGlyph{flags.mensuralu23}</code>
	<code>\lilyGlyph{flags.mensurald06}</code>		<code>\lilyGlyph{flags.mensuralu24}</code>
	<code>\lilyGlyph{flags.mensurald13}</code>		<code>\lilyGlyph{flags.mensuralu25}</code>
	<code>\lilyGlyph{flags.mensurald14}</code>		<code>\lilyGlyph{flags.mensuralu26}</code>
	<code>\lilyGlyph{flags.mensurald15}</code>		<code>\lilyGlyph{flags.u3}</code>
	<code>\lilyGlyph{flags.mensurald16}</code>		<code>\lilyGlyph{flags.u4}</code>
	<code>\lilyGlyph{flags.mensurald23}</code>		<code>\lilyGlyph{flags.u5}</code>
	<code>\lilyGlyph{flags.mensurald24}</code>		<code>\lilyGlyph{flags.u6}</code>
	<code>\lilyGlyph{flags.mensurald25}</code>		<code>\lilyGlyph{flags.u7}</code>
	<code>\lilyGlyph{flags.mensurald26}</code>		<code>\lilyGlyph{flags.ugrace}</code>

TABLE 434: *lilyglyphs* Named Custodes

	<code>\lilyGlyph{custodes.hufnagel.d0}</code>		<code>\lilyGlyph{custodes.mensural.d0}</code>
	<code>\lilyGlyph{custodes.hufnagel.d1}</code>		<code>\lilyGlyph{custodes.mensural.d1}</code>
	<code>\lilyGlyph{custodes.hufnagel.d2}</code>		<code>\lilyGlyph{custodes.mensural.d2}</code>
	<code>\lilyGlyph{custodes.hufnagel.u0}</code>		<code>\lilyGlyph{custodes.mensural.u0}</code>
	<code>\lilyGlyph{custodes.hufnagel.u1}</code>		<code>\lilyGlyph{custodes.mensural.u1}</code>
	<code>\lilyGlyph{custodes.hufnagel.u2}</code>		<code>\lilyGlyph{custodes.mensural.u2}</code>
	<code>\lilyGlyph{custodes.medicaea.d0}</code>		<code>\lilyGlyph{custodes.vaticana.d0}</code>
	<code>\lilyGlyph{custodes.medicaea.d1}</code>		<code>\lilyGlyph{custodes.vaticana.d1}</code>
	<code>\lilyGlyph{custodes.medicaea.d2}</code>		<code>\lilyGlyph{custodes.vaticana.d2}</code>
	<code>\lilyGlyph{custodes.medicaea.u0}</code>		<code>\lilyGlyph{custodes.vaticana.u0}</code>
	<code>\lilyGlyph{custodes.medicaea.u1}</code>		<code>\lilyGlyph{custodes.vaticana.u1}</code>
	<code>\lilyGlyph{custodes.medicaea.u2}</code>		<code>\lilyGlyph{custodes.vaticana.u2}</code>

TABLE 435: *lilyglyphs* Named Clefs

	<code>\lilyGlyph{clefs.blackmensural.c}</code>		<code>\lilyGlyph{clefs.mensural.g_change}</code>
	<code>\lilyGlyph{clefs.blackmensural.c_change}</code>		<code>\lilyGlyph{clefs.neomensural.c}</code>
	<code>\lilyGlyph{clefs.C}</code>		<code>\lilyGlyph{clefs.neomensural.c_change}</code>
	<code>\lilyGlyph{clefs.C_change}</code>		<code>\lilyGlyph{clefs.percussion}</code>
	<code>\lilyGlyph{clefs.F}</code>		<code>\lilyGlyph{clefs.percussion_change}</code>
	<code>\lilyGlyph{clefs.F_change}</code>		<code>\lilyGlyph{clefs.petrucci.c1}</code>
	<code>\lilyGlyph{clefs.G}</code>		<code>\lilyGlyph{clefs.petrucci.c1_change}</code>
	<code>\lilyGlyph{clefs.G_change}</code>		<code>\lilyGlyph{clefs.petrucci.c2}</code>
	<code>\lilyGlyph{clefs.hufnagel.do}</code>		<code>\lilyGlyph{clefs.petrucci.c2_change}</code>
	<code>\lilyGlyph{clefs.hufnagel.do.fa}</code>		<code>\lilyGlyph{clefs.petrucci.c3}</code>
	<code>\lilyGlyph{clefs.hufnagel.do.fa_change}</code>		<code>\lilyGlyph{clefs.petrucci.c3_change}</code>
	<code>\lilyGlyph{clefs.hufnagel.do_change}</code>		<code>\lilyGlyph{clefs.petrucci.c4}</code>
	<code>\lilyGlyph{clefs.hufnagel.fa}</code>		<code>\lilyGlyph{clefs.petrucci.c4_change}</code>
	<code>\lilyGlyph{clefs.hufnagel.fa_change}</code>		<code>\lilyGlyph{clefs.petrucci.c5}</code>
	<code>\lilyGlyph{clefs.kievan.do}</code>		<code>\lilyGlyph{clefs.petrucci.c5_change}</code>
	<code>\lilyGlyph{clefs.kievan.do_change}</code>		<code>\lilyGlyph{clefs.petrucci.f}</code>
	<code>\lilyGlyph{clefs.medicaea.do}</code>		<code>\lilyGlyph{clefs.petrucci.f_change}</code>
	<code>\lilyGlyph{clefs.medicaea.do_change}</code>		<code>\lilyGlyph{clefs.petrucci.g}</code>
	<code>\lilyGlyph{clefs.medicaea.fa}</code>		<code>\lilyGlyph{clefs.petrucci.g_change}</code>
	<code>\lilyGlyph{clefs.medicaea.fa_change}</code>		<code>\lilyGlyph{clefs.tab}</code>
	<code>\lilyGlyph{clefs.mensural.c}</code>		<code>\lilyGlyph{clefs.tab_change}</code>
	<code>\lilyGlyph{clefs.mensural.c_change}</code>		<code>\lilyGlyph{clefs.vaticana.do}</code>
	<code>\lilyGlyph{clefs.mensural.f}</code>		<code>\lilyGlyph{clefs.vaticana.do_change}</code>
	<code>\lilyGlyph{clefs.mensural.f_change}</code>		<code>\lilyGlyph{clefs.vaticana.fa}</code>
	<code>\lilyGlyph{clefs.mensural.g}</code>		<code>\lilyGlyph{clefs.vaticana.fa_change}</code>

lilyglyphs defines shorter names for a few of these symbols. See Table 420.

TABLE 436: *lilyglyphs* Named Noteheads

	<code>\lilyGlyph{noteheads.d0doFunk}</code>
	<code>\lilyGlyph{noteheads.d0fa}</code>
	<code>\lilyGlyph{noteheads.d0faFunk}</code>
	<code>\lilyGlyph{noteheads.d0faThin}</code>
	<code>\lilyGlyph{noteheads.d0miFunk}</code>
	<code>\lilyGlyph{noteheads.d0reFunk}</code>
	<code>\lilyGlyph{noteheads.d0tiFunk}</code>
	<code>\lilyGlyph{noteheads.d1do}</code>
	<code>\lilyGlyph{noteheads.d1doFunk}</code>
	<code>\lilyGlyph{noteheads.d1doThin}</code>
	<code>\lilyGlyph{noteheads.d1doWalker}</code>
	<code>\lilyGlyph{noteheads.d1fa}</code>
	<code>\lilyGlyph{noteheads.d1faFunk}</code>
	<code>\lilyGlyph{noteheads.d1faThin}</code>
	<code>\lilyGlyph{noteheads.d1faWalker}</code>
	<code>\lilyGlyph{noteheads.d1miFunk}</code>
	<code>\lilyGlyph{noteheads.d1re}</code>
	<code>\lilyGlyph{noteheads.d1reFunk}</code>
	<code>\lilyGlyph{noteheads.d1reThin}</code>
	<code>\lilyGlyph{noteheads.d1reWalker}</code>
	<code>\lilyGlyph{noteheads.d1ti}</code>
	<code>\lilyGlyph{noteheads.d1tiFunk}</code>
	<code>\lilyGlyph{noteheads.d1tiThin}</code>
	<code>\lilyGlyph{noteheads.d1tiWalker}</code>
	<code>\lilyGlyph{noteheads.d1triangle}</code>
	<code>\lilyGlyph{noteheads.d2do}</code>
	<code>\lilyGlyph{noteheads.d2doFunk}</code>
	<code>\lilyGlyph{noteheads.d2doThin}</code>
	<code>\lilyGlyph{noteheads.d2doWalker}</code>
	<code>\lilyGlyph{noteheads.d2fa}</code>
	<code>\lilyGlyph{noteheads.d2faFunk}</code>
	<code>\lilyGlyph{noteheads.d2faThin}</code>
	<code>\lilyGlyph{noteheads.d2faWalker}</code>
	<code>\lilyGlyph{noteheads.d2kievan}</code>
	<code>\lilyGlyph{noteheads.d2re}</code>
	<code>\lilyGlyph{noteheads.d2reFunk}</code>
	<code>\lilyGlyph{noteheads.d2reThin}</code>
	<code>\lilyGlyph{noteheads.d2reWalker}</code>
	<code>\lilyGlyph{noteheads.d2ti}</code>
	<code>\lilyGlyph{noteheads.d2tiFunk}</code>
	<code>\lilyGlyph{noteheads.d2tiThin}</code>
	<code>\lilyGlyph{noteheads.d2tiWalker}</code>
	<code>\lilyGlyph{noteheads.d2triangle}</code>
	<code>\lilyGlyph{noteheads.d3kievan}</code>
	<code>\lilyGlyph{noteheads.dM2}</code>
	<code>\lilyGlyph{noteheads.dM2blackmensural}</code>
	<code>\lilyGlyph{noteheads.dM2mensural}</code>
	<code>\lilyGlyph{noteheads.dM2neomensural}</code>
	<code>\lilyGlyph{noteheads.dM2semimensural}</code>
	<code>\lilyGlyph{noteheads.dM3blackmensural}</code>

(continued on next page)

(continued from previous page)

	<code>\lilyGlyph{noteheads.dM3mensural}</code>
	<code>\lilyGlyph{noteheads.dM3neomensural}</code>
	<code>\lilyGlyph{noteheads.dM3semimensural}</code>
	<code>\lilyGlyph{noteheads.drM2mensural}</code>
	<code>\lilyGlyph{noteheads.drM2neomensural}</code>
	<code>\lilyGlyph{noteheads.drM2semimensural}</code>
	<code>\lilyGlyph{noteheads.drM3mensural}</code>
	<code>\lilyGlyph{noteheads.drM3neomensural}</code>
	<code>\lilyGlyph{noteheads.drM3semimensural}</code>
	<code>\lilyGlyph{noteheads.s0}</code>
	<code>\lilyGlyph{noteheads.s0blackmensural}</code>
	<code>\lilyGlyph{noteheads.s0blackpetrucci}</code>
	<code>\lilyGlyph{noteheads.s0cross}</code>
	<code>\lilyGlyph{noteheads.s0diamond}</code>
	<code>\lilyGlyph{noteheads.s0do}</code>
	<code>\lilyGlyph{noteheads.s0doThin}</code>
	<code>\lilyGlyph{noteheads.s0doWalker}</code>
	<code>\lilyGlyph{noteheads.s0faWalker}</code>
	<code>\lilyGlyph{noteheads.s0harmonic}</code>
	<code>\lilyGlyph{noteheads.s0kievan}</code>
	<code>\lilyGlyph{noteheads.s0la}</code>
	<code>\lilyGlyph{noteheads.s0laFunk}</code>
	<code>\lilyGlyph{noteheads.s0laThin}</code>
	<code>\lilyGlyph{noteheads.s0laWalker}</code>
	<code>\lilyGlyph{noteheads.s0mensural}</code>
	<code>\lilyGlyph{noteheads.s0mi}</code>
	<code>\lilyGlyph{noteheads.s0miMirror}</code>
	<code>\lilyGlyph{noteheads.s0miThin}</code>
	<code>\lilyGlyph{noteheads.s0miWalker}</code>
	<code>\lilyGlyph{noteheads.s0neomensural}</code>
	<code>\lilyGlyph{noteheads.s0petrucci}</code>
	<code>\lilyGlyph{noteheads.s0re}</code>
	<code>\lilyGlyph{noteheads.s0reThin}</code>
	<code>\lilyGlyph{noteheads.s0reWalker}</code>
	<code>\lilyGlyph{noteheads.s0slash}</code>
	<code>\lilyGlyph{noteheads.s0sol}</code>
	<code>\lilyGlyph{noteheads.s0solFunk}</code>
	<code>\lilyGlyph{noteheads.s0ti}</code>
	<code>\lilyGlyph{noteheads.s0tiThin}</code>
	<code>\lilyGlyph{noteheads.s0tiWalker}</code>
	<code>\lilyGlyph{noteheads.s0triangle}</code>
	<code>\lilyGlyph{noteheads.s1}</code>
	<code>\lilyGlyph{noteheads.s1blackpetrucci}</code>
	<code>\lilyGlyph{noteheads.s1cross}</code>
	<code>\lilyGlyph{noteheads.s1diamond}</code>
	<code>\lilyGlyph{noteheads.s1kievan}</code>
	<code>\lilyGlyph{noteheads.s1la}</code>
	<code>\lilyGlyph{noteheads.s1laFunk}</code>
	<code>\lilyGlyph{noteheads.s1laThin}</code>
	<code>\lilyGlyph{noteheads.s1laWalker}</code>
	<code>\lilyGlyph{noteheads.s1mensural}</code>
	<code>\lilyGlyph{noteheads.s1mi}</code>
	<code>\lilyGlyph{noteheads.s1miMirror}</code>

(continued on next page)

(continued from previous page)

$\diamond$ \lilyGlyph{noteheads.s1miThin}
 $\diamond$ \lilyGlyph{noteheads.s1miWalker}
 $\diamond$ \lilyGlyph{noteheads.s1neomensural}
 $\diamond$ \lilyGlyph{noteheads.s1petrucci}
 $\diagup$ \lilyGlyph{noteheads.s1slash}
 $\circ$ \lilyGlyph{noteheads.s1sol}
 $\circ$ \lilyGlyph{noteheads.s1solFunk}
 $\bullet$ \lilyGlyph{noteheads.s2}
 $\blacklozenge$ \lilyGlyph{noteheads.s2blackpetrucci}
 $\times$ \lilyGlyph{noteheads.s2cross}
 $\blacklozenge$ \lilyGlyph{noteheads.s2diamond}
 $\blacklozenge$ \lilyGlyph{noteheads.s2harmonic}
 $\blacksquare$ \lilyGlyph{noteheads.s2la}
 $\blacksquare$ \lilyGlyph{noteheads.s2laFunk}
 $\blacksquare$ \lilyGlyph{noteheads.s2laThin}
 $\blacksquare$ \lilyGlyph{noteheads.s2laWalker}
 $\cdot$ \lilyGlyph{noteheads.s2mensural}
 $\blacklozenge$ \lilyGlyph{noteheads.s2mi}
 $\blacklozenge$ \lilyGlyph{noteheads.s2miFunk}
 $\blacklozenge$ \lilyGlyph{noteheads.s2miMirror}
 $\blacklozenge$ \lilyGlyph{noteheads.s2miThin}
 $\blacklozenge$ \lilyGlyph{noteheads.s2miWalker}
 $\blacklozenge$ \lilyGlyph{noteheads.s2neomensural}
 $\blacklozenge$ \lilyGlyph{noteheads.s2petrucci}
 $/$ \lilyGlyph{noteheads.s2slash}
 $\bullet$ \lilyGlyph{noteheads.s2sol}
 $\bullet$ \lilyGlyph{noteheads.s2solFunk}
 $\otimes$ \lilyGlyph{noteheads.s2xcircle}
 $\negthickspace$ \lilyGlyph{noteheads.shufnagel.lpes}
 $\blacklozenge$ \lilyGlyph{noteheads.shufnagel.punctum}
 $\uparrow$ \lilyGlyph{noteheads.shufnagel.virga}
 $\blacksquare$ \lilyGlyph{noteheads.sM1}
 $\blacksquare$ \lilyGlyph{noteheads.sM1blackmensural}
 $\blacksquare$ \lilyGlyph{noteheads.sM1double}
 $\blacksquare$ \lilyGlyph{noteheads.sM1kievan}
 $\blacksquare$ \lilyGlyph{noteheads.sM1mensural}
 $\blacksquare$ \lilyGlyph{noteheads.sM1neomensural}
 $\blacksquare$ \lilyGlyph{noteheads.sM1semimensural}
 $\blacksquare$ \lilyGlyph{noteheads.sM2blackligmensural}
 $\blacksquare$ \lilyGlyph{noteheads.sM2kievan}
 $\blacksquare$ \lilyGlyph{noteheads.sM2ligmensural}
 $\blacksquare$ \lilyGlyph{noteheads.sM2semiligmensural}
 $\blacksquare$ \lilyGlyph{noteheads.sM3blackligmensural}
 $\blacksquare$ \lilyGlyph{noteheads.sM3ligmensural}
 $\blacksquare$ \lilyGlyph{noteheads.sM3semiligmensural}
 $\blacklozenge$ \lilyGlyph{noteheads.smedicaea.inclinatum}
 $\blacksquare$ \lilyGlyph{noteheads.smedicaea.punctum}
 $\blacksquare$ \lilyGlyph{noteheads.smedicaea.rvirga}
 $\blacksquare$ \lilyGlyph{noteheads.smedicaea.virga}
 $\blacklozenge$ \lilyGlyph{noteheads.sr1kievan}
 $\blacksquare$ \lilyGlyph{noteheads.srM1mensural}
 $\blacksquare$ \lilyGlyph{noteheads.srM1neomensural}
 $\blacksquare$ \lilyGlyph{noteheads.srM1semimensural}

(continued on next page)

(continued from previous page)

⌠	\lilyGlyph{noteheads.srM2ligmensural}
⌡	\lilyGlyph{noteheads.srM2semiligmensural}
⌢	\lilyGlyph{noteheads.srM3ligmensural}
⌣	\lilyGlyph{noteheads.srM3semiligmensural}
⌤	\lilyGlyph{noteheads.ssolesmes.auct.asc}
⌥	\lilyGlyph{noteheads.ssolesmes.auct.desc}
⌦	\lilyGlyph{noteheads.ssolesmes.incl.auctum}
⌧	\lilyGlyph{noteheads.ssolesmes.incl.parvum}
⌨	\lilyGlyph{noteheads.ssolesmes.oriscus}
〈	\lilyGlyph{noteheads.ssolesmes.stropha}
〉	\lilyGlyph{noteheads.ssolesmes.stropha.aucta}
⌫	\lilyGlyph{noteheads.svaticana.cephalicus}
⌬	\lilyGlyph{noteheads.svaticana.epiphonus}
⌭	\lilyGlyph{noteheads.svaticana.inclinatum}
⌮	\lilyGlyph{noteheads.svaticana.inner.cephalicus}
⌯	\lilyGlyph{noteheads.svaticana.linea.punctum}
⌰	\lilyGlyph{noteheads.svaticana.linea.punctum.cavum}
⌱	\lilyGlyph{noteheads.svaticana.lpes}
⌲	\lilyGlyph{noteheads.svaticana.plica}
⌳	\lilyGlyph{noteheads.svaticana.punctum}
⌴	\lilyGlyph{noteheads.svaticana.punctum.cavum}
⌵	\lilyGlyph{noteheads.svaticana.quilisma}
⌶	\lilyGlyph{noteheads.svaticana.reverse.plica}
⌷	\lilyGlyph{noteheads.svaticana.reverse.vplica}
⌸	\lilyGlyph{noteheads.svaticana.upes}
⌹	\lilyGlyph{noteheads.svaticana.vepiphonus}
⌺	\lilyGlyph{noteheads.svaticana.vlpes}
⌻	\lilyGlyph{noteheads.svaticana.vplica}
⌼	\lilyGlyph{noteheads.svaticana.vupes}
⌽	\lilyGlyph{noteheads.u0doFunk}
⌾	\lilyGlyph{noteheads.u0fa}
⌿	\lilyGlyph{noteheads.u0faFunk}
Ⓚ	\lilyGlyph{noteheads.u0faThin}
Ⓛ	\lilyGlyph{noteheads.u0miFunk}
Ⓜ	\lilyGlyph{noteheads.u0reFunk}
Ⓨ	\lilyGlyph{noteheads.u0tiFunk}
Ⓜ	\lilyGlyph{noteheads.u1do}
Ⓜ	\lilyGlyph{noteheads.u1doFunk}
Ⓜ	\lilyGlyph{noteheads.u1doThin}
Ⓜ	\lilyGlyph{noteheads.u1doWalker}
Ⓜ	\lilyGlyph{noteheads.u1fa}
Ⓜ	\lilyGlyph{noteheads.u1faFunk}
Ⓜ	\lilyGlyph{noteheads.u1faThin}
Ⓜ	\lilyGlyph{noteheads.u1faWalker}
Ⓜ	\lilyGlyph{noteheads.u1miFunk}
Ⓜ	\lilyGlyph{noteheads.u1re}
Ⓜ	\lilyGlyph{noteheads.u1reFunk}
Ⓜ	\lilyGlyph{noteheads.u1reThin}
Ⓜ	\lilyGlyph{noteheads.u1reWalker}
Ⓜ	\lilyGlyph{noteheads.u1ti}
Ⓜ	\lilyGlyph{noteheads.u1tiFunk}
Ⓜ	\lilyGlyph{noteheads.u1tiThin}
Ⓜ	\lilyGlyph{noteheads.u1tiWalker}

(continued on next page)

(continued from previous page)

➤	<code>\lilyGlyph{noteheads.u1triangle}</code>
▲	<code>\lilyGlyph{noteheads.u2do}</code>
•	<code>\lilyGlyph{noteheads.u2doFunk}</code>
▲	<code>\lilyGlyph{noteheads.u2doThin}</code>
▪	<code>\lilyGlyph{noteheads.u2doWalker}</code>
▼	<code>\lilyGlyph{noteheads.u2fa}</code>
▼	<code>\lilyGlyph{noteheads.u2faFunk}</code>
▼	<code>\lilyGlyph{noteheads.u2faThin}</code>
▼	<code>\lilyGlyph{noteheads.u2faWalker}</code>
└	<code>\lilyGlyph{noteheads.u2kievan}</code>
•	<code>\lilyGlyph{noteheads.u2re}</code>
▼	<code>\lilyGlyph{noteheads.u2reFunk}</code>
•	<code>\lilyGlyph{noteheads.u2reThin}</code>
▪	<code>\lilyGlyph{noteheads.u2reWalker}</code>
◆	<code>\lilyGlyph{noteheads.u2ti}</code>
•	<code>\lilyGlyph{noteheads.u2tiFunk}</code>
◆	<code>\lilyGlyph{noteheads.u2tiThin}</code>
▼	<code>\lilyGlyph{noteheads.u2tiWalker}</code>
▼	<code>\lilyGlyph{noteheads.u2triangle}</code>
└	<code>\lilyGlyph{noteheads.u3kievan}</code>
└	<code>\lilyGlyph{noteheads.uM2}</code>
└	<code>\lilyGlyph{noteheads.uM2blackmensural}</code>
└	<code>\lilyGlyph{noteheads.uM2mensural}</code>
└	<code>\lilyGlyph{noteheads.uM2neomensural}</code>
└	<code>\lilyGlyph{noteheads.uM2semimensural}</code>
└	<code>\lilyGlyph{noteheads.uM3blackmensural}</code>
└	<code>\lilyGlyph{noteheads.uM3mensural}</code>
└	<code>\lilyGlyph{noteheads.uM3neomensural}</code>
└	<code>\lilyGlyph{noteheads.uM3semimensural}</code>
└	<code>\lilyGlyph{noteheads.urM2mensural}</code>
└	<code>\lilyGlyph{noteheads.urM2neomensural}</code>
└	<code>\lilyGlyph{noteheads.urM2semimensural}</code>
└	<code>\lilyGlyph{noteheads.urM3mensural}</code>
└	<code>\lilyGlyph{noteheads.urM3neomensural}</code>
└	<code>\lilyGlyph{noteheads.urM3semimensural}</code>

TABLE 437: *lily_{ly}pbs* Named Accordion Symbols

	<code>\lilyGlyph{accordion.bayanbass}</code>		<code>\lilyGlyph{accordion.oldEE}</code>
	<code>\lilyGlyph{accordion.discant}</code>		<code>\lilyGlyph{accordion.pull}</code>
.	<code>\lilyGlyph{accordion.dot}</code>	>	<code>\lilyGlyph{accordion.push}</code>
	<code>\lilyGlyph{accordion.freebass}</code>		<code>\lilyGlyph{accordion.stdbass}</code>

lily_{ly}pbs defines shorter names for all of these symbols except `\lilyGlyph{accordion.dot}`. See Table 428.

TABLE 438: *lily²lyp^{bs}* Named Accidentals

⌘	<code>\lilyGlyph{accidentals.doublesharp}</code>
♭	<code>\lilyGlyph{accidentals.flat}</code>
↕	<code>\lilyGlyph{accidentals.flat.arrowboth}</code>
↴	<code>\lilyGlyph{accidentals.flat.arrowdown}</code>
↲	<code>\lilyGlyph{accidentals.flat.arrowup}</code>
/	<code>\lilyGlyph{accidentals.flat.slash}</code>
//	<code>\lilyGlyph{accidentals.flat.slashslash}</code>
≡	<code>\lilyGlyph{accidentals.flatflat}</code>
≡/	<code>\lilyGlyph{accidentals.flatflat.slash}</code>
ℳ	<code>\lilyGlyph{accidentals.hufnagelM1}</code>
⌘	<code>\lilyGlyph{accidentals.kievan1}</code>
ℳ	<code>\lilyGlyph{accidentals.kievanM1}</code>
(	<code>\lilyGlyph{accidentals.leftparen}</code>
⋈	<code>\lilyGlyph{accidentals.medicaeaM1}</code>
×	<code>\lilyGlyph{accidentals.mensural1}</code>
ℳ	<code>\lilyGlyph{accidentals.mensuralM1}</code>
♭	<code>\lilyGlyph{accidentals.mirroredflat}</code>
♭\	<code>\lilyGlyph{accidentals.mirroredflat.backslash}</code>
♭♭	<code>\lilyGlyph{accidentals.mirroredflat.flat}</code>
♮	<code>\lilyGlyph{accidentals.natural}</code>
↕	<code>\lilyGlyph{accidentals.natural.arrowboth}</code>
↴	<code>\lilyGlyph{accidentals.natural.arrowdown}</code>
↲	<code>\lilyGlyph{accidentals.natural.arrowup}</code>
)	<code>\lilyGlyph{accidentals.rightparen}</code>
#	<code>\lilyGlyph{accidentals.sharp}</code>
↕	<code>\lilyGlyph{accidentals.sharp.arrowboth}</code>
↴	<code>\lilyGlyph{accidentals.sharp.arrowdown}</code>
↲	<code>\lilyGlyph{accidentals.sharp.arrowup}</code>
/	<code>\lilyGlyph{accidentals.sharp.slashslash.stem}</code>
//	<code>\lilyGlyph{accidentals.sharp.slashslash.stemstemstem}</code>
/	<code>\lilyGlyph{accidentals.sharp.slashslashslash.stem}</code>
//	<code>\lilyGlyph{accidentals.sharp.slashslashslash.stemstem}</code>
♮	<code>\lilyGlyph{accidentals.vaticana0}</code>
♮	<code>\lilyGlyph{accidentals.vaticanaM1}</code>

lily²lyp^{bs} defines shorter names for a few of these symbols. See Table 422.

TABLE 439: *lily²lyp^{bs}* Named Arrowheads

➤	<code>\lilyGlyph{arrowheads.close.01}</code>	>	<code>\lilyGlyph{arrowheads.open.01}</code>
➤	<code>\lilyGlyph{arrowheads.close.0M1}</code>	<	<code>\lilyGlyph{arrowheads.open.0M1}</code>
➤	<code>\lilyGlyph{arrowheads.close.11}</code>	^	<code>\lilyGlyph{arrowheads.open.11}</code>
➤	<code>\lilyGlyph{arrowheads.close.1M1}</code>	v	<code>\lilyGlyph{arrowheads.open.1M1}</code>

TABLE 440: *lilyglyphs* Named Alphanumerics and Punctuation

0	<code>\lilyGlyph{zero}</code>	4	<code>\lilyGlyph{four}</code>	8	<code>\lilyGlyph{eight}</code>
1	<code>\lilyGlyph{one}</code>	5	<code>\lilyGlyph{five}</code>	9	<code>\lilyGlyph{nine}</code>
2	<code>\lilyGlyph{two}</code>	6	<code>\lilyGlyph{six}</code>		
3	<code>\lilyGlyph{three}</code>	7	<code>\lilyGlyph{seven}</code>		
<i>f</i>	<code>\lilyGlyph{f}</code>	<i>p</i>	<code>\lilyGlyph{p}</code>	<i>s</i>	<code>\lilyGlyph{s}</code>
<i>m</i>	<code>\lilyGlyph{m}</code>	<i>r</i>	<code>\lilyGlyph{r}</code>	<i>z</i>	<code>\lilyGlyph{z}</code>
,	<code>\lilyGlyph{comma}</code>	.	<code>\lilyGlyph{period}</code>		
-	<code>\lilyGlyph{hyphen}</code>	+	<code>\lilyGlyph{plus}</code>		

See Table 424 for an alternative way to typeset dynamics letters. *lilyglyphs* additionally provides a `\lilyText` command that can be useful for typesetting groups of the preceding symbols. See the *lilyglyphs* documentation for more information.

TABLE 441: Miscellaneous *lilyglyphs* Named Musical Symbols

⧿	<code>\lilyGlyph{brackettips.down}</code>	.	<code>\lilyGlyph{dots.dotvaticana}</code>
⧻	<code>\lilyGlyph{brackettips.up}</code>	⌵	<code>\lilyGlyph{ties.lyric.default}</code>
.	<code>\lilyGlyph{dots.dot}</code>	⌵	<code>\lilyGlyph{ties.lyric.short}</code>
•	<code>\lilyGlyph{dots.dotkievan}</code>		

8 Other symbols

The following are all the symbols that didn't fit neatly or unambiguously into any of the previous sections. (Do weather symbols belong under "Science and technology"? Should dice be considered "mathematics"?) While some of the tables contain clearly related groups of symbols (e.g., symbols related to various board games), others represent motley assortments of whatever the font designer felt like drawing.

TABLE 442: textcomp Genealogical Symbols

★	<code>\textborn</code>	∅	<code>\textdivorced</code>	∞	<code>\textmarried</code>
†	<code>\textdied</code>	🍃	<code>\textleaf</code>		

TABLE 443: wasysym General Symbols

🎮	<code>\ataribox</code>	🕒	<code>\clock</code>	◀	<code>\LEFTarrow</code>	▶	<code>\RIGHTarrow</code>
🔔	<code>\bell</code>	∅	<code>\diameter</code>	↶	<code>\leftturn</code>	↷	<code>\rightturn</code>
☺	<code>\blacksmiley</code>	▼	<code>\DOWNarrow</code>	⚡	<code>\lightning</code>	☺	<code>\smiley</code>
🎩	<code>\Bowtie</code>	☹	<code>\frownie</code>	☎	<code>\phone</code>	☀	<code>\sun</code>
!	<code>\brokenvert</code>	⊗	<code>\invdiameter</code>	☞	<code>\pointer</code>	▲	<code>\UParrow</code>
✓	<code>\checked</code>	✱	<code>\kreuz</code>	📻	<code>\recorder</code>	⬠	<code>\wasylouzenge</code>

TABLE 444: manfnt Dangerous Bend Symbols

⚡	<code>\dbend</code>	⚡	<code>\lhbend</code>	⚡	<code>\reversedvideobend</code>

Note that these symbols descend far beneath the baseline. `manfnt` also defines non-descending versions, which it calls, correspondingly, `\textdbend`, `\textlhbend`, and `\textreversedvideobend`.

TABLE 445: Miscellaneous manfnt Symbols

👤	<code>\manboldkidney</code>	👤	<code>\manpenkidney</code>
🌀	<code>\manconcentriccircles</code>	🌀	<code>\manquadrifolium</code>
🔹	<code>\manconcentricdiamond</code>	↷	<code>\manquartercircle</code>
📐	<code>\mancone</code>	🌀	<code>\manrotatedquadrifolium</code>
📐	<code>\mancube</code>	↷	<code>\manrotatedquartercircle</code>
↗	<code>\manerrarrow</code>	☆	<code>\manstar</code>
📐	<code>\manfilledquartercircle</code>	📐	<code>\mantilt pennib</code>
📐	<code>\manhpennib</code>	▼	<code>\mantriangledown</code>
📐	<code>\manimpossiblecube</code>	▶	<code>\mantriangleright</code>
👤	<code>\mankidney</code>	▲	<code>\mantriangleup</code>
👤	<code>\manlhpenkidney</code>	📐	<code>\manvpennib</code>

TABLE 446: marvosym Media Control Symbols

▶	<code>\Forward</code>	▼	<code>\MoveDown</code>	⏮	<code>\RewindToIndex</code>	⏴	<code>\ToTop</code>
▶▶	<code>\ForwardToEnd</code>	▲	<code>\MoveUp</code>	⏮	<code>\RewindToStart</code>		
▶▶▶	<code>\ForwardToIndex</code>	◀	<code>\Rewind</code>	⏴	<code>\ToBottom</code>		

TABLE 447: marvosym Laundry Symbols

	<code>\AtForty</code>		<code>\Handwash</code>		<code>\ShortNinetyFive</code>
	<code>\AtNinetyFive</code>		<code>\IroningI</code>		<code>\ShortSixty</code>
	<code>\AtSixty</code>		<code>\IroningII</code>		<code>\ShortThirty</code>
	<code>\Bleech</code>		<code>\IroningIII</code>		<code>\SpecialForty</code>
	<code>\CleaningA</code>		<code>\NoBleech</code>		<code>\Tumbler</code>
	<code>\CleaningF</code>		<code>\NoChemicalCleaning</code>		<code>\WashCotton</code>
	<code>\CleaningFF</code>		<code>\NoIroning</code>		<code>\WashSynthetics</code>
	<code>\CleaningP</code>		<code>\NoTumbler</code>		<code>\WashWool</code>
	<code>\CleaningPP</code>		<code>\ShortFifty</code>		
	<code>\Dontwash</code>		<code>\ShortForty</code>		

TABLE 448: marvosym Information Symbols

	<code>\Bicycle</code>		<code>\Gentsroom</code>		<code>\PointingHand</code>
	<code>\ClockLogo</code>		<code>\Industry</code>		<code>\Wheelchair</code>
	<code>\Coffeecup</code>		<code>\Info</code>		<code>\WritingHand</code>
	<code>\Football</code>		<code>\Ladiesroom</code>		

TABLE 449: Other marvosym Symbols

	<code>\Ankh</code>		<code>\Bouquet</code>		<code>\Heart</code>		<code>\PeaceDove</code>
	<code>\Bat</code>		<code>\Celtcross</code>		<code>\ManFace</code>		<code>\Smiley</code>
	<code>\BOLogo</code>		<code>\CircledA</code>		<code>\MineSign</code>		<code>\WomanFace</code>
	<code>\BOLogoL</code>		<code>\Cross</code>		<code>\Mundus</code>		<code>\Yinyang</code>
	<code>\BOLogoP</code>		<code>\Frowny</code>		<code>\MVAt</code>		

TABLE 450: Miscellaneous universa Symbols

	<code>\bauforms</code>		<code>\bauhead</code>

TABLE 451: Miscellaneous fourier Symbols

	<code>\bomb</code>		<code>\grimace</code>		<code>\textthing*</code>		<code>\textxswup*</code>
	<code>\danger</code>		<code>\noway</code>		<code>\textxsdown*</code>		

* fourier defines math-mode synonyms for a few of the preceding symbols:
`\thething` (“”), `\xswordsup` (“”), and `\xswordsdown` (“”).

TABLE 452: ifsym Weather Symbols

	<code>\Cloud</code>		<code>\Hail</code>		<code>\Sleet</code>		<code>\WeakRain</code>
	<code>\FilledCloud</code>		<code>\HalfSun</code>		<code>\Snow</code>		<code>\WeakRainCloud</code>
	<code>\FilledRainCloud</code>		<code>\Lightning</code>		<code>\SnowCloud</code>		<code>\FilledSnowCloud</code>
	<code>\FilledSunCloud</code>		<code>\NoSun</code>		<code>\Sun</code>		
	<code>\FilledWeakRainCloud</code>		<code>\Rain</code>		<code>\SunCloud</code>		
	<code>\Fog</code>		<code>\RainCloud</code>		<code>\ThinFog</code>		

In addition, `\Thermo{0}...\Thermo{6}` produce thermometers that are between 0/6 and 6/6 full of mercury:       

Similarly, `\wind{<sun>}{<angle>}{<strength>}` will draw wind symbols with a given amount of sun (0–4), a given angle (in degrees), and a given strength in km/h (0–100). For example, `\wind{0}{0}{0}` produces “”, `\wind{2}{0}{0}` produces “”, and `\wind{4}{0}{100}` produces “”.

TABLE 453: ifsym Alpine Symbols

	<code>\SummitSign</code>		<code>\Summit</code>		<code>\SurveySign</code>		<code>\HalfFilledHut</code>
	<code>\StoneMan</code>		<code>\Mountain</code>		<code>\Joch</code>		<code>\VarSummit</code>
	<code>\Hut</code>		<code>\IceMountain</code>		<code>\Flag</code>		
	<code>\FilledHut</code>		<code>\VarMountain</code>		<code>\VarFlag</code>		
	<code>\Village</code>		<code>\VarIceMountain</code>		<code>\Tent</code>		

TABLE 454: ifsym Clocks

	<code>\Interval</code>		<code>\StopWatchStart</code>		<code>\VarClock</code>		<code>\Wecker</code>
	<code>\StopWatchEnd</code>		<code>\Taschenuhr</code>		<code>\VarTaschenuhr</code>		

ifsym also exports a `\showclock` macro. `\showclock{<hours>}{<minutes>}` outputs a clock displaying the corresponding time. For instance, “`\showclock{5}{40}`” produces “”. `<hours>` must be an integer from 0 to 11, and `<minutes>` must be an integer multiple of 5 from 0 to 55.

TABLE 455: Other ifsym Symbols

	<code>\FilledSectioningDiamond</code>		<code>\Letter</code>		<code>\Radiation</code>
	<code>\Fire</code>		<code>\PaperLandscape</code>		<code>\SectioningDiamond</code>
	<code>\Irritant</code>		<code>\PaperPortrait</code>		<code>\Telephone</code>
	<code>\Cube{1}</code>		<code>\Cube{3}</code>		<code>\Cube{5}</code>
	<code>\Cube{2}</code>		<code>\Cube{4}</code>		<code>\Cube{6}</code>
	<code>\StrokeOne</code>		<code>\StrokeThree</code>		<code>\StrokeFive</code>
	<code>\StrokeTwo</code>		<code>\StrokeFour</code>		

TABLE 456: clock Clocks

<code>\ClockStyle</code>	<code>\ClockFramefalse</code>	<code>\ClockFrametrue</code>
0		
1		
2		
3		

The `clock` package provides a `\clock` command to typeset an arbitrary time on an analog clock (and `\clocktime` to typeset the document’s build time). For example, the clocks in the above table were produced with `\clock{15}{41}`. Clock symbols are composed from a font of clock-face fragments using one of four values for `\ClockStyle` and either `\ClockFramefalse` or `\ClockFrametrue` as illustrated above. See the `clock` documentation for more information.

TABLE 457: epsdice Dice

 <code>\epsdice{1}</code>	 <code>\epsdice{3}</code>	 <code>\epsdice{5}</code>
 <code>\epsdice{2}</code>	 <code>\epsdice{4}</code>	 <code>\epsdice{6}</code>

TABLE 458: hhcount Dice

 <code>\fcdice{1}</code>	 <code>\fcdice{3}</code>	 <code>\fcdice{5}</code>
 <code>\fcdice{2}</code>	 <code>\fcdice{4}</code>	 <code>\fcdice{6}</code>

The `\fcdice` command accepts values larger than 6. For example, “`\fcdice{47}`” produces “”.

TABLE 459: stix Dice

 <code>\dicei</code>	 <code>\diceiii</code>	 <code>\dicev</code>
 <code>\diceii</code>	 <code>\diceiv</code>	 <code>\dicevi</code>

TABLE 460: `bullcntr` Tally Markers

<code>\bullcntr{<1>}</code>		<code>\bullcntr{<4>}</code>		<code>\bullcntr{<7>}</code>
<code>\bullcntr{<2>}</code>		<code>\bullcntr{<5>}</code>		<code>\bullcntr{<8>}</code>
<code>\bullcntr{<3>}</code>		<code>\bullcntr{<6>}</code>		<code>\bullcntr{<9>}</code>

The notation for `\bullcntr` used in the above bears explanation. `\bullcntr` does not take a number as its argument but rather a L^AT_EX counter, whose value it uses to typeset a tally marker. “`\bullcntr{<3>}`”, for example, means to invoke `\bullcntr` with a counter whose value is 3. (`\bullcntr` usage is therefore akin to that of L^AT_EX’s `\fnsymbol`.) The intention is to use `\bullcntr` indirectly via the `bulldenum` package’s `bulldenum` environment, which is a variation on the `enumerate` environment that uses `\bullcntr` to typeset the labels.

To typeset individual tally markers, one can define a helper command:

```
\newcounter{bull}
\newcommand{\showbullcntr}[1]{%
  \setcounter{bull}{#1}%
  \bullcntr{bull}%
}
```

`bullcntr`’s package options `smallctrbull`, `largectrbull`, and `heartctrbull` and corresponding commands `\smallctrbull`, `\largectrbull`, and `\heartctrbull` control the formatting of each tally marker:

	small	large	heart
<code>\bullcntr{<5>}</code>			

The default is `smartctrbull` (`\smartctrbull`), which maps counter values 1–5 to large pips and 6–9 to small pips. It is also possible to use arbitrary symbols for `\bullcntr`’s pips. See the `bullcntr` documentation for more information.

TABLE 461: `hhcount` Tally Markers

<code>\fcscore{1}</code>		<code>\fcscore{3}</code>		<code>\fcscore{5}</code>
<code>\fcscore{2}</code>		<code>\fcscore{4}</code>		

The `\fcscore` command accepts values larger than 5. For example, “`\fcscore{47}`” produces “`### ### ### ### ### ### ### ###`”.

TABLE 462: `dozenal` Tally Markers

<code>\tally{1}</code>		<code>\tally{3}</code>		<code>\tally{5}</code>
<code>\tally{2}</code>		<code>\tally{4}</code>		<code>\tally{6}</code>

TABLE 463: skull Symbols

 \skull

TABLE 464: Non-Mathematical mathabx Symbols

 \rip

TABLE 465: skak Chess Informator Symbols

	\bbetter		\doublepawns		\seppawns
	\bdecisive		\ending		\shortcastling
	\betteris		\equal		\timelimit
	\bishoppair		\file		\unclear
	\bupperhand		\kside		\unitedpawns
	\capturesymbol		\longcastling		\various
	\castlingchar		\markera		\wbetter
	\castlinghyphen		\markerb		\wdecisive
	\centre		\mate		\weakpt
	\checksymbol		\morepawns		\with
	\chesscomment		\moreroom		\withattack
	\chessetc		\novelty		\withidea
	\chesssee		\onlymove		\withininit
	\compensation		\opposbishops		\without
	\counterplay		\passedpawn		\wupperhand
	\devadvantage		\qside		\zugzwang
	\diagonal		\samebishops		

TABLE 466: skak Chess Pieces and Chessboard Squares

	<code>\BlackBishopOnBlack</code>		<code>\BlackRookOnBlack</code>		<code>\WhiteKingOnBlack</code>
	<code>\BlackBishopOnWhite</code>		<code>\BlackRookOnWhite</code>		<code>\WhiteKingOnWhite</code>
	<code>\BlackEmptySquare</code>		<code>\symbishop</code>		<code>\WhiteKnightOnBlack</code>
	<code>\BlackKingOnBlack</code>		<code>\symking</code>		<code>\WhiteKnightOnWhite</code>
	<code>\BlackKingOnWhite</code>		<code>\symknight</code>		<code>\WhitePawnOnBlack</code>
	<code>\BlackKnightOnBlack</code>		<code>\sympawn</code>		<code>\WhitePawnOnWhite</code>
	<code>\BlackKnightOnWhite</code>		<code>\symqueen</code>		<code>\WhiteQueenOnBlack</code>
	<code>\BlackPawnOnBlack</code>		<code>\symrook</code>		<code>\WhiteQueenOnWhite</code>
	<code>\BlackPawnOnWhite</code>		<code>\WhiteBishopOnBlack</code>		<code>\WhiteRookOnBlack</code>
	<code>\BlackQueenOnBlack</code>		<code>\WhiteBishopOnWhite</code>		<code>\WhiteRookOnWhite</code>
	<code>\BlackQueenOnWhite</code>		<code>\WhiteEmptySquare</code>		

The skak package also provides commands for drawing complete chessboards. See the skak documentation for more information.

TABLE 467: igo Go Symbols

	<code>\blackstone[\igocircle]</code>		<code>\whitestone[\igocircle]</code>
	<code>\blackstone[\igocross]</code>		<code>\whitestone[\igocross]</code>
	<code>\blackstone[\igonone]</code>		<code>\whitestone[\igonone]</code>
	<code>\blackstone[\igosquare]</code>		<code>\whitestone[\igosquare]</code>
	<code>\blackstone[\igotriangle]</code>		<code>\whitestone[\igotriangle]</code>

In addition to the symbols shown above, igo's `\blackstone` and `\whitestone` commands accept numbers from 1 to 99 and display them circled as ❶, ❷, ❸, ..., ❹❹ and ❶, ❷, ❸, ..., ❹❹, respectively.

The igo package is intended to typeset complete Go boards (goban). See the igo documentation for more information.

TABLE 468: go Go Symbols

	<code>\botborder</code>		<code>\lftbotcorner</code>		<code>\rttopcorner</code>
	<code>\empty</code>		<code>\lfttopcorner</code>		<code>\square</code>
	<code>\hoshi</code>		<code>\rtborder</code>		<code>\topborder</code>
	<code>\lftborder</code>		<code>\rtbotcorner</code>		<code>\triangle</code>

In addition to the board fragments and stones shown above, go's `\black` and `\white` commands accept numbers from 1 to 253 and display them circled as ❶, ❷, ❸, ..., ❷❹ and ❶, ❷, ❸, ..., ❷❹, respectively. `\black` and `\white` additionally accept `\square` and `\triangle` as arguments, producing and for `\black` and and for `\white`.

The go package is intended to typeset complete Go boards (goban). See the go documentation for more information.

TABLE 469: metre Metrical Symbols

	<code>\a</code>		<code>\bBm</code>		<code>\cc</code>		<code>\Mbb</code>		<code>\Pppp</code>		<code>\t</code>
	<code>\B</code>		<code>\bbm</code>		<code>\Ccc</code>		<code>\mbbx</code>		<code>\pppp</code>		<code>\tsbm</code>
	<code>\b</code>		<code>\Bbm</code>		<code>\m</code>		<code>\oo</code>		<code>\Ppppp</code>		<code>\tsmb</code>
	<code>\Bb</code>		<code>\bbmb</code>		<code>\M</code>		<code>\p</code>		<code>\ppppp</code>		<code>\tsmm</code>
	<code>\BB</code>		<code>\bbmx</code>		<code>\ma</code>		<code>\pm</code>		<code>\ps</code>		<code>\vppm</code>
	<code>\bb</code>		<code>\bm</code>		<code>\Mb</code>		<code>\pp</code>		<code>\pxp</code>		<code>\vpppm</code>
	<code>\bB</code>		<code>\Bm</code>		<code>\mb</code>		<code>\Pp</code>		<code>\Pxp</code>		<code>\x</code>
	<code>\bba</code>		<code>\c</code>		<code>\mBb</code>		<code>\ppm</code>		<code>\R</code>		
	<code>\bbb</code>		<code>\C</code>		<code>\mbB</code>		<code>\ppp</code>		<code>\r</code>		
	<code>\BBm</code>		<code>\Cc</code>		<code>\mbb</code>		<code>\Ppp</code>		<code>\T</code>		

The preceding symbols are valid only within the argument to the `metre` command.

TABLE 470: metre Small and Large Metrical Symbols

	<code>\anacclasis</code>		<code>\Anacclasis</code>
	<code>\antidiple</code>		<code>\Antidiple</code>
	<code>\antidiple*</code>		<code>\Antidiple*</code>
	<code>\antisigma</code>		<code>\Antisigma</code>
	<code>\asteriscus</code>		<code>\Asteriscus</code>
	<code>\catalexis</code>		<code>\Catalexis</code>
	<code>\diple</code>		<code>\Diple</code>
	<code>\diple*</code>		<code>\Diple*</code>
	<code>\obelus</code>		<code>\Obelus</code>
	<code>\obelus*</code>		<code>\Obelus*</code>
	<code>\respondens</code>		<code>\Respondens</code>
	<code>\terminus</code>		<code>\Terminus</code>
	<code>\terminus*</code>		<code>\Terminus*</code>

TABLE 471: teubner Metrical Symbols

∞	\aeolicbii	⌣	\barbrevis	+	\ipercatal
∞∞	\aeolicbiii	⌢	\bbrevis	—	\longa
∞∞∞	\aeolicbiv	⌣	\brevis	⌢	\ubarbbrevis
×	\anceps	^	\catal	⌣	\ubarbrevis
×	\ancepsdbrevis	⌣	\corona	⌢	\ubarsbrevis
×	\banceps	⌣	\coronainv	⌣	\ubrevislonga
⌢	\barbbrevis	H	\hiatus		

The `teubner` package provides a `\newmetrics` command that helps users combine the preceding symbols as well as other `teubner` symbols. For example, the predefined `\pentam` symbol uses `\newmetrics` to juxtapose six `\longas`, two `\barbbrevises`, four `\brevises`, and a `\dBar` into “_⌢_⌢_||_⌣_⌣_”. See the `teubner` documentation for more information.


TABLE 472: dictsym Dictionary Symbols

✈	\dsaeronautical	✈	\dscommercial	✈	\dsmedical
🌾	\dsagricultural	🏰	\ds heraldical	✈	\dsmilitary
🏠	\dsarchitectural	⚖	\dsjuridical	🚂	\dsrailways
🌿	\dsbiological	📖	\dsliterary	⊕	\dstechnical
🧪	\dschemical	ℵ	\ds mathematical		

TABLE 473: simpsons Characters from *The Simpsons*

	\Bart		\Homer		\Maggie		\SNPP
	\Burns		\Lisa		\Marge		

The location of the characters’ pupils can be controlled with the `\Goofy` command. See *A METAFONT of ‘Simpsons’ characters* [Che97] for more information. Also, each of the above can be prefixed with `\Left` to make the character face left instead of right:



\Left\Bart

TABLE 474: pmboxdraw Box-Drawing Symbols

	<code>\textblock</code>		<code>\textSFli</code>		<code>\textSFxli</code>		<code>\textSFxxiii</code>
	<code>\textdkshade</code>		<code>\textSFlii</code>		<code>\textSFxlii</code>		<code>\textSFxxiv</code>
	<code>\textdnblock</code>		<code>\textSFliii</code>		<code>\textSFxliii</code>		<code>\textSFxxv</code>
	<code>\textlfblock</code>		<code>\textSFliv</code>		<code>\textSFxliv</code>		<code>\textSFxxvi</code>
	<code>\textltshade</code>		<code>\textSFv</code>		<code>\textSFxlix</code>		<code>\textSFxxvii</code>
	<code>\textrtblock</code>		<code>\textSFvi</code>		<code>\textSFxlv</code>		<code>\textSFxxviii</code>
	<code>\textSFi</code>		<code>\textSFvii</code>		<code>\textSFxlvi</code>		<code>\textSFxxxix</code>
	<code>\textSFii</code>		<code>\textSFviii</code>		<code>\textSFxlvii</code>		<code>\textSFxxxvi</code>
	<code>\textSFiii</code>		<code>\textSFx</code>		<code>\textSFxlviii</code>		<code>\textSFxxxvii</code>
	<code>\textSFiv</code>		<code>\textSFxi</code>		<code>\textSFxx</code>		<code>\textSFxxxviii</code>
	<code>\textSFix</code>		<code>\textSFxix</code>		<code>\textSFxxi</code>		<code>\textshade</code>
	<code>\textSF1</code>		<code>\textSFxl</code>		<code>\textSFxxii</code>		<code>\textupblock</code>

Code Page 437 (CP437), which was first utilized by the original IBM PC, contains the set of box-drawing symbols (sides, corners, and intersections of single- and double-ruled boxes) shown above in character positions 176–223. These symbols also appear in the Unicode Box Drawing and Block Element tables.

The `pmboxdraw` package draws the CP437 box-drawing symbols using `TEX` rules (specifically, `\vrule`) instead of with a font and thereby provides the ability to alter both rule width and the separation between rules. See the `pmboxdraw` documentation for more information.

TABLE 475: staves Magical Staves

	<code>\staveI</code>		<code>\staveXXIV</code>		<code>\staveXLVII</code>
	<code>\staveII</code>		<code>\staveXXV</code>		<code>\staveXLVIII</code>
	<code>\staveIII</code>		<code>\staveXXVI</code>		<code>\staveXLIX</code>
	<code>\staveIV</code>		<code>\staveXXVII</code>		<code>\staveL</code>
	<code>\staveV</code>		<code>\staveXXVIII</code>		<code>\staveLI</code>
	<code>\staveVI</code>		<code>\staveXXIX</code>		<code>\staveLII</code>
	<code>\staveVII</code>		<code>\staveXXX</code>		<code>\staveLIII</code>
	<code>\staveVIII</code>		<code>\staveXXXI</code>		<code>\staveLIV</code>
	<code>\staveIX</code>		<code>\staveXXXII</code>		<code>\staveLV</code>
	<code>\staveX</code>		<code>\staveXXXIII</code>		<code>\staveLVI</code>
	<code>\staveXI</code>		<code>\staveXXXIV</code>		<code>\staveLVII</code>

(continued on next page)

(continued from previous page)

	<code>\staveXII</code>		<code>\staveXXXV</code>		<code>\staveLVIII</code>
	<code>\staveXIII</code>		<code>\staveXXXVI</code>		<code>\staveLIX</code>
	<code>\staveXIV</code>		<code>\staveXXXVII</code>		<code>\staveLX</code>
	<code>\staveXV</code>		<code>\staveXXXVIII</code>		<code>\staveLXI</code>
	<code>\staveXVI</code>		<code>\staveXXXIX</code>		<code>\staveLXII</code>
	<code>\staveXVII</code>		<code>\staveXL</code>		<code>\staveLXIII</code>
	<code>\staveXVIII</code>		<code>\staveXLI</code>		<code>\staveLXIV</code>
	<code>\staveXIX</code>		<code>\staveXLII</code>		<code>\staveLXV</code>
	<code>\staveXX</code>		<code>\staveXLIII</code>		<code>\staveLXVI</code>
	<code>\staveXXI</code>		<code>\staveXLIV</code>		<code>\staveLXVII</code>
	<code>\staveXXII</code>		<code>\staveXLV</code>		<code>\staveLXVIII</code>
	<code>\staveXXIII</code>		<code>\staveXLVI</code>		

The meanings of these symbols are described on the Web site for the Museum of Icelandic Sorcery and Witchcraft at http://www.galdrasynning.is/index.php?option=com_content&task=category&sectionid=5&id=18&Itemid=60 (TinyURL: <http://tinyurl.com/25979m>). For example, `\staveL` (“”) is intended to ward off ghosts and evil spirits.

TABLE 476: pigpen Cipher Symbols

	<code>{\pigpenfont A}</code>		<code>{\pigpenfont J}</code>		<code>{\pigpenfont S}</code>
	<code>{\pigpenfont B}</code>		<code>{\pigpenfont K}</code>		<code>{\pigpenfont T}</code>
	<code>{\pigpenfont C}</code>		<code>{\pigpenfont L}</code>		<code>{\pigpenfont U}</code>
	<code>{\pigpenfont D}</code>		<code>{\pigpenfont M}</code>		<code>{\pigpenfont V}</code>
	<code>{\pigpenfont E}</code>		<code>{\pigpenfont N}</code>		<code>{\pigpenfont W}</code>
	<code>{\pigpenfont F}</code>		<code>{\pigpenfont O}</code>		<code>{\pigpenfont X}</code>
	<code>{\pigpenfont G}</code>		<code>{\pigpenfont P}</code>		<code>{\pigpenfont Y}</code>
	<code>{\pigpenfont H}</code>		<code>{\pigpenfont Q}</code>		<code>{\pigpenfont Z}</code>
	<code>{\pigpenfont I}</code>		<code>{\pigpenfont R}</code>		

TABLE 477: GnA2e Phases of the Moon

	<code>\MoonPha{1}</code>		<code>\MoonPha{2}</code>		<code>\MoonPha{3}</code>		<code>\MoonPha{4}</code>


TABLE 478: GnA2e Recycling Symbols

	<code>\Greenpoint</code>

TABLE 479: marvosym Recycling Symbols

 `\PackingWaste`  `\Recycling`

TABLE 480: recycle Recycling Symbols



The METAFONT code that implements the recycling symbols shown above is, in the words of its author, “awful code [that] doesn’t even put the logo in a box (properly)”. Expect to receive “**Inconsistent equation (off by $\langle number \rangle$)**” errors from METAFONT. Fortunately, if you tell METAFONT to proceed past those errors (e.g., by pressing Enter after each one or by specifying “`-interaction=nonstopmode`” on the METAFONT command line) it should produce a valid font.

The commands listed above should be used within a group (e.g., “`{\recycle}`”) because they exhibit the side effect of *changing* the font to the recycle font.

TABLE 481: Other QiA2e Symbols

 `\Info`  `\Request`
 `\Postbox`  `\Telephone`

TABLE 482: soyombo Soyombo Symbols

 `\Soyombo`  `\sA*`  `\sO*`

* These symbols require that the Soyombo font be active (“`{\soyombo ... }`”).

TABLE 483: knitting Knitting Symbols

$\wedge$	<code>\textknit{!}</code>	$\nrightarrow$	<code>\textknit{[}</code>		<code>\textknit{Q}</code>
	<code>\textknit{"}</code>	$\nleftarrow$	<code>\textknit{]}</code>		<code>\textknit{q}</code>
$\searrow$	<code>\textknit{(}</code>	$\nwarrow$	<code>\textknit{A}</code>		<code>\textknit{R}</code>
$\swarrow$	<code>\textknit{)}</code>	$\nearrow$	<code>\textknit{a}</code>	$\swarrow$	<code>\textknit{r}</code>
$*$	<code>\textknit{*}</code>		<code>\textknit{B}</code>	$\leftarrow$	<code>\textknit{S}</code>
$ $	<code>\textknit{-}</code>		<code>\textknit{b}</code>	$\rightarrow$	<code>\textknit{s}</code>
	<code>\textknit{2}</code>	∇	<code>\textknit{E}</code>		<code>\textknit{T}</code>
	<code>\textknit{3}</code>		<code>\textknit{F}</code>		<code>\textknit{t}</code>
$\searrow$	<code>\textknit{4}</code>	$\curvearrowright$	<code>\textknit{f}</code>		<code>\textknit{U}</code>
$\swarrow$	<code>\textknit{5}</code>	$\uparrow$	<code>\textknit{H}</code>	$\swarrow$	<code>\textknit{u}</code>
$\forall$	<code>\textknit{6}</code>	$\downarrow$	<code>\textknit{h}</code>		<code>\textknit{V}</code>
∇	<code>\textknit{7}</code>		<code>\textknit{I}</code>	∇	<code>\textknit{v}</code>
∇	<code>\textknit{8}</code>		<code>\textknit{i}</code>		<code>\textknit{W}</code>
	<code>\textknit{9}</code>		<code>\textknit{J}</code>	∇	<code>\textknit{w}</code>
	<code>\textknit{:}</code>		<code>\textknit{j}</code>		<code>\textknit{X}</code>
	<code>\textknit{;}</code>	$\nwarrow$	<code>\textknit{L}</code>		<code>\textknit{x}</code>
$\nwarrow$	<code>\textknit{<}</code>	$\nearrow$	<code>\textknit{l}</code>	$\forall$	<code>\textknit{Y}</code>
	<code>\textknit{=}</code>		<code>\textknit{M}</code>	$\swarrow$	<code>\textknit{y}</code>
$\nearrow$	<code>\textknit{>}</code>	m	<code>\textknit{m}</code>		<code>\textknit{Z}</code>
$\bullet$	<code>\textknit{@}</code>	$\bigcirc$	<code>\textknit{O}</code>		<code>\textknit{z}</code>

The knitting package is intended to typeset complete knitting charts. See the knitting documentation for more information.

Some symbols behave differently when used as part of a sequence. For example, contrast `\textknit{1}` (“ $\uparrow$ ”), `\textknit{11}` (“ $\uparrow\uparrow$ ”), and `\textknit{111}` (“ $\uparrow\uparrow\uparrow$ ”). Similarly, contrast `\textknit{"}` (“ $\curvearrowright$ ”) and `\textknit{"}` (“ $\curvearrowleft$ ”). Again, see the knitting documentation for more information.

TABLE 484: CountriesOfEurope Country Maps

	<code>\Albania</code>		<code>\Latvia</code>
	<code>\Andorra</code>		<code>\Liechtenstein</code>
	<code>\Austria</code>		<code>\Lithuania</code>
	<code>\Belarus</code>		<code>\Luxembourg</code>
	<code>\Belgium</code>		<code>\Macedonia</code>
	<code>\Bosnia</code>		<code>\Malta</code>

(continued on next page)

(continued from previous page)

	\Bulgaria		\Moldova
	\Croatia		\Montenegro
	\Czechia		\Netherlands
	\Denmark		\Norway
	\Estonia		\Poland
	\Finland		\Portugal
	\France		\Romania
	\Germany		\Serbia
	\GreatBritain		\Slovakia
	\Greece		\Slovenia

(continued on next page)

(continued from previous page)



The preceding commands work only when the `CountriesOfEurope` font family is active. For convenience, the package defines a `\CountriesOfEuropeFamily` command that switches to that font family.

By default, countries are drawn in the current font size. Hence, “`{\CountriesOfEuropeFamily\France}`” draws a nearly unrecognizable “”. For clarity of presentation, Table 484 scales each glyph to 72 pt. via an explicit `\fontsize{72}{72}`. An alternative is to specify the `scaled` package option to scale all country glyphs by a given factor of the font size.

TABLE 485: Miscellaneous arev Symbols

	<code>\anchor</code>		<code>\invsmileface</code>		<code>\skull</code>		<code>\warning</code>
	<code>\biohazard</code>		<code>\radiation</code>		<code>\smileface</code>		<code>\yinyang</code>
	<code>\heavyqleft</code>		<code>\recycle</code>		<code>\steaming</code>		
	<code>\heavyqtright</code>		<code>\sadface</code>		<code>\swords</code>		

TABLE 486: cookingsymbols Cooking Symbols

	<code>\Bottomheat</code>		<code>\Fork</code>		<code>\Knife</code>		<code>\Topbottomheat</code>
	<code>\Dish</code>		<code>\Gasstove</code>		<code>\Oven</code>		<code>\Topheat</code>
	<code>\Fanoven</code>		<code>\Gloves</code>		<code>\Spoon</code>		

TABLE 487: tikzsymbols Cooking Symbols

	<code>\bakingplate</code>		<code>\eggbeater</code>		<code>\peeler</code>		<code>\trident</code>
	<code>\blender</code>		<code>\fryingpan</code>		<code>\pot</code>		
	<code>\bowl</code>		<code>\oven</code>		<code>\sieve</code>		
	<code>\cooker</code>		<code>\pan</code>		<code>\squeezer</code>		

tikzsymbols defines German-language aliases for each of the above: `\Backblech` for `\bakingplate`, `\Bratpfanne` for `\fryingpan`, `\Dreizack` for `\trident`, `\Herd` for `\cooker`, `\Kochtopf` for `\pot`, `\Ofen` for `\oven`, `\Pfanne` for `\pan`, `\Purierstab` for `\blender`, `\Saftpresse` for `\squeezer`, `\Schaler` for `\peeler`, `\Schneebeesen` for `\eggbeater`, `\Schussel` for `\bowl`, and `\Sieb` for `\sieve`.

All tikzsymbols symbols are implemented with TikZ graphics, not with a font.

TABLE 488: tikzsymbols Emoticons

	<code>\Annoey</code>		<code>\Neutrey</code>		<code>\rWalley</code>		<code>\Vomey</code>
	<code>\Cat</code>		<code>\NiceReapey</code>		<code>\Sadey</code>		<code>\Walley</code>
	<code>\Cooley</code>		<code>\Ninja</code>		<code>\Sey</code>		<code>\Winkey</code>
	<code>\Innocey</code>		<code>\Nursey</code>		<code>\Smiley</code>		<code>\wInnocey</code>
	<code>\Laughy</code>		<code>\oldWinkey</code>		<code>\Tongey</code>		<code>\Xey</code>

All tikzsymbols symbols are implemented with TikZ graphics, not with a font. Hence, symbols like `\Ninja` can include color. In fact, most of the commands shown above accept one or more color arguments for further customization. See the tikzsymbols documentation for more information.

TABLE 489: tikzsymbols 3D Emoticons

	<code>\dAnnoey</code>		<code>\dNinja</code>		<code>\dSmiley</code>		<code>\dXey</code>
	<code>\dCooley</code>		<code>\dNursey</code>		<code>\dTongey</code>		<code>\olddWinkey</code>
	<code>\dInnocey</code>		<code>\drWalley</code>		<code>\dVomey</code>		
	<code>\dLaughy</code>		<code>\dSadey</code>		<code>\dWalley</code>		
	<code>\dNeutrey</code>		<code>\dSey</code>		<code>\dWinkey</code>		

All tikzsymbols symbols are implemented with TikZ graphics, not with a font. Hence, all of the symbols shown above can include color. In fact, each command in Table 489 accepts one or more color arguments for further customization. See the tikzsymbols documentation for more information.

TABLE 490: tikzsymbols Trees

	<code>\Autumntree</code>		<code>\Summertree</code>		<code>\WorstTree</code>
	<code>\Springtree</code>		<code>\Wintertree</code>		

All tikzsymbols symbols are implemented with TikZ graphics, not with a font. Hence, all of the symbols shown above can include color. tikzsymbols additionally defines a `\BasicTree` command that supports customization of trunk and leaf colors. See the tikzsymbols documentation for more information.

TABLE 491: Miscellaneous tikzsymbols Symbols

	<code>\Bed</code>		<code>\Chair</code>		<code>\Fire</code>		<code>\Snowman</code>		<code>\Tribar</code>
	<code>\Candle</code>		<code>\Coffeecup</code>		<code>\Moai</code>		<code>\Strichmaxerl</code>		

All `tikzsymbols` symbols are implemented with TikZ graphics, not with a font. `\Tribar` supports customization of the fill color for each bar. `\Strichmaxerl` supports customization of the angles at which the stick figure's arms and legs are drawn. See the `tikzsymbols` documentation for more information.

TABLE 492: Miscellaneous bclogo Symbols

	<code>\bcattention</code>		<code>\bcetoile</code>		<code>\bcpanchant</code>
	<code>\bcbombe</code>		<code>\bcfemme</code>		<code>\bcpeaceandlove</code>
	<code>\bcbook</code>		<code>\bcfeujaune</code>		<code>\bcpluie</code>
	<code>\bccalendrier</code>		<code>\bcfeurouge</code>		<code>\bcplume</code>
	<code>\bccle</code>		<code>\bcfeutricolore</code>		<code>\bcpoisson</code>
	<code>\bcclefa</code>		<code>\bcfeuvert</code>		<code>\bcquestion</code>
	<code>\bcclesol</code>		<code>\bcfleur</code>		<code>\bcrecyclage</code>
	<code>\bccoeur</code>		<code>\bchomme</code>		<code>\bcrosevents</code>
	<code>\bccrayon</code>		<code>\bchorloge</code>		<code>\bcsmbh</code>
	<code>\bccube</code>		<code>\bcicosaedre</code>		<code>\bcsmmh</code>
	<code>\bcdallemagne</code>		<code>\bcinfo</code>		<code>\bcsoleil</code>
	<code>\bcdanger</code>		<code>\bcinterdit</code>		<code>\bcspadesuit</code>
	<code>\bcdautriche</code>		<code>\bclampe</code>		<code>\bcstop</code>
	<code>\bcdbelgique</code>		<code>\bcloupe</code>		<code>\bctakecare</code>
	<code>\bcdbulgarie</code>		<code>\bcneige</code>		<code>\bctetraedre</code>
	<code>\bcdfrance</code>		<code>\bcnote</code>		<code>\bctrefle</code>
	<code>\bcditalie</code>		<code>\bcnucleaire</code>		<code>\bctrombone</code>
	<code>\bcdluxembourg</code>		<code>\bcocetaedre</code>		<code>\bcvaletcoeur</code>
	<code>\bcdodecaedre</code>		<code>\bcoeil</code>		<code>\bcvelo</code>

(continued on next page)

(continued from previous page)

	<code>\bcdpaysbas</code>		<code>\bcorne</code>		<code>\bcyin</code>
	<code>\bcdz</code>		<code>\bcours</code>		
	<code>\bceclaircie</code>		<code>\bcoutil</code>		

All `bclogo` symbols are implemented with `TikZ` (or alternatively, `PSTricks`) graphics, not with a font. This is how the symbols shown above can include color.

TABLE 493: fontawesome Web-Related Icons

	<code>\fa500px</code>		<code>\faFemale</code>		<code>\faPlane</code>
	<code>\faAdjust</code>		<code>\faFighterJet</code>		<code>\faPlay</code>
	<code>\faAdn</code>		<code>\faFile</code>		<code>\faPlayCircle</code>
	<code>\faAlignCenter</code>		<code>\faFileArchive0</code>		<code>\faPlayCircleO</code>
	<code>\faAlignJustify</code>		<code>\faFileAudio0</code>		<code>\faPlug</code>
	<code>\faAlignLeft</code>		<code>\faFileCode0</code>		<code>\faPlus</code>
	<code>\faAlignRight</code>		<code>\faFileExcel0</code>		<code>\faPlusCircle</code>
	<code>\faAmazon</code>		<code>\faFileImage0</code>		<code>\faPlusSquare</code>
	<code>\faAmbulance</code>		<code>\faFile0</code>		<code>\faPlusSquareO</code>
	<code>\faAnchor</code>		<code>\faFilePdf0</code>		<code>\faPowerOff</code>
	<code>\faAndroid</code>		<code>\faFilePowerpoint0</code>		<code>\faPrint</code>
	<code>\faAngellist</code>		<code>\faFiles0</code>		<code>\faPuzzlePiece</code>
	<code>\faAngleDoubleDown</code>		<code>\faFileText</code>		<code>\faQq</code>
	<code>\faAngleDoubleLeft</code>		<code>\faFileText0</code>		<code>\faQrcode</code>
	<code>\faAngleDoubleRight</code>		<code>\faFileVideo0</code>		<code>\faQuestion</code>
	<code>\faAngleDoubleUp</code>		<code>\faFileWord0</code>		<code>\faQuestionCircle</code>
	<code>\faAngleDown</code>		<code>\faFilm</code>		<code>\faQuoteLeft</code>
	<code>\faAngleLeft</code>		<code>\faFilter</code>		<code>\faQuoteRight</code>
	<code>\faAngleRight</code>		<code>\faFire</code>		<code>\faRandom</code>
	<code>\faAngleUp</code>		<code>\faFireExtinguisher</code>		<code>\faRebel</code>
	<code>\faApple</code>		<code>\faFirefox</code>		<code>\faRecycle</code>
	<code>\faArchive</code>		<code>\faFlag</code>		<code>\faReddit</code>
	<code>\faAreaChart</code>		<code>\faFlagCheckered</code>		<code>\faRedditSquare</code>
	<code>\faAsterisk</code>		<code>\faFlagO</code>		<code>\faRefresh</code>
	<code>\faAt</code>		<code>\faFlask</code>		<code>\faRenren</code>
	<code>\faBackward</code>		<code>\faFlickr</code>		<code>\faReply</code>
	<code>\faBalanceScale</code>		<code>\faFloppy0</code>		<code>\faReplyAll</code>
	<code>\faBan</code>		<code>\faFolder</code>		<code>\faRetweet</code>
	<code>\faBarChart</code>		<code>\faFolderO</code>		<code>\faRoad</code>
	<code>\faBarcode</code>		<code>\faFolderOpen</code>		<code>\faRocket</code>
	<code>\faBars</code>		<code>\faFolderOpenO</code>		<code>\faRss</code>
	<code>\faBatteryEmpty</code>		<code>\faFont</code>		<code>\faRssSquare</code>
	<code>\faBatteryFull</code>		<code>\faFonticons</code>		<code>\faSafari</code>
	<code>\faBatteryHalf</code>		<code>\faForumbee</code>		<code>\faScissors</code>
	<code>\faBatteryQuarter</code>		<code>\faForward</code>		<code>\faSearch</code>
	<code>\faBatteryThreeQuarters</code>		<code>\faFoursquare</code>		<code>\faSearchMinus</code>

(continued on next page)

(continued from previous page)

	\faBed		\faFrownO		\faSearchPlus
	\faBeer		\faFutbolO		\faSellsy
	\faBehance		\faGamepad		\faServer
	\faBehanceSquare		\faGavel		\faShare
	\faBell		\faGetPocket		\faShareAlt
	\faBellO		\faGg		\faShareAltSquare
	\faBellSlash		\faGgCircle		\faShareSquare
	\faBellSlashO		\faGift		\faShareSquareO
	\faBicycle		\faGit		\faShield
	\faBinoculars		\faGithub		\faShip
	\faBirthdayCake		\faGithubAlt		\faShirtsinbulk
	\faBitbucket		\faGithubSquare		\faShoppingCart
	\faBitbucketSquare		\faGitSquare		\faSignal
	\faBlackTie		\faGlass		\faSignIn
	\faBold		\faGlobe		\faSignOut
	\faBolt		\faGoogle		\faSimplybuilt
	\faBomb		\faGooglePlus		\faSitemap
	\faBook		\faGooglePlusSquare		\faSkyatlas
	\faBookmark		\faGoogleWallet		\faSkype
	\faBookmarkO		\faGraduationCap		\faSlack
	\faBriefcase		\faGratipay		\faSliders
	\faBug		\faHackerNews		\faSlideshare
	\faBuilding		\faHddO		\faSmileO
	\faBuildingO		\faHeader		\faSort
	\faBullhorn		\faHeadphones		\faSortAlphaAsc
	\faBullseye		\faHeart		\faSortAlphaDesc
	\faBus		\faHeartbeat		\faSortAmountAsc
	\faBuysellads		\faHeartO		\faSortAmountDesc
	\faCalculator		\faHistory		\faSortAsc
	\faCalendar		\faHome		\faSortDesc
	\faCalendarCheckO		\faHospitalO		\faSortNumericAsc
	\faCalendarMinusO		\faHourglass		\faSortNumericDesc
	\faCalendarO		\faHourglassEnd		\faSoundcloud
	\faCalendarPlusO		\faHourglassHalf		\faSpaceShuttle
	\faCalendarTimesO		\faHourglassO		\faSpinner
	\faCamera		\faHourglassStart		\faSpoon
	\faCameraRetro		\faHouzz		\faSpotify
	\faCar		\faHSquare		\faStackExchange
	\faCaretDown		\faHtml5		\faStackOverflow
	\faCaretLeft		\faICursor		\faSteam
	\faCaretRight		\faInbox		\faSteamSquare
	\faCaretSquareODown		\faIndent		\faStepBackward
	\faCaretSquareOLeft		\faIndustry		\faStepForward
	\faCaretSquareORight		\faInfo		\faStethoscope
	\faCaretSquareOUp		\faInfoCircle		\faStickyNote
	\faCaretUp		\faInstagram		\faStickyNoteO
	\faCartArrowDown		\faInternetExplorer		\faStop
	\faCartPlus		\faIoxhost		\faStreetView
	\faCc		\faItalic		\faStrikethrough
	\faCcAmex		\faJoomla		\faStumbleupon
	\faCcDinersClub		\faJsfiddle		\faStumbleuponCircle
	\faCcDiscover		\faKey		\faSubscript
	\faCcJcb		\faKeyboardO		\faSubway

(continued on next page)

(continued from previous page)

	\faCcMastercard		\faLanguage		\faSuitcase
	\faCcPaypal		\faLaptop		\faSuperscript
	\faCcStripe		\faLastfm		\faTable
	\faCcVisa		\faLastfmSquare		\faTablet
	\faCertificate		\faLeaf		\faTachometer
	\faChainBroken		\faLeanpub		\faTag
	\faChild		\faLemon0		\faTags
	\faChrome		\faLevelDown		\faTasks
	\faClipboard		\faLevelUp		\faTaxi
	\faClock0		\faLifeRing		\faTelevision
	\faClone		\faLightbulb0		\faTencentWeibo
	\faCloud		\faLineChart		\faTerminal
	\faCloudDownload		\faLink		\faTextHeight
	\faCloudUpload		\faLinkedin		\faTextWidth
	\faCode		\faLinkedinSquare		\faTh
	\faCodeFork		\faLinux		\faThLarge
	\faCodepen		\faList		\faThList
	\faCoffee		\faListAlt		\faThumbTack
	\faCog		\faList01		\faTicket
	\faCogs		\faListU1		\faTint
	\faColumns		\faLocationArrow		\faToggleOff
	\faComment		\faLock		\faToggleOn
	\faCommenting		\faMagic		\faTrain
	\faCommenting0		\faMagnet		\faTrash
	\faComment0		\faMale		\faTrash0
	\faComments		\faMap		\faTree
	\faComments0		\faMapMarker		\faTrello
	\faCompass		\faMap0		\faTripadvisor
	\faCompress		\faMapPin		\faTrophy
	\faConnectdevelop		\faMapSigns		\faTruck
	\faContao		\faMaxcdn		\faTty
	\faCreditCard		\faMeanpath		\faTumblr
	\faCrop		\faMedium		\faTumblrSquare
	\faCrosshairs		\faMedkit		\faTwitch
	\faCss3		\faMeh0		\faTwitter
	\faCube		\faMicrophone		\faTwitterSquare
	\faCubes		\faMicrophoneSlash		\faUmbrella
	\faCutlery		\faMinus		\faUnderline
	\faDashcube		\faMinusCircle		\faUniversity
	\faDatabase		\faMinusSquare		\faUnlock
	\faDelicious		\faMinusSquare0		\faUnlockAlt
	\faDesktop		\faMobile		\faUpload
	\faDeviantart		\faMoney		\faUser
	\faDiamond		\faMotorcycle		\faUserMd
	\faDigg		\faMousePointer		\faUserPlus
	\faDownload		\faMusic		\faUsers
	\faDribbble		\faNewspaper0		\faUserSecret
	\faDropbox		\faObjectGroup		\faUserTimes
	\faDrupal		\faObjectUngroup		\faVideoCamera
	\faEject		\faOdnoklassniki		\faVimeo
	\faEllipsisH		\faOdnoklassnikiSquare		\faVimeoSquare
	\faEllipsisV		\faOpencart		\faVine
	\faEmpire		\faOpenid		\faVk

(continued on next page)

(continued from previous page)

	\faEnvelope		\faOpera		\faVolumeDown
	\faEnvelopeO		\faOptinMonster		\faVolumeOff
	\faEnvelopeSquare		\faOutdent		\faVolumeUp
	\faEraser		\faPagelines		\faWeibo
	\faExchange		\faPaintBrush		\faWeixin
	\faExclamation		\faPaperclip		\faWhatsapp
	\faExclamationCircle		\faPaperPlane		\faWheelchair
	\faExclamationTriangle		\faPaperPlaneO		\faWifi
	\faExpand		\faParagraph		\faWikipediaW
	\faExpeditedssl		\faPause		\faWindows
	\faExternalLink		\faPaw		\faWordpress
	\faExternalLinkSquare		\faPaypal		\faWrench
	\faEye		\faPhone		\faXing
	\faEyedropper		\faPhoneSquare		\faXingSquare
	\faEyeSlash		\faPictureO		\faYahoo
	\faFacebook		\faPieChart		\faYCombinator
	\faFacebookOfficial		\faPiedPiper		\faYelp
	\faFacebookSquare		\faPiedPiperAlt		\faYoutube
	\faFastBackward		\faPinterest		\faYoutubePlay
	\faFastForward		\faPinterestP		\faYoutubeSquare
	\faFax		\faPinterestSquare		

fontawesome defines synonyms for many of the preceding symbols:

	\faAutomobile		\faFileZipO		\faRa
	\faBank		\faFlash		\faReorder
	\faBarChartO		\faGe		\faSave
	\faBattery0		\faGear		\faSend
	\faBattery1		\faGears		\faSendO
	\faBattery2		\faGittip		\faSoccerBallO
	\faBattery3		\faGroup		\faSortDown
	\faBattery4		\faHotel		\faSortUp
	\faCab		\faImage		\faSupport
	\faChain		\faInstitution		\faToggleDown
	\faCopy		\faLegal		\faToggleLeft
	\faCut		\faLifeBouy		\faToggleRight
	\faDashboard		\faLifeSaver		\faToggleUp
	\faDedent		\faMailForward		\faTv
	\faEdit		\faMailReply		\faUnlink
	\faFacebookF		\faMailReplyAll		\faUnsorted
	\faFeed		\faMobilePhone		\faWarning
	\faFileMovieO		\faMortarBoard		\faWechat
	\faFilePhotoO		\faNavicon		\faYc
	\faFilePictureO		\faPaste		\faYCombinatorSquare
	\faFileSoundO		\faPhoto		\faYcSquare

TABLE 494: rubikcube Rubik’s Cube Rotations

	<code>\rrhD</code>		<code>\rrhF</code>		<code>\rrhLw</code>		<code>\rrhRw</code>		<code>\rrhU</code>
	<code>\rrhDa</code>		<code>\rrhFp</code>		<code>\rrhLwp</code>		<code>\rrhRwp</code>		<code>\rrhUa</code>
	<code>\rrhDap</code>		<code>\rrhFw</code>		<code>\rrhM</code>		<code>\rrhSd</code>		<code>\rrhUap</code>
	<code>\rrhDp</code>		<code>\rrhFwp</code>		<code>\rrhMp</code>		<code>\rrhSdp</code>		<code>\rrhUp</code>
	<code>\rrhDs</code>		<code>\rrhL</code>		<code>\rrhR</code>		<code>\rrhSl</code>		<code>\rrhUs</code>
	<code>\rrhDsp</code>		<code>\rrhLa</code>		<code>\rrhRa</code>		<code>\rrhSlp</code>		<code>\rrhUsp</code>
	<code>\rrhDw</code>		<code>\rrhLap</code>		<code>\rrhRap</code>		<code>\rrhSr</code>		<code>\rrhUw</code>
	<code>\rrhDwp</code>		<code>\rrhLp</code>		<code>\rrhRp</code>		<code>\rrhSrp</code>		<code>\rrhUwp</code>
	<code>\rrhE</code>		<code>\rrhLs</code>		<code>\rrhRs</code>		<code>\rrhSu</code>		
	<code>\rrhEp</code>		<code>\rrhLsp</code>		<code>\rrhRsp</code>		<code>\rrhSup</code>		

All rubikcube symbols are implemented with TikZ graphics, not with a font. In addition to the symbols shown above, the rubikcube package defines commands for combinations of textual and graphical representations of rotations (e.g., `\textRubikUa` produces “**Ua** ”) as well as commands that produce colored illustrations of Rubik’s Cube configurations and rotations. See the rubikcube documentation for more information.

9 Fonts with minimal L^AT_EX support

The symbol fonts shown in this section are provided without a corresponding L^AT_EX_{2 ϵ} style file that assigns a convenient name to each glyph. Consequently, each glyph must be accessed by number. To help with this, the `pifont` package defines a `\Pisymbol` command that typesets a specified character by number from a specified L^AT_EX font family. Alas, most of the fonts in this section do not even define a L^AT_EX font family. Hence, except where otherwise specified, a document will need to include code like the following in its preamble:

```
\usepackage{pifont}
\DeclareFontFamily{U}{\langle name \rangle}{}
\DeclareFontShape{U}{\langle name \rangle}{m}{n}{<-> \langle font \rangle}{}

```

where $\langle font \rangle$ is the name of the `.tfm` font file (or `.mf` font file, from which a `.tfm` font file can be generated automatically), and $\langle name \rangle$ is a name to use to refer to that font. It's generally good practice to use the name of the font file for $\langle name \rangle$, as in the following:

```
\usepackage{pifont}
\DeclareFontFamily{U}{hands}{}
\DeclareFontShape{U}{hands}{m}{n}{<-> hands}{}

```

TABLE 495: hands Fists

	<code>\Pisymbol{hands}{65}</code>		<code>\Pisymbol{hands}{67}</code>
	<code>\Pisymbol{hands}{66}</code>		<code>\Pisymbol{hands}{68}</code>

TABLE 496: greenpoint Recycling Symbols

	<code>\Pisymbol{greenpoint}{71}</code>

TABLE 497: nkarta Map Symbols

	<code>\Pisymbol{nkarta}{33}</code>		<code>\Pisymbol{nkarta}{96}</code>		<code>\Pisymbol{nkarta}{193}</code>
	<code>\Pisymbol{nkarta}{34}</code>		<code>\Pisymbol{nkarta}{97}</code>		<code>\Pisymbol{nkarta}{194}</code>
	<code>\Pisymbol{nkarta}{35}</code>		<code>\Pisymbol{nkarta}{98}</code>		<code>\Pisymbol{nkarta}{195}</code>
	<code>\Pisymbol{nkarta}{36}</code>		<code>\Pisymbol{nkarta}{99}</code>		<code>\Pisymbol{nkarta}{196}</code>
	<code>\Pisymbol{nkarta}{37}</code>		<code>\Pisymbol{nkarta}{100}</code>		<code>\Pisymbol{nkarta}{197}</code>
	<code>\Pisymbol{nkarta}{38}</code>		<code>\Pisymbol{nkarta}{101}</code>		<code>\Pisymbol{nkarta}{198}</code>
	<code>\Pisymbol{nkarta}{39}</code>		<code>\Pisymbol{nkarta}{102}</code>		<code>\Pisymbol{nkarta}{199}</code>
	<code>\Pisymbol{nkarta}{40}</code>		<code>\Pisymbol{nkarta}{103}</code>		<code>\Pisymbol{nkarta}{200}</code>
	<code>\Pisymbol{nkarta}{41}</code>		<code>\Pisymbol{nkarta}{104}</code>		<code>\Pisymbol{nkarta}{201}</code>
	<code>\Pisymbol{nkarta}{42}</code>		<code>\Pisymbol{nkarta}{105}</code>		<code>\Pisymbol{nkarta}{202}</code>
	<code>\Pisymbol{nkarta}{43}</code>		<code>\Pisymbol{nkarta}{106}</code>		<code>\Pisymbol{nkarta}{203}</code>
	<code>\Pisymbol{nkarta}{44}</code>		<code>\Pisymbol{nkarta}{107}</code>		<code>\Pisymbol{nkarta}{204}</code>
	<code>\Pisymbol{nkarta}{45}</code>		<code>\Pisymbol{nkarta}{108}</code>		<code>\Pisymbol{nkarta}{205}</code>
	<code>\Pisymbol{nkarta}{46}</code>		<code>\Pisymbol{nkarta}{109}</code>		<code>\Pisymbol{nkarta}{206}</code>
	<code>\Pisymbol{nkarta}{47}</code>		<code>\Pisymbol{nkarta}{110}</code>		<code>\Pisymbol{nkarta}{207}</code>
	<code>\Pisymbol{nkarta}{48}</code>		<code>\Pisymbol{nkarta}{111}</code>		<code>\Pisymbol{nkarta}{208}</code>
	<code>\Pisymbol{nkarta}{49}</code>		<code>\Pisymbol{nkarta}{112}</code>		<code>\Pisymbol{nkarta}{209}</code>

(continued on next page)

(continued from previous page)

2	\Pisymbol{nkarta}{50}		\Pisymbol{nkarta}{113}		\Pisymbol{nkarta}{210}
3	\Pisymbol{nkarta}{51}		\Pisymbol{nkarta}{114}		\Pisymbol{nkarta}{211}
4	\Pisymbol{nkarta}{52}		\Pisymbol{nkarta}{115}		\Pisymbol{nkarta}{212}
5	\Pisymbol{nkarta}{53}		\Pisymbol{nkarta}{116}		\Pisymbol{nkarta}{213}
6	\Pisymbol{nkarta}{54}		\Pisymbol{nkarta}{117}		\Pisymbol{nkarta}{214}
7	\Pisymbol{nkarta}{55}		\Pisymbol{nkarta}{118}		\Pisymbol{nkarta}{215}
8	\Pisymbol{nkarta}{56}		\Pisymbol{nkarta}{119}		\Pisymbol{nkarta}{216}
9	\Pisymbol{nkarta}{57}		\Pisymbol{nkarta}{120}		\Pisymbol{nkarta}{217}
□	\Pisymbol{nkarta}{58}		\Pisymbol{nkarta}{121}		\Pisymbol{nkarta}{218}
○	\Pisymbol{nkarta}{59}		\Pisymbol{nkarta}{122}		\Pisymbol{nkarta}{219}
○	\Pisymbol{nkarta}{60}		\Pisymbol{nkarta}{123}		\Pisymbol{nkarta}{220}
▮	\Pisymbol{nkarta}{61}		\Pisymbol{nkarta}{124}		\Pisymbol{nkarta}{221}
✕	\Pisymbol{nkarta}{62}		\Pisymbol{nkarta}{125}		\Pisymbol{nkarta}{222}
▮	\Pisymbol{nkarta}{63}		\Pisymbol{nkarta}{126}		\Pisymbol{nkarta}{223}
□	\Pisymbol{nkarta}{64}		\Pisymbol{nkarta}{161}		\Pisymbol{nkarta}{224}
✱	\Pisymbol{nkarta}{65}		\Pisymbol{nkarta}{162}		\Pisymbol{nkarta}{225}
♣	\Pisymbol{nkarta}{66}		\Pisymbol{nkarta}{163}		\Pisymbol{nkarta}{226}
♣	\Pisymbol{nkarta}{67}		\Pisymbol{nkarta}{164}		\Pisymbol{nkarta}{227}
▲	\Pisymbol{nkarta}{68}		\Pisymbol{nkarta}{165}		\Pisymbol{nkarta}{228}
☆	\Pisymbol{nkarta}{69}		\Pisymbol{nkarta}{166}		\Pisymbol{nkarta}{229}
♣	\Pisymbol{nkarta}{70}		\Pisymbol{nkarta}{167}		\Pisymbol{nkarta}{230}
▮	\Pisymbol{nkarta}{71}		\Pisymbol{nkarta}{168}		\Pisymbol{nkarta}{231}
♣	\Pisymbol{nkarta}{72}		\Pisymbol{nkarta}{169}		\Pisymbol{nkarta}{232}
◡	\Pisymbol{nkarta}{73}		\Pisymbol{nkarta}{170}		\Pisymbol{nkarta}{233}
+	\Pisymbol{nkarta}{74}		\Pisymbol{nkarta}{171}		\Pisymbol{nkarta}{234}
)	\Pisymbol{nkarta}{75}		\Pisymbol{nkarta}{172}		\Pisymbol{nkarta}{235}
□	\Pisymbol{nkarta}{76}		\Pisymbol{nkarta}{173}		\Pisymbol{nkarta}{236}
♣	\Pisymbol{nkarta}{77}		\Pisymbol{nkarta}{174}		\Pisymbol{nkarta}{237}
♣	\Pisymbol{nkarta}{78}		\Pisymbol{nkarta}{175}		\Pisymbol{nkarta}{238}
◡	\Pisymbol{nkarta}{79}		\Pisymbol{nkarta}{176}		\Pisymbol{nkarta}{239}
▽	\Pisymbol{nkarta}{80}		\Pisymbol{nkarta}{177}		\Pisymbol{nkarta}{240}
♣	\Pisymbol{nkarta}{81}		\Pisymbol{nkarta}{178}		\Pisymbol{nkarta}{241}
★	\Pisymbol{nkarta}{82}		\Pisymbol{nkarta}{179}		\Pisymbol{nkarta}{242}
♣	\Pisymbol{nkarta}{83}		\Pisymbol{nkarta}{180}		\Pisymbol{nkarta}{243}
◎	\Pisymbol{nkarta}{84}		\Pisymbol{nkarta}{181}		\Pisymbol{nkarta}{244}
◡	\Pisymbol{nkarta}{85}		\Pisymbol{nkarta}{182}		\Pisymbol{nkarta}{245}
♣	\Pisymbol{nkarta}{86}		\Pisymbol{nkarta}{183}		\Pisymbol{nkarta}{246}
♣	\Pisymbol{nkarta}{87}		\Pisymbol{nkarta}{184}		\Pisymbol{nkarta}{247}
♣	\Pisymbol{nkarta}{88}		\Pisymbol{nkarta}{185}		\Pisymbol{nkarta}{248}
♣	\Pisymbol{nkarta}{89}		\Pisymbol{nkarta}{186}		\Pisymbol{nkarta}{249}
♣	\Pisymbol{nkarta}{90}		\Pisymbol{nkarta}{187}		\Pisymbol{nkarta}{250}
♣	\Pisymbol{nkarta}{91}		\Pisymbol{nkarta}{188}		\Pisymbol{nkarta}{251}
♣	\Pisymbol{nkarta}{92}		\Pisymbol{nkarta}{189}		\Pisymbol{nkarta}{252}
♣	\Pisymbol{nkarta}{93}		\Pisymbol{nkarta}{190}		\Pisymbol{nkarta}{253}
♣	\Pisymbol{nkarta}{94}		\Pisymbol{nkarta}{191}		\Pisymbol{nkarta}{254}
♣	\Pisymbol{nkarta}{95}		\Pisymbol{nkarta}{192}		

TABLE 498: moonphase Astronomical Symbols

	<code>\Pisymbol{moonphase}{0}</code>		<code>\Pisymbol{moonphase}{2}</code>
	<code>\Pisymbol{moonphase}{1}</code>		<code>\Pisymbol{moonphase}{3}</code>

TABLE 499: astrosym Astronomical Symbols

	<code>\Pisymbol{astrosym}{0}</code>		<code>\Pisymbol{astrosym}{132}</code>
	<code>\Pisymbol{astrosym}{1}</code>		<code>\Pisymbol{astrosym}{133}</code>
	<code>\Pisymbol{astrosym}{2}</code>		<code>\Pisymbol{astrosym}{134}</code>
	<code>\Pisymbol{astrosym}{3}</code>		<code>\Pisymbol{astrosym}{135}</code>
	<code>\Pisymbol{astrosym}{4}</code>		<code>\Pisymbol{astrosym}{136}</code>
	<code>\Pisymbol{astrosym}{5}</code>		<code>\Pisymbol{astrosym}{137}</code>
	<code>\Pisymbol{astrosym}{6}</code>		<code>\Pisymbol{astrosym}{138}</code>
	<code>\Pisymbol{astrosym}{7}</code>		<code>\Pisymbol{astrosym}{139}</code>
	<code>\Pisymbol{astrosym}{8}</code>		<code>\Pisymbol{astrosym}{140}</code>
	<code>\Pisymbol{astrosym}{9}</code>		<code>\Pisymbol{astrosym}{141}</code>
	<code>\Pisymbol{astrosym}{10}</code>		<code>\Pisymbol{astrosym}{142}</code>
	<code>\Pisymbol{astrosym}{11}</code>		<code>\Pisymbol{astrosym}{143}</code>
	<code>\Pisymbol{astrosym}{12}</code>		<code>\Pisymbol{astrosym}{144}</code>
	<code>\Pisymbol{astrosym}{13}</code>		<code>\Pisymbol{astrosym}{145}</code>
	<code>\Pisymbol{astrosym}{14}</code>		<code>\Pisymbol{astrosym}{146}</code>
	<code>\Pisymbol{astrosym}{15}</code>		<code>\Pisymbol{astrosym}{147}</code>
	<code>\Pisymbol{astrosym}{16}</code>		<code>\Pisymbol{astrosym}{148}</code>
	<code>\Pisymbol{astrosym}{17}</code>		<code>\Pisymbol{astrosym}{149}</code>
	<code>\Pisymbol{astrosym}{18}</code>		<code>\Pisymbol{astrosym}{150}</code>
	<code>\Pisymbol{astrosym}{19}</code>		<code>\Pisymbol{astrosym}{151}</code>
	<code>\Pisymbol{astrosym}{20}</code>		<code>\Pisymbol{astrosym}{152}</code>
	<code>\Pisymbol{astrosym}{21}</code>		<code>\Pisymbol{astrosym}{153}</code>
	<code>\Pisymbol{astrosym}{22}</code>		<code>\Pisymbol{astrosym}{154}</code>
	<code>\Pisymbol{astrosym}{23}</code>		<code>\Pisymbol{astrosym}{155}</code>
	<code>\Pisymbol{astrosym}{24}</code>		<code>\Pisymbol{astrosym}{156}</code>
	<code>\Pisymbol{astrosym}{25}</code>		<code>\Pisymbol{astrosym}{157}</code>
	<code>\Pisymbol{astrosym}{26}</code>		<code>\Pisymbol{astrosym}{158}</code>
	<code>\Pisymbol{astrosym}{27}</code>		<code>\Pisymbol{astrosym}{159}</code>
	<code>\Pisymbol{astrosym}{28}</code>		<code>\Pisymbol{astrosym}{160}</code>
	<code>\Pisymbol{astrosym}{29}</code>		<code>\Pisymbol{astrosym}{161}</code>
	<code>\Pisymbol{astrosym}{30}</code>		<code>\Pisymbol{astrosym}{162}</code>
	<code>\Pisymbol{astrosym}{31}</code>		<code>\Pisymbol{astrosym}{163}</code>
	<code>\Pisymbol{astrosym}{32}</code>		<code>\Pisymbol{astrosym}{164}</code>

(continued on next page)

(continued from previous page)

	\Pisymbol{astroSYM}{33}		\Pisymbol{astroSYM}{165}
	\Pisymbol{astroSYM}{34}		\Pisymbol{astroSYM}{166}
	\Pisymbol{astroSYM}{35}		\Pisymbol{astroSYM}{167}
	\Pisymbol{astroSYM}{36}		\Pisymbol{astroSYM}{168}
	\Pisymbol{astroSYM}{37}		\Pisymbol{astroSYM}{169}
	\Pisymbol{astroSYM}{38}		\Pisymbol{astroSYM}{178}
	\Pisymbol{astroSYM}{39}		\Pisymbol{astroSYM}{179}
	\Pisymbol{astroSYM}{40}		\Pisymbol{astroSYM}{180}
	\Pisymbol{astroSYM}{41}		\Pisymbol{astroSYM}{181}
	\Pisymbol{astroSYM}{42}		\Pisymbol{astroSYM}{182}
	\Pisymbol{astroSYM}{43}		\Pisymbol{astroSYM}{183}
	\Pisymbol{astroSYM}{44}		\Pisymbol{astroSYM}{184}
	\Pisymbol{astroSYM}{45}		\Pisymbol{astroSYM}{185}
	\Pisymbol{astroSYM}{46}		\Pisymbol{astroSYM}{186}
	\Pisymbol{astroSYM}{47}		\Pisymbol{astroSYM}{187}
	\Pisymbol{astroSYM}{48}		\Pisymbol{astroSYM}{188}
	\Pisymbol{astroSYM}{49}		\Pisymbol{astroSYM}{189}
	\Pisymbol{astroSYM}{50}		\Pisymbol{astroSYM}{190}
	\Pisymbol{astroSYM}{51}		\Pisymbol{astroSYM}{191}
	\Pisymbol{astroSYM}{52}		\Pisymbol{astroSYM}{200}
	\Pisymbol{astroSYM}{53}		\Pisymbol{astroSYM}{201}
	\Pisymbol{astroSYM}{54}		\Pisymbol{astroSYM}{202}
	\Pisymbol{astroSYM}{55}		\Pisymbol{astroSYM}{203}
	\Pisymbol{astroSYM}{56}		\Pisymbol{astroSYM}{204}
	\Pisymbol{astroSYM}{57}		\Pisymbol{astroSYM}{205}
	\Pisymbol{astroSYM}{58}		\Pisymbol{astroSYM}{206}
	\Pisymbol{astroSYM}{59}		\Pisymbol{astroSYM}{207}
	\Pisymbol{astroSYM}{60}		\Pisymbol{astroSYM}{208}
	\Pisymbol{astroSYM}{61}		\Pisymbol{astroSYM}{209}
	\Pisymbol{astroSYM}{62}		\Pisymbol{astroSYM}{210}
	\Pisymbol{astroSYM}{63}		\Pisymbol{astroSYM}{211}
	\Pisymbol{astroSYM}{64}		\Pisymbol{astroSYM}{212}
	\Pisymbol{astroSYM}{65}		\Pisymbol{astroSYM}{213}
	\Pisymbol{astroSYM}{66}		\Pisymbol{astroSYM}{214}
	\Pisymbol{astroSYM}{67}		\Pisymbol{astroSYM}{215}
	\Pisymbol{astroSYM}{68}		\Pisymbol{astroSYM}{216}
	\Pisymbol{astroSYM}{69}		\Pisymbol{astroSYM}{217}
	\Pisymbol{astroSYM}{90}		\Pisymbol{astroSYM}{218}
	\Pisymbol{astroSYM}{91}		\Pisymbol{astroSYM}{219}
	\Pisymbol{astroSYM}{92}		\Pisymbol{astroSYM}{220}
	\Pisymbol{astroSYM}{93}		\Pisymbol{astroSYM}{221}

(continued on next page)

(continued from previous page)

	<code>\Pisymbol{astrosym}{94}</code>		<code>\Pisymbol{astrosym}{222}</code>
	<code>\Pisymbol{astrosym}{95}</code>		<code>\Pisymbol{astrosym}{223}</code>
	<code>\Pisymbol{astrosym}{100}</code>		<code>\Pisymbol{astrosym}{224}</code>
	<code>\Pisymbol{astrosym}{101}</code>		<code>\Pisymbol{astrosym}{225}</code>
	<code>\Pisymbol{astrosym}{102}</code>		<code>\Pisymbol{astrosym}{226}</code>
	<code>\Pisymbol{astrosym}{103}</code>		<code>\Pisymbol{astrosym}{227}</code>
	<code>\Pisymbol{astrosym}{104}</code>		<code>\Pisymbol{astrosym}{228}</code>
	<code>\Pisymbol{astrosym}{105}</code>		<code>\Pisymbol{astrosym}{229}</code>
	<code>\Pisymbol{astrosym}{106}</code>		<code>\Pisymbol{astrosym}{230}</code>
	<code>\Pisymbol{astrosym}{107}</code>		<code>\Pisymbol{astrosym}{231}</code>
	<code>\Pisymbol{astrosym}{108}</code>		<code>\Pisymbol{astrosym}{232}</code>
	<code>\Pisymbol{astrosym}{109}</code>		<code>\Pisymbol{astrosym}{233}</code>
	<code>\Pisymbol{astrosym}{110}</code>		<code>\Pisymbol{astrosym}{234}</code>
	<code>\Pisymbol{astrosym}{111}</code>		<code>\Pisymbol{astrosym}{235}</code>
	<code>\Pisymbol{astrosym}{112}</code>		<code>\Pisymbol{astrosym}{236}</code>
	<code>\Pisymbol{astrosym}{113}</code>		<code>\Pisymbol{astrosym}{237}</code>
	<code>\Pisymbol{astrosym}{114}</code>		<code>\Pisymbol{astrosym}{238}</code>
	<code>\Pisymbol{astrosym}{115}</code>		<code>\Pisymbol{astrosym}{239}</code>
	<code>\Pisymbol{astrosym}{116}</code>		<code>\Pisymbol{astrosym}{240}</code>
	<code>\Pisymbol{astrosym}{117}</code>		<code>\Pisymbol{astrosym}{241}</code>
	<code>\Pisymbol{astrosym}{118}</code>		<code>\Pisymbol{astrosym}{242}</code>
	<code>\Pisymbol{astrosym}{119}</code>		<code>\Pisymbol{astrosym}{243}</code>
	<code>\Pisymbol{astrosym}{120}</code>		<code>\Pisymbol{astrosym}{244}</code>
	<code>\Pisymbol{astrosym}{121}</code>		<code>\Pisymbol{astrosym}{245}</code>
	<code>\Pisymbol{astrosym}{122}</code>		<code>\Pisymbol{astrosym}{246}</code>
	<code>\Pisymbol{astrosym}{123}</code>		<code>\Pisymbol{astrosym}{247}</code>
	<code>\Pisymbol{astrosym}{124}</code>		<code>\Pisymbol{astrosym}{248}</code>
	<code>\Pisymbol{astrosym}{125}</code>		<code>\Pisymbol{astrosym}{249}</code>
	<code>\Pisymbol{astrosym}{126}</code>		<code>\Pisymbol{astrosym}{250}</code>
	<code>\Pisymbol{astrosym}{127}</code>		<code>\Pisymbol{astrosym}{251}</code>
	<code>\Pisymbol{astrosym}{128}</code>		<code>\Pisymbol{astrosym}{252}</code>
	<code>\Pisymbol{astrosym}{129}</code>		<code>\Pisymbol{astrosym}{253}</code>
	<code>\Pisymbol{astrosym}{130}</code>		<code>\Pisymbol{astrosym}{254}</code>
	<code>\Pisymbol{astrosym}{131}</code>		<code>\Pisymbol{astrosym}{255}</code>

TABLE 500: webomints Decorative Borders

	<code>\Pisymbol{WebOMintsGD}{47}</code>		<code>\Pisymbol{WebOMintsGD}{87}</code>
	<code>\Pisymbol{WebOMintsGD}{48}</code>		<code>\Pisymbol{WebOMintsGD}{88}</code>
	<code>\Pisymbol{WebOMintsGD}{49}</code>		<code>\Pisymbol{WebOMintsGD}{89}</code>
	<code>\Pisymbol{WebOMintsGD}{50}</code>		<code>\Pisymbol{WebOMintsGD}{90}</code>
	<code>\Pisymbol{WebOMintsGD}{51}</code>		<code>\Pisymbol{WebOMintsGD}{91}</code>
	<code>\Pisymbol{WebOMintsGD}{52}</code>		<code>\Pisymbol{WebOMintsGD}{93}</code>
	<code>\Pisymbol{WebOMintsGD}{53}</code>		<code>\Pisymbol{WebOMintsGD}{97}</code>
	<code>\Pisymbol{WebOMintsGD}{54}</code>		<code>\Pisymbol{WebOMintsGD}{98}</code>
	<code>\Pisymbol{WebOMintsGD}{55}</code>		<code>\Pisymbol{WebOMintsGD}{99}</code>
	<code>\Pisymbol{WebOMintsGD}{56}</code>		<code>\Pisymbol{WebOMintsGD}{100}</code>
	<code>\Pisymbol{WebOMintsGD}{57}</code>		<code>\Pisymbol{WebOMintsGD}{101}</code>
	<code>\Pisymbol{WebOMintsGD}{65}</code>		<code>\Pisymbol{WebOMintsGD}{102}</code>
	<code>\Pisymbol{WebOMintsGD}{66}</code>		<code>\Pisymbol{WebOMintsGD}{103}</code>
	<code>\Pisymbol{WebOMintsGD}{67}</code>		<code>\Pisymbol{WebOMintsGD}{104}</code>
	<code>\Pisymbol{WebOMintsGD}{68}</code>		<code>\Pisymbol{WebOMintsGD}{105}</code>
	<code>\Pisymbol{WebOMintsGD}{69}</code>		<code>\Pisymbol{WebOMintsGD}{106}</code>
	<code>\Pisymbol{WebOMintsGD}{70}</code>		<code>\Pisymbol{WebOMintsGD}{107}</code>
	<code>\Pisymbol{WebOMintsGD}{71}</code>		<code>\Pisymbol{WebOMintsGD}{108}</code>
	<code>\Pisymbol{WebOMintsGD}{72}</code>		<code>\Pisymbol{WebOMintsGD}{109}</code>
	<code>\Pisymbol{WebOMintsGD}{73}</code>		<code>\Pisymbol{WebOMintsGD}{110}</code>
	<code>\Pisymbol{WebOMintsGD}{74}</code>		<code>\Pisymbol{WebOMintsGD}{111}</code>
	<code>\Pisymbol{WebOMintsGD}{75}</code>		<code>\Pisymbol{WebOMintsGD}{112}</code>
	<code>\Pisymbol{WebOMintsGD}{76}</code>		<code>\Pisymbol{WebOMintsGD}{113}</code>
	<code>\Pisymbol{WebOMintsGD}{77}</code>		<code>\Pisymbol{WebOMintsGD}{114}</code>
	<code>\Pisymbol{WebOMintsGD}{78}</code>		<code>\Pisymbol{WebOMintsGD}{115}</code>
	<code>\Pisymbol{WebOMintsGD}{79}</code>		<code>\Pisymbol{WebOMintsGD}{116}</code>
	<code>\Pisymbol{WebOMintsGD}{80}</code>		<code>\Pisymbol{WebOMintsGD}{117}</code>
	<code>\Pisymbol{WebOMintsGD}{81}</code>		<code>\Pisymbol{WebOMintsGD}{118}</code>
	<code>\Pisymbol{WebOMintsGD}{82}</code>		<code>\Pisymbol{WebOMintsGD}{119}</code>
	<code>\Pisymbol{WebOMintsGD}{83}</code>		<code>\Pisymbol{WebOMintsGD}{120}</code>
	<code>\Pisymbol{WebOMintsGD}{84}</code>		<code>\Pisymbol{WebOMintsGD}{121}</code>
	<code>\Pisymbol{WebOMintsGD}{85}</code>		<code>\Pisymbol{WebOMintsGD}{122}</code>
	<code>\Pisymbol{WebOMintsGD}{86}</code>		

`webomints` provides a `uwebo.fd` font-definition file. Instead of using `pifont` and `\Pisymbol` to typeset a glyph, a document can select the `webomints` font directly. For example, `{\usefont{U}{webo}{x1}{n}\char73\char74}`—alternatively, `{\usefont{U}{webo}{x1}{n}IJ}`—will typeset “ ”. This can be useful for typesetting a number of `webomints` glyphs in a row.

The `niceframe` package can be used to typeset decorative frames using fonts such as `webomints`.

TABLE 501: umranda Decorative Borders

	<code>\Pisymbol{umranda}{0}</code>		<code>\Pisymbol{umranda}{34}</code>		<code>\Pisymbol{umranda}{68}</code>
	<code>\Pisymbol{umranda}{1}</code>		<code>\Pisymbol{umranda}{35}</code>		<code>\Pisymbol{umranda}{69}</code>
	<code>\Pisymbol{umranda}{2}</code>		<code>\Pisymbol{umranda}{36}</code>		<code>\Pisymbol{umranda}{70}</code>
	<code>\Pisymbol{umranda}{3}</code>		<code>\Pisymbol{umranda}{37}</code>		<code>\Pisymbol{umranda}{71}</code>
	<code>\Pisymbol{umranda}{4}</code>		<code>\Pisymbol{umranda}{38}</code>		<code>\Pisymbol{umranda}{72}</code>
	<code>\Pisymbol{umranda}{5}</code>		<code>\Pisymbol{umranda}{39}</code>		<code>\Pisymbol{umranda}{73}</code>
	<code>\Pisymbol{umranda}{6}</code>		<code>\Pisymbol{umranda}{40}</code>		<code>\Pisymbol{umranda}{74}</code>
	<code>\Pisymbol{umranda}{7}</code>		<code>\Pisymbol{umranda}{41}</code>		<code>\Pisymbol{umranda}{75}</code>
	<code>\Pisymbol{umranda}{8}</code>		<code>\Pisymbol{umranda}{42}</code>		<code>\Pisymbol{umranda}{76}</code>
	<code>\Pisymbol{umranda}{9}</code>		<code>\Pisymbol{umranda}{43}</code>		<code>\Pisymbol{umranda}{77}</code>
	<code>\Pisymbol{umranda}{10}</code>		<code>\Pisymbol{umranda}{44}</code>		<code>\Pisymbol{umranda}{78}</code>
	<code>\Pisymbol{umranda}{11}</code>		<code>\Pisymbol{umranda}{45}</code>		<code>\Pisymbol{umranda}{79}</code>
	<code>\Pisymbol{umranda}{12}</code>		<code>\Pisymbol{umranda}{46}</code>		<code>\Pisymbol{umranda}{80}</code>
	<code>\Pisymbol{umranda}{13}</code>		<code>\Pisymbol{umranda}{47}</code>		<code>\Pisymbol{umranda}{81}</code>
	<code>\Pisymbol{umranda}{14}</code>		<code>\Pisymbol{umranda}{48}</code>		<code>\Pisymbol{umranda}{82}</code>
	<code>\Pisymbol{umranda}{15}</code>		<code>\Pisymbol{umranda}{49}</code>		<code>\Pisymbol{umranda}{83}</code>
	<code>\Pisymbol{umranda}{16}</code>		<code>\Pisymbol{umranda}{50}</code>		<code>\Pisymbol{umranda}{84}</code>
	<code>\Pisymbol{umranda}{17}</code>		<code>\Pisymbol{umranda}{51}</code>		<code>\Pisymbol{umranda}{85}</code>
	<code>\Pisymbol{umranda}{18}</code>		<code>\Pisymbol{umranda}{52}</code>		<code>\Pisymbol{umranda}{86}</code>
	<code>\Pisymbol{umranda}{19}</code>		<code>\Pisymbol{umranda}{53}</code>		<code>\Pisymbol{umranda}{87}</code>
	<code>\Pisymbol{umranda}{20}</code>		<code>\Pisymbol{umranda}{54}</code>		<code>\Pisymbol{umranda}{88}</code>
	<code>\Pisymbol{umranda}{21}</code>		<code>\Pisymbol{umranda}{55}</code>		<code>\Pisymbol{umranda}{89}</code>
	<code>\Pisymbol{umranda}{22}</code>		<code>\Pisymbol{umranda}{56}</code>		<code>\Pisymbol{umranda}{90}</code>
	<code>\Pisymbol{umranda}{23}</code>		<code>\Pisymbol{umranda}{57}</code>		<code>\Pisymbol{umranda}{91}</code>
	<code>\Pisymbol{umranda}{24}</code>		<code>\Pisymbol{umranda}{58}</code>		<code>\Pisymbol{umranda}{92}</code>
	<code>\Pisymbol{umranda}{25}</code>		<code>\Pisymbol{umranda}{59}</code>		<code>\Pisymbol{umranda}{93}</code>
	<code>\Pisymbol{umranda}{26}</code>		<code>\Pisymbol{umranda}{60}</code>		<code>\Pisymbol{umranda}{94}</code>
	<code>\Pisymbol{umranda}{27}</code>		<code>\Pisymbol{umranda}{61}</code>		<code>\Pisymbol{umranda}{95}</code>
	<code>\Pisymbol{umranda}{28}</code>		<code>\Pisymbol{umranda}{62}</code>		<code>\Pisymbol{umranda}{96}</code>
	<code>\Pisymbol{umranda}{29}</code>		<code>\Pisymbol{umranda}{63}</code>		<code>\Pisymbol{umranda}{97}</code>
	<code>\Pisymbol{umranda}{30}</code>		<code>\Pisymbol{umranda}{64}</code>		<code>\Pisymbol{umranda}{98}</code>
	<code>\Pisymbol{umranda}{31}</code>		<code>\Pisymbol{umranda}{65}</code>		<code>\Pisymbol{umranda}{99}</code>
	<code>\Pisymbol{umranda}{32}</code>		<code>\Pisymbol{umranda}{66}</code>		<code>\Pisymbol{umranda}{100}</code>
	<code>\Pisymbol{umranda}{33}</code>		<code>\Pisymbol{umranda}{67}</code>		<code>\Pisymbol{umranda}{101}</code>

The niceframe package can be used to typeset decorative frames using fonts such as umranda.

TABLE 502: umrandb Decorative Borders

	\Pisymbol{umrandb}{0}		\Pisymbol{umrandb}{42}		\Pisymbol{umrandb}{84}
	\Pisymbol{umrandb}{1}		\Pisymbol{umrandb}{43}		\Pisymbol{umrandb}{85}
	\Pisymbol{umrandb}{2}		\Pisymbol{umrandb}{44}		\Pisymbol{umrandb}{86}
	\Pisymbol{umrandb}{3}		\Pisymbol{umrandb}{45}		\Pisymbol{umrandb}{87}
	\Pisymbol{umrandb}{4}		\Pisymbol{umrandb}{46}		\Pisymbol{umrandb}{88}
	\Pisymbol{umrandb}{5}		\Pisymbol{umrandb}{47}		\Pisymbol{umrandb}{89}
	\Pisymbol{umrandb}{6}		\Pisymbol{umrandb}{48}		\Pisymbol{umrandb}{90}
	\Pisymbol{umrandb}{7}		\Pisymbol{umrandb}{49}		\Pisymbol{umrandb}{91}
	\Pisymbol{umrandb}{8}		\Pisymbol{umrandb}{50}		\Pisymbol{umrandb}{92}
	\Pisymbol{umrandb}{9}		\Pisymbol{umrandb}{51}		\Pisymbol{umrandb}{93}
	\Pisymbol{umrandb}{10}		\Pisymbol{umrandb}{52}		\Pisymbol{umrandb}{94}
	\Pisymbol{umrandb}{11}		\Pisymbol{umrandb}{53}		\Pisymbol{umrandb}{95}
	\Pisymbol{umrandb}{12}		\Pisymbol{umrandb}{54}		\Pisymbol{umrandb}{96}
	\Pisymbol{umrandb}{13}		\Pisymbol{umrandb}{55}		\Pisymbol{umrandb}{97}
	\Pisymbol{umrandb}{14}		\Pisymbol{umrandb}{56}		\Pisymbol{umrandb}{98}
	\Pisymbol{umrandb}{15}		\Pisymbol{umrandb}{57}		\Pisymbol{umrandb}{99}
	\Pisymbol{umrandb}{16}		\Pisymbol{umrandb}{58}		\Pisymbol{umrandb}{100}
	\Pisymbol{umrandb}{17}		\Pisymbol{umrandb}{59}		\Pisymbol{umrandb}{101}
	\Pisymbol{umrandb}{18}		\Pisymbol{umrandb}{60}		\Pisymbol{umrandb}{102}
	\Pisymbol{umrandb}{19}		\Pisymbol{umrandb}{61}		\Pisymbol{umrandb}{103}
	\Pisymbol{umrandb}{20}		\Pisymbol{umrandb}{62}		\Pisymbol{umrandb}{104}
	\Pisymbol{umrandb}{21}		\Pisymbol{umrandb}{63}		\Pisymbol{umrandb}{105}
	\Pisymbol{umrandb}{22}		\Pisymbol{umrandb}{64}		\Pisymbol{umrandb}{106}
	\Pisymbol{umrandb}{23}		\Pisymbol{umrandb}{65}		\Pisymbol{umrandb}{107}
	\Pisymbol{umrandb}{24}		\Pisymbol{umrandb}{66}		\Pisymbol{umrandb}{108}
	\Pisymbol{umrandb}{25}		\Pisymbol{umrandb}{67}		\Pisymbol{umrandb}{109}
	\Pisymbol{umrandb}{26}		\Pisymbol{umrandb}{68}		\Pisymbol{umrandb}{110}
	\Pisymbol{umrandb}{27}		\Pisymbol{umrandb}{69}		\Pisymbol{umrandb}{111}
	\Pisymbol{umrandb}{28}		\Pisymbol{umrandb}{70}		\Pisymbol{umrandb}{112}
	\Pisymbol{umrandb}{29}		\Pisymbol{umrandb}{71}		\Pisymbol{umrandb}{113}
	\Pisymbol{umrandb}{30}		\Pisymbol{umrandb}{72}		\Pisymbol{umrandb}{114}
	\Pisymbol{umrandb}{31}		\Pisymbol{umrandb}{73}		\Pisymbol{umrandb}{115}
	\Pisymbol{umrandb}{32}		\Pisymbol{umrandb}{74}		\Pisymbol{umrandb}{116}
	\Pisymbol{umrandb}{33}		\Pisymbol{umrandb}{75}		\Pisymbol{umrandb}{117}
	\Pisymbol{umrandb}{34}		\Pisymbol{umrandb}{76}		\Pisymbol{umrandb}{118}
	\Pisymbol{umrandb}{35}		\Pisymbol{umrandb}{77}		\Pisymbol{umrandb}{119}
	\Pisymbol{umrandb}{36}		\Pisymbol{umrandb}{78}		\Pisymbol{umrandb}{120}
	\Pisymbol{umrandb}{37}		\Pisymbol{umrandb}{79}		\Pisymbol{umrandb}{121}
	\Pisymbol{umrandb}{38}		\Pisymbol{umrandb}{80}		\Pisymbol{umrandb}{122}
	\Pisymbol{umrandb}{39}		\Pisymbol{umrandb}{81}		\Pisymbol{umrandb}{123}
	\Pisymbol{umrandb}{40}		\Pisymbol{umrandb}{82}		
	\Pisymbol{umrandb}{41}		\Pisymbol{umrandb}{83}		

The niceframe package can be used to typeset decorative frames using fonts such as umrandb.

TABLE 503: dingbat Decorative Borders

	<code>\Pisymbol{dingbat}{69}</code>		<code>\Pisymbol{dingbat}{97}</code>
	<code>\Pisymbol{dingbat}{70}</code>		<code>\Pisymbol{dingbat}{98}</code>
	<code>\Pisymbol{dingbat}{71}</code>		<code>\Pisymbol{dingbat}{99}</code>
	<code>\Pisymbol{dingbat}{72}</code>		<code>\Pisymbol{dingbat}{100}</code>
	<code>\Pisymbol{dingbat}{74}</code>		<code>\Pisymbol{dingbat}{101}</code>
	<code>\Pisymbol{dingbat}{75}</code>		<code>\Pisymbol{dingbat}{102}</code>
	<code>\Pisymbol{dingbat}{76}</code>		<code>\Pisymbol{dingbat}{103}</code>
	<code>\Pisymbol{dingbat}{77}</code>		<code>\Pisymbol{dingbat}{104}</code>

The preceding table is incomplete in that it includes only unnamed dingbat symbols. Named symbols are included in Table 343 and Table 387 (both intermixed with symbols from the ark10 font).

The `dingbat` package includes a `udingbat.fd` file so a document does not need to specify the `\DeclareFontFamily` and `\DeclareFontShape` commands list at the beginning of Section 9.

The `niceframe` package can be used to typeset decorative frames using fonts such as `dingbat`.

TABLE 504: knot Celtic Knots

	<code>\Pisymbol{knot1}{48}</code>		<code>\Pisymbol{knot1}{68}</code>		<code>\Pisymbol{knot1}{84}</code>
	<code>\Pisymbol{knot1}{49}</code>		<code>\Pisymbol{knot1}{69}</code>		<code>\Pisymbol{knot1}{85}</code>
	<code>\Pisymbol{knot1}{50}</code>		<code>\Pisymbol{knot1}{70}</code>		<code>\Pisymbol{knot1}{86}</code>
	<code>\Pisymbol{knot1}{51}</code>		<code>\Pisymbol{knot1}{71}</code>		<code>\Pisymbol{knot1}{87}</code>
	<code>\Pisymbol{knot1}{52}</code>		<code>\Pisymbol{knot1}{72}</code>		<code>\Pisymbol{knot1}{88}</code>
	<code>\Pisymbol{knot1}{53}</code>		<code>\Pisymbol{knot1}{73}</code>		<code>\Pisymbol{knot1}{96}</code>
	<code>\Pisymbol{knot1}{58}</code>		<code>\Pisymbol{knot1}{74}</code>		<code>\Pisymbol{knot1}{97}</code>
	<code>\Pisymbol{knot1}{59}</code>		<code>\Pisymbol{knot1}{75}</code>		<code>\Pisymbol{knot1}{98}</code>
	<code>\Pisymbol{knot1}{60}</code>		<code>\Pisymbol{knot1}{76}</code>		<code>\Pisymbol{knot1}{99}</code>
	<code>\Pisymbol{knot1}{61}</code>		<code>\Pisymbol{knot1}{77}</code>		<code>\Pisymbol{knot1}{100}</code>

(continued on next page)

(continued from previous page)

	\Pisymbol{knot1}{62}		\Pisymbol{knot1}{78}		\Pisymbol{knot1}{101}
	\Pisymbol{knot1}{63}		\Pisymbol{knot1}{79}		\Pisymbol{knot1}{102}
	\Pisymbol{knot1}{64}		\Pisymbol{knot1}{80}		\Pisymbol{knot1}{103}
	\Pisymbol{knot1}{65}		\Pisymbol{knot1}{81}		\Pisymbol{knot1}{104}
	\Pisymbol{knot1}{66}		\Pisymbol{knot1}{82}		\Pisymbol{knot1}{105}
	\Pisymbol{knot1}{67}		\Pisymbol{knot1}{83}		
	\Pisymbol{knot2}{48}		\Pisymbol{knot2}{68}		\Pisymbol{knot2}{84}
	\Pisymbol{knot2}{49}		\Pisymbol{knot2}{69}		\Pisymbol{knot2}{85}
	\Pisymbol{knot2}{50}		\Pisymbol{knot2}{70}		\Pisymbol{knot2}{86}
	\Pisymbol{knot2}{51}		\Pisymbol{knot2}{71}		\Pisymbol{knot2}{87}
	\Pisymbol{knot2}{52}		\Pisymbol{knot2}{72}		\Pisymbol{knot2}{88}
	\Pisymbol{knot2}{53}		\Pisymbol{knot2}{73}		\Pisymbol{knot2}{96}
	\Pisymbol{knot2}{58}		\Pisymbol{knot2}{74}		\Pisymbol{knot2}{97}
	\Pisymbol{knot2}{59}		\Pisymbol{knot2}{75}		\Pisymbol{knot2}{98}
	\Pisymbol{knot2}{60}		\Pisymbol{knot2}{76}		\Pisymbol{knot2}{99}
	\Pisymbol{knot2}{61}		\Pisymbol{knot2}{77}		\Pisymbol{knot2}{100}
	\Pisymbol{knot2}{62}		\Pisymbol{knot2}{78}		\Pisymbol{knot2}{101}
	\Pisymbol{knot2}{63}		\Pisymbol{knot2}{79}		\Pisymbol{knot2}{102}
	\Pisymbol{knot2}{64}		\Pisymbol{knot2}{80}		\Pisymbol{knot2}{103}
	\Pisymbol{knot2}{65}		\Pisymbol{knot2}{81}		\Pisymbol{knot2}{104}
	\Pisymbol{knot2}{66}		\Pisymbol{knot2}{82}		\Pisymbol{knot2}{105}
	\Pisymbol{knot2}{67}		\Pisymbol{knot2}{83}		
	\Pisymbol{knot3}{48}		\Pisymbol{knot3}{68}		\Pisymbol{knot3}{84}
	\Pisymbol{knot3}{49}		\Pisymbol{knot3}{69}		\Pisymbol{knot3}{85}
	\Pisymbol{knot3}{50}		\Pisymbol{knot3}{70}		\Pisymbol{knot3}{86}
	\Pisymbol{knot3}{51}		\Pisymbol{knot3}{71}		\Pisymbol{knot3}{87}
	\Pisymbol{knot3}{52}		\Pisymbol{knot3}{72}		\Pisymbol{knot3}{88}
	\Pisymbol{knot3}{53}		\Pisymbol{knot3}{73}		\Pisymbol{knot3}{96}
	\Pisymbol{knot3}{58}		\Pisymbol{knot3}{74}		\Pisymbol{knot3}{97}
	\Pisymbol{knot3}{59}		\Pisymbol{knot3}{75}		\Pisymbol{knot3}{98}
	\Pisymbol{knot3}{60}		\Pisymbol{knot3}{76}		\Pisymbol{knot3}{99}
	\Pisymbol{knot3}{61}		\Pisymbol{knot3}{77}		\Pisymbol{knot3}{100}
	\Pisymbol{knot3}{62}		\Pisymbol{knot3}{78}		\Pisymbol{knot3}{101}
	\Pisymbol{knot3}{63}		\Pisymbol{knot3}{79}		\Pisymbol{knot3}{102}
	\Pisymbol{knot3}{64}		\Pisymbol{knot3}{80}		\Pisymbol{knot3}{103}
	\Pisymbol{knot3}{65}		\Pisymbol{knot3}{81}		\Pisymbol{knot3}{104}
	\Pisymbol{knot3}{66}		\Pisymbol{knot3}{82}		\Pisymbol{knot3}{105}

(continued on next page)

(continued from previous page)



	<code>\Pisymbol{knot3}{67}</code>		<code>\Pisymbol{knot3}{83}</code>		
	<code>\Pisymbol{knot4}{48}</code>		<code>\Pisymbol{knot4}{68}</code>		<code>\Pisymbol{knot4}{84}</code>
	<code>\Pisymbol{knot4}{49}</code>		<code>\Pisymbol{knot4}{69}</code>		<code>\Pisymbol{knot4}{85}</code>
	<code>\Pisymbol{knot4}{50}</code>		<code>\Pisymbol{knot4}{70}</code>		<code>\Pisymbol{knot4}{86}</code>
	<code>\Pisymbol{knot4}{51}</code>		<code>\Pisymbol{knot4}{71}</code>		<code>\Pisymbol{knot4}{87}</code>
	<code>\Pisymbol{knot4}{52}</code>		<code>\Pisymbol{knot4}{72}</code>		<code>\Pisymbol{knot4}{88}</code>
	<code>\Pisymbol{knot4}{53}</code>		<code>\Pisymbol{knot4}{73}</code>		<code>\Pisymbol{knot4}{96}</code>
	<code>\Pisymbol{knot4}{58}</code>		<code>\Pisymbol{knot4}{74}</code>		<code>\Pisymbol{knot4}{97}</code>
	<code>\Pisymbol{knot4}{59}</code>		<code>\Pisymbol{knot4}{75}</code>		<code>\Pisymbol{knot4}{98}</code>
	<code>\Pisymbol{knot4}{60}</code>		<code>\Pisymbol{knot4}{76}</code>		<code>\Pisymbol{knot4}{99}</code>
	<code>\Pisymbol{knot4}{61}</code>		<code>\Pisymbol{knot4}{77}</code>		<code>\Pisymbol{knot4}{100}</code>
	<code>\Pisymbol{knot4}{62}</code>		<code>\Pisymbol{knot4}{78}</code>		<code>\Pisymbol{knot4}{101}</code>
	<code>\Pisymbol{knot4}{63}</code>		<code>\Pisymbol{knot4}{79}</code>		<code>\Pisymbol{knot4}{102}</code>
	<code>\Pisymbol{knot4}{64}</code>		<code>\Pisymbol{knot4}{80}</code>		<code>\Pisymbol{knot4}{103}</code>
	<code>\Pisymbol{knot4}{65}</code>		<code>\Pisymbol{knot4}{81}</code>		<code>\Pisymbol{knot4}{104}</code>
	<code>\Pisymbol{knot4}{66}</code>		<code>\Pisymbol{knot4}{82}</code>		<code>\Pisymbol{knot4}{105}</code>
	<code>\Pisymbol{knot4}{67}</code>		<code>\Pisymbol{knot4}{83}</code>		
	<code>\Pisymbol{knot5}{48}</code>		<code>\Pisymbol{knot5}{68}</code>		<code>\Pisymbol{knot5}{84}</code>
	<code>\Pisymbol{knot5}{49}</code>		<code>\Pisymbol{knot5}{69}</code>		<code>\Pisymbol{knot5}{85}</code>
	<code>\Pisymbol{knot5}{50}</code>		<code>\Pisymbol{knot5}{70}</code>		<code>\Pisymbol{knot5}{86}</code>
	<code>\Pisymbol{knot5}{51}</code>		<code>\Pisymbol{knot5}{71}</code>		<code>\Pisymbol{knot5}{87}</code>
	<code>\Pisymbol{knot5}{52}</code>		<code>\Pisymbol{knot5}{72}</code>		<code>\Pisymbol{knot5}{88}</code>
	<code>\Pisymbol{knot5}{53}</code>		<code>\Pisymbol{knot5}{73}</code>		<code>\Pisymbol{knot5}{96}</code>
	<code>\Pisymbol{knot5}{58}</code>		<code>\Pisymbol{knot5}{74}</code>		<code>\Pisymbol{knot5}{97}</code>
	<code>\Pisymbol{knot5}{59}</code>		<code>\Pisymbol{knot5}{75}</code>		<code>\Pisymbol{knot5}{98}</code>
	<code>\Pisymbol{knot5}{60}</code>		<code>\Pisymbol{knot5}{76}</code>		<code>\Pisymbol{knot5}{99}</code>
	<code>\Pisymbol{knot5}{61}</code>		<code>\Pisymbol{knot5}{77}</code>		<code>\Pisymbol{knot5}{100}</code>
	<code>\Pisymbol{knot5}{62}</code>		<code>\Pisymbol{knot5}{78}</code>		<code>\Pisymbol{knot5}{101}</code>
	<code>\Pisymbol{knot5}{63}</code>		<code>\Pisymbol{knot5}{79}</code>		<code>\Pisymbol{knot5}{102}</code>
	<code>\Pisymbol{knot5}{64}</code>		<code>\Pisymbol{knot5}{80}</code>		<code>\Pisymbol{knot5}{103}</code>
	<code>\Pisymbol{knot5}{65}</code>		<code>\Pisymbol{knot5}{81}</code>		<code>\Pisymbol{knot5}{104}</code>
	<code>\Pisymbol{knot5}{66}</code>		<code>\Pisymbol{knot5}{82}</code>		<code>\Pisymbol{knot5}{105}</code>
	<code>\Pisymbol{knot5}{67}</code>		<code>\Pisymbol{knot5}{83}</code>		
	<code>\Pisymbol{knot6}{48}</code>		<code>\Pisymbol{knot6}{68}</code>		<code>\Pisymbol{knot6}{84}</code>
	<code>\Pisymbol{knot6}{49}</code>		<code>\Pisymbol{knot6}{69}</code>		<code>\Pisymbol{knot6}{85}</code>
	<code>\Pisymbol{knot6}{50}</code>		<code>\Pisymbol{knot6}{70}</code>		<code>\Pisymbol{knot6}{86}</code>
	<code>\Pisymbol{knot6}{51}</code>		<code>\Pisymbol{knot6}{71}</code>		<code>\Pisymbol{knot6}{87}</code>

(continued on next page)

(continued from previous page)

•	\Pisymbol{knot6}{52}		\Pisymbol{knot6}{72}		\Pisymbol{knot6}{88}
	\Pisymbol{knot6}{53}		\Pisymbol{knot6}{73}		\Pisymbol{knot6}{96}
	\Pisymbol{knot6}{58}		\Pisymbol{knot6}{74}		\Pisymbol{knot6}{97}
	\Pisymbol{knot6}{59}		\Pisymbol{knot6}{75}		\Pisymbol{knot6}{98}
	\Pisymbol{knot6}{60}		\Pisymbol{knot6}{76}		\Pisymbol{knot6}{99}
	\Pisymbol{knot6}{61}		\Pisymbol{knot6}{77}		\Pisymbol{knot6}{100}
	\Pisymbol{knot6}{62}		\Pisymbol{knot6}{78}		\Pisymbol{knot6}{101}
	\Pisymbol{knot6}{63}		\Pisymbol{knot6}{79}		\Pisymbol{knot6}{102}
	\Pisymbol{knot6}{64}		\Pisymbol{knot6}{80}		\Pisymbol{knot6}{103}
	\Pisymbol{knot6}{65}		\Pisymbol{knot6}{81}		\Pisymbol{knot6}{104}
	\Pisymbol{knot6}{66}		\Pisymbol{knot6}{82}		\Pisymbol{knot6}{105}
	\Pisymbol{knot6}{67}		\Pisymbol{knot6}{83}		
	\Pisymbol{knot7}{48}		\Pisymbol{knot7}{68}		\Pisymbol{knot7}{84}
	\Pisymbol{knot7}{49}		\Pisymbol{knot7}{69}		\Pisymbol{knot7}{85}
	\Pisymbol{knot7}{50}		\Pisymbol{knot7}{70}		\Pisymbol{knot7}{86}
♦	\Pisymbol{knot7}{51}		\Pisymbol{knot7}{71}		\Pisymbol{knot7}{87}
•	\Pisymbol{knot7}{52}		\Pisymbol{knot7}{72}		\Pisymbol{knot7}{88}
	\Pisymbol{knot7}{53}		\Pisymbol{knot7}{73}		\Pisymbol{knot7}{96}
	\Pisymbol{knot7}{58}		\Pisymbol{knot7}{74}		\Pisymbol{knot7}{97}
	\Pisymbol{knot7}{59}		\Pisymbol{knot7}{75}		\Pisymbol{knot7}{98}
	\Pisymbol{knot7}{60}		\Pisymbol{knot7}{76}		\Pisymbol{knot7}{99}
	\Pisymbol{knot7}{61}		\Pisymbol{knot7}{77}		\Pisymbol{knot7}{100}
	\Pisymbol{knot7}{62}		\Pisymbol{knot7}{78}		\Pisymbol{knot7}{101}
	\Pisymbol{knot7}{63}		\Pisymbol{knot7}{79}		\Pisymbol{knot7}{102}
	\Pisymbol{knot7}{64}		\Pisymbol{knot7}{80}		\Pisymbol{knot7}{103}
	\Pisymbol{knot7}{65}		\Pisymbol{knot7}{81}		\Pisymbol{knot7}{104}
	\Pisymbol{knot7}{66}		\Pisymbol{knot7}{82}		\Pisymbol{knot7}{105}
	\Pisymbol{knot7}{67}		\Pisymbol{knot7}{83}		

The following is an example of a basic knot, using `\usefont{U}{knot<number>}{m}{n}` to change fonts for multiple characters instead of `\Pisymbol` to typeset one character at a time. Note that all of the characters in the knot fonts lie conveniently within the range of printable ASCII characters.

Input	knot1	knot2	knot3	knot4	knot5	knot6	knot7
CDB							
FHG							
@EA							

The niceframe package can be used to typeset decorative frames using fonts such as knot, especially using characters 48–63 of each font variant.

TABLE 505: dancers Dancing Men

 \Pisymbol{dancers}{0}	 \Pisymbol{dancers}{86}	 \Pisymbol{dancers}{172}
 \Pisymbol{dancers}{1}	 \Pisymbol{dancers}{87}	 \Pisymbol{dancers}{173}
 \Pisymbol{dancers}{2}	 \Pisymbol{dancers}{88}	 \Pisymbol{dancers}{174}
 \Pisymbol{dancers}{3}	 \Pisymbol{dancers}{89}	 \Pisymbol{dancers}{175}
 \Pisymbol{dancers}{4}	 \Pisymbol{dancers}{90}	 \Pisymbol{dancers}{176}
 \Pisymbol{dancers}{5}	 \Pisymbol{dancers}{91}	 \Pisymbol{dancers}{177}
 \Pisymbol{dancers}{6}	 \Pisymbol{dancers}{92}	 \Pisymbol{dancers}{178}
 \Pisymbol{dancers}{7}	 \Pisymbol{dancers}{93}	 \Pisymbol{dancers}{179}
 \Pisymbol{dancers}{8}	 \Pisymbol{dancers}{94}	 \Pisymbol{dancers}{180}
 \Pisymbol{dancers}{9}	 \Pisymbol{dancers}{95}	 \Pisymbol{dancers}{181}
 \Pisymbol{dancers}{10}	 \Pisymbol{dancers}{96}	 \Pisymbol{dancers}{182}
 \Pisymbol{dancers}{11}	 \Pisymbol{dancers}{97}	 \Pisymbol{dancers}{183}
 \Pisymbol{dancers}{12}	 \Pisymbol{dancers}{98}	 \Pisymbol{dancers}{184}
 \Pisymbol{dancers}{13}	 \Pisymbol{dancers}{99}	 \Pisymbol{dancers}{185}
 \Pisymbol{dancers}{14}	 \Pisymbol{dancers}{100}	 \Pisymbol{dancers}{186}
 \Pisymbol{dancers}{15}	 \Pisymbol{dancers}{101}	 \Pisymbol{dancers}{187}
 \Pisymbol{dancers}{16}	 \Pisymbol{dancers}{102}	 \Pisymbol{dancers}{188}
 \Pisymbol{dancers}{17}	 \Pisymbol{dancers}{103}	 \Pisymbol{dancers}{189}
 \Pisymbol{dancers}{18}	 \Pisymbol{dancers}{104}	 \Pisymbol{dancers}{190}
 \Pisymbol{dancers}{19}	 \Pisymbol{dancers}{105}	 \Pisymbol{dancers}{191}
 \Pisymbol{dancers}{20}	 \Pisymbol{dancers}{106}	 \Pisymbol{dancers}{192}
 \Pisymbol{dancers}{21}	 \Pisymbol{dancers}{107}	 \Pisymbol{dancers}{193}
 \Pisymbol{dancers}{22}	 \Pisymbol{dancers}{108}	 \Pisymbol{dancers}{194}
 \Pisymbol{dancers}{23}	 \Pisymbol{dancers}{109}	 \Pisymbol{dancers}{195}
 \Pisymbol{dancers}{24}	 \Pisymbol{dancers}{110}	 \Pisymbol{dancers}{196}
 \Pisymbol{dancers}{25}	 \Pisymbol{dancers}{111}	 \Pisymbol{dancers}{197}
 \Pisymbol{dancers}{26}	 \Pisymbol{dancers}{112}	 \Pisymbol{dancers}{198}
 \Pisymbol{dancers}{27}	 \Pisymbol{dancers}{113}	 \Pisymbol{dancers}{199}
 \Pisymbol{dancers}{28}	 \Pisymbol{dancers}{114}	 \Pisymbol{dancers}{200}
 \Pisymbol{dancers}{29}	 \Pisymbol{dancers}{115}	 \Pisymbol{dancers}{201}
 \Pisymbol{dancers}{30}	 \Pisymbol{dancers}{116}	 \Pisymbol{dancers}{202}
 \Pisymbol{dancers}{31}	 \Pisymbol{dancers}{117}	 \Pisymbol{dancers}{203}
 \Pisymbol{dancers}{32}	 \Pisymbol{dancers}{118}	 \Pisymbol{dancers}{204}
 \Pisymbol{dancers}{33}	 \Pisymbol{dancers}{119}	 \Pisymbol{dancers}{205}

(continued on next page)

(continued from previous page)

 \Pisymbol{dancers}{34}	 \Pisymbol{dancers}{120}	 \Pisymbol{dancers}{206}
 \Pisymbol{dancers}{35}	 \Pisymbol{dancers}{121}	 \Pisymbol{dancers}{207}
 \Pisymbol{dancers}{36}	 \Pisymbol{dancers}{122}	 \Pisymbol{dancers}{208}
 \Pisymbol{dancers}{37}	 \Pisymbol{dancers}{123}	 \Pisymbol{dancers}{209}
 \Pisymbol{dancers}{38}	 \Pisymbol{dancers}{124}	 \Pisymbol{dancers}{210}
 \Pisymbol{dancers}{39}	 \Pisymbol{dancers}{125}	 \Pisymbol{dancers}{211}
 \Pisymbol{dancers}{40}	 \Pisymbol{dancers}{126}	 \Pisymbol{dancers}{212}
 \Pisymbol{dancers}{41}	 \Pisymbol{dancers}{127}	 \Pisymbol{dancers}{213}
 \Pisymbol{dancers}{42}	 \Pisymbol{dancers}{128}	 \Pisymbol{dancers}{214}
 \Pisymbol{dancers}{43}	 \Pisymbol{dancers}{129}	 \Pisymbol{dancers}{215}
 \Pisymbol{dancers}{44}	 \Pisymbol{dancers}{130}	 \Pisymbol{dancers}{216}
 \Pisymbol{dancers}{45}	 \Pisymbol{dancers}{131}	 \Pisymbol{dancers}{217}
 \Pisymbol{dancers}{46}	 \Pisymbol{dancers}{132}	 \Pisymbol{dancers}{218}
 \Pisymbol{dancers}{47}	 \Pisymbol{dancers}{133}	 \Pisymbol{dancers}{219}
 \Pisymbol{dancers}{48}	 \Pisymbol{dancers}{134}	 \Pisymbol{dancers}{220}
 \Pisymbol{dancers}{49}	 \Pisymbol{dancers}{135}	 \Pisymbol{dancers}{221}
 \Pisymbol{dancers}{50}	 \Pisymbol{dancers}{136}	 \Pisymbol{dancers}{222}
 \Pisymbol{dancers}{51}	 \Pisymbol{dancers}{137}	 \Pisymbol{dancers}{223}
 \Pisymbol{dancers}{52}	 \Pisymbol{dancers}{138}	 \Pisymbol{dancers}{224}
 \Pisymbol{dancers}{53}	 \Pisymbol{dancers}{139}	 \Pisymbol{dancers}{225}
 \Pisymbol{dancers}{54}	 \Pisymbol{dancers}{140}	 \Pisymbol{dancers}{226}
 \Pisymbol{dancers}{55}	 \Pisymbol{dancers}{141}	 \Pisymbol{dancers}{227}
 \Pisymbol{dancers}{56}	 \Pisymbol{dancers}{142}	 \Pisymbol{dancers}{228}
 \Pisymbol{dancers}{57}	 \Pisymbol{dancers}{143}	 \Pisymbol{dancers}{229}
 \Pisymbol{dancers}{58}	 \Pisymbol{dancers}{144}	 \Pisymbol{dancers}{230}
 \Pisymbol{dancers}{59}	 \Pisymbol{dancers}{145}	 \Pisymbol{dancers}{231}
 \Pisymbol{dancers}{60}	 \Pisymbol{dancers}{146}	 \Pisymbol{dancers}{232}
 \Pisymbol{dancers}{61}	 \Pisymbol{dancers}{147}	 \Pisymbol{dancers}{233}
 \Pisymbol{dancers}{62}	 \Pisymbol{dancers}{148}	 \Pisymbol{dancers}{234}
 \Pisymbol{dancers}{63}	 \Pisymbol{dancers}{149}	 \Pisymbol{dancers}{235}
 \Pisymbol{dancers}{64}	 \Pisymbol{dancers}{150}	 \Pisymbol{dancers}{236}
 \Pisymbol{dancers}{65}	 \Pisymbol{dancers}{151}	 \Pisymbol{dancers}{237}
 \Pisymbol{dancers}{66}	 \Pisymbol{dancers}{152}	 \Pisymbol{dancers}{238}
 \Pisymbol{dancers}{67}	 \Pisymbol{dancers}{153}	 \Pisymbol{dancers}{239}
 \Pisymbol{dancers}{68}	 \Pisymbol{dancers}{154}	 \Pisymbol{dancers}{240}

(continued on next page)

(continued from previous page)

	<code>\Pisymbol{dancers}{69}</code>		<code>\Pisymbol{dancers}{155}</code>		<code>\Pisymbol{dancers}{241}</code>
	<code>\Pisymbol{dancers}{70}</code>		<code>\Pisymbol{dancers}{156}</code>		<code>\Pisymbol{dancers}{242}</code>
	<code>\Pisymbol{dancers}{71}</code>		<code>\Pisymbol{dancers}{157}</code>		<code>\Pisymbol{dancers}{243}</code>
	<code>\Pisymbol{dancers}{72}</code>		<code>\Pisymbol{dancers}{158}</code>		<code>\Pisymbol{dancers}{244}</code>
	<code>\Pisymbol{dancers}{73}</code>		<code>\Pisymbol{dancers}{159}</code>		<code>\Pisymbol{dancers}{245}</code>
	<code>\Pisymbol{dancers}{74}</code>		<code>\Pisymbol{dancers}{160}</code>		<code>\Pisymbol{dancers}{246}</code>
	<code>\Pisymbol{dancers}{75}</code>		<code>\Pisymbol{dancers}{161}</code>		<code>\Pisymbol{dancers}{247}</code>
	<code>\Pisymbol{dancers}{76}</code>		<code>\Pisymbol{dancers}{162}</code>		<code>\Pisymbol{dancers}{248}</code>
	<code>\Pisymbol{dancers}{77}</code>		<code>\Pisymbol{dancers}{163}</code>		<code>\Pisymbol{dancers}{249}</code>
	<code>\Pisymbol{dancers}{78}</code>		<code>\Pisymbol{dancers}{164}</code>		<code>\Pisymbol{dancers}{250}</code>
	<code>\Pisymbol{dancers}{79}</code>		<code>\Pisymbol{dancers}{165}</code>		<code>\Pisymbol{dancers}{251}</code>
	<code>\Pisymbol{dancers}{80}</code>		<code>\Pisymbol{dancers}{166}</code>		<code>\Pisymbol{dancers}{252}</code>
	<code>\Pisymbol{dancers}{81}</code>		<code>\Pisymbol{dancers}{167}</code>		<code>\Pisymbol{dancers}{253}</code>
	<code>\Pisymbol{dancers}{82}</code>		<code>\Pisymbol{dancers}{168}</code>		<code>\Pisymbol{dancers}{254}</code>
	<code>\Pisymbol{dancers}{83}</code>		<code>\Pisymbol{dancers}{169}</code>		<code>\Pisymbol{dancers}{255}</code>
	<code>\Pisymbol{dancers}{84}</code>		<code>\Pisymbol{dancers}{170}</code>		
	<code>\Pisymbol{dancers}{85}</code>		<code>\Pisymbol{dancers}{171}</code>		

Fans of Sherlock Holmes mysteries will recognize these glyphs as forming the substitution cipher featured in Sir Arthur Conan Doyle's *The Adventure of the Dancing Men* (1903).

TABLE 506: semaphor Semaphore Alphabet

	<code>\Pisymbol{smfpr10}{34}</code>		<code>\Pisymbol{smfpr10}{116}</code>		<code>\Pisymbol{smfpr10}{184}</code>
	<code>\Pisymbol{smfpr10}{35}</code>		<code>\Pisymbol{smfpr10}{117}</code>		<code>\Pisymbol{smfpr10}{185}</code>
	<code>\Pisymbol{smfpr10}{36}</code>		<code>\Pisymbol{smfpr10}{118}</code>		<code>\Pisymbol{smfpr10}{186}</code>
	<code>\Pisymbol{smfpr10}{42}</code>		<code>\Pisymbol{smfpr10}{119}</code>		<code>\Pisymbol{smfpr10}{187}</code>
	<code>\Pisymbol{smfpr10}{46}</code>		<code>\Pisymbol{smfpr10}{120}</code>		<code>\Pisymbol{smfpr10}{192}</code>
	<code>\Pisymbol{smfpr10}{48}</code>		<code>\Pisymbol{smfpr10}{121}</code>		<code>\Pisymbol{smfpr10}{193}</code>
	<code>\Pisymbol{smfpr10}{49}</code>		<code>\Pisymbol{smfpr10}{122}</code>		<code>\Pisymbol{smfpr10}{194}</code>
	<code>\Pisymbol{smfpr10}{50}</code>		<code>\Pisymbol{smfpr10}{126}</code>		<code>\Pisymbol{smfpr10}{195}</code>
	<code>\Pisymbol{smfpr10}{51}</code>		<code>\Pisymbol{smfpr10}{128}</code>		<code>\Pisymbol{smfpr10}{196}</code>
	<code>\Pisymbol{smfpr10}{52}</code>		<code>\Pisymbol{smfpr10}{129}</code>		<code>\Pisymbol{smfpr10}{197}</code>
	<code>\Pisymbol{smfpr10}{53}</code>		<code>\Pisymbol{smfpr10}{130}</code>		<code>\Pisymbol{smfpr10}{199}</code>
	<code>\Pisymbol{smfpr10}{54}</code>		<code>\Pisymbol{smfpr10}{131}</code>		<code>\Pisymbol{smfpr10}{200}</code>
	<code>\Pisymbol{smfpr10}{55}</code>		<code>\Pisymbol{smfpr10}{132}</code>		<code>\Pisymbol{smfpr10}{201}</code>
	<code>\Pisymbol{smfpr10}{56}</code>		<code>\Pisymbol{smfpr10}{133}</code>		<code>\Pisymbol{smfpr10}{202}</code>
	<code>\Pisymbol{smfpr10}{57}</code>		<code>\Pisymbol{smfpr10}{134}</code>		<code>\Pisymbol{smfpr10}{203}</code>

(continued on next page)

𐤀	\Pisymbol{smfpr10}{65}	𐤁	\Pisymbol{smfpr10}{135}	𐤂	\Pisymbol{smfpr10}{204}
𐤁	\Pisymbol{smfpr10}{66}	𐤂	\Pisymbol{smfpr10}{136}	𐤃	\Pisymbol{smfpr10}{205}
𐤂	\Pisymbol{smfpr10}{67}	𐤃	\Pisymbol{smfpr10}{137}	𐤄	\Pisymbol{smfpr10}{206}
𐤃	\Pisymbol{smfpr10}{68}	𐤄	\Pisymbol{smfpr10}{138}	𐤅	\Pisymbol{smfpr10}{207}
𐤄	\Pisymbol{smfpr10}{69}	𐤅	\Pisymbol{smfpr10}{139}	𐤆	\Pisymbol{smfpr10}{209}
𐤅	\Pisymbol{smfpr10}{70}	𐤆	\Pisymbol{smfpr10}{140}	𐤇	\Pisymbol{smfpr10}{210}
𐤆	\Pisymbol{smfpr10}{71}	𐤇	\Pisymbol{smfpr10}{142}	𐤈	\Pisymbol{smfpr10}{211}
𐤇	\Pisymbol{smfpr10}{72}	𐤈	\Pisymbol{smfpr10}{143}	𐤉	\Pisymbol{smfpr10}{212}
𐤈	\Pisymbol{smfpr10}{73}	𐤉	\Pisymbol{smfpr10}{144}	𐤊	\Pisymbol{smfpr10}{213}
𐤉	\Pisymbol{smfpr10}{74}	𐤊	\Pisymbol{smfpr10}{145}	𐤋	\Pisymbol{smfpr10}{214}
𐤊	\Pisymbol{smfpr10}{75}	𐤋	\Pisymbol{smfpr10}{146}	𐤌	\Pisymbol{smfpr10}{216}
𐤋	\Pisymbol{smfpr10}{76}	𐤌	\Pisymbol{smfpr10}{147}	𐤍	\Pisymbol{smfpr10}{217}
𐤌	\Pisymbol{smfpr10}{77}	𐤍	\Pisymbol{smfpr10}{148}	𐤎	\Pisymbol{smfpr10}{218}
𐤍	\Pisymbol{smfpr10}{78}	𐤎	\Pisymbol{smfpr10}{149}	𐤏	\Pisymbol{smfpr10}{219}
𐤎	\Pisymbol{smfpr10}{79}	𐤏	\Pisymbol{smfpr10}{150}	𐤐	\Pisymbol{smfpr10}{220}
𐤏	\Pisymbol{smfpr10}{80}	𐤐	\Pisymbol{smfpr10}{151}	𐤑	\Pisymbol{smfpr10}{221}
𐤐	\Pisymbol{smfpr10}{81}	𐤑	\Pisymbol{smfpr10}{152}	𐤒	\Pisymbol{smfpr10}{224}
𐤑	\Pisymbol{smfpr10}{82}	𐤒	\Pisymbol{smfpr10}{153}	𐤓	\Pisymbol{smfpr10}{225}
𐤒	\Pisymbol{smfpr10}{83}	𐤓	\Pisymbol{smfpr10}{154}	𐤔	\Pisymbol{smfpr10}{226}
𐤓	\Pisymbol{smfpr10}{84}	𐤔	\Pisymbol{smfpr10}{155}	𐤕	\Pisymbol{smfpr10}{227}
𐤔	\Pisymbol{smfpr10}{85}	𐤕	\Pisymbol{smfpr10}{157}	𐤖	\Pisymbol{smfpr10}{228}
𐤕	\Pisymbol{smfpr10}{86}	𐤖	\Pisymbol{smfpr10}{158}	𐤗	\Pisymbol{smfpr10}{229}
𐤖	\Pisymbol{smfpr10}{87}	𐤗	\Pisymbol{smfpr10}{160}	𐤘	\Pisymbol{smfpr10}{231}
𐤗	\Pisymbol{smfpr10}{88}	𐤘	\Pisymbol{smfpr10}{161}	𐤙	\Pisymbol{smfpr10}{232}
𐤘	\Pisymbol{smfpr10}{89}	𐤙	\Pisymbol{smfpr10}{162}	𐤚	\Pisymbol{smfpr10}{233}
𐤙	\Pisymbol{smfpr10}{90}	𐤚	\Pisymbol{smfpr10}{163}	𐤛	\Pisymbol{smfpr10}{234}
𐤚	\Pisymbol{smfpr10}{97}	𐤛	\Pisymbol{smfpr10}{164}	𐤜	\Pisymbol{smfpr10}{235}
𐤛	\Pisymbol{smfpr10}{98}	𐤜	\Pisymbol{smfpr10}{165}	𐤝	\Pisymbol{smfpr10}{236}
𐤜	\Pisymbol{smfpr10}{99}	𐤝	\Pisymbol{smfpr10}{166}	𐤞	\Pisymbol{smfpr10}{237}
𐤝	\Pisymbol{smfpr10}{100}	𐤞	\Pisymbol{smfpr10}{167}	𐤟	\Pisymbol{smfpr10}{238}
𐤞	\Pisymbol{smfpr10}{101}	𐤟	\Pisymbol{smfpr10}{168}	𐤠	\Pisymbol{smfpr10}{239}
𐤟	\Pisymbol{smfpr10}{102}	𐤠	\Pisymbol{smfpr10}{169}	𐤡	\Pisymbol{smfpr10}{241}
𐤠	\Pisymbol{smfpr10}{103}	𐤡	\Pisymbol{smfpr10}{170}	𐤢	\Pisymbol{smfpr10}{242}
𐤡	\Pisymbol{smfpr10}{104}	𐤢	\Pisymbol{smfpr10}{171}	𐤣	\Pisymbol{smfpr10}{243}
𐤢	\Pisymbol{smfpr10}{105}	𐤣	\Pisymbol{smfpr10}{172}	𐤤	\Pisymbol{smfpr10}{244}
𐤣	\Pisymbol{smfpr10}{106}	𐤤	\Pisymbol{smfpr10}{174}	𐤥	\Pisymbol{smfpr10}{245}
𐤤	\Pisymbol{smfpr10}{107}	𐤦	\Pisymbol{smfpr10}{175}	𐤧	\Pisymbol{smfpr10}{246}
𐤥	\Pisymbol{smfpr10}{108}	𐤦	\Pisymbol{smfpr10}{176}	𐤨	\Pisymbol{smfpr10}{248}
𐤦	\Pisymbol{smfpr10}{109}	𐤧	\Pisymbol{smfpr10}{177}	𐤩	\Pisymbol{smfpr10}{249}
𐤧	\Pisymbol{smfpr10}{110}	𐤨	\Pisymbol{smfpr10}{178}	𐤪	\Pisymbol{smfpr10}{250}
𐤨	\Pisymbol{smfpr10}{111}	𐤨	\Pisymbol{smfpr10}{179}	𐤫	\Pisymbol{smfpr10}{251}
𐤩	\Pisymbol{smfpr10}{112}	𐤩	\Pisymbol{smfpr10}{180}	𐤬	\Pisymbol{smfpr10}{252}
𐤪	\Pisymbol{smfpr10}{113}	𐤩	\Pisymbol{smfpr10}{181}	𐤭	\Pisymbol{smfpr10}{253}
𐤫	\Pisymbol{smfpr10}{114}	𐤪	\Pisymbol{smfpr10}{182}		
𐤬	\Pisymbol{smfpr10}{115}	𐤪	\Pisymbol{smfpr10}{183}		

`semaphor` provides a `semaf.fd` font-definition file. Instead of using `pifont` and `\Pisymbol` to typeset a glyph, a document can select the `semaphor` fonts directly, although this does require putting `\input{semaf.fd}` in the document's preamble. For example, `{\usefont{OT1}{smfp}{m}{n}Hello}` will typeset “”. This can be useful for typesetting complete messages. Roman, bold, monospace, slanted, and bold+slanted styles are all supported.

In addition, `semaphor` provides three variations of each font: a “person” version (`smfpr10`), which is what is illustrated in the preceding table, a “pillar” version (`smfr10`), which shows the flags on a pillar rather than being held by a person, and an “empty” version (`smfer10`), which shows only the flags and no pillar or person. Contrast these variations of the letter “H”:



TABLE 507: `cryst` Crystallography Symbols

◦	<code>\Pisymbol{cryst}{0}</code>	⬢	<code>\Pisymbol{cryst}{63}</code>	↙	<code>\Pisymbol{cryst}{138}</code>
◐	<code>\Pisymbol{cryst}{2}</code>	⬢	<code>\Pisymbol{cryst}{64}</code>	↗	<code>\Pisymbol{cryst}{139}</code>
▲	<code>\Pisymbol{cryst}{3}</code>	⬢	<code>\Pisymbol{cryst}{65}</code>	▣	<code>\Pisymbol{cryst}{140}</code>
◆	<code>\Pisymbol{cryst}{4}</code>	⬢	<code>\Pisymbol{cryst}{66}</code>	⬢	<code>\Pisymbol{cryst}{141}</code>
→	<code>\Pisymbol{cryst}{5}</code>	↖	<code>\Pisymbol{cryst}{75}</code>	↘	<code>\Pisymbol{cryst}{142}</code>
●	<code>\Pisymbol{cryst}{6}</code>	↗	<code>\Pisymbol{cryst}{77}</code>	⬢	<code>\Pisymbol{cryst}{143}</code>
→	<code>\Pisymbol{cryst}{7}</code>	↖	<code>\Pisymbol{cryst}{78}</code>	↗	<code>\Pisymbol{cryst}{145}</code>
→	<code>\Pisymbol{cryst}{8}</code>	↖	<code>\Pisymbol{cryst}{79}</code>	↗	<code>\Pisymbol{cryst}{147}</code>
→	<code>\Pisymbol{cryst}{9}</code>	▣	<code>\Pisymbol{cryst}{80}</code>	↗	<code>\Pisymbol{cryst}{148}</code>
◦	<code>\Pisymbol{cryst}{10}</code>	▣	<code>\Pisymbol{cryst}{81}</code>	↗	<code>\Pisymbol{cryst}{149}</code>
◐	<code>\Pisymbol{cryst}{12}</code>	▣	<code>\Pisymbol{cryst}{82}</code>	↓	<code>\Pisymbol{cryst}{155}</code>
●	<code>\Pisymbol{cryst}{15}</code>	▣	<code>\Pisymbol{cryst}{83}</code>	↓	<code>\Pisymbol{cryst}{157}</code>
◐	<code>\Pisymbol{cryst}{20}</code>	▣	<code>\Pisymbol{cryst}{84}</code>	↓	<code>\Pisymbol{cryst}{158}</code>
◐	<code>\Pisymbol{cryst}{21}</code>	↖	<code>\Pisymbol{cryst}{85}</code>	↓	<code>\Pisymbol{cryst}{159}</code>
◐	<code>\Pisymbol{cryst}{22}</code>	↖	<code>\Pisymbol{cryst}{87}</code>	↖	<code>\Pisymbol{cryst}{175}</code>
◐	<code>\Pisymbol{cryst}{24}</code>	↖	<code>\Pisymbol{cryst}{88}</code>	↖	<code>\Pisymbol{cryst}{177}</code>
↗	<code>\Pisymbol{cryst}{25}</code>	↖	<code>\Pisymbol{cryst}{89}</code>	↖	<code>\Pisymbol{cryst}{178}</code>
↗	<code>\Pisymbol{cryst}{27}</code>	↖	<code>\Pisymbol{cryst}{95}</code>	↖	<code>\Pisymbol{cryst}{179}</code>
↗	<code>\Pisymbol{cryst}{28}</code>	↖	<code>\Pisymbol{cryst}{97}</code>	↖	<code>\Pisymbol{cryst}{185}</code>
↗	<code>\Pisymbol{cryst}{29}</code>	↖	<code>\Pisymbol{cryst}{98}</code>	↖	<code>\Pisymbol{cryst}{187}</code>
▲	<code>\Pisymbol{cryst}{30}</code>	↖	<code>\Pisymbol{cryst}{99}</code>	↖	<code>\Pisymbol{cryst}{188}</code>
▲	<code>\Pisymbol{cryst}{31}</code>	⬢	<code>\Pisymbol{cryst}{102}</code>	↖	<code>\Pisymbol{cryst}{189}</code>
▲	<code>\Pisymbol{cryst}{32}</code>	⬢	<code>\Pisymbol{cryst}{103}</code>	↖	<code>\Pisymbol{cryst}{195}</code>
↗	<code>\Pisymbol{cryst}{35}</code>	⬢	<code>\Pisymbol{cryst}{104}</code>	↖	<code>\Pisymbol{cryst}{197}</code>
◐	<code>\Pisymbol{cryst}{36}</code>	↖	<code>\Pisymbol{cryst}{105}</code>	↖	<code>\Pisymbol{cryst}{198}</code>
↗	<code>\Pisymbol{cryst}{37}</code>	↖	<code>\Pisymbol{cryst}{107}</code>	↖	<code>\Pisymbol{cryst}{199}</code>
↗	<code>\Pisymbol{cryst}{38}</code>	↖	<code>\Pisymbol{cryst}{108}</code>	⬢	<code>\Pisymbol{cryst}{202}</code>
↗	<code>\Pisymbol{cryst}{39}</code>	↖	<code>\Pisymbol{cryst}{109}</code>	⬢	<code>\Pisymbol{cryst}{203}</code>
◐	<code>\Pisymbol{cryst}{40}</code>	⬢	<code>\Pisymbol{cryst}{112}</code>	↘	<code>\Pisymbol{cryst}{204}</code>
◐	<code>\Pisymbol{cryst}{41}</code>	⬢	<code>\Pisymbol{cryst}{113}</code>	⬢	<code>\Pisymbol{cryst}{210}</code>
◐	<code>\Pisymbol{cryst}{42}</code>	⬢	<code>\Pisymbol{cryst}{120}</code>	⬢	<code>\Pisymbol{cryst}{212}</code>
◐	<code>\Pisymbol{cryst}{43}</code>	⬢	<code>\Pisymbol{cryst}{121}</code>	⬢	<code>\Pisymbol{cryst}{213}</code>

(continued on next page)

(continued from previous page)

■	\Pisymbol{cryst}{44}	✂	\Pisymbol{cryst}{123}	✂	\Pisymbol{cryst}{220}
↗	\Pisymbol{cryst}{45}	✂	\Pisymbol{cryst}{124}	✂	\Pisymbol{cryst}{221}
↗	\Pisymbol{cryst}{47}	✓	\Pisymbol{cryst}{125}	✂	\Pisymbol{cryst}{223}
↗	\Pisymbol{cryst}{48}	✓	\Pisymbol{cryst}{127}	✂	\Pisymbol{cryst}{224}
↗	\Pisymbol{cryst}{49}	✓	\Pisymbol{cryst}{128}	✂	\Pisymbol{cryst}{230}
⬢	\Pisymbol{cryst}{50}	✓	\Pisymbol{cryst}{129}	✂	\Pisymbol{cryst}{231}
↑	\Pisymbol{cryst}{55}	✂	\Pisymbol{cryst}{130}	✂	\Pisymbol{cryst}{232}
↑	\Pisymbol{cryst}{57}	✂	\Pisymbol{cryst}{131}	✂	\Pisymbol{cryst}{233}
↑	\Pisymbol{cryst}{58}	✂	\Pisymbol{cryst}{132}	✂	\Pisymbol{cryst}{236}
↑	\Pisymbol{cryst}{59}	✂	\Pisymbol{cryst}{133}	✂	\Pisymbol{cryst}{240}
⬢	\Pisymbol{cryst}{60}	✓	\Pisymbol{cryst}{135}	✂	\Pisymbol{cryst}{241}
✂	\Pisymbol{cryst}{61}	✂	\Pisymbol{cryst}{136}	✂	\Pisymbol{cryst}{242}
✂	\Pisymbol{cryst}{62}	✓	\Pisymbol{cryst}{137}	✂	\Pisymbol{cryst}{243}

TABLE 508: dice Dice

▣	\Pisymbol{dice3d}{49}	▣	\Pisymbol{dice3d}{101}	▣	\Pisymbol{dice3d}{111}
▣	\Pisymbol{dice3d}{50}	▣	\Pisymbol{dice3d}{102}	▣	\Pisymbol{dice3d}{112}
▣	\Pisymbol{dice3d}{51}	▣	\Pisymbol{dice3d}{103}	▣	\Pisymbol{dice3d}{113}
▣	\Pisymbol{dice3d}{52}	▣	\Pisymbol{dice3d}{104}	▣	\Pisymbol{dice3d}{114}
▣	\Pisymbol{dice3d}{53}	▣	\Pisymbol{dice3d}{105}	▣	\Pisymbol{dice3d}{115}
▣	\Pisymbol{dice3d}{54}	▣	\Pisymbol{dice3d}{106}	▣	\Pisymbol{dice3d}{116}
▣	\Pisymbol{dice3d}{97}	▣	\Pisymbol{dice3d}{107}	▣	\Pisymbol{dice3d}{117}
▣	\Pisymbol{dice3d}{98}	▣	\Pisymbol{dice3d}{108}	▣	\Pisymbol{dice3d}{118}
▣	\Pisymbol{dice3d}{99}	▣	\Pisymbol{dice3d}{109}	▣	\Pisymbol{dice3d}{119}
▣	\Pisymbol{dice3d}{100}	▣	\Pisymbol{dice3d}{110}	▣	\Pisymbol{dice3d}{120}

dice defines its symbols at a very small design size. The glyphs shown above were scaled up by a factor of four using `\DeclareFontShape{U}{dice3d}{m}{n}{<-> s*[4] dice3d}{}`.

An alternative to using `\Pisymbol` to select a die rotation is to rely on some cleverness in the kerning tables provided by the dice font. The individual digits “1” through “6” each produce the corresponding (2D) die face: `{\usefont{U}{dice3d}{m}{n}2 2 1}` produces “  ”, for example. When followed by a letter “a” through “d”, those pairs are kerned to produce a 3D die rotation with the digit specifying by the top face and the letter specifying one of the four possible front faces, sorted by increasing value. For example, `{\usefont{U}{dice3d}{m}{n}2a 2b 1d}` produces “  ”.

TABLE 509: magic Trading Card Symbols

①	<code>\Pisymbol{magic}{48}</code>	⑥	<code>\Pisymbol{magic}{54}</code>	☯	<code>\Pisymbol{magic}{82}</code>
②	<code>\Pisymbol{magic}{49}</code>	⑦	<code>\Pisymbol{magic}{55}</code>	⌘	<code>\Pisymbol{magic}{84}</code>
③	<code>\Pisymbol{magic}{50}</code>	⑧	<code>\Pisymbol{magic}{56}</code>	♠	<code>\Pisymbol{magic}{85}</code>
④	<code>\Pisymbol{magic}{51}</code>	⑨	<code>\Pisymbol{magic}{57}</code>	☼	<code>\Pisymbol{magic}{87}</code>
⑤	<code>\Pisymbol{magic}{52}</code>	♣	<code>\Pisymbol{magic}{66}</code>	⊗	<code>\Pisymbol{magic}{88}</code>
	<code>\Pisymbol{magic}{53}</code>	♠	<code>\Pisymbol{magic}{71}</code>	⑩	<code>\Pisymbol{magic}{90}</code>

The preceding symbols resemble those from Wizards of the Coast’s *Magic: The Gathering* trading-card game. An alternative to entering symbols numerically using `\Pisymbol` is to switch to the `magic` font with `\usefont{U}{magic}{m}{n}` and employ the following mnemonic characters:

①–⑨	0–9	Circled numerals 0–9
♠	B	Black magic symbol
♣	G	Green magic symbol
☯	R	Red magic symbol
⌘	T	Tap symbol (tilted “T” in a circle)
♠	U	Blue magic symbol
☼	W	White magic symbol
⊗	X	Circled “X” (for mana cost, e.g., Fireball)
⑩	Z	Circled “10” (for mana cost, e.g., Aladdin’s Lamp)

TABLE 510: bartel-chess-fonts Chess Pieces and Chessboard Squares

	<code>\Pisymbol{fselch}{0}</code>		<code>\Pisymbol{fselch}{55}</code>		<code>\Pisymbol{fselch}{110}</code>
	<code>\Pisymbol{fselch}{1}</code>		<code>\Pisymbol{fselch}{56}</code>		<code>\Pisymbol{fselch}{111}</code>
	<code>\Pisymbol{fselch}{2}</code>		<code>\Pisymbol{fselch}{57}</code>		<code>\Pisymbol{fselch}{112}</code>
	<code>\Pisymbol{fselch}{3}</code>		<code>\Pisymbol{fselch}{58}</code>		<code>\Pisymbol{fselch}{113}</code>
	<code>\Pisymbol{fselch}{4}</code>		<code>\Pisymbol{fselch}{59}</code>		<code>\Pisymbol{fselch}{114}</code>
	<code>\Pisymbol{fselch}{5}</code>		<code>\Pisymbol{fselch}{60}</code>		<code>\Pisymbol{fselch}{115}</code>
	<code>\Pisymbol{fselch}{6}</code>		<code>\Pisymbol{fselch}{61}</code>		<code>\Pisymbol{fselch}{116}</code>
	<code>\Pisymbol{fselch}{7}</code>		<code>\Pisymbol{fselch}{62}</code>		<code>\Pisymbol{fselch}{117}</code>
	<code>\Pisymbol{fselch}{8}</code>		<code>\Pisymbol{fselch}{63}</code>		<code>\Pisymbol{fselch}{118}</code>
	<code>\Pisymbol{fselch}{9}</code>		<code>\Pisymbol{fselch}{64}</code>		<code>\Pisymbol{fselch}{119}</code>
	<code>\Pisymbol{fselch}{10}</code>		<code>\Pisymbol{fselch}{65}</code>		<code>\Pisymbol{fselch}{120}</code>
	<code>\Pisymbol{fselch}{11}</code>		<code>\Pisymbol{fselch}{66}</code>		<code>\Pisymbol{fselch}{121}</code>
	<code>\Pisymbol{fselch}{12}</code>		<code>\Pisymbol{fselch}{67}</code>		<code>\Pisymbol{fselch}{122}</code>
	<code>\Pisymbol{fselch}{13}</code>		<code>\Pisymbol{fselch}{68}</code>		<code>\Pisymbol{fselch}{123}</code>
	<code>\Pisymbol{fselch}{14}</code>		<code>\Pisymbol{fselch}{69}</code>		<code>\Pisymbol{fselch}{124}</code>
	<code>\Pisymbol{fselch}{15}</code>		<code>\Pisymbol{fselch}{70}</code>		<code>\Pisymbol{fselch}{125}</code>
	<code>\Pisymbol{fselch}{16}</code>		<code>\Pisymbol{fselch}{71}</code>		<code>\Pisymbol{fselch}{126}</code>
	<code>\Pisymbol{fselch}{17}</code>		<code>\Pisymbol{fselch}{72}</code>		<code>\Pisymbol{fselch}{127}</code>
	<code>\Pisymbol{fselch}{18}</code>		<code>\Pisymbol{fselch}{73}</code>		<code>\Pisymbol{fselch}{128}</code>
	<code>\Pisymbol{fselch}{19}</code>		<code>\Pisymbol{fselch}{74}</code>		<code>\Pisymbol{fselch}{129}</code>

(continued on next page)

(continued from previous page)

	<code>\Pisymbol{fselch}{20}</code>		<code>\Pisymbol{fselch}{75}</code>		<code>\Pisymbol{fselch}{130}</code>
	<code>\Pisymbol{fselch}{21}</code>		<code>\Pisymbol{fselch}{76}</code>		<code>\Pisymbol{fselch}{131}</code>
	<code>\Pisymbol{fselch}{22}</code>		<code>\Pisymbol{fselch}{77}</code>		<code>\Pisymbol{fselch}{132}</code>
	<code>\Pisymbol{fselch}{23}</code>		<code>\Pisymbol{fselch}{78}</code>		<code>\Pisymbol{fselch}{133}</code>
	<code>\Pisymbol{fselch}{24}</code>		<code>\Pisymbol{fselch}{79}</code>		<code>\Pisymbol{fselch}{134}</code>
	<code>\Pisymbol{fselch}{25}</code>		<code>\Pisymbol{fselch}{80}</code>		<code>\Pisymbol{fselch}{135}</code>
	<code>\Pisymbol{fselch}{26}</code>		<code>\Pisymbol{fselch}{81}</code>		<code>\Pisymbol{fselch}{136}</code>
	<code>\Pisymbol{fselch}{27}</code>		<code>\Pisymbol{fselch}{82}</code>		<code>\Pisymbol{fselch}{137}</code>
	<code>\Pisymbol{fselch}{28}</code>		<code>\Pisymbol{fselch}{83}</code>		<code>\Pisymbol{fselch}{138}</code>
	<code>\Pisymbol{fselch}{29}</code>		<code>\Pisymbol{fselch}{84}</code>		<code>\Pisymbol{fselch}{139}</code>
	<code>\Pisymbol{fselch}{30}</code>		<code>\Pisymbol{fselch}{85}</code>		<code>\Pisymbol{fselch}{140}</code>
	<code>\Pisymbol{fselch}{31}</code>		<code>\Pisymbol{fselch}{86}</code>		<code>\Pisymbol{fselch}{141}</code>
	<code>\Pisymbol{fselch}{32}</code>		<code>\Pisymbol{fselch}{87}</code>		<code>\Pisymbol{fselch}{142}</code>
	<code>\Pisymbol{fselch}{33}</code>		<code>\Pisymbol{fselch}{88}</code>		<code>\Pisymbol{fselch}{143}</code>
	<code>\Pisymbol{fselch}{34}</code>		<code>\Pisymbol{fselch}{89}</code>		<code>\Pisymbol{fselch}{144}</code>
	<code>\Pisymbol{fselch}{35}</code>		<code>\Pisymbol{fselch}{90}</code>		<code>\Pisymbol{fselch}{145}</code>
	<code>\Pisymbol{fselch}{36}</code>		<code>\Pisymbol{fselch}{91}</code>		<code>\Pisymbol{fselch}{151}</code>
	<code>\Pisymbol{fselch}{37}</code>		<code>\Pisymbol{fselch}{92}</code>		<code>\Pisymbol{fselch}{157}</code>
	<code>\Pisymbol{fselch}{38}</code>		<code>\Pisymbol{fselch}{93}</code>		<code>\Pisymbol{fselch}{163}</code>
	<code>\Pisymbol{fselch}{39}</code>		<code>\Pisymbol{fselch}{94}</code>		<code>\Pisymbol{fselch}{169}</code>
	<code>\Pisymbol{fselch}{40}</code>		<code>\Pisymbol{fselch}{95}</code>		<code>\Pisymbol{fselch}{175}</code>
	<code>\Pisymbol{fselch}{41}</code>		<code>\Pisymbol{fselch}{96}</code>		<code>\Pisymbol{fselch}{180}</code>
	<code>\Pisymbol{fselch}{42}</code>		<code>\Pisymbol{fselch}{97}</code>		<code>\Pisymbol{fselch}{186}</code>
	<code>\Pisymbol{fselch}{43}</code>		<code>\Pisymbol{fselch}{98}</code>		<code>\Pisymbol{fselch}{192}</code>
	<code>\Pisymbol{fselch}{44}</code>		<code>\Pisymbol{fselch}{99}</code>		<code>\Pisymbol{fselch}{198}</code>
	<code>\Pisymbol{fselch}{45}</code>		<code>\Pisymbol{fselch}{100}</code>		<code>\Pisymbol{fselch}{204}</code>
	<code>\Pisymbol{fselch}{46}</code>		<code>\Pisymbol{fselch}{101}</code>		<code>\Pisymbol{fselch}{210}</code>
	<code>\Pisymbol{fselch}{47}</code>		<code>\Pisymbol{fselch}{102}</code>		<code>\Pisymbol{fselch}{216}</code>
	<code>\Pisymbol{fselch}{48}</code>		<code>\Pisymbol{fselch}{103}</code>		<code>\Pisymbol{fselch}{222}</code>
	<code>\Pisymbol{fselch}{49}</code>		<code>\Pisymbol{fselch}{104}</code>		<code>\Pisymbol{fselch}{228}</code>
	<code>\Pisymbol{fselch}{50}</code>		<code>\Pisymbol{fselch}{105}</code>		<code>\Pisymbol{fselch}{234}</code>
	<code>\Pisymbol{fselch}{51}</code>		<code>\Pisymbol{fselch}{106}</code>		<code>\Pisymbol{fselch}{240}</code>
	<code>\Pisymbol{fselch}{52}</code>		<code>\Pisymbol{fselch}{107}</code>		<code>\Pisymbol{fselch}{246}</code>
	<code>\Pisymbol{fselch}{53}</code>		<code>\Pisymbol{fselch}{108}</code>		
	<code>\Pisymbol{fselch}{54}</code>		<code>\Pisymbol{fselch}{109}</code>		

In addition to the `fselch` font showcased above, `bartel-chess-fonts` also provides a `pkelch` font which includes the same symbol set (minus some of the higher-numbered characters) but drawn in a slightly different style.

`bartel-chess-fonts` provides the `fselch` and `pkelch` fonts in various sizes (optically scaled). See “`LATEX 2ε Font Selection`” [LAT00] for advice on how to expose these sorts of fonts to `LATEX` using `\DeclareFontFamily` and `\DeclareFontShape`.

10 Additional Information

Unlike the previous sections of this document, Section 10 does not contain new symbol tables. Rather, it provides additional help in using the Comprehensive L^AT_EX Symbol List. First, it draws attention to symbol names used by multiple packages. Next, it provides some guidelines for finding symbols and gives some examples regarding how to construct missing symbols out of existing ones. Then, it comments on the spacing surrounding symbols in math mode. After that, it presents an ASCII and Latin 1 quick-reference guide, showing how to enter all of the standard ASCII/Latin 1 symbols in L^AT_EX. And finally, it lists some statistics about this document itself.

10.1 Symbol Name Clashes

Unfortunately, a number of symbol names are not unique; they appear in more than one package. Depending on how the symbols are defined in each package, L^AT_EX will either output an error message or replace an earlier-defined symbol with a later-defined symbol. Table 511 on the next page presents a selection of name clashes that appear in this document.

Using multiple symbols with the same name in the same document—or even merely loading conflicting symbol packages—can be tricky but, as evidenced by the existence of Table 511, not impossible. The general procedure is to load the first package, rename the conflicting symbols, and then load the second package. Examine the L^AT_EX source for this document (`symbols.tex`) for examples of this and other techniques for handling symbol conflicts. Note that `symbols.tex`’s `\savesymbol` and `\restoresymbol` macros have been extracted into the `savesym` package, which can be downloaded from CTAN.

`txfonts` and `pxfonts` redefine a huge number of symbols—essentially, all of the symbols defined by `latexsym`, `textcomp`, the various $\mathcal{MS}$ symbol sets, and L^AT_EX 2_ε itself. Similarly, `mathabx` redefines a vast number of math symbols in an attempt to improve their look. The `txfonts`, `pxfonts`, and `mathabx` conflicts are not listed in Table 511 because they are designed to be compatible with the symbols they replace. Table 512 on page 208 illustrates what “compatible” means in this context.

To use the new `txfonts`/`pxfonts` symbols without altering the document’s main font, merely reset the default font families back to their original values after loading one of those packages:

```
\renewcommand\rmdefault{cmr}
\renewcommand\sfddefault{cmss}
\renewcommand\ttdefault{cmtt}
```

10.2 Resizing symbols

Mathematical symbols listed in this document as “variable-sized” are designed to stretch vertically. Each variable-sized symbol comes in one or more basic sizes plus a variation comprising both stretchable and nonstretchable segments. Table 513 on page 208 presents the symbols `\}` and `\uparrow` in their default size, in their `\big`, `\Big`, `\bigg`, and `\Bigg` sizes, in an even larger size achieved using `\left/\right`, and—for contrast—in a large size achieved by changing the font size using L^AT_EX 2_ε’s `\fontsize` command. Because the symbols shown belong to the Computer Modern family, the `typelcm` package needs to be loaded to support font sizes larger than 24.88 pt.

Note how `\fontsize` makes the symbol wider and thicker. (The `graphicx` package’s `\scalebox` or `\resizebox` commands would produce a similar effect.) Also, the `\fontsize`-enlarged symbol is vertically centered relative to correspondingly large text, unlike the symbols enlarged using `\big` et al. or `\left/\right`, which all use the same math axis regardless of symbol size. However, `\fontsize` is not limited to mathematical delimiters. Also, `\scalebox` and `\resizebox` are more robust to poorly composed symbols (e.g., two symbols made to overlap by backspacing a fixed distance) but do not work with every T_EX backend and will produce jagged symbols when scaling a bitmapped font.

All variable-sized delimiters are defined (by the corresponding `.tfm` file) in terms of up to five segments, as illustrated by Figure 1 on page 208. The top, middle, and bottom segments are of a fixed size. The top-middle and middle-bottom segments (which are constrained to be the same character) are repeated as many times as necessary to achieve the desired height.

10.3 Where can I find the symbol for ...?

If you can’t find some symbol you’re looking for in this document, there are a few possible explanations:

TABLE 511: Symbol Name Clashes

Symbol	L ^A T _E X 2 _ε	$\mathcal{A}$	$\mathcal{M}$	$\mathcal{S}$	stmaryrd	wasysym	mathabx	marvosym	bbding	ifsym	dingbat	wsuipa
<code>\baro</code>				ϕ								θ
<code>\bigtriangledown</code>	∇			∇								
<code>\bigtriangleup</code>	$\triangle$			$\triangle$								
<code>\checkmark</code>		$\checkmark$									$\checkmark$	
<code>\Circle</code>					$\bigcirc$			$\dagger$	$\dagger$	$\bigcirc$		
<code>\Cross</code>									$\dagger$	$\times$		
<code>\ggg</code>		$\ggg$					$\gg$	$\boxtimes$		$\boxtimes$		
<code>\Letter</code>												
<code>\lightning</code>				$\lightning$				$\lightning$		$\lightning$		
<code>\Lightning</code>												
<code>\lll</code>		$\lll$					$\ll$					
<code>\Square</code>					$\square$				$\square$	$\square$		
<code>\Sun</code>							$\odot$	$\odot$		$\odot$		
<code>\TriangleDown</code>									$\blacktriangle$	$\triangle$		
<code>\TriangleUp</code>									$\blacktriangle$	$\triangle$		

TABLE 512: Example of a Benign Name Clash

Symbol	Default (Computer Modern)	txfonts (Times Roman)
<code>R</code>	$\mathcal{R}$	$\mathbf{R}$
<code>\textrecipe</code>	$\mathcal{R}_{\mathcal{C}}$	$\mathbf{R}$

TABLE 513: Sample resized delimiters

Symbol	Default size	<code>\big</code>	<code>\Big</code>	<code>\bigg</code>	<code>\Bigg</code>	<code>\left/\right</code>	<code>\fontsize</code>
<code>\}</code>	$\}$	$\}$	$\}$	$\}$	$\}$	$\}$	$\}$
<code>\uparrow</code>	$\uparrow$	$\uparrow$	$\uparrow$	$\uparrow$	$\uparrow$	$\uparrow$	$\uparrow$




Figure 1: Implementation of variable-sized delimiters

- The symbol isn’t intuitively named. As a few examples, the `ifsym` command to draw dice is “`\Cube`”; a plus sign with a circle around it (“exclusive or” to computer engineers) is “`\oplus`”; and lightning bolts in fonts designed by German speakers may have “blitz” in their names as in the `ulsy` package. The moral of the story is to be creative with synonyms when searching the index.
- The symbol is defined by some package that I overlooked (or deemed unimportant). If there’s some symbol package that you think should be included in the Comprehensive L^AT_EX Symbol List, please send me e-mail at the address listed on the title page.
- The symbol isn’t defined in any package whatsoever.

Even in the last case, all is not lost. Sometimes, a symbol exists in a font, but there is no L^AT_EX binding for it. For example, the PostScript Symbol font contains a “`\J`” symbol, which may be useful for representing a carriage return, but there is no package (as far as I know) for accessing that symbol. To produce an unnamed symbol, you need to switch to the font explicitly with L^AT_EX 2_ε’s low-level font commands [L^AT_EX 00] and use T_EX’s primitive `\char` command [Knu86a] to request a specific character number in the font. For example, one can define a command to typeset a long s (“f”) using character 115 from the Latin Modern fonts in the TS1 font encoding:

```
\newcommand{\textlongs}{\%
  \fontencoding{TS1}\fontfamily{lmr}\selectfont\char115%
}
```

Then, “`\textlongs ucce\textlongs sful`” will produce “fuccesful”—in the current font style (roman, italic, bold, etc.)

In fact, `\char` is not strictly necessary in all cases; the character can often be entered symbolically. For example, the symbol for an impulse train or Tate-Shafarevich group (“III”) is actually an uppercase *sha* in the Cyrillic alphabet. (Cyrillic is supported by the OT2 font encoding, for instance). While a *sha* can be defined numerically as “`{\fontencoding{OT2}\selectfont\char88}`” it may be more intuitive to use the OT2 font encoding’s “SH” ligature: “`{\fontencoding{OT2}\selectfont SH}`”. Another possibility is to use the T2A font encoding’s `\CYRSH` command: “`{\fontencoding{T2A}\selectfont \CYRSH}`”.

For the specific case of the U font encoding, which is used for symbol or “pi” fonts, the `pifont` package defines a convenient `\Pisymbol` command. `\Pisymbol` typesets a specified character (by number) in a specified font family. For example, “`\Pisymbol{psy}{191}`” produces the aforementioned “`\J`” symbol by typesetting character number 191 in the `psy` (PostScript Symbol) font family.

Reflecting and rotating existing symbols

A common request on `comp.text.tex` is for a reversed or rotated version of an existing symbol. As a last resort, these effects can be achieved with the `graphicx` (or `graphics`) package’s `\reflectbox` and `\rotatebox` macros. For example, `\textsuperscript{\reflectbox{?}}` produces an irony mark (“[?]”), and `\rotatebox[origin=c]{180}{\mathfrak{i}}` produces the definite-description operator (“*ɿ*”). As noted by Marc Olschok in a July 2011 post on `comp.text.tex`, Project Gutenberg uses `\reflectbox` to typeset the part (“3”) and whole (“ε”) relations used in Dedekind’s set notation:

```
\newcommand\partof{\mathrel{\raisebox{0.45ex}{\mathfrak{3}}}}
\newcommand\wholeof{\mathrel{\reflectbox{\mathfrak{3}}}}
```

The disadvantage of the `graphicx/graphics` approach is that not every T_EX backend handles graphical transformations.⁵ Far better is to find a suitable font that contains the desired symbol in the correct orientation. For instance, if the `phonetic` package is available, then `\textit{\riota}` will yield a backend-independent “*ɿ*”. Similarly, `tipa`’s `\textreversepsilon` (“*ɿ*”) or `wsuipa`’s `\reversepsilon` (“*ɿ*”) may be used to express the mathematical notion of “such that” in a cleaner manner than with `\reflectbox` or `\rotatebox`.⁶

⁵As an example, Xdvi ignores both `\reflectbox` and `\rotatebox`.

⁶More common symbols for representing “such that” include “*l*”, “*:*”, and “*s.t.*”.

Joining and overlapping existing symbols

Symbols that do not exist in any font can sometimes be fabricated out of existing symbols. The L^AT_EX 2_ε source file `fontdef.dtx` contains a number of such definitions. For example, `\models` (see Table 87 on page 46) is defined in that file with:

```
\def\models{\mathrel|\joinrel=}
```

where `\mathrel` and `\joinrel` are used to control the horizontal spacing. `\def` is the T_EX primitive upon which L^AT_EX’s `\newcommand` is based. See The T_EXbook [Knu86a] for more information on all three of those commands.

With some simple pattern-matching, one can easily define a backward `\models` sign (“ $\models$ ”):

```
\def\ismodeledby{=\joinrel\mathrel|}
```

In general, arrows/harpoons, horizontal lines (“ $=$ ”, “ $\_$ ”, “`\relbar`”, and “`\Relbar`”), and the various math-extension characters can be combined creatively with miscellaneous other characters to produce a variety of new symbols. Of course, new symbols can be composed from *any* set of existing characters. For instance, L^AT_EX defines `\hbar` (“ $\hbar$ ”) as a “ $\_$ ” character (`\mathchar'26`) followed by a backspace of 9 math units (`\mkern-9mu`), followed by the letter “ h ”:

```
\def\hbar{{\mathchar'26\mkern-9mu h}}
```

We can just as easily define other barred letters:

```
\def\bbar{{\mathchar'26\mkern-9mu b}}
\def\dbar{{\mathchar'26\mkern-12mu d}}
```

(The space after the “ μ ” is optional but is added for clarity.) `\bbar` and `\dbar` define “ $\bar{b}$ ” and “ $\bar{d}$ ”, respectively. Note that `\dbar` requires a greater backward math kern than `\bbar`; a -9μ kern would have produced the less-attractive “ $\bar{d}$ ” glyph.

The `amsmath` package provides `\overset` and `\underset` commands for placing one symbol respectively above or below another. For example, `\overset{G}{\sim}`⁷ produces “ $\overset{G}{\sim}$ ” (sometimes used for “equidecomposable with respect to G ”).

Sometimes an ordinary `tabular` environment can be co-opted into juxtaposing existing symbols into a new symbol. Consider the following definition of `\asterism` (“ $\ast$ ”) from a June 2007 post to `comp.text.tex` by Peter Flynn:

```
\newcommand{\asterism}{\smash{%
\raisebox{-.5ex}{%
\setlength{\tabcolsep}{-.5pt}%
\begin{tabular}{@{}cc@{}}%
\multicolumn{2c}{\[-2ex\]*&*&}%
\end{tabular}}}}
```

Note how the space between columns (`\tabcolsep`) and rows (`\[-2ex\]`) is made negative to squeeze the asterisks closer together.

There is a T_EX primitive called `\mathaccent` that centers one mathematical symbol atop another. For example, one can define `\dotcup` (“ $\dot{\cup}$ ”)—the composition of a `\cup` and a `\dot`—as follows:

```
\newcommand{\dotcup}{\ensuremath{\mathaccent\dot{\cup}}}
```

The catch is that `\mathaccent` requires the accent to be a “math character”. That is, it must be a character in a math font as opposed to a symbol defined in terms of other symbols. See The T_EXbook [Knu86a] for more information.

Another T_EX primitive that is useful for composing symbols is `\vcenter`. `\vcenter` is conceptually similar to “`\begin{tabular}{l}`” in L^AT_EX but takes a list of vertical material instead of `\-`separated rows. Also, it vertically centers the result on the math axis. (Many operators, such as “ $+$ ” and “ $-$ ” are also vertically centered on the math axis.) Enrico Gregorio posted the following symbol definition to `comp.text.tex` in March 2004 in response to a query about an alternate way to denote equivalence:

⁷L^AT_EX’s `\stackrel` command is similar but is limited to placing a symbol above a binary relation.

```
\newcommand*\threesim{%
  \mathrel{\vcenter{\offinterlineskip
    \hbox{$\sim$}\vskip-.35ex\hbox{$\sim$}\vskip-.35ex\hbox{$\sim$}}}
```

The `\threesim` symbol, which vertically centers three `\sim` (“~”) symbols with 0.35 x -heights of space between them, is rendered as “≈”. `\offinterlineskip` is a macro that disables implicit interline spacing. Without it, `\threesim` would have a full line of vertical spacing between each `\sim`. Because of `\vcenter`, `\threesim` aligns properly with other math operators: $a \div b \approx c \times d$.

A related L^AT_EX command, borrowed from Plain T_EX, is `\oalign`. `\oalign` vertically overlaps symbols and works both within and outside of math mode. Essentially, it creates a single-column tabular environment with zero vertical distance between rows. However, because it is based directly on T_EX’s `\ialign` primitive, `\oalign` uses T_EX’s tabular syntax instead of L^AT_EX’s (i.e., with `\cr` as the row terminator instead of `\`). The following example of `\oalign`, a macro that defines a standard-state symbol (`\stst`, “⊖”) as a superscripted Plimsoll line (`\barcirc`, “⊖”),⁸ is due to an October 2007 `comp.text.tex` post by Donald Arseneau:

```
\makeatletter
\providecommand\barcirc{\mathpalette\@barred\circ}
\def\@barred#1#2{\oalign{\hfil$#1-$\hfil\cr\hfil$#1#2$\hfil\cr}}
\newcommand\stst{\text{\protect\barcirc}}
\makeatother
```

In the preceding code, note the `\oalign` call’s use of `\hfil` to horizontally center a minus sign (“−”) and a `\circ` (“o”).

As another example of `\oalign`, consider the following code (due to Enrico Gregorio in a June 2007 post to `comp.text.tex`) that overlaps a `\ni` (“⊃”) and two minus signs (“−”) to produce “⊃”, an obscure variation on the infrequently used “3” symbol for “such that” discussed on page 209:

```
\newcommand\suchthat{%
  \mathrel{\oalign{$\ni$\cr\kern-1pt$-$\kern-6.5pt$-$}}
```

The `slashed` package, although originally designed for producing Feynman slashed-character notation, in fact facilitates the production of *arbitrary* overlapped symbols. The default behavior is to overwrite a given character with “/”. For example, `\slashed{D}` produces “ $\not{D}$ ”. However, the `\declareslashed` command provides the flexibility to specify the mathematical context of the composite character (operator, relation, punctuation, etc., as will be discussed in Section 10.4), the overlapping symbol, horizontal and vertical adjustments in symbol-relative units, and the character to be overlapped. Consider, for example, the symbol for reduced quadrupole moment (“ $\not{F}$ ”). This can be declared as follows:

```
\newcommand\rqm{%
  \declareslashed{\text{-}}{0.04}{0}{I}\slashed{I}}
```

`\declareslashed{\text{-}}{0.04}{0}{I}` affects the meaning of all subsequent `\slashed{I}` commands in the same scope. The preceding definition of `\rqn` therefore uses an extra set of curly braces to limit that scope to a single `\slashed{I}`. In addition, `\rqn` uses `amstext`’s `\text` macro (described on page 213) to make `\declareslashed` use a text-mode hyphen (“−”) instead of a math-mode minus sign (“ $-$ ”) and to ensure that the hyphen scales properly in size in subscripts and superscripts. See `slashed`’s documentation (located in `slashed.sty` itself) for a detailed usage description of the `\slashed` and `\declareslashed` commands.

Somewhat simpler than `slashed` is the `centernot` package. `centernot` provides a single command, `\centernot`, which, like `\not`, puts a slash over the subsequent mathematical symbol. However, instead of putting the slash at a fixed location, `\centernot` centers the slash over its argument. `\centernot` might be used, for example, to create a “does not imply” symbol:

$$\not\Rightarrow \quad \text{\texttt{\textbackslash not\Longrightarrow}}$$

vs.

$$\centernot\Rightarrow \quad \text{\texttt{\textbackslash centernot\Longrightarrow}}$$

See the `centernot` documentation for more information.

⁸While `\barcirc` illustrates how to combine symbols using `\oalign`, the `stmaryrd` package’s `\minuso` command (Table 52 on page 28) provides a similar glyph (“⊖”) as a single, indivisible symbol.

Making new symbols work in superscripts and subscripts

To make composite symbols work properly within subscripts and superscripts, you may need to use TeX’s `\mathchoice` primitive. `\mathchoice` evaluates one of four expressions, based on whether the current math style is display, text, script, or scriptscript. (See The TeXbook [Knu86a] for a more complete description.) For example, the following L^AT_EX code—posted to `comp.text.tex` by Torsten Bronger—composes a sub/superscriptable “ $\mathbb{I}$ ” symbol out of `\top` and `\bot` (“ $\top$ ” and “ $\bot$ ”):

```
\def\topbotatom#1{\hbox{\hbox to 0pt{${#1\bot$\hss}${#1\top$}}
\newcommand*\topbot{\mathrel{\mathchoice{\topbotatom\displaystyle}
{\topbotatom\textstyle}
{\topbotatom\scriptstyle}
{\topbotatom\scriptscriptstyle}}}
```

The following is another example that uses `\mathchoice` to construct symbols in different math modes. The code defines a principal value integral symbol, which is an integral sign with a line through it.

```
\def\Xint#1{\mathchoice
{\XXint\displaystyle\textstyle{#1}}%
{\XXint\textstyle\scriptstyle{#1}}%
{\XXint\scriptstyle\scriptscriptstyle{#1}}%
{\XXint\scriptscriptstyle\scriptscriptstyle{#1}}%
\!\int}
\def\XXint#1#2#3{\setbox0=\hbox{${#1}{#2#3}\int$}
\vcenter{\hbox{${#2#3$}}\kern-.5\wd0}}
\def\ddashint{\Xint=}
\def\dashint{\Xint-}
```

(The preceding code was taken verbatim from the UK TeX Users’ Group FAQ at <http://www.tex.ac.uk/faq>.) `\dashint` produces a single-dashed integral sign (“ $\int$ ”), while `\ddashint` produces a double-dashed one (“ $\int$ ”). The `\Xint` macro defined above can also be used to generate a wealth of new integrals: “ $\oint$ ” (`\Xint\circlearrowright`), “ $\oint$ ” (`\Xint\circlearrowleft`), “ $\subset$ ” (`\Xint\subset`), “ ∞ ” (`\Xint\infty`), and so forth.

L^AT_EX 2_ε provides a simple wrapper for `\mathchoice` that sometimes helps produce terser symbol definitions. The macro is called `\mathpalette` and it takes two arguments. `\mathpalette` invokes the first argument, passing it one of “`\displaystyle`”, “`\textstyle`”, “`\scriptstyle`”, or “`\scriptscriptstyle`”, followed by the second argument. `\mathpalette` is useful when a symbol macro must know which math style is currently in use (e.g., to set it explicitly within an `\mbox`). Donald Arseneau posted the following `\mathpalette`-based definition of a probabilistic-independence symbol (“ $\perp$ ”) to `comp.text.tex` in June 2000:

```
\newcommand\independent{\protect\mathpalette{\protect\independentT}\perp}
\def\independentT#1#2{\mathrel{\rlap{${#1#2$}}\mkern2mu{#1#2}}}
```

The `\independent` macro uses `\mathpalette` to pass the `\independentT` helper macro both the current math style and the `\perp` symbol. `\independentT` typesets `\perp` in the current math style, moves two math units to the right, and finally typesets a second—overlapping—copy of `\perp`, again in the current math style. `\rlap`, which enables text overlap, is described on the next page.

Some people like their square-root signs with a trailing “hook” (i.e., “ $\sqrt{}$ ”) as this helps visually distinguish expressions like “ $\sqrt{3x}$ ” from those like “ $\sqrt{3}x$ ”. In March 2002, Dan Luecking posted a `\mathpalette`-based definition of a hooked square-root symbol to `comp.text.tex`. This code was subsequently refined by Max Dohse and Scott Pakin into the version shown below, which accepts a root as an optional argument, for consistency with `\sqrt`.

```
\newcommand{\hksqrt}[2][\mathpalette\DHLhksqrt]{#1}{#2\,}%
\def\DHLhksqrt#1#2{\setbox0=\hbox{${#1\sqrt{#2$}}\dimen0=\ht0
\advance\dimen0-0.2\ht0
\setbox2=\hbox{\vrule height\ht0 depth -\dimen0}%
{\box0\lower0.4pt\box2}}
```


Notice how `\hksqrt` uses `\mathpalette` to pass the current math style (`\displaystyle`, `\textstyle`, etc.) to `\DHLhksqrt` as argument #1. `\DHLhksqrt` subsequently uses that style within an `\hbox`. The rest of the code is simply using T_EX primitives to position a hook of height 0.2 times the `\sqrt` height at the right of the `\sqrt`. See The T_EXbook [Knu86a] for more understanding of T_EX “boxes” and “dimens”.

Sometimes, however, `amstext`’s `\text` macro is all that is necessary to make composite symbols appear correctly in subscripts and superscripts, as in the following definitions of `\neswarrow` (“↗”) and `\nwsearrow` (“↖”):⁹

```
\newcommand{\neswarrow}{\mathrel{\text{$\nearrow$\llap{$\swarrow$}}}}
\newcommand{\nwsearrow}{\mathrel{\text{$\nwarrow$\llap{$\searrow$}}}}
```

`\text` resembles L^AT_EX’s `\mbox` command but shrinks its argument appropriately when used within a subscript or superscript. `\llap` (“left overlap”) and its counterpart, `\rlap` (“right overlap”), appear frequently when creating composite characters. `\llap` outputs its argument to the left of the current position, overlapping whatever text is already there. Similarly, `\rlap` overlaps whatever text would normally appear to the right of its argument. For example, “`A\llap{B}`” and “`\rlap{A}B`” each produce “**B**”. However, the result of the former is the width of “A”, and the result of the latter is the width of “B”—`\llap{...}` and `\rlap{...}` take up zero space.

In a June 2002 post to `comp.text.tex`, Donald Arseneau presented a general macro for aligning an arbitrary number of symbols on their horizontal centers and vertical baselines:

```
\makeatletter
\def\moverlay{\mathpalette\mov@rlay}
\def\mov@rlay#1#2{\leavevmode\vtop{%
\baselineskip\z@skip \lineskiplimit-\maxdimen
\ialign{\hfil$#1##$\hfil\cr#2\cr\cr}}
\makeatother
```

The `\makeatletter` and `\makeatother` commands are needed to coerce L^AT_EX into accepting “@” as part of a macro name. `\moverlay` takes a list of symbols separated by `\cr` (T_EX’s equivalent of L^AT_EX’s `\\`). For example, the `\topbot` command defined on the previous page could have been expressed as “`\moverlay{\top\cr\bot}`” and the `\neswarrow` command defined above could have been expressed as “`\moverlay{\nearrow\cr\swarrow}`”.

The basic concept behind `\moverlay`’s implementation is that `\moverlay` typesets the given symbols in a table that utilizes a zero `\baselineskip`. This causes every row to be typeset at the same vertical position. See The T_EXbook [Knu86a] for explanations of the T_EX primitives used by `\moverlay`.

Modifying L^AT_EX-generated symbols

Oftentimes, symbols composed in the L^AT_EX_{2_ε} source code can be modified with minimal effort to produce useful variations. For example, `fontdef.dtx` composes the `\ddots` symbol (see Table 261 on page 107) out of three periods, raised 7 pt., 4 pt., and 1 pt., respectively:

```
\def\ddots{\mathinner{\mkern1mu\raise7\p@
\ vbox{\kern7\p@\hbox{.}}\mkern2mu
\raise4\p@\hbox{.}}\mkern2mu\raise\p@\hbox{.}}\mkern1mu}}
```

`\p@` is a L^AT_EX_{2_ε} shortcut for “pt” or “1.0pt”. The remaining commands are defined in The T_EXbook [Knu86a]. To draw a version of `\ddots` with the dots going along the opposite diagonal, we merely have to reorder the `\raise7\p@`, `\raise4\p@`, and `\raise\p@`:

```
\makeatletter
\def\revddots{\mathinner{\mkern1mu\raise\p@
\ vbox{\kern7\p@\hbox{.}}\mkern2mu
\raise4\p@\hbox{.}}\mkern2mu\raise7\p@\hbox{.}}\mkern1mu}}
\makeatother
```

`\revddots` is essentially identical to the `mathdots` package’s `\iddots` command or the `yhmath` package’s `\adots` command.

⁹Note that if your goal is to typeset commutative diagrams or pushout/pullback diagrams, then you should probably be using X_Y-pic.

Producing complex accents

Accents are a special case of combining existing symbols to make new symbols. While various tables in this document show how to add an accent to an existing symbol, some applications, such as transliterations from non-Latin alphabets, require *multiple* accents per character. For instance, the creator of pdfTeX writes his name as “Hàn Thê Thành”. The `dblaccnt` package enables L^AT_EX to stack accents, as in “H\`an Th\`{\^e} Th\`anh” (albeit not in the OT1 font encoding). In addition, the `wsuipa` package defines `\diatop` and `\diaunder` macros for putting one or more diacritics or accents above or below a given character. For example, `\diaunder[{\diatop[\`|\=]}|\textsubdot{x}]` produces “ $\dot{x}$ ”. See the `wsuipa` documentation for more information.

The `accents` package facilitates the fabrication of accents in math mode. Its `\accentset` command enables *any* character to be used as an accent. For instance, `\accentset{\star}{f}` produces “ $f^\star$ ” and `\accentset{e}{X}` produces “ X^e ”. `\underaccent` does the same thing, but places the accent beneath the character. This enables constructs like `\underaccent{\tilde}{V}`, which produces “ $\tilde{V}$ ”. `accents` provides other accent-related features as well; see the documentation for more information.

Creating extensible symbols

A relatively simple example of creating extensible symbols stems from a `comp.text.tex` post by Donald Arseneau (June 2003). The following code defines an equals sign that extends as far to the right as possible, just like L^AT_EX’s `\hrulefill` command:

```
\makeatletter
\def\equalsfill{\$ \m@th \mathord=\mkern-7mu
  \cleaders\hbox{\$!\mathord=!\$}\hfill
  \mkern-7mu \mathord=\$}
\makeatother
```

T_EX’s `\cleaders` and `\hfill` primitives are the key to understanding `\equalsfill`’s extensibility. Essentially, `\equalsfill` repeats a box containing “=” plus some negative space until it fills the maximum available horizontal space. `\equalsfill` is intended to be used with L^AT_EX’s `\stackrel` command, which stacks one mathematical expression (slightly reduced in size) atop another. Hence, “`\stackrel{a}{\rightarrow}`” produces “ $\xrightarrow{a}$ ” and “`\stackrel{\text{definition}}{\hbox{\equalsfill}} Y`” produces “ $X \stackrel{\text{definition}}{=} Y$ ”.

If all that needs to extend are horizontal and vertical lines—as opposed to repeated symbols such as the “=” in the previous example—L^AT_EX’s `array` or `tabular` environments may suffice. Consider the following code (due to a February 1999 `comp.text.tex` post by Donald Arseneau and subsequent modifications by Billy Yu and Scott Pakin) for typesetting annuity and life-insurance symbols:

```
\DeclareRobustCommand{\actuarial}[2][0]{%
  \def\arraystretch{0}%
  \setlength\arraycolsep{0.5pt}%
  \setlength\arrayrulewidth{0.5pt}%
  \setbox0=\hbox{\$ \scriptstyle#1#2$}%
  \begin{array}[b]{*2{@{}>{\scriptstyle}c}|}
    \cline{2-2}%
    \rule[1.25pt]{0pt}{\ht0}%
    #1 & #2%
  \end{array}%
}
```

Using the preceding definition, one can type, e.g., “`\$a_{\actuarial{n}}\$`” to produce “ $a_{\overline{n}}$ ” and “`\$a_{\actuarial[x]{n}}\$`” to produce “ $a_{x:\overline{n}}$ ”. This is similar in concept to how the `actuarialangle` package defines its `\actuarialangle` command (Table 251).

A more complex example of composing accents is the following definition of extensible `\overbracket`, `\underbracket`, `\overparenthesis`, and `\underparenthesis` symbols, taken from a May 2002 `comp.text.tex` post by Donald Arseneau:

```
\makeatletter
\def\overbracket#1{\mathop{\vbox{\ialign{##\crrc\noalign{\kern3\p@}
```

```

\downbracketfill\crr\noalign{\kern3\p@\nointerlineskip}
$\hfil\displaystyle{#1}\hfil$\crr\}}\limits}
\def\underbracket#1{\mathop{\vtop{\ialign{##\crr
$\hfil\displaystyle{#1}\hfil$\crr\noalign{\kern3\p@\nointerlineskip}
\upbracketfill\crr\noalign{\kern3\p@}}}\}\limits}
\def\overparenthesis#1{\mathop{\vbox{\ialign{##\crr\noalign{\kern3\p@}
\downparenthfill\crr\noalign{\kern3\p@\nointerlineskip}
$\hfil\displaystyle{#1}\hfil$\crr\}}\limits}
\def\underparenthesis#1{\mathop{\vtop{\ialign{##\crr
$\hfil\displaystyle{#1}\hfil$\crr\noalign{\kern3\p@\nointerlineskip}
\upparenthfill\crr\noalign{\kern3\p@}}}\}\limits}
\def\downparenthfill{$\m@th\braceld\leaders\vrule\hfill\bracerd$}
\def\upparenthfill{$\m@th\bracelu\leaders\vrule\hfill\braceru$}
\def\upbracketfill{$\m@th\makesm@sh{\llap{\vrule\@height3\p@\@width.7\p@}}%
\leaders\vrule\@height.7\p@\hfill
\makesm@sh{\rlap{\vrule\@height3\p@\@width.7\p@}}$}
\def\downbracketfill{$\m@th
\makesm@sh{\llap{\vrule\@height.7\p@\@depth2.3\p@\@width.7\p@}}%
\leaders\vrule\@height.7\p@\hfill
\makesm@sh{\rlap{\vrule\@height.7\p@\@depth2.3\p@\@width.7\p@}}$}
\makeatother

```

Table 514 showcases these accents. The $\text{\TeX}$ book [Knu86a] or another book on $\text{\TeX}$ primitives is indispensable for understanding how the preceding code works. The basic idea is that `\downparenthfill`, `\upparenthfill`, `\downbracketfill`, and `\upbracketfill` do all of the work; they output a left symbol (e.g., `\braceld` [$\lceil$] for `\downparenthfill`), a horizontal rule that stretches as wide as possible, and a right symbol (e.g., `\bracerd` [$\rceil$] for `\downparenthfill`). `\overbracket`, `\underbracket`, `\overparenthesis`, and `\underparenthesis` merely create a table whose width is determined by the given text, thereby constraining the width of the horizontal rules.

TABLE 514: Manually Composed Extensible Accents

$\overbrace{abc}$	<code>\overbracket{abc}</code>	$\overparen{abc}$	<code>\overparenthesis{abc}</code>
$\underbrace{abc}$	<code>\underbracket{abc}</code>	$\underparen{abc}$	<code>\underparenthesis{abc}</code>

Note that the `simplewick` package provides mechanisms for typesetting Wick contractions, which utilize `\overbracket`- and `\underbracket`-like brackets of variable width *and* height (or depth). For example, `"\acontraction{}{A}{B}{C}\acontraction[2ex]{A}{B}{C}{D}\bcontraction{}{A}{BC}{D}ABCD"` produces

$$\overbrace{\underbrace{ABCD}}^{\quad}.$$

See the `simplewick` documentation for more information.


Developing new symbols from scratch

Sometimes it is simply not possible to define a new symbol in terms of existing symbols. Fortunately, most, if not all, $\text{\TeX}$ distributions are shipped with a tool called `METAFONT` which is designed specifically for creating fonts to be used with $\text{\TeX}$. The `METAFONT`book [Knu86b] is the authoritative text on `METAFONT`. If you plan to design your own symbols with `METAFONT`, The `METAFONT`book is essential reading. You may also want to read the freely available `METAFONT` primer located at <http://metafont.tutorial.free.fr/>. The following is an extremely brief tutorial on how to create a new $\text{\LaTeX}$ symbol using `METAFONT`. Its primary purpose is to cover the $\text{\LaTeX}$ -specific operations not mentioned in The `METAFONT`book and to demonstrate that symbol-font creation is not necessarily a difficult task.

Suppose we need a symbol to represent a light bulb (“ $\mathfrak{g}$ ”).¹⁰ The first step is to draw this in `METAFONT`. It is common to separate the font into two files: a size-dependent file, which specifies the design

¹⁰I’m not a very good artist; you’ll have to pretend that “ $\mathfrak{g}$ ” looks like a light bulb.

size and various font-specific parameters that are a function of the design size; and a size-independent file, which draws characters in the given size. Figure 2 shows the METAFONT code for `lightbulb10.mf`. `lightbulb10.mf` specifies various parameters that produce a 10 pt. light bulb then loads `lightbulb.mf`. Ideally, one should produce `lightbulb⟨size⟩.mf` files for a variety of $\langle size \rangle$ s. This is called “optical scaling”. It enables, for example, the lines that make up the light bulb to retain the same thickness at different font sizes, which looks much nicer than the alternative—and default—“mechanical scaling”. When a `lightbulb⟨size⟩.mf` file does not exist for a given size $\langle size \rangle$, the computer mechanically produces a wider, taller, thicker symbol:



```
font_identifier := "LightBulb10";           % Name the font.
font_size 10pt#;                             % Specify the design size.

em# := 10pt#;                                % "M" width is 10 points.
cap# := 7pt#;                                % Capital letter height is 7 points above the baseline.
sb# := 1/4pt#;                               % Leave this much space on the side of each character.
o# := 1/16pt#;                               % Amount that curves overshoot borders.

input lightbulb                             % Load the file that draws the actual glyph.
```

Figure 2: Sample METAFONT size-specific file (`lightbulb10.mf`)

`lightbulb.mf`, shown in Figure 3, draws a light bulb using the parameters defined in `lightbulb10.mf`. Note that the filenames “`lightbulb10.mf`” and “`lightbulb.mf`” do not follow the Berry font-naming scheme [Ber01]; the Berry font-naming scheme is largely irrelevant for symbol fonts, which generally lack bold, italic, small-caps, slanted, and other such variants.

The code in Figures Figure 2 and Figure 3 is heavily commented and should demonstrate some of the basic concepts behind METAFONT usage: declaring variables, defining points, drawing lines and curves, and preparing to debug or fine-tune the output. Again, The METAFONTbook [Knu86b] is the definitive reference on METAFONT programming.

METAFONT can produce “proofs” of fonts—large, labeled versions that showcase the logical structure of each character. In fact, proof mode is METAFONT’s default mode. To produce a proof of `lightbulb10.mf`, issue the following commands at the operating-system prompt:

```
prompt> mf lightbulb10.mf                    ⇐ Produces lightbulb10.2602gf
prompt> gftodvi lightbulb10.2602gf           ⇐ Produces lightbulb10.dvi
```

You can then view `lightbulb10.dvi` with any DVI viewer. The result is shown in Figure 4. Observe how the grid defined with `makegrid` at the bottom of Figure 3 draws vertical lines at positions 0, sb , $w/2$, and $w - sb$ and horizontal lines at positions 0, $-1pt$, y_2 , and h . Similarly, observe how the `penlabels` command labels all of the important coordinates: $z_1, z_2, \dots, z_8$ and z_{67} , which `lightbulb.mf` defines to lie between z_6 and z_7 .

Most, if not all, T_EX distributions include a Plain T_EX file called `testfont.tex` that is useful for testing new fonts in a variety of ways. One useful routine produces a table of all of the characters in the font:

```
prompt> tex testfont
This is TeX, Version 3.14159 (Web2C 7.3.1)
(/usr/share/texmf/tex/plain/base/testfont.tex
Name of the font to test = lightbulb10
Now type a test command (\help for help):)
*\table

*\bye
```

```

mode_setup;                                     % Target a given printer.

define_pixels(em, cap, sb);                      % Convert to device-specific units.
define_corrected_pixels(o);                     % Same, but add a device-specific fudge factor.

%% Define a light bulb at the character position for "A"
%% with width  $\frac{1}{2}em\#$ , height  $cap\#$ , and depth  $1pt\#$ .
beginchar("A",  $\frac{1}{2}em\#$ ,  $cap\#$ ,  $1pt\#$ ); "A light bulb";
  pickup pencircle scaled  $\frac{1}{2}pt$ ;                % Use a pen with a small, circular tip.

  %% Define the points we need.
  top  $z_1 = (w/2, h + o)$ ;                          %  $z_1$  is at the top of a circle.
  rt  $z_2 = (w + sb + o - x_4, y_4)$ ;                %  $z_2$  is at the same height as  $z_4$  but the opposite side.
  bot  $z_3 = (z_1 - (0, w - sb - o))$ ;                %  $z_3$  is at the bottom of the circle.
  lft  $z_4 = (sb - o, \frac{1}{2}[y_1, y_3])$ ;            %  $z_4$  is on the left of the circle.
  path bulb;                                       % Define a path for the bulb itself.
  bulb =  $z_1 \dots z_2 \dots z_3 \dots z_4 \dots$  cycle; % The bulb is a closed path.

   $z_5 = \text{point } 2 - \frac{1}{3} \text{ of } bulb$ ;                %  $z_5$  lies on the bulb, a little to the right of  $z_3$ .
   $z_6 = (x_5, 0)$ ;                                    %  $z_6$  is at the bottom, directly under  $z_5$ .
   $z_7 = (x_8, 0)$ ;                                    %  $z_7$  is at the bottom, directly under  $z_8$ .
   $z_8 = \text{point } 2 + \frac{1}{3} \text{ of } bulb$ ;                %  $z_8$  lies on the bulb, a little to the left of  $z_3$ .
  bot  $z_{67} = (\frac{1}{2}[x_6, x_7], pen\_bot - o - \frac{1}{8}pt)$ ; %  $z_{67}$  lies halfway between  $z_6$  and  $z_7$  but a jot
lower.

  %% Draw the bulb and the base.
  draw bulb;                                       % Draw the bulb proper.
  draw  $z_5 \dashrightarrow z_6 \dots z_{67} \dots z_7 \dashrightarrow z_8$ ; % Draw the base of the bulb.

  %% Display key positions and points to help us debug.
  makegrid(0, sb,  $w/2$ ,  $w - sb$ )(0,  $-1pt$ ,  $y_2$ ,  $h$ ); % Label "interesting"  $x$  and  $y$  coordinates.
  penlabels(1, 2, 3, 4, 5, 6, 67, 7, 8);           % Label control points for debugging.
endchar;
end

```

Figure 3: Sample METAFONT size-independent file (`lightbulb.mf`)




Figure 4: Proof diagram of `lightbulb10.mf`

[1]

Output written on testfont.dvi (1 page, 1516 bytes).

Transcript written on testfont.log.

The resulting table, stored in `testfont.dvi` and illustrated in Figure 5, shows every character in the font. To understand how to read the table, note that the character code for “A”—the only character defined by `lightbulb10.mf`—is 41 in hexadecimal (base 16) and 101 in octal (base 8).

Test of lightbulb10 on March 11, 2003 at 1127									
	'0	'1	'2	'3	'4	'5	'6	'7	
'10x		8							"4x
'11x									
	"8	"9	"A	"B	"C	"D	"E	"F	

Figure 5: Font table produced by `testfont.tex`

The LightBulb10 font is now usable by $\text{\TeX}$. $\text{\LaTeX 2}_{\epsilon}$, however, needs more information before documents can use the font. First, we create a font-description file that tells $\text{\LaTeX 2}_{\epsilon}$ how to map fonts in a given font family and encoding to a particular font in a particular font size. For symbol fonts, this mapping is fairly simple. Symbol fonts almost always use the “U” (“Unknown”) font encoding and frequently occur in only one variant: normal weight and non-italicized. The filename for a font-description file is important; it must be of the form “ $\langle encoding \rangle \langle family \rangle .fd$ ”, where $\langle encoding \rangle$ is the lowercase version of the encoding name (typically “u” for symbol fonts) and $\langle family \rangle$ is the name of the font family. For LightBulb10, let’s call this “bulb”. Figure 6 lists the contents of `ubulb.fd`. The document “ $\text{\LaTeX 2}_{\epsilon}$ Font Selection” [LAT00] describes `\DeclareFontFamily` and `\DeclareFontShape` in detail, but the gist of `ubulb.fd` is first to declare a U-encoded version of the `bulb` font family and then to specify that a $\text{\LaTeX 2}_{\epsilon}$ request for a U-encoded version of `bulb` with a (m)edium font series (as opposed to, e.g., bold) and a (n)ormal font shape (as opposed to, e.g., italic) should translate into a $\text{\TeX}$ request for `lightbulb10.tfm` mechanically scaled to the current font size.

```
\DeclareFontFamily{U}{bulb}{}
\DeclareFontShape{U}{bulb}{m}{n}{<-> lightbulb10}{}

```

Figure 6: $\text{\LaTeX 2}_{\epsilon}$ font-description file (`ubulb.fd`)

The final step is to write a $\text{\LaTeX 2}_{\epsilon}$ style file that defines a name for each symbol in the font. Because we have only one symbol our style file, `lightbulb.sty` (Figure 7), is rather trivial. Note that instead of typesetting “A” we could have had `\lightbulb typeset "\char65"`, `\lightbulb typeset "\char"41"`, or `\lightbulb typeset "\char'101"` (respectively, decimal, hexadecimal, and octal character offsets into the font). For a simple, one-character symbol font such as LightBulb10 it would be reasonable to merge `ubulb.fd` into `lightbulb.sty` instead of maintaining two separate files. In either case, a document need only include “`\usepackage{lightbulb}`” to make the `\lightbulb` symbol available.

```
\newcommand{\lightbulb}{\usefont{U}{bulb}{m}{n}A}

```

Figure 7: $\text{\LaTeX 2}_{\epsilon}$ style file (`lightbulb.sty`)

METAFONT normally produces bitmapped fonts. However, it is also possible, with the help of some external tools, to produce PostScript Type 1 fonts. These have the advantages of rendering better in Adobe[®] Acrobat[®] (at least in versions prior to 6.0) and of being more memory-efficient when handled by a PostScript interpreter. See <http://www.tex.ac.uk/cgi-bin/texfaq2html?label=textrace> for pointers to tools that can produce Type 1 fonts from METAFONT.

10.4 Math-mode spacing

Terms such as “binary operators”, “relations”, and “punctuation” in Section 3 primarily regard the surrounding spacing. (See the Short Math Guide for L^AT_EX [Dow00] for a nice exposition on the subject.) To use a symbol for a different purpose, you can use the T_EX commands `\mathord`, `\mathop`, `\mathbin`, `\mathrel`, `\mathopen`, `\mathclose`, and `\mathpunct`. For example, if you want to use `\downarrow` as a variable (an “ordinary” symbol) instead of a delimiter, you can write “`$3 x + \mathord{\downarrow}$`” to get the properly spaced “ $3x + \downarrow$ ” rather than the awkward-looking “ $3x + \downarrow$ ”. Similarly, to create a dotted-union symbol (“ $\dot{\cup}$ ”) that spaces like the ordinary set-union symbol (`\cup`) it must be defined with `\mathbin`, just as `\cup` is. Contrast “`$A \dot{\cup} B$`” (“ $A \dot{\cup} B$ ”) with “`$A \mathbin{\dot{\cup}} B$`” (“ $A \dot{\cup} B$ ”). See The T_EXbook [Knu86a] for the definitive description of math-mode spacing.

The purpose of the “log-like symbols” in Table 177 and Table 178 is to provide the correct amount of spacing around and within multiletter function names. Table 515 contrasts the output of the log-like symbols with various, naïve alternatives. In addition to spacing, the log-like symbols also handle subscripts properly. For example, “`\max_{p \in P}`” produces “ $\max_{p \in P}$ ” in text, but “ $\max$ ” as part of a displayed formula.

TABLE 515: Spacing Around/Within Log-like Symbols

L ^A T _E X expression	Output
<code>\$r \sin \theta\$</code>	$r \sin \theta$ (best)
<code>\$r \sin \theta\$</code>	$r \sin \theta$
<code>\$r \mbox{sin} \theta\$</code>	$r \sin \theta$
<code>\$r \mathrm{sin} \theta\$</code>	$r \sin \theta$

The `amsmath` package makes it straightforward to define new log-like symbols:

```
\DeclareMathOperator{\atan}{atan}
\DeclareMathOperator*{\lcm}{lcm}
```

The difference between `\DeclareMathOperator` and `\DeclareMathOperator*` involves the handling of subscripts. With `\DeclareMathOperator*`, subscripts are written beneath log-like symbols in display style and to the right in text style. This is useful for limit operators (e.g., `\lim`) and functions that tend to map over a set (e.g., `\min`). In contrast, `\DeclareMathOperator` tells T_EX that subscripts should always be displayed to the right of the operator, as is common for functions that take a single parameter (e.g., `\log` and `\cos`). Table 516 contrasts symbols declared with `\DeclareMathOperator` and `\DeclareMathOperator*` in both text style (`$...$`) and display style (`\[...\]`).¹¹

TABLE 516: Defining new log-like symbols

Declaration function	<code>\$\newlogsym_{p \in P}\$</code>	<code>\[\newlogsym_{p \in P} \]</code>
<code>\DeclareMathOperator</code>	$\newlogsym_{p \in P}$	$\newlogsym_{p \in P}$
<code>\DeclareMathOperator*</code>	$\newlogsym_{p \in P}$	$\newlogsym_{p \in P}$

It is common to use a thin space (`\,`) between the words of a multiword operators, as in “`\DeclareMathOperator*{\argmax}{arg\,max}`”. `\liminf`, `\limsup`, and all of the log-like symbols shown in Table 178 utilize this spacing convention.

10.5 Bold mathematical symbols

L^AT_EX does not normally use bold symbols when typesetting mathematics. However, bold symbols are occasionally needed, for example when naming vectors. Any of the approaches described at

¹¹Note that `\displaystyle` can be used to force display style within `$...$` and `\textstyle` can be used to force text style within `\[...\]`.

<http://www.tex.ac.uk/cgi-bin/texfaq2html?label=boldgreek> can be used to produce bold mathematical symbols. Table 517 contrasts the output produced by these various techniques. As the table illustrates, these techniques exhibit variation in their formatting of Latin letters (upright vs. italic), formatting of Greek letters (bold vs. normal), formatting of operators and relations (bold vs. normal), and spacing.

TABLE 517: Producing bold mathematical symbols

Package	Code	Output	
<i>none</i>	<code>\alpha + b = \Gamma \div D</code>	$\alpha + b = \Gamma \div D$	(no bold)
<i>none</i>	<code>\mathbf{\alpha + b = \Gamma \div D}</code>	$\alpha + \mathbf{b} = \mathbf{\Gamma} \div \mathbf{D}$	
<i>none</i>	<code>\boldmath\alpha + b = \Gamma \div D</code>	$\boldsymbol{\alpha} + \boldsymbol{b} = \boldsymbol{\Gamma} \div \boldsymbol{D}$	
<i>amsbsy</i>	<code>\pmb{\alpha + b = \Gamma \div D}</code>	$\boldsymbol{\alpha} + \boldsymbol{b} = \boldsymbol{\Gamma} \div \boldsymbol{D}$	(faked bold)
<i>amsbsy</i>	<code>\boldsymbol{\alpha + b = \Gamma \div D}</code>	$\boldsymbol{\alpha} + \boldsymbol{b} = \boldsymbol{\Gamma} \div \boldsymbol{D}$	
<i>bm</i>	<code>\bm{\alpha + b = \Gamma \div D}</code>	$\boldsymbol{\alpha} + \boldsymbol{b} = \boldsymbol{\Gamma} \div \boldsymbol{D}$	
<i>fixmath</i>	<code>\mathbf{\alpha + b = \Gamma \div D}</code>	$\boldsymbol{\alpha} + \boldsymbol{b} = \boldsymbol{\Gamma} \div \boldsymbol{D}$	

10.6 ASCII and Latin 1 quick reference

Table 518 amalgamates data from various other tables in this document into a convenient reference for $\text{\LaTeX} 2_{\epsilon}$ typesetting of ASCII characters, i.e., the characters available on a typical U.S. computer keyboard. The first two columns list the character's ASCII code in decimal and hexadecimal. The third column shows what the character looks like. The fourth column lists the $\text{\LaTeX} 2_{\epsilon}$ command to typeset the character as a text character. And the fourth column lists the $\text{\LaTeX} 2_{\epsilon}$ command to typeset the character within a `\texttt{...}` command (or, more generally, when `\ttfamily` is in effect).

TABLE 518: $\text{\LaTeX} 2_{\epsilon}$ ASCII Table

Dec	Hex	Char	Body text	\texttt	Dec	Hex	Char	Body text	\texttt
33	21	!	!	!	62	3E	>	\textgreater	>
34	22	"	\textquotedbl	"	63	3F	?	?	?
35	23	#	\#	\#	64	40	@	@	@
36	24	\$	\\$	\\$	65	41	A	A	A
37	25	%	\%	\%	66	42	B	B	B
38	26	&	\&	\&	67	43	C	C	C
39	27	,	,	,	:	:	:	:	:
40	28	(	(	(	90	5A	Z	Z	Z
41	29	)	)	)	91	5B	[	[	[
42	2A	*	*	*	92	5C	\	\textbackslash	\char'\'
43	2B	+	+	+	93	5D	]	]	]
44	2C	,	,	,	94	5E	^	\^{}{}	\^{}{}
45	2D	-	-	-	95	5F	_	_	\char'_
46	2E	.	.	.	96	60	'	'	'
47	2F	/	/	/	97	61	a	a	a
48	30	0	0	0	98	62	b	b	b
49	31	1	1	1	99	63	c	c	c
50	32	2	2	2	:	:	:	:	:
:	:	:	:	:	122	7A	z	z	z
57	39	9	9	9	123	7B	{	\{	\char'\{
58	3A	:	:	:	124	7C		\textbar	
59	3B	;	;	;	125	7D	}	\}	\char'\}
60	3C	<	\textless	<	126	7E	~	\~{}{}	\~{}{}
61	3D	=	=	=					

The following are some additional notes about the contents of Table 518:

- “” is not available in the OT1 font encoding.
- Table 518 shows a close quote for character 39 for consistency with the open quote shown for character 96. A straight quote can be typeset using `\textquotesingle` (cf. Table 46).
- The characters “<”, “>”, and “|” do work as expected in math mode, although they produce, respectively, “l”, “i”, and “—” in text mode when using the OT1 font encoding.¹² The following are some alternatives for typesetting “<”, “>”, and “|”:
 - Specify a document font encoding other than OT1 (as described on page 11).
 - Use the appropriate symbol commands from Table 2 on page 13, viz. `\textless`, `\textgreater`, and `\textbar`.
 - Enter the symbols in math mode instead of text mode, i.e., `$<$`, `$>$`, and `$|`.

Note that for typesetting metavariables many people prefer `\texttriangle` and `\textrangle` to `\textless` and `\textgreater`; i.e., “`\langle filename \rangle`” instead of “`<filename>`”.

- Although “/” does not require any special treatment, L^AT_EX additionally defines a `\slash` command which outputs the same glyph but permits a line break afterwards. That is, “increase/decrease” is always typeset as a single entity while “increase\slash{}decrease” may be typeset with “increase/” on one line and “decrease” on the next.
- `\textasciicircum` can be used instead of `\~{}`, and `\textasciitilde` can be used instead of `\tilde{}`. Note that `\textasciitilde` and `\~{}` produce raised, diacritic tildes. “Text” (i.e., vertically centered) tildes can be generated with either the math-mode `\sim` command (shown in Table 87 on page 46), which produces a somewhat wide “~”, or the `textcomp` package’s `\texttildelow` (shown in Table 46 on page 26), which produces a vertically centered “~” in most fonts but a baseline-oriented “~” in Computer Modern, `txfonts`, `pxfonts`, and various other fonts originating from the T_EX world. If your goal is to typeset tildes in URLs or Unix filenames, your best bet is to use the `url` package, which has a number of nice features such as proper line-breaking of such names.
- The various `\char` commands within `\texttt` are necessary only in the OT1 font encoding. In other encodings (e.g., T1), commands such as `\{`, `\}`, `\_`, and `\textbackslash` all work properly.
- The code page 437 (IBM PC) version of ASCII characters 1 to 31 can be typeset using the `ascii` package. See Table 317 on page 122.
- To replace “” and “” with the more computer-like (and more visibly distinct) “^” and “’” within a `verbatim` environment, use the `upquote` package. Outside of `verbatim`, you can use `\char18` and `\char13` to get the modified quote characters. (The former is actually a grave accent.)

Similar to Table 518, Table 519 on the following page is an amalgamation of data from other tables in this document. While Table 518 shows how to typeset the 7-bit ASCII character set, Table 519 shows the Latin 1 (Western European) character set, also known as ISO-8859-1.

The following are some additional notes about the contents of Table 519:

- A “(tc)” after a symbol name means that the `textcomp` package must be loaded to access that symbol. A “(T1)” means that the symbol requires the T1 font encoding. The `fontenc` package can change the font encoding document-wide.
- Many of the `\text...` accents can also be produced using the accent commands shown in Table 18 on page 19 plus an empty argument. For instance, `\={}` is essentially the same as `\textasciimacron`.
- The commands in the “L^AT_EX 2_ε” columns work both in body text and within a `\texttt{...}` command (or, more generally, when `\ttfamily` is in effect).

¹²Donald Knuth didn’t think such symbols were important outside of mathematics so he omitted them from his text fonts.

TABLE 519: L^AT_EX 2_ε Latin 1 Table

Dec	Hex	Char	L ^A T _E X 2 _ε	Dec	Hex	Char	L ^A T _E X 2 _ε
161	A1	¡	!‘	209	D1	Ñ	\~{N}
162	A2	¢	\textcent (tc)	210	D2	Ò	\~{O}
163	A3	£	\pounds	211	D3	Ó	\~{O}
164	A4	¤	\textcurrency (tc)	212	D4	Ô	\~{O}
165	A5	¥	\textyen (tc)	213	D5	Õ	\~{O}
166	A6	¦	\textbrokenbar (tc)	214	D6	Ö	\~{O}
167	A7	§	\S	215	D7	×	\texttimes (tc)
168	A8	¨	\textasciidieresis (tc)	216	D8	Ø	\O
169	A9	©	\textcopyright	217	D9	Ù	\~{U}
170	AA	ª	\textordfeminine	218	DA	Ú	\~{U}
171	AB	«	\guillemotleft (T1)	219	DB	Û	\~{U}
172	AC	¬	\textlnot (tc)	220	DC	Ü	\~{U}
173	AD	-	\-	221	DD	Ý	\~{Y}
174	AE	®	\textregistered	222	DE	Þ	\TH (T1)
175	AF	—	\textasciimacron (tc)	223	DF	ß	\ss
176	B0	°	\textdegree (tc)	224	E0	à	\~{a}
177	B1	±	\textpm (tc)	225	E1	á	\~{a}
178	B2	²	\texttwosuperior (tc)	226	E2	â	\~{a}
179	B3	³	\textthreesuperior (tc)	227	E3	ã	\~{a}
180	B4	´	\textasciiacute (tc)	228	E4	ä	\~{a}
181	B5	µ	\textmu (tc)	229	E5	å	\aa
182	B6	¶	\P	230	E6	æ	\ae
183	B7	·	\textperiodcentered	231	E7	ç	\c{c}
184	B8	¸	\c{}	232	E8	è	\~{e}
185	B9	¹	\textonesuperior (tc)	233	E9	é	\~{e}
186	BA	º	\textordmasculine	234	EA	ê	\~{e}
187	BB	»	\guillemotright (T1)	235	EB	ë	\~{e}
188	BC	¼	\textonequarter (tc)	236	EC	ì	\~{i}
189	BD	½	\textonehalf (tc)	237	ED	í	\~{i}
190	BE	¾	\textthreequarters (tc)	238	EE	î	\~{i}
191	BF	¿	?‘	239	EF	ï	\~{i}
192	C0	À	\~{A}	240	F0	ð	\dh (T1)
193	C1	Á	\~{A}	241	F1	ñ	\~{n}
194	C2	Â	\~{A}	242	F2	ò	\~{o}
195	C3	Ã	\~{A}	243	F3	ó	\~{o}
196	C4	Ä	\~{A}	244	F4	ô	\~{o}
197	C5	Å	\AA	245	F5	õ	\~{o}
198	C6	Æ	\AE	246	F6	ö	\~{o}
199	C7	Ç	\c{C}	247	F7	÷	\textdiv (tc)
200	C8	È	\~{E}	248	F8	ø	\o
201	C9	É	\~{E}	249	F9	ù	\~{u}
202	CA	Ê	\~{E}	250	FA	ú	\~{u}
203	CB	Ë	\~{E}	251	FB	û	\~{u}
204	CC	Ì	\~{I}	252	FC	ü	\~{u}
205	CD	Í	\~{I}	253	FD	ý	\~{y}
206	CE	Î	\~{I}	254	FE	þ	\th (T1)
207	CF	Ï	\~{I}	255	FF	ÿ	\~{y}
208	D0	Ð	\DH (T1)				

- The “ℓ” and “\$” glyphs occupy the same slot (36) of the OT1 font encoding, with “ℓ” appearing in italic fonts and “\$” appearing in roman fonts. A problem with L^AT_EX’s default handling of this double-mapping is that “`{\sffamily\slshape\pounds}`” produces “\$”, not “ℓ”. Other font encodings use separate slots for the two characters and are therefore robust to the problem of “ℓ”/“\$” conflicts. Authors who use `\pounds` should select a font encoding other than OT1 (as explained on page 11) or use the `textcomp` package, which redefines `\pounds` to use the TS1 font encoding.
- Character 173, `\-`, is shown as “-” but is actually a discretionary hyphen; it appears only at the end of a line.

Microsoft[®] Windows[®] normally uses a superset of Latin 1 called “Code Page 1252” or “CP1252” for short. CP1252 introduces symbols in the Latin 1 “invalid” range (characters 128–159). Table 520 presents the characters with which CP1252 augments the standard Latin 1 table.

TABLE 520: L^AT_EX 2_ε Code Page 1252 Table

Dec	Hex	Char	L ^A T _E X 2 _ε	Dec	Hex	Char	L ^A T _E X 2 _ε
128	80	€	<code>\texteuro</code> (tc)	145	91	‘	‘
130	82	,	<code>\quotesinglbase</code> (T1)	146	92	’	’
131	83	<i>f</i>	<code>\textit{f}</code>	147	93	“	“
132	84	„	<code>\quotedblbase</code> (T1)	148	94	”	”
133	85	...	<code>\dots</code>	149	95	•	<code>\textbullet</code>
134	86	†	<code>\dag</code>	150	96	—	--
135	87	‡	<code>\ddag</code>	151	97	---	---
136	88	ˆ	<code>\textasciicircum</code>	152	98	˜	<code>\textasciitilde</code>
137	89	‰	<code>\textperthousand</code> (tc)	153	99	™	<code>\texttrademark</code>
138	8A	Š	<code>\v{S}</code>	154	9A	š	<code>\v{s}</code>
139	8B	‹	<code>\guilsinglleft</code> (T1)	155	9B	›	<code>\guilsinglright</code> (T1)
140	8C	Œ	<code>\OE</code>	156	9C	œ	<code>\oe</code>
142	8E	Ž	<code>\v{Z}</code>	158	9E	ž	<code>\v{z}</code>
				159	9F	ÿ	<code>\{"Y}</code>

The following are some additional notes about the contents of Table 520:

- As in Table 519, a “(tc)” after a symbol name means that the `textcomp` package must be loaded to access that symbol. A “(T1)” means that the symbol requires the T1 font encoding. The `fontenc` package can change the font encoding document-wide.
- Not all characters in the 128–159 range are defined.
- Look up “euro signs” in the index for alternatives to `\texteuro`.

While too large to incorporate into this document, a listing of ISO 8879:1986 SGML/XML character entities and their L^AT_EX equivalents is available from <http://www.bitjungle.com/isoent/>. Some of the characters presented there make use of `isoent`, a L^AT_EX 2_ε package (available from the same URL) that fakes some of the missing ISO glyphs using the L^AT_EX `picture` environment.¹³

10.7 Unicode characters

Unicode is a “universal character set”—a standard for encoding (i.e., assigning unique numbers to) the symbols appearing in many of the world’s languages. While ASCII can represent 128 symbols and Latin 1 can represent 256 symbols, Unicode can represent an astonishing 1,114,112 symbols.

Because T_EX and L^AT_EX predate the Unicode standard and Unicode fonts by almost a decade, support for Unicode has had to be added to the base T_EX and L^AT_EX systems. Note first that L^AT_EX distinguishes between *input* encoding—the characters used in the `.tex` file—and *output* encoding—the characters that appear in the generated `.dvi`, `.pdf`, etc. file.

¹³`isoent` is not featured in this document, because it is not available from CTAN and because the faked symbols are not “true” characters; they exist in only one size, regardless of the body text’s font size.

Inputting Unicode characters

To include Unicode characters in a `.tex` file, load the `ucs` package and load the `inputenc` package with the `utf8x` (“UTF-8 extended”) option.¹⁴ These packages enable $\text{\LaTeX}$ to translate UTF-8 sequences to $\text{\LaTeX}$ commands, which are subsequently processed as normal. For example, the UTF-8 text “Copyright © 2015”—“©” is not an ASCII character and therefore cannot be input directly without packages such as `ucs/inputenc`—is converted internally by `inputenc` to “Copyright `\textcopyright` 2015” and therefore typeset as “Copyright © 2015”.

The `ucs/inputenc` combination supports only a tiny subset of Unicode’s million-plus symbols. Additional symbols can be added manually using the `\DeclareUnicodeCharacter` command. `\DeclareUnicodeCharacter` takes two arguments: a Unicode number and a $\text{\LaTeX}$ command to execute when the corresponding Unicode character is encountered in the input. For example, the Unicode character “degree celsius” (“°C”) appears at character position U+2103.¹⁵ However, “°C” is not one of the characters that `ucs` and `inputenc` recognize. The following document shows how to use `\DeclareUnicodeCharacter` to tell $\text{\LaTeX}$ that the “°C” character should be treated as a synonym for `\textcelsius`:

```
\documentclass{article}
\usepackage{ucs}
\usepackage[utf8x]{inputenc}
\usepackage{textcomp}

\DeclareUnicodeCharacter{"2103}{\textcelsius} % Enable direct input of U+2103.

\begin{document}
It was a balmy 21°C.
\end{document}
```

which produces

It was a balmy 21°C.

See the `ucs` documentation for more information and for descriptions of the various options that control `ucs`’s behavior.

Outputting Unicode characters

Orthogonal to the ability to include Unicode characters in a $\text{\LaTeX}$ input file is the ability to include a given Unicode character in the corresponding output file. By far the easiest approach is to use $\text{\XeLaTeX}$ instead of $\text{\pdfLaTeX}$ or ordinary $\text{\LaTeX}$. $\text{\XeLaTeX}$ handles Unicode input and output natively and can utilize system fonts directly without having to expose them via `.tfm`, `.fd`, and other such files. To output a Unicode character, a $\text{\XeLaTeX}$ document can either include that character directly as UTF-8 text or use $\text{\TeX}$ ’s `\char` primitive, which $\text{\XeLaTeX}$ extends to accept numbers larger than 255.

Suppose we want to output the symbols for versicle (“V”) and response (“R”) in a document. The Unicode charts list “versicle” at position U+2123 and “response” at position U+211F. We therefore need to install a font that contains those characters at their proper positions. One such font that is freely available from CTAN is Junicode (`Junicode.ttf`) from the `junicode` package. The `fontspec` package makes it easy for a $\text{\XeLaTeX}$ document to utilize a system font. The following example defines a `\textjuni` command that uses `fontspec` to typeset its argument in Junicode:

```
\documentclass{article}
\usepackage{fontspec}

\newcommand{\textjuni}[1]{\fontspec{Junicode}\#1}

\begin{document}
We use ‘‘\textjuni{\char"2123}’’ for a versicle
and ‘‘\textjuni{\char"211F}’’ for a response.
\end{document}
```

¹⁴UTF-8 is the 8-bit Unicode Transformation Format, a popular mechanism for representing Unicode symbol numbers as sequences of one to four bytes.

¹⁵The Unicode convention is to express character positions as “U+*hexadecimal number*”.

which produces

We use “ $\mathcal{V}$ ” for a versicle and “ $\mathcal{R}$ ” for a response.

(Typesetting the entire document in Junicode would be even easier. See the `fontspec` documentation for more information regarding font selection.) Note how the preceding example uses `\char` to specify a Unicode character by number. The double quotes before the number indicate that the number is represented in hexadecimal instead of decimal.

10.8 About this document

History David Carlisle wrote the first version of this document in October, 1994. It originally contained all of the native $\text{\LaTeX}$ symbols (Table 50, Table 71, Table 87, Table 137, Table 177, Table 180, Table 214, Table 215, Table 228, Table 236, Table 286, and a few tables that have since been reorganized) and was designed to be nearly identical to the tables in Chapter 3 of Leslie Lamport’s book [Lam86]. Even the table captions and the order of the symbols within each table matched! The $\mathcal{AMS}$ symbols (Table 51, Table 88, Table 89, Table 140, Table 141, Table 181, Table 190, Table 208, and Table 287) and an initial Math Alphabets table (Table 299) were added thereafter. Later, Alexander Holt provided the `stmaryrd` tables (Table 52, Table 73, Table 90, Table 143, Table 173, and Table 209).

In January, 2001, Scott Pakin took responsibility for maintaining the symbol list and has since implemented a complete overhaul of the document. The result, now called, “The Comprehensive $\text{\LaTeX}$ Symbol List”, includes the following new features:

- the addition of a handful of new math alphabets, dozens of new font tables, and thousands of new symbols
- the categorization of the symbol tables into body-text symbols, mathematical symbols, science and technology symbols, dingbats, ancient languages, and other symbols, to provide a more user-friendly document structure
- an index, table of contents, hyperlinks, and a frequently-requested symbol list, to help users quickly locate symbols
- symbol tables rewritten to list the symbols in alphabetical order
- appendices providing additional information relevant to using symbols in $\text{\LaTeX}$
- tables showing how to typeset all of the characters in the ASCII and Latin 1 font encodings

Furthermore, the internal structure of the document has been completely altered from David Carlisle’s original version. Most of the changes are geared towards making the document easier to extend, modify, and reformat.

Build characteristics Table 521 on the next page lists some of this document’s build characteristics. Most important is the list of packages that $\text{\LaTeX}$ couldn’t find, but that `symbols.tex` otherwise would have been able to take advantage of. Complete, prebuilt versions of this document are available from CTAN (<http://www.ctan.org/> or one of its many mirror sites) in the directory `tex-archive/info/symbols/comprehensive`. Table 522 shows the package date (specified in the `.sty` file with `\ProvidesPackage`) for each package that was used to build this document and that specifies a package date. Packages are not listed in any particular order in either Table 521 or Table 522.

TABLE 521: Document Characteristics

Characteristic	Value
Source file:	<code>symbols.tex</code>
Build date:	November 30, 2015
Symbols documented:	14032
Packages included:	textcomp latexsym amssymb stmaryrd euscript wasysym pifont manfnt bbding undertilde ifsym tipa tipx extraipa wsuipa phonetic ulsy ar metre txfonts mathabx fclfont skak ascii dingbat skull eurosym esvect yfonts yhmach esint mathdots trsym universa upgreek overrightarrow chemarr chemarrow nath trfsigns mathtools phaistos arcs vietnam t4phonet holtpolt semtrans dictsym extarrows protosem harmony hieroglf ccllicenses mathdesign arev MnSymbol fdsymbol boisik cmll extpfeil keystroke fge turnstile simpsons epsdice feyn staves igo colonequals shuffle fourier dozenal pmboxdraw pigpen clock teubner linearA linearb cypriot sarabian china2e harpoon steinmetz milstd recycle DotArrow ushort hhcount ogonek combelow musixtex ccicons adfsymbols adorn bigints soyombo tfrupree knitting textgreek begriff frege abracas CountriesOfEurope cookingsymbols prodint epiolmec mdwmach rsfso fontawesome stix hands greenpoint nkarta astrosym webomints moonphase dancers semaphor umrandu umrandb cryst starfont tikzsymbols dice apl go magic bartel-chess-fonts actuarialangle lilyglyphs knot bclogo bullcntr rubikcube svrsymbols accents nicefrac bm junicode mathrsfs chancery urwchancal calligra bbold mbboard dsfont bbm
Packages omitted:	<i>none</i>

TABLE 522: Package versions used in the preparation of this document

Name	Date	Name	Date	Name	Date
textcomp	2005/09/27	latexsym	1998/08/17	amssymb	2013/01/14
stmaryrd	1994/03/03	euscript	2009/06/22	wasysym	2003/10/30
pifont	2005/04/12	manfnt	1999/07/01	bbding	1999/04/15
undertilde	2000/08/08	ifsym	2000/04/18	tipa	2002/08/08
tipx	2003/01/01	wsuipa	1994/07/16	ar	2012/01/23
metre	2001/12/05	txfonts	2008/01/22	mathabx	2003/07/29
skak	2013/07/18	ascii	2006/05/30	dingbat	2001/04/27
skull	2002/01/23	eurosym	1998/08/06	yfonts	2003/01/08
mathdots	2014/06/11	trsym	2000/06/25	universa	98/08/01
upgreek	2003/02/12	chemarr	2006/02/20	mathtools	2015/11/12
phaistos	2004/04/23	arcs	2004/05/09	t4phonet	2004/06/01
semtrans	1998/02/10	dictsym	2004/07/26	extarrows	2008/05/15
protosem	2005/03/18	harmony	2007/05/04	hieroglf	2015/06/02
ccllicenses	2005/05/20	MnSymbol	2007/01/21	fdsymbol	2011/11/01
boisik	2009/08/21	extpfeil	2009/10/31	keystroke	2010/04/23
fge	2015/05/19	turnstile	2007/06/23	epsdice	2007/02/15
feyn	2009/10/08	colonequals	2006/08/01	shuffle	2008/10/27
dozenal	2015/01/29	pmboxdraw	2011/03/24	pigpen	2008/12/07
clock	2001/04/10	teubner	2015/10/25	linearA	2006/03/13

(continued on next page)

(continued from previous page)

Name	Date	Name	Date	Name	Date
linearb	2005/06/22	cypriot	2009/05/22	sarabian	2005/11/12
china2e	1997/06/01	harpoon	1994/11/02	steinmetz	2009/06/14
milstd	2009/06/25	DotArrow	2007/02/12	ushort	2001/06/13
hhcount	1995/03/31	ogonek	95/07/17	combelow	2010/05/02
musixtex	2001/07/08	ccicons	2013/04/16	adorn	2010/07/25
bigints	2010/02/15	soyombo	1996/09/01	tfrupsee	2010/12/15
knitting	2010/08/29	textgreek	2011/10/09	frege	2012/08/04
abraces	2012/08/24	CountriesOfEurope	2012/04/18	cookingsymbols	2014/12/28
epiomec	2003/11/05	mdwmath	1996/04/11	fontawesome	2015/07/30
stix	2015/04/17	starfont	2010/09/29	tikzsymbols	2015/10/13
bclogo	2011/07/06	bullcntr	2007/04/02	rubikcube	2015/09/25
svrsymbols	2015/09/01	accents	2006/05/12	nicefrac	1998/08/04
bm	2014/10/28	calligra	2012/04/10		

10.9 Copyright and license

The Comprehensive L^AT_EX Symbol List
Copyright © 2015, Scott Pakin

This work may be distributed and/or modified under the conditions of the L^AT_EX Project Public License, either version 1.3c of this license or (at your option) any later version. The latest version of this license is in

<http://www.latex-project.org/lppl.txt>

and version 1.3c or later is part of all distributions of L^AT_EX version 2006/05/20 or later.

This work has the LPPL maintenance status “maintained”.

The current maintainer of this work is Scott Pakin.

References

- [AMS99] American Mathematical Society. *User's Guide for the `amsmath` Package (Version 2.0)*, December 13, 1999. Available from <ftp://ftp.ams.org/pub/tex/doc/amsmath/amslldoc.pdf>.
- [Ber01] Karl Berry. Fontname: Filenames for $\text{T}_{\text{E}}\text{X}$ fonts, June 2001. Available from <http://www.ctan.org/tex-archive/info/fontname>.
- [Che97] Raymond Chen. A METAFONT of ‘Simpsons’ characters. *Baskerville*, 4(4):19, September 1997. ISSN 1354-5930. Available from http://tug.ctan.org/usergrps/uktug/baskervi/4.4/bask4_4.ps.
- [Dow00] Michael Downes. Short math guide for $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$, July 19, 2000. Version 1.07. Available from <http://www.ams.org/tex/short-math-guide.html>.
- [Gib97] Jeremy Gibbons. Hey—it works! *TUGboat*, 18(2):75–78, June 1997. Available from <http://www.tug.org/TUGboat/Articles/tb18-2/tb55works.pdf>.
- [Gre09] Enrico Gregorio. *Appunti di programmazione in $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$ e $\text{T}_{\text{E}}\text{X}$* , second edition, June 2009. Available from <http://profs.sci.univr.it/~gregorio/introtex.pdf>.
- [Knu86a] Donald E. Knuth. *The $\text{T}_{\text{E}}\text{X}$ book*, volume A of *Computers and Typesetting*. Addison-Wesley, Reading, MA, USA, 1986.
- [Knu86b] Donald E. Knuth. *The METAFONTbook*, volume C of *Computers and Typesetting*. Addison-Wesley, Reading, MA, USA, 1986.
- [Lam86] Leslie Lamport. *$\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$: A document preparation system*. Addison-Wesley, Reading, MA, USA, 1986.
- [IAT98] $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}3$ Project Team. A new math accent. *$\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$ News*. Issue 9, June 1998. Available from <http://www.ctan.org/tex-archive/macros/latex/doc/ltnews09.pdf> (also included in many $\text{T}_{\text{E}}\text{X}$ distributions).
- [IAT00] $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}3$ Project Team. $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}2_{\epsilon}$ font selection, January 30, 2000. Available from <http://www.ctan.org/tex-archive/macros/latex/doc/fntguide.pdf> (also included in many $\text{T}_{\text{E}}\text{X}$ distributions).

Index

If you're having trouble locating a symbol, try looking under “T” for “\text...”. Many text-mode commands begin with that prefix. Also, accents are shown over/under a gray box (e.g., “” for “\”).

Some symbol entries appear to be listed repeatedly. This happens when multiple packages define identical (or nearly identical) glyphs with the same symbol name.¹⁶

Symbols			
\" ()	19	\= ()	19
\# (#)	13, 220	\={ } ()	221
\\$ (\$)	13, 14, 220	()	97
\\$ (\$)	14	()	95
\% (%)	13, 220	()	98
\& (&)	13, 33, 220	()	46, 94, 96, 99
\' ()	19	()	97
(()	94	()	97
(()	95	()	97
(()	98	()	97
) ()	94	()	97
) ()	95	()	97
) ()	98	()	97
* (*)	29	()	97
\, ,	219	()	97
\- (-)	222, 223	()	97
\. ()	19	()	97
/ (/)	94	()	97
/ (/)	95	()	97
/ (/)	98	()	97
\: (:)	109	()	97
\; (;)	109	()	97
< (<)	95	()	97
< (<)	98	()	97
\? (?)	109	()	97
[([)	94	()	97
[([)	95	()	97
[([)	98	()	97
\ \	211	()	97
] (])	94	()	97
] (])	95	()	97
] (])	98	()	97
\^ ()	19	()	97
\~ { } ()	13, 221	()	97
\l (ll)	94	()	97
\l (ll)	94, 96	()	97
\l ()	19	()	97
accents	19–24, 100–105, 107, 149, 214–215	()	97
acute ()	19–23, 100	()	97
any character as	214	()	97
arc ()	19–22, 102–104	()	97
breve ()	19–23, 100	()	97
caron ()	19, 23, 100, 104	()	97
cedilla ()	19	()	97
circumflex ()	19–21, 100, 102, 103	()	97
comma-below ()	23	()	97
Cyrillic breve ()	19	()	97
Cyrillic flex ()	19	()	97
Cyrillic umlaut ()	19	()	97
diæresis ()	19, 22, 23, 100, 117	()	97
dot () or ()	19–21, 100	()	97
double acute ()	19, 23	()	97
double grave ()	19	()	97
extensible	102–105, 107, 214–215	()	97
grave ()	19–23, 100	()	97
háček	see accents, caron	()	97
hook ()	19	()	97
Hungarian umlaut	see accents, double acute	()	97
inverted breve ()	19	()	97
kroužek	see accents, ring	()	97
macron ()	19, 22–24, 100, 102, 104	()	97
multiple per character	20–21, 214	()	97
ogonek ()	19–23	()	97
ring ()	19–21, 23, 100, 101	()	97
Romanian comma-belo accent	see accents, comma-below	()	97
trema	see accents, diæresis	()	97
umlaut	see accents, diæresis	()	97
accents (package)	100, 214, 226, 227	()	97
\accentset	214	()	97
accidentals	see musical symbols	()	97
accordion notation	152	()	97
\accordionBayanBass ()	152	()	97
\accordionDiscant ()	152	()	97
\accordionFreeBass ()	152	()	97
\accordionOldEE ()	152	()	97
\accordionPull ()	152	()	97
\accordionPush ()	152	()	97
A		()	97
a (esvect package option)	104	()	97
\a (x)	171	()	97
\AA (Å)	14	()	97
\aa (å)	14	()	97
\AAaleph ()	138	()	97
\AAayin ()	138	()	97
\AAbeth ()	138	()	97
\AAcht ()	149	()	97
\AAdaleth ()	138	()	97
\AAhe ()	138	()	97
\AAhelmet ()	138	()	97
\AAheth ()	138	()	97
\AAkaph ()	138	()	97
\AAlamed ()	138	()	97
\Aaleph ()	138	()	97
\AApe ()	138	()	97
\AAqoph ()	138	()	97
\AAresh ()	138	()	97
\AAsade ()	138	()	97
\Aayin ()	138	()	97
\AAyod ()	138	()	97
\AB ()	121	()	97
\Abeth ()	138	()	97
abraces (package)	105, 226, 227	()	97
absolute value	see \lvert and \rvert	()	97
abzüglich	see \textdiscount	()	97
\AC (~)	118	()	97
\ac (~)	54	()	97
\acarc	22	()	97
\acbar	22	()	97

¹⁶This occurs frequently between amssymb and mathabx, for example.

<code>\accordionStdBass</code> ()	152	<code>\adfarrownw2</code> ()	126	<code>\adfbullet{24}</code> ()	131
<code>\acurrent</code> ()	114	<code>\adfarrownw3</code> ()	126	<code>\adfbullet{25}</code> ()	131
<code>\Acht</code> ()	149	<code>\adfarrownw4</code> ()	126	<code>\adfbullet{26}</code> ()	131
<code>\AchtBL</code> ()	149	<code>\adfarrownw5</code> ()	126	<code>\adfbullet{27}</code> ()	136
<code>\AchtBR</code> ()	149	<code>\adfarrownw6</code> ()	126	<code>\adfbullet{28}</code> ()	136
<code>\acidfree</code> ()	111	<code>\adfarrows1</code> ()	126	<code>\adfbullet{29}</code> ()	136
<code>\ACK</code> ()	122	<code>\adfarrows2</code> ()	126	<code>\adfbullet{30}</code> ()	136
<code>\acontraction</code>	215	<code>\adfarrows3</code> ()	126	<code>\adfbullet{31}</code> ()	136
<code>\AcPa</code> ()	149	<code>\adfarrows4</code> ()	126	<code>\adfbullet{32}</code> ()	136
<code>\actuarial</code> ()	214	<code>\adfarrows5</code> ()	126	<code>\adfbullet{33}</code> ()	136
actuarial symbols	105, 214	<code>\adfarrows6</code> ()	126	<code>\adfbullet{34}</code> ()	136
actuarialangle (package)	105, 214, 226	<code>\adfarrowse1</code> ()	126	<code>\adfbullet{41}</code> ()	136
<code>\actuarialangle</code>	214	<code>\adfarrowse2</code> ()	126	<code>\adfbullet{42}</code> ()	136
<code>\actuarialangle</code> ()	105	<code>\adfarrowse3</code> ()	126	<code>\adfbullet{43}</code> ()	136
<code>\acute</code> ()	101	<code>\adfarrowse4</code> ()	126	<code>\adfbullet{44}</code> ()	136
<code>\acute</code> ()	100	<code>\adfarrowse5</code> ()	126	<code>\adfbullet{45}</code> ()	136
acute ()	<i>see</i> accents	<code>\adfarrowse6</code> ()	126	<code>\adfbullet{46}</code> ()	136
<code>\acutus</code> ()	22	<code>\adfarrowsw1</code> ()	126	<code>\adfbullet{47}</code> ()	136
<code>\acwcirclearrow</code> ()	81	<code>\adfarrowsw2</code> ()	126	<code>\adfbullet{48}</code> ()	136
<code>\acwcirclearrowdown</code> ()	75	<code>\adfarrowsw3</code> ()	126	<code>\adfbullet{49}</code> ()	136
<code>\acwcirclearrowleft</code> ()	75	<code>\adfarrowsw4</code> ()	126	<code>\adfbullet{50}</code> ()	136
<code>\acwcirclearrowright</code> ()	75	<code>\adfarrowsw5</code> ()	126	<code>\adfbullet{51}</code> ()	136
<code>\acwcirclearrowup</code> ()	75	<code>\adfarrowsw6</code> ()	126	<code>\adfbullet{52}</code> ()	136
<code>\acwgapcirclearrow</code> ()	76	<code>\adfarroww1</code> ()	126	<code>\adfclosedflourishleft</code> ()	137
<code>\acwgapcirclearrow</code> ()	81	<code>\adfarroww2</code> ()	126	<code>\adfclosedflourishright</code>	
<code>\acwleftarcarrow</code> ()	75	<code>\adfarroww3</code> ()	126	()	137
<code>\acwleftarcarrow</code> ()	81	<code>\adfarroww4</code> ()	126	<code>\adfdiamond</code> ()	137
<code>\acwnearcarrow</code> ()	75	<code>\adfarroww5</code> ()	126	<code>\adfdoubleflourishleft</code> ()	137
<code>\acwnwarcarrow</code> ()	75	<code>\adfarroww6</code> ()	126		137
<code>\acwopencirclearrow</code> ()	76	<code>\adfast{1}</code> ()	131	<code>\adfdoubleflourishright</code>	
<code>\acwopencirclearrow</code> ()	82, 133	<code>\adfast{2}</code> ()	131	()	137
<code>\acwoverarcarrow</code> ()	75	<code>\adfast{3}</code> ()	131	<code>\adfdoublesharpflourishleft</code>	
<code>\acwoverarcarrow</code> ()	81	<code>\adfast{4}</code> ()	131	()	137
<code>\acwrightarcarrow</code> ()	75	<code>\adfast{5}</code> ()	131	<code>\adfdoublesharpflourishright</code>	
<code>\acwsearcarrow</code> ()	75	<code>\adfast{6}</code> ()	131	()	137
<code>\acwswarcarrow</code> ()	75	<code>\adfast{7}</code> ()	131	<code>\adfdownhalfleafleft</code> ()	132
<code>\acwunderarcarrow</code> ()	75	<code>\adfast{8}</code> ()	131	<code>\adfdownhalfleafright</code> ()	132
<code>\acwunderarcarrow</code> ()	81	<code>\adfast{9}</code> ()	131		132
<code>\Adaeth</code> ()	138	<code>\adfast{10}</code> ()	131	<code>\adfdownleafleft</code> ()	132
adeles (A) <i>see</i> alphabets, math		<code>\adfbullet</code> ()	137	<code>\adfdownleafright</code> ()	132
<code>\adfarrow</code>	126	<code>\adfbullet{1}</code> ()	131	<code>\adfflatdownhalfleafleft</code>	
<code>\adfarrowe1</code> ()	126	<code>\adfbullet{2}</code> ()	131	()	132
<code>\adfarrowe2</code> ()	126	<code>\adfbullet{3}</code> ()	131	<code>\adfflatdownhalfleafright</code>	
<code>\adfarrowe3</code> ()	126	<code>\adfbullet{4}</code> ()	129	()	132
<code>\adfarrowe4</code> ()	126	<code>\adfbullet{5}</code> ()	129	<code>\adfflatdownoutlineleafleft</code>	
<code>\adfarrowe5</code> ()	126	<code>\adfbullet{6}</code> ()	129	()	132
<code>\adfarrowe6</code> ()	126	<code>\adfbullet{7}</code> ()	129	()	132
<code>\adfarrown1</code> ()	126	<code>\adfbullet{8}</code> ()	129	<code>\adfflatdownoutlineleafright</code>	
<code>\adfarrown2</code> ()	126	<code>\adfbullet{9}</code> ()	129	()	132
<code>\adfarrown3</code> ()	126	<code>\adfbullet{10}</code> ()	129	<code>\adfflatleafleft</code> ()	132
<code>\adfarrown4</code> ()	126	<code>\adfbullet{11}</code> ()	131	<code>\adfflatleafoutlineleft</code>	
<code>\adfarrown5</code> ()	126	<code>\adfbullet{12}</code> ()	131	()	132
<code>\adfarrown6</code> ()	126	<code>\adfbullet{13}</code> ()	131	<code>\adfflatleafoutlineright</code>	
<code>\adfarrowne1</code> ()	126	<code>\adfbullet{14}</code> ()	131	()	132
<code>\adfarrowne2</code> ()	126	<code>\adfbullet{15}</code> ()	131	<code>\adfflatleafright</code> ()	132
<code>\adfarrowne3</code> ()	126	<code>\adfbullet{16}</code> ()	131	<code>\adfflatleafsolidleft</code> ()	132
<code>\adfarrowne4</code> ()	126	<code>\adfbullet{17}</code> ()	131		132
<code>\adfarrowne5</code> ()	126	<code>\adfbullet{18}</code> ()	131	<code>\adfflatleafsolidright</code> ()	132
<code>\adfarrowne6</code> ()	126	<code>\adfbullet{19}</code> ()	131		132
<code>\adfarrownw1</code> ()	126	<code>\adfbullet{20}</code> ()	131	<code>\adfflourishleft</code> ()	137
		<code>\adfbullet{21}</code> ()	131	<code>\adfflourishleftdouble</code>	
		<code>\adfbullet{22}</code> ()	131	()	137
		<code>\adfbullet{23}</code> ()	131	<code>\adfflourishright</code> ()	137

`\adfflourishrightdouble`
 137
`\adfflowerleft` () ... 132
`\adfflowerright` () .. 132
`\adfgee` () 137
`\adhalfarrowleft` () .. 126
`\adhalfarrowleftsolid` ()
..... 126
`\adhalfarrowright` () . 126
`\adhalfarrowrightsolid` ()
..... 126
`\adhalfleafleft` () .. 132
`\adhalfleafright` () .. 132
`\adhalfleftarrow` () .. 127
`\adhalfleftarrowhead` () ..
..... 127
`\adhalfrightarrow` () . 127
`\adhalfrightarrowhead` () .
..... 127
`\adhangingflatleafleft` ()
..... 132
`\adhangingflatleafright`
 132
`\adhangingleafleft` () 132
`\adhangingleafright` () 132
`\adleafleft` () 132
`\adleafright` () 132
`\adleftarrowhead` () .. 127
`\adopenflourishleft` () .
..... 137
`\adopenflourishright` ()
..... 137
`adorn` (package) 127, 131, 132,
137, 226, 227
`\adfoutlineleafleft` () 132
`\adfoutlineleafright` () ..
..... 132
`\adfrightarrowhead` () . 127
`\adfS` () 137
`\adfsharpflourishleft` () .
..... 137
`\adfsharpflourishright` ()
..... 137
`\adsickleflourishleft` ()
..... 137
`\adsickleflourishright`
 137
`\adsingleflourishleft` ()
..... 137
`\adsingleflourishright`
 137
`\adsmallhangingleafleft`
 132
`\adsmallhangingleafright`
 132
`\adsmallleafleft` () . 132
`\adsmallleafright` () . 132
`\adsolidleafleft` () .. 132
`\adsolidleafright` () . 132
`\adfsquare` () 137
`adfsymbols` (package) 126, 129,
131, 136, 226

`\adftripleflourishleft`
 137
`\adftripleflourishright`
 137
`\adfwavesleft` () 137
`\adfwavesright` () ... 137
`adjoint` ($\dagger$) *see* `\dag`
`\Admetos` () 120
`Adobe Acrobat` 218
`\adots` ($\ddots$) 109, 213
`\adots` ($\ddots$) 108
`\adots` ($\ddots$) 109
`advancing` *see* `\textadvancing`
`\AE` ($\mathbb{A}$) 14
`\ae` ($\mathfrak{a}$) 14
`\aeolicbii` ($\mathfrak{oo}$) 172
`\aeolicbiii` ($\mathfrak{ooo}$) 172
`\aeolicbiv` ($\mathfrak{oooo}$) 172
`\agem0` ($\mathbb{U}$) 112
`\Agimel` ($\mathfrak{v}$) 138
`\Ahe` ($\mathfrak{u}$) 138
`\Ahelmet` ($\mathfrak{X}$) 138
`\Aheth` ($\mathfrak{w}$) 138
`\ain` ($\mathfrak{i}$) 23
`\Air` ($\mathfrak{A}$) 120
`\Akaph` ($\mathfrak{U}$) 138
`\Alad` ($\mathfrak{j}$) 100
`\alad` ($\mathfrak{j}$) 100
`\Alamed` ($\mathfrak{e}$) 138
`\Alas` ($\mathfrak{i}$) 100
`\alas` ($\mathfrak{i}$) 100
`\Albania` ($\mathfrak{i}$) 176
`\aldine` () 132
`\aldineleft` () 132
`\aldineright` () 132
`\aldinesmall` () 132
`\aleph` ($\aleph$) 90, 112
`\aleph` ($\aleph$) 90
`\aleph` ($\aleph$) 90
`\aleph` ($\aleph$) 91
`\Alif` ($\mathfrak{a}$) 19
`\allabreve` () 148
`\Alpha` (A) 88
`\alpha` (α) 88
`alphabets` 116
African 15
Cypriot 143
Cyrillic 209
Greek 14, 88, 89, 117, 144
Hebrew 90, 91, 117
hieroglyphic 139
Linear A 139
Linear B 142
math 116
phonetic 16–19
proto-Semitic 138
South Arabian 144
Vietnamese 15
`\alphaup` (α) 89
`alpine symbols` 166
`\Alt` ($\mathbb{A}$) 122

alternative denial *see* `\uparrow`
and $\uparrow$
`\AltGr` ($\mathbb{A}$) 122
`\altoclef` () 148
`\AM` (α) 121
`\amalg` ($\amalg$) 28
`\amalg` ($\amalg$) 30
`\amalg` ($\amalg$) 29
`\amalg` ($\amalg$) 32
`\Amem` ($\mathfrak{m}$) 138
`\Amor` ($\mathfrak{v}$) 120
`ampersand` *see* `\&`
`\AMS` (package) 11, 14, 28, 38,
47, 59, 61, 66, 69, 87, 88,
90, 91, 93, 94, 100, 102,
105, 108, 111, 112, 117,
206, 207, 225
`amsbsy` (package) 220
`amsfonts` (package) .. 112, 116
`amsmath` (package) 11, 87, 100,
210, 219
`amssymb` (package) . 11, 100,
112, 116, 144, 226
`amstext` (package) .. 211, 213
`\Anaclassis` ($\div$) 171
`\anaclassis` ($\div$) 171
`\anceps` ($\times$) 172
`\ancepsdbrevis` ($\mathfrak{x}$) 172
`\anchor` ($\mathfrak{a}$) 178
`\anchor` () 137
`ancient-language symbols` 138–
146
and *see* `\wedge`
`AND gates` 123
`\ANDd` () 123
`\ANDl` () 123
`\Andorra` ($\mathfrak{a}$) 176
`\ANDr` () 123
`\ANDu` () 123
`\angdnr` ($\angle$) 112
`\angl` ($\mathfrak{a}$) 105
`\angle` ($\angle$) 111
`\angle` ($\angle$) 112
`\angle` ($\angle$) 111
`\angle` ($\angle$) 111
`\angle` ($\angle$) 111
`\angle` ($\angle$) 111
`\angle` ($\angle$) 112
`\angle` ($\angle$) 112
`angle notation` 119
`angles` 110–113, 115, 120
`\angles` ($\mathfrak{a}$) 112
`\AngleSign` ($\mathfrak{a}$) 110
`\angleubar` ($\angle$) 112
`\angln` ($\mathfrak{a}$) 105
`\anglr` ($\mathfrak{a}$) 105

$\backslash$ Angstrom ($\text{\AA}$)	92	$\backslash$ apprle ($\lesssim$)	62	extensible	102–107
Ångström unit		$\backslash$ approx ($\approx$)	46	fletched	84, 126
math mode <i>see</i> $\backslash$ mathring		$\backslash$ approx ($\approx$)	51	negated	69, 70, 72, 76
text mode <i>see</i> $\backslash$ AA		$\backslash$ approx ($\approx$)	49	arrows (boisik package option)	80
$\backslash$ Angud ($\rangle$)	100	$\backslash$ approx ($\approx$)	55	$\backslash$ Arrowvert ($\parallel$)	94
$\backslash$ angud ($\rangle$)	100	$\backslash$ approxcolon ($\approx:$)	58	$\backslash$ Arrowvert ($\parallel$)	95
angular minutes <i>see</i> $\backslash$ prime		$\backslash$ approxcoloncolon ($\approx::$)	58	$\backslash$ Arrowvert ($\parallel$)	97
angular seconds <i>see</i> $\backslash$ second		$\backslash$ approxreq ($\approx$)	47	$\backslash$ arrowvert ($\parallel$)	94
$\backslash$ Angus ($\rangle$)	100	$\backslash$ approxreq ($\approx$)	54	$\backslash$ arrowvert ($\parallel$)	95
$\backslash$ angus ($\rangle$)	100	$\backslash$ approxreq ($\approx$)	51	$\backslash$ arrowvert ($\parallel$)	97
animals	138, 139, 143	$\backslash$ approxreq ($\approx$)	49	Arseneau, Donald	211–214
$\backslash$ Ankh ($\dagger$)	165	$\backslash$ approxreq ($\approx$)	55	articulations <i>see</i> musical symbols	
$\backslash$ Annoey ($\ominus$)	179	$\backslash$ approxreq ($\approx$)	55	$\backslash$ Asade (Ψ)	138
$\backslash$ annuity ($\blacksquare$)	101	$\backslash$ approxident ($\approx$)	52	$\backslash$ Asamekh ($\diamond$)	138
annuity symbols	105, 214	$\backslash$ approxident ($\approx$)	55	$\backslash$ ASC ($\text{\AA}^{\text{sc}}$)	120
$\backslash$ Antidiple ($<$)	171	$\backslash$ Aqoph (∞)	138	ASCII	11, 14, 122, 197, 206, 220–221, 223–225
$\backslash$ antidiple ($<$)	171	$\backslash$ Aquarius ($\text{\AA}$)	119	table	220
$\backslash$ Antidiple* ($\lesssim$)	171	$\backslash$ Aquarius ($\text{\AA}$)	120	ascii (package)	122, 221, 226
$\backslash$ antidiple* ($\lesssim$)	171	$\backslash$ aquarius ($\text{\AA}$)	119	$\backslash$ ascnode ($\delta\Omega$)	119
$\backslash$ antilabe ($::$)	109	$\backslash$ AR ($\mathcal{R}$)	118	$\backslash$ Ashin (ω)	138
$\backslash$ antimuon (μ^+)	125	ar (package)	118, 226	aspect ratio	118
$\backslash$ antineutrino ($\bar{\nu}$)	125	arc ($\text{\AA}$) <i>see</i> accents		$\backslash$ Assert ($\text{\AA}$)	52
$\backslash$ antineutron ($\bar{n}$)	125	$\backslash$ arccos (arccos)	87	$\backslash$ assert ($\vdash$)	52
$\backslash$ antiproton (p^-)	125	$\backslash$ arceq ($\doteq$)	54	$\backslash$ assert ($\vdash$)	55
$\backslash$ antiquark ($\bar{q}$)	125	$\backslash$ arceq ($\doteq$)	52, 86	$\backslash$ assumption ($\star$)	125
$\backslash$ antiquarkb ($\bar{b}$)	125	$\backslash$ arceq ($\doteq$)	55	$\backslash$ ast ($*$)	29
$\backslash$ antiquarkc ($\bar{c}$)	125	arcminutes <i>see</i> $\backslash$ prime		$\backslash$ ast ($*$)	28
$\backslash$ antiquarkd ($\bar{d}$)	125	arcs (package)	22, 226	$\backslash$ ast ($*$)	31
$\backslash$ antiquarks ($\bar{s}$)	125	arcseconds <i>see</i> $\backslash$ second		$\backslash$ ast ($*$)	30
$\backslash$ antiquarkt ($\bar{t}$)	125	$\backslash$ arcsin (arcsin)	87	$\backslash$ ast ($*$)	29
$\backslash$ antiquarku ($\bar{u}$)	125	$\backslash$ arctan (arctan)	87	$\backslash$ ast ($*$)	32
$\backslash$ Antisigma ($\supset$)	171	$\backslash$ Aresh ($\mathcal{R}$)	138	$\backslash$ asteq ($\doteq$)	55
$\backslash$ antisigma ($\supset$)	171	arev (package)	127–130, 137, 147, 178, 226	$\backslash$ asteraccent ($\text{\AA}$)	101
$\backslash$ Anun ($\sim$)	138	$\backslash$ arg (arg)	87	$\backslash$ Asteriscus ($\text{\AA}$)	171
$\backslash$ aoverbrace ($\overbrace{\hspace{1cm}}$)	105	$\backslash$ Aries (Υ)	120	$\backslash$ asteriscus ($\text{\AA}$)	171
$\backslash$ Ape ($\text{\AA}$)	138	$\backslash$ Aries (Υ)	119	$\backslash$ Asterisk ($*$)	29
APL		$\backslash$ Aries (Υ)	120	$\backslash$ Asterisk ($*$)	131
symbols	55–56	$\backslash$ Aries (Υ)	119	$\backslash$ asterisk ($*$)	29
apl (package)	121, 226	$\backslash$ aries (Υ)	119	$\backslash$ AsteriskBold ($\text{\AA}$)	131
APL symbols	121	$\backslash$ ArrowBoldDownRight ($\Downarrow$)	126	$\backslash$ AsteriskCenterOpen ($\text{\AA}$)	131
$\backslash$ APLbox ($\square$)	121	$\backslash$ ArrowBoldRightCircled ($\circlearrowright$)	126	$\backslash$ AsteriskRoundedEnds ($\text{\AA}$)	131
$\backslash$ APLboxquestion ($\boxtimes$)	121	$\backslash$ ArrowBoldRightShort ($\Downarrow$)	126	asterisks	29, 131
$\backslash$ APLboxupcaret ($\boxup$)	121	$\backslash$ ArrowBoldRightStrobe ($\Downarrow$)	126	$\backslash$ AsteriskThin ($\text{\AA}$)	131
$\backslash$ APLcirc ($\text{\AA}$)	121	$\backslash$ ArrowBoldUpRight ($\Uparrow$)	126	$\backslash$ AsteriskThinCenterOpen ($\text{\AA}$)	131
$\backslash$ APLcomment ($\text{\AA}$)	121	$\backslash$ arrowbullet ($\blacktriangleright$)	127	asterism ($\text{\AA}$)	210
$\backslash$ APLdown (∇)	121	$\backslash$ Arrownot ($\nolimits$)	86	asteroids	120
$\backslash$ APLdownarrowbox ($\boxdownarrow$)	121	$\backslash$ arrownot ($\nolimits$)	86	astrological symbols	119, 120, 188–190
$\backslash$ APLinup ($\boxup$)	121	$\backslash$ ArrowOver ($\overline{\hspace{1cm}}$)	24	astronomical symbols	119, 120, 174, 188–190
$\backslash$ APLleftarrowbox ($\boxleftarrow$)	121	$\backslash$ arrowOver ($\overline{\hspace{1cm}}$)	24	$\backslash$ astrosun ($\odot$)	120
$\backslash$ APLlog ($\otimes$)	121	arrows	69–71, 75, 79–84, 102–107, 120, 122, 126, 127, 138, 143, 165, 176, 181–184, 186–187, 202–203, 209	$\backslash$ astrosun ($\odot$)	119
$\backslash$ APLminus ($-$)	121	diagonal, for reducing subexpressions	102	astrosym (package)	188, 226
$\backslash$ APLnot ($\text{\AA}$)	121	dotted	107	asymmetric braces	105
$\backslash$ APLnotbackslash ($\nbackslash$)	121	double-headed, diagonal	213		
$\backslash$ APLnotslash ($\nslash$)	121				
$\backslash$ APLrightarrowbox ($\boxrightarrow$)	121				
$\backslash$ APLstar ($\star$)	121				
$\backslash$ APLup (Δ)	121				
$\backslash$ APLuparrowbox ($\boxup$)	121				
$\backslash$ APLvert ($\text{\AA}$)	121				
$\backslash$ Apollon ($\text{\AA}$)	120				
apostroph	<i>see</i> $\backslash$ musixgre				
$\backslash$ apprge ($\gtrsim$)	62				

<code>\asymp</code> ($\asymp$)	46
<code>\asymp</code> ($\asymp$)	52, 86
<code>\asymp</code> ($\asymp$)	85
<code>\asymp</code> ($\asymp$)	55
<code>\atan</code> (atan)	219
<code>\ataribox</code> ()	164
<code>\Atav</code> (+)	138
<code>\Ateth</code> (8)	138
<code>\AtForty</code> ()	165
<code>\AtNinetyFive</code> ()	165
<code>\atom</code> ()	125
atomic math objects	87, 219
<code>\AtSixty</code> ()	165
<code>\aunderbrace</code> ()	105
<code>\Austria</code> ()	176
<code>\autoleftarrow</code> ()	106
<code>\autoleftrightarpoons</code> ()	106
<code>\autorightarrow</code> ()	106
<code>\autorightleftarpoons</code> ()	106
<code>\Autumntree</code> ()	179
<code>\Avav</code> (9)	138
average	27
<code>\awint</code> (f)	43
<code>\awint</code> (f)	43
<code>\awintsl</code> (f)	45
<code>\awintup</code> (f)	45
<code>\Ayn</code> (·)	19
<code>\Ayod</code> ()	138
<code>\Azayin</code> (=)	138

B

<code>\B</code>	15
<code>\B</code> ()	171
b (esvect package option)	104
<code>\b</code> ()	19
<code>\b</code> ()	171
<code>\Ba</code> ()	142
babel (package)	14, 88, 89, 144
<code>\babygamma</code> (γ)	18
<code>\backapprox</code> ($\approx$)	49
<code>\backapprox</code> ($\approx$)	49
<code>\Backblech</code> ()	179
<code>\backcong</code> ($\cong$)	51
<code>\backcong</code> ($\cong$)	49
<code>\backcong</code> ($\cong$)	55
<code>\backdprime</code> ($\mathfrak{d}$)	111
<code>\backepsilon</code> (ϵ)	47
<code>\backepsilon</code> (ϵ)	114
<code>\backepsilon</code> (ϵ)	90
<code>\backeqsim</code> ($\approx$)	49
<code>\backneg</code> ($\neg$)	113
<code>\backneg</code> ($\neg$)	113
<code>\backprime</code> ($\mathfrak{p}$)	112
<code>\backprime</code> ($\mathfrak{p}$)	114
<code>\backprime</code> ($\mathfrak{p}$)	113
<code>\backprime</code> ($\mathfrak{p}$)	113
<code>\backprime</code> ($\mathfrak{p}$)	111

<code>\backpropto</code> ($\propto$)	51
<code>\backsim</code> ($\sim$)	47
<code>\backsim</code> ($\sim$)	54
<code>\backsim</code> ($\sim$)	51
<code>\backsim</code> ($\sim$)	49
<code>\backsim</code> ($\sim$)	55
<code>\backsimeq</code> ($\simeq$)	47
<code>\backsimeq</code> ($\simeq$)	54
<code>\backsimeq</code> ($\simeq$)	51
<code>\backsimeq</code> ($\simeq$)	49
<code>\backsimeq</code> ($\simeq$)	55
<code>\backsimneqq</code> ($\neq$)	53
<code>\backslash</code> ($\backslash$)	94, 112
<code>\backslash</code> ($\backslash$)	96
<code>\backslash</code> ($\backslash$)	95
<code>\backslash</code> ($\backslash$)	114
<code>\backslash</code> ($\backslash$)	97
<code>\backslash</code> ($\backslash$)	29
<code>\backtriplesim</code> ($\approx$)	49
<code>\backtrprime</code> ($\mathfrak{p}$)	111
<code>\backturn</code> ()	148
<code>\bagmember</code> ($\in$)	54
<code>\bagmember</code> ($\in$)	55
<code>\Baii</code> ($\mathfrak{I}$)	142
<code>\Baiii</code> ($\mathfrak{I}$)	142
<code>\bakingplate</code> ()	179
<code>\bakingplate</code> ()	179
<code>\ballotcheck</code> ($\checkmark$)	130
<code>\ballotx</code> ($\times$)	130
banana brackets	
<i>see \llparentthesis and \rrparentthesis</i>	
<code>\banceps</code> ($\bar{x}$)	172
<code>\bar</code> ()	101
<code>\bar</code> ()	100
<code>\barb</code> ($\mathfrak{b}$)	18
<code>\barbbrevis</code> ($\mathfrak{b}$)	172
<code>\barbrevis</code> ($\mathfrak{b}$)	172
<code>\barcap</code> ($\cap$)	32
<code>\barcirc</code> ($\circ$)	211
<code>\barcup</code> ($\cup$)	32
<code>\bard</code> ($\mathfrak{d}$)	18
<code>\bardownharpoonleft</code> ($\mathfrak{I}$)	83
<code>\bardownharpoonright</code> ($\mathfrak{I}$)	83
<code>\bari</code> ($\mathfrak{i}$)	18
<code>\barin</code> ($\mathfrak{E}$)	91
<code>\barj</code> ($\mathfrak{j}$)	18
<code>\barl</code> ($\mathfrak{l}$)	18
<code>\barlambda</code> (λ)	18
<code>\barleftarrow</code> ($\leftarrow$)	79
<code>\barleftarrow</code> ($\leftarrow$)	81
<code>\barleftarrowrightarrowbar</code> ($\mathfrak{p}$)	79
<code>\barleftarrowrightarrowbar</code> ($\mathfrak{p}$)	81
<code>\barleftharpoon</code> ($\mathfrak{p}$)	71
<code>\barleftharpoondown</code> ($\mathfrak{p}$)	83
<code>\barleftharpoonup</code> ($\mathfrak{p}$)	83

<code>\baro</code> (ϕ)	28
<code>\baro</code> (ϕ vs. θ)	207
<code>\baro</code> (ϕ)	31
<code>\baro</code> (θ)	18
<code>\BarOver</code> ($\bar{}$)	24
<code>\barOver</code> ($\bar{}$)	24
<code>\barovernorthwestarrow</code> ($\nwarrow$)	79
<code>\barovernorthwestarrow</code> ($\nwarrow$)	133
<code>\barp</code> ($\mathfrak{p}$)	18
barred letters	210
<code>\barrightarrowdiamond</code> ($\rightharpoonup$)	81
<code>\barrightharpoon</code> ($\mathfrak{p}$)	71
<code>\barrightharpoondown</code> ($\mathfrak{p}$)	83
<code>\barrightharpoonup</code> ($\mathfrak{p}$)	83
<code>\barsci</code> ($\mathfrak{i}$)	18
<code>\barscu</code> ($\mathfrak{p}$)	18
<code>\Bart</code> ()	172
bartel-chess-fonts (package)	204, 205, 226
<code>\baru</code> ($\mathfrak{u}$)	18
<code>\baruparrow</code> ($\mathfrak{I}$)	81
<code>\barupharpoonleft</code> ($\mathfrak{I}$)	83
<code>\barupharpoonright</code> ($\mathfrak{I}$)	83
<code>\Barv</code> ($\mathfrak{v}$)	52
<code>\Barv</code> ($\mathfrak{v}$)	55
<code>\barV</code> ($\mathfrak{V}$)	52
<code>\barV</code> ($\mathfrak{V}$)	55
<code>\barvee</code> ($\mathfrak{V}$)	32
<code>\barwedge</code> ($\mathfrak{w}$)	29
<code>\barwedge</code> ($\mathfrak{w}$)	28
<code>\barwedge</code> ($\mathfrak{w}$)	31
<code>\barwedge</code> ($\mathfrak{w}$)	30
<code>\barwedge</code> ($\mathfrak{w}$)	32
base twelve	
numerals	110
tally markers	168
<code>\BasicTree</code>	179
<code>\bassclef</code> ()	148
<code>\Bat</code> ()	165
<code>\Bau</code> ()	142
<code>\baucircle</code> ()	136
<code>\bauforms</code> ()	165
<code>\bauhead</code> ()	165
<code>\bausquare</code> ()	136
<code>\bautriangle</code> ($\blacktriangle$)	136
<code>\BB</code> ($\mathfrak{B}$)	171
<code>\Bb</code> ($\mathfrak{b}$)	171
<code>\bB</code> ($\mathfrak{b}$)	171
<code>\bb</code> ($\mathfrak{b}$)	171
<code>\bba</code> ($\mathfrak{a}$)	171
<code>\bbalpha</code> (α)	117
<code>\bbar</code> ($\mathfrak{b}$)	210
<code>\bbb</code> ($\mathfrak{b}$)	171
<code>\bbbeta</code> (β)	117
<code>\Bbbk</code> ($\mathfrak{k}$)	91

<code>\Bbbk</code> ($\mathbb{k}$)	92	<code>\bcditalie</code> ()	180	<code>\bcpeaceandlove</code> ()	180
<code>\Bbbk</code> ($\mathbb{k}$)	92	<code>\bcdluxembourg</code> ()	180	<code>\bcpluie</code> ()	180
<code>\Bbbsum</code> ($\mathbb{\Sigma}$)	43	<code>\bcdodecaedre</code> ()	180	<code>\bcplume</code> ()	180
<code>bbding</code> (package)	126–129, 131, 135, 137, 207, 226	<code>\bcdpaysbas</code> ()	181	<code>\bcpoisson</code> ()	180
<code>\bbdollar</code> ($\mathbb{\$}$)	117	<code>\bcdz</code> ()	181	<code>\bcquestion</code> ()	180
<code>\bbetter</code> ($\mathbb{\bar{e}}$)	169	<code>\bceclaircie</code> ()	181	<code>\bcrecyclage</code> ()	180
<code>\bbeuro</code> ($\mathbb{\text{€}}$)	117	<code>\bcetoile</code> ()	180	<code>\bcrosevents</code> ()	180
<code>\bbfinalnun</code> ($\mathbb{\P}$)	117	<code>\bcfemme</code> ()	180	<code>\bcsmbh</code> ()	180
<code>\bbgamma</code> ($\mathbb{\gamma}$)	117	<code>\bcfeuillejaune</code> ()	180	<code>\bcsmmh</code> ()	180
<code>bbgreekl</code> (<code>mathbbol</code> package option)	117	<code>\bcfeurouge</code> ()	180	<code>\bcsoleil</code> ()	180
<code>\BBm</code> ()	171	<code>\bcfeutricolore</code> ()	180	<code>\bcspadesuit</code> ()	180
<code>\Bbm</code> ()	171	<code>\bcfeuvvert</code> ()	180	<code>\bcstop</code> ()	180
<code>\bBm</code> ()	171	<code>\bcfleur</code> ()	180	<code>\bctakecare</code> ()	180
<code>bbm</code> (package)	116, 226	<code>\bchomme</code> ()	180	<code>\bctetraedre</code> ()	180
<code>\bbm</code> ()	171	<code>\bchorloge</code> ()	180	<code>\bctrefle</code> ()	180
<code>\bbmb</code> ()	171	<code>\bcicosaedre</code> ()	180	<code>\bctrombone</code> ()	180
<code>\bbmx</code> ()	171	<code>\bcinfo</code> ()	180	<code>\bcvaletcoeur</code> ()	180
<code>\bbnabla</code> ($\mathbb{\nabla}$)	117	<code>\bcinterdit</code> ()	180	<code>\bcvelo</code> ()	180
<code>bbold</code> (package)	116, 226	<code>\bclampe</code> ()	180	<code>\bcyin</code> ()	181
<code>\bbpe</code> ()	117	<code>bclogo</code> (package)	180, 181, 226, 227	<code>\Bda</code> ()	142
<code>\bbqof</code> ()	117	<code>\bcloupe</code> ()	180	<code>\Bde</code> ()	142
<code>\bbrevis</code> ()	172	<code>\bcneige</code> ()	180	<code>\bdecisive</code> ($\mathbb{-+}$)	169
<code>\bbrktbrk</code> ($\mathbb{=}$)	114	<code>\bcnote</code> ()	180	<code>\Bdi</code> ()	142
<code>\bbslash</code> ($\mathbb{\backslash}$)	28	<code>\bcnucleaire</code> ()	180	<code>\bdleftarrow</code> ()	75
<code>\bbslash</code> ($\mathbb{\backslash}$)	31	<code>\bcocetaedre</code> ()	180	<code>\bdnearrow</code> ()	75
<code>\bbyod</code> ($\mathbb{^0}$)	117	<code>\bcocil</code> ()	180	<code>\bdnwarrow</code> ()	75
<code>\bcattention</code> ()	180	<code>\bcontraction</code>	215	<code>\Bdo</code> ()	142
<code>\bcbombe</code> ()	180	<code>\bcorne</code> ()	181	<code>\bdoverrightarrow</code> ()	75
<code>\bcbook</code> ()	180	<code>\bcours</code> ()	181	<code>\bdrightarrow</code> ()	75
<code>\bccalendrier</code> ()	180	<code>\bcoutil</code> ()	181	<code>\bdseararrow</code> ()	75
<code>\bccle</code> ()	180	<code>\bcpanchant</code> ()	180	<code>\bdswarrow</code> ()	75
<code>\bcclefa</code> ()	180			<code>\Bdu</code> ()	142
<code>\bcclesol</code> ()	180			<code>\bdunderarrow</code> ()	75
<code>\bccoeur</code> ()	180			<code>\Bdwe</code> ()	142
<code>\bccrayon</code> ()	180			<code>\Bdwo</code> ()	142
<code>\bccube</code> ()	180			<code>\Be</code> ()	142
<code>\bcdallemagne</code> ()	180			<code>\Beam</code> ()	123
<code>\bcdanger</code> ()	180			<code>\Bearing</code> ()	123
<code>\bcdautriche</code> ()	180			<code>\because</code> ($\mathbb{::}$)	47, 108
<code>\bcdbelgique</code> ()	180			<code>\because</code> ($\mathbb{::}$)	54
<code>\bcdbulgarie</code> ()	180			<code>\because</code> ($\mathbb{::}$)	108
<code>\bcdfrance</code> ()	180			<code>\because</code> ($\mathbb{::}$)	108
				<code>\because</code> ($\mathbb{::}$)	109
				<code>\Bed</code> ()	180

<code>\bigsqcapdot</code> ($\sqcapdot$)	41	<code>\bigwedge</code> ($\wedge$)	42	<code>\BlackKingOnWhite</code> ()	170
<code>\bigsqcapplus</code> ($\sqcapplus$)	39	<code>\bigwedge</code> ($\bigwedge$)	44	<code>\BlackKnightOnBlack</code> ()	170
<code>\bigsqcapplus</code> ($\sqcapplus$)	42	<code>\bigwedgedot</code> ($\bigwedge$)	42	<code>\BlackKnightOnWhite</code> ()	170
<code>\bigsqcup</code> ($\sqcup$)	37	<code>\bigwedgedot</code> ($\bigwedge$)	42	<code>\blacklefthalfcircle</code> ($\blacktriangleleft$)	133
<code>\bigsqcup</code> ($\sqcup$)	42	<code>\bigwhitestar</code> ($\star$)	133	<code>\blacklozenge</code> ($\blacklozenge$)	112
<code>\bigsqcup</code> ($\sqcup$)	41	<code>\bigwith</code> ($\&$)	46	<code>\blacklozenge</code> ($\blacklozenge$)	35, 133
<code>\bigsqcup</code> ($\sqcup$)	43	<code>\binampersand</code> ($\&$)	28	<code>\blacklozenge</code> ($\blacklozenge$)	133
<code>\bigsqcupdot</code> ($\sqcupdot$)	42	<code>\binampersand</code> ($\&$)	31	<code>\blacklozenge</code> ($\blacklozenge$)	132
<code>\bigsqcupdot</code> ($\sqcupdot$)	41	binary operators	28–36	<code>\blacklozenge</code> ($\blacklozenge$)	133, 134
<code>\bigsqcupplus</code> ($\sqcupplus$)	39	binary relations	47–51, 54–66,	<code>\BlackPawnOnBlack</code> ()	170
<code>\bigsqcupplus</code> ($\sqcupplus$)	42	84–86		<code>\BlackPawnOnWhite</code> ()	170
<code>\bigsqcupplus</code> ($\sqcupplus$)	41	negated	47–51, 53, 54, 56	<code>\blackpointerleft</code> ($\blacktriangleleft$)	133
<code>\BigSquare</code> ($\square$)	135	<code>\bindnasrepma</code> ($\&$)	28	<code>\blackpointerleft</code> ($\blacktriangleleft$)	133
<code>\bigsqplus</code> ($\sqplus$)	39	<code>\bindnasrepma</code> ($\&$)	31	<code>\BlackQueenOnBlack</code> ()	170
<code>\bigstar</code> ($\star$)	29	<code>\biohazard</code> ()	124	<code>\BlackQueenOnWhite</code> ()	170
<code>\bigstar</code> ($\star$)	112	<code>\biohazard</code> ()	178	<code>\blackrighthalfcircle</code> ($\blacktriangleright$)	133
<code>\bigstar</code> ($\star$)	133	biological symbols	124	<code>\BlackRookOnBlack</code> ()	170
<code>\bigstar</code> ($\star$)	133	birds	139	<code>\BlackRookOnWhite</code> ()	170
<code>\bigstar</code> ($\star$)	133	bishop	170, 204–205	<code>\blacksmiley</code> ($\smiley$)	114
<code>\bigstar</code> ($\star$)	132	<code>\bishoppair</code> ($\equiv$)	169	<code>\blacksmiley</code> ($\smiley$)	164
<code>\bigstar</code> ($\star$)	133	<code>\Bja</code> ($\boxplus$)	142	<code>\blacksquare</code> ($\blacksquare$)	112
<code>\bigtalloblong</code> ($\amalg$)	43	<code>\Bje</code> ($\boxtimes$)	142	<code>\blacksquare</code> ($\blacksquare$)	35, 133
<code>\bigtimes</code> ($\times$)	39	<code>\Bjo</code> ($\boxdot$)	142	<code>\blacksquare</code> ($\blacksquare$)	34
<code>\bigtimes</code> ($\times$)	42	<code>\Bju</code> ($\boxminus$)	142	<code>\blacksquare</code> ($\blacksquare$)	134
<code>\bigtimes</code> ($\times$)	41	<code>\Bka</code> ($\oplus$)	142	<code>\blackstone</code>	170
<code>\bigtimes</code> ($\times$)	44	<code>\Bke</code> ($\otimes$)	142	<code>\blacktriangle</code> ($\blacktriangle$)	112
<code>\bigtop</code> ($\top$)	114	<code>\Bki</code> (∇)	142	<code>\blacktriangle</code> ($\blacktriangle$)	35, 133
<code>\BigTriangleDown</code> ($\bigtriangledown$)	135	<code>\Bko</code> ($\upharpoonright$)	142	<code>\blacktriangle</code> ($\blacktriangle$)	67
<code>\bigtriangledown</code> ($\bigtriangledown$)	38	<code>\Bku</code> ($\searrow$)	142	<code>\blacktriangle</code> ($\blacktriangle$)	134
<code>\bigtriangledown</code> ($\bigtriangledown$ vs. $\bigtriangledown$)	207	<code>\BL</code> ($\backslash$)	121	<code>\blacktriangledown</code> ($\blacktriangledown$)	33
<code>\bigtriangledown</code> ($\bigtriangledown$)	28	<code>\black</code>	171	<code>\blacktriangledown</code> ($\blacktriangledown$)	112
<code>\bigtriangledown</code> ($\bigtriangledown$)	68, 133	<code>\BlackBishopOnBlack</code> ()	170	<code>\blacktriangledown</code> ($\blacktriangledown$)	35, 133
<code>\bigtriangledown</code> ($\bigtriangledown$)	67	<code>\BlackBishopOnWhite</code> ()	170	<code>\blacktriangledown</code> ($\blacktriangledown$)	67
<code>\bigtriangledown</code> ($\bigtriangledown$)	133, 134	blackboard bold	see alphabets, math	<code>\blacktriangledown</code> ($\blacktriangledown$)	134
<code>\BigTriangleLeft</code> ($\bigtriangleleft$)	135	<code>\blackbowtie</code> ($\bowtie$)	31	<code>\blacktriangleleft</code> ($\blacktriangleleft$)	33
<code>\bigtriangleleft</code> ($\bigtriangleleft$)	133	<code>\blackcircledownarrow</code> ($\blacktriangledown$)	133	<code>\blacktriangleleft</code> ($\blacktriangleleft$)	66
<code>\BigTriangleRight</code> ($\bigtriangleright$)	135	<code>\blackcircledrightdot</code> ($\bullet$)	133	<code>\blacktriangleleft</code> ($\blacktriangleleft$)	35
<code>\BigTriangleUp</code> ($\bigtriangleup$)	135	<code>\blackcircledrightdot</code> ($\bullet$)	133	<code>\blacktriangleleft</code> ($\blacktriangleleft$)	35, 68
<code>\bigtriangleup</code> ($\bigtriangleup$)	38	<code>\blackcircledtwodots</code> ($\bullet$)	133	<code>\blacktriangleleft</code> ($\blacktriangleleft$)	67
<code>\bigtriangleup</code> ($\bigtriangleup$ vs. $\bigtriangleup$)	207	<code>\blackcircledtwodots</code> ($\bullet$)	133	<code>\blacktriangleleft</code> ($\blacktriangleleft$)	134
<code>\bigtriangleup</code> ($\bigtriangleup$)	11, 28	<code>\blackcircleulquadwhite</code> ($\bullet$)	133	<code>\blacktriangledown</code> ($\blacktriangledown$)	33
<code>\bigtriangleup</code> ($\bigtriangleup$)	68, 133	<code>\blackdiamond</code> ($\blacklozenge$)	29	<code>\blacktriangledown</code> ($\blacktriangledown$)	112
<code>\bigtriangleup</code> ($\bigtriangleup$)	67	<code>\blackdiamond</code> ($\blacklozenge$)	35	<code>\blacktriangledown</code> ($\blacktriangledown$)	35, 133
<code>\bigtriangleup</code> ($\bigtriangleup$)	133, 134	<code>\blackdiamonddownarrow</code> ($\blacklozenge$)	133	<code>\blacktriangledown</code> ($\blacktriangledown$)	67
<code>\biguplus</code> ($\uplus$)	37	<code>\BlackEmptySquare</code> ()	170	<code>\blacktriangledown</code> ($\blacktriangledown$)	134
<code>\biguplus</code> ($\uplus$)	43	<code>\blackhourglass</code> ($\blacksquare$)	36	<code>\blacktriangleleft</code> ($\blacktriangleleft$)	33
<code>\biguplus</code> ($\uplus$)	42	<code>\blackinwhitediamond</code> ($\blacklozenge$)	133	<code>\blacktriangleleft</code> ($\blacktriangleleft$)	66
<code>\biguplus</code> ($\uplus$)	44	<code>\blackinwhitesquare</code> ($\blacksquare$)	133	<code>\blacktriangleleft</code> ($\blacktriangleleft$)	35, 68
<code>\bigvarstar</code> ($\star$)	29	<code>\BlackKingOnBlack</code> ()	170	<code>\blacktriangleleft</code> ($\blacktriangleleft$)	67
<code>\BigVBar</code> ($\bigvee$)	135			<code>\blacktriangleleft</code> ($\blacktriangleleft$)	134
<code>\bigvee</code> ($\bigvee$)	37			<code>\blacktriangleright</code> ($\blacktriangleright$)	33
<code>\bigvee</code> ($\bigvee$)	42			<code>\blacktriangleright</code> ($\blacktriangleright$)	66
<code>\bigvee</code> ($\bigvee$)	41			<code>\blacktriangleright</code> ($\blacktriangleright$)	35
<code>\bigvee</code> ($\bigvee$)	44				
<code>\bigveedot</code> ($\bigvee$)	42				
<code>\bigveedot</code> ($\bigvee$)	42				
<code>\bigwedge</code> ($\bigwedge$)	37				
<code>\bigwedge</code> ($\bigwedge$)	42				

<code>\blacktriangleright</code> (▶)	35, 68	<code>\BNviii</code> ()	142	<code>\boxbar</code> ($\square$)	36
<code>\blacktriangleright</code> (▶)	67	<code>\Bnwa</code> (w)	142	<code>\boxbot</code> ($\boxdot$)	33
<code>\blacktriangleright</code> (▶)	134	<code>\BNx</code> ()	142	<code>\boxbot</code> ($\boxdot$)	35
<code>\blacktriangleup</code> (▲)	33	<code>\BNxc</code> (=)	142	<code>\boxbox</code> ($\boxplus$)	28
<code>\blackwhitespoon</code> (◡)	85	<code>\BNxl</code> (=)	142	<code>\boxbox</code> ($\boxplus$)	35
<code>blank</code>	<i>see</i> <code>\textblank</code>	<code>\BNxx</code> ()	142	<code>\boxbox</code> ($\boxplus$)	34
<code>\Bleech</code> (Δ)	165	<code>\BNxxx</code> (=)	142	<code>\boxbox</code> ($\boxplus$)	34
<code>\blender</code> (!)	179	<code>\Bo</code> ($\boxplus$)	142	<code>\boxbox</code> ($\boxplus$)	36
<code>\blender</code> (!)	179	body-text symbols	13–26	<code>\boxbslash</code> ($\boxtimes$)	28
<code>\blitza</code> ()	86	<code>boisik</code> (package)	31, 35, 43, 54, 60, 65, 68, 79, 80, 90, 92, 93, 101, 111, 114, 133, 136, 144, 147, 226	<code>\boxbslash</code> ($\boxtimes$)	35
<code>\blitza</code> ()	27	bold symbols	219–220	<code>\boxbslash</code> ($\boxtimes$)	35
<code>\blitzb</code> ()	86	<code>\boldmath</code>	220	<code>\boxbslash</code> ($\boxtimes$)	36
<code>\blitzc</code> ()	86	<code>\boldsymbol</code>	220	<code>\boxcirc</code> ($\boxdot$)	33
<code>\blitzd</code> ()	86	<code>\BOLogo</code> ($\boxplus$)	165	<code>\boxcircle</code> ($\boxdot$)	28
<code>\blitze</code> ()	86	<code>\BOLogoL</code> ($\boxplus$)	165	<code>\boxcircle</code> ($\boxdot$)	35
<code>\blkhorzoval</code> (●)	134	<code>\BOLogoP</code> ($\boxplus$)	165	<code>\boxcircle</code> ($\boxdot$)	36
<code>\blkvertoval</code> (●)	134	bomb	180–181	<code>\boxcoasterisk</code> ($\boxtimes$)	33
block-element symbols	173	<code>\bomb</code> (💣)	165	<code>\boxdiag</code> ($\boxtimes$)	35
<code>\Bm</code> ()	171	Boolean domain ($\mathbb{B}$)	<i>see</i> alphabets, math	<code>\boxdiag</code> ($\boxtimes$)	36
<code>bm</code> (package)	220, 226, 227	Boolean logic gates	123	<code>\boxdiv</code> ($\boxdiv$)	33
<code>\bm</code>	220	borders	191–197	<code>\boxdivision</code> ($\boxdiv$)	35
<code>\bm</code> ()	171	born	<i>see</i> <code>\textborn</code>	<code>\boxdot</code> ($\boxdot$)	33
<code>\Bma</code> ()	142	<code>\Bosnia</code> (•)	176	<code>\boxdot</code> ($\boxdot$)	28
<code>\Bme</code> ()	142	bosons	125	<code>\boxdot</code> ($\boxdot$)	35
<code>\Bmi</code> ()	142	<code>\Bot</code> ($\perp$)	93	<code>\boxdot</code> ($\boxdot$)	34
<code>\Bmo</code> ()	142	<code>\bot</code> ($\perp$)	27, 91, 212	<code>\boxdot</code> ($\boxdot$)	34
<code>\bmod</code>	87	<code>\bot</code> ($\perp$)	92	<code>\boxdot</code> ($\boxdot$)	36
<code>\Bmu</code> ()	142	<code>\bot</code> ($\perp$)	91	<code>\boxdotLeft</code> ($\boxleftarrow$)	70
<code>\Bna</code> ()	142	<code>\bot</code> ($\perp$)	92	<code>\boxdotLeft</code> ($\boxleftarrow$)	70
<code>\BNc</code> ()	142	<code>\bot</code> ($\perp$)	92	<code>\boxdotRight</code> ($\boxrightarrow$)	70
<code>\BNcc</code> ()	142	<code>\bot</code> ($\perp$)	92	<code>\boxdotRight</code> ($\boxrightarrow$)	70
<code>\BNccc</code> ()	142	<code>\botborder</code> ($\perp$)	171	<code>\boxempty</code> ($\square$)	28
<code>\BNcd</code> ()	142	<code>\botdoteq</code> (=)	48	<code>\boxLeft</code> ($\boxleftarrow$)	70
<code>\BNcm</code> ()	142	<code>\botsemicircle</code> ($\cup$)	134	<code>\boxleft</code> ($\boxleftarrow$)	33
<code>\BNd</code> ()	142	<code>\Bottomheat</code> ($\boxplus$)	178	<code>\boxleft</code> ($\boxleftarrow$)	70
<code>\BNdc</code> ()	142	<code>\Bouquet</code> ($\boxplus$)	165	<code>\boxleft</code> ($\boxleftarrow$)	35
<code>\BNdcc</code> ()	142	<code>\Bowl</code> ($\cup$)	179	<code>\boxleft</code> ($\boxleftarrow$)	33
<code>\BNdccc</code> ()	142	<code>\Bowl</code> ($\cup$)	179	<code>\boxleft</code> ($\boxleftarrow$)	28
<code>\BNdccc</code> ()	142	<code>\Bowtie</code> ($\boxtimes$)	164	<code>\boxleft</code> ($\boxleftarrow$)	35
<code>\Bne</code> ()	142	<code>\bowtie</code> ($\boxtimes$)	46	<code>\boxleft</code> ($\boxleftarrow$)	34
<code>\BNi</code> ()	142	<code>\bowtie</code> ($\boxtimes$)	31	<code>\boxleft</code> ($\boxleftarrow$)	36
<code>\Bni</code> ()	142	<code>\bowtie</code> ($\boxtimes$)	31, 52	<code>\boxleft</code> ($\boxleftarrow$)	34
<code>\BNii</code> ()	142	<code>\bowtie</code> ($\boxtimes$)	29, 30	<code>\boxleft</code> ($\boxleftarrow$)	36
<code>\BNiii</code> ()	142	<code>\bowtie</code> ($\boxtimes$)	55	<code>\boxonbox</code> ($\boxplus$)	134
<code>\BNiv</code> ()	142	<code>\Box</code> ($\square$)	112	<code>\boxplus</code> ($\boxplus$)	33
<code>\BNix</code> ()	142	<code>\Box</code> ($\square$)	112	<code>\boxplus</code> ($\boxplus$)	28
<code>\BNl</code> (=)	142	<code>\Box</code> ($\square$)	35	<code>\boxplus</code> ($\boxplus$)	35
<code>\BNlx</code> (=)	142	<code>\Box</code> ($\square$)	34	<code>\boxplus</code> ($\boxplus$)	34
<code>\BNlxx</code> (=)	142	<code>\Box</code> ($\square$)	134	<code>\boxplus</code> ($\boxplus$)	34
<code>\BNlxxx</code> (=)	142	box-drawing symbols	173	<code>\boxplus</code> ($\boxplus$)	36
<code>\BNm</code> ()	142	<code>\boxast</code> ($\boxtimes$)	28	<code>\boxRight</code> ($\boxrightarrow$)	70
<code>\Bno</code> ()	142	<code>\boxast</code> ($\boxtimes$)	35	<code>\boxright</code> ($\boxrightarrow$)	33
<code>\bNot</code> (=)	55	<code>\boxast</code> ($\boxtimes$)	36	<code>\boxright</code> ($\boxrightarrow$)	70
<code>\Bnu</code> ()	142	<code>\boxasterisk</code> ($\boxtimes$)	33	<code>\boxright</code> ($\boxrightarrow$)	35
<code>\BNv</code> ()	142	<code>\boxbackslash</code> ($\boxtimes$)	33	<code>\boxright</code> ($\boxrightarrow$)	35
<code>\BNvi</code> ()	142	<code>\boxbackslash</code> ($\boxtimes$)	34	<code>\boxslash</code> ($\boxtimes$)	33
<code>\BNvii</code> ()	142	<code>\boxbackslash</code> ($\boxtimes$)	34	<code>\boxslash</code> ($\boxtimes$)	28
		<code>\boxbar</code> ($\boxplus$)	28	<code>\boxslash</code> ($\boxtimes$)	35
		<code>\boxbar</code> ($\boxplus$)	35	<code>\boxslash</code> ($\boxtimes$)	34
		<code>\boxbar</code> ($\boxplus$)	35	<code>\boxtimes</code> ($\boxtimes$)	33
				<code>\boxtimes</code> ($\boxtimes$)	28
				<code>\boxtimes</code> ($\boxtimes$)	35
				<code>\boxtimes</code> ($\boxtimes$)	34
				<code>\boxtimes</code> ($\boxtimes$)	34

<code>\boxtimes</code> ($\boxtimes$)	36	<code>\BPwine</code> ($\overline{\text{雨}}$)	143	<code>\Bta</code> ($\ulcorner$)	142
<code>\boxtop</code> ($\boxtop$)	33	<code>\BPwineiih</code> ($\overline{\text{雨}}$)	143	<code>\Btaii</code> ($\overline{\text{雨}}$)	142
<code>\boxtop</code> ($\boxtop$)	35	<code>\BPwineiiih</code> ($\overline{\text{雨}}$)	143	<code>\Bte</code> ($\boxplus$)	142
<code>\boxtriangle</code> ($\boxtriangle$)	35	<code>\BPwineivh</code> ($\overline{\text{雨}}$)	143	<code>\Bti</code> ($\cap$)	142
<code>\boxtriangleup</code> ($\boxtriangleup$)	33	<code>\BPwoman</code> ($\hat{\text{A}}$)	143	<code>\btimes</code> ($\times$)	31
<code>\boxvert</code> ($\boxvert$)	34	<code>\BPwool</code> ($\overline{\text{M}}$)	143	<code>\btimes</code> ($\times$)	32
<code>\boxvert</code> ($\boxvert$)	34	<code>\BPwta</code> ($\dagger$)	142	<code>\Bto</code> ($\overline{\text{T}}$)	142
<code>\boxvoid</code> ($\square$)	33	<code>\BPwtb</code> ($\textcircled{2}$)	142	<code>\Btu</code> ($\emptyset$)	142
<code>\boy</code> ($\textcircled{\text{O}}$)	120	<code>\BPwtc</code> ($\boxplus$)	142	<code>\Btwe</code> (β)	143
<code>\Bpa</code> ($\boxplus$)	142	<code>\BPwtd</code> ($\textcircled{2}$)	142	<code>\Btwo</code> ($\hat{\text{V}}$)	142
<code>\Bpaiii</code> ($\boxplus$)	142	<code>\Bqa</code> ($\textcircled{\text{P}}$)	142	<code>\Bu</code> ($\textcircled{\text{F}}$)	142
<code>\BPamphora</code> ($\overline{\text{O}}$)	143	<code>\Bqe</code> ($\textcircled{\text{O}}$)	142	<code>\BUFd</code> (∇)	123
<code>\BParrow</code> ($\gg$)	143	<code>\Bqi</code> ($\overline{\text{T}}$)	142	buffers	123
<code>\BPbarley</code> ($\textcircled{\text{I}}$)	143	<code>\Bqo</code> ($\dagger$)	142	<code>\BUFl</code> ($\triangleleft$)	123
<code>\BPbilly</code> ($\textcircled{\text{I}}$)	143	<code>\Bra</code> (L)	142	<code>\BUFr</code> ($\triangleleft$)	123
<code>\BPboar</code> ($\textcircled{\text{P}}$)	143	bra	94	<code>\BUFu</code> ($\triangleleft$)	123
<code>\BPbronze</code> ($\boxplus$)	143	<code>\braceld</code> (L)	215	<code>\BUi</code> ($\textcircled{\text{I}}$)	143
<code>\BPbull</code> ($\textcircled{\text{I}}$)	143	<code>\bracerd</code> (L)	215	<code>\BUii</code> ($\textcircled{\text{I}}$)	143
<code>\BPcauldroni</code> ($\overline{\text{M}}$)	143	braces ... 13, 94–97, 102–105		<code>\BUiii</code> ($\overline{\text{T}}$)	143
<code>\BPcauldronii</code> ($\overline{\text{M}}$)	143	asymmetric	105	<code>\BUiv</code> ($\textcircled{\text{I}}$)	143
<code>\BPchariot</code> ($\textcircled{\text{P}}$)	143	extensible	102–105	<code>\BUix</code> ($\textcircled{\text{I}}$)	143
<code>\BPchassis</code> ($\textcircled{\text{P}}$)	143	multiline	105	<code>\Bulgaria</code> ($\blacktriangleright$)	177
<code>\BPcloth</code> ($\boxplus$)	143	<code>\bracevert</code> ($ $)	94	<code>\bullcntr</code> (package)	168, 226, 227
<code>\BPcow</code> ($\textcircled{\text{I}}$)	143	<code>\bracevert</code> ($ $)	95	<code>\bullcntr{\langle 1 \rangle}</code> ($\bullet$)	168
<code>\BPcup</code> ($\textcircled{\text{I}}$)	143	<code>\bracevert</code> ($ $)	114	<code>\bullcntr{\langle 2 \rangle}</code> ($\bullet \bullet$)	168
<code>\Bpe</code> ($\textcircled{\text{I}}$)	142	brackets	see delimiters	<code>\bullcntr{\langle 3 \rangle}</code> ($\bullet \bullet \bullet$)	168
<code>\BPewe</code> ($\textcircled{\text{I}}$)	143	<code>\Braii</code> ($\textcircled{\text{I}}$)	142	<code>\bullcntr{\langle 4 \rangle}</code> ($\bullet \bullet \bullet \bullet$)	168
<code>\BPfoal</code> ($\textcircled{\text{I}}$)	143	<code>\Braiii</code> ($\textcircled{\text{I}}$)	142	<code>\bullcntr{\langle 5 \rangle}</code> ($\bullet \bullet \bullet \bullet \bullet$)	168
<code>\BPgoat</code> ($\overline{\text{T}}$)	143	braket (package)	94	<code>\bullcntr{\langle 6 \rangle}</code> ($\bullet \bullet \bullet \bullet \bullet \bullet$)	168
<code>\BPgoblet</code> ($\overline{\text{V}}$)	143	<code>\Bratpfanne</code> ($\textcircled{\text{P}}$)	179	<code>\bullcntr{\langle 7 \rangle}</code> ($\bullet \bullet \bullet \bullet \bullet \bullet \bullet$)	168
<code>\BPgold</code> ($\textcircled{\text{I}}$)	143	<code>\Bre</code> (Ψ)	142	<code>\bullcntr{\langle 8 \rangle}</code> ($\bullet \bullet \bullet \bullet \bullet \bullet \bullet \bullet$)	168
<code>\BPhorse</code> ($\textcircled{\text{I}}$)	143	<code>\Break</code> ($\textcircled{\text{Break}}$)	122	<code>\bullcntr{\langle 9 \rangle}</code> ($\bullet \bullet \bullet \bullet \bullet \bullet \bullet \bullet \bullet$)	168
<code>\Bpi</code> ($\textcircled{\text{I}}$)	142	<code>\breve</code> ($\textcircled{\text{I}}$)	101	bullenum (package)	168
<code>\BPman</code> ($\textcircled{\text{I}}$)	143	<code>\breve</code> ($\textcircled{\text{I}}$)	100	bullenum	168
<code>\BPnanny</code> ($\textcircled{\text{I}}$)	143	<code>\breve</code> ($\textcircled{\text{I}}$)	22	<code>\bullet</code> ($\bullet$)	28
<code>\Bpo</code> ($\textcircled{\text{I}}$)	142	breve ($\textcircled{\text{I}}$)	see accents	<code>\bullet</code> ($\bullet$)	35
<code>\BPolive</code> ($\textcircled{\text{I}}$)	143	<code>\brevis</code> ($\cup$)	172	<code>\bullet</code> ($\bullet$)	29
<code>\BPox</code> ($\textcircled{\text{I}}$)	143	<code>\Bri</code> ($\textcircled{\text{I}}$)	142	<code>\bullet</code> ($\bullet$)	36
<code>\BPpig</code> ($\textcircled{\text{I}}$)	143	<code>\Bro</code> ($\dagger$)	142	bullseye	see \textbullseye
<code>\BPram</code> ($\textcircled{\text{I}}$)	143	<code>\Broii</code> ($\dagger$)	142	<code>\bullseye</code> ($\textcircled{\text{O}}$)	134
<code>\BPsheep</code> ($\textcircled{\text{I}}$)	143	<code>\brokenvert</code> ($\dagger$)	164	<code>\Bumpedeq</code> ($\approx$)	48
<code>\BPsoar</code> ($\textcircled{\text{I}}$)	143	Bronger, Torsten	212	<code>\bumpedeq</code> ($\approx$)	48
<code>\BPspear</code> ($\textcircled{\text{I}}$)	143	<code>\Bru</code> ($\dagger$)	142	<code>\Bumpeq</code> ($\approx$)	47
<code>\BPsword</code> ($\textcircled{\text{I}}$)	143	<code>\BS</code> ($\textcircled{\text{I}}$)	122	<code>\Bumpeq</code> ($\approx$)	54
<code>\Bptalent</code> ($\textcircled{\text{I}}$)	142	<code>\Bsa</code> ($\textcircled{\text{I}}$)	142	<code>\Bumpeq</code> ($\approx$)	52
<code>\Bpte</code> ($\textcircled{\text{I}}$)	142	<code>\Bse</code> ($\textcircled{\text{I}}$)	142	<code>\Bumpeq</code> ($\approx$)	49
<code>\Bpu</code> ($\textcircled{\text{I}}$)	142	<code>\BSEfree</code> ($\textcircled{\text{I}}$)	124	<code>\Bumpeq</code> ($\approx$)	55
<code>\Bpuui</code> ($\textcircled{\text{I}}$)	142	<code>\Bsi</code> ($\textcircled{\text{I}}$)	142	<code>\bumpedeq</code> ($\approx$)	47
<code>\BPvola</code> ($\textcircled{\text{I}}$)	142	<code>\bsimilarleftarrow</code> ($\leftarrow$)	81	<code>\bumpedeq</code> ($\approx$)	54
<code>\BPvolb</code> ($\textcircled{\text{I}}$)	142	<code>\bsimilarrightarrow</code> ($\rightarrow$)	81	<code>\bumpedeq</code> ($\approx$)	52
<code>\BPvolcd</code> ($\textcircled{\text{I}}$)	142	<code>\Bso</code> ($\textcircled{\text{I}}$)	142	<code>\bumpedeq</code> ($\approx$)	49
<code>\BPvolcf</code> ($\textcircled{\text{I}}$)	142	<code>\bsolhsb</code> ($\textcircled{\text{I}}$)	61	<code>\bumpedeq</code> ($\approx$)	55
<code>\BPwheat</code> ($\textcircled{\text{I}}$)	143	<code>\BSpace</code> ($\textcircled{\text{I}}$)	122	<code>\bumpeq</code> ($\approx$)	52
<code>\BPwheel</code> ($\textcircled{\text{I}}$)	143	<code>\BSu</code> ($\textcircled{\text{I}}$)	142	<code>\bumpeq</code> ($\approx$)	55
		<code>\Bswa</code> ($\textcircled{\text{I}}$)	142	<code>\bumpeq</code> ($\approx$)	169
		<code>\Bswi</code> ($\textcircled{\text{I}}$)	142		

	<code>\Burns</code>	172
	<code>\BusWidth</code>	123
	<code>\BUv</code>	143
	<code>\BUvi</code>	143
	<code>\BUvii</code>	143
	<code>\BUviii</code>	143
	<code>\BUx</code>	143
	<code>\BUxi</code>	143
	<code>\BUxii</code>	143
	<code>\Bwa</code>	142
	<code>\Bwe</code>	142
	<code>\Bwi</code>	142
	<code>\Bwo</code>	142
	<code>\BX</code>	121
	<code>\Bza</code>	142
	<code>\Bze</code>	142
	<code>\Bzo</code>	142

C

	<code>\C</code>	19
	<code>\C</code>	171
c (esvect package option)		104
	<code>\c</code>	19, 222
	<code>\c</code>	171
	<code>\Ca</code>	143
	<code>\caesura</code>	148
calligra (package)		116, 226, 227
Calligra (font)		116
calrsfs (package)		116
	<code>\CAN</code>	122
cancel (package)		102
	<code>\Cancer</code>	119
	<code>\Cancer</code>	120
	<code>\cancer</code>	119
	<code>\Candle</code>	180
	<code>\candra</code>	101
	<code>\Cap</code>	28
	<code>\Cap</code>	31
	<code>\Cap</code>	31
	<code>\Cap</code>	30
	<code>\Cap</code>	32
	<code>\cap</code>	29
	<code>\cap</code>	28
	<code>\cap</code>	31
	<code>\cap</code>	30
	<code>\cap</code>	29
	<code>\cap</code>	32
	<code>\capbarcup</code>	32
	<code>\capdot</code>	30
	<code>\capdot</code>	29
	<code>\capdot</code>	32
	<code>\capovercup</code>	32
	<code>\capplus</code>	30
	<code>\capplus</code>	29
	<code>\Capricorn</code>	119
	<code>\Capricorn</code>	120
	<code>\capricornus</code>	119

<code>\capturesymbol</code>	(x)	169
<code>\capwedge</code>	(∩)	32
card suits		136, 137, 180–181
cardinality		<i>see</i> <code>\aleph</code>
care of (c/o)		114
caret		<i>see</i> <code>\^</code>
<code>\caretinsert</code>	(^)	114
Carlisle, David		1, 225
caron		<i>see</i> accents
carriage return		209
carriage return		122, 137, 209
<code>\carriagereturn</code>	(↵)	79
<code>\carriagereturn</code>	(↵)	81
<code>\carriagereturn</code>	(↵)	137
Cartesian product		<i>see</i> <code>\times</code>
castle		170, 204–205
<code>\castlingchar</code>	(O)	169
<code>\castlinghyphen</code>	(-)	169
<code>\Cat</code>	(⚔)	179
<code>\catal</code>	(^)	172
<code>\Catalexis</code>	(^)	171
<code>\catalexis</code>	(^)	171
catamorphism		<i>see</i> <code>\llparentesis</code> <i>and</i> <code>\rrparentesis</code>
<code>\CB</code>	(A)	121
<code>\cb</code>	(Ⓢ)	23
<code>\Cc</code>	(ll)	171
<code>\cc</code>	(©)	26
<code>\cc</code>	(ll)	171
<code>\ccAttribution</code>	(i)	26
<code>\ccby</code>	(BY)	26
<code>\ccbyncnd</code>	(©)(i)(S)(N)	26
<code>\Ccc</code>	(lll)	171
<code>\ccCopy</code>	(©)	26
ccicons (package)		26, 226, 227
cclicenses (package)		26, 226
<code>\ccLogo</code>	(©)	26
<code>\ccnc</code>	(S)	26
<code>\ccnd</code>	(S)	26
<code>\ccNoDerivatives</code>	(©)	26
<code>\ccNonCommercial</code>	(S)	26
<code>\ccNonCommercialEU</code>	(S)	26
<code>\ccNonCommercialJP</code>	(S)	26
<code>\ccPublicDomain</code>	(©)	26
<code>\ccRemix</code>	(S)	26
<code>\ccsa</code>	(S)	26
<code>\ccSampling</code>	(S)	26
<code>\ccShare</code>	(S)	26
<code>\ccShareAlike</code>	(S)	26
<code>\ccwundercurvearrow</code>	(↷)	81
<code>\ccZero</code>	(0)	26
<code>\cdot</code>	(.)	28, 210
<code>\cdot</code>	(.)	31
<code>\cdot</code>	(.)	30, 108
<code>\cdot</code>	(...)	108
<code>\cdot</code>	(.)	29, 108
<code>\cdot</code>	(.)	109
<code>\cdottp</code>	(.)	107
<code>\cdottp</code>	(...)	108
<code>\cdottp</code>	(.)	108
<code>\cdottp</code>	(.)	109
<code>\cdottp</code>	(...)	107

<code>\cdots</code>	(...)	108
<code>\cdots</code>	(...)	109
<code>\CE</code>	(Γ)	121
<code>\Ce</code>	(*)	143
Cedi		<i>see</i> <code>\textcolonmonetary</code>
cedilla		<i>see</i> accents
celestial bodies		119, 120, 174, 188–190
<code>\celsius</code>	(°C)	118
<code>\Celtcross</code>	(Φ)	165
Celtic knots		194–197
<code>\cent</code>	(c)	24
<code>\centerdot</code>	(▪)	29
<code>\centerdot</code>	(.)	30
<code>\centerdot</code>	(.)	28
<code>\centerdot</code>	(.)	31
<code>\centerdot</code>	(.)	109
centernot (package)		211
<code>\centernot</code>		211
centigrade		<i>see</i> <code>\textcelsius</code>
<code>\centre</code>	(⊕)	169
cents		<i>see</i> <code>\textcent</code>
<code>\Ceres</code>	(♁)	120
<code>\CEsign</code>	(CE)	124
<code>\Cga</code>	(>X)	143
<code>\Chair</code>	(⚤)	180
chancery (package)		226
<code>\changenotsign</code>		49
<code>\char</code>		209, 218, 221, 224, 225
Charter (font)		24, 46
<code>\check</code>	(✓)	101
<code>\check</code>	(✓)	100
check marks		14, 113–114, 129, 130, 137, 164, 165, 181–184, 207
<code>\checked</code>	(✓)	164
<code>\CheckBox</code>	(☑)	130
<code>\Checkedbox</code>	(☑)	130
<code>\Checkmark</code>	(✓)	129
<code>\checkmark</code>	(✓)	14
<code>\checkmark</code>	(✓)	137
<code>\checkmark</code>	(✓)	114
<code>\checkmark</code>	(✓)	113
<code>\checkmark</code>	(✓)	113
<code>\checkmark</code>	(✓)	114
<code>\checkmark</code>	(✓ vs. ✓)	207
<code>\CheckmarkBold</code>	(✓)	129
<code>\checksymbol</code>	(+)	169
chemarr (package)		106, 226
chemarrow (package)		84, 106, 226
<code>\chemarrow</code>	(→)	84
Chen, Raymond		228
chess symbols		169, 170, 204–205
<code>\chesscomment</code>	(RR)	169
<code>\chessetc</code>	(ll)	169
<code>\chesssee</code>	(—)	169
chevrons		127
<code>\Chi</code>	(X)	88
<code>\chi</code>	(χ)	88

$\mathbb{A}2e$ (package) . 25, 87, 117, 174, 175	$\circledast$ (⊛) 48	$\Cko$ ($\bigwedge$) 143
china2e (package) 116, 226, 227	$\circledless$ (⊖) 48	$\Cku$ ($\bowtie$) 143
$\Chiron$ ($\mathfrak{C}$) 120	$\circledminus$. <i>see</i> $\ominus$	$\Cla$ ($\vee$) 143
χup (χ) 89	$\circleddotleft$ <i>see</i> $\circleddotleft$	$\Cle$ ($\oslash$) 143
$\Ci$ ($\times$) 143	$\circleddotright$ <i>see</i> $\circleddotright$	$\CleaningA$ ($\textcircled{A}$) 165
cipher symbols 174	$\circledddotright$ <i>see</i> $\circledddotright$	$\CleaningF$ ($\textcircled{F}$) 165
$\cirbot$ ($\mathfrak{i}$) 55	$\circledownarrow$ ($\Downarrow$) ... 134	$\CleaningFF$ ($\textcircled{FF}$) 165
$\circ$ (o) 28, 114, 211	$\circledparallel$ ($\textcircled{\parallel}$) .. 36	$\CleaningP$ ($\textcircled{P}$) 165
$\circ$ (o) 35	$\circledplus$... <i>see</i> $\oplus$	$\CleaningPP$ ($\textcircled{PP}$) 165
$\circ$ (o) 29	$\circledR$ ($\textcircled{R}$) 14, 91	$\clefC$ (C) 151
$\circ$ (o) 134	$\circledR$ ($\textcircled{R}$) 92	$\clefCInline$ 151
$\circ$ ($\circ$) 48	$\circledrightdot$ ($\odot$) .. 134	$\clefF$ (F) 151
$\circ$ ($\circ$) 47	$\circledS$ ($\textcircled{S}$) 91	$\clefFInline$ 151
$\circ$ ($\circ$) 54	$\circledS$ ($\textcircled{S}$) 92	$\clefG$ (G) 151
$\circ$ ($\circ$) 52	$\circledslash$. <i>see</i> $\oslash$	$\clefGInline$ 151
$\circ$ ($\circ$) 49	$\circledstar$ ($\textcircled{\star}$) 134	clefs 148, 149, 151, 156, 180–181
$\circ$ ($\circ$) 55	$\circledtimes$. <i>see</i> $\otimes$	$\Cli$ ($\leq$) 143
$\circ$ ($\bullet$) 132	$\circledtwodots$ ($\textcircled{\cdots}$) ... 134	$\clickb$ ($\odot$) 18
$\circ$ ($\circ$) 132	$\circledvee$ ($\vee$) 29	$\clickc$ ($\textcircled{C}$) 18
$\circ$ ($\circ$) 135	$\circledvert$ ($\textcircled{\mid}$) 35	$\clickt$ ($\mathfrak{t}$) 18
$\circ$ ($\circ$ vs. $\circ$) 207	$\circledvert$ ($\textcircled{\mid}$) 36	$\Clo$ ($+$) 143
$\circ$ ($\circ$) 70	$\circledwedge$ ($\textcircled{\wedge}$) 29	clock (package) 167, 226
$\circ$ ($\circ$) 69	$\circledwhitebullet$ ($\textcircled{\bullet}$) 134	$\clock$ ($\textcircled{\circ}$) 164
$\circ$ ($\circ$) 79	$\circlebar$ ($\ominus$) 36	$\clock$ ($\textcircled{\circ}$) 167
$\circ$ ($\circ$) 76	$\circleleft$ ($\leftarrow\circ$) 70	clock symbols 164–167, 180–181
$\circ$ ($\circ$) 72	$\circlelefthalfblack$ ($\textcircled{\bullet}$) 134	$\ClockFramefalse$ 167
$\circ$ ($\circ$) 81, 82	$\circlellquad$ ($\ominus$) 134	$\ClockFrametrue$ 167
$\circ$ ($\circ$) 70	$\circlelrquad$ ($\ominus$) 134	$\ClockLogo$ ($\textcircled{\circ}$) 165
$\circ$ ($\circ$) 69	$\circleonleftarrow$ ($\leftarrow\circ$) . 81	$\ClockStyle$ 167
$\circ$ ($\circ$) 79	$\circleonrightarrow$ ($\rightarrow\circ$) . 81	$\clocktime$ 167
$\circ$ ($\circ$) 76	$\circcleright$ ($\circ\rightarrow$) 70	$\closedcurlyvee$ ($\vee$) 30
$\circ$ ($\circ$) 72	$\circclerighthalfblack$ ($\textcircled{\bullet}$) . 134	$\closedcurlywedge$ ($\wedge$) .. 30
$\circ$ ($\circ$) 81, 82	circles 120, 132–137, 170, 171, 176, 186–187, 192, 202–203	$\closedequal$ ($\equiv$) 49
$\circ$ ($\bullet$) 134	$\CircleShadow$ ($\textcircled{\circ}$) 135	$\closedniomega$ (ω) 18
circled numerals 130, 170, 171, 204	$\CircleSolid$ ($\bullet$) 135	$\closedprec$ ($\prec$) 49
$\circledA$ ($\textcircled{A}$) 165	$\circletophalfblack$ ($\textcircled{\bullet}$) 134	$\closedrepsilon$ (ϵ) .. 18
$\circledast$ ($\textcircled{\ast}$) 28	$\circleulquad$ ($\ominus$) 134	$\closedsucc$ ($\succ$) 49
$\circledast$ ($\textcircled{\ast}$) 35	$\circleurquad$ ($\ominus$) 134	$\closedvarcap$ ($\cap$) 32
$\circledast$ ($\textcircled{\ast}$) 35	$\circleurquadblack$ ($\textcircled{\bullet}$) . 134	$\closedvarcup$ ($\cup$) 32
$\circledast$ ($\textcircled{\ast}$) 34	$\circlevetfill$ ($\textcircled{\text{fill}}$) ... 134	$\closedvarcupsmashprod$ ($\textcircled{\smash{\prod}}$) . 32
$\circledast$ ($\textcircled{\ast}$) 36	$\Circpipe$ ($\textcircled{\mid}$) 123	$\closure$ ($\textcircled{\hspace{.05em}}$) 100
$\circledbar$ ($\textcircled{\mid}$) 29	$\circirplus$ ($\textcircled{+}$) 29	$\closure$ ($\supset$) 52, 86
$\circledbslash$ ($\textcircled{/}$) 29	$\circirplus$ ($\textcircled{+}$) 31	$\closure$ ($\subset$) 55
$\circledbullet$ ($\textcircled{\bullet}$) 134	$\Circsteel$ ($\bullet$) 123	$\Cloud$ ($\textcircled{\circ}$) 166
$\circledcirc$ ($\textcircled{\circ}$) 28	circumflex ($\textcircled{\text{accent}}$) ... <i>see</i> accents	clovers 131
$\circledcirc$ ($\textcircled{\circ}$) 35	$\circumflexus$ ($\textcircled{\text{accent}}$) 22	$\Clu$ ($\textcircled{\circ}$) 143
$\circledcirc$ ($\textcircled{\circ}$) 35	$\circirE$ ($\textcircled{E}$) 134	clubs 136, 137
$\circledcirc$ ($\textcircled{\circ}$) 34	$\circirfnint$ ($\textcircled{f}$) 44	$\clubsuit$ ($\clubsuit$) 136
$\circledcirc$ ($\textcircled{\circ}$) 36	$\circirfnintsl$ ($\textcircled{f}$) 45	$\clubsuit$ ($\clubsuit$) 136
$\circleddash$ ($\textcircled{-}$) 28	$\circirfnintup$ ($\textcircled{f}$) 45	$\clubsuit$ ($\clubsuit$) 136
$\circleddash$ ($\textcircled{-}$) 35	$\circirmid$ ($\textcircled{\mid}$) 85	$\clubsuit$ ($\clubsuit$) 136
$\circleddash$ ($\textcircled{-}$) 35	$\circirmid$ ($\textcircled{\mid}$) 55	$\clubsuit$ ($\clubsuit$) 137
$\circleddash$ ($\textcircled{-}$) 34	$\circircir$ ($\textcircled{\circ}$) 134	$\Cma$ ($\textcircled{\text{accent}}$) 143
$\circleddash$ ($\textcircled{-}$) 36	$\Cja$ ($\textcircled{\circ}$) 143	$\Cme$ ($\textcircled{\text{accent}}$) 143
$\circleddot$ <i>see</i> $\odot$	$\Cjo$ ($\textcircled{\vee}$) 143	$\Cmi$ ($\textcircled{\vee}$) 143
$\circleddotleft$ ($\leftarrow\circ$) .. 70	$\Cka$ ($\textcircled{\uparrow}$) 143	
$\circleddotright$ ($\rightarrow\circ$) .. 70	$\Cke$ ($\textcircled{\text{accent}}$) 143	
$\circledEq$ ($\textcircled{=}$) 54	$\Cki$ ($\textcircled{\text{accent}}$) 143	
$\circledequal$ ($\textcircled{=}$) 35		
$\circledequal$ ($\textcircled{=}$) 36		

<code>cmll</code> (package)	27, 33, 46, 58, 93, 226
<code>\Cmo</code> (Φ)	143
<code>\Cmu</code> (Ξ)	143
<code>\Cna</code> ($\bar{\Gamma}$)	143
<code>\Cne</code> ($\mathbb{H}$)	143
<code>\Cni</code> ($\mathbb{Z}$)	143
<code>\Cno</code> ($\mathbb{Z}$)	143
<code>\Cnu</code> ($\mathbb{Z}$)	143
<code>\CO</code> ($\mathbb{Z}$)	121
<code>\Co</code> ($\mathbb{Z}$)	143
<code>\coAsterisk</code> ($*$)	29
<code>\coAsterisk</code> ($*$)	31
<code>\coasterisk</code> ($*$)	29
<code>\Coda</code> (Φ)	148
<code>\coda</code> (Φ)	148
code page 1252	223
table	223
code page 437	122, 173, 221
<code>\Coffeecup</code> ($\mathbb{Z}$)	165, 180
<code>\coh</code> ($\mathbb{Z}$)	58
coins, ancient	25
<code>\Colon</code> ($::$)	108
<code>\Colon</code> ($::$)	109
<code>\colon</code>	107
<code>\colon</code> ($:$)	107
<code>\colon</code> ($:$)	108
<code>\colon</code> ($:$)	108
<code>\Colonapprox</code> ($\approx$)	48
<code>\Colonapprox</code> ($\approx$)	56
<code>\colonapprox</code> ($\approx$)	58
<code>\colonapprox</code> ($\approx$)	56
<code>\colonapprox</code> ($\approx$)	48
<code>\coloncolon</code> ($::$)	58
<code>\coloncolonapprox</code> ($\approx$)	58
<code>\coloncolonequals</code> ($::=$)	58
<code>\coloncolonminus</code> ($::-$)	58
<code>\coloncolonsim</code> ($::\sim$)	58
<code>\Coloneq</code> ($::-$)	48
<code>\Coloneq</code> ($::-$)	56
<code>\Coloneq</code> ($::=$)	55
<code>\coloneq</code> ($::=$)	27, 48
<code>\coloneq</code> ($::-$)	56
<code>\coloneq</code> ($::-$)	48
<code>\coloneq</code> ($::=$)	52
<code>\coloneq</code> ($::=$)	49
<code>\coloneq</code> ($::=$)	55
<code>\Coloneqq</code> ($::=$)	48
<code>\Coloneqq</code> ($::=$)	56
<code>\coloneqq</code> ($::=$)	56
<code>\coloneqq</code> ($::=$)	27, 48
<code>\coloneqq</code> ($::=$)	52
<code>colonequals</code> (package)	27, 58, 226
<code>\colonequals</code> ($::=$)	27, 58
<code>\colonminus</code> ($::-$)	58
<code>\Colonsim</code> ($::\sim$)	48
<code>\Colonsim</code> ($::\sim$)	56
<code>\colonsim</code> ($::\sim$)	58
<code>\colonsim</code> ($::\sim$)	56
<code>\colonsim</code> ($::\sim$)	48
<code>combelow</code> (package)	23, 226, 227
combinatorial logic gates	123
comma-below accent ($\mathbb{Z}$)	<i>see</i> accents
<code>\commaminus</code> ($\mathbb{Z}$)	32
communication symbols	123
commutative diagrams	213
<code>comp.text.tex</code> (newsgroup) 11, ...	27, 28, 209–214
compass	186–187
<code>\compensation</code> ($\mathbb{Z}$)	169
<code>\complement</code> ($\mathbb{Z}$)	91
<code>\complement</code> ($\mathbb{Z}$)	91
<code>\complement</code> ($\mathbb{Z}$)	92
<code>\complement</code> ($\mathbb{Z}$)	92
<code>\complement</code> ($\mathbb{Z}$)	41
<code>\complement</code> ($\mathbb{Z}$)	92
complete shuffle product ($\mathbb{Z}$)	33
<code>\COMPLEX</code> ($\mathbb{Z}$)	87
<code>\Complex</code> ($\mathbb{Z}$)	87
complex numbers ($\mathbb{Z}$)	<i>see</i> alphabets, math
composited accents	19
Comprehensive $\text{\TeX}$ Archive	1, 11, 102, 117, 123, 206, 223–225
computer hardware symbols	121
computer keys	122
Computer Modern (font)	206, 208, 221
computer symbols	181–184
<code>\ComputerMouse</code> ($\mathbb{Z}$)	121
<code>\concavediamond</code> ($\mathbb{Z}$)	36
<code>\concavediamondtickleft</code> ($\mathbb{Z}$)	36
<code>\concavediamondtickright</code> ($\mathbb{Z}$)	36
<code>\Conclusion</code> ($\mathbb{Z}$)	110
<code>\cong</code> ($\mathbb{Z}$)	46
<code>\cong</code> ($\mathbb{Z}$)	54
<code>\cong</code> ($\mathbb{Z}$)	52
<code>\cong</code> ($\mathbb{Z}$)	49
<code>\cong</code> ($\mathbb{Z}$)	55
<code>\congdot</code> ($\mathbb{Z}$)	55
<code>\Congruent</code> ($\mathbb{Z}$)	110
congruent	<i>see</i> <code>\equiv</code>
<code>\conictaper</code> ($\mathbb{Z}$)	114
<code>\conjquant</code> ($\mathbb{Z}$)	43
<code>\conjquant</code> ($\mathbb{Z}$)	44
<code>\Conjunction</code> ($\mathbb{Z}$)	120
<code>\conjunction</code> ($\mathbb{Z}$)	119
conjunction, logical	<i>see</i> <code>\wedge</code> and <code>\&</code>
consequence relations	57
contradiction symbols	27, 86
control characters	122
converse implication	<i>see</i> <code>\leftarrow</code> and <code>\subset</code>
converse nonimplication	<i>see</i> <code>\nleftarrow</code> and <code>\nsubset</code>
<code>\convolution</code> ($*$)	29
<code>\convolution</code> ($*$)	31
<code>\cooker</code> ($\mathbb{Z}$)	179
<code>\cooker</code> ($\mathbb{Z}$)	179
cooking symbols	178, 179, 181–184
<code>cookingsymbols</code> (package)	178, 226, 227
<code>\Cooley</code> ($\mathbb{Z}$)	179
<code>\Coppa</code> ($\mathbb{Z}$)	144
<code>\coppa</code> ($\mathbb{Z}$)	144
<code>\coprod</code> ($\mathbb{Z}$)	27, 37
<code>\coprod</code> ($\mathbb{Z}$)	42
<code>\coprod</code> ($\mathbb{Z}$)	41
<code>\coprod</code> ($\mathbb{Z}$)	43
copyright	13, 14, 25, 26, 222
<code>\copyright</code> ($\mathbb{Z}$)	14
<code>\copyright</code> ($\mathbb{Z}$)	14
<code>\corner</code> ($\mathbb{Z}$)	23
corners, box	173
<code>\corona</code> ($\mathbb{Z}$)	172
<code>\coronainv</code> ($\mathbb{Z}$)	172
<code>\Corresponds</code> ($\mathbb{Z}$)	110
<code>\corresponds</code> ($\mathbb{Z}$)	48
<code>\corresponds</code> ($\mathbb{Z}$)	54
<code>\cos</code> (cos)	87, 219
<code>\cosh</code> (cosh)	87
<code>\cot</code> (cot)	87
<code>\coth</code> (coth)	87
<code>\counterplay</code> ($\mathbb{Z}$)	169
countries	176
European	176
<code>CountriesOfEurope</code> (package)	176, 226, 227
<code>CountriesOfEurope</code> (font)	178
<code>\CountriesOfEuropeFamily</code>	178
Courier (font)	24
CP1252	<i>see</i> code page 1252
CP437	<i>see</i> code page 437
<code>\Cpa</code> ($\mathbb{Z}$)	143
<code>\Cpe</code> ($\mathbb{Z}$)	143
<code>\Cpi</code> ($\mathbb{Z}$)	143
<code>\Cpo</code> ($\mathbb{Z}$)	143
<code>\Cpu</code> ($\mathbb{Z}$)	143
<code>\CR</code> ($\mathbb{Z}$)	121, 122
<code>\cr</code>	211
<code>\Cra</code> ($\mathbb{Z}$)	143
<code>\Cre</code> ($\mathbb{Z}$)	143
Creative Commons licenses	25, 26
crescent (fge package option)	101
<code>\crescHairpin</code> ($\mathbb{Z}$)	152
<code>\Cri</code> ($\mathbb{Z}$)	143
<code>\Cro</code> ($\mathbb{Z}$)	143
<code>\Croatia</code> ($\mathbb{Z}$)	177
<code>\Cross</code> ($\mathbb{Z}$)	165
<code>\Cross</code> ($\mathbb{Z}$)	129
<code>\Cross</code> ($\mathbb{Z}$)	135
<code>\Cross</code> ($\mathbb{Z}$)	135

$\backslash$ Cross ($\dagger$ vs. $\ddagger$ vs. $\times$) . . .	207	cube root <i>see</i> $\backslash$ sqr	currency symbols . 24, 25, 114,	
cross ratio <i>see</i> $\backslash$ textrecipe		cube rotations 185	117	
$\backslash$ crossb ($\mathfrak{b}$) 18		$\backslash$ Cup ($\mathbb{U}$) 28	$\backslash$ curvearrowbotleft ($\curvearrowleft$)	70
$\backslash$ CrossBoldOutline ($\P$) . . 129		$\backslash$ Cup ($\mathbb{U}$) 31	$\backslash$ curvearrowbotleft ($\curvearrowleft$) .	79
$\backslash$ CrossClowerTips ($\clubsuit$) . . 129		$\backslash$ Cup ($\mathbb{U}$) 31	$\backslash$ curvearrowbotletright ($\curvearrowright$)	
$\backslash$ crossd ($\mathfrak{d}$) 18		$\backslash$ Cup ($\mathbb{U}$) 30		70
$\backslash$ CrossedBox ($\boxtimes$) 130		$\backslash$ Cup ($\mathbb{U}$) 32	$\backslash$ curvearrowbotletright ($\curvearrowright$)	
$\backslash$ CrossedBox ($\boxtimes$) 130		$\backslash$ cup ($\cup$) 29		79
$\backslash$ Crossedbox ($\boxtimes$) 130		$\backslash$ cup ($\cup$) 28, 210, 219	$\backslash$ curvearrowbotright ($\curvearrowright$)	70
crosses 129, 157–161, 165, 170,		$\backslash$ cup ($\cup$) 31	$\backslash$ curvearrowbotright ($\curvearrowright$)	79
171, 186–187		$\backslash$ cup ($\cup$) 30	$\backslash$ curvearrowdownup ($\Updownarrow$) . .	71
$\backslash$ crossh ($\mathfrak{h}$) 18		$\backslash$ cup ($\cup$) 30	$\backslash$ curvearrowleft ($\curvearrowleft$) . . .	70
$\backslash$ crossing ($\times$) 52		$\backslash$ cup ($\cup$) 32	$\backslash$ curvearrowleft ($\curvearrowleft$) . . .	69
$\backslash$ CrossMaltese ($\mathfrak{H}$) 129		$\backslash$ cupbarcap ($\mathbb{U}$) 32	$\backslash$ curvearrowleft ($\curvearrowleft$) . . .	79
$\backslash$ crossnilambda (λ) 18		$\backslash$ cupdot ($\cup$) 30	$\backslash$ curvearrowleft ($\curvearrowleft$) . . .	76
$\backslash$ CrossOpenShadow ($\P$) . . . 129		$\backslash$ cupdot ($\cup$) 30	$\backslash$ curvearrowleft ($\curvearrowleft$) . . .	72
$\backslash$ CrossOutline ($\P$) 129		$\backslash$ cupdot ($\cup$) 32	$\backslash$ curvearrowleft ($\curvearrowleft$) . . .	81
crotchet <i>see</i> musical symbols		$\backslash$ Cupido ($\mathfrak{L}$) 120	$\backslash$ curvearrowleftplus ($\curvearrowleft+$)	81
$\backslash$ crotchet ($\mathfrak{J}$) 150		$\backslash$ cupleftarrow ($\mathbb{U}$) . . . 31, 79	$\backslash$ curvearrowleftright ($\curvearrowright$)	70
$\backslash$ crotchetDotted ($\mathfrak{J}$) 150		$\backslash$ cupleftarrow ($\mathbb{U}$) 32	$\backslash$ curvearrowleftright ($\curvearrowright$)	79
$\backslash$ crotchetDottedDouble ($\mathfrak{J}$) .		$\backslash$ cupovercap ($\mathbb{U}$) 32	$\backslash$ curvearrowleftright ($\curvearrowright$)	71
..... 150		$\backslash$ cupplus ($\mathbb{U}$) 30, 31	$\backslash$ curvearrownesw ($\curvearrowright$) . . .	71
$\backslash$ crotchetDottedDoubleDown		$\backslash$ cupplus ($\mathbb{U}$) 30	$\backslash$ curvearrownwse ($\curvearrowleft$) . . .	71
($\mathfrak{F}$) 150		$\backslash$ cupvee ($\mathbb{U}$) 32	$\backslash$ curvearrowright ($\curvearrowright$) . .	70
$\backslash$ crotchetDottedDown ($\mathfrak{F}$)	150	$\backslash$ curlyc ($\mathfrak{C}$) 18	$\backslash$ curvearrowright ($\curvearrowright$) . .	69
$\backslash$ crotchetDown ($\mathfrak{F}$) 150		$\backslash$ curlyeqprec ($\mathfrak{C}$) 48	$\backslash$ curvearrowright ($\curvearrowright$) . .	79
$\backslash$ crotchetRest ($\mathfrak{F}$) 151		$\backslash$ curlyeqprec ($\mathfrak{C}$) 47	$\backslash$ curvearrowright ($\curvearrowright$) . .	76
$\backslash$ crotchetRestDotted ($\mathfrak{F}$)	151	$\backslash$ curlyeqprec ($\mathfrak{C}$) 54	$\backslash$ curvearrowright ($\curvearrowright$) . .	72
$\backslash$ rtilde ($\mathfrak{F}$) 21		$\backslash$ curlyeqprec ($\mathfrak{C}$) 52	$\backslash$ curvearrowright ($\curvearrowright$) . .	81
$\backslash$ Cru ($\mathfrak{C}$) 143		$\backslash$ curlyeqprec ($\mathfrak{C}$) 49	$\backslash$ curvearrowrightleft ($\curvearrowright$)	71
crucifixes 129, 165, 186–187		$\backslash$ curlyeqprec ($\mathfrak{C}$) 55	$\backslash$ curvearrowrightminus ($\curvearrowright-$)	
$\backslash$ Crux ($\dagger$) 100		$\backslash$ curlyeqsucc ($\mathfrak{C}$) 48		81
$\backslash$ crux ($\dagger$) 100		$\backslash$ curlyeqsucc ($\mathfrak{C}$) 47	$\backslash$ curvearrowwsenw ($\curvearrowright$) . . .	71
cryst (package) 202, 226		$\backslash$ curlyeqsucc ($\mathfrak{C}$) 54	$\backslash$ curvearrowwsne ($\curvearrowright$) . . .	71
crystallography symbols . 202–		$\backslash$ curlyeqsucc ($\mathfrak{C}$) 52	$\backslash$ curvearrowupdown ($\Updownarrow$) . .	71
203		$\backslash$ curlyeqsucc ($\mathfrak{C}$) 49	$\backslash$ CutLeft ($\mathfrak{C}$) 127	
$\backslash$ CS ($\mathfrak{C}$) 121		$\backslash$ curlyeqsucc ($\mathfrak{C}$) 55	cutoff subtraction <i>see</i> $\backslash$ dotdiv	
$\backslash$ Csa ($\mathfrak{C}$) 143		$\backslash$ curlyesh ($\mathfrak{C}$) 18	$\backslash$ CutRight ($\mathfrak{C}$) 127	
$\backslash$ csc (csc) 87		$\backslash$ curlyesh ($\mathfrak{C}$) 29	$\backslash$ CuttingLine ($\mathfrak{C}$) 127	
$\backslash$ Cse ($\mathfrak{C}$) 143		$\backslash$ curlyvee ($\mathfrak{C}$) 28	$\backslash$ Cwa ($\mathfrak{C}$) 143	
$\backslash$ cshuffle ($\mathfrak{C}$) 33		$\backslash$ curlyvee ($\mathfrak{C}$) 31	$\backslash$ cwcirclearrow ($\mathfrak{C}$) 81	
$\backslash$ Csi ($\mathfrak{C}$) 143		$\backslash$ curlyvee ($\mathfrak{C}$) 30	$\backslash$ cwcirclearrowdown ($\mathfrak{C}$)	75
$\backslash$ Cso ($\mathfrak{C}$) 143		$\backslash$ curlyvee ($\mathfrak{C}$) 30	$\backslash$ cwcirclearrowleft ($\mathfrak{C}$)	75
$\backslash$ Csu ($\mathfrak{C}$) 143		$\backslash$ curlyvee ($\mathfrak{C}$) 32	$\backslash$ cwcirclearrowright ($\mathfrak{C}$)	75
$\backslash$ csub ($\mathfrak{C}$) 61		$\backslash$ curlyvee ($\mathfrak{C}$) 30	$\backslash$ cwcirclearrowup ($\mathfrak{C}$) . .	75
$\backslash$ csube ($\mathfrak{C}$) 61		$\backslash$ curlyvee ($\mathfrak{C}$) 32	$\backslash$ Cwe ($\mathfrak{C}$) 143	
$\backslash$ csup ($\mathfrak{C}$) 61		$\backslash$ curlyvee ($\mathfrak{C}$) 30	$\backslash$ cwgapcirclearrow ($\mathfrak{C}$) .	76
$\backslash$ csupe ($\mathfrak{C}$) 61		$\backslash$ curlyvee ($\mathfrak{C}$) 32	$\backslash$ cwgapcirclearrow ($\mathfrak{C}$) .	81
$\backslash$ Cta ($\mathfrak{C}$) 143		$\backslash$ curlyvee ($\mathfrak{C}$) 30	$\backslash$ Cwi ($\mathfrak{C}$) 143	
CTAN <i>see</i> Comprehensive T _E X		$\backslash$ curlyvee ($\mathfrak{C}$) 32	$\backslash$ cwleftarccarrow ($\mathfrak{C}$)	75
Archive Network		$\backslash$ curlyvee ($\mathfrak{C}$) 30	$\backslash$ cwnearccarrow ($\mathfrak{C}$)	75
$\backslash$ Cte ($\mathfrak{C}$) 143		$\backslash$ curlyvee ($\mathfrak{C}$) 32	$\backslash$ cwnwarccarrow ($\mathfrak{C}$)	75
$\backslash$ Cti ($\mathfrak{C}$) 143		$\backslash$ curlywedge ($\mathfrak{C}$) 29	$\backslash$ Cwo ($\mathfrak{C}$) 143	
$\backslash$ Cto ($\mathfrak{C}$) 143		$\backslash$ curlywedge ($\mathfrak{C}$) 28	$\backslash$ cwopencirclearrow ($\mathfrak{C}$)	76
$\backslash$ Ctrl ($\mathfrak{C}$) 122		$\backslash$ curlywedge ($\mathfrak{C}$) 31	$\backslash$ cwopencirclearrow ($\mathfrak{C}$)	82,
$\backslash$ Ctu ($\mathfrak{C}$) 143		$\backslash$ curlywedge ($\mathfrak{C}$) 30	134	
$\backslash$ Cu ($\mathfrak{C}$) 143		$\backslash$ curlywedge ($\mathfrak{C}$) 30	$\backslash$ cwoverarccarrow ($\mathfrak{C}$) . . .	75
$\backslash$ Cube ($\mathfrak{C}$) 166,		$\backslash$ curlywedge ($\mathfrak{C}$) 32	$\backslash$ cwrightarccarrow ($\mathfrak{C}$) . . .	75
209		$\backslash$ curlywedge ($\mathfrak{C}$) 30	$\backslash$ cwrightarccarrow ($\mathfrak{C}$) . . .	81
		$\backslash$ curlywedge ($\mathfrak{C}$) 28	$\backslash$ cwsearccarrow ($\mathfrak{C}$)	75
		$\backslash$ curlywedge ($\mathfrak{C}$) 79	$\backslash$ cswarccarrow ($\mathfrak{C}$)	75
		$\backslash$ curlywedge ($\mathfrak{C}$) 28	$\backslash$ cwunderarccarrow ($\mathfrak{C}$) . .	75
		$\backslash$ curlywedge ($\mathfrak{C}$) 31		
		$\backslash$ curlywedge ($\mathfrak{C}$) 30		
		$\backslash$ curlywedge ($\mathfrak{C}$) 30		
		$\backslash$ curlywedge ($\mathfrak{C}$) 32		
		$\backslash$ curlywedge ($\mathfrak{C}$) 30		
		$\backslash$ curlywedge ($\mathfrak{C}$) 28		
		$\backslash$ curlywedge ($\mathfrak{C}$) 79		
		$\backslash$ curlywedge ($\mathfrak{C}$) 28		
		$\backslash$ curlywedge ($\mathfrak{C}$) 18		
		$\backslash$ curlyz ($\mathfrak{C}$) 18		
		$\backslash$ currency ($\mathfrak{C}$) 24		

<code>\denarius</code> (✕)	25	<code>\Diamonddot</code> (◇)	112	<code>\digamma</code> (F)	88, 144
<code>\Denmark</code> (.)	177	<code>\diamonddot</code> (◇)	34	<code>\digamma</code> (f)	144
<code>\dental</code> (■)	21	<code>\diamonddot</code> (◇)	34	<code>\digamma</code> (F)	92
<code>\Dep</code> (✱)	148	<code>\DiamonddotLeft</code> (⇐◇) . .	70	<code>\digamma</code> (f)	144
derivative, partial <i>see</i> <code>\partial</code>		<code>\DiamonddotLeft</code> (⇐◇) . .	70	digital logic gates	123
Descartes's equal sign (∞) . . .		<code>\DiamonddotRight</code> (◇⇒) . .	70	digits <i>see</i> numerals	
. . <i>see</i> <code>\rightpropto</code> and		<code>\DiamonddotRight</code> (◇⇒) . .	70	<code>\dim</code> (dim)	87
<code>\backpropto</code>		<code>\Diamonddotright</code> (◇⇒) . .	70	<code>\ding</code> 15, 126–131, 136, 137	
<code>\descnode</code> (U)	119	<code>\diamonddots</code> (⋮)	30, 108	<code>\ding{33}</code> (↯)	127
<code>\det</code> (det)	87	<code>\DiamondLeft</code> (⇐◇)	70	<code>\ding{34}</code> (↯)	127
<code>\devadvantage</code> (C)	169	<code>\Diamondleft</code> (⇐◇)	70	<code>\ding{35}</code> (↯)	127
<code>\Dfourier</code> (∞)	58	<code>\diamondleftarrow</code> (⇐)	81	<code>\ding{36}</code> (↯)	127
<code>\Dfourier</code> (∞)	54	<code>\diamondleftarrowbar</code> (⇐)	81	<code>\ding{37}</code> (⊞)	137
<code>\dfourier</code> (∞)	58	<code>\diamondleftblack</code> (◈)	134	<code>\ding{38}</code> (C)	137
<code>\dfourier</code> (∞)	54	<code>\diamondminus</code> (◇)	35	<code>\ding{39}</code> (A)	137
<code>\DFT</code> (—)	107	<code>\diamondminus</code> (◇)	34	<code>\ding{40}</code> (→)	137
<code>\dft</code> (—)	107	<code>\diamondminus</code> (◇)	34	<code>\ding{41}</code> (⊞)	137
<code>\DH</code> (D)	18	<code>\diamondop</code> (◇)	35	<code>\ding{42}</code> (☛)	128
<code>\DH</code> (D)	14, 222	<code>\diamondplus</code> (◇)	35	<code>\ding{43}</code> (☛)	128
<code>\dh</code> (d)	18	<code>\diamondplus</code> (◇)	34	<code>\ding{44}</code> (S)	128
<code>\dh</code> (d)	14, 222	<code>\diamondplus</code> (◇)	34	<code>\ding{45}</code> (L)	128
diacritics <i>see</i> accents		<code>\DiamondRight</code> (◇⇒)	70	<code>\ding{46}</code> (S)	128
<code>\diaeresis</code> (ü)	22	<code>\Diamondright</code> (◇⇒)	70	<code>\ding{47}</code> (S)	128
diæresis (ü) <i>see</i> accents		<code>\diamondrightblack</code> (◈)	134	<code>\ding{48}</code> (S)	128
<code>\diagdown</code> (↘)	113	diamonds 28, 29, 34–		<code>\ding{49}</code> (S)	128
<code>\diagdown</code> (↘)	112	36, 70, 112, 132–137, 157–		<code>\ding{50}</code> (S)	128
<code>\diagdown</code> (↘)	114	161, 166, 186–187, 202–		<code>\ding{51}</code> (✓)	130
<code>\diagdown</code> (↘)	50	203		<code>\ding{52}</code> (✓)	130
<code>\diagonal</code> (↗)	169	<code>\DiamondShadowA</code> (◈)	135	<code>\ding{53}</code> (X)	130
<code>\diagup</code> (↗)	113	<code>\DiamondShadowB</code> (◈)	135	<code>\ding{54}</code> (X)	130
<code>\diagup</code> (↗)	112	<code>\DiamondShadowC</code> (◈)	135	<code>\ding{55}</code> (X)	130
<code>\diagup</code> (↗)	114	<code>\Diamondshape</code> (◇)	135	<code>\ding{56}</code> (X)	130
<code>\diagup</code> (↗)	50	<code>\diamondslash</code> (◇)	34	<code>\ding{57}</code> (⊞)	129
<code>\diagup</code> (↗)	114	<code>\diamondslash</code> (◇)	34	<code>\ding{58}</code> (⊞)	129
<code>\diameter</code> (∅)	113	<code>\DiamondSolid</code> (◈)	135	<code>\ding{59}</code> (⊞)	129
<code>\diameter</code> (∅)	27	<code>\diamondsuit</code> (◇)	136	<code>\ding{60}</code> (⊞)	129
<code>\diameter</code> (∅)	113	<code>\diamondsuit</code> (◇)	136	<code>\ding{61}</code> (t)	129
<code>\diameter</code> (∅)	113	<code>\diamondsuit</code> (◇)	136	<code>\ding{62}</code> (t)	129
<code>\diameter</code> (∅)	114	<code>\diamondsuit</code> (◇)	136	<code>\ding{63}</code> (t)	129
<code>\diameter</code> (∅)	164	<code>\diamondsuit</code> (◇)	137	<code>\ding{64}</code> (t)	129
<code>\Diamond</code> (◇)	112	<code>\diamondtimes</code> (◇)	35	<code>\ding{65}</code> (☆)	131
<code>\Diamond</code> (◇)	112	<code>\diamondtimes</code> (◇)	34	<code>\ding{66}</code> (☆)	131
<code>\Diamond</code> (◇)	35	<code>\diamondtopblack</code> (◈)	134	<code>\ding{67}</code> (☆)	131
<code>\Diamond</code> (◇)	34	<code>\diamondtriangle</code> (◇)	35	<code>\ding{68}</code> (☆)	131
<code>\Diamond</code> (◇)	134	<code>\diamondvert</code> (◇)	34	<code>\ding{69}</code> (☆)	131
<code>\diamond</code> (◇)	28	<code>\diamondvert</code> (◇)	34	<code>\ding{70}</code> (☆)	131
<code>\diamond</code> (◇)	35, 133	<code>\diatop</code> 23, 214		<code>\ding{71}</code> (☆)	131
<code>\diamond</code> (◇)	35	<code>\diaunder</code> 23, 214		<code>\ding{72}</code> (☆)	131
<code>\diamond</code> (◇)	34	dice 166, 167, 203, 209		<code>\ding{73}</code> (☆)	131
<code>\diamond</code> (◇)	36, 134	dice (package) 203, 226		<code>\ding{74}</code> (☆)	131
<code>\diamondbackslash</code> (◇)	34	<code>\dicei</code> (□)	167	<code>\ding{75}</code> (☆)	131
<code>\diamondbackslash</code> (◇)	34	<code>\diceii</code> (□)	167	<code>\ding{76}</code> (☆)	131
<code>\diamondbar</code> (◇)	35	<code>\diceiii</code> (□)	167	<code>\ding{77}</code> (☆)	131
<code>\Diamondblack</code> (◈)	112	<code>\diceiv</code> (□)	167	<code>\ding{78}</code> (☆)	131
<code>\diamondbotblack</code> (◈)	134	<code>\dicev</code> (□)	167	<code>\ding{79}</code> (☆)	131
<code>\diamondbslash</code> (◇)	35	<code>\dicevi</code> (□)	167	<code>\ding{80}</code> (☆)	131
<code>\diamondcdot</code> (◇)	35	dictionary symbols 16–19, 172		<code>\ding{81}</code> (☆)	131
<code>\diamondcdot</code> (◇)	134	dictsym (package) 172, 226		<code>\ding{82}</code> (☆)	131
<code>\diamondcircle</code> (◇)	35	died <i>see</i> <code>\textdied</code>		<code>\ding{83}</code> (☆)	131
<code>\diamondddiamond</code> (◇)	34	differential, inexact <i>see</i> <code>\dbar</code>		<code>\ding{84}</code> (☆)	131
<code>\diamondddiamond</code> (◇)	34	<code>\Digamma</code> (F)	144	<code>\ding{85}</code> (☆)	131
		<code>\Digamma</code> (F)	144	<code>\ding{86}</code> (☆)	131
				<code>\ding{87}</code> (☆)	131

<code>\ding{88}</code> (*)	131	<code>\ding{185}</code> (④)	130	<code>\ding{249}</code> (↗)	126
<code>\ding{89}</code> (*)	131	<code>\ding{186}</code> (⑤)	130	<code>\ding{250}</code> (↘)	126
<code>\ding{90}</code> (*)	131	<code>\ding{187}</code> (⑥)	130	<code>\ding{251}</code> (↔)	126
<code>\ding{91}</code> (*)	131	<code>\ding{188}</code> (⑦)	130	<code>\ding{252}</code> (↔)	126
<code>\ding{92}</code> (*)	131	<code>\ding{189}</code> (⑧)	130	<code>\ding{253}</code> (↔)	126
<code>\ding{93}</code> (*)	131	<code>\ding{190}</code> (⑨)	130	<code>\ding{254}</code> (⇒)	126
<code>\ding{94}</code> (*)	131	<code>\ding{191}</code> (⑩)	130	<code>\dingasterisk</code> (*)	114
<code>\ding{95}</code> (✿)	131	<code>\ding{192}</code> (①)	130	<code>dingautolist</code>	130
<code>\ding{96}</code> (✿)	131	<code>\ding{193}</code> (②)	130	<code>dingbat</code> (package) ...	128, 137,
<code>\ding{97}</code> (✿)	131	<code>\ding{194}</code> (③)	130	194, 207, 226	
<code>\ding{98}</code> (☼)	131	<code>\ding{195}</code> (④)	130	<code>dingbat symbols</code> ...	126–137
<code>\ding{99}</code> (*)	131	<code>\ding{196}</code> (⑤)	130	<code>\dInnocey</code> (☹)	179
<code>\ding{100}</code> (*)	131	<code>\ding{197}</code> (⑥)	130	<code>\Diple</code> (>)	171
<code>\ding{101}</code> (*)	131	<code>\ding{198}</code> (⑦)	130	<code>\diple</code> (>)	171
<code>\ding{102}</code> (*)	131	<code>\ding{199}</code> (⑧)	130	<code>\Diple*</code> (>)	171
<code>\ding{103}</code> (*)	131	<code>\ding{200}</code> (⑨)	130	<code>\diple*</code> (>)	171
<code>\ding{104}</code> (*)	131	<code>\ding{201}</code> (⑩)	130	Dirac notation	94
<code>\ding{105}</code> (*)	131	<code>\ding{202}</code> (①)	130	<code>\Direct</code> (D)	120
<code>\ding{106}</code> (*)	131	<code>\ding{203}</code> (②)	130	<code>discount</code> . <i>see</i> <code>\textdiscount</code>	
<code>\ding{107}</code> (*)	131	<code>\ding{204}</code> (③)	130	discretionary hyphen	223
<code>\ding{108}</code> (●)	136	<code>\ding{205}</code> (④)	130	<code>\Dish</code> (©)	178
<code>\ding{109}</code> (○)	136	<code>\ding{206}</code> (⑤)	130	<code>\disin</code> (€)	54
<code>\ding{110}</code> (■)	136	<code>\ding{207}</code> (⑥)	130	<code>\disin</code> (€)	55
<code>\ding{111}</code> (□)	136	<code>\ding{208}</code> (⑦)	130	disjoint union	27
<code>\ding{112}</code> (□)	136	<code>\ding{209}</code> (⑧)	130	<code>\disjquant</code> (⋈)	43
<code>\ding{113}</code> (□)	136	<code>\ding{210}</code> (⑨)	130	<code>\disjquant</code> (⋈)	43
<code>\ding{114}</code> (□)	136	<code>\ding{211}</code> (⑩)	130	disjunction	<i>see</i> <code>\vee</code>
<code>\ding{115}</code> (▲)	136	<code>\ding{212}</code> (→)	126	<code>\displaystyle</code>	212–214, 219
<code>\ding{116}</code> (▼)	136	<code>\ding{213}</code> (→)	126	ditto marks <i>see</i> <code>\textquotedbl</code>	
<code>\ding{117}</code> (◆)	136	<code>\ding{214}</code> (↔)	126	<code>\div</code> (÷)	28
<code>\ding{118}</code> (✧)	137	<code>\ding{215}</code> (↓)	126	<code>\div</code> (÷)	31
<code>\ding{119}</code> (♠)	136	<code>\ding{216}</code> (↖)	126	<code>\div</code> (÷)	30
<code>\ding{120}</code> (l)	136	<code>\ding{217}</code> (→)	126	<code>\div</code> (÷)	30
<code>\ding{121}</code> (l)	136	<code>\ding{218}</code> (↗)	126	<code>\div</code> (÷)	32
<code>\ding{122}</code> (l)	136	<code>\ding{219}</code> (→)	126	<code>\divdot</code> (÷)	29
<code>\ding{123}</code> (•)	15	<code>\ding{220}</code> (→)	126	<code>\divideontimes</code> (*)	29
<code>\ding{124}</code> (•)	15	<code>\ding{221}</code> (→)	126	<code>\divideontimes</code> (*)	28
<code>\ding{125}</code> (•)	15	<code>\ding{222}</code> (→)	126	<code>\divideontimes</code> (*)	31
<code>\ding{126}</code> (•)	15	<code>\ding{223}</code> (→)	126	<code>\divideontimes</code> (*)	30
<code>\ding{161}</code> (•)	15	<code>\ding{224}</code> (→)	126	<code>\divideontimes</code> (*)	32
<code>\ding{162}</code> (•)	15	<code>\ding{225}</code> (→)	126	<code>\Divides</code> (✓)	110
<code>\ding{163}</code> (•)	15	<code>\ding{226}</code> (>)	126	<code>\divides</code> (l)	48
<code>\ding{164}</code> (♥)	137	<code>\ding{227}</code> (>)	126	<code>\divides</code> (✓)	50
<code>\ding{165}</code> (♠)	137	<code>\ding{228}</code> (▶)	126	<code>\DividesNot</code> (X)	110
<code>\ding{166}</code> (♠)	137	<code>\ding{229}</code> (→)	126	division	28, 102–103, 107
<code>\ding{167}</code> (♠)	137	<code>\ding{230}</code> (→)	126	long	102–103
<code>\ding{168}</code> (♣)	137	<code>\ding{231}</code> (♠)	126	non-commutative	107
<code>\ding{169}</code> (♣)	137	<code>\ding{232}</code> (♠)	126	polynomial	102
<code>\ding{170}</code> (♥)	137	<code>\ding{233}</code> (⇒)	126	division times	<i>see</i>
<code>\ding{171}</code> (♠)	137	<code>\ding{234}</code> (↔)	126	<code>\divideontimes</code>	
<code>\ding{172}</code> (①)	130	<code>\ding{235}</code> (↔)	126	divorced . <i>see</i> <code>\textdivorced</code>	
<code>\ding{173}</code> (②)	130	<code>\ding{236}</code> (↔)	126	<code>\divslash</code> (/)	30
<code>\ding{174}</code> (③)	130	<code>\ding{237}</code> (↔)	126	<code>\DJ</code> (D)	14
<code>\ding{175}</code> (④)	130	<code>\ding{238}</code> (↔)	126	<code>\dj</code> (d)	14
<code>\ding{176}</code> (⑤)	130	<code>\ding{239}</code> (↔)	126	<code>\DL</code> (V)	121
<code>\ding{177}</code> (⑥)	130	<code>\ding{241}</code> (⇒)	126	<code>\dLaughey</code> (☺)	179
<code>\ding{178}</code> (⑦)	130	<code>\ding{242}</code> (⇒)	126	<code>\dlbari</code> (‡)	18
<code>\ding{179}</code> (⑧)	130	<code>\ding{243}</code> (⇒)	126	<code>\DLE</code> (▶)	122
<code>\ding{180}</code> (⑨)	130	<code>\ding{244}</code> (↖)	126	<code>\dlsh</code> (↖)	70
<code>\ding{181}</code> (⑩)	130	<code>\ding{245}</code> (↖)	126	<code>\dlsh</code> (↖)	79
<code>\ding{182}</code> (①)	130	<code>\ding{246}</code> (↖)	126	<code>\DM</code> (◇)	121
<code>\ding{183}</code> (②)	130	<code>\ding{247}</code> (♠)	126	<code>\dndtstile</code> (▣)	57
<code>\ding{184}</code> (③)	130	<code>\ding{248}</code> (↖)	126	<code>\dNeutrey</code> (☺)	179

`\Downmapsto` ($\Downarrow$) 75
`\downmapsto` ($\downarrow$) 75
`\downmapsto` ($\downarrow$) 71
`\downModels` ($\overline{\Pi}$) 49
`\downmodels` (Π) 52
`\downmodels` (Π) 49
`\downp` ($\vee$) 23
`\downparenthfill` 215
`\downpitchfork` (Ψ) 86
`\downpitchfork` (Ψ) 84
`\downpropto` ($\propto$) 49
`\downrcurvearrow` ($\curvearrowright$) 76
`\downrightcurvedarrow` ($\curvearrowright$) 76
`\downrightcurvedarrow` ($\curvearrowright$) 81
`\downrsquigarrow` ($\rightsquigarrow$) 76
`\downrsquigarrow` ($\rightsquigarrow$) 71
`\downslice` (∇) 34
`\downspoon` (δ) 85
`\downspoon` (δ) 84
`\downt` (τ) 23
`\downtherefore` ($\therefore$) 108
`\downtherefore` ($\therefore$) 29, 108
`\downtouparrow` ($\Uparrow$) 70
`\downtouparrow` ($\Uparrow$) 79
`\downtriangleleftblack` ($\blacktriangleleft$) 133
`\downtrianglerightblack` ($\blacktriangleright$) 133
`\downuparrows` ($\Updownarrow$) 70
`\downuparrows` ($\Updownarrow$) 75
`\downuparrows` ($\Updownarrow$) 71
`\downuparrows` ($\Updownarrow$) 81
`\downupcurvearrow` ($\curvearrowleft$) 76
`\downupharpoons` ($\Updownarrow$) 71
`\downupharpoons` ($\Updownarrow$) 78
`\downupharpoons` ($\Updownarrow$) 74
`\downupharpoonsleftright` ($\Updownarrow$) 78
`\downupharpoonsleftright` ($\Updownarrow$) 83
`\downupsquigarrow` ($\Updownarrow$) 76
`\downVDash` ($\overline{\Pi}$) 52
`\downVdash` ($\overline{\Pi}$) 52
`\downVdash` ($\overline{\Pi}$) 50
`\downvDash` (Π) 52
`\downvDash` (Π) 52
`\downvdash` (Π) 49
`\downwavearrow` ($\Downarrow$) 75
`\downwhitearrow` ($\Downarrow$) 79
`\downwhitearrow` ($\Downarrow$) 81
`\downY` (Υ) 30
`\downY` (Υ) 29
`\downzigzagarrow` ($\zigzagarrow$) 79
`\downzigzagarrow` ($\zigzagarrow$) 76
`\downzigzagarrow` ($\zigzagarrow$) 81
Doyle, Sir Arthur Conan 200
dozenal (package) 110, 168, 226
dozenal (base 12)
 numerals 110
 tally markers 168
`\dprime` ($\prime\prime$) 111

`\DQ` ($\mathbb{Q}$) 121
`\dracma` ($\vdash$) 25
`\draftingarrow` ($\rightarrow$) 81
`\drbkarow` ($\rightarrow$) 81
`\Dreizack` ($\mathbb{I}$) 179
`\droang` ($\mathbb{I}$) 101
`\drsh` ($\mathbb{I}$) 70
`\drsh` ($\mathbb{I}$) 79
`\drumclef` ($\mathbb{I}$) 149
`\drWalley` ($\mathbb{I}$) 179
`\DS` ($\mathbb{S}$) 149
`\Ds` ($\mathbb{S}$) 149
`\ds` ($\mathbb{I}$) 148
`\dSadey` ($\mathbb{I}$) 179
`\dsaeronautical` ($\mathbb{I}$) 172
`\dsagricultural` ($\mathbb{I}$) 172
`\dsarchitectural` ($\mathbb{I}$) 172
`\dsbiological` ($\mathbb{I}$) 172
`\DSC` ($\mathbb{D}^{\text{SC}}$) 120
`\dschemical` ($\mathbb{I}$) 172
`\dscommercial` ($\mathbb{I}$) 172
`\dsdtstyle` ($\mathbb{I}$) 57
`\dSey` ($\mathbb{I}$) 179
dsfont (package) 116, 226
`\ds heraldical` ($\mathbb{I}$) 172
`\dsjuridical` ($\mathbb{I}$) 172
`\dsliterary` ($\mathbb{I}$) 172
`\dsmathematical` ($\mathbb{I}$) 172
`\dsmedical` ($\mathbb{I}$) 172
`\dSmiley` ($\mathbb{I}$) 179
`\dsmilitary` ($\mathbb{I}$) 172
`\dsol` ($\mathbb{I}$) 32
`\ds railways` ($\mathbb{I}$) 172
`\dsststyle` ($\mathbb{I}$) 57
`\ds technical` ($\mathbb{I}$) 172
`\dststyle` ($\mathbb{I}$) 57
`\dsttstyle` ($\mathbb{I}$) 57
`\dsub` ($\mathbb{I}$) 36
`\dtdtstyle` ($\mathbb{I}$) 57
`\dtimes` ($\mathbb{I}$) 30, 31
`\dtimes` ($\mathbb{I}$) 32
`\dtimes` ($\mathbb{I}$) 29
`\dTongey` ($\mathbb{I}$) 179
`\dttstyle` ($\mathbb{I}$) 57
`\dtttstyle` ($\mathbb{I}$) 57
`\DU` ($\mathbb{I}$) 121
`\dualmap` ($\mathbb{I}$) 85
`\dualmap` ($\mathbb{I}$) 55
`\duevolte` ($\mathbb{I}$) 148
duodecimal (base 12)
 numerals 110
 tally markers 168
DVI 26, 122, 216
.dvi files 223
`\dVomey` ($\mathbb{I}$) 179
`\dWalley` ($\mathbb{I}$) 179

`\dWinkey` ($\mathbb{I}$) 179
`\dXey` ($\mathbb{I}$) 179
`\dz` ($\mathbb{I}$) 18

E

e (esvect package option) 104
`\e` ($\mathbb{I}$) 92
`\e` ($\mathbb{I}$) 110
 ϵ -TeX 94
`\Earth` ($\mathbb{I}$) 120
`\Earth` ($\mathbb{I}$) 119
`\Earth` ($\mathbb{I}$) 120
`\earth` ($\mathbb{I}$) 119
`\eastcross` ($\mathbb{I}$) 129
`\EastPoint` ($\mathbb{I}$) 120
`\Ecommerce` ($\mathbb{I}$) 24
`\eggbeater` ($\mathbb{I}$) 179
`\eggbeater` ($\mathbb{I}$) 179
`\egsdot` ($\mathbb{I}$) 65
`\EightAsterisk` ($\mathbb{I}$) 131
`\EightFlowerPetal` ($\mathbb{I}$) 131
`\EightFlowerPetalRemoved` ($\mathbb{I}$) 131
eighth note *see* musical symbols
`\eighthNote` ($\mathbb{I}$) 150
`\eighthnote` ($\mathbb{I}$) 147
`\eighthnote` ($\mathbb{I}$) 147
`\eighthnote` ($\mathbb{I}$) 147
`\eighthNoteDotted` ($\mathbb{I}$) 150
`\eighthNoteDottedDouble` ($\mathbb{I}$) 150
`\eighthNoteDottedDoubleDown` ($\mathbb{I}$) 150
`\eighthNoteDottedDown` ($\mathbb{I}$) 150
`\eighthNoteDown` ($\mathbb{I}$) 150
`\EightStar` ($\mathbb{I}$) 131
`\EightStarBold` ($\mathbb{I}$) 131
`\EightStarConvex` ($\mathbb{I}$) 131
`\EightStarTaper` ($\mathbb{I}$) 131
`\ejective` ($\mathbb{I}$) 18
electrical impulse 118
electrical symbols 118
electromotive force ($\mathbb{I}$) *see* alphabets, math
`\electron` ($\mathbb{I}$) 125
element of *see* \in
elements 120
`\elinters` ($\mathbb{I}$) 114
`\ell` ($\mathbb{I}$) 91
`\ell` ($\mathbb{I}$) 92
`\Ellipse` ($\mathbb{I}$) 135
ellipses (dots) 13, 14, 107–109, 112, 213
ellipses (ovals) 135, 136, 157–161, 186–187, 192, 202–203
`\EllipseShadow` ($\mathbb{I}$) 135
`\EllipseSolid` ($\mathbb{I}$) 135
`\elsdot` ($\mathbb{I}$) 65
`\EM` ($\mathbb{I}$) 122

<code>\Email</code> (✉)	123	<code>\EOGod</code> (☐)	145	<code>\EOnuu</code> (𐍺𐍺)	145
<code>\EmailCT</code> (↵)	123	<code>\EOGoUp</code> (⬆)	145	<code>\EOofficerI</code> (𐍪𐍮𐍩)	145
<code>\emgma</code> (𐍪)	18	<code>\EOgovernor</code> (𐍪𐍮)	145	<code>\EOofficerII</code> (𐍪𐍮𐍩𐍮)	145
Emmentaler (font)	152	<code>\EOGuise</code> (𐍪𐍮)	145	<code>\EOofficerIII</code> (𐍪𐍮𐍩𐍮𐍩)	145
emoticons	179	<code>\EOHallow</code> (𐍪𐍮𐍩)	145	<code>\EOofficerIV</code> (𐍪𐍮𐍩𐍮𐍩𐍮)	145
<code>\empty</code> (⊕)	171	<code>\EOi</code> (°)	146	<code>\EOpa</code> (𐍪𐍮𐍩)	145
empty set	111–114	<code>\EOii</code> (° °)	146	<code>\EOpak</code> (𐍪𐍮𐍩)	145
<code>\emptyset</code> (∅)	112	<code>\EOiii</code> (° ° °)	146	<code>\EOPatron</code> (𐍪𐍮𐍩𐍮)	145
<code>\emptyset</code> (∅)	113	<code>\EOiv</code> (° ° ° °)	146	<code>\EOPatronII</code> (𐍪𐍮𐍩𐍮𐍮)	145
<code>\emptyset</code> (∅)	113	<code>\EOix</code> (° ° ° ° °)	146	<code>\EOpe</code> (𐍪𐍮𐍩)	145
<code>\emptyset</code> (∅)	111	<code>\EOja</code> (𐍪𐍮𐍩)	145	<code>\EOpenis</code> (𐍪𐍮𐍩)	145
<code>\emptysettoarr</code> (↗)	111	<code>\EOjaguar</code> (𐍪𐍮𐍩𐍮)	145	<code>\EOpi</code> (𐍪𐍮𐍩)	145
<code>\emptysettoarrl</code> (↘)	111	<code>\EOje</code> (𐍪𐍮𐍩)	145	<code>\EOPierce</code> (𐍪𐍮𐍩)	145
<code>\emptysettoarr</code> (↗)	111	<code>\EOJI</code> (𐍪𐍮𐍩)	145	<code>\EOPlant</code> (𐍪𐍮𐍩)	145
<code>\emptysettoarr</code> (↗)	111	<code>\EOji</code> (𐍪𐍮𐍩)	145	<code>\EOPlay</code> (𐍪𐍮𐍩)	145
<code>\emptysettocirc</code> (⊙)	111	<code>\EOjo</code> (𐍪𐍮𐍩)	145	<code>\EOpo</code> (𐍪𐍮𐍩)	145
<code>\EN</code> (⌞)	121	<code>\EOju</code> (𐍪𐍮𐍩)	145	<code>\EOPriest</code> (𐍪𐍮𐍩)	145
<code>\enclosecircle</code> (⊙)	133	<code>\EOkak</code> (𐍪𐍮𐍩)	145	<code>\EOPrince</code> (𐍪𐍮𐍩)	145
<code>\enclosediamond</code> (◊)	133	<code>\EOke</code> (𐍪𐍮𐍩)	145	<code>\EOpu</code> (𐍪𐍮𐍩)	145
<code>\enclosesquare</code> (◻)	133	<code>\EOki</code> (𐍪𐍮𐍩)	145	<code>\EOpuu</code> (𐍪𐍮𐍩)	145
<code>\enclosetriangle</code> (△)	133	<code>\EOkij</code> (𐍪𐍮𐍩)	145	<code>\EOpuuk</code> (𐍪𐍮𐍩)	145
<code>\End</code> (⌞)	122	<code>\EOKing</code> (𐍪𐍮𐍩)	145	<code>\EORain</code> (𐍪𐍮𐍩)	145
end of proof	112	<code>\EOknottedCloth</code> (𐍪𐍮𐍩)	145	<code>\EOSa</code> (𐍪𐍮𐍩)	145
<code>\ending</code> (⊥)	169	<code>\EOknottedClothStraps</code> (𐍪𐍮𐍩)	146	<code>\EOSa</code> (𐍪𐍮𐍩)	145
<code>\eng</code> (𐍪)	18	<code>\EOko</code> (𐍪𐍮𐍩)	146	<code>\EOSa</code> (𐍪𐍮𐍩)	145
engineering symbols	114, 118, 123	<code>\EOku</code> (𐍪𐍮𐍩)	146	<code>\EOSa</code> (𐍪𐍮𐍩)	145
<code>\engma</code> (𐍪)	18	<code>\EOkuu</code> (𐍪𐍮𐍩)	146	<code>\EOSa</code> (𐍪𐍮𐍩)	145
<code>\enleadertwodots</code> (..)	109	<code>\EOLetBlood</code> (𐍪𐍮𐍩)	146	<code>\EOSa</code> (𐍪𐍮𐍩)	145
<code>\ENQ</code> (♣)	122	<code>\EOloinCloth</code> (𐍪𐍮𐍩)	146	<code>\EOSa</code> (𐍪𐍮𐍩)	145
entails	see <code>\models</code>	<code>\EOlongLipII</code> (𐍪𐍮𐍩)	146	<code>\EOSa</code> (𐍪𐍮𐍩)	145
<code>\Enter</code> (⌞)	122	<code>\EOLord</code> (𐍪𐍮𐍩)	146	<code>\EOSa</code> (𐍪𐍮𐍩)	145
enumerate	168	<code>\EOLose</code> (𐍪𐍮𐍩)	146	<code>\EOSa</code> (𐍪𐍮𐍩)	145
<code>\Envelope</code> (✉)	137	<code>\EOma</code> (𐍪𐍮𐍩)	146	<code>\EOSa</code> (𐍪𐍮𐍩)	145
envelopes	137, 175	<code>\EOmacaw</code> (𐍪𐍮𐍩)	146	<code>\EOSa</code> (𐍪𐍮𐍩)	145
<code>\enya</code> (𐍪)	18	<code>\EOmacawI</code> (𐍪𐍮𐍩)	146	<code>\EOSa</code> (𐍪𐍮𐍩)	145
<code>\EOafter</code> (𐍪𐍮𐍩)	144	<code>\EOme</code> (𐍪𐍮𐍩)	146	<code>\EOSa</code> (𐍪𐍮𐍩)	145
<code>\EOandThen</code> (𐍪𐍮𐍩)	144	<code>\EOMexNew</code> (𐍪𐍮𐍩)	146	<code>\EOSa</code> (𐍪𐍮𐍩)	145
<code>\EOAppear</code> (𐍪𐍮𐍩)	144	<code>\EOmi</code> (𐍪𐍮𐍩)	146	<code>\EOSa</code> (𐍪𐍮𐍩)	145
<code>\EOBeardMask</code> (𐍪𐍮𐍩)	144	<code>\EOMiddle</code> (𐍪𐍮𐍩)	144	<code>\EOSa</code> (𐍪𐍮𐍩)	145
<code>\EOBedeck</code> (𐍪𐍮𐍩)	144	<code>\EOMonster</code> (𐍪𐍮𐍩)	144	<code>\EOSa</code> (𐍪𐍮𐍩)	145
<code>\EOBlood</code> (𐍪𐍮𐍩)	145	<code>\EOMountain</code> (𐍪𐍮𐍩)	144	<code>\EOSa</code> (𐍪𐍮𐍩)	145
<code>\EObrace</code> (𐍪𐍮𐍩)	145	<code>\EOMuu</code> (𐍪𐍮𐍩)	144	<code>\EOSa</code> (𐍪𐍮𐍩)	145
<code>\EObuilding</code> (𐍪𐍮𐍩)	145	<code>\EOna</code> (𐍪𐍮𐍩)	144	<code>\EOSa</code> (𐍪𐍮𐍩)	145
<code>\EOBundle</code> (𐍪𐍮𐍩)	145	<code>\EOne</code> (𐍪𐍮𐍩)	145	<code>\EOSa</code> (𐍪𐍮𐍩)	145
<code>\EOChop</code> (𐍪𐍮𐍩)	145	<code>\EOni</code> (𐍪𐍮𐍩)	145	<code>\EOSa</code> (𐍪𐍮𐍩)	145
<code>\EOChronI</code> (𐍪𐍮𐍩)	145	<code>\EOnow</code> (𐍪𐍮𐍩)	145	<code>\EOSa</code> (𐍪𐍮𐍩)	145
<code>\EOCloth</code> (𐍪𐍮𐍩)	145	<code>\EOnu</code> (𐍪𐍮𐍩)	145	<code>\EOSa</code> (𐍪𐍮𐍩)	145
<code>\EODealWith</code> (𐍪𐍮𐍩)	145			<code>\EOSa</code> (𐍪𐍮𐍩)	145
<code>\EODeer</code> (𐍪𐍮𐍩)	145			<code>\EOSa</code> (𐍪𐍮𐍩)	145
<code>\EOeat</code> (𐍪𐍮𐍩)	145			<code>\EOSa</code> (𐍪𐍮𐍩)	145
<code>\EOflint</code> (𐍪𐍮𐍩)	145			<code>\EOSa</code> (𐍪𐍮𐍩)	145
<code>\EOflower</code> (𐍪𐍮𐍩)	145			<code>\EOSa</code> (𐍪𐍮𐍩)	145
<code>\EOFold</code> (𐍪𐍮𐍩)	145			<code>\EOSa</code> (𐍪𐍮𐍩)	145

<code>\EOstarWarrior</code> ()	146	<code>\EOwi</code> ()	146	<code>\Eqqcolon</code> ($\equiv$)	56
<code>\EOstep</code> ()	144	<code>\EOwo</code> ()	146	<code>\eqqcolon</code> ($\equiv$)	56
<code>\EOSu</code> ()	144	<code>\EOwuu</code> ()	146	<code>\eqqcolon</code> ($\equiv$)	48
<code>\EOsu</code> ()	144	<code>\EOx</code> ()	146	<code>\eqqcolon</code> ($\equiv$)	52
<code>\EOSun</code> ()	144	<code>\EOxi</code> ()	146	<code>\eqqgtr</code> ($\gtrsim$)	65
<code>\EOSuu</code> ()	145	<code>\EOxii</code> ()	146	<code>\eqqlless</code> ($\lessgtr$)	65
<code>\EOsuu</code> ()	145	<code>\EOxiii</code> ()	146	<code>\eqqplus</code> ($\gtrsim$)	32
<code>\EOT</code> ()	122	<code>\EOxiv</code> ()	146	<code>\eqqsim</code> ($\approx$)	56
<code>\EOta</code> ()	145	<code>\EOxix</code> ()	146	<code>\eqqslantgtr</code> ($\gtrsim$)	65
<code>\EOte</code> ()	145	<code>\EOxv</code> ()	146	<code>\eqqslantless</code> ($\lessgtr$)	65
<code>\EOthrone</code> ()	145	<code>\EOxvi</code> ()	146	<code>\eqsim</code> ($\approx$)	48
<code>\EOti</code> ()	145	<code>\EOxvii</code> ()	146	<code>\eqsim</code> ($\approx$)	54
<code>\EOTime</code> ()	145	<code>\EOxviii</code> ()	146	<code>\eqsim</code> ($\approx$)	52
<code>\EOtime</code> ()	145	<code>\EOxx</code> ()	146	<code>\eqsim</code> ($\approx$)	50
<code>\EOTitle</code> ()	145	<code>\EOya</code> ()	146	<code>\eqsim</code> ($\approx$)	56
<code>\EOTitleII</code> ()	145	<code>\EOyaj</code> ()	146	<code>\eqslantgtr</code> ($\gtrsim$)	62
<code>\EOTitleIV</code> ()	145	<code>\EOye</code> ()	146	<code>\eqslantgtr</code> ($\gtrsim$)	61
<code>\EOto</code> ()	145	<code>\EOYear</code> ()	146	<code>\eqslantgtr</code> ($\gtrsim$)	65
<code>\EOtu</code> ()	145	<code>\EOyuu</code> ()	146	<code>\eqslantgtr</code> ($\gtrsim$)	64
<code>\EOtuki</code> ()	145	<code>\EOzero</code> ()	146	<code>\eqslantgtr</code> ($\gtrsim$)	63
<code>\EOtukpa</code> ()	145	<code>\EP</code> (ϵ)	121	<code>\eqslantless</code> ($\lessgtr$)	62
<code>\EOturtle</code> ()	145	<code>\eparsl</code> ($\#$)	55	<code>\eqslantless</code> ($\lessgtr$)	61
<code>\EOtuu</code> ()	145	Epi-Olmec script	144–146	<code>\eqslantless</code> ($\lessgtr$)	65
<code>\EOtza</code> ()	145	epi olmec (package)	144, 146,	<code>\eqsmile</code> ($\smile$)	85
<code>\EOtze</code> ()	145	226, 227		<code>\equal</code> ($=$)	52
<code>\EOtsetze</code> ()	145	epsdice (package)	167, 226	<code>\equal</code> ($=$)	50
<code>\EOtzi</code> ()	145	<code>\epsdice</code> ()	167	<code>\equal</code> ($=$)	169
<code>\EOtzu</code> ()	145	<code>\epsi</code> (ϵ)	18	<code>\equalclosed</code> ($\equiv$)	50
<code>\EOtzuu</code> ()	145	<code>\Epsilon</code> (E)	88	<code>\equalleftarrow</code> ($\Leftarrow$)	81
<code>\EOundef</code> ()	145	<code>\epsilon</code> (ϵ)	88	<code>\equalparallel</code> ($\#$)	54
<code>\EOv</code> ()	146	<code>\epsilonup</code> (ϵ)	89	<code>\equalparallel</code> ($\#$)	56
<code>\EOvarBeardMask</code> ()	145	<code>\eqbump</code> ($\approx$)	50	<code>\equalrightarrow</code> ($\Rightarrow$)	81
<code>\EOvarja</code> ()	145	<code>\eqbumped</code> ($\approx$)	48	<code>\equalscolon</code> ($\equiv$)	58
<code>\EOvarji</code> ()	145	<code>\eqbumped</code> ($\approx$)	54	<code>\equalscoloncolon</code> ($\equiv$)	58
<code>\EOvarki</code> ()	145	<code>\eqcirc</code> ($\equiv$)	48	<code>\equalsfill</code>	27, 214
<code>\EOvarkuu</code> ()	145	<code>\eqcirc</code> ($\equiv$)	47	equidecomposable	210
<code>\EOvarni</code> ()	145	<code>\eqcirc</code> ($\equiv$)	54	equilibrium	see
<code>\EOvarpa</code> ()	145	<code>\eqcirc</code> ($\equiv$)	52	<code>\rightleftharpoons</code>	
<code>\EOvarSi</code> ()	146	<code>\eqcirc</code> ($\equiv$)	50	<code>\Equiv</code> ($\equiv$)	56
<code>\EOvars</code> ()	146	<code>\eqcirc</code> ($\equiv$)	55	<code>\equiv</code> ($\equiv$)	27, 46
<code>\EOvartza</code> ()	146	<code>\Eqcolon</code> ($\equiv$)	48	<code>\equiv</code> ($\equiv$)	51
<code>\EOvarwuu</code> ()	146	<code>\Eqcolon</code> ($\equiv$)	56	<code>\equiv</code> ($\equiv$)	50
<code>\EOvarYear</code> ()	146	<code>\eqcolon</code> ($\equiv$)	48	<code>\equiv</code> ($\equiv$)	56
<code>\EOvi</code> ()	146	<code>\eqcolon</code> ($\equiv$)	56	<code>\Equivalence</code> ($\Leftrightarrow$)	110
<code>\EOvii</code> ()	146	<code>\eqdef</code> ($\stackrel{\text{def}}{=}$)	55	equivalence	see <code>\equiv</code> ,
<code>\EOviii</code> ()	146	<code>\eqdot</code> ($\doteq$)	52	<code>\leftrightharpoonup</code> , and	
<code>\EOwa</code> ()	146	<code>\eqdot</code> ($\doteq$)	50	<code>\threesim</code>	
<code>\EOwe</code> ()	146	<code>\eqdot</code> ($\doteq$)	55	<code>\equivclosed</code> ($\equiv$)	50
		<code>\eqeq</code> ($\equiv$)	56	<code>\equivDD</code> ($\equiv$)	56
		<code>\eqreq</code> ($\equiv$)	56	<code>\equivVert</code> ($\#$)	56
		<code>\eqfrown</code> ($\frown$)	85	<code>\equivVvert</code> ($\#$)	56
		<code>\eqgtr</code> ($\gtrsim$)	65	<code>\eqparsl</code> ($\#$)	55
		<code>\eqleftarrow</code> ($\Leftarrow$)	79	<code>\er</code> ($\mathcal{E}$)	18
		<code>\eqless</code> ($\lessgtr$)	65	<code>\Eros</code> ()	120
		<code>\Eqqcolon</code> ($\equiv$)	48	<code>\errbarblackcircle</code> ()	133
				<code>\errbarblackdiamond</code> ()	133
				<code>\errbarblacksquare</code> ()	133
				<code>\errbarcircle</code> ()	133
				<code>\errbardiamond</code> ()	133

`\errbarsquare` () 133
`\errorsym` (Ξ) 125
`es-zet` *see* `\ss`
`\ESC` (+) 122
`\Esc` () 122
 escapable characters 13
`\esh` (f) 18
`\esh` (f) 18
`esint` (package) 40, 226
`\Estatically` () 124
`estimated` *see* `\textestimated`
`\Estonia` (*) 177
`esvect` (package) 104, 226
`\Eta` (H) 88
`\eta` (η) 88
`\etaup` (η) 89
`\ETB` ($\ddagger$) 122
`\eth` ($\eth$) 112
`\eth` ($\eth$) 18
`\eth` ($\eth$) 114
`\eth` ($\eth$) 18
`\ETX` ($\heartsuit$) 122
`eufrak` (package) 116
`Euler Roman` 89
`\Eulerconst` ($\mathcal{E}$) 92
`\EUR` (€) 24
`\EURcr` (€) 24
`\EURdig` (€) 24
`\EURhv` (€) 24
`\Euro` (€) 25
`euro` 25
 euro signs 24, 25
 blackboard bold 117
`\eurologo` (€) 25
`European countries` 176
`eurosym` (package) 25, 226
`\EURtm` (€) 24
`euscript` (package) 116, 226
`evaluated at` *see* `\vert`
`evil spirits` 174
`\exciton` ($\neg sh^+$) 125
`\Exclam` (!) 114
`exclusive disjunction`
 . *see* `\nletrightarrow`
`\nequiv`, and `\oplus`
`exclusive or` 209
`\existss` ($\exists$) 91
`\existss` ($\exists$) 91
`\existss` ($\exists$) 92
`\existss` ($\exists$) 91
`\existss` ($\exists$) 92
`\exp` (exp) 87
`\experimentalsym` ($\mathcal{X}$) 125
`\Explosionsafe` () 124
`extrarrows` (package) 106, 226
`extensible accents` 102–105,
 107, 214–215
`extensible arrows` 102–107
`extensible braces` 102–105
`extensible symbols, creating`
 214–215
`extensible tildes` 102, 105
`extension characters` 86, 87

`extpfeil` (package) 107, 226
`extraipa` (package) 21, 226
`\eye` () 137
`\EyesDollar` (\$) 24

F

`f` (esvect package option) 104
`\f` () 19
`\fa` (500) 181
`\faAdjust` () 181
`\faAdn` () 181
`\faAlignCenter` () 181
`\faAlignJustify` () 181
`\faAlignLeft` () 181
`\faAlignRight` () 181
`\faAmazon` () 181
`\faAmbulance` () 181
`\faAnchor` () 181
`\faAndroid` () 181
`\faAngellist` () 181
`\faAngleDoubleDown` () 181
`\faAngleDoubleLeft` () 181
`\faAngleDoubleRight` () 181
`\faAngleDoubleUp` () 181
`\faAngleDown` () 181
`\faAngleLeft` () 181
`\faAngleRight` () 181
`\faAngleUp` () 181
`\faApple` () 181
`\faArchive` () 181
`\faAreaChart` () 181
`\faArrowCircleDown` () 127
`\faArrowCircleLeft` () 127
`\faArrowCircleODown` () 127
`\faArrowCircleOLeft` () 127
`\faArrowCircleORight` () 127
`\faArrowCircleOUp` () 127
`\faArrowCircleRight` () 127
`\faArrowCircleUp` () 127
`\faArrowDown` () 127
`\faArrowLeft` () 127
`\faArrowRight` () 127
`\faArrows` () 127
`\faArrowsAlt` () 127
`\faArrowsH` () 127
`\faArrowsV` () 127
`\faArrowUp` () 127
`\faAsterisk` () 181
`\faAt` (@) 181
`\faAutomobile` () 184
`\faBackward` () 181
`\faBalanceScale` () 181
`\faBan` () 181
`\faBank` () 184
`\faBarChart` () 181
`\faBarChart0` () 184
`\faBarcode` () 181
`\faBars` () 181
`\faBattery0` () 184
`\faBattery1` () 184
`\faBattery2` () 184
`\faBattery3` () 184
`\faBattery4` () 184

`\faBatteryEmpty` () 181
`\faBatteryFull` () 181
`\faBatteryHalf` () 181
`\faBatteryQuarter` () 181
`\faBatteryThreeQuarters`
 () 181
`\faBed` () 182
`\faBeer` () 182
`\faBehance` () 182
`\faBehanceSquare` () 182
`\faBell` () 182
`\faBell0` () 182
`\faBellSlash` () 182
`\faBellSlash0` () 182
`\faBicycle` () 182
`\faBinoculars` () 182
`\faBirthdayCake` () 182
`\faBitbucket` () 182
`\faBitbucketSquare` () 182
`\faBitcoin` () 24
`\faBlackTie` () 182
`\faBold` () 182
`\faBolt` () 182
`\faBomb` () 182
`\faBook` () 182
`\faBookmark` () 182
`\faBookmark0` () 182
`\faBriefcase` () 182
`\faBtc` () 24
`\faBtc` () 24
`\faBug` () 182
`\faBuilding` () 182
`\faBuilding0` () 182
`\faBullhorn` () 182
`\faBullseye` () 182
`\faBus` () 182
`\faBuysellads` () 182
`\faCab` () 184
`\faCalculator` () 182
`\faCalendar` () 182
`\faCalendarCheck0` () 182
`\faCalendarMinus0` () 182
`\faCalendar0` () 182
`\faCalendarPlus0` () 182
`\faCalendarTimes0` () 182
`\faCamera` () 182
`\faCameraRetro` () 182
`\faCar` () 182
`\faCaretDown` () 182
`\faCaretLeft` () 182
`\faCaretRight` () 182
`\faCaretSquare0Down` () 182
`\faCaretSquare0Left` () 182
`\faCaretSquare0Right` () 182
`\faCaretSquare0Up` () 182
`\faCaretUp` () 182
`\faCartArrowDown` () 182
`\faCartPlus` () 182
`\faCc` () 182
`\faCcAmex` () 182
`\faCcDinersClub` () 182
`\faCcDiscover` () 182
`\faCcJcb` () 182

<code>\faCcMastercard</code>  ... 183	<code>\faCube</code>  ... 183	<code>\faFilePdf0</code>  ... 181
<code>\faCcPaypal</code>  ... 183	<code>\faCubes</code>  ... 183	<code>\faFilePhoto0</code>  ... 184
<code>\faCcStripe</code>  ... 183	<code>\faCut</code>  ... 184	<code>\faFilePicture0</code>  ... 184
<code>\faCcVisa</code>  ... 183	<code>\faCutlery</code>  ... 183	<code>\faFilePowerpoint0</code>  ... 181
<code>\faCertificate</code>  ... 183	<code>\faDashboard</code>  ... 184	<code>\faFiles0</code>  ... 181
faces ... 114, 122, 138, 164, 165, 172, 174, 178– 184, 188–190	<code>\faDashcube</code>  ... 183	<code>\faFileSound0</code>  ... 184
<code>\faChain</code>  ... 184	<code>\faDatabase</code>  ... 183	<code>\faFileText</code>  ... 181
<code>\faChainBroken</code>  ... 183	<code>\faDedent</code>  ... 184	<code>\faFileText0</code>  ... 181
<code>\faCheck</code>  ... 130	<code>\faDelicious</code>  ... 183	<code>\faFileVideo0</code>  ... 181
<code>\faCheckCircle</code>  ... 130	<code>\faDesktop</code>  ... 183	<code>\faFileWord0</code>  ... 181
<code>\faCheckCircle0</code>  ... 130	<code>\faDeviantart</code>  ... 183	<code>\faFileZip0</code>  ... 184
<code>\faCheckSquare</code>  ... 130	<code>\faDiamond</code>  ... 183	<code>\faFilm</code>  ... 181
<code>\faCheckSquare0</code>  ... 130	<code>\faDigg</code>  ... 183	<code>\faFilter</code>  ... 181
<code>\faChevronCircleDown</code>  127	<code>\faDollar</code>  24	<code>\faFire</code>  ... 181
<code>\faChevronCircleLeft</code>  127	<code>\faDotCircle0</code>  ... 136	<code>\faFireExtinguisher</code>  181
<code>\faChevronCircleRight</code>  127	<code>\faDownload</code>  ... 183	<code>\faFirefox</code>  ... 181
<code>\faChevronCircleUp</code>  . 127	<code>\faDribbble</code>  ... 183	<code>\faFlag</code>  ... 181
<code>\faChevronDown</code>  ... 127	<code>\faDropbox</code>  ... 183	<code>\faFlagCheckered</code>  .. 181
<code>\faChevronLeft</code>  ... 127	<code>\faDrupal</code>  ... 183	<code>\faFlag0</code>  ... 181
<code>\faChevronRight</code>  ... 127	<code>\faEdit</code>  ... 184	<code>\faFlash</code>  ... 184
<code>\faChevronUp</code>  ... 127	<code>\faEject</code>  ... 183	<code>\faFlask</code>  ... 181
<code>\faChild</code>  ... 183	<code>\faEllipsisH</code>  ... 183	<code>\faFlickr</code>  ... 181
<code>\faChrome</code>  ... 183	<code>\faEllipsisV</code>  ... 183	<code>\faFloppy0</code>  ... 181
<code>\faCircle</code>  ... 136	<code>\faEmpire</code>  ... 183	<code>\faFolder</code>  ... 181
<code>\faCircle0</code>  ... 136	<code>\faEnvelope</code>  ... 184	<code>\faFolder0</code>  ... 181
<code>\faCircleONotch</code>  ... 136	<code>\faEnvelope0</code>  ... 184	<code>\faFolderOpen</code>  ... 181
<code>\faCircleThin</code>  ... 136	<code>\faEnvelopeSquare</code>  .. 184	<code>\faFolderOpen0</code>  ... 181
<code>\faClipboard</code>  ... 183	<code>\faEraser</code>  ... 184	<code>\faFont</code>  ... 181
<code>\faClock0</code>  ... 183	<code>\faEur</code>  24	<code>\faFonticons</code>  ... 181
<code>\faClone</code>  ... 183	<code>\faEur</code>  24	<code>\faForumbee</code>  ... 181
<code>\faClose</code>  ... 130	<code>\faEuro</code>  24	<code>\faForward</code>  ... 181
<code>\faCloud</code>  ... 183	<code>\faExchange</code>  ... 184	<code>\faFoursquare</code>  ... 181
<code>\faCloudDownload</code>  .. 183	<code>\faExclamation</code>  ... 184	<code>\faFrown0</code>  ... 182
<code>\faCloudUpload</code>  ... 183	<code>\faExclamationCircle</code>  184	<code>\faFutbol0</code>  ... 182
<code>\faCny</code>  24	<code>\faExclamationTriangle</code>   184	<code>\faGamepad</code>  ... 182
<code>\faCode</code>  ... 183	<code>\faExpand</code>  ... 184	<code>\faGavel</code>  ... 182
<code>\faCodeFork</code>  ... 183	<code>\faExpeditedssl</code>  ... 184	<code>\faGbp</code>  24
<code>\faCodepen</code>  ... 183	<code>\faExternalLink</code>  ... 184	<code>\faGe</code>  ... 184
<code>\faCoffee</code>  ... 183	<code>\faExternalLinkSquare</code>  184	<code>\faGear</code>  ... 184
<code>\faCog</code>  ... 183	<code>\faEye</code>  ... 184	<code>\faGears</code>  ... 184
<code>\faCogs</code>  ... 183	<code>\faEyedropper</code>  ... 184	<code>\faGenderless</code>  124
<code>\faColumns</code>  ... 183	<code>\faEyeSlash</code>  ... 184	<code>\faGetPocket</code>  ... 182
<code>\faComment</code>  ... 183	<code>\faFacebook</code>  ... 184	<code>\faGg</code>  ... 182
<code>\faCommenting</code>  ... 183	<code>\faFacebookF</code>  ... 184	<code>\faGgCircle</code>  ... 182
<code>\faCommenting0</code>  ... 183	<code>\faFacebookOfficial</code>  184	<code>\faGift</code>  ... 182
<code>\faComment0</code>  ... 183	<code>\faFacebookSquare</code>  .. 184	<code>\faGit</code>  ... 182
<code>\faComments</code>  ... 183	<code>\faFastBackward</code>  ... 184	<code>\faGithub</code>  ... 182
<code>\faComments0</code>  ... 183	<code>\faFastForward</code>  ... 184	<code>\faGithubAlt</code>  ... 182
<code>\faCompass</code>  ... 183	<code>\faFax</code>  ... 184	<code>\faGithubSquare</code>  ... 182
<code>\faCompress</code>  ... 183	<code>\faFeed</code>  ... 184	<code>\faGitSquare</code>  ... 182
<code>\faConnectdevelop</code>  . 183	<code>\faFemale</code>  ... 181	<code>\faGittip</code>  ... 184
<code>\faContao</code>  ... 183	<code>\faFighterJet</code>  ... 181	<code>\faGlass</code>  ... 182
<code>\Facontent</code>  ... 110	<code>\faFile</code>  ... 181	<code>\faGlobe</code>  ... 182
<code>\faCopy</code>  ... 184	<code>\faFileArchive0</code>  ... 181	<code>\faGoogle</code>  ... 182
<code>\faCopyright</code>  ... 25	<code>\faFileAudio0</code>  ... 181	<code>\faGooglePlus</code>  ... 182
<code>\faCreativeCommons</code>  25	<code>\faFileCode0</code>  ... 181	<code>\faGooglePlusSquare</code>  182
<code>\faCreditCard</code>  ... 183	<code>\faFileExcel0</code>  ... 181	<code>\faGoogleWallet</code>  ... 182
<code>\faCrop</code>  ... 183	<code>\faFileImage0</code>  ... 181	<code>\faGraduationCap</code>  .. 182
<code>\faCrosshairs</code>  ... 183	<code>\faFileMovie0</code>  ... 184	<code>\faGratipay</code>  ... 182
<code>\faCss3</code>  ... 183	<code>\faFile0</code>  ... 181	<code>\faGroup</code>  ... 184
		<code>\faHackerNews</code>  ... 182
		<code>\faHandGrab0</code>  ... 129

<code>\faHandLizard0</code> ()	129	<code>\faLegal</code> ()	184	<code>\faMortarBoard</code> ()	184
<code>\faHandODown</code> ()	129	<code>\faLemon0</code> ()	183	<code>\faMotorcycle</code> ()	183
<code>\faHandOLeft</code> ()	129	<code>\faLevelDown</code> ()	183	<code>\faMousePointer</code> ()	183
<code>\faHandORight</code> ()	129	<code>\faLevelUp</code> ()	183	<code>\faMusic</code> ()	183
<code>\faHandOUp</code> ()	129	<code>\faLifeBouy</code> ()	184	<code>\faNavicon</code> ()	184
<code>\faHandPaper0</code> ()	129	<code>\faLifeRing</code> ()	183	<code>\Fancontent</code> ()	110
<code>\faHandPaper0</code> ()	129	<code>\faLifeSaver</code> ()	184	fancy borders	191–197
<code>\faHandPeace0</code> ()	129	<code>\faLightbulb0</code> ()	183	<code>\faNeuter</code> ()	124
<code>\faHandPointer0</code> ()	129	<code>\faLineChart</code> ()	183	<code>\faNewspaper0</code> ()	183
<code>\faHandRock0</code> ()	129	<code>\faLink</code> ()	183	<code>\Fanncontent</code> ()	110
<code>\faHandRock0</code> ()	129	<code>\faLinkedin</code> ()	183	<code>\Fannquant</code> ()	110
<code>\faHandScissors0</code> ()	129	<code>\faLinkedinSquare</code> ()	183	<code>\Fannquantn</code> ()	110
<code>\faHandSpock0</code> ()	129	<code>\faLinux</code> ()	183	<code>\Fannquantnn</code> ()	110
<code>\faHandStop0</code> ()	129	<code>\faList</code> ()	183	<code>\Fanoven</code> ()	178
<code>\faHdd0</code> ()	182	<code>\faListAlt</code> ()	183	<code>\Fanquant</code> ()	110
<code>\faHeader</code> (H)	182	<code>\faListOl</code> ()	183	<code>\Fanquantn</code> ()	110
<code>\faHeadphones</code> ()	182	<code>\faListUl</code> ()	183	<code>\Fanquantnn</code> ()	110
<code>\faHeart</code> ()	182	<code>\fallingdotseq</code> ()	48	<code>\faObjectGroup</code> ()	183
<code>\faHeartbeat</code> ()	182	<code>\fallingdotseq</code> ()	47	<code>\faObjectUngroup</code> ()	183
<code>\faHeart0</code> ()	182	<code>\fallingdotseq</code> ()	54	<code>\faOdnoklassniki</code> ()	183
<code>\faHistory</code> ()	182	<code>\fallingdotseq</code> ()	51	<code>\faOdnoklassnikiSquare</code> ()	183
<code>\faHome</code> ()	182	<code>\fallingdotseq</code> ()	50	 183	
<code>\faHospital0</code> ()	182	<code>\fallingdotseq</code> ()	55	<code>\faOpencart</code> ()	183
<code>\faHotel</code> ()	184	<code>\FallingEdge</code> ()	118	<code>\faOpenid</code> ()	183
<code>\faHourglass</code> ()	182	<code>\faLocationArrow</code> ()	183	<code>\faOpera</code> ()	184
<code>\faHourglassEnd</code> ()	182	<code>\faLock</code> ()	183	<code>\faOptinMonster</code> ()	184
<code>\faHourglassHalf</code> ()	182	<code>\faLongArrowDown</code> ()	127	<code>\faOutdent</code> ()	184
<code>\faHourglass0</code> ()	182	<code>\faLongArrowLeft</code> ()	127	<code>\faPagelines</code> ()	184
<code>\faHourglassStart</code> ()	182	<code>\faLongArrowRight</code> ()	127	<code>\faPaintBrush</code> ()	184
<code>\faHouzz</code> ()	182	<code>\faLongArrowUp</code> ()	127	<code>\faPaperclip</code> ()	184
<code>\faHSquare</code> ()	182	falsum	see \bot	<code>\faPaperPlane</code> ()	184
<code>\faHtml5</code> ()	182	<code>\faMagic</code> ()	183	<code>\faPaperPlane0</code> ()	184
<code>\faICursor</code> ()	182	<code>\faMagnet</code> ()	183	<code>\faParagraph</code> ()	184
<code>\faIls</code> ()	24	<code>\faMailForward</code> ()	184	<code>\faPaste</code> ()	184
<code>\faIls</code> ()	24	<code>\faMailReply</code> ()	184	<code>\faPause</code> ()	184
<code>\faImage</code> ()	184	<code>\faMailReplyAll</code> ()	184	<code>\faPaw</code> ()	184
<code>\faInbox</code> ()	182	<code>\faMale</code> ()	183	<code>\faPaypal</code> ()	184
<code>\faIndent</code> ()	182	<code>\faMap</code> ()	183	<code>\faPencil</code> ()	128
<code>\faIndustry</code> ()	182	<code>\faMapMarker</code> ()	183	<code>\faPencilSquare</code> ()	128
<code>\faInfo</code> (i)	182	<code>\faMap0</code> ()	183	<code>\faPencilSquare0</code> ()	128
<code>\faInfoCircle</code> ()	182	<code>\faMapPin</code> ()	183	<code>\faPhone</code> ()	184
<code>\faInr</code> ()	24	<code>\faMapSigns</code> ()	183	<code>\faPhoneSquare</code> ()	184
<code>\faInr</code> ()	24	<code>\faMars</code> ()	119, 124	<code>\faPhoto</code> ()	184
<code>\faInstagram</code> ()	182	<code>\faMarsDouble</code> ()	124	<code>\faPicture0</code> ()	184
<code>\faInstitution</code> ()	184	<code>\faMarsStroke</code> ()	124	<code>\faPieChart</code> ()	184
<code>\faInternetExplorer</code> ()	182	<code>\faMarsStrokeH</code> ()	124	<code>\faPiedPiper</code> ()	184
<code>\faIntersex</code> ()	124	<code>\faMarsStrokeV</code> ()	124	<code>\faPiedPiperAlt</code> ()	184
<code>\faIoxhost</code> ()	182	<code>\faMaxcdn</code> ()	183	<code>\faPinterest</code> ()	184
<code>\faItalic</code> (<i>I</i>)	182	<code>\faMeanpath</code> ()	183	<code>\faPinterestP</code> ()	184
<code>\faJoomla</code> ()	182	<code>\faMedium</code> ()	183	<code>\faPinterestSquare</code> ()	184
<code>\faJpy</code> ()	24	<code>\faMedkit</code> ()	183	<code>\faPlane</code> ()	181
<code>\faJpy</code> ()	24	<code>\faMeh0</code> ()	183	<code>\faPlay</code> ()	181
<code>\faJsfiddle</code> ()	182	<code>\faMercury</code> ()	119	<code>\faPlayCircle</code> ()	181
<code>\faKey</code> ()	182	<code>\faMicrophone</code> ()	183	<code>\faPlayCircle0</code> ()	181
<code>\faKeyboard0</code> ()	182	<code>\faMicrophoneSlash</code> ()	183	<code>\faPlug</code> ()	181
<code>\faKrw</code> ()	24	<code>\faMinus</code> ()	183	<code>\faPlus</code> ()	181
<code>\faKrw</code> ()	24	<code>\faMinusCircle</code> ()	183	<code>\faPlusCircle</code> ()	181
<code>\faLanguage</code> ()	183	<code>\faMinusSquare</code> ()	183	<code>\faPlusSquare</code> ()	181
<code>\faLaptop</code> ()	183	<code>\faMinusSquare0</code> ()	183	<code>\faPlusSquare0</code> ()	181
<code>\faLastfm</code> ()	183	<code>\faMobile</code> ()	183	<code>\faPowerOff</code> ()	181
<code>\faLastfmSquare</code> ()	183	<code>\faMobilePhone</code> ()	184	<code>\faPrint</code> ()	181
<code>\faLeaf</code> ()	183	<code>\faMoney</code> ()	183	<code>\faPuzzlePiece</code> ()	181
<code>\faLeanpub</code> ()	183	<code>\faMoon0</code> ()	119		

<code>\faQq</code> (🍷)	181	<code>\faSitemap</code> (🗺)	182	<code>\faTencentWeibo</code> (🐼)	183
<code>\faQrcode</code> (📱)	181	<code>\faSkyatlas</code> (☁)	182	<code>\faTerminal</code> (>_)	183
<code>\Faquant</code> (⌚)	110	<code>\faSkype</code> (☎)	182	<code>\faTextHeight</code> (T)	183
<code>\Faquantn</code> (⌚)	110	<code>\faSlack</code> (#)	182	<code>\faTextWidth</code> (T)	183
<code>\Faquantnn</code> (⌚)	110	<code>\faSliders</code> (🎚)	182	<code>\faTh</code> (☰)	183
<code>\faQuestion</code> (?)	181	<code>\faSlideshare</code> (📺)	182	<code>\faThLarge</code> (☳)	183
<code>\faQuestionCircle</code> (❓)	181	<code>\faSmile0</code> (☺)	182	<code>\faThList</code> (☰)	183
<code>\faQuoteLeft</code> (❧)	181	<code>\faSoccerBall0</code> (⚽)	184	<code>\faThumbsDown</code> (👎)	129
<code>\faQuoteRight</code> (❧)	181	<code>\faSort</code> (🔼)	182	<code>\faThumbs0Down</code> (👎)	129
<code>\faRa</code> (🕒)	184	<code>\faSortAlphaAsc</code> (🔼A)	182	<code>\faThumbs0Up</code> (👍)	129
<code>\faRandom</code> (🎲)	181	<code>\faSortAlphaDesc</code> (🔼A)	182	<code>\faThumbsUp</code> (👍)	129
<code>\faRebel</code> (🇺🇸)	181	<code>\faSortAmountAsc</code> (🔼)	182	<code>\faThumbTack</code> (📌)	183
<code>\faRecycle</code> (♻)	181	<code>\faSortAmountDesc</code> (🔼)	182	<code>\faTicket</code> (🎫)	183
<code>\faReddit</code> (👍)	181	<code>\faSortAsc</code> (🔼)	182	<code>\faTimes</code> (✕)	130
<code>\faRedditSquare</code> (👍)	181	<code>\faSortDesc</code> (🔽)	182	<code>\faTimes</code> (✕)	130
<code>\faRefresh</code> (🔄)	181	<code>\faSortDown</code> (🔽)	184	<code>\faTimesCircle</code> (⌚)	130
<code>\faRegistered</code> (®)	25	<code>\faSortNumericAsc</code> (🔼1)	182	<code>\faTimesCircle0</code> (⌚)	130
<code>\faRemove</code> (✕)	130	<code>\faSortNumericDesc</code> (🔼1)	182	<code>\faTint</code> (💧)	183
<code>\faRenren</code> (👤)	181	<code>\faSortUp</code> (🔼)	184	<code>\faToggleDown</code> (📌)	184
<code>\faReorder</code> (☰)	184	<code>\faSoundcloud</code> (☁)	182	<code>\faToggleLeft</code> (📌)	184
<code>\faRepeat</code> (🔄)	127	<code>\faSpaceShuttle</code> (🚀)	182	<code>\faToggleOff</code> (🔴)	183
<code>\faRepeat</code> (🔄)	127	<code>\faSpinner</code> (⌛)	182	<code>\faToggleOn</code> (🟢)	183
<code>\faReply</code> (↩)	181	<code>\faSpoon</code> (🥄)	182	<code>\faToggleRight</code> (📌)	184
<code>\faReplyAll</code> (↩)	181	<code>\faSpotify</code> (🎵)	182	<code>\faToggleUp</code> (📌)	184
<code>\faRetweet</code> (🔄)	181	<code>\faSquare</code> (■)	136	<code>\faTrademark</code> (™)	25
<code>\faRmb</code> (¥)	24	<code>\faSquare0</code> (□)	136	<code>\faTrain</code> (🚂)	183
<code>\faRoad</code> (🛣)	181	<code>\faStackExchange</code> (📖)	182	<code>\faTransgender</code> (♂)	124
<code>\faRocket</code> (🚀)	181	<code>\faStackOverflow</code> (📖)	182	<code>\faTransgender</code> (♀)	124
<code>\faRotateLeft</code> (↶)	127	<code>\faStar</code> (★)	132	<code>\faTransgenderAlt</code> (♂)	124
<code>\faRotateRight</code> (↷)	127	<code>\faStarHalf</code> (🌟)	132	<code>\faTrash</code> (🗑)	183
<code>\faRouble</code> (₽)	24	<code>\faStarHalfEmpty</code> (🌟)	132	<code>\faTrash0</code> (🗑)	183
<code>\faRss</code> (📡)	181	<code>\faStarHalfFull</code> (🌟)	132	<code>\faTree</code> (🌲)	183
<code>\faRssSquare</code> (📡)	181	<code>\faStarHalf0</code> (🌟)	132	<code>\faTrello</code> (📌)	183
<code>\faRub</code> (₽)	24	<code>\faStarHalf0</code> (🌟)	132	<code>\faTripadvisor</code> (🏠)	183
<code>\faRub</code> (₽)	24	<code>\faStar0</code> (☆)	132	<code>\faTrophy</code> (🏆)	183
<code>\faRuble</code> (₽)	24	<code>\faSteam</code> (🎮)	182	<code>\faTruck</code> (🚚)	183
<code>\faRuppee</code> (₹)	24	<code>\faSteamSquare</code> (🎮)	182	<code>\faTry</code> (🍴)	24
<code>\faSafari</code> (🦊)	181	<code>\faStepBackward</code> (⏮)	182	<code>\faTry</code> (🍴)	24
<code>\faSave</code> (💾)	184	<code>\faStepForward</code> (⏭)	182	<code>\fatsemi</code> (⸱)	28
<code>\faScissors</code> (✂)	181	<code>\faStethoscope</code> (🩺)	182	<code>\fatsemi</code> (⸱)	31
<code>\faSearch</code> (🔍)	181	<code>\faStickyNote</code> (📌)	182	<code>\fatslash</code> (/)	28
<code>\faSearchMinus</code> (🔍)	181	<code>\faStickyNote0</code> (📌)	182	<code>\fatslash</code> (/)	54
<code>\faSearchPlus</code> (🔍)	182	<code>\faStop</code> (■)	182	<code>\faTty</code> (🖨)	183
<code>\faSellsy</code> (🛒)	182	<code>\faStreetView</code> (📍)	182	<code>\faTumblr</code> (t)	183
<code>\faSend</code> (➡)	184	<code>\faStrikethrough</code> (ABCDEFGHIJKL)	182	<code>\faTumblrSquare</code> (t)	183
<code>\faSend0</code> (➡)	184	<code>\faStumbleupon</code> (🍻)	182	<code>\faTurkishLira</code> (₺)	24
<code>\faServer</code> (🖨)	182	<code>\faStumbleuponCircle</code> (🍻)	182	<code>\faTv</code> (📺)	184
<code>\faShare</code> (↗)	182	<code>\faSubscript</code> (x ₂)	182	<code>\faTwitch</code> (📺)	183
<code>\faShareAlt</code> (↗)	182	<code>\faSubway</code> (🚇)	182	<code>\faTwitter</code> (🐦)	183
<code>\faShareAltSquare</code> (📌)	182	<code>\faSuitcase</code> (🧳)	183	<code>\faTwitterSquare</code> (🐦)	183
<code>\faShareSquare</code> (📌)	182	<code>\faSun0</code> (☀)	119	<code>\faUmbrella</code> (☂)	183
<code>\faShareSquare0</code> (📌)	182	<code>\faSuperscript</code> (x ²)	183	<code>\faUnderline</code> (U)	183
<code>\faShekel</code> (₪)	24	<code>\faSupport</code> (🛠)	184	<code>\faUndo</code> (↶)	127
<code>\faSheqel</code> (₪)	24	<code>\faTable</code> (📊)	183	<code>\faUndo</code> (↶)	127
<code>\faShield</code> (🛡)	182	<code>\faTablet</code> (📱)	183	<code>\faUniversity</code> (🎓)	183
<code>\faShip</code> (🚢)	182	<code>\faTachometer</code> (📊)	183	<code>\faUnlink</code> (🔗)	184
<code>\faShirtsinbulk</code> (👕)	182	<code>\faTag</code> (🏷)	183	<code>\faUnlock</code> (🔓)	183
<code>\faShoppingCart</code> (🛒)	182	<code>\faTags</code> (🏷)	183	<code>\faUnlockAlt</code> (🔓)	183
<code>\faSignal</code> (📶)	182	<code>\faTasks</code> (📅)	183	<code>\faUnsorted</code> (🔼)	184
<code>\faSignIn</code> (➡)	182	<code>\faTaxi</code> (🚕)	183	<code>\faUpload</code> (📶)	183
<code>\faSignOut</code> (➡)	182	<code>\fatbslash</code> (\\)	28	<code>\faUsd</code> (\$)	24
<code>\faSimplybuilt</code> (🏠)	182	<code>\fatbslash</code> (\\)	54	<code>\faUsd</code> (\$)	24
		<code>\faTelevision</code> (📺)	183	<code>\faUser</code> (👤)	183

<code>\faUserMd</code> ()	183	female	17, 119, 120, 123, 124, 180–184, 188–190	<code>\fgeeszett</code> ($\mathfrak{g}$)	92
<code>\faUserPlus</code> ()	183	<code>\female</code> ($\mathfrak{f}$)	124	<code>\fgeeta</code> ($\mathfrak{g}$)	92
<code>\faUsers</code> ()	183	<code>\female</code> ($\mathfrak{f}$)	123	<code>\fgeF</code> ($\mathfrak{f}$)	92
<code>\faUserSecret</code> ()	183	<code>\FemaleFemale</code> ($\mathfrak{F}$)	124	<code>\fgef</code> ($\mathfrak{f}$)	92
<code>\faUserTimes</code> ()	183	<code>\FemaleMale</code> ($\mathfrak{F}$)	124	<code>\fgeinfty</code> (∞)	115
<code>\faVenus</code> ($\mathfrak{V}$)	119, 124	<code>\Ferli</code> ()	149	<code>\fgelangle</code> ($\angle$)	115
<code>\faVenusDouble</code> ()	124	<code>\fermata</code>	154	<code>\fgelb</code>	92
<code>\faVenusMars</code> ()	124	<code>\fermata</code> ($\mathfrak{f}$)	152	<code>\fgelb</code> ($\mathfrak{f}$)	92
<code>\faViacoin</code> ()	24	<code>\fermatadown</code> ()	148	<code>\fgeleftB</code> ($\mathfrak{B}$)	92
<code>\faVideoCamera</code> ()	183	<code>\fermataup</code> ()	148	<code>\fgeleftC</code> ($\mathfrak{C}$)	92
<code>\faVimeo</code> ()	183	<code>\Fermi</code> ()	149	<code>\fgeN</code> ($\mathfrak{N}$)	92
<code>\faVimeoSquare</code> ()	183	<code>\fermion</code> ($\mathfrak{F}$)	125	<code>\fgeoverU</code> ($\mathfrak{U}$)	92
<code>\faVine</code> ()	183	fermions	125	<code>\fgerightarrow</code> ($\Rightarrow$)	84
<code>\faVk</code> ()	183	feyn (package)	125, 226	<code>\fgerightB</code> ($\mathfrak{B}$)	92
<code>\faVolumeDown</code> ()	184	Feynman slashed character notation	211	<code>\fges</code> ($\mathfrak{f}$)	92
<code>\faVolumeOff</code> ()	184	Feynman-diagram symbols	125	<code>\fgestruckone</code> ($\mathfrak{I}$)	110
<code>\faVolumeUp</code> ()	184	<code>\feyn{a}</code> ()	125	<code>\fgestruckzero</code> ($\mathfrak{I}$)	110
<code>\faWarning</code> ()	184	<code>\feyn{c}</code> ()	125	<code>\fgeU</code> ($\mathfrak{U}$)	92
<code>\faWechat</code> ()	184	<code>\feyn{fd}</code> ($\mathfrak{f}$)	125	<code>\fgeuparrow</code> ($\Uparrow$)	84
<code>\faWeibo</code> ()	184	<code>\feyn{flS}</code> ()	125	<code>\fgeupbracket</code> ($\mathfrak{U}$)	115
<code>\faWeixin</code> ()	184	<code>\feyn{fl}</code> ()	125	field ($\mathbb{F}$)	see alphabets, math
<code>\faWhatsapp</code> ()	184	<code>\feyn{fs}</code> ($\mathfrak{f}$)	125	<code>\file</code> ($\Leftrightarrow$)	169
<code>\faWheelchair</code> ()	184	<code>\feyn{fu}</code> ($\mathfrak{f}$)	125	file extensions	
<code>\faWifi</code> ()	184	<code>\feyn{fv}</code> ($\mathfrak{f}$)	125	.dvi	223
<code>\faWikipediaW</code> ($\mathfrak{W}$)	184	<code>\feyn{f}</code> ($\mathfrak{f}$)	125	.fd	11, 218, 224
<code>\faWindows</code> ()	184	<code>\feyn{gl}</code> ()	125	.mf	11, 186, 216
<code>\faWon</code> ($\mathfrak{W}$)	24	<code>\feyn{glS}</code> ()	125	.otf	147
<code>\faWordpress</code> ()	184	<code>\feyn{glu}</code> ()	125	.pdf	223
<code>\faWrench</code> ()	184	<code>\feyn{gl}</code> ()	125	.sty	11
<code>\FAX</code> ()	123	<code>\feyn{gu}</code> ()	125	.tex	223, 224
<code>\fax</code> ()	123	<code>\feyn{gvs}</code> ()	125	.tfm	11, 186, 206, 224
<code>\faXing</code> ()	184	<code>\feyn{gv}</code> ()	125	file symbols	181–184
<code>\faXingSquare</code> ()	184	<code>\feyn{g}</code> ($\mathfrak{g}$)	125	<code>\FilledBigCircle</code> ()	135
<code>\Faxmachine</code> ()	123	<code>\feyn{hd}</code> ($\mathfrak{h}$)	125	<code>\FilledBigDiamondshape</code> ()	135
<code>\faYahoo</code> ($\mathfrak{Y}$)	184	<code>\feyn{hs}</code> ($\mathfrak{h}$)	125	<code>\FilledBigSquare</code> ()	135
<code>\faYc</code> ()	184	<code>\feyn{hu}</code> ($\mathfrak{h}$)	125	<code>\FilledBigTriangleDown</code> ()	135
<code>\faYCombinator</code> ()	184	<code>\feyn{h}</code> ($\mathfrak{h}$)	125	<code>\FilledBigTriangleLeft</code> ()	135
<code>\faYCombinatorSquare</code> ()	184	<code>\feyn{ms}</code> ($\mathfrak{m}$)	125	<code>\FilledBigTriangleRight</code> ()	135
<code>\faYcSquare</code> ()	184	<code>\feyn{m}</code> ($\mathfrak{m}$)	125	<code>\FilledBigTriangleUp</code> ()	135
<code>\faYelp</code> ()	184	<code>\feyn{P}</code> ()	125	<code>\FilledCircle</code> ()	135
<code>\faYen</code> ($\mathfrak{Y}$)	24	<code>\feyn{p}</code> ()	125	<code>\FilledCloud</code> ()	166
<code>\faYoutube</code> ()	184	<code>\feyn{x}</code> ()	125	<code>\filleddiamond</code> ()	34
<code>\faYoutubePlay</code> ()	184	<code>\FF</code> ($\mathfrak{F}$)	122	<code>\FilledDiamondShadowA</code> ()	135
<code>\faYoutubeSquare</code> ()	184	fge (package)	84, 92, 101, 110, 115, 226	<code>\FilledDiamondShadowC</code> ()	135
<code>\fbowtie</code> ()	55	<code>\fgeA</code> ($\mathfrak{A}$)	92	<code>\FilledDiamondshape</code> ()	135
fc (package)	15, 19	<code>\fgebackslash</code> ($\backslash$)	115	<code>\FilledHut</code> ()	166
<code>\fcdice</code> ()	167	<code>\fgebaracute</code> ($\mathfrak{A}$)	115	<code>\filledlargestar</code> ($\star$)	132
fclfont (package)	226	<code>\fgebarcap</code> ($\mathfrak{A}$)	115	<code>\filledlozenge</code> ($\mathfrak{L}$)	132
<code>\fcmp</code> ($\mathfrak{C}$)	32	<code>\fgec</code> ($\mathfrak{C}$)	92	<code>\filledmedlozenge</code> ($\mathfrak{L}$)	132
<code>\Fcontent</code> ($\mathfrak{F}$)	110	<code>\fgecap</code> ($\mathfrak{C}$)	115	<code>\filledmedsquare</code> ()	34
<code>\fcscore</code> ($\mathfrak{F}$)	168	<code>\fgecapbar</code> ($\mathfrak{C}$)	115	<code>\filledmedtriangledown</code> ()	34, 67
.fd files	11, 218, 224	<code>\fgecup</code> ($\mathfrak{C}$)	115	<code>\filledmedtriangleleft</code> ()	34, 67
<code>\fdiagovnearrow</code> ()	81	<code>\fgecupacute</code> ($\mathfrak{C}$)	115		
<code>\fdiagovrdiag</code> ()	114	<code>\fgecupbar</code> ($\mathfrak{C}$)	115		
fdsymbol (package)	30, 31, 34, 42, 43, 51–53, 60, 64, 68, 75–79, 85, 86, 90, 92, 96, 97, 101, 103, 108, 111, 113, 133, 136, 147, 226	<code>\fged</code> ($\mathfrak{g}$)	92		
feet	see <code>\prime</code> and <code>\textquotesingle</code>	<code>\fgee</code> ($\mathfrak{g}$)	92		
<code>\FEMALE</code> ($\mathfrak{F}$)	124				
<code>\Female</code> ($\mathfrak{F}$)	124				

<code>\filledmedtriangleright</code> ()	<code>\Finv</code> ($\Finv$)	<code>\Fnnquantnn</code> ($\pi\blacksquare\pi$)
..... 34, 67	 92	 110
<code>\filledmedtriangleup</code> ()	<code>\Finv</code> ($\Finv$)	<code>\Fnquant</code> ($\pi\blacksquare$)
34, 67	 92	 110
<code>\FilledRainCloud</code> ()	<code>\Fire</code> ()	<code>\Fnquantn</code> ($\pi\blacksquare\pi$)
.. 166	 166, 180	 110
<code>\FilledSectioningDiamond</code>	<code>\Fire</code> ()	<code>\Fnnquantnn</code> ($\pi\blacksquare\pi$)
()	 120	 110
..... 166	fish	<code>\fnsymbol</code>
<code>\FilledSmallCircle</code> ()	 192	 168
135	fish hook	<code>\Fog</code> ()
<code>\FilledSmallCircle</code> ()	 <i>see</i> <code>\strictif</code>	 166
135	<code>\fisheye</code> ()	font encodings
<code>\FilledSmallDiamondShape</code>	fists	 11, 13–15,
()	 128, 129, 186	19, 22, 209, 214, 221, 223,
..... 135	<code>\fivedots</code> ($\cdots$)	225
<code>\FilledSmallSquare</code> ()	 29, 108	7-bit
135	<code>\FiveFlowerOpen</code> ()	 11
<code>\FilledSmallTriangleDown</code>	<code>\FiveFlowerPetal</code> ()	8-bit
()	 131	 11
135	<code>\FiveStar</code> ()	ASCII
<code>\FilledSmallTriangleLeft</code>	<code>\FiveStarCenterOpen</code> ()	 225
()	<code>\FiveStarConvex</code> ()	Cyrillic
135	 131	 19
<code>\FilledSmallTriangleRight</code>	<code>\FiveStarLines</code> ()	document
()	<code>\FiveStarOpen</code> ()	 221, 223
135	 131	Latin 1
<code>\FilledSmallTriangleUp</code> ()	<code>\FiveStarOpenCircled</code> ()	 225
..... 135	 131	limiting scope of
<code>\FilledSnowCloud</code> ()	<code>\FiveStarOpenDotted</code> ()	 11
.. 166	 131	LY1
<code>\FilledSquare</code> ()	<code>\FiveStarOutline</code> ()	 11
..... 135	 131	OT1
<code>\filledsquare</code> ()	<code>\FiveStarOutlineHeavy</code> ()	11, 14, 19, 214, 221,
..... 34	 131	223
<code>\FilledSquareShadowA</code> ()	<code>\FiveStarShadow</code> ()	OT2
..... 135	 131	 209
<code>\FilledSquareShadowC</code> ()	<code>\Fixedbearing</code> ()	T1
..... 135	 123	11, 13–15, 19, 221, 223
<code>\filledsquarewithdots</code> ()	<code>\fixedddots</code> ($\ddots$)	T2A
..... 137	 107	 19, 209
<code>\filledstar</code> ()	<code>\fixedvdots</code> ($\vdots$)	T2B
..... 34	 107	 19
<code>\FilledSunCloud</code> ()	fixmath (package)	T2C
.. 166	 220	 19
<code>\FilledTriangleDown</code> ()	<code>\fj</code> ()	T4
135	 18	 15, 19, 22
<code>\filledtriangledown</code> ()	<code>\FL</code> ($\mathbb{L}$)	T5
34, 67	 121	 15, 19
<code>\FilledTriangleLeft</code> ()	<code>\Flag</code> ()	TS1
135	 166	 209, 223
<code>\filledtriangleleft</code> ()	<code>\flageolet</code> ($\mathfrak{P}$)	U
34, 67	 148	 209
<code>\FilledTriangleRight</code> ()	flags	X2
..... 135	 180–181	 19
<code>\filledtriangleright</code> ()	<code>\flap</code> (r)	fontawesome (package)
34, 67	 18	 24, 25, 119, 124, 127–130,
<code>\FilledTriangleUp</code> ()	<code>\flapr</code> (r)	132, 136, 181, 184, 226,
..... 135	 18	227
<code>\filledtriangleup</code> ()	<code>\flat</code> (b)	fontdef.dtx (file)
34, 67	 147	 210, 213
<code>\FilledWeakRainCloud</code> ()	<code>\flat</code> (b)	fontenc (package)
.. 166	 147	 11, 14, 15,
finger, pointing	<code>\flat</code> (b)	19, 221, 223
..... <i>see</i> fists	 151	<code>\fontencoding</code>
finite field ($\mathbb{F}$)	<code>\flat</code> (b)	 11
..... <i>see</i> alphabets,	<code>\flat</code> (b)	fonts
math	 147	Calligra
<code>\Finland</code> ()	<code>\flatflat</code> ($\flat\flat$)	 116
..... 177	 151	Charter
<code>\finpartvoice</code> ()	<code>\Flatsteel</code> (—)	 24, 46
..... 21	 123	Computer Modern
<code>\finpartvoiceless</code> ()	fetched arrows	 206,
..... 21	 84, 126	208, 221
<code>\fint</code> (f)	fleurons	CountriesOfEurope
..... 39	 132, 137, 191	 178
<code>\fint</code> (f)	<code>\Florin</code> ($\mathfrak{P}$)	Courier
..... 40	 24	 24
<code>\fint</code> (f)	florin	Emmentaler
..... 42	 <i>see</i> <code>\textflorin</code>	 152
<code>\fint</code> (f)	flourishes	Garamond
..... 43	 137, 194	 24, 46
<code>\fintsl</code> (f)	<code>\floweroneleft</code> ()	Helvetica
..... 45	 132	 24
<code>\fintup</code> (f)	<code>\floweroneright</code> ()	“pi”
..... 45	 132	 209
<code>\Finv</code> ($\Finv$)	flowers	Soyombo
..... 91	 131, 132, 180–181,	 175
<code>\Finv</code> ($\Finv$)	191–192	Symbol
..... 91	<code>\fltns</code> ($\mathbb{L}$)	 89, 209
<code>\Finv</code> ($\Finv$)	 133	Times Roman
..... 92	Flynn, Peter	 24, 208
	 210	Type 1
	<code>\FM</code> ($\mathfrak{F}$)	 218
	 121	Utopia
	<code>\Fncontent</code> (—)	 24, 46
	 110	Zapf Chancery
	<code>\Fnncontent</code> (—)	 116
	 110	Zapf Dingbats
	<code>\Fnquant</code> ($\pi\blacksquare$)	 126, 130
	 110	<code>\fontsize</code>
	<code>\Fnnquantn</code> ($\pi\blacksquare\pi$)	 206, 208
	 110	fontspec (package)
		 147, 224,
		225
		<code>\Football</code> ()
		 165
		<code>\forall</code> ($\forall$)
		 91
		<code>\forall</code> ($\forall$)
		 92
		<code>\forall</code> ($\forall$)
		 91
		<code>\forall</code> ($\forall$)
		 92

$\backslash$ Force ($\downarrow$) 123
 $\backslash$ Fork ($\updownarrow$) 178
 $\backslash$ forks ($\wp$) 56
 $\backslash$ forksnot ($\wp$) 55
 $\backslash$ forkv ($\mathfrak{n}$) 54
 $\backslash$ forkv ($\mathfrak{m}$) 55
forte (f) 152, 163
 $\backslash$ Fortune ($\otimes$) 120
 $\backslash$ Forward ($\blacktriangleright$) 164
 $\backslash$ ForwardToEnd ($\blacktriangleright$) 164
 $\backslash$ ForwardToIndex ($\blacktriangleright\!\!\blacktriangleright$) .. 164
 $\backslash$ FourAsterisk ($\star$) 131
 $\backslash$ FourCloverOpen ($\otimes$) 131
 $\backslash$ FourCloverSolid ($\clubsuit$) .. 131
 $\backslash$ Fourier ($\text{---}\circ$) 58
fourier (package) .. 25, 58, 89,
93, 99, 104, 129, 132, 165,
226
 $\backslash$ fourier ($\circ\text{---}$) 58
Fourier transform ($\mathcal{F}$) *see*
alphabets, math
 $\backslash$ FourStar ($\blacklozenge$) 131
 $\backslash$ FourStarOpen ($\blacklozenge$) 131
 $\backslash$ fourth (///) 113
 $\backslash$ fourvdots ($\vdots$) 109
 $\backslash$ Fquantn ($\text{---}\square\text{---}$) 110
 $\backslash$ Fquantnn ($\text{---}\square\pi\text{---}$) 110
 $\backslash$ fracslash ($\text{/\}$) 32
fractions 114
fraktur . *see* alphabets, math
 $\backslash$ France ($\blackstar$) 177
Freemason's cipher 174
frege (package) . 110, 226, 227
Frege logic symbols .. 84, 92,
109, 110, 115
Frege, Gottlob 109, 110
 $\backslash$ frown ($\frown$) 46
 $\backslash$ frown ($\frown$) 54
 $\backslash$ frown ($\frown$) 51, 86
 $\backslash$ frown ($\frown$) 85
 $\backslash$ frown ($\frown$) 55
frown symbols 85, 86
 $\backslash$ frowneq ($\cong$) 51, 86
 $\backslash$ frowneq ($\simeq$) 85
 $\backslash$ frowneqsmile ($\smile$) 85
 $\backslash$ frownie ($\odot$) 164
 $\backslash$ frownsmile ($\odot$) 51, 86
 $\backslash$ frownsmile ($\odot$) 85
 $\backslash$ frownsmileeq ($\cong$) 85
 $\backslash$ Frowny ($\odot$) 165
frowny faces .. 122, 164, 165,
178–184
 $\backslash$ fryingpan ($\text{---}\text{///}$) 179
 $\backslash$ fryingpan ($\text{---}\text{///}$) 179
 $\backslash$ FS (L) 122
 $\backslash$ fullmoon ($\bigcirc$) 120
 $\backslash$ fullmoon ($\bigcirc$) 119
 $\backslash$ fullnote ($\circ$) 147
 $\backslash$ fullouterjoin ($\bowtie$) 114

G

$\backslash$ G ($\mathfrak{g}$) 19
g (esvect package option) . 104
 $\backslash$ Game ($\odot$) 91
 $\backslash$ Game ($\odot$) 91
 $\backslash$ Game ($\odot$) 92
 $\backslash$ Game ($\odot$) 92
 $\backslash$ Game ($\odot$) 92
game-related symbols 136, 137,
166, 167, 169–171, 181–
184, 203–205
 $\backslash$ Gamma (Γ) 88
 $\backslash$ gamma (γ) 88
 $\backslash$ gammaup (γ) 89
 $\backslash$ Ganz ($\circ$) 149
 $\backslash$ GaPa (---) 149
Garamond (font) 24, 46
 $\backslash$ Gasstove (H) 178
 $\backslash$ gcd (gcd) 87
 $\backslash$ GD (∇) 121
 $\backslash$ GE ($\geq$) 121
 $\backslash$ ge *see* $\backslash$ geq
 $\backslash$ ge ($\geq$) 64
 $\backslash$ ge ($\geq$) 66
 $\backslash$ ge ($\geq$) 66
 $\backslash$ Gemini (II) 120
 $\backslash$ Gemini (II) 119
 $\backslash$ Gemini (II) 120
 $\backslash$ gemini (II) 119
genealogical symbols 164
 $\backslash$ geneuro (€) 25
 $\backslash$ geneuronarrow (€) 25
 $\backslash$ geneurowide (€) 25
gensymb (package) 118
 $\backslash$ Gentsroom (H) 165
geometric shapes 120, 132–136,
157–161, 170, 171, 181–
184, 186–187, 202–203
 $\backslash$ geq ($\geq$) 62
 $\backslash$ geq ($\geq$) 61, 62
 $\backslash$ geq ($\geq$) 64
 $\backslash$ geq ($\geq$) 63
 $\backslash$ geq ($\geq$) 65, 66
 $\backslash$ geqclosed ($\geq$) 64, 68
 $\backslash$ geqclosed ($\geq$) 63, 67
 $\backslash$ geqdot ($\geq$) 64
 $\backslash$ geqdot ($\geq$) 63
 $\backslash$ geqq ($\geq$) 62
 $\backslash$ geqq ($\geq$) 61
 $\backslash$ geqq ($\geq$) 65
 $\backslash$ geqq ($\geq$) 64
 $\backslash$ geqq ($\geq$) 63
 $\backslash$ geqq ($\geq$) 65
 $\backslash$ geqqslant ($\geq$) 65
 $\backslash$ geqqslant ($\geq$) 61
 $\backslash$ geqqslant ($\geq$) 65
 $\backslash$ geqqslant ($\geq$) 64
 $\backslash$ geqqslant ($\geq$) 63
 $\backslash$ geqqslant ($\geq$) 65
 $\backslash$ geqqslantdot ($\geq$) 64
 $\backslash$ geqqslantdot ($\geq$) 63
 $\backslash$ geqslcc ($\geq$) 64
german (keystroke package op-
tion) 122
 $\backslash$ Germany (H) 177
 $\backslash$ gescc ($\geq$) 64
 $\backslash$ gescc ($\geq$) 65
 $\backslash$ gesdot ($\geq$) 64
 $\backslash$ gesdot ($\geq$) 65
 $\backslash$ gesdoto ($\geq$) 65
 $\backslash$ gesdoto1 ($\geq$) 65
 $\backslash$ gesl ($\geq$) 64
 $\backslash$ gesles ($\geq$) 66
 $\backslash$ gets *see* $\backslash$ leftarrow
 $\backslash$ gets ($\leftarrow$) 76
 $\backslash$ gg ($\gg$) 62
 $\backslash$ gg ($\gg$) 61
 $\backslash$ gg ($\gg$) 64
 $\backslash$ gg ($\gg$) 63
 $\backslash$ gg ($\gg$) 66
 $\backslash$ ggcurly ($\gg$) 48
 $\backslash$ ggcurly ($\gg$) 54
 $\backslash$ ggg ($\gg$) 62
 $\backslash$ ggg ($\ggg$) 61
 $\backslash$ ggg ($\ggg$ vs. $\gg$) 207
 $\backslash$ ggg ($\ggg$) 65
 $\backslash$ ggg ($\ggg$) 64
 $\backslash$ ggg ($\ggg$) 63
 $\backslash$ ggg ($\ggg$) 66
 $\backslash$ gggnest ($\ggg$) 66
 $\backslash$ gggtr *see* $\backslash$ ggg
 $\backslash$ gggtr ($\ggg$) 64
 $\backslash$ gggtr ($\ggg$) 63
 $\backslash$ gggtr ($\ggg$) 66
ghosts 174
Gibbons, Jeremy 228
 $\backslash$ gimel (J) 90
 $\backslash$ gimel (J) 90
 $\backslash$ gimel (λ) 90
 $\backslash$ gimel (J) 90
 $\backslash$ gimel (λ) 91
 $\backslash$ girl (Q) 120
 $\backslash$ gla ($\times$) 66
 $\backslash$ glE ($\cong$) 66
 $\backslash$ gleichstark (H) 55
 $\backslash$ glj ($\times$) 65
 $\backslash$ glj ($\times$) 66
globe 165
 $\backslash$ glotstop (?) 18
 $\backslash$ glottal (I) 18
 $\backslash$ Gloves (Q) 178
 $\backslash$ gluon (ooooo) 118
gluons 125
 $\backslash$ gnapprox ($\gtrsim$) 62
 $\backslash$ gnapprox ($\gtrsim$) 61
 $\backslash$ gnapprox ($\gtrsim$) 65
 $\backslash$ gnapprox ($\gtrsim$) 64
 $\backslash$ gnapprox ($\gtrsim$) 63
 $\backslash$ gnapprox ($\gtrsim$) 66
 $\backslash$ gneq ($\geq$) 62
 $\backslash$ gneq ($\geq$) 61
 $\backslash$ gneq ($\geq$) 65
 $\backslash$ gneq ($\geq$) 64
 $\backslash$ gneq ($\geq$) 66
 $\backslash$ gneqq ($\geq$) 62
 $\backslash$ gneqq ($\geq$) 61
 $\backslash$ gneqq ($\geq$) 65
 $\backslash$ gneqq ($\geq$) 64
 $\backslash$ gneqq ($\geq$) 63

$\backslash\gneqq$ ($\gtrless$) 66
 $\backslash\gnsim$ ($\gtrsim$) 62
 $\backslash\gnsim$ ($\gtrsim$) 61
 $\backslash\gnsim$ ($\gtrsim$) 65
 $\backslash\gnsim$ ($\gtrsim$) 64
 $\backslash\gnsim$ ($\gtrsim$) 63
 $\backslash\gnsim$ ($\gtrsim$) 66
 $\backslash\GO$ ($\rightarrow$) 121
go (package) 171, 226
Go boards 170, 171
Go stones 170, 171
goban 170, 171
 $\backslash\Goofy$ 172
 $\backslash\text{graphene}$ ($\bigcirc$) 125
graphics (package) ... 84, 209
graphicx (package) 23, 206, 209
 $\backslash\grave$ ($\grave{\text{a}}$) 101
 $\backslash\grave$ ($\grave{\text{a}}$) 100
grave ($\grave{\text{a}}$) *see* accents
 $\backslash\gravis$ ($\grave{\text{a}}$) 22
 $\backslash\text{GreatBritain}$ (GB) 177
greater-than signs *see*
 inequalities
greatest lower bound *see*
 $\backslash\text{sqcap}$
 $\backslash\text{Greece}$ (€) 177
Greek 14, 88, 89
 blackboard bold 117
 bold 88, 220
 coins 25
 letters .. 14, 88, 89, 117,
 144, 220
 numerals 144
 polytonic 14, 88, 89
 upright 14, 89
greek (babel package option) 14,
 88, 89, 144
Green Dot .. *see* $\backslash\text{Greenpoint}$
 and $\backslash\text{PackingWaste}$
 $\backslash\text{Greenpoint}$ (G) 174
greenpoint (package) 186, 226
Gregorian music 149

 $\backslash\text{gregorianCclef}$ (C) .. 149

 $\backslash\text{gregorianFclef}$ (F) .. 149
Gregorio, Enrico 100, 210, 211
Griffith's separation vector (g)
 116
 $\backslash\text{grimace}$ (☹) 165
Grüne Punkt *see* $\backslash\text{Greenpoint}$
 and $\backslash\text{PackingWaste}$
 $\backslash\text{GS}$ ($\leftrightarrow$) 122
 $\backslash\text{gsime}$ ($\gtrsim$) 66
 $\backslash\text{gsiml}$ ($\gtrsim$) 66
 $\backslash\text{Gt}$ ($\gtrsim$) 65
 $\backslash\text{Gt}$ ($\gtrsim$) 66
 $\backslash\text{gtcc}$ ($\triangleright$) 64
 $\backslash\text{gtcc}$ ($\triangleright$) 66
 $\backslash\text{gtcir}$ ($\triangleright$) 65
 $\backslash\text{gtcir}$ ($\triangleright$) 66
 $\backslash\text{gtlpar}$ ($\triangleright$) 111
 $\backslash\text{gtlpar}$ ($\triangleright$) 112

$\backslash\text{gtquest}$ ($\gtrless$) 65
 $\backslash\text{gtr}$ ($>$) 64
 $\backslash\text{gtr}$ ($>$) 63
 $\backslash\text{gtrapprox}$ ($\gtrapprox$) 62
 $\backslash\text{gtrapprox}$ ($\gtrapprox$) 61
 $\backslash\text{gtrapprox}$ ($\gtrapprox$) 65
 $\backslash\text{gtrapprox}$ ($\gtrapprox$) 64
 $\backslash\text{gtrapprox}$ ($\gtrapprox$) 63
 $\backslash\text{gtrapprox}$ ($\gtrapprox$) 65
 $\backslash\text{gtrarr}$ ($\gtrapprox$) 65
 $\backslash\text{gtrcc}$ ($\triangleright$) 64
 $\backslash\text{gtrclosed}$ ($\triangleright$) 64, 68
 $\backslash\text{gtrclosed}$ ($\triangleright$) 63, 67
 $\backslash\text{gtrdot}$ ($\triangleright$) 62
 $\backslash\text{gtrdot}$ ($\triangleright$) 61
 $\backslash\text{gtrdot}$ ($\triangleright$) 31
 $\backslash\text{gtrdot}$ ($\triangleright$) 64
 $\backslash\text{gtrdot}$ ($\triangleright$) 63
 $\backslash\text{gtrdot}$ ($\triangleright$) 65
 $\backslash\text{gtreqless}$ ($\gtrless$) 62
 $\backslash\text{gtreqless}$ ($\gtrless$) 61
 $\backslash\text{gtreqless}$ ($\gtrless$) 65
 $\backslash\text{gtreqless}$ ($\gtrless$) 64
 $\backslash\text{gtreqless}$ ($\gtrless$) 63
 $\backslash\text{gtreqless}$ ($\gtrless$) 65
 $\backslash\text{gtreqlessslant}$ ($\gtrless$) 64
 $\backslash\text{gtreqlessslant}$ ($\gtrless$) 63
 $\backslash\text{gtreqqlless}$ ($\gtrless$) 62
 $\backslash\text{gtreqqlless}$ ($\gtrless$) 61
 $\backslash\text{gtreqqlless}$ ($\gtrless$) 65
 $\backslash\text{gtreqqlless}$ ($\gtrless$) 64
 $\backslash\text{gtreqqlless}$ ($\gtrless$) 63
 $\backslash\text{gtreqqlless}$ ($\gtrless$) 65
 $\backslash\text{gtreqslantless}$ ($\gtrless$) 64
 $\backslash\text{gtrless}$ ($\gtrless$) 62
 $\backslash\text{gtrless}$ ($\gtrless$) 61
 $\backslash\text{gtrless}$ ($\gtrless$) 65
 $\backslash\text{gtrless}$ ($\gtrless$) 64
 $\backslash\text{gtrless}$ ($\gtrless$) 63
 $\backslash\text{gtrless}$ ($\gtrless$) 65
 $\backslash\text{gtrneqqless}$ ($\gtrless$) 63
 $\backslash\text{gtrsim}$ ($\gtrsim$) 62
 $\backslash\text{gtrsim}$ ($\gtrsim$) 61
 $\backslash\text{gtrsim}$ ($\gtrsim$) 65
 $\backslash\text{gtrsim}$ ($\gtrsim$) 64
 $\backslash\text{gtrsim}$ ($\gtrsim$) 63
 $\backslash\text{gtrsim}$ ($\gtrsim$) 65
 $\backslash\text{GU}$ (Å) 121
 $\backslash\text{guillemotleft}$ ($\ll$) .. 15, 222
 $\backslash\text{guillemotright}$ ($\gg$) .. 15, 222
 $\backslash\text{guilsinglleft}$ ($\langle$) .. 15, 223
 $\backslash\text{guilsinglright}$ ($\rangle$) .. 15, 223
 $\backslash\text{gvcropped}$ (~) 125
 $\backslash\text{gvertneqq}$ ($\gtrapprox$) 62
 $\backslash\text{gvertneqq}$ ($\gtrapprox$) 61
 $\backslash\text{gvertneqq}$ ($\gtrapprox$) 65
 $\backslash\text{gvertneqq}$ ($\gtrapprox$) 64
 $\backslash\text{gvertneqq}$ ($\gtrapprox$) 63
 $\backslash\text{gvertneqq}$ ($\gtrapprox$) 65

H

$\backslash\text{H}$ (H) 19
h (esvect package option) . 104
 $\backslash\text{h}$ (h) 19
 $\backslash\text{HA}$ (H) 139
 $\backslash\text{Ha}$ (H) 139
háček (h) *see* accents
 $\backslash\text{Hades}$ (H) 120
 $\backslash\text{Hail}$ (H) 166
 $\backslash\text{Halb}$ (H) 149
half note *see* musical symbols
 $\backslash\text{HalfCircleLeft}$ (H) 135
 $\backslash\text{HalfCircleRight}$ (H) ... 135
 $\backslash\text{HalfFilledHut}$ (H) 166
 $\backslash\text{halflength}$ (H) 23
 $\backslash\text{halfNote}$ (H) 150
 $\backslash\text{halfnote}$ (H) 147
 $\backslash\text{halfNoteDotted}$ (H) 150
 $\backslash\text{halfNoteDottedDouble}$ (H) .
 150
 $\backslash\text{halfNoteDottedDoubleDown}$
 (H) 150
 $\backslash\text{halfNoteDottedDown}$ (H) 150
 $\backslash\text{halfNoteDown}$ (H) 150
 $\backslash\text{halfNoteRest}$ (H) 151
 $\backslash\text{halfNoteRestDotted}$ (H) ..
 151
 $\backslash\text{HalfSun}$ (H) 166
Hamiltonian (H) *see*
 alphabets, math
 $\backslash\text{HandCuffLeft}$ (H) 128
 $\backslash\text{HandCuffLeftUp}$ (H) ... 128
 $\backslash\text{HandCuffRight}$ (H) 128
 $\backslash\text{HandCuffRightUp}$ (H) .. 128
 $\backslash\text{HandLeft}$ (H) 128
 $\backslash\text{HandLeftUp}$ (H) 128
 $\backslash\text{HandPencilLeft}$ (H) ... 128
 $\backslash\text{HandRight}$ (H) 128
 $\backslash\text{HandRightUp}$ (H) 128
hands *see* fists
hands (package) 186, 226
 $\backslash\text{Handwash}$ (H) 165
 $\backslash\text{HaPa}$ (H) 149
harmony (package) .. 149, 226
harpoon (package) 84, 226, 227
harpoons .. 69, 71, 74, 78–80,
 83–84, 202–203
 $\backslash\text{hash}$ (H) 113
 $\backslash\text{hash}$ (H) 54
hash mark *see* $\backslash\text{#}$
 $\backslash\text{hat}$ (H) 101
 $\backslash\text{hat}$ (H) 100
 $\backslash\text{hatapprox}$ (H) 55
 $\backslash\text{hateq}$ (H) 52
 $\backslash\text{hateq}$ (H) 49
 $\backslash\text{hausab}$ (H) 18
 $\backslash\text{hausab}$ (H) 18
 $\backslash\text{hausad}$ (H) 18
 $\backslash\text{hausad}$ (H) 18
 $\backslash\text{hausak}$ (H) 18

<code>\hausak</code> ($\text{\textcircled{K}}$)	18	<code>hhcount</code> (package)	167, 168, 226, 227	<code>\hookdownminus</code> ($\neg$)	113
<code>\HB</code> ($\text{\textcircled{B}}$)	139	<code>\Hhundred</code> ($\text{\textcircled{H}}$)	139	<code>\hookdownminus</code> ($\neg$)	113
<code>\Hb</code> ($\text{\textcircled{b}}$)	139	<code>\HI</code> ($\text{\textcircled{I}}$)	139	<code>\hookg</code> ($\text{\textcircled{g}}$)	18
<code>\HBar</code> ($\text{\textcircled{H}}$)	135	<code>\Hi</code> ($\text{\textcircled{h}}$)	139	<code>\hookh</code> ($\text{\textcircled{h}}$)	18
<code>\hbar</code> ($\hbar$)	91, 210	<code>\hiatus</code> ($\text{\textcircled{H}}$)	172	<code>\hookheng</code> ($\text{\textcircled{h}}$)	18
<code>\hbar</code> ($\hbar$)	92	<code>\Hibl</code> ($\text{\textcircled{H}}$)	139	<code>\hookleftarrow</code> ($\leftarrow$)	69
<code>\hbar</code> ($\hbar$)	92	<code>\Hibp</code> ($\text{\textcircled{H}}$)	139	<code>\hookleftarrow</code> ($\leftarrow$)	79
<code>\hbar</code> ($\hbar$)	92	<code>\Hibs</code> ($\text{\textcircled{H}}$)	139	<code>\hookleftarrow</code> ($\leftarrow$)	75
<code>\hbipropto</code> ($\propto$)	29	<code>\Hibw</code> ($\text{\textcircled{H}}$)	139	<code>\hookleftarrow</code> ($\leftarrow$)	72
<code>\HC</code> ($\text{\textcircled{C}}$)	139	<code>\Hidalgo</code> ($\text{\textcircled{H}}$)	120	<code>\hookleftarrow</code> ($\leftarrow$)	81
<code>\Hc</code> ($\text{\textcircled{c}}$)	139	<code>hieroglf</code> (package)	139, 226	<code>\hooknearrow</code> ($\nearrow$)	75
<code>\hcrossing</code> ($\times$)	49	<code>hieroglyphics</code>	139	<code>\hooknarrow</code> ($\text{\textcircled{N}}$)	75
<code>\HCthousand</code> ($\text{\textcircled{H}}$)	139	Hilbert space ($\mathcal{H}$)	see alphabets, math	<code>\hookrepspsilon</code> ($\text{\textcircled{E}}$)	18
<code>\HD</code> ($\text{\textcircled{D}}$)	139	<code>\hill</code> ($\text{\textcircled{H}}$)	22	<code>\hookrightarrow</code> ($\rightarrow$)	69
<code>\Hd</code> ($\text{\textcircled{d}}$)	139	<code>\HJ</code> ($\text{\textcircled{J}}$)	139	<code>\hookrightarrow</code> ($\rightarrow$)	79
<code>\hdotdot</code> ($\ddot{\cdot}$)	30, 108	<code>\Hj</code> ($\text{\textcircled{J}}$)	139	<code>\hookrightarrow</code> ($\rightarrow$)	75
<code>\hdotdot</code> ($\ddot{\cdot}$)	29, 108	<code>\HK</code> ($\text{\textcircled{K}}$)	139	<code>\hookrightarrow</code> ($\rightarrow$)	72
<code>\hdots</code> ($\cdots$)	108	<code>\Hk</code> ($\text{\textcircled{K}}$)	139	<code>\hookrightarrow</code> ($\rightarrow$)	81
<code>\hdots</code> ($\cdots$)	108	<code>\hknearrow</code> ($\nearrow$)	76	<code>\hooksearrow</code> ($\searrow$)	75
<code>\Hdual</code> ($\text{\textcircled{H}}$)	139	<code>\hknearrow</code> ($\nearrow$)	81	<code>\hookswarrow</code> ($\swarrow$)	75
<code>\HE</code> ($\text{\textcircled{E}}$)	139	<code>\hkswarrow</code> ($\swarrow$)	81	<code>\hookuparrow</code> ($\uparrow$)	75
<code>\He</code> ($\text{\textcircled{E}}$)	139	<code>\hksearrow</code> ($\searrow$)	81	<code>\hookupminus</code> ($\neg$)	31
heads	see faces	<code>\hksearrow</code> ($\searrow$)	76	<code>\hookupminus</code> ($\neg$)	113
<code>\Heart</code> ($\heartsuit$)	165	<code>\hksqrt</code> ($\sqrt{\text{\textcircled{H}}}$)	212	Horn, Berthold	117
heartctrbull (bullctr package option)	168	<code>\hkswarrow</code> ($\swarrow$)	81	<code>\hoshi</code> ($\text{\textcircled{H}}$)	171
<code>\heartctrbull</code>	168	<code>\HL</code> ($\text{\textcircled{L}}$)	139	<code>\hourglass</code> ($\text{\textcircled{X}}$)	31
hearts	120, 136, 137, 180–184	<code>\Hl</code> ($\text{\textcircled{L}}$)	139	<code>\hourglass</code> ($\text{\textcircled{X}}$)	36
<code>\heartsuit</code> ($\heartsuit$)	136	<code>\Hl</code> ($\text{\textcircled{L}}$)	139	<code>\house</code> ($\text{\textcircled{H}}$)	133
<code>\heartsuit</code> ($\heartsuit$)	136	<code>\HM</code> ($\text{\textcircled{M}}$)	139	<code>\HP</code> ($\text{\textcircled{P}}$)	139
<code>\heartsuit</code> ($\heartsuit$)	136	<code>\Hm</code> ($\text{\textcircled{M}}$)	139	<code>\Hp</code> ($\text{\textcircled{P}}$)	139
<code>\heartsuit</code> ($\heartsuit$)	136	<code>\Hman</code> ($\text{\textcircled{M}}$)	139	<code>\hpause</code> ($\text{\textcircled{H}}$)	148
<code>\heartsuit</code> ($\heartsuit$)	137	<code>\Hmillion</code> ($\text{\textcircled{M}}$)	139	<code>\Hplural</code> ($\text{\textcircled{H}}$)	139
<code>\heavyqleft</code> ($\text{\textcircled{H}}$)	178	<code>\Hms</code> ($\text{\textcircled{M}}$)	139	<code>\Hplus</code> ($\text{\textcircled{H}}$)	139
<code>\heavyqtright</code> ($\text{\textcircled{H}}$)	178	<code>\HN</code> ($\text{\textcircled{N}}$)	139	<code>\HQ</code> ($\text{\textcircled{Q}}$)	139
Hebrew	90, 91, 117	<code>\Hn</code> ($\text{\textcircled{N}}$)	139	<code>\Hq</code> ($\text{\textcircled{Q}}$)	139
Helvetica (font)	24	<code>\HO</code> ($\text{\textcircled{O}}$)	139	<code>\Hquery</code> ($\text{\textcircled{H}}$)	139
<code>\hemibelion</code> ($\text{\textcircled{H}}$)	25	<code>\Ho</code> ($\text{\textcircled{O}}$)	139	<code>\HR</code> ($\text{\textcircled{R}}$)	139
<code>\Herd</code> ($\text{\textcircled{H}}$)	179	<code>\hole</code> (h^+)	125	<code>\Hr</code> ($\text{\textcircled{R}}$)	139
<code>\HERMAPHRODITE</code> ($\text{\textcircled{H}}$)	124	<code>\HollowBox</code> ($\square$)	130	<code>\hrectangle</code> ($\square$)	133
<code>\Hermaphrodite</code> ($\text{\textcircled{H}}$)	124	Holmes, Sherlock	200	<code>\hrectangleblack</code> ($\blacksquare$)	133
<code>\Hermaphrodite</code> ($\text{\textcircled{H}}$)	124	Holt, Alexander	1, 225	<code>\HS</code> ($\text{\textcircled{H}}$)	139
<code>\hermitmatrix</code> ($\text{\textcircled{H}}$)	114	<code>\holter</code> ($\text{\textcircled{H}}$)	107	<code>\Hs</code> ($\text{\textcircled{H}}$)	139
<code>\hermitmatrix</code> ($\text{\textcircled{H}}$)	114	<code>holtpolt</code> (package)	107, 226	<code>\hs</code> ($\text{\textcircled{H}}$)	148
<code>\Heta</code> ($\text{\textcircled{H}}$)	144	<code>\hom</code> (hom)	87	<code>\Hscribe</code> ($\text{\textcircled{H}}$)	139
<code>\heta</code> ($\text{\textcircled{H}}$)	144	<code>\Home</code> ($\text{\textcircled{H}}$)	122	<code>\Hslash</code> ($\text{\textcircled{H}}$)	139
<code>\hexagon</code> ($\square$)	133	<code>\Homer</code> ($\text{\textcircled{H}}$)	172	<code>\hslash</code> ($\text{\textcircled{H}}$)	91
<code>\hexagon</code> ($\square$)	132	<code>\Hone</code> ($\text{\textcircled{H}}$)	139	<code>\hslash</code> ($\text{\textcircled{H}}$)	92
<code>\hexagonblack</code> ($\blacksquare$)	133	hook accent ($\text{\textcircled{H}}$)	see accents	<code>\hslash</code> ($\text{\textcircled{H}}$)	92
<code>\Hexasteel</code> ($\text{\textcircled{H}}$)	123	<code>\hookb</code> ($\text{\textcircled{b}}$)	18	<code>\hslash</code> ($\text{\textcircled{H}}$)	92
<code>\hexstar</code> ($\text{\textcircled{H}}$)	131	<code>\hookd</code> ($\text{\textcircled{d}}$)	18	<code>\Hsv</code> ($\text{\textcircled{H}}$)	139
<code>\HF</code> ($\text{\textcircled{F}}$)	118	<code>\hookd</code> ($\text{\textcircled{d}}$)	18	<code>\HT</code> ($\text{\textcircled{H}}$)	122
<code>\HF</code> ($\text{\textcircled{F}}$)	139	<code>\hookdownarrow</code> ($\downarrow$)	75	<code>\HT</code> ($\text{\textcircled{H}}$)	139
<code>\Hf</code> ($\text{\textcircled{F}}$)	139			<code>\Ht</code> ($\text{\textcircled{H}}$)	139
<code>\hfermion</code> ($\text{\textcircled{H}}$)	125			<code>\Hten</code> ($\text{\textcircled{H}}$)	139
<code>\hfil</code>	211			<code>\Hthousand</code> ($\text{\textcircled{H}}$)	139
<code>\HG</code> ($\text{\textcircled{G}}$)	139			<code>\Htongue</code> ($\text{\textcircled{H}}$)	139
<code>\Hg</code> ($\text{\textcircled{G}}$)	139			<code>\HU</code> ($\text{\textcircled{H}}$)	139
<code>\HH</code>	149			<code>\Hu</code> ($\text{\textcircled{H}}$)	139
<code>\HH</code> ($\text{\textcircled{H}}$)	139				
<code>\Hh</code> ($\text{\textcircled{H}}$)	139				

Hungarian umlaut (ű) . . . <i>see</i> accents		
\Hungary (☞)	178	
\Hut (⬆)	166	
\HV (⚡)	139	
\Hv (⚡)	139	
\hv (lv)	18	
\Hvbar (l)	139	
\HW (ℳ)	139	
\Hw (ℳ)	139	
\HX (ℳ)	139	
\Hx (ℳ)	139	
\HXthousand (ℳ)	139	
\HY (ℳ)	139	
\Hy (ℳ)	139	
\Hygiea (♄)	120	
hyphen, discretionary	223	
\hyphenbullet (•)	114	
\HZ (ℳ)	139	
\Hz (ℳ)	139	
\hzigzag (⋈)	114	
I		
ï	19	
\i (i)	19	
\ialign	211, 213, 214	
\IB (I)	121	
\ibar (i)	18	
IBM PC	122, 173, 221	
\IC (ℳ)	120	
\Iceland (♄)	178	
Icelandic staves	173	
\IceMountain (⬆)	166	
\iddots (⋯)	109	
\iddots ()	213	
\idotsint (∫⋯∫)	38	
\idotsint (∫⋯∫)	39	
\idotsint (∫⋯∫)	42, 43	
\idotsint (∫⋯∫)	41	
\iff <i>see</i> \Longleftarrow		
ifsym (package)	118, 135, 166, 207, 209, 226	
igo (package)	170, 226	
\igocircle (⊙)	170	
\igocircle (⊙)	170	
\igocross (⊗)	170	
\igocross (⊗)	170	
\igonone (●)	170	
\igonone (○)	170	
\igosquare (■)	170	
\igosquare (□)	170	
\igotriangle (▲)	170	
\igotriangle (△)	170	
\iiiint (∫∫∫∫)	38	
\iiiint (∫∫∫∫)	39	
\iiiint (∫∫∫∫)	40	
\iiiint (∫∫∫∫)	42	
\iiiint (∫∫∫∫)	41	
\iiiint (∫∫∫∫)	43	
\iiiintsl (∫∫∫∫)	45	
\iiiintup (∫∫∫∫)	45	
\iiint (∫∫∫)	39	
\iiint (∫∫∫)	38	
\iiint (∫∫∫)	38	
\iiint (∫∫∫)	40	
\iiint (∫∫∫)	40	
\iiint (∫∫∫)	42	
\iiint (∫∫∫)	41	
\iiint (∫∫∫)	43	
\iiintsl (∫∫∫)	44	
\iiintup (∫∫∫)	44	
\iinfin (∞)	114	
\iinfin (∞)	111	
\iint (∫∫)	39	
\iint (∫∫)	38	
\iint (∫∫)	38	
\iint (∫∫)	40	
\iint (∫∫)	40	
\iint (∫∫)	42	
\iint (∫∫)	41	
\iint (∫∫)	43	
\iintsl (∫∫)	44	
\iintup (∫∫)	44	
\Im (ℑ)	91	
\Im (ℑ)	92	
\im (j)	92	
\imageof (↗)	85	
\imageof (↗)	55	
\imath (ι)	91, 100	
\imath (ι)	92	
\imath (ι)	92	
\impliedby <i>see</i>		
\Longleftarrow		
\implies <i>see</i> \Longrightarrow		
and \vdash		
impulse train <i>see</i> sha		
\in (∈)	91	
\in (∈)	91	
\in (∈)	51, 92	
\in (∈)	92	
\in (∈)	91	
\in (∈)	55	
inches <i>see</i> \second and		
\textquotedbl		
\incoh (⋈)	58	
\increment (Δ)	114	
independence		
probabilistic	212	
statistical	212	
stochastic <i>see</i> \bot		
\independent (⊥)	212	
\Industry (♄)	165	
inequalities	13, 61–66	
inexact differential . <i>see</i> \dbar		
\inf (inf)	87	
infimum <i>see</i> \inf and \sqcap		
infinity	111–113, 115, 212	
\Info (ℳ)	165	
\Info (ℳ)	175	
information symbols	165	
informer symbols	169	
\infty (∞)	113	
\infty (∞)	112	
\infty (∞)	113	
\infty (∞)	113	
\infty (∞)	111	
\inipartvoice (⊞)	21	
\inipartvoiceless (⊞)	21	
\injlím (injlím)	87	
\Innocey (⊞)	179	
\inplus (€)	47	
\inplus (€)	54	
inputenc (package)	224	
\Ins (⊞)	122	
\int (∫)	39	
\int (∫)	38	
\int (∫)	38	
\int (∫)	37	
\int (∫)	42	
\int (∫)	41	
\int (∫)	43	
\intBar (∫)	42	
\intBar (∫)	43	
\intbar (∫)	42	
\intbar (∫)	43	
\intBarsl (∫)	45	
\intbarsl (∫)	45	
\intBarup (∫)	45	
\intbarup (∫)	45	
\intcap (∫)	43	
\intcapsl (∫)	45	
\intcup (∫)	45	
\intclockwise (∫)	43	
\intclockwise (∫)	46	
\intclockwise (∫)	43	
\intclockwisesl (∫)	44	
\intclockwiseup (∫)	44	
\intctrclockwise (∫)	43	
\intcup (∫)	44	
\intcupsl (∫)	45	
\intcupup (∫)	45	
\INTEGER (ℤ)	87	
\Integer (ℤ)	87	
integers (ℤ) <i>see</i> alphabets, math		
integrals	36–46, 113, 212	
product	46	
integrals (wasysym package op- tion)	38	
\intercal (⊞)	28	
\intercal (⊞)	31, 92	
\intercal (⊞)	30	
\intercal (⊞)	91	
\intercal (⊞)	32, 92	
interior <i>see</i> \mathring		
\interleave (⋈)	28	
\interleave (⋈)	32	
intersection <i>see</i> \cap		
\Interval (⊞)	166	
\intlarhk (∫)	44	
\intlarhksl (∫)	45	
\intlarhkup (∫)	45	

$\backslash\mathrm{intprod}(\neg)$... 30, 31, 113
 $\backslash\mathrm{intprod}(\neg)$... 32
 $\backslash\mathrm{intprodr}(\neg)$... 30, 31, 113
 $\backslash\mathrm{intprodr}(\neg)$... 32
 $\backslash\mathrm{intsl}(f)$... 44
 $\backslash\mathrm{intup}(f)$... 43
 $\backslash\mathrm{intup}(f)$... 44
 $\backslash\mathrm{intx}(f)$... 44
 $\backslash\mathrm{intxsl}(f)$... 45
 $\backslash\mathrm{intxup}(f)$... 45
 $\backslash\mathrm{inva}(v)$... 18
 $\backslash\mathrm{invamp}(v)$... 29
 $\backslash\mathrm{invamp}(v)$... 33
 $\backslash\mathrm{invbackneg}(\neg)$... 113
 $\backslash\mathrm{INVd}(\triangle)$... 123
 $\backslash\mathrm{invdiameter}(\oslash)$... 164
 $\backslash\mathrm{inve}(a)$... 18
inverse limit *see* $\backslash\mathrm{varprojlim}$
 $\backslash\mathrm{inversebullet}(\blacksquare)$... 114
 $\backslash\mathrm{inversewhitecircle}(\bigcirc)$... 133
 $\backslash\mathrm{InversTransformHoriz}(\bullet\circ)$... 58
 $\backslash\mathrm{InversTransformVert}(\circ)$... 58
inverted symbols ... 16–18, 23, 209
inverters ... 123
 $\backslash\mathrm{invf}(j)$... 18
 $\backslash\mathrm{invglotstop}(b)$... 18
 $\backslash\mathrm{invh}(u)$... 18
 $\backslash\mathrm{INVl}(\triangleleft)$... 123
 $\backslash\mathrm{invlazys}(\sim)$... 32
 $\backslash\mathrm{invlegr}(l)$... 18
 $\backslash\mathrm{invu}(u)$... 18
 $\backslash\mathrm{invneg}(\neg)$... 47
 $\backslash\mathrm{invneg}(\neg)$... 113
 $\backslash\mathrm{invneg}(\neg)$... 113
 $\backslash\mathrm{invnot}(\neg)$... 114
 $\backslash\mathrm{invnot}(\neg)$... 113
 $\backslash\mathrm{invnot}(\neg)$... 114
 $\backslash\mathrm{INVr}(\triangle)$... 123
 $\backslash\mathrm{invr}(i)$... 18
 $\backslash\mathrm{invscr}(K)$... 18
 $\backslash\mathrm{invscripta}(v)$... 18
 $\backslash\mathrm{invsmileface}(\odot)$... 178
 $\backslash\mathrm{INVu}(\triangle)$... 123
 $\backslash\mathrm{invv}(\Delta)$... 18
 $\backslash\mathrm{invw}(\mathbb{M})$... 18
 $\backslash\mathrm{invwhitelowerhalfcircle}(\smile)$... 133
 $\backslash\mathrm{invwhiteupperhalfcircle}(\frown)$... 133
 $\backslash\mathrm{invy}(\lambda)$... 18
 $\backslash\mathrm{IO}(\imath)$... 121
 $\backslash\mathrm{ion}(\odot)$... 125
 $\backslash\mathrm{Iota}(I)$... 88
 $\backslash\mathrm{iota}(\iota)$... 88
iota, upside-down ... 209
 $\backslash\mathrm{iotaup}(\iota)$... 89
 $\backslash\mathrm{ipagamma}(\gamma)$... 18

$\backslash\mathrm{ipercatal}(\dagger)$... 172
 $\backslash\mathrm{Ireland}(\p)$... 178
 $\backslash\mathrm{IroningI}(\mathbb{A})$... 165
 $\backslash\mathrm{IroningII}(\mathbb{A})$... 165
 $\backslash\mathrm{IroningIII}(\mathbb{A})$... 165
irony mark (?) ... 209
irrational numbers ($\mathbb{J}$) ... *see* alphabets, math
 $\backslash\mathrm{Irritant}(\mathbf{X})$... 166
 $\backslash\mathrm{isindot}(\dot{\epsilon})$... 55
 $\backslash\mathrm{isinE}(\epsilon)$... 55
 $\backslash\mathrm{isinobar}(\bar{\epsilon})$... 55
 $\backslash\mathrm{isins}(\epsilon)$... 55
 $\backslash\mathrm{isinvb}(\underline{\epsilon})$... 55
 $\backslash\mathrm{ismodeledby}(=)$... 210
ISO character entities ... 223
isoent (package) ... 223
Isthmian script ... 144–146
italic 13, 14, 25, 216, 218, 220, 223
 $\backslash\mathrm{Italy}(\text{?})$... 178

J

$\backslash\mathrm{j}(j)$... 19
 $\backslash\mathrm{JackStar}(\spadesuit)$... 131
 $\backslash\mathrm{JackStarBold}(\clubsuit)$... 131
Jewish star ... 131
 $\backslash\mathrm{jmath}(j)$... 91, 100
 $\backslash\mathrm{jmath}(j)$... 92
 $\backslash\mathrm{jmath}(j)$... 92
 $\backslash\mathrm{joch}(l)$... 166
 $\backslash\mathrm{Join}(\bowtie)$... 46, 47
 $\backslash\mathrm{Join}(\bowtie)$... 31, 52
 $\backslash\mathrm{Join}(\bowtie)$... 30
 $\backslash\mathrm{Join}(\bowtie)$... 114
 $\backslash\mathrm{joinrel}$... 210
joint denial ... *see* $\backslash\mathrm{downarrow}$
unicode (package) ... 224, 226
Unicode.ttf (file) ... 224
 $\backslash\mathrm{Juno}(\text{?})$... 120
 $\backslash\mathrm{Jupiter}(\text{?})$... 120
 $\backslash\mathrm{Jupiter}(\text{?})$... 119
 $\backslash\mathrm{Jupiter}(\text{?})$... 120
 $\backslash\mathrm{jupiter}(\text{?})$... 119

K

$\backslash\mathrm{k}(\text{?})$... 23
 $\backslash\mathrm{k}(\text{?})$... 19
 $\backslash\mathrm{Kappa}(K)$... 88
 $\backslash\mathrm{kappa}(\kappa)$... 88
 $\backslash\mathrm{kappaup}(\kappa)$... 89
 $\backslash\mathrm{ker}(\ker)$... 87
 $\backslash\mathrm{kernelcontraction}(\sim)$... 54
 $\backslash\mathrm{kernelcontraction}(\sim)$... 55
ket ... 94
 $\backslash\mathrm{Keyboard}(\text{?})$... 121
keyboard symbols ... 122
keys, computer ... 122
keystroke (package) ... 122, 226
 $\backslash\mathrm{keystroke}(\text{?})$... 122
king ... 170, 204–205
 $\backslash\mathrm{Knife}(l)$... 178
knight ... 170, 204–205

knitting (package) 176, 226, 227
knitting symbols ... 176
knot (package) ... 194, 197, 226
knots ... 194–197
Knuth, Donald E. 11, 221, 228
symbols by ... 164
 $\backslash\mathrm{Kochtopf}(\text{?})$... 179
 $\backslash\mathrm{Koppa}(\text{?})$... 144
 $\backslash\mathrm{koppa}(\text{?})$... 144
 $\backslash\mathrm{Kr}(\text{?})$... 149
 $\backslash\mathrm{kreuz}(\text{?})$... 164
Kronecker product *see* $\backslash\mathrm{otimes}$
Kronecker sum ... *see* $\backslash\mathrm{oplus}$
 $\backslash\mathrm{Kronos}(\text{?})$... 120
kroužek (?) ... *see* accents
 $\backslash\mathrm{kside}(\gg)$... 169

L

$\backslash\mathrm{L}(\text{?})$... 14
 $\backslash\mathrm{l}(\text{?})$... 14
 $\backslash\mathrm{labdentalnas}(\text{?})$... 18
 $\backslash\mathrm{labvel}$... 22
 $\backslash\mathrm{Ladiesroom}(\text{?})$... 165
Lagrangian ($\mathcal{L}$) *see* alphabets, math
 $\backslash\mathrm{Lambda}(\Lambda)$... 88
 $\backslash\mathrm{lambda}(\lambda)$... 88
 $\backslash\mathrm{lambdabar}(\lambda)$... 112
 $\backslash\mathrm{lambdabar}(\lambda)$... 114
 $\backslash\mathrm{lambdaslash}(\lambda)$... 112
 $\backslash\mathrm{lambdaslash}(\lambda)$... 114
 $\backslash\mathrm{lambdaup}(\lambda)$... 89
Lamport, Leslie ... 225, 228
 $\backslash\mathrm{land}$... *see* $\backslash\mathrm{wedge}$
 $\backslash\mathrm{land}(\wedge)$... 31
 $\backslash\mathrm{land}(\wedge)$... 32
land masses ... 176
 $\backslash\mathrm{landdownint}(f)$... 40
 $\backslash\mathrm{landdownint}(f)$... 42, 43
 $\backslash\mathrm{landdownint}(f)$... 41
 $\backslash\mathrm{landupint}(f)$... 40
 $\backslash\mathrm{landupint}(f)$... 42, 43
 $\backslash\mathrm{landupint}(f)$... 41
 $\backslash\mathrm{Langle}(\leq)$... 117
 $\backslash\mathrm{LAngle}(\ll)$... 99
 $\backslash\mathrm{LAngle}(\ll)$... 96
 $\backslash\mathrm{LAngle}(\ll)$... 97
 $\backslash\mathrm{langl}(\langle)$... 27, 94
 $\backslash\mathrm{langl}(\langle)$... 96
 $\backslash\mathrm{langl}(\langle)$... 96
 $\backslash\mathrm{langl}(\langle)$... 98
 $\backslash\mathrm{langlebar}(\langle)$... 96
 $\backslash\mathrm{langledot}(\langle)$... 96

<code>\leftcurvedarrow</code> ($\curvearrowleft$) .. 76	<code>\Leftrightarrow</code> ($\Leftrightarrow$) ... 75	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .
<code>\leftcurvedarrow</code> ($\curvearrowleft$) .. 82	<code>\Leftrightarrow</code> ($\Leftrightarrow$) ... 72	 69
<code>\leftdasharrow</code> ($\dashleftarrow$) 80	<code>\Leftrightarrow</code> ($\Leftrightarrow$) ... 82	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) 80
<code>\leftdasharrow</code> ($\dashleftarrow$) 82	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) ... 76	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) 72
<code>\leftdbkarrow</code> ($\dbkleftarrow$) 82	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) ... 69	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) 82
<code>\leftdbltail</code> ($\dblleftarrow$) 55	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) ... 75	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) 75
<code>\leftdotarrow</code> ($\dotleftarrow$) 82	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) ... 72	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 76
<code>\leftdowncurvedarrow</code> ($\curvearrowleft$) 76	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) ... 82	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 72
<code>\leftdowncurvedarrow</code> ($\curvearrowleft$) 82	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 101	<code>\LeftScissors</code> ($\LeftScissors$) 127
<code>\lefttevaw</code> ($\lefttevaw$) 98	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 82	<code>\leftslice</code> ($\leftslice$) 28
<code>\leftfilledspoon</code> ($\leftfilledspoon$) .. 84	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 70	<code>\leftslice</code> ($\leftslice$) 31
<code>\leftfishtail</code> ($\leftfishtail$) 55	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 80	<code>\leftslice</code> ($\leftslice$) 49
<code>\leftfootline</code> ($\leftfootline$) 52	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 70	<code>\leftspoon</code> ($\leftspoon$) 85
<code>\leftfootline</code> ($\leftfootline$) 49	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 69	<code>\leftspoon</code> ($\leftspoon$) 84
<code>\leftfree</code> ($\leftfree$) 49	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 80	<code>\leftsquigarrow</code> ($\leftsquigarrow$) .. 70
<code>\lefthalfcap</code> ($\lefthalfcap$) 29	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 75	<code>\leftsquigarrow</code> ($\leftsquigarrow$) ... 70
<code>\lefthalfcup</code> ($\lefthalfcup$) 30	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 72	<code>\leftsquigarrow</code> ($\leftsquigarrow$) ... 80
<code>\lefthand</code> ($\lefthand$) 129	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 82	<code>\leftsquigarrow</code> ($\leftsquigarrow$) ... 76
<code>\leftharpoonaccent</code> ($\leftharpoonaccent$) . 101	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 80	<code>\leftsquigarrow</code> ($\leftsquigarrow$) ... 82
<code>\leftharpoonccw</code> ($\leftharpoonccw$) ... 74	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 80	<code>\leftt</code> ($\leftt$) 23
<code>\leftharpooncw</code> ($\leftharpooncw$) ... 74	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 70	<code>\lefttail</code> ($\lefttail$) 55
<code>\leftharpoondown</code> ($\leftharpoondown$) .. 71	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 80	<code>\lefttherefore</code> ($\lefttherefore$) 108
<code>\leftharpoondown</code> ($\leftharpoondown$) .. 69	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 80	<code>\lefttherefore</code> ($\lefttherefore$) . 30, 108
<code>\leftharpoondown</code> ($\leftharpoondown$) .. 80	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 82	<code>\leftthreearrows</code> ($\leftthreearrows$) .. 82
<code>\leftharpoondown</code> ($\leftharpoondown$) .. 78	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 80	<code>\leftthreetimes</code> ($\leftthreetimes$) ... 113
<code>\leftharpoondown</code> ($\leftharpoondown$) .. 83	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 82	<code>\leftthreetimes</code> ($\leftthreetimes$) ... 28
<code>\leftharpoondownbar</code> ($\leftharpoondownbar$) 83	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 80	<code>\leftthreetimes</code> ($\leftthreetimes$) ... 31
<code>\leftharpoonsdown</code> ($\leftharpoonsdown$) 83	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 80	<code>\leftthreetimes</code> ($\leftthreetimes$) ... 30
<code>\leftharpoonsup</code> ($\leftharpoonsup$) 71	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 80	<code>\leftthreetimes</code> ($\leftthreetimes$) ... 30
<code>\leftharpoonsup</code> ($\leftharpoonsup$) 69	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 80	<code>\leftthreetimes</code> ($\leftthreetimes$) ... 32
<code>\leftharpoonsup</code> ($\leftharpoonsup$) 80	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 80	<code>\leftthumbsdown</code> ($\leftthumbsdown$) .. 128
<code>\leftharpoonsup</code> ($\leftharpoonsup$) 78	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 80	<code>\leftthumbsup</code> ($\leftthumbsup$) 128
<code>\leftharpoonsup</code> ($\leftharpoonsup$) 83	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 80	<code>\lefttorightarrow</code> ($\lefttorightarrow$) .. 70
<code>\leftharpoonsupbar</code> ($\leftharpoonsupbar$) . 83	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 80	<code>\lefttorightarrow</code> ($\lefttorightarrow$) .. 80
<code>\leftharpoonsupdash</code> ($\leftharpoonsupdash$) . 83	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 80	<code>\Lefttorque</code> ($\Lefttorque$) 123
<code>\leftlcurvearrow</code> ($\leftlcurvearrow$) .. 76	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 80	<code>\leftturn</code> ($\leftturn$) 164
<code>\leftleftarrows</code> ($\leftleftarrows$) ... 70	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 80	<code>\leftupcurvedarrow</code> ($\leftupcurvedarrow$) 76
<code>\leftleftarrows</code> ($\leftleftarrows$) ... 69	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 80	<code>\leftVDash</code> ($\leftVDash$) 52
<code>\leftleftarrows</code> ($\leftleftarrows$) ... 80	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 80	<code>\leftVdash</code> ($\leftVdash$) 52
<code>\leftleftarrows</code> ($\leftleftarrows$) ... 75	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 80	<code>\leftVdash</code> ($\leftVdash$) 49
<code>\leftleftarrows</code> ($\leftleftarrows$) ... 72	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 80	<code>\leftvDash</code> ($\leftvDash$) 52
<code>\leftleftarrows</code> ($\leftleftarrows$) ... 82	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 80	<code>\leftvdash</code> ($\leftvdash$) 52
<code>\leftleftharpoons</code> ($\leftleftharpoons$) .. 71	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 80	<code>\leftvdash</code> ($\leftvdash$) 49
<code>\leftlsquigarrow</code> ($\leftlsquigarrow$) .. 76	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 80	<code>\leftwave</code> ($\leftwave$) 98
<code>\leftlsquigarrow</code> ($\leftlsquigarrow$) .. 72	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 80	<code>\leftwavearrow</code> ($\leftwavearrow$) 75
<code>\Leftmapsto</code> ($\Leftmapsto$) 75	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 80	<code>\leftwavearrow</code> ($\leftwavearrow$) 82
<code>\leftmapsto</code> ($\leftmapsto$) 75	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 80	<code>\leftwhitearrow</code> ($\leftwhitearrow$) ... 80
<code>\leftmapsto</code> ($\leftmapsto$) 72	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 80	<code>\leftwhitearrow</code> ($\leftwhitearrow$) ... 82
<code>\leftModels</code> ($\leftModels$) 49	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 80	<code>\leftwhiteroundarrow</code> ($\leftwhiteroundarrow$) 80
<code>\leftmodels</code> ($\leftmodels$) 52	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 80	<code>\leftY</code> ($\leftY$) 30
<code>\leftmodels</code> ($\leftmodels$) 49	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 80	<code>\leftY</code> ($\leftY$) 30
<code>\leftmoon</code> ($\leftmoon$) 120	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 80	<code>\leftzigzagarrow</code> ($\leftzigzagarrow$) .. 80
<code>\leftmoon</code> ($\leftmoon$) 120	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 80	legal symbols .. 13, 14, 25, 26,
<code>\leftmoon</code> ($\leftmoon$) 119	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 80	222
<code>\leftouterjoin</code> ($\leftouterjoin$) 114	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 80	<code>\legm</code> ($\legm$) 18
<code>\leftp</code> ($\leftp$) 23	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 80	<code>\legr</code> ($\legr$) 18
<code>\leftpitchfork</code> ($\leftpitchfork$) 86	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 80	<code>\length</code> ($\length$) 23
<code>\leftpitchfork</code> ($\leftpitchfork$) 84	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 80	<code>\Leo</code> ($\Leo$) 119
<code>\leftpointright</code> ($\leftpointright$) .. 128	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 80	<code>\Leo</code> ($\Leo$) 120
<code>\leftpropto</code> ($\leftpropto$) 49	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 80	<code>\leo</code> ($\leo$) 119
<code>\leftrcurvearrow</code> ($\leftrcurvearrow$) .. 76	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 80	<code>\leq</code> ($\leq$) 62
<code>\Leftrightarrow</code> ($\Leftrightarrow$) ... 69	<code>\leftrightsquigarrow</code> ($\leftrightsquigarrow$) .. 80	

<code>\leq</code> ($\leq$)	61, 62	<code>\lesseqgtr</code> ($\lesseqgtr$)	66	<code>\lgwhtcircle</code> ($\bigcirc$)	134
<code>\leq</code> ($\leq$)	64	<code>\lesseqslantgtr</code> ($\lesseqslantgtr$)	64	<code>\lgwhtsquare</code> ($\square$)	133
<code>\leq</code> ($\leq$)	63	<code>\lessgtr</code> ($\lessgtr$)	62	<code>\lgwhtsquare</code> ($\square$)	134
<code>\leq</code> ($\leq$)	65, 66	<code>\lessgtr</code> ($\lessgtr$)	61	<code>\LHD</code> ($\blacktriangleleft$)	29
<code>\leqclosed</code> ($\leq$)	64, 68	<code>\lessgtr</code> ($\lessgtr$)	65	<code>\lhd</code> ($\triangleleft$)	28, 29
<code>\leqclosed</code> ($\leq$)	63, 67	<code>\lessgtr</code> ($\lessgtr$)	64	<code>\lhd</code> ($\triangleleft$)	64
<code>\leqdot</code> ($\leq$)	64	<code>\lessgtr</code> ($\lessgtr$)	63	<code>\lhd</code> ($\triangleleft$)	63, 67
<code>\leqdot</code> ($\leq$)	63	<code>\lessgtr</code> ($\lessgtr$)	66	<code>\lhd</code> ($\triangleleft$)	32, 134
<code>\leqq</code> ($\leqq$)	62	<code>\lessneqqgtr</code> ($\lessneqqgtr$)	63	<code>\lhd bend</code> ($\curvearrowright$)	164
<code>\leqq</code> ($\leqq$)	61	<code>\LessOrEqual</code> ($\leq$)	110	<code>\hook</code> ($\hook$)	87
<code>\leqq</code> ($\leqq$)	65	<code>\lesssim</code> ($\lesssim$)	62	<code>\hookdownarrow</code> ($\downarrow$)	76
<code>\leqq</code> ($\leqq$)	64	<code>\lesssim</code> ($\lesssim$)	61	<code>\hookdownarrow</code> ($\downarrow$)	72
<code>\leqq</code> ($\leqq$)	63	<code>\lesssim</code> ($\lesssim$)	65	<code>\hookleftarrow</code> ($\leftarrow$)	76
<code>\leqq</code> ($\leqq$)	65	<code>\lesssim</code> ($\lesssim$)	64	<code>\hookleftarrow</code> ($\leftarrow$)	72
<code>\leqqslant</code> ($\leqqslant$)	65	<code>\lesssim</code> ($\lesssim$)	63	<code>\hooknearrow</code> ($\nearrow$)	76
<code>\leqslant</code> ($\leq$)	61	<code>\lesssim</code> ($\lesssim$)	66	<code>\hooknearrow</code> ($\nearrow$)	72
<code>\leqslant</code> ($\leq$)	65	<code>\Letter</code> ($\boxtimes$)	123	<code>\hooknwarrow</code> ($\nwarrow$)	76
<code>\leqslant</code> ($\leq$)	64	<code>\Letter</code> ($\boxtimes$)	166	<code>\hooknwarrow</code> ($\nwarrow$)	72
<code>\leqslant</code> ($\leq$)	63	<code>\Letter</code> ($\boxtimes$ vs. $\boxtimes$)	207	<code>\hookrightarrow</code> ($\rightarrow$)	76
<code>\leqslant</code> ($\leq$)	65	letter-like symbols	91–93, 181–184	<code>\hookrightarrow</code> ($\rightarrow$)	72
<code>\leqslantdot</code> ($\leq$)	64	letters	see alphabets, 210, 211	<code>\hooksearrow</code> ($\searrow$)	76
<code>\leqslantdot</code> ($\leq$)	63	barred	210	<code>\hooksearrow</code> ($\searrow$)	72
<code>\leqslcc</code> ($\leq$)	64	non-ASCII	14	<code>\hookswarrow</code> ($\swarrow$)	76
<code>\lescc</code> ($\leq$)	65	slashed	211	<code>\hookswarrow</code> ($\swarrow$)	72
<code>\lescc</code> ($\leq$)	65	variant Greek	90	<code>\hookuparrow</code> ($\uparrow$)	76
<code>\lesdot</code> ($\leq$)	64	variant Latin	90	<code>\hookuparrow</code> ($\uparrow$)	72
<code>\lesdot</code> ($\leq$)	65			<code>\Libra</code> (Ω)	119
<code>\lesdoto</code> ($\leq$)	66			<code>\Libra</code> (Ω)	120
<code>\lesdotor</code> ($\leq$)	66			<code>\Libra</code> (Ω)	119
<code>\lesg</code> ($\leq$)	64			Lie derivative ($\mathcal{L}$)	see alphabets, math
<code>\lesges</code> ($\leq$)	66			<code>\Lichtenstein</code> ($\circ$)	176
<code>\less</code> ($<$)	64			life-insurance symbols	105, 214
<code>\less</code> ($<$)	63			<code>\lightbulb</code> ($\textcircled{\text{q}}$)	218
less-than signs	see inequalities			<code>\lightbulb.mf</code> (file)	216, 217
<code>\lessapprox</code> ($\lessapprox$)	62			<code>\lightbulb.sty</code> (file)	218
<code>\lessapprox</code> ($\lessapprox$)	61			<code>\lightbulb10.2602gf</code> (file)	216
<code>\lessapprox</code> ($\lessapprox$)	65			<code>\lightbulb10.dvi</code> (file)	216
<code>\lessapprox</code> ($\lessapprox$)	64			<code>\lightbulb10.mf</code> (file)	216–218
<code>\lessapprox</code> ($\lessapprox$)	63			<code>\lightbulb10.tfm</code> (file)	218
<code>\lessapprox</code> ($\lessapprox$)	66			<code>\Lightning</code> ($\text{\textcircled{\text{L}}}$)	123
<code>\lesscc</code> ($<$)	64			<code>\Lightning</code> ($\text{\textcircled{\text{L}}}$)	166
<code>\lessclosed</code> ($<$)	64, 68			<code>\Lightning</code> ($\text{\textcircled{\text{L}}}$ vs. $\text{\textcircled{\text{L}}}$)	207
<code>\lessclosed</code> ($<$)	63, 67			<code>\lightning</code> ($\text{\textcircled{\text{L}}}$)	70
<code>\lessdot</code> ($<$)	62			<code>\lightning</code> ($\text{\textcircled{\text{L}}}$ vs. $\text{\textcircled{\text{L}}}$)	207
<code>\lessdot</code> ($<$)	61			<code>\lightning</code> ($\text{\textcircled{\text{L}}}$)	75
<code>\lessdot</code> ($<$)	31			<code>\lightning</code> ($\text{\textcircled{\text{L}}}$)	72
<code>\lessdot</code> ($<$)	64			<code>\lightning</code> ($\text{\textcircled{\text{L}}}$)	164
<code>\lessdot</code> ($<$)	63			<code>\Lilith</code> ($\text{\textcircled{\text{L}}}$)	120
<code>\lessdot</code> ($<$)	66			<code>\lilyAccent</code> ($>$)	152
<code>\lesseqgtr</code> ($\lesseqgtr$)	62			<code>\lilyDynamics{f}</code> (f)	152
<code>\lesseqgtr</code> ($\lesseqgtr$)	61			<code>\lilyDynamics{m}</code> (m)	152
<code>\lesseqgtr</code> ($\lesseqgtr$)	65			<code>\lilyDynamics{p}</code> (p)	152
<code>\lesseqgtr</code> ($\lesseqgtr$)	64			<code>\lilyDynamics{r}</code> (r)	152
<code>\lesseqgtr</code> ($\lesseqgtr$)	63			<code>\lilyDynamics{s}</code> (s)	152
<code>\lesseqgtr</code> ($\lesseqgtr$)	66			<code>\lilyDynamics{z}</code> (z)	152
<code>\lesseqgtrslant</code> ($\lesseqgtrslant$)	64			<code>\lilyEspressivo</code> ($<>$)	152
<code>\lesseqgtrslant</code> ($\lesseqgtrslant$)	63			<code>\lilyGlyph{...}</code> ($\text{\textcircled{\text{L}}}$)	162
<code>\lesseqqgtr</code> ($\lesseqqgtr$)	62			<code>\lilyGlyph{...}</code> ($\text{\textcircled{\text{L}}}$)	162
<code>\lesseqqgtr</code> ($\lesseqqgtr$)	61			<code>\lilyGlyph{...}</code> ($\text{\textcircled{\text{L}}}$)	162
<code>\lesseqqgtr</code> ($\lesseqqgtr$)	65			<code>\lilyGlyph{...}</code> ($\text{\textcircled{\text{L}}}$)	162
<code>\lesseqqgtr</code> ($\lesseqqgtr$)	64			<code>\lilyGlyph{...}</code> ($\text{\textcircled{\text{L}}}$)	162
<code>\lesseqqgtr</code> ($\lesseqqgtr$)	63				

$\backslash$ LinearACXXXIV ($\mathfrak{I}$) 140
 $\backslash$ LinearACXXXIX ($\mathfrak{K}$) 140
 $\backslash$ LinearACXXXV ($\mathfrak{L}$) 140
 $\backslash$ LinearACXXXVI ($\mathfrak{M}$) 140
 $\backslash$ LinearACXXXVII ($\mathfrak{N}$) 140
 $\backslash$ LinearACXXXVIII ($\mathfrak{O}$) 140
 $\backslash$ LinearAI ($\mathfrak{P}$) 139
 $\backslash$ LinearAII ($\mathfrak{Q}$) 139
 $\backslash$ LinearAIII ($\mathfrak{R}$) 139
 $\backslash$ LinearAIV ($\mathfrak{S}$) 139
 $\backslash$ LinearAIX ($\mathfrak{T}$) 139
 $\backslash$ LinearAL ($\mathfrak{U}$) 140
 $\backslash$ LinearALI ($\mathfrak{V}$) 140
 $\backslash$ LinearALII ($\mathfrak{W}$) 140
 $\backslash$ LinearALIII ($\mathfrak{X}$) 140
 $\backslash$ LinearALIV ($\mathfrak{Y}$) 140
 $\backslash$ LinearALIX ($\mathfrak{Z}$) 140
 $\backslash$ LinearALV ($\mathfrak{A}$) 140
 $\backslash$ LinearALVI ($\mathfrak{B}$) 140
 $\backslash$ LinearALVII ($\mathfrak{C}$) 140
 $\backslash$ LinearALVIII ($\mathfrak{D}$) 140
 $\backslash$ LinearALX ($\mathfrak{E}$) 140
 $\backslash$ LinearALXI ($\mathfrak{F}$) 140
 $\backslash$ LinearALXII ($\mathfrak{G}$) 140
 $\backslash$ LinearALXIII ($\mathfrak{H}$) 140
 $\backslash$ LinearALXIV ($\mathfrak{I}$) 140
 $\backslash$ LinearALXIX ($\mathfrak{J}$) 141
 $\backslash$ LinearALXV ($\mathfrak{K}$) 140
 $\backslash$ LinearALXVI ($\mathfrak{L}$) 140
 $\backslash$ LinearALXVII ($\mathfrak{M}$) 141
 $\backslash$ LinearALXVIII ($\mathfrak{N}$) 141
 $\backslash$ LinearALXX ($\mathfrak{O}$) 141
 $\backslash$ LinearALXXI ($\mathfrak{P}$) 141
 $\backslash$ LinearALXXII ($\mathfrak{Q}$) 141
 $\backslash$ LinearALXXIII ($\mathfrak{R}$) 141
 $\backslash$ LinearALXXIV ($\mathfrak{S}$) 141
 $\backslash$ LinearALXXIX ($\mathfrak{T}$) 141
 $\backslash$ LinearALXXV ($\mathfrak{U}$) 141
 $\backslash$ LinearALXXVII ($\mathfrak{V}$) 141
 $\backslash$ LinearALXXVIII ($\mathfrak{W}$) 141
 $\backslash$ LinearALXXX ($\mathfrak{X}$) 141
 $\backslash$ LinearALXXXI ($\mathfrak{Y}$) 141
 $\backslash$ LinearALXXXII ($\mathfrak{Z}$) 141
 $\backslash$ LinearALXXXIII ($\mathfrak{A}$) 141
 $\backslash$ LinearALXXXIV ($\mathfrak{B}$) 141
 $\backslash$ LinearALXXXIX ($\mathfrak{C}$) 141
 $\backslash$ LinearALXXXV ($\mathfrak{D}$) 141
 $\backslash$ LinearALXXXVI ($\mathfrak{E}$) 141
 $\backslash$ LinearALXXXVII ($\mathfrak{F}$) 141
 $\backslash$ LinearALXXXVIII ($\mathfrak{G}$) 141
 $\backslash$ LinearALXXX ($\mathfrak{H}$) 141
 $\backslash$ LinearAV ($\mathfrak{I}$) 139
 $\backslash$ LinearAVI ($\mathfrak{J}$) 139
 $\backslash$ LinearAVII ($\mathfrak{K}$) 139
 $\backslash$ LinearAVIII ($\mathfrak{L}$) 139
 $\backslash$ LinearAX ($\mathfrak{M}$) 139
 $\backslash$ LinearAXCI ($\mathfrak{N}$) 141
 $\backslash$ LinearAXCII ($\mathfrak{O}$) 141
 $\backslash$ LinearAXCIII ($\mathfrak{P}$) 141
 $\backslash$ LinearAXCIV ($\mathfrak{Q}$) 141

$\backslash$ LinearAXCIX ($\mathfrak{R}$) 139
 $\backslash$ LinearAXCV ($\mathfrak{S}$) 141
 $\backslash$ LinearAXCVI ($\mathfrak{T}$) 141
 $\backslash$ LinearAXCVII ($\mathfrak{U}$) 141
 $\backslash$ LinearAXCVIII ($\mathfrak{V}$) 141
 $\backslash$ LinearAXI ($\mathfrak{W}$) 139
 $\backslash$ LinearAXII ($\mathfrak{X}$) 139
 $\backslash$ LinearAXIII ($\mathfrak{Y}$) 139
 $\backslash$ LinearAXIV ($\mathfrak{Z}$) 140
 $\backslash$ LinearAXIX ($\mathfrak{A}$) 140
 $\backslash$ LinearAXL ($\mathfrak{B}$) 140
 $\backslash$ LinearAXLI ($\mathfrak{C}$) 140
 $\backslash$ LinearAXLII ($\mathfrak{D}$) 140
 $\backslash$ LinearAXLIII ($\mathfrak{E}$) 140
 $\backslash$ LinearAXLIV ($\mathfrak{F}$) 140
 $\backslash$ LinearAXLIX ($\mathfrak{G}$) 140
 $\backslash$ LinearAXLV ($\mathfrak{H}$) 140
 $\backslash$ LinearAXLVI ($\mathfrak{I}$) 140
 $\backslash$ LinearAXLVII ($\mathfrak{J}$) 140
 $\backslash$ LinearAXLVIII ($\mathfrak{K}$) 140
 $\backslash$ LinearAXV ($\mathfrak{L}$) 140
 $\backslash$ LinearAXVI ($\mathfrak{M}$) 140
 $\backslash$ LinearAXVII ($\mathfrak{N}$) 140
 $\backslash$ LinearAXVIII ($\mathfrak{O}$) 140
 $\backslash$ LinearAXX ($\mathfrak{P}$) 140
 $\backslash$ LinearAXXI ($\mathfrak{Q}$) 140
 $\backslash$ LinearAXXII ($\mathfrak{R}$) 140
 $\backslash$ LinearAXXIII ($\mathfrak{S}$) 140
 $\backslash$ LinearAXXIV ($\mathfrak{T}$) 140
 $\backslash$ LinearAXXIX ($\mathfrak{U}$) 140
 $\backslash$ LinearAXXV ($\mathfrak{V}$) 140
 $\backslash$ LinearAXXVI ($\mathfrak{W}$) 140
 $\backslash$ LinearAXXVII ($\mathfrak{X}$) 140
 $\backslash$ LinearAXXVIII ($\mathfrak{Y}$) 140
 $\backslash$ LinearAXX ($\mathfrak{Z}$) 140
 $\backslash$ LinearAXXX ($\mathfrak{A}$) 140
 $\backslash$ LinearAXXXI ($\mathfrak{B}$) 140
 $\backslash$ LinearAXXXII ($\mathfrak{C}$) 140
 $\backslash$ LinearAXXXIII ($\mathfrak{D}$) 140
 $\backslash$ LinearAXXXIV ($\mathfrak{E}$) 140
 $\backslash$ LinearAXXXIX ($\mathfrak{F}$) 140
 $\backslash$ LinearAXXXV ($\mathfrak{G}$) 140
 $\backslash$ LinearAXXXVI ($\mathfrak{H}$) 140
 $\backslash$ LinearAXXXVII ($\mathfrak{I}$) 140
 $\backslash$ LinearAXXXVIII ($\mathfrak{J}$) 140
linearb (package) 142, 143, 226,
227
 $\backslash$ linefeed ($\mathfrak{K}$) 80
 $\backslash$ linefeed ($\mathfrak{L}$) 82
 $\backslash$ Lineload ($\mathfrak{M}$) 123
linguistic symbols 16–19



$\backslash$ Lisa ($\mathfrak{N}$) 172
 $\backslash$ Lithuania ($\mathfrak{O}$) 176
liturgical music 149
 $\backslash$ lJoin ($\mathfrak{P}$) 48
 $\backslash$ lJoin ($\mathfrak{Q}$) 31
 $\backslash$ LK ($\mathfrak{R}$) 121
 $\backslash$ ll ($\mathfrak{S}$) 62
 $\backslash$ ll ($\mathfrak{T}$) 61
 $\backslash$ ll ($\mathfrak{U}$) 64

$\backslash$ ll ($\mathfrak{V}$) 63
 $\backslash$ ll ($\mathfrak{W}$) 66
 $\backslash$ llangle ($\mathfrak{X}$) 95
 $\backslash$ llangle ($\mathfrak{Y}$) 93
 $\backslash$ llap 23, 24, 213
 $\backslash$ llarc ($\mathfrak{Z}$) 114
 $\backslash$ llblacktriangle ($\mathfrak{A}$) 134
 $\backslash$ llbracket ($\mathfrak{B}$) 94
 $\backslash$ llbracket ($\mathfrak{C}$) 99
 $\backslash$ llceil ($\mathfrak{D}$) 93
 $\backslash$ llcorner ($\mathfrak{E}$) 93
 $\backslash$ llcorner ($\mathfrak{F}$) 93
 $\backslash$ llcorner ($\mathfrak{G}$) 93
 $\backslash$ llcorner ($\mathfrak{H}$) 97
 $\backslash$ llcorner ($\mathfrak{I}$) 95
 $\backslash$ llcorner ($\mathfrak{J}$) 93
 $\backslash$ llcurly ($\mathfrak{K}$) 48
 $\backslash$ llcurly ($\mathfrak{L}$) 54
 $\backslash$ Lleftarrow ($\mathfrak{M}$) 82
 $\backslash$ Lleftarrow ($\mathfrak{N}$) 69
 $\backslash$ Lleftarrow ($\mathfrak{O}$) 80
 $\backslash$ Lleftarrow ($\mathfrak{P}$) 75
 $\backslash$ Lleftarrow ($\mathfrak{Q}$) 72
 $\backslash$ Lleftarrow ($\mathfrak{R}$) 82
 $\backslash$ llfloor ($\mathfrak{S}$) 93
 $\backslash$ lll ($\mathfrak{T}$) 62
 $\backslash$ lll ($\mathfrak{U}$) 61
 $\backslash$ lll ($\mathfrak{V}$ vs. $\mathfrak{W}$) 207
 $\backslash$ lll ($\mathfrak{X}$) 65
 $\backslash$ lll ($\mathfrak{Y}$) 64
 $\backslash$ lll ($\mathfrak{Z}$) 63
 $\backslash$ lll ($\mathfrak{A}$) 66
 $\backslash$ llless *see* $\backslash$ lll
 $\backslash$ llless ($\mathfrak{B}$) 64
 $\backslash$ llless ($\mathfrak{C}$) 63
 $\backslash$ llless ($\mathfrak{D}$) 66
 $\backslash$ lllnest ($\mathfrak{E}$) 66
 $\backslash$ llparenthesis ($\mathfrak{F}$) 93
 $\backslash$ llparenthesis ($\mathfrak{G}$) 93
 $\backslash$ lltriangle ($\mathfrak{H}$) 134
 $\backslash$ lmoustache ($\mathfrak{I}$) 94
 $\backslash$ lmoustache ($\mathfrak{J}$) 97
 $\backslash$ lmoustache ($\mathfrak{K}$) 95
 $\backslash$ lmoustache ($\mathfrak{L}$) 98
 $\backslash$ ln (ln) 87
 $\backslash$ lnapprox ($\mathfrak{M}$) 62
 $\backslash$ lnapprox ($\mathfrak{N}$) 61
 $\backslash$ lnapprox ($\mathfrak{O}$) 65
 $\backslash$ lnapprox ($\mathfrak{P}$) 64
 $\backslash$ lnapprox ($\mathfrak{Q}$) 63
 $\backslash$ lnapprox ($\mathfrak{R}$) 66
 $\backslash$ lneq ($\mathfrak{S}$) 62
 $\backslash$ lneq ($\mathfrak{T}$) 61
 $\backslash$ lneq ($\mathfrak{U}$) 65

$\backslash\mathrm{neq} (\neq)$	64	$\backslash\mathrm{Longmapsfrom} (\Leftrightarrow)$	52, 75	$\backslash\mathrm{Lparen} (())$	117
$\backslash\mathrm{neq} (\lesseqgtr)$	66	$\backslash\mathrm{Longmapsfrom} (\Leftrightarrow)$	82	$\backslash\mathrm{lPAREN} (())$	98
$\backslash\mathrm{neqq} (\neq)$	62	$\backslash\mathrm{longmapsfrom} (\Leftarrow)$	70	$\backslash\mathrm{lpAREN} (())$	97
$\backslash\mathrm{neqq} (\neq)$	61	$\backslash\mathrm{longmapsfrom} (\Leftarrow)$	52, 75	$\backslash\mathrm{lpAREN} (())$	97
$\backslash\mathrm{neqq} (\neq)$	65	$\backslash\mathrm{longmapsfrom} (\Leftarrow)$	82	$\backslash\mathrm{lpAREN} (())$	97
$\backslash\mathrm{neqq} (\neq)$	64	$\backslash\mathrm{Longmapsto} (\Rightarrow)$	70	$\backslash\mathrm{lpAREN} (())$	97
$\backslash\mathrm{neqq} (\neq)$	63	$\backslash\mathrm{Longmapsto} (\Rightarrow)$	75	$\backslash\mathrm{Lparen} (\&)$	93
$\backslash\mathrm{neqq} (\neq)$	66	$\backslash\mathrm{Longmapsto} (\Rightarrow)$	81	$\backslash\mathrm{Lparenless} (\<)$	93
$\backslash\mathrm{not}$ <i>see</i> $\backslash\mathrm{neg}$		$\backslash\mathrm{longmapsto} (\rightarrow)$	71	$\backslash\mathrm{lrarc} ()$	114
$\backslash\mathrm{not} (\neg)$	113	$\backslash\mathrm{longmapsto} (\rightarrow)$	69	$\backslash\mathrm{lrblacktriangle} (\blacktriangle)$	134
$\backslash\mathrm{not} (\neg)$	113	$\backslash\mathrm{longmapsto} (\rightarrow)$	75	$\backslash\mathrm{lrcorner} ()$	93
$\backslash\mathrm{not} (\neg)$	114	$\backslash\mathrm{longmapsto} (\rightarrow)$	81	$\backslash\mathrm{lrcorner} ()$	93
$\backslash\mathrm{nsim} (\nsim)$	62	$\backslash\mathrm{LongPulseHigh} (\sqcap\sqcup)$	118	$\backslash\mathrm{lrcorner} ()$	96
$\backslash\mathrm{nsim} (\nsim)$	61	$\backslash\mathrm{LongPulseLow} (\sqcup\sqcap)$	118	$\backslash\mathrm{lrcorner} ()$	95
$\backslash\mathrm{nsim} (\nsim)$	65	$\backslash\mathrm{Longrightarrow} (\Rightarrow)$	69	$\backslash\mathrm{lrcorner} ()$	93
$\backslash\mathrm{nsim} (\nsim)$	64	$\backslash\mathrm{Longrightarrow} (\Rightarrow)$	71	$\backslash\mathrm{lrcorner} ()$	93
$\backslash\mathrm{nsim} (\nsim)$	63	$\backslash\mathrm{Longrightarrow} (\Rightarrow)$	75	$\backslash\mathrm{lrcorner} ()$	96
$\backslash\mathrm{nsim} (\nsim)$	65	$\backslash\mathrm{Longrightarrow} (\Rightarrow)$	81	$\backslash\mathrm{lrcorner} ()$	95
$\backslash\mathrm{LO} (O)$	121	$\backslash\mathrm{longrightarrow} (\rightarrow)$	71	$\backslash\mathrm{lrcorner} ()$	93
local ring ($\mathcal{O}$) <i>see</i> alphabets, math		$\backslash\mathrm{longrightarrow} (\rightarrow)$	69	$\backslash\mathrm{lrJoin}$ <i>see</i> $\backslash\mathrm{Join}$	
$\backslash\mathrm{log} (\log)$	87, 219	$\backslash\mathrm{longrightarrow} (\rightarrow)$	81	$\backslash\mathrm{lrtimes} (\rtimes)$	48
log-like symbols	87, 219	$\backslash\mathrm{longrightarrow} (\rightarrow)$	52	$\backslash\mathrm{lrtimes} (\rtimes)$	31
logic (package)	123	$\backslash\mathrm{longrightsquigarrow} (\rightsquigarrow)$	76	$\backslash\mathrm{lrtriangle} (\triangle)$	134
logic gates	123	$\backslash\mathrm{longrightsquigarrow} (\rightsquigarrow)$	81	$\backslash\mathrm{lrtriangleeq} (\trianglelefteq)$	68
logical operators		$\backslash\mathrm{longrightsquigarrow} (\rightsquigarrow)$	75	$\backslash\mathrm{lsem} ()$	97
and <i>see</i> $\backslash\mathrm{wedge}$		$\backslash\mathrm{looparrowdownleft} (\Downarrow)$	70	$\backslash\mathrm{lsem} ()$	95
not <i>see</i> $\backslash\mathrm{neg}$ and $\backslash\mathrm{sim}$		$\backslash\mathrm{looparrowdownleft} (\Downarrow)$	80	$\backslash\mathrm{lsemantic}$ <i>see</i> $\backslash\mathrm{ldbrack}$	
or <i>see</i> $\backslash\mathrm{vee}$		$\backslash\mathrm{looparrowdownright} (\Downarrow)$	70	$\backslash\mathrm{lsf} (\rhd)$	148
$\backslash\mathrm{logof} (\otimes)$	47	$\backslash\mathrm{looparrowdownright} (\Downarrow)$	80	$\backslash\mathrm{lsfz} (\rhd)$	148
lollipop <i>see</i> $\backslash\mathrm{multimap}$		$\backslash\mathrm{looparrowleft} (\Leftarrow)$	70	$\backslash\mathrm{Lsh} (\leftarrow)$	70
long s (f)	209	$\backslash\mathrm{looparrowleft} (\Leftarrow)$	69	$\backslash\mathrm{Lsh} (\leftarrow)$	69
long division	102–103	$\backslash\mathrm{looparrowleft} (\Leftarrow)$	80	$\backslash\mathrm{Lsh} (\leftarrow)$	79
$\backslash\mathrm{longa} (\frac{a}{b})$	148	$\backslash\mathrm{looparrowleft} (\Leftarrow)$	75	$\backslash\mathrm{Lsh} (\leftarrow)$	75
$\backslash\mathrm{longa} (\frac{a}{b})$	172	$\backslash\mathrm{looparrowleft} (\Leftarrow)$	71	$\backslash\mathrm{Lsh} (\leftarrow)$	71
$\backslash\mathrm{longcasting} (O-O-O)$	169	$\backslash\mathrm{looparrowleft} (\Leftarrow)$	81	$\backslash\mathrm{Lsh} (\leftarrow)$	81
$\backslash\mathrm{longdashv} (\dashv)$	52	$\backslash\mathrm{looparrowright} (\rightarrow)$	70	$\backslash\mathrm{lsime} (\simeq)$	65
$\backslash\mathrm{longdashv} (\dashv)$	55	$\backslash\mathrm{looparrowright} (\rightarrow)$	69	$\backslash\mathrm{lsimg} (\simeq)$	65
longdiv (package)	102	$\backslash\mathrm{looparrowright} (\rightarrow)$	80	$\backslash\mathrm{lsqhook} (\sqhook)$	55
longdiv.tex (file)	102	$\backslash\mathrm{looparrowright} (\rightarrow)$	75	$\backslash\mathrm{Lsteel} (\mathbf{L})$	123
$\backslash\mathrm{longdivision} (\frac{a}{b})$	102, 103	$\backslash\mathrm{looparrowright} (\rightarrow)$	71	$\backslash\mathrm{Lt} (\ll)$	65
$\backslash\mathrm{longleadsto} (\leadsto)$	76	$\backslash\mathrm{looparrowright} (\rightarrow)$	81	$\backslash\mathrm{Lt} (\ll)$	65
$\backslash\mathrm{Longleftarrow} (\Leftarrow)$	69	$\backslash\mathrm{Loosebearing} (\triangle)$	123	$\backslash\mathrm{ltcc} (\triangleleft)$	64
$\backslash\mathrm{Longleftarrow} (\Leftarrow)$	71	$\backslash\mathrm{lor}$ <i>see</i> $\backslash\mathrm{vee}$		$\backslash\mathrm{ltcc} (\triangleleft)$	65
$\backslash\mathrm{Longleftarrow} (\Leftarrow)$	75	$\backslash\mathrm{lor} (\vee)$	31	$\backslash\mathrm{ltcir} (\triangleleft)$	65
$\backslash\mathrm{Longleftarrow} (\Leftarrow)$	82	$\backslash\mathrm{lor} (\vee)$	32	$\backslash\mathrm{ltcir} (\triangleleft)$	65
$\backslash\mathrm{longleftarrow} (\Leftarrow)$	71	$\backslash\mathrm{LowerDiamond} (\blacklozenge)$	135	$\backslash\mathrm{ltimes} (\times)$	29
$\backslash\mathrm{longleftarrow} (\Leftarrow)$	69	lowering <i>see</i> $\backslash\mathrm{textlowering}$		$\backslash\mathrm{ltimes} (\times)$	28
$\backslash\mathrm{longleftarrow} (\Leftarrow)$	75	$\backslash\mathrm{lowint} (\int)$	44	$\backslash\mathrm{ltimes} (\times)$	31
$\backslash\mathrm{longleftarrow} (\Leftarrow)$	82	$\backslash\mathrm{lowintsl} (\int)$	45	$\backslash\mathrm{ltimes} (\times)$	30, 31
$\backslash\mathrm{longleftfootline} (\leftarrow)$	52	$\backslash\mathrm{lowintup} (\int)$	45	$\backslash\mathrm{ltimes} (\times)$	30
$\backslash\mathrm{Longleftrightharpoonup} (\Leftrightarrow)$	69	$\backslash\mathrm{lozenge} (\diamond)$	112	$\backslash\mathrm{ltimes} (\times)$	32
$\backslash\mathrm{Longleftrightharpoonup} (\Leftrightarrow)$	71	$\backslash\mathrm{lozenge} (\diamond)$	133	$\backslash\mathrm{ltimesblack} (\times)$	31
$\backslash\mathrm{Longleftrightharpoonup} (\Leftrightarrow)$	75	$\backslash\mathrm{lozenge} (\diamond)$	133	$\backslash\mathrm{ltlarr} (\lesssim)$	65
$\backslash\mathrm{Longleftrightharpoonup} (\Leftrightarrow)$	82	$\backslash\mathrm{lozenge} (\diamond)$	132	$\backslash\mathrm{ltquest} (\text{?})$	65
$\backslash\mathrm{longleftrightharpoonup} (\Leftrightarrow)$	71	$\backslash\mathrm{lozenge} (\diamond)$	134	$\backslash\mathrm{ltriple}$	99
$\backslash\mathrm{longleftrightharpoonup} (\Leftrightarrow)$	69	$\backslash\mathrm{lozengedot} (\diamond)$	133	$\backslash\mathrm{ltrivb} (\triangleleft)$	68
$\backslash\mathrm{longleftrightharpoonup} (\Leftrightarrow)$	75	$\backslash\mathrm{lozengeminus} (\diamond)$	133	$\backslash\mathrm{LU} (\mathcal{U})$	121
$\backslash\mathrm{longleftrightharpoonup} (\Leftrightarrow)$	82	$\backslash\mathrm{lozengeminus} (\diamond)$	36	Lua $\mathrm{L}^{\mathrm{A}}\mathrm{T}_{\mathrm{E}}\mathrm{X}$	147
$\backslash\mathrm{longleftsquigarrow} (\rightsquigarrow)$	76	lozenges	112, 132–134, 157–161, 164	Luecking, Dan	212
$\backslash\mathrm{longleftsquigarrow} (\rightsquigarrow)$	82			$\backslash\mathrm{Luxembourg} ()$	176
$\backslash\mathrm{longleftwavedash} (\rightsquigarrow)$	75			$\backslash\mathrm{lVert} ()$	94
$\backslash\mathrm{Longmapsfrom} (\Leftrightarrow)$	70				

<code>\lVert</code> ($\ $)	99
<code>\lVert</code> ($\ $)	96
<code>\lvert</code> ($ $)	94
<code>\lvert</code> ($ $)	96
<code>\lvertneqq</code> ($\not\equiv$)	62
<code>\lvertneqq</code> ($\not\equiv$)	61
<code>\lvertneqq</code> ($\not\equiv$)	65
<code>\lvertneqq</code> ($\not\equiv$)	64
<code>\lvertneqq</code> ($\not\equiv$)	63
<code>\lvertneqq</code> ($\not\equiv$)	65
<code>\lVvert</code> ($\ $)	96
<code>\Lvzigzag</code> ($\ $)	93
<code>\lvzigzag</code> ($\ $)	93
<code>\lwave</code> ($\ $)	98
<code>\lWavy</code> ($\ $)	95
<code>\lwavy</code> ($\ $)	95
<code>\lz</code> ($\ $)	18

M

<code>\M</code>	15
<code>\M</code> ($\angle$)	171
<code>\m</code>	15
<code>\m</code> ($\angle$)	171
<code>\ma</code> ($\angle$)	171
<code>\Macedonia</code> ($\angle$)	176
<code>\macron</code> ($\overline{}$)	22
macron ($\overline{}$)	see accents

<code>\Maggie</code> ()	172
magic (package)	204, 226
<i>Magic: The Gathering</i> symbols	204
magical signs	173
majuscules	88
<code>\makeatletter</code>	213
<code>\makeatother</code>	213
<code>\MALE</code> ($\text{\textcircled{M}}$)	124
<code>\Male</code> ($\text{\textcircled{M}}$)	124
male	119, 120, 123, 124, 180–184, 188–190
<code>\male</code> ($\text{\textcircled{M}}$)	124
<code>\male</code> ($\text{\textcircled{M}}$)	123
<code>\MaleMale</code> ($\text{\textcircled{M}}$)	124
<code>\Malta</code> ($\text{\textcircled{M}}$)	176
<code>\maltese</code> ($\text{\textcircled{M}}$)	14
<code>\maltese</code> ($\text{\textcircled{M}}$)	114
<code>\maltese</code> ($\text{\textcircled{M}}$)	113
<code>\maltese</code> ($\text{\textcircled{M}}$)	113
<code>\maltese</code> ($\text{\textcircled{M}}$)	114
man	138, 165, 180, 186–187, 198–202
<code>\manboldkidney</code> ($\text{\textcircled{M}}$)	164
<code>\manconcentriccircles</code> ($\text{\textcircled{M}}$)	164
<code>\manconcentricdiamond</code> ($\text{\textcircled{M}}$)	164

<code>\mancone</code> ($\text{\textcircled{M}}$)	164
<code>\mancube</code> ($\text{\textcircled{M}}$)	164
<code>\manerrarrow</code> ($\text{\textcircled{M}}$)	164
<code>\ManFace</code> ($\text{\textcircled{M}}$)	165
<code>\manfilledquartercircle</code> ($\text{\textcircled{M}}$)	164
manfnt (package)	164, 226
<code>\manhpennib</code> ($\text{\textcircled{M}}$)	164
<code>\manimpossiblecube</code> ($\text{\textcircled{M}}$)	164
<code>\mankidney</code> ($\text{\textcircled{M}}$)	164
<code>\manlhpenkidney</code> ($\text{\textcircled{M}}$)	164
<code>\manpenkidney</code> ($\text{\textcircled{M}}$)	164
<code>\manquadrifolium</code> ($\text{\textcircled{M}}$)	164
<code>\manquartercircle</code> ($\text{\textcircled{M}}$)	164
<code>\manrotatedquadrifolium</code> ($\text{\textcircled{M}}$)	164
<code>\manrotatedquartercircle</code> ($\text{\textcircled{M}}$)	164
<code>\manstar</code> ($\text{\textcircled{M}}$)	164
<code>\mantiltppennib</code> ($\text{\textcircled{M}}$)	164
<code>\mantriangledown</code> ($\text{\textcircled{M}}$)	164
<code>\mantriangleright</code> ($\text{\textcircled{M}}$)	164
<code>\mantriangleup</code> ($\text{\textcircled{M}}$)	164
<code>\manvpennib</code> ($\text{\textcircled{M}}$)	164
map symbols	186–187
<code>\Mappedfromchar</code> ($\text{\textcircled{M}}$)	86
<code>\mappedfromchar</code> ($\text{\textcircled{M}}$)	86
maps	176
<code>\Mapsdown</code> ($\text{\textcircled{M}}$)	76
<code>\mapsdown</code> ($\text{\textcircled{M}}$)	79
<code>\mapsdown</code> ($\text{\textcircled{M}}$)	76
<code>\mapsdown</code> ($\text{\textcircled{M}}$)	81
<code>\Mapsfrom</code> ($\text{\textcircled{M}}$)	70
<code>\Mapsfrom</code> ($\text{\textcircled{M}}$)	79
<code>\Mapsfrom</code> ($\text{\textcircled{M}}$)	76
<code>\Mapsfrom</code> ($\text{\textcircled{M}}$)	81
<code>\mapsfrom</code> ($\text{\textcircled{M}}$)	70
<code>\mapsfrom</code> ($\text{\textcircled{M}}$)	79
<code>\mapsfrom</code> ($\text{\textcircled{M}}$)	76
<code>\mapsfrom</code> ($\text{\textcircled{M}}$)	81
<code>\Mapsfromchar</code> ($\text{\textcircled{M}}$)	86
<code>\Mapsfromchar</code> ($\text{\textcircled{M}}$)	86
<code>\mapsfromchar</code> ($\text{\textcircled{M}}$)	86
<code>\mapsfromchar</code> ($\text{\textcircled{M}}$)	86
<code>\mapsfromchar</code> ($\text{\textcircled{M}}$)	87
<code>\Mapsto</code> ($\text{\textcircled{M}}$)	70
<code>\Mapsto</code> ($\text{\textcircled{M}}$)	79
<code>\Mapsto</code> ($\text{\textcircled{M}}$)	76
<code>\Mapsto</code> ($\text{\textcircled{M}}$)	81
<code>\mapsto</code> ($\text{\textcircled{M}}$)	69
<code>\mapsto</code> ($\text{\textcircled{M}}$)	79
<code>\mapsto</code> ($\text{\textcircled{M}}$)	76
<code>\mapsto</code> ($\text{\textcircled{M}}$)	72
<code>\mapsto</code> ($\text{\textcircled{M}}$)	81
<code>\Mapstochar</code> ($\text{\textcircled{M}}$)	86
<code>\Mapstochar</code> ($\text{\textcircled{M}}$)	86
<code>\mapstochar</code> ($\text{\textcircled{M}}$)	86
<code>\mapstochar</code> ($\text{\textcircled{M}}$)	87
<code>\Mapsup</code> ($\text{\textcircled{M}}$)	76
<code>\mapsup</code> ($\text{\textcircled{M}}$)	79
<code>\mapsup</code> ($\text{\textcircled{M}}$)	76
<code>\mapsup</code> ($\text{\textcircled{M}}$)	81
<code>\marcato</code> ($\text{\textcircled{M}}$)	152

<code>\marcatoDown</code> ($\text{\textcircled{M}}$)	152
<code>\Marge</code> ()	172
<code>\markera</code> ($\text{\textcircled{M}}$)	169
<code>\markerb</code> ($\text{\textcircled{M}}$)	169
married	see <code>\textmarried</code>
<code>\Mars</code> ($\text{\textcircled{M}}$)	120
<code>\Mars</code> ($\text{\textcircled{M}}$)	119
<code>\Mars</code> ($\text{\textcircled{M}}$)	120
<code>\mars</code> ($\text{\textcircled{M}}$)	119
marvosym (package)	24, 110, 119, 121, 123, 124, 127, 130, 164, 165, 175, 207
masonic cipher	174
<code>\mate</code> ($\text{\textcircled{M}}$)	169
material biconditional	see <code>\lefttrightarrow</code> and <code>\equiv</code>
material conditional	see <code>\rightarrow</code> and <code>\supset</code>
material equivalence	see <code>\leftrightarrow</code> and <code>\equiv</code>
material implication	see <code>\rightarrow</code> and <code>\supset</code>
material nonimplication	see <code>\nrightarrow</code> and <code>\nsupset</code>
math alphabets	116
<code>\mathabx</code> (package)	27, 29, 33, 38, 48, 49, 59, 62, 66, 70, 71, 86, 91, 93–95, 100, 104, 110, 113, 120, 169, 206, 207, 226
<code>\mathaccent</code>	210
<code>\mathbb</code>	116, 117
<code>\mathbbm</code>	116
<code>\mathbbmss</code>	116
<code>\mathbbmtt</code>	116
<code>\mathbbol</code> (package)	116, 117
<code>\mathbf</code>	220
<code>\mathbin</code>	219
<code>\mathbfold</code>	220
mathcal (euscript package option)	116
<code>\mathcal</code>	116
<code>\mathcent</code> ($\text{\textcircled{M}}$)	91
<code>\mathchoice</code>	212
<code>\mathclose</code>	219
<code>\mathcolon</code> ($\text{\textcircled{M}}$)	108
<code>\mathcomp</code> (package)	110
<code>\mathdesign</code> (package)	24, 32, 46, 92, 98, 115, 226
<code>\mathdollar</code> ($\text{\textcircled{M}}$)	27
<code>\mathdollar</code> ($\text{\textcircled{M}}$)	92
<code>\mathdots</code> (package)	100, 107, 109, 213, 226
<code>\mathds</code>	116
<code>\mathellipsis</code> ($\text{\textcircled{M}}$)	27
<code>\mathellipsis</code> ($\text{\textcircled{M}}$)	109

mathematical symbols 27–117

`\mathfrak` 116

`\mathit` 116

`\mathnormal` 116

`\mathop` 219

`\mathopen` 219

`\mathord` 219

`\mathpalette` 212, 213

`\mathparagraph` (¶) 27

`\mathparagraph` (¶) 92

`\mathpunct` 219

`\mathratio` (:) 108

`\mathrel` 210, 219

`\mathring` (◌̇) 101

`\mathring` (◌̇) 100, 101

`\mathrm` 116

mathrsfs (package) .. 116, 226

mathscr (euscript package option) 116

mathscr (urwchancal package option) 116

`\mathscr` 116

`\mathsection` (§) 27

`\mathsection` (§) 114

`\mathslash` (/) 96

`\mathslash` (/) 97

mathspec (package) 88

mathspec.sty (file) 88

`\mathsterling` (£) 91

`\mathsterling` (£) 27

`\mathsterling` (£) 92

mathtools (package) .. 27, 56, 104, 106, 226

`\mathunderscore` (_) 27

`\mathvisiblespace` (_) .. 114

`\max` (max) 87

`\maxima` (≡) 148

Maxwell-Stefan diffusion coefficient *see* `\DH`

`\maya` 110

Mayan numerals 110

`\Mb` (♂) 171

`\mb` (♂) 171

`\Mbb` (♂) 171

`\mBb` (♂) 171

`\mbB` (♂) 171

`\mbb` (♂) 171

mbboard (package) .. 116, 117, 226

`\mbbx` (♂) 171

`\mbox` 212, 213

`\MC` (M^c) 120

`\mdblkcircle` (●) 134

`\mdblkdiamond` (◆) 35

`\mdblkdiamond` (◆) 134

`\mdblkllozenge` (◈) 133

`\mdblkllozenge` (◈) 134

`\mdblksquare` (■) 35

`\mdblksquare` (■) 134

`\mdlgblkcircle` (●) 35

`\mdlgblkcircle` (●) 134

`\mdlgblkdiamond` (◆) ... 35

`\mdlgblkdiamond` (◆) ... 134

`\mdlgblklozenge` (◈) ... 133

`\mdlgblklozenge` (◈) 36, 134

`\mdlgblksquare` (■) 35

`\mdlgblksquare` (■) 134

`\mdlgwhtcircle` (○) 35

`\mdlgwhtcircle` (○) 36

`\mdlgwhtdiamond` (◇) ... 35

`\mdlgwhtdiamond` (◇) ... 134

`\mdlgwhtlozenge` (◊) ... 133

`\mdlgwhtlozenge` (◊) ... 134

`\mdlgwhtsquare` (□) 35

`\mdlgwhtsquare` (□) 134

`\mdsmblkcircle` (●) 134

`\mdsmblksquare` (■) 134

`\mdsmwhtcircle` (○) 134

`\mdsmwhtsquare` (□) 134

`\mdwhtcircle` (○) 134

`\mdwhtdiamond` (◇) 35

`\mdwhtdiamond` (◇) 134

`\mdwhtlozenge` (◊) 133

`\mdwhtlozenge` (◊) 134

`\mdwhtsquare` (□) 35

`\mdwhtsquare` (□) 134

mdwmath (package) . 105, 226, 227

`\measangledltosw` (↙) ... 112

`\measangledrtose` (↘) ... 112

`\measangleldtosw` (↙) ... 112

`\measanglelultonw` (↙) ... 112

`\measanglerdtose` (↘) ... 112

`\measanglerutone` (↘) ... 112

`\measangleultonw` (↙) ... 112

`\measangleurtone` (↘) ... 112

`\measeq` (≡) 55

`\measuredangle` (∠) 113

`\measuredangle` (∠) 111

`\measuredangle` (∠) 111

`\measuredangle` (∠) 111

`\measuredangle` (∠) 111

`\measuredangle` (∠) 111

`\measuredangle` (∠) 112

`\measuredangleleft` (∠) . 111

`\measuredangleleft` (∠) . 112

`\measuredrightangle` (⊥) 111

`\measuredrightangle` (⊥) 111

`\measuredrightangle` (⊥) 112

`\measuredrightangledot` (⊥) 111

mechanical scaling .. 216, 218

`\medbackslash` (\) ... 30, 31

`\medbackslash` (\) 30

`\medblackcircle` (●) ... 34

`\medblackdiamond` (◆) .. 34

`\medblacklozenge` (◈) ... 133

`\medblacksquare` (■) ... 34

`\medblackstar` (★) 34

`\medblackstar` (★) 134

`\medblacktriangledown` (▼) 34, 68

`\medblacktriangleleft` (◄) 34, 68

`\medblacktriangleright` (►) 34, 68

`\medblacktriangleup` (▲) 34, 68

`\medbullet` (●) 29

`\medcirc` (○) 29

`\medcircle` (○) 34

`\medcircle` (○) 30

`\meddiamond` (◇) 34

`\meddiamond` (◇) 34

media control symbols .. 164, 181–184

`\medlozenge` (◊) 133

`\medlozenge` (◊) 132

`\medslash` (/) 30, 31, 34

`\medslash` (/) 30

`\medsquare` (□) 34

`\medsquare` (□) 34

`\medstar` (★) 35

`\medstar` (☆) 34

`\medstarofdavid` (☆) ... 132

`\medtriangledown` (▼) 34, 68

`\medtriangledown` (▼) 34, 67

`\medtriangleleft` (◄) 34, 68

`\medtriangleleft` (◄) 34, 67

`\medtriangleright` (►) 34, 68

`\medtriangleright` (►) 34, 67

`\medtriangleup` (▲) .. 34, 68

`\medtriangleup` (▲) .. 34, 67

`\medvert` (|) 30

`\medvertdot` (|) 30

`\medwhitestar` (☆) 34

`\medwhitestar` (☆) 134

Mellin transform ($\mathcal{M}$) ... *see* alphabets, math

membership *see* `\in`

`\Mercury` (♿) 120

`\Mercury` (♿) 119

`\Mercury` (♿) 120

`\mercury` (♿) 119

`\merge` (⋈) 28

`\merge` (⋈) 31

METAFONT . 11, 117, 215–218

METAFONTbook symbols . 164

`\meterplus` (⊕) 148

`\method` (M) 125

metre (package) . 22, 100, 171, 226

metre 171

metrical symbols ... 171, 172

mezzo (*m*) 152, 163

.mf files 11, 186, 216

`\mglgwhtcircle` (○) 134

`\mglgwhtlozenge` (◊) ... 134

`\mho` (℧) 112

`\mho` (℧) 90

micro *see* `\textmu`

`\micro` (μ) 118

Microsoft® Windows® .. 223

`\mid` (|) 46, 96

`\mid` (|) 52

`\mid` (|) 55

`\midbarvee` (⋈) 32

$\backslash\midbarwedge$ ($\mathbb{A}$)	32	$\backslash\models$ ($\models$)	50	$\backslash\multimap$ ($\multimap$)	85
$\backslash\midcir$ ($\mathbb{J}$)	85	$\backslash\models$ ($\models$)	55	$\backslash\multimap$ ($\multimap$)	55
$\backslash\midcir$ ($\mathbb{J}$)	55	$\backslash\mod$ ($\mathbb{M}$)	43	multiple accents per character	214
$\backslash\middle$	94	$\backslash\mod$ ($\mathbb{M}$)	44	$\backslash\text{MultiplicationDot}$ ($\cdot$)	110
$\backslash\middlebar$ ($\mathbb{M}$)	101	moduli space .. <i>see</i> alphabets, math		multiplicative disjunction .. <i>see</i> $\backslash\text{bindnasrepma}$, $\backslash\text{invamp}$, and $\backslash\text{parr}$	
$\backslash\middleslash$ ($\mathbb{M}$)	101	$\backslash\text{Moldova}$ ($\mathbb{M}$)	177	$\backslash\text{Mundus}$ ($\mathbb{M}$)	165
$\backslash\midtilde$ ($\mathbb{M}$)	23	monetary symbols	24, 25, 117	$\backslash\mu$ (μ)	125
MIL-STD-806	123	$\backslash\text{Montenegro}$ ($\mathbb{M}$)	177	Museum of Icelandic Sorcery and Witchcraft ...	174
millesimal sign .. <i>see</i> $\backslash\text{textperthousand}$		monus .. <i>see</i> $\backslash\text{dotdiv}$		musical symbols	26, 147–163, 180–184
milstD (package)	123, 226, 227	$\backslash\text{moo}$ ($\mathbb{M}$)	28	musixgre (package)	149
$\backslash\min$ ($\min$)	87, 219	$\backslash\text{moo}$ ($\mathbb{M}$)	31	musixlit (package)	149
$\backslash\text{MineSign}$ ($\mathbb{M}$)	165	$\backslash\text{Moon}$ ($\mathbb{M}$)	120	musixper (package)	149
minim .. <i>see</i> musical symbols		$\backslash\text{Moon}$ ($\mathbb{M}$)	119	MusiX $\text{\TeX}$	148, 149
$\backslash\minim$ ($\mathbb{M}$)	150	$\backslash\text{Moon}$ ($\mathbb{M}$)	120	musixtex (package) ..	226, 227
$\backslash\minimDotted$ ($\mathbb{M}$)	150	moon	119, 120, 174, 188–190	$\backslash\mu$ (μ)	89
$\backslash\minimDottedDouble$ ($\mathbb{M}$)	150	$\backslash\text{MoonPha}$	174	$\backslash\text{MVAt}$ ($\mathbb{M}$)	165
$\backslash\minimDottedDoubleDown$ ($\mathbb{M}$)	150	moonphase (package)	188, 226	$\backslash\text{MVComma}$ ($\mathbb{M}$)	110
$\backslash\minimDottedDown$ ($\mathbb{M}$)	150	$\backslash\text{Mordent}$ ($\mathbb{M}$)	148	$\backslash\text{MVDivision}$ ($\mathbb{M}$)	110
$\backslash\minimDown$ ($\mathbb{M}$)	150	$\backslash\text{mordent}$ ($\mathbb{M}$)	148	$\backslash\text{MVEight}$ ($\mathbb{M}$)	110
Minkowski space ($\mathbb{M}$)	<i>see</i> alphabets, math	$\backslash\text{morepawns}$ ($\mathbb{M}$)	169	$\backslash\text{MVFive}$ ($\mathbb{M}$)	110
minus .. <i>see</i> $\backslash\text{textminus}$		$\backslash\text{moreroom}$ ($\mathbb{M}$)	169	$\backslash\text{MVFour}$ ($\mathbb{M}$)	110
$\backslash\minus$ ($\mathbb{M}$)	30	$\backslash\text{Mountain}$ ($\mathbb{M}$)	166	$\backslash\text{MVLeftBracket}$ ($\mathbb{M}$)	110
$\backslash\minus$ ($\mathbb{M}$)	30	mouse .. <i>see</i> $\backslash\text{ComputerMouse}$		$\backslash\text{MVMinus}$ ($\mathbb{M}$)	110
minus, double-dotted ($\mathbb{M}$) .. <i>see</i> $\backslash\text{div}$		$\backslash\text{MoveDown}$ ($\mathbb{M}$)	164	$\backslash\text{MVMultiplication}$ ($\mathbb{M}$)	110
$\backslash\minuscolon$ ($\mathbb{M}$)	58	$\backslash\text{moverlay}$	213	$\backslash\text{MVNine}$ ($\mathbb{M}$)	110
$\backslash\minuscoloncolon$ ($\mathbb{M}$)	58	$\backslash\text{MoveUp}$ ($\mathbb{M}$)	164	$\backslash\text{MVOne}$ ($\mathbb{M}$)	110
$\backslash\minusdot$ ($\mathbb{M}$)	30	$\backslash\text{mp}$ ($\mathbb{M}$)	28	$\backslash\text{MVPeriod}$ ($\mathbb{M}$)	110
$\backslash\minusdot$ ($\mathbb{M}$)	30	$\backslash\text{mp}$ ($\mathbb{M}$)	31	$\backslash\text{MVPlus}$ ($\mathbb{M}$)	110
$\backslash\minusdot$ ($\mathbb{M}$)	30	$\backslash\text{mp}$ ($\mathbb{M}$)	30	$\backslash\text{MVRightArrow}$ ($\mathbb{M}$)	110
$\backslash\minusdot$ ($\mathbb{M}$)	32	$\backslash\text{mp}$ ($\mathbb{M}$)	30	$\backslash\text{MVRightBracket}$ ($\mathbb{M}$)	110
$\backslash\minusfdots$ ($\mathbb{M}$)	30	$\backslash\text{mp}$ ($\mathbb{M}$)	32	$\backslash\text{MVSeven}$ ($\mathbb{M}$)	110
$\backslash\minusfdots$ ($\mathbb{M}$)	32	$\backslash\text{Mu}$ ($\mathbb{M}$)	88	$\backslash\text{MVSix}$ ($\mathbb{M}$)	110
$\backslash\minushookdown$ ($\mathbb{M}$)	113	$\backslash\text{mu}$ (μ)	88	$\backslash\text{MVThree}$ ($\mathbb{M}$)	110
$\backslash\minushookdown$ ($\mathbb{M}$)	113	multiline braces	105	$\backslash\text{MVTwo}$ ($\mathbb{M}$)	110
$\backslash\minushookup$ ($\mathbb{M}$)	31	$\backslash\text{multimap}$ ($\mathbb{M}$)	47, 48	$\backslash\text{MVZero}$ ($\mathbb{M}$)	110
$\backslash\minushookup$ ($\mathbb{M}$)	113	$\backslash\text{multimap}$ ($\mathbb{M}$)	54		
$\backslash\minuso$ ($\mathbb{M}$)	28, 211	$\backslash\text{multimap}$ ($\mathbb{M}$)	85		
$\backslash\minuso$ ($\mathbb{M}$)	31	$\backslash\text{multimap}$ ($\mathbb{M}$)	84		
$\backslash\minusrdots$ ($\mathbb{M}$)	30	$\backslash\text{multimap}$ ($\mathbb{M}$)	55		
$\backslash\minusrdots$ ($\mathbb{M}$)	32	$\backslash\text{multimapboth}$ ($\mathbb{M}$)	48		
minutes, angular .. <i>see</i> $\backslash\text{prime}$		$\backslash\text{multimapboth}$ ($\mathbb{M}$)	54		
miscellaneous symbols	112–115, 137, 164–181, 185	$\backslash\text{multimapboth}$ ($\mathbb{M}$)	58		
“Missing \$ inserted”	27	$\backslash\text{multimapboth}$ ($\mathbb{M}$)	48		
$\backslash\text{mlcp}$ ($\mathbb{M}$)	55	$\backslash\text{multimapboth}$ ($\mathbb{M}$)	54		
$\backslash\text{Mappedfromchar}$ ($\mathbb{M}$)	86	$\backslash\text{multimapdot}$ ($\mathbb{M}$)	48		
$\backslash\text{mmappedfromchar}$ ($\mathbb{M}$)	86	$\backslash\text{multimapdot}$ ($\mathbb{M}$)	54		
$\backslash\text{Mmapstochar}$ ($\mathbb{M}$)	86	$\backslash\text{multimapdotboth}$ ($\mathbb{M}$)	48		
$\backslash\text{mmapstochar}$ ($\mathbb{M}$)	86	$\backslash\text{multimapdotboth}$ ($\mathbb{M}$)	48		
MnSymbol (package)	27, 29, 30, 34, 41, 42, 49–51, 60, 63, 67, 71–74, 84, 85, 90, 91, 95, 100, 102, 103, 108, 111, 113, 132, 136, 147, 226	$\backslash\text{multimapdotbothA}$ ($\mathbb{M}$)	48		
$\backslash\text{Moai}$ ($\mathbb{M}$)	180	$\backslash\text{multimapdotbothA}$ ($\mathbb{M}$)	54		
$\backslash\text{Mobilefone}$ ($\mathbb{M}$)	123	$\backslash\text{multimapdotbothA}$ ($\mathbb{M}$)	48		
$\backslash\text{mod}$	87	$\backslash\text{multimapdotbothA}$ ($\mathbb{M}$)	54		
$\backslash\models$ ($\models$)	46, 210	$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
$\backslash\models$ ($\models$)	52	$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	54		
		$\backslash\text{multimapdotbothB}$ ($\mathbb{M}$)	48</		

	<code>\NANDd</code> ()	123
	<code>\NANDl</code> ()	123
	<code>\NANDr</code> ()	123
	<code>\NANDu</code> ()	123
$\approx$	<code>\napprox</code> ()	49
$\neq$	<code>\napprox</code> ()	53
$\approx$	<code>\napprox</code> ()	50
$\approx$	<code>\napprox</code> ()	56
$\approx$	<code>\napproxeq</code> ()	48
$\approx$	<code>\napproxeq</code> ()	53
$\approx$	<code>\napproxeq</code> ()	50
$\approx$	<code>\napproxeq</code> ()	56
$\approx$	<code>\napproxident</code> ()	53
$\neq$	<code>\narceq</code> ()	53, 86
$\Vdash$	<code>\nAssert</code> ()	53
$\Vdash$	<code>\nassert</code> ()	53
$\asymp$	<code>\nasymp</code> ()	48
$\asymp$	<code>\nasymp</code> ()	53, 86
$\asymp$	<code>\nasymp</code> ()	85
$\asymp$	<code>\nasymp</code> ()	56
$\mathbb{N}$	<code>\Natal</code> ()	120
nath (package)		93, 99, 226
$\mathbb{N}$	<code>\NATURAL</code> ()	87
$\mathbb{N}$	<code>\Natural</code> ()	87
$\mathbb{N}$	<code>\natural</code> ()	147
$\mathbb{N}$	<code>\natural</code> ()	147
$\mathbb{N}$	<code>\natural</code> ()	147
$\mathbb{N}$	<code>\natural</code> ()	151
$\mathbb{N}$	<code>\natural</code> ()	147
$\mathbb{N}$	<code>\natural</code> ()	147
natural numbers (N)		see alphabets, math
$\approx$	<code>\nbackapprox</code> ()	50
$\approx$	<code>\nbackapproxeq</code> ()	50
$\neq$	<code>\nbackcong</code> ()	53
$\neq$	<code>\nbackcong</code> ()	50
$\approx$	<code>\nbackeqsim</code> ()	50
$\sim$	<code>\nbacksim</code> ()	48
$\sim$	<code>\nbacksim</code> ()	53
$\sim$	<code>\nbacksim</code> ()	50
$\approx$	<code>\nbacksimeq</code> ()	48
$\neq$	<code>\nbacksimeq</code> ()	53
$\approx$	<code>\nbacksimeq</code> ()	50
$\approx$	<code>\nbacktriplesim</code> ()	50
$\overline{\mathbb{R}}$	<code>\nBarv</code> ()	53
$\mathbb{R}$	<code>\nbarV</code> ()	53
$\rightarrow$	<code>\nbdleftarccarrow</code> ()	77
$\rightarrow$	<code>\nbdnearccarrow</code> ()	77
$\rightarrow$	<code>\nbdnwarccarrow</code> ()	77
$\rightarrow$	<code>\nbdoverarccarrow</code> ()	77
$\rightarrow$	<code>\nbdrightarccarrow</code> ()	77
$\rightarrow$	<code>\nbdsearccarrow</code> ()	77
$\rightarrow$	<code>\nbdswarccarrow</code> ()	77
$\rightarrow$	<code>\nbdunderarccarrow</code> ()	77
$\blackspoon$	<code>\nblackwhitespoon</code> ()	85
$\%$	<code>\NBS</code> ()	122

$\%$	<code>\NBS</code> ()	122
$\neq$	<code>\nBumpeq</code> ()	48
$\neq$	<code>\nBumpeq</code> ()	53
$\neq$	<code>\nBumpeq</code> ()	50
$\neq$	<code>\nBumpeq</code> ()	56
$\neq$	<code>\nbumpeq</code> ()	48
$\neq$	<code>\nbumpeq</code> ()	53
$\neq$	<code>\nbumpeq</code> ()	50
$\neq$	<code>\nbumpeq</code> ()	56
$\neq$	<code>\nbumpeq</code> ()	53
$\neq$	<code>\ncirceq</code> ()	53
$\neq$	<code>\ncirceq</code> ()	50
$\rightarrow$	<code>\ncirclearrowleft</code> ()	77
$\rightarrow$	<code>\ncirclearrowleft</code> ()	74
$\rightarrow$	<code>\ncirclearrowright</code> ()	77
$\rightarrow$	<code>\ncirclearrowright</code> ()	74
$\neq$	<code>\ncirmid</code> ()	85
$\neq$	<code>\nclosedequal</code> ()	50
$\neq$	<code>\nclosure</code> ()	53, 86
$\neq$	<code>\ncong</code> ()	49
$\neq$	<code>\ncong</code> ()	47
$\neq$	<code>\ncong</code> ()	54
$\neq$	<code>\ncong</code> ()	53
$\neq$	<code>\ncong</code> ()	50
$\neq$	<code>\ncong</code> ()	56
$\neq$	<code>\ncongdot</code> ()	56
$\neq$	<code>\ncurlyeqprec</code> ()	49
$\neq$	<code>\ncurlyeqprec</code> ()	53
$\neq$	<code>\ncurlyeqprec</code> ()	50
$\neq$	<code>\ncurlyeqsucc</code> ()	49
$\neq$	<code>\ncurlyeqsucc</code> ()	53
$\neq$	<code>\ncurlyeqsucc</code> ()	50
$\rightarrow$	<code>\ncurvearrowdownup</code> ()	72
$\rightarrow$	<code>\ncurvearrowleft</code> ()	77
$\rightarrow$	<code>\ncurvearrowleft</code> ()	74
$\rightarrow$	<code>\ncurvearrowleftrightarrow</code> ()	72
$\rightarrow$	<code>\ncurvearrownesw</code> ()	72
$\rightarrow$	<code>\ncurvearrownwse</code> ()	72
$\rightarrow$	<code>\ncurvearrowright</code> ()	77
$\rightarrow$	<code>\ncurvearrowright</code> ()	74
$\rightarrow$	<code>\ncurvearrowrightleft</code> ()	72
$\rightarrow$	<code>\ncurvearrowswne</code> ()	72
$\rightarrow$	<code>\ncurvearrowswne</code> ()	72
$\rightarrow$	<code>\ncurvearrowupdown</code> ()	72
$\rightarrow$	<code>\ncwcirclearrowdown</code> ()	77
$\rightarrow$	<code>\ncwcirclearrowleft</code> ()	77
$\rightarrow$	<code>\ncwcirclearrowright</code> ()	77
$\rightarrow$	<code>\ncwgapcirclearrow</code> ()	77
$\rightarrow$	<code>\ncwleftarccarrow</code> ()	77
$\rightarrow$	<code>\ncwnearccarrow</code> ()	77
$\rightarrow$	<code>\ncwnwarccarrow</code> ()	77
$\rightarrow$	<code>\ncwopencirclearrow</code> ()	77
$\rightarrow$	<code>\ncwoverarccarrow</code> ()	77
$\rightarrow$	<code>\ncwrightarccarrow</code> ()	77
$\rightarrow$	<code>\ncwsearccarrow</code> ()	77
$\rightarrow$	<code>\ncwswarccarrow</code> ()	77
$\rightarrow$	<code>\ncwunderarccarrow</code> ()	77
$\rightarrow$	<code>\ndasharrow</code> ()	78
$\rightarrow$	<code>\ndasharrow</code> ()	74
$\rightarrow$	<code>\ndasheddownarrow</code> ()	73
$\rightarrow$	<code>\ndashedleftarrow</code> ()	73
$\rightarrow$	<code>\ndashednearrow</code> ()	73

$\rightarrow$	<code>\ndashednwarrow</code> ()	73
$\rightarrow$	<code>\ndashedrightarrow</code> ()	73
$\rightarrow$	<code>\ndashedsearrow</code> ()	73
$\rightarrow$	<code>\ndashedswarrow</code> ()	73
$\rightarrow$	<code>\ndasheduparrow</code> ()	73
$\rightarrow$	<code>\ndashleftarrow</code> ()	78
$\rightarrow$	<code>\ndashleftarrow</code> ()	74
$\rightarrow$	<code>\ndashrightarrow</code> ()	78
$\rightarrow$	<code>\ndashrightarrow</code> ()	74
$\neq$	<code>\nDashV</code> ()	49
$\neq$	<code>\nDashV</code> ()	53
$\neq$	<code>\nDashv</code> ()	49
$\neq$	<code>\nDashv</code> ()	53
$\neq$	<code>\ndashV</code> ()	49
$\neq$	<code>\ndashV</code> ()	53
$\neq$	<code>\ndashv</code> ()	49
$\neq$	<code>\ndashv</code> ()	53
$\neq$	<code>\ndashv</code> ()	51
$\neq$	<code>\ndashVv</code> ()	49
$\neq$	<code>\ndashVv</code> ()	53
$\neq$	<code>\nDdashv</code> ()	53
$\rightarrow$	<code>\Ndownarrow</code> ()	77
$\rightarrow$	<code>\nddtstyle</code> ()	57
$\rightarrow$	<code>\ndiagdown</code> ()	51
$\rightarrow$	<code>\ndiagup</code> ()	51
$\rightarrow$	<code>\ndivides</code> ()	51
$\neq$	<code>\nDoteq</code> ()	53
$\neq$	<code>\nDoteq</code> ()	51
$\neq$	<code>\ndoteq</code> ()	53
$\neq$	<code>\ndoteq</code> ()	51
$\neq$	<code>\ndoublefrown</code> ()	85
$\neq$	<code>\ndoublefrown</code> ()	85
$\neq$	<code>\ndoublesmile</code> ()	85
$\neq$	<code>\ndoublesmile</code> ()	85
$\rightarrow$	<code>\nDownarrow</code> ()	77
$\rightarrow$	<code>\nDownarrow</code> ()	73
$\rightarrow$	<code>\ndownarrow</code> ()	77
$\rightarrow$	<code>\ndownarrow</code> ()	73
$\rightarrow$	<code>\ndownarrowtail</code> ()	77
$\rightarrow$	<code>\ndownarrowtail</code> ()	73
$\rightarrow$	<code>\ndownAssert</code> ()	53
$\rightarrow$	<code>\ndownassert</code> ()	53
$\rightarrow$	<code>\ndownbkarrow</code> ()	77
$\rightarrow$	<code>\ndownblackspoon</code> ()	85
$\rightarrow$	<code>\ndowndownarrows</code> ()	77
$\rightarrow$	<code>\ndowndownarrows</code> ()	73
$\rightarrow$	<code>\ndownfilledspoon</code> ()	84
$\rightarrow$	<code>\ndownfootline</code> ()	51
$\rightarrow$	<code>\ndownfree</code> ()	51
$\rightarrow$	<code>\ndownharpoonccw</code> ()	74
$\rightarrow$	<code>\ndownharpoonccw</code> ()	74
$\rightarrow$	<code>\ndownharpoonleft</code> ()	79
$\rightarrow$	<code>\ndownharpoonright</code> ()	79
$\rightarrow$	<code>\ndownlcurvedarrow</code> ()	78
$\rightarrow$	<code>\ndownleftcurvedarrow</code> ()	78
$\rightarrow$	<code>\ndownlsquigarrow</code> ()	78
$\rightarrow$	<code>\ndownlsquigarrow</code> ()	73
$\rightarrow$	<code>\nDownmapsto</code> ()	77
$\rightarrow$	<code>\ndownmapsto</code> ()	77
$\rightarrow$	<code>\ndownmapsto</code> ()	73
$\rightarrow$	<code>\ndownModels</code> ()	51
$\rightarrow$	<code>\ndownmodels</code> ()	53

<code>\downmodels</code> ($\Downarrow$)	51	<code>\nemapsto</code> ($\rightsquigarrow$)	71	<code>\neswharpoonsenw</code> ($\nearrow$)	78
<code>\downpitchfork</code> ($\pitchfork$)	86	<code>\neModels</code> ($\Downarrow$)	49	<code>\neswharpoonsenw</code> ($\nearrow$)	74
<code>\downpitchfork</code> ($\pitchfork$)	84	<code>\nemodels</code> ($\Downarrow$)	49	<code>\Neswline</code> ($\nearrow$)	49
<code>\downrcurvearrow</code> ($\curvearrowright$)	78	<code>\nenearrows</code> ($\nearrow$)	75	<code>\neswline</code> ($\nearrow$)	49
<code>\downrightcurvedarrow</code> ($\curvearrowright$)	78	<code>\nenearrows</code> ($\nearrow$)	71	<code>\Netherlands</code> (Netherlands)	177
<code>\downrsquigarrow</code> ($\rightsquigarrow$)	78	<code>\neovnwarrow</code> ($\nearrow$)	81	neumes	149
<code>\downrsquigarrow</code> ($\rightsquigarrow$)	73	<code>\neovsearrow</code> ($\nearrow$)	81	<code>\neuter</code> (neuter)	124
<code>\downspoon</code> ($\spoon$)	85	<code>\nepitchfork</code> ($\pitchfork$)	84	<code>\Neutral</code> (Neutral)	124
<code>\downspoon</code> ($\spoon$)	84	<code>\Neptune</code> (Neptune)	120	<code>\Neutrey</code> (Neutrey)	179
<code>\downuparrows</code> ($\Uparrow$)	77	<code>\Neptune</code> (Neptune)	119	<code>\neutrino</code> (neutrino)	125
<code>\downuparrows</code> ($\Uparrow$)	73	<code>\Neptune</code> (Neptune)	120	<code>\neutron</code> (n^0)	125
<code>\downupcurvearrow</code> ($\curvearrowleft$)	78	<code>\neptune</code> (neptune)	119	<code>\neVdash</code> ($\nVdash$)	49
<code>\downupharpoons</code> ($\Updownarrow$)	79	<code>\neq</code> ($\neq$)	49	<code>\nevDash</code> ($\nDash$)	49
<code>\downupharpoons</code> ($\Updownarrow$)	74	<code>\neq</code> ($\neq$)	61	<code>\newextarrow</code>	107
<code>\downupharpoonsleftright</code>		<code>\neq</code> ($\neq$)	54	<code>\newmetrics</code>	172
<code>\downupharpoonsleftright</code>	79	<code>\neq</code> ($\neq$)	53	<code>\newmoon</code> (newmoon)	120
<code>\downupsquigarrow</code> ($\rightsquigarrow$)	78	<code>\neq</code> ($\neq$)	51	<code>\newmoon</code> (newmoon)	119
<code>\downVDash</code> ($\Vdash$)	53	<code>\neq</code> ($\neq$)	56	<code>\newtie</code> (newtie)	19
<code>\downVdash</code> ($\Vdash$)	53	<code>\neqbump</code> ($\neq$)	51	<code>\nexists</code> ($\nexists$)	91
<code>\downVdash</code> ($\Vdash$)	51	<code>\neqcirc</code> ($\neq$)	53	<code>\nexists</code> ($\nexists$)	91
<code>\downvDash</code> ($\Vdash$)	53	<code>\neqcirc</code> ($\neq$)	51	<code>\nexists</code> ($\nexists$)	92
<code>\downvDash</code> ($\Vdash$)	53	<code>\neqdot</code> ($\neq$)	53	<code>\nexists</code> ($\nexists$)	92
<code>\downvDash</code> ($\Vdash$)	51	<code>\neqdot</code> ($\neq$)	51	<code>\nexists</code> ($\nexists$)	91
<code>\downwvearrow</code> ($\curvearrowleft$)	77	<code>\neqfrown</code> ($\neq$)	85	<code>\nexists</code> ($\nexists$)	92
<code>\ndststile</code> ($\equiv$)	57	<code>\neqsim</code> ($\neq$)	53	<code>\nfallingdotseq</code> ($\fallingdotseq$)	53
<code>\ndtstile</code> ($\equiv$)	57	<code>\neqsim</code> ($\neq$)	51	<code>\nfallingdotseq</code> ($\fallingdotseq$)	51
<code>\ndttstile</code> ($\equiv$)	57	<code>\neqsim</code> ($\neq$)	56	<code>\nforksnott</code> ($\nforksnott$)	56
<code>\ndualmap</code> ($\circ\circ$)	85	<code>\neqslantgtr</code> ($\gtrless$)	62	<code>\nfrown</code> ($\frown$)	53, 86
<code>\NE</code> ($\neq$)	121	<code>\neqslantgtr</code> ($\gtrless$)	64	<code>\nfrown</code> ($\frown$)	85
<code>\ne</code>	see <code>\neq</code>	<code>\neqslantgtr</code> ($\gtrless$)	63	<code>\nfrowneq</code> ($\neq$)	53, 86
<code>\ne</code> ($\neq$)	53	<code>\neqslantgtr</code> ($\gtrless$)	65	<code>\nfrowneq</code> ($\neq$)	85
<code>\ne</code> ($\neq$)	51	<code>\neqslantless</code> ($\lessgtr$)	62	<code>\nfrowneqsmile</code> ($\neq$)	85
<code>\ne</code> ($\neq$)	56	<code>\neqslantless</code> ($\lessgtr$)	64	<code>\nfrowneqsmile</code> ($\neq$)	53, 86
<code>\Nearrow</code> ($\nearrow$)	70	<code>\neqslantless</code> ($\lessgtr$)	63	<code>\nfrowneqsmile</code> ($\neq$)	85
<code>\Nearrow</code> ($\nearrow$)	79	<code>\neqslantless</code> ($\lessgtr$)	65	<code>\nfrowneqsmileeq</code> ($\neq$)	85
<code>\Nearrow</code> ($\nearrow$)	75	<code>\neqsmile</code> ($\neq$)	85	<code>\NG</code> ($\neg$)	121
<code>\Nearrow</code> ($\nearrow$)	71	<code>\nequal</code> ($\neq$)	53	<code>\NG</code> ($\neg$)	14
<code>\Nearrow</code> ($\nearrow$)	81	<code>\nequal</code> ($\neq$)	51	<code>\ng</code> ($\neg$)	14
<code>\nearrow</code> ($\nearrow$)	70	<code>\nequalclosed</code> ($\neq$)	51	<code>\nge</code> ($\ngtr$)	66
<code>\nearrow</code> ($\nearrow$)	69, 213	<code>\nequiv</code> ($\neq$)	48	<code>\ngeq</code> ($\ngtr$)	62
<code>\nearrow</code> ($\nearrow$)	75	<code>\nequiv</code> ($\neq$)	54	<code>\ngeq</code> ($\ngtr$)	61, 62
<code>\nearrow</code> ($\nearrow$)	71	<code>\nequiv</code> ($\neq$)	53	<code>\ngeq</code> ($\ngtr$)	65
<code>\nearrow</code> ($\nearrow$)	81	<code>\nequiv</code> ($\neq$)	51	<code>\ngeq</code> ($\ngtr$)	64
<code>\nearrowcorner</code> ($\nearrow$)	79	<code>\nequiv</code> ($\neq$)	56	<code>\ngeq</code> ($\ngtr$)	63
<code>\nearrowtail</code> ($\nearrow$)	75	<code>\nequivclosed</code> ($\neq$)	51	<code>\ngeq</code> ($\ngtr$)	65, 66
<code>\nearrowtail</code> ($\nearrow$)	71	<code>\nercurvearrow</code> ($\nearrow$)	76	<code>\ngeqclosed</code> ($\neq$)	64, 68
<code>\nekkarrow</code> ($\nearrow$)	75	<code>\nersquigarrow</code> ($\nearrow$)	71	<code>\ngeqclosed</code> ($\neq$)	63, 67
<code>\nefilledspoon</code> ($\nearrow$)	84	<code>\nespoon</code> ($\nearrow$)	84	<code>\ngeqdot</code> ($\neq$)	64
<code>\nefootline</code> ($\nearrow$)	49	<code>\Neswarrow</code> ($\nearrow$)	75	<code>\ngeqdot</code> ($\neq$)	63
<code>\nefree</code> ($\nearrow$)	49	<code>\Neswarrow</code> ($\nearrow$)	71	<code>\ngeqq</code> ($\ngtr$)	62
<code>\neg</code> ($\neg$)	112	<code>\neswarrow</code> ($\nearrow$)	213	<code>\ngeqq</code> ($\ngtr$)	61
<code>\neg</code> ($\neg$)	113	<code>\neswarrow</code> ($\nearrow$)	75	<code>\ngeqq</code> ($\ngtr$)	65
<code>\neg</code> ($\neg$)	113	<code>\neswarrow</code> ($\nearrow$)	71	<code>\ngeqq</code> ($\ngtr$)	64
<code>\neg</code> ($\neg$)	114	<code>\neswarrows</code> ($\nearrow$)	75	<code>\ngeqq</code> ($\ngtr$)	63
negation	see <code>\neg</code> and <code>\sim</code>	<code>\neswarrows</code> ($\nearrow$)	71	<code>\ngeqq</code> ($\ngtr$)	65
<code>\neharpoonccw</code> ($\nearrow$)	74	<code>\neswbipropto</code> ($\propto$)	30	<code>\ngeqslant</code> ($\ngtr$)	61
<code>\neharpooncw</code> ($\nearrow$)	74	<code>\neswcrossing</code> ($\nearrow$)	51	<code>\ngeqslant</code> ($\ngtr$)	65
<code>\neharpoonnw</code> ($\nearrow$)	78	<code>\neswcurvearrow</code> ($\nearrow$)	76	<code>\ngeqslant</code> ($\ngtr$)	64
<code>\neharpoonse</code> ($\nearrow$)	78	<code>\neswharpoonnwse</code> ($\nearrow$)	78	<code>\ngeqslant</code> ($\ngtr$)	63
<code>\nelcurvearrow</code> ($\nearrow$)	76	<code>\neswharpoonnwse</code> ($\nearrow$)	74	<code>\ngeqslant</code> ($\ngtr$)	65
<code>\nelsquigarrow</code> ($\nearrow$)	71	<code>\neswharpoons</code> ($\nearrow$)	78	<code>\ngeqslantdot</code> ($\neq$)	64
		<code>\neswharpoons</code> ($\nearrow$)	74	<code>\ngeqslantdot</code> ($\neq$)	63

<code>\ngeqslcc</code> ($\nlessdot$)	64	<code>\nHuparrow</code> ($\nHuparrow$)	80	<code>\nLeftarrow</code> ($\nLeftarrow$)	73
<code>\ngescc</code> ($\ngescc$)	64	<code>\nHuparrow</code> ($\nHuparrow$)	83	<code>\nLeftarrow</code> ($\nLeftarrow$)	83
<code>\ngesdot</code> ($\ngesdot$)	65	<code>\nhVvert</code> ($\nVvert$)	32	<code>\nleftarrow</code> ($\nleftarrow$)	70
<code>\ngesl</code> ($\ngesl$)	65	<code>\ni</code> ($\ni$)	91, 211	<code>\nleftarrow</code> ($\nleftarrow$)	69
<code>\ngets</code> ($\ngets$)	78	<code>\ni</code> ($\ni$)	52	<code>\nleftarrow</code> ($\nleftarrow$)	80
<code>\ngets</code> ($\ngets$)	74	<code>\ni</code> ($\ni$)	92	<code>\nleftarrow</code> ($\nleftarrow$)	76
<code>\ngets</code> ($\ngets$)	83	<code>\ni</code> ($\ni$)	91	<code>\nleftarrow</code> ($\nleftarrow$)	73
<code>\ngg</code> ($\ngg$)	62	<code>\ni</code> ($\ni$)	55, 56	<code>\nleftarrow</code> ($\nleftarrow$)	83
<code>\ngg</code> ($\ngg$)	64	<code>\nialpha</code> ($\nialpha$)	18	<code>\nleftarrowtail</code> ($\nleftarrowtail$)	76
<code>\ngg</code> ($\ngg$)	63	<code>\nibar</code>	<i>see</i> <code>\ownsbar</code>	<code>\nleftarrowtail</code> ($\nleftarrowtail$)	73
<code>\ngg</code> ($\ngg$)	65	<code>\nibeta</code> ($\nibeta$)	18	<code>\nleftAssert</code> ($\nleftAssert$)	53
<code>\nggg</code> ($\nggg$)	64	<code>\NibLeft</code> ($\NibLeft$)	128	<code>\nleftAssert</code> ($\nleftAssert$)	53
<code>\nggg</code> ($\nggg$)	63	<code>\NibRight</code> ($\NibRight$)	128	<code>\nleftbkarrow</code> ($\nleftbkarrow$)	76
<code>\ngtcc</code> ($\ngtcc$)	64	<code>nibs</code>	128	<code>\nleftblackspoon</code> ($\nleftblackspoon$)	85
<code>\ngtr</code> ($\ngtr$)	62	<code>\NibSolidLeft</code> ($\NibSolidLeft$)	128	<code>\nleftcurvedarrow</code> ($\nleftcurvedarrow$)	78
<code>\ngtr</code> ($\ngtr$)	61	<code>\NibSolidRight</code> ($\NibSolidRight$)	128	<code>\nleftdowncurvedarrow</code> ($\nleftdowncurvedarrow$)	77
<code>\ngtr</code> ($\ngtr$)	65	<code>nicefrac</code> (package)	114, 226, 227	<code>\nleftfilledspoon</code> ($\nleftfilledspoon$)	84
<code>\ngtr</code> ($\ngtr$)	64	<code>niceframe</code> (package)	191–194, 197	<code>\nleftfootline</code> ($\nleftfootline$)	53
<code>\ngtr</code> ($\ngtr$)	63	<code>\NiceReapey</code> ($\NiceReapey$)	179	<code>\nleftfootline</code> ($\nleftfootline$)	50
<code>\ngtr</code> ($\ngtr$)	65	<code>\nichi</code> ($\nichi$)	18	<code>\nleftfree</code> ($\nleftfree$)	50
<code>\ngtrapprox</code> ($\ngtrapprox$)	62	<code>\niepsilon</code> ($\niepsilon$)	18	<code>\nleftharpoonccw</code> ($\nleftharpoonccw$)	74
<code>\ngtrapprox</code> ($\ngtrapprox$)	64	<code>\nigamma</code> ($\nigamma$)	18	<code>\nleftharpooncw</code> ($\nleftharpooncw$)	74
<code>\ngtrcc</code> ($\ngtrcc$)	64	<code>\niiota</code> ($\niiota$)	18	<code>\nleftharpoondown</code> ($\nleftharpoondown$)	79
<code>\ngtrclosed</code> ($\ngtrclosed$)	64, 68	<code>\nilambda</code> ($\nilambda$)	18	<code>\nleftharpoonup</code> ($\nleftharpoonup$)	79
<code>\ngtrclosed</code> ($\ngtrclosed$)	63, 67	<code>\nimageof</code> ($\nimageof$)	85	<code>\nleftlcurvearrow</code> ($\nleftlcurvearrow$)	77
<code>\ngtrdot</code> ($\ngtrdot$)	64	<code>\nin</code> ($\nin$)	53, 92	<code>\nleftleftarrows</code> ($\nleftleftarrows$)	76
<code>\ngtrdot</code> ($\ngtrdot$)	63	<code>\nin</code> ($\nin$)	91	<code>\nleftleftarrows</code> ($\nleftleftarrows$)	73
<code>\ngtreqlless</code> ($\ngtreqlless$)	64	<code>\Ninja</code> ($\Ninja$)	179	<code>\nleftlsquigarrow</code> ($\nleftlsquigarrow$)	77
<code>\ngtreqlless</code> ($\ngtreqlless$)	63	<code>\niobar</code> ($\niobar$)	55	<code>\nleftlsquigarrow</code> ($\nleftlsquigarrow$)	73
<code>\ngtreqllesslant</code> ($\ngtreqllesslant$)	64	<code>\niomega</code> ($\niomega$)	18	<code>\nLeftmapsto</code> ($\nLeftmapsto$)	76
<code>\ngtreqllesslant</code> ($\ngtreqllesslant$)	63	<code>\niphil</code> ($\niphil$)	18	<code>\nLeftmapsto</code> ($\nLeftmapsto$)	76
<code>\ngtreqlless</code> ($\ngtreqlless$)	64	<code>\niplus</code> ($\niplus$)	47	<code>\nLeftmapsto</code> ($\nLeftmapsto$)	73
<code>\ngtreqlless</code> ($\ngtreqlless$)	63	<code>\niplus</code> ($\niplus$)	54	<code>\nLeftModels</code> ($\nLeftModels$)	50
<code>\ngtreqlslantless</code> ($\ngtreqlslantless$)	64	<code>\nis</code> ($\nis$)	55	<code>\nleftmodels</code> ($\nleftmodels$)	53
<code>\ngtrless</code> ($\ngtrless$)	62	<code>\nisd</code> ($\nisd$)	54	<code>\nleftmodels</code> ($\nleftmodels$)	50
<code>\ngtrless</code> ($\ngtrless$)	64	<code>\nisd</code> ($\nisd$)	55	<code>\nleftpitchfork</code> ($\nleftpitchfork$)	86
<code>\ngtrless</code> ($\ngtrless$)	63	<code>\nisigma</code> ($\nisigma$)	18	<code>\nleftpitchfork</code> ($\nleftpitchfork$)	84
<code>\ngtrless</code> ($\ngtrless$)	65	<code>\nitheta</code> ($\nitheta$)	18	<code>\nleftrcurvearrow</code> ($\nleftrcurvearrow$)	77
<code>\ngtrsim</code> ($\ngtrsim$)	62	<code>\niupsilon</code> ($\niupsilon$)	18	<code>\nLeftrightarrow</code> ($\nLeftrightarrow$)	80
<code>\ngtrsim</code> ($\ngtrsim$)	62	<code>\niv</code> ($\niv$)	93	<code>\nLeftrightarrow</code> ($\nLeftrightarrow$)	70
<code>\ngtrsim</code> ($\ngtrsim$)	64	<code>\nj</code> ($\nj$)	18	<code>\nLeftrightarrow</code> ($\nLeftrightarrow$)	69
<code>\ngtrsim</code> ($\ngtrsim$)	65	<code>nkarta</code> (package)	186, 226	<code>\nLeftrightarrow</code> ($\nLeftrightarrow$)	80
<code>\nhateq</code> ($\nhateq$)	53	<code>\nlcirclearrowdown</code> ($\nlcirclearrowdown$)	73	<code>\nLeftrightarrow</code> ($\nLeftrightarrow$)	77
<code>\nhateq</code> ($\nhateq$)	51	<code>\nlcirclearrowleft</code> ($\nlcirclearrowleft$)	73	<code>\nLeftrightarrow</code> ($\nLeftrightarrow$)	73
<code>\nHdownarrow</code> ($\nHdownarrow$)	80	<code>\nlcirclearrowright</code> ($\nlcirclearrowright$)	73	<code>\nLeftrightarrow</code> ($\nLeftrightarrow$)	83
<code>\nHdownarrow</code> ($\nHdownarrow$)	83	<code>\nlcirclearrowup</code> ($\nlcirclearrowup$)	73	<code>\nLeftrightarrow</code> ($\nLeftrightarrow$)	70
<code>\nhknearrow</code> ($\nhknearrow$)	78	<code>\nlcurvearrowdown</code> ($\nlcurvearrowdown$)	73	<code>\nleftrightharpoon</code> ($\nleftrightharpoon$)	27, 69
<code>\nhknwarrow</code> ($\nhknwarrow$)	78	<code>\nlcurvearrowleft</code> ($\nlcurvearrowleft$)	73	<code>\nleftrightharpoon</code> ($\nleftrightharpoon$)	80
<code>\nhksearrow</code> ($\nhksearrow$)	78	<code>\nlcurvearrowne</code> ($\nlcurvearrowne$)	73	<code>\nleftrightharpoon</code> ($\nleftrightharpoon$)	76
<code>\nhkswarrow</code> ($\nhkswarrow$)	78	<code>\nlcurvearrownw</code> ($\nlcurvearrownw$)	73	<code>\nleftrightharpoon</code> ($\nleftrightharpoon$)	73
<code>\nhookdownarrow</code> ($\nhookdownarrow$)	77	<code>\nlcurvearrowright</code> ($\nlcurvearrowright$)	73	<code>\nleftrightharpoon</code> ($\nleftrightharpoon$)	83
<code>\nhookleftarrow</code> ($\nhookleftarrow$)	77	<code>\nlcurvearrowse</code> ($\nlcurvearrowse$)	73	<code>\nleftrightharpoons</code> ($\nleftrightharpoons$)	77
<code>\nhookleftarrow</code> ($\nhookleftarrow$)	74	<code>\nlcurvearrowsw</code> ($\nlcurvearrowsw$)	73	<code>\nleftrightharpoons</code> ($\nleftrightharpoons$)	73
<code>\nhooknearrow</code> ($\nhooknearrow$)	77	<code>\nlcurvearrowup</code> ($\nlcurvearrowup$)	73	<code>\nlefttrightarrowblackspoon</code> ($\nlefttrightarrowblackspoon$)	85
<code>\nhooknwarrow</code> ($\nhooknwarrow$)	77	<code>\nle</code> ($\nle$)	66	<code>\nlefttrightarrowcurvearrow</code> ($\nlefttrightarrowcurvearrow$)	77
<code>\nhookrightarrow</code> ($\nhookrightarrow$)	77	<code>\nleadsto</code> ($\nleadsto$)	78	<code>\nlefttrightharpoondownup</code> ($\nlefttrightharpoondownup$)	79
<code>\nhookrightarrow</code> ($\nhookrightarrow$)	74	<code>\nleadsto</code> ($\nleadsto$)	74	<code>\nlefttrightharpoondownup</code> ($\nlefttrightharpoondownup$)	74
<code>\nhooksearrow</code> ($\nhooksearrow$)	77	<code>\nLeftarrow</code> ($\nLeftarrow$)	70	<code>\nleftrightharpoons</code> ($\nleftrightharpoons$)	79
<code>\nhookswarrow</code> ($\nhookswarrow$)	77	<code>\nLeftarrow</code> ($\nLeftarrow$)	69		
<code>\nhookuparrow</code> ($\nhookuparrow$)	77	<code>\nLeftarrow</code> ($\nLeftarrow$)	80		
<code>\nhpar</code> ($\nhpar$)	56	<code>\nLeftarrow</code> ($\nLeftarrow$)	76		

<code>\nneVdash</code> ($\nVdash$)	50
<code>\nnevDash</code> ($\nDash$)	50
<code>\nni</code> ($\ni$)	53
<code>\nni</code> ($\ni$)	92
<code>\nni</code> ($\ni$)	56
<code>\nnststile</code> ($\ststile$)	57
<code>\nntstile</code> ($\ntstile$)	57
<code>\nnttstile</code> ($\nttstile$)	57
<code>\nNwarrow</code> ($\Nwarrow$)	77
<code>\nNwarrow</code> ($\Nwarrow$)	73
<code>\nnwarrow</code> ($\nwarrow$)	70
<code>\nnwarrow</code> ($\nwarrow$)	79
<code>\nnwarrow</code> ($\nwarrow$)	77
<code>\nnwarrow</code> ($\nwarrow$)	73
<code>\nnwbkarrow</code> ($\nwarrow$)	77
<code>\nnwfilledspoon</code> ($\nwarrow$)	84
<code>\nnwfootline</code> ($\nwarrow$)	51
<code>\nnwfree</code> ($\nwarrow$)	51
<code>\nnwharpoonccw</code> ($\nwarrow$)	74
<code>\nnwharpooncw</code> ($\nwarrow$)	74
<code>\nnwharpoonne</code> ($\nwarrow$)	79
<code>\nnwharpoonsw</code> ($\nwarrow$)	79
<code>\nnwlcurvearrow</code> ($\nwarrow$)	78
<code>\nnwlsquigarrow</code> ($\nwarrow$)	73
<code>\nnwmapsto</code> ($\nwarrow$)	73
<code>\nnwModels</code> ($\nwarrow$)	51
<code>\nnwmodels</code> ($\nwarrow$)	51
<code>\nnwnwarrows</code> ($\nwarrow$)	77
<code>\nnwnwarrows</code> ($\nwarrow$)	73
<code>\nnwpitchfork</code> ($\nwarrow$)	84
<code>\nnwrcurvearrow</code> ($\nwarrow$)	78
<code>\nnwrsquigarrow</code> ($\nwarrow$)	73
<code>\nNwsearrow</code> ($\Nwsearrow$)	77
<code>\nNwsearrow</code> ($\Nwsearrow$)	73
<code>\nnwsearrow</code> ($\nwarrow$)	77
<code>\nnwsearrow</code> ($\nwarrow$)	73
<code>\nnwsearrows</code> ($\nwarrow$)	77
<code>\nnwsearrows</code> ($\nwarrow$)	73
<code>\nnwsecurvearrow</code> ($\nwarrow$)	78
<code>\nnwseharpoonnesw</code> ($\nwarrow$)	79
<code>\nnwseharpoonnesw</code> ($\nwarrow$)	74
<code>\nnwseharpoons</code> ($\nwarrow$)	79
<code>\nnwseharpoons</code> ($\nwarrow$)	74
<code>\nnwseharpoonswne</code> ($\nwarrow$)	79
<code>\nnwseharpoonswne</code> ($\nwarrow$)	74
<code>\nNwseline</code> ($\Nwseline$)	51
<code>\nNwseline</code> ($\nwarrow$)	51
<code>\nnwspoon</code> ($\nwarrow$)	84
<code>\nnwVdash</code> ($\nwarrow$)	51
<code>\nnwvdash</code> ($\nwarrow$)	51
no entry	<i>see</i> <code>\noway</code>
<code>\NoBleech</code> ($\nBleech$)	165
<code>\NoChemicalCleaning</code> ($\nChemicalCleaning$)	165
nointegrals (wasysym package option)	38
<code>\NoIroning</code> ($\nIroning$)	165
non-commutative division	107
nonbreaking space	122
NOR gates	123

	
<code>\NORd</code> ($\NORd$)	123
<code>\norigof</code> ($\norigof$)	85
	
<code>\NORl</code> ($\NORl$)	123
norm	<i>see</i> <code>\lVert</code> and <code>\rVert</code>
	
<code>\NORr</code> ($\NORr$)	123
<code>\NorthNode</code> ($\NorthNode$)	120
	
<code>\NORu</code> ($\NORu$)	123
<code>\Norway</code> ($\Norway$)	177
<code>\NoSun</code> ($\NoSun$)	166
<code>\Not</code> ($\not$)	55
not	<i>see</i> <code>\neg</code>
<code>\not</code>	49, 211
not equal ($\neq$ vs. $\neq$)	49
<code>\notasymp</code> ($\notasymp$)	49
<code>\notbackslash</code> ($\notbackslash$)	121
<code>\notbot</code> ($\notbot$)	91
<code>\notbot</code> ($\notbot$)	114
<code>\notchar</code> ($\notchar$)	55
<code>\NotCongruent</code> ($\NotCongruent$)	110
<code>\notdivides</code> ($\notdivides$)	49
<code>\notequiv</code> ($\notequiv$)	49
<code>\notin</code> ($\notin$)	91
<code>\notin</code> ($\notin$)	91
<code>\notin</code> ($\notin$)	92
<code>\notin</code> ($\notin$)	53
<code>\notin</code> ($\notin$)	92
<code>\notin</code> ($\notin$)	91
<code>\notin</code> ($\notin$)	56
<code>\notni</code> ($\notni$)	91
<code>\notowner</code> ($\notowner$)	91
<code>\notowns</code>	<i>see</i> <code>\notowner</code> and <code>\notni</code>
<code>\notperp</code> ($\notperp$)	49
<code>\notslash</code> ($\notslash$)	121
<code>\notsmallin</code> ($\notsmallin$)	92
<code>\notsmallowns</code> ($\notsmallowns$)	92
<code>\nottop</code> ($\nottop$)	91
<code>\nottop</code> ($\nottop$)	114
<code>\NoTumbler</code> ($\NoTumbler$)	165
<code>\novelty</code> ($\Novelty$)	169
<code>\noway</code> ($\noway$)	165
<code>\nowns</code> ($\nowns$)	53, 92
<code>\nowns</code> ($\nowns$)	92
<code>\nowns</code> ($\nowns$)	91
<code>\nowns</code> ($\nowns$)	91
<code>\nparallel</code> ($\nparallel$)	47
<code>\nparallel</code> ($\nparallel$)	54
<code>\nparallel</code> ($\nparallel$)	53
<code>\nparallel</code> ($\nparallel$)	51
<code>\nparallel</code> ($\nparallel$)	56
<code>\nparallelslant</code> ($\nparallelslant$)	58
<code>\nperp</code> ($\nperp$)	53
<code>\nperp</code> ($\nperp$)	51
<code>\npitchfork</code> ($\npitchfork$)	86
<code>\npitchfork</code> ($\npitchfork$)	84
<code>\nplus</code> ($\nplus$)	28
<code>\nplus</code> ($\nplus$)	31

<code>\npolint</code> ($\int$)	44
<code>\npolintsl</code> ($\int$)	45
<code>\npolintup</code> ($\int$)	45
<code>\nprec</code> ($\prec$)	49
<code>\nprec</code> ($\prec$)	47
<code>\nprec</code> ($\prec$)	54
<code>\nprec</code> ($\prec$)	53
<code>\nprec</code> ($\prec$)	51
<code>\nprec</code> ($\prec$)	56
<code>\nprecapprox</code> ($\nprecapprox$)	49
<code>\nprecapprox</code> ($\nprecapprox$)	48
<code>\nprecapprox</code> ($\nprecapprox$)	53
<code>\nprecapprox</code> ($\nprecapprox$)	51
<code>\npreccurlyeq</code> ($\npreccurlyeq$)	49
<code>\npreccurlyeq</code> ($\npreccurlyeq$)	48
<code>\npreccurlyeq</code> ($\npreccurlyeq$)	53
<code>\npreccurlyeq</code> ($\npreccurlyeq$)	51
<code>\npreccurlyeq</code> ($\npreccurlyeq$)	56
<code>\npreceq</code> ($\npreceq$)	49
<code>\npreceq</code> ($\npreceq$)	47
<code>\npreceq</code> ($\npreceq$)	54
<code>\npreceq</code> ($\npreceq$)	53
<code>\npreceq</code> ($\npreceq$)	51
<code>\npreceq</code> ($\npreceq$)	56
<code>\npreceqq</code> ($\npreceqq$)	48
<code>\npreceqq</code> ($\npreceqq$)	53
<code>\nprecsim</code> ($\nprecsim$)	49
<code>\nprecsim</code> ($\nprecsim$)	48
<code>\nprecsim</code> ($\nprecsim$)	53
<code>\nprecsim</code> ($\nprecsim$)	51
<code>\NR</code> ($\NR$)	121
<code>\nrcirclearrowdown</code> ($\nrcirclearrowdown$)	73
<code>\nrcirclearrowleft</code> ($\nrcirclearrowleft$)	73
<code>\nrcirclearrowright</code> ($\nrcirclearrowright$)	73
<code>\nrcirclearrowup</code> ($\nrcirclearrowup$)	73
<code>\nrcurvearrowdown</code> ($\nrcurvearrowdown$)	73
<code>\nrcurvearrowleft</code> ($\nrcurvearrowleft$)	73
<code>\nrcurvearrowne</code> ($\nrcurvearrowne$)	73
<code>\nrcurvearrownw</code> ($\nrcurvearrownw$)	73
<code>\nrcurvearrowright</code> ($\nrcurvearrowright$)	73
<code>\nrcurvearrowse</code> ($\nrcurvearrowse$)	73
<code>\nrcurvearrowsw</code> ($\nrcurvearrowsw$)	73
<code>\nrcurvearrowup</code> ($\nrcurvearrowup$)	73
<code>\nRelbar</code> ($\nRelbar$)	51
<code>\nrelbar</code> ($\nrelbar$)	51
<code>\nrestriction</code> ($\nrestriction$)	79
<code>\nrestriction</code> ($\nrestriction$)	74
<code>\nrhookdownarrow</code> ($\nrhookdownarrow$)	73
<code>\nrhookleftarrow</code> ($\nrhookleftarrow$)	73
<code>\nrhooknearrow</code> ($\nrhooknearrow$)	73
<code>\nrhooknwarrow</code> ($\nrhooknwarrow$)	73
<code>\nrhookrightarrow</code> ($\nrhookrightarrow$)	73
<code>\nrhooksearrow</code> ($\nrhooksearrow$)	73
<code>\nrhookswarrow</code> ($\nrhookswarrow$)	73
<code>\nrhookuparrow</code> ($\nrhookuparrow$)	73
<code>\nRightarrow</code> ($\nRightarrow$)	70
<code>\nRightarrow</code> ($\nRightarrow$)	69
<code>\nRightarrow</code> ($\nRightarrow$)	80
<code>\nRightarrow</code> ($\nRightarrow$)	77
<code>\nRightarrow</code> ($\nRightarrow$)	73
<code>\nRightarrow</code> ($\nRightarrow$)	83
<code>\nrightarrow</code> ($\nrightarrow$)	70
<code>\nrightarrow</code> ($\nrightarrow$)	69

<code>\nststyle</code> ()	57	<code>\nsupseteq</code> ()	60	<code>\ntriangleright</code> ()	66
<code>\nsttstyle</code> ()	57	<code>\nsupseteq</code> ()	60	<code>\ntriangleright</code> ()	68
<code>\nSubset</code> ()	59	<code>\nsupseteq</code> ()	61	<code>\ntriangleright</code> ()	68
<code>\nSubset</code> ()	59	<code>\nsupseteqq</code> ()	59	<code>\ntriangleright</code> ()	63, 67
<code>\nSubset</code> ()	60	<code>\nsupseteqq</code> ()	59	<code>\ntrianglerighteq</code> ()	66
<code>\nSubset</code> ()	60	<code>\nsupseteqq</code> ()	60	<code>\ntrianglerighteq</code> ()	66
<code>\nsubset</code> ()	59	<code>\nsupseteqq</code> ()	60	<code>\ntrianglerighteq</code> ()	68
<code>\nsubset</code> ()	60	<code>\nsupseteqq</code> ()	60	<code>\ntrianglerighteq</code> ()	68
<code>\nsubset</code> ()	60	<code>\nsupseteqq</code> ()	61	<code>\ntrianglerighteq</code> ()	63, 67
<code>\nsubset</code> ()	60	<code>\nSwarrow</code> ()	77	<code>\ntrianglerighteq</code> ()	68
<code>\nsubset</code> ()	61	<code>\nSwarrow</code> ()	73	<code>\ntrianglerighteqslant</code> ()	
<code>\nsubsepeq</code> ()	59	<code>\nswarrow</code> ()	76		66
<code>\nsubsepeq</code> ()	59	<code>\nswarrow</code> ()	73	<code>\ntriplefrown</code> ()	85
<code>\nsubsepeq</code> ()	60	<code>\nswarrowtail</code> ()	77	<code>\ntriplesim</code> ()	53
<code>\nsubsepeq</code> ()	60	<code>\nswarrowtail</code> ()	73	<code>\ntriplesim</code> ()	51
<code>\nsubsepeq</code> ()	60	<code>\nswbkarrow</code> ()	77	<code>\ntriplesmile</code> ()	85
<code>\nsubsepeq</code> ()	61	<code>\nswfilledspoon</code> ()	84	<code>\ntststyle</code> ()	57
<code>\nsubsepeq</code> ()	59	<code>\nswfootline</code> ()	51	<code>\nttstyle</code> ()	57
<code>\nsubsepeq</code> ()	59	<code>\nswfree</code> ()	51	<code>\ntttstyle</code> ()	57
<code>\nsubsepeq</code> ()	60	<code>\nswharpoonccw</code> ()	74	<code>\ntwoheaddownarrow</code> ()	77
<code>\nsubsepeq</code> ()	60	<code>\nswharpooncw</code> ()	74	<code>\ntwoheaddownarrow</code> ()	73
<code>\nsubsepeq</code> ()	60	<code>\nswharpoonnw</code> ()	79	<code>\ntwoheadleftarrow</code> ()	48
<code>\nsubsepeq</code> ()	60	<code>\nswharpoonse</code> ()	79	<code>\ntwoheadleftarrow</code> ()	77
<code>\nsubsepeq</code> ()	61	<code>\nswlcurvearrow</code> ()	78	<code>\ntwoheadleftarrow</code> ()	73
<code>\nsucc</code> ()	49	<code>\nswlsquigarrow</code> ()	73	<code>\ntwoheadnearrow</code> ()	77
<code>\nsucc</code> ()	47	<code>\nswmapsto</code> ()	73	<code>\ntwoheadnearrow</code> ()	73
<code>\nsucc</code> ()	54	<code>\nswModels</code> ()	51	<code>\ntwoheadnearrow</code> ()	77
<code>\nsucc</code> ()	53	<code>\nswmodels</code> ()	51	<code>\ntwoheadnearrow</code> ()	73
<code>\nsucc</code> ()	50	<code>\nswnearrows</code> ()	77	<code>\ntwoheadnarrow</code> ()	77
<code>\nsucc</code> ()	56	<code>\nswnearrows</code> ()	73	<code>\ntwoheadnarrow</code> ()	73
<code>\nsuccapprox</code> ()	49	<code>\nswnecurvearrow</code> ()	78	<code>\ntwoheadrightarrow</code> ()	48
<code>\nsuccapprox</code> ()	48	<code>\nswneharpoons</code> ()	79	<code>\ntwoheadrightarrow</code> ()	77
<code>\nsuccapprox</code> ()	53	<code>\nswneharpoons</code> ()	74	<code>\ntwoheadrightarrow</code> ()	73
<code>\nsuccapprox</code> ()	50	<code>\nswpitchfork</code> ()	84	<code>\ntwoheadsearrow</code> ()	77
<code>\nsucccurlyeq</code> ()	49	<code>\nswrcurvearrow</code> ()	78	<code>\ntwoheadsearrow</code> ()	73
<code>\nsucccurlyeq</code> ()	48	<code>\nswrsquigarrow</code> ()	73	<code>\ntwoheadsearrow</code> ()	77
<code>\nsucccurlyeq</code> ()	53	<code>\nswspoon</code> ()	84	<code>\ntwoheadswarrow</code> ()	77
<code>\nsucccurlyeq</code> ()	50	<code>\nswswarrows</code> ()	77	<code>\ntwoheadswarrow</code> ()	73
<code>\nsucccurlyeq</code> ()	56	<code>\nswswarrows</code> ()	73	<code>\ntwoheaduparrow</code> ()	77
<code>\nsucceq</code> ()	49	<code>\nswVdash</code> ()	51	<code>\ntwoheaduparrow</code> ()	73
<code>\nsucceq</code> ()	47	<code>\nswvdash</code> ()	51	<code>\Nu</code> (N)	88
<code>\nsucceq</code> ()	54	<code>\NT</code> ($\sim$)	121	<code>\nu</code> (ν)	88
<code>\nsucceq</code> ()	53	<code>\ntdtstyle</code> ()	57	nuclear power plant	<i>see</i> <code>\SNPP</code>
<code>\nsucceq</code> ()	50	<code>\nththeorem</code> (package)	112	<code>\nucleus</code> ()	125
<code>\nsucceq</code> ()	56	<code>\nthickapprox</code> ()	48	<code>\NUL</code> ($\text{\textasciix00}$)	122
<code>\nsucceqq</code> ()	48	<code>\nto</code> ($\rightarrow$)	78	<code>\NUL</code> ($\text{\textasciix00}$)	122
<code>\nsucceqq</code> ()	53	<code>\nto</code> ($\rightarrow$)	74	null infinity	<i>see</i> alphabets, math
<code>\nsuccsim</code> ()	49	<code>\ntriangleeq</code> ()	68	null set	111–114
<code>\nsuccsim</code> ()	48	<code>\ntriangleeq</code> ()	67	number sets	<i>see</i> alphabets, math
<code>\nsuccsim</code> ()	53	<code>\ntriangleleft</code> ()	66	number sign	<i>see</i> <code>\textnumero</code>
<code>\nsuccsim</code> ()	50	<code>\ntriangleleft</code> ()	66	numbers	<i>see</i> numerals
<code>\nSupset</code> ()	59	<code>\ntriangleleft</code> ()	68	numerals 26, 110, 118, 130, 163,	
<code>\nSupset</code> ()	59	<code>\ntriangleleft</code> ()	68	170, 171, 186–187, 204	
<code>\nSupset</code> ()	60	<code>\ntriangleleft</code> ()	63, 67	circled 130, 170, 171, 204	
<code>\nSupset</code> ()	60	<code>\ntrianglelefteq</code> ()	66	Epi-Olmec	146
<code>\nsupset</code> ()	59	<code>\ntrianglelefteq</code> ()	66	Isthmian	146
<code>\nsupset</code> ()	60	<code>\ntrianglelefteq</code> ()	68	LCD	118
<code>\nsupset</code> ()	60	<code>\ntrianglelefteq</code> ()	68	Linear B	142
<code>\nsupset</code> ()	60	<code>\ntrianglelefteq</code> ()	63, 67	Mayan	110
<code>\nsupset</code> ()	61	<code>\ntrianglelefteq</code> ()	68	old-style	26
<code>\nsupseteq</code> ()	59	<code>\ntrianglelefteqslant</code> ()	66	segmented	118
<code>\nsupseteq</code> ()	59	<code>\ntriangleright</code> ()	66	<code>\NumLock</code> (<code>\Num</code>)	122

<code>\nUparrow</code> ($\Uparrow$)	77	<code>\nupvDash</code> ($\Vdash$)	53	<code>\nVleftarrowtail</code> ($\nwarrowtail$)	83
<code>\nUparrow</code> ($\Uparrow$)	73	<code>\nupvdash</code> ($\vdash$)	53	<code>\nvleftarrowtail</code> ($\nwarrowtail$)	83
<code>\nuparrow</code> ($\uparrow$)	77	<code>\nupvdash</code> ($\vdash$)	51	<code>\nVleftrightharrow</code> ($\longleftrightarrow$)	83
<code>\nuparrow</code> ($\uparrow$)	73	<code>\nupwavearrow</code> ($\curlywedge$)	77	<code>\nvLeftrightharrow</code> ($\longleftrightarrow$)	83
<code>\nuparrowtail</code> ($\uparrowtail$)	77	<code>\Nursey</code> ($\text{\textcircled{N}}$)	179	<code>\nvleftrightharrow</code> ($\longleftrightarrow$)	83
<code>\nuparrowtail</code> ($\uparrowtail$)	73	<code>\nuup</code> (ν)	89	<code>\nVlongdash</code> ($\dashv$)	53
<code>\nupAssert</code> ($\pm$)	53	<code>\nUparrow</code> ($\Uparrow$)	77	<code>\nVrightarrow</code> ($\rightarrow$)	80
<code>\nupassert</code> ($\pm$)	53	<code>\nvardownwavearrow</code> ($\curlywedge$)	77	<code>\nVrightarrow</code> ($\rightarrow$)	83
<code>\nupbkarrow</code> ($\Updownarrow$)	77	<code>\nvargel</code> ($\pm$)	62	<code>\nvRightarrow</code> ($\rightarrow$)	83
<code>\nupblackspoon</code> ($\spadesuit$)	85	<code>\nvarhookdownarrow</code> ($\hookdownarrow$)	77	<code>\nvRightarrow</code> ($\rightarrow$)	83
<code>\nUpdownarrow</code> ($\Updownarrow$)	77	<code>\nvarhookleftarrow</code> ($\hookleftarrow$)	77	<code>\nvrightarrow</code> ($\rightarrow$)	83
<code>\nUpdownarrow</code> ($\Updownarrow$)	73	<code>\nvarhookrightarrow</code> ($\hookrightarrow$)	77	<code>\nVrightarrowtail</code> ($\searrowtail$)	83
<code>\nupdownarrow</code> ($\downarrow$)	77	<code>\nvarhooknearrow</code> ($\nearrow$)	77	<code>\nvrightarrowtail</code> ($\searrowtail$)	83
<code>\nupdownarrow</code> ($\downarrow$)	73	<code>\nvarhooknwarrow</code> ($\nwarrow$)	77	<code>\nVtwoheadleftarrow</code> ($\twoheadleftarrow$)	83
<code>\nupdownarrow</code> ($\downarrow$)	73	<code>\nvarhookrightarrow</code> ($\rightarrow$)	77	<code>\nvtwoheadleftarrow</code> ($\twoheadleftarrow$)	83
<code>\nupdownarrows</code> ($\Updownarrow$)	77	<code>\nvarhooksearrow</code> ($\searrow$)	77	<code>\nVtwoheadleftarrowtail</code> ($\twoheadleftarrowtail$)	83
<code>\nupdownarrows</code> ($\Updownarrow$)	73	<code>\nvarhookswarrow</code> ($\swarrow$)	77	<code>\nvtwoheadleftarrowtail</code> ($\twoheadleftarrowtail$)	83
<code>\nupdowncurvearrow</code> ($\curvearrowright$)	78	<code>\nvarhookuparrow</code> ($\uparrow$)	77	<code>\nVtwoheadrightarrow</code> ($\twoheadrightarrow$)	83
<code>\nupdownharpoonleftright</code>		<code>\nvarisinobar</code> ($\mathbb{Z}$)	56	<code>\nvtwoheadrightarrow</code> ($\twoheadrightarrow$)	83
<code>\nupdownharpoonleftright</code>	79	<code>\nvarleftrightwavearrow</code> ($\longleftrightarrow$)	77	<code>\nvtwoheadrightarrowtail</code>	83
<code>\nupdownharpoonleftright</code>	74	<code>\nvarleftwavearrow</code> ($\leftarrow$)	77	<code>\nvtwoheadrightarrowtail</code>	83
<code>\nupdownharpoonrightleft</code>	79	<code>\nvarleq</code> ($\leq$)	62	<code>\nVtwoheadrightarrowtail</code>	83
<code>\nupdownharpoonrightleft</code>	74	<code>\nvarniobar</code> ($\mathbb{Z}$)	56	<code>\nvtwoheadrightarrowtail</code>	83
<code>\nupdownharpoons</code> ($\Updownarrow$)	79	<code>\nvarparallel</code> ($\parallel$)	48	<code>\nVdash</code> ($\Vdash$)	53
<code>\nupdownharpoons</code> ($\Updownarrow$)	74	<code>\nvarparallelinv</code> ($\nparallel$)	48	<code>\Nwarrow</code> ($\nwarrow$)	70
<code>\nupdownharpoonsleftright</code>	79	<code>\nvarrightwavearrow</code> ($\rightarrow$)	77	<code>\Nwarrow</code> ($\nwarrow$)	79
<code>\nupdownharpoonsleftright</code>	74	<code>\nvartriangleleft</code> ($\triangleleft$)	68	<code>\Nwarrow</code> ($\nwarrow$)	75
<code>\nupdownharpoonsleftright</code>	79	<code>\nvartriangleright</code> ($\triangleright$)	68	<code>\Nwarrow</code> ($\nwarrow$)	71
<code>\nupdownline</code> ($\Uparrow$)	51	<code>\nvarupdownwavearrow</code> ($\curlywedge$)	77	<code>\Nwarrow</code> ($\nwarrow$)	81
<code>\nupdownline</code> ($\uparrow$)	51	<code>\nvarupwavearrow</code> ($\curlywedge$)	77	<code>\Nwarrow</code> ($\nwarrow$)	70
<code>\nupdownsquigarrow</code> ($\curlywedge$)	78	<code>\nVbar</code> ($\pm$)	53	<code>\Nwarrow</code> ($\nwarrow$)	69, 213
<code>\nupdownwavearrow</code> ($\curlywedge$)	77	<code>\nVDash</code> ($\Vdash$)	49	<code>\Nwarrow</code> ($\nwarrow$)	75
<code>\nupfilledspoon</code> ($\spadesuit$)	84	<code>\nVDash</code> ($\Vdash$)	47	<code>\Nwarrow</code> ($\nwarrow$)	71
<code>\nupfootline</code> ($\uparrow$)	51	<code>\nVDash</code> ($\Vdash$)	54	<code>\Nwarrow</code> ($\nwarrow$)	81
<code>\nupfree</code> ($\uparrow$)	51	<code>\nVDash</code> ($\Vdash$)	53	<code>\Nwarrow</code> ($\nwarrow$)	79
<code>\nupharpoonccw</code> ($\uparrow$)	74	<code>\nVDash</code> ($\Vdash$)	51	<code>\Nwarrow</code> ($\nwarrow$)	75
<code>\nupharpooncw</code> ($\uparrow$)	74	<code>\nVDash</code> ($\Vdash$)	56	<code>\Nwarrow</code> ($\nwarrow$)	71
<code>\nupharpoonleft</code> ($\uparrow$)	79	<code>\nVDash</code> ($\Vdash$)	49	<code>\Nwarrow</code> ($\nwarrow$)	75
<code>\nupharpoonright</code> ($\uparrow$)	79	<code>\nVDash</code> ($\Vdash$)	48	<code>\Nwarrow</code> ($\nwarrow$)	75
<code>\nuplcurvearrow</code> ($\curvearrowright$)	78	<code>\nVDash</code> ($\Vdash$)	54	<code>\Nwarrow</code> ($\nwarrow$)	53
<code>\nupleftcurvedarrow</code> ($\curvearrowleft$)	78	<code>\nVDash</code> ($\Vdash$)	53	<code>\Nwarrow</code> ($\nwarrow$)	84
<code>\nuplsquigarrow</code> ($\curlywedge$)	78	<code>\nVDash</code> ($\Vdash$)	51	<code>\Nwarrow</code> ($\nwarrow$)	49
<code>\nuplsquigarrow</code> ($\curlywedge$)	73	<code>\nVDash</code> ($\Vdash$)	56	<code>\Nwarrow</code> ($\nwarrow$)	49
<code>\nUpmapsto</code> ($\Uparrow$)	77	<code>\nVDash</code> ($\Vdash$)	49	<code>\Nwarrow</code> ($\nwarrow$)	74
<code>\nUpmapsto</code> ($\Uparrow$)	77	<code>\nVDash</code> ($\Vdash$)	47	<code>\Nwarrow</code> ($\nwarrow$)	74
<code>\nUpmapsto</code> ($\Uparrow$)	73	<code>\nVDash</code> ($\Vdash$)	54	<code>\Nwarrow</code> ($\nwarrow$)	78
<code>\nUpModels</code> ($\Uparrow$)	51	<code>\nVDash</code> ($\Vdash$)	53	<code>\Nwarrow</code> ($\nwarrow$)	78
<code>\nUpmodels</code> ($\Uparrow$)	53	<code>\nVDash</code> ($\Vdash$)	51	<code>\Nwarrow</code> ($\nwarrow$)	85
<code>\nUpmodels</code> ($\Uparrow$)	51	<code>\nVDash</code> ($\Vdash$)	56	<code>\Nwarrow</code> ($\nwarrow$)	76
<code>\nUppitchfork</code> ($\uparrow$)	86	<code>\nVDash</code> ($\Vdash$)	49	<code>\Nwarrow</code> ($\nwarrow$)	71
<code>\nUppitchfork</code> ($\uparrow$)	84	<code>\nVDash</code> ($\Vdash$)	47	<code>\Nwarrow</code> ($\nwarrow$)	71
<code>\nUpcurvearrow</code> ($\curvearrowright$)	78	<code>\nVDash</code> ($\Vdash$)	54	<code>\Nwarrow</code> ($\nwarrow$)	49
<code>\nUprightcurvearrow</code> ($\curvearrowright$)	78	<code>\nVDash</code> ($\Vdash$)	53	<code>\Nwarrow</code> ($\nwarrow$)	49
<code>\nUpersquigarrow</code> ($\curlywedge$)	78	<code>\nVDash</code> ($\Vdash$)	51	<code>\Nwarrow</code> ($\nwarrow$)	75
<code>\nUpersquigarrow</code> ($\curlywedge$)	73	<code>\nVDash</code> ($\Vdash$)	56	<code>\Nwarrow</code> ($\nwarrow$)	71
<code>\nUpspoon</code> ($\uparrow$)	85	<code>\nVDash</code> ($\Vdash$)	53	<code>\Nwarrow</code> ($\nwarrow$)	81
<code>\nUpspoon</code> ($\uparrow$)	84	<code>\nVDash</code> ($\Vdash$)	53	<code>\Nwarrow</code> ($\nwarrow$)	84
<code>\nUpuparrows</code> ($\Uparrow$)	77	<code>\nVDash</code> ($\Vdash$)	111	<code>\Nwarrow</code> ($\nwarrow$)	76
<code>\nUpuparrows</code> ($\Uparrow$)	73	<code>\nVDash</code> ($\Vdash$)	80	<code>\Nwarrow</code> ($\nwarrow$)	71
<code>\nUpVDash</code> ($\Uparrow$)	53	<code>\nVDash</code> ($\Vdash$)	83	<code>\Nwarrow</code> ($\nwarrow$)	75
<code>\nUpVdash</code> ($\Uparrow$)	53	<code>\nVDash</code> ($\Vdash$)	83	<code>\Nwarrow</code> ($\nwarrow$)	71
<code>\nUpVdash</code> ($\Uparrow$)	51	<code>\nVDash</code> ($\Vdash$)	83	<code>\Nwarrow</code> ($\nwarrow$)	213

<code>\nwsearrow</code> ($\searrow$)	75	<code>\odot</code> ($\odot$)	28	<code>\ointctrclockwisesl</code> ($\oint$)	44
<code>\nwsearrow</code> ($\searrow$)	71	<code>\odot</code> ($\odot$)	34	<code>\ointctrclockwiseup</code> ($\oint$)	44
<code>\nwsearrow</code> ($\searrow$)	81	<code>\odot</code> ($\odot$)	34	<code>\ointsl</code> ($\oint$)	44
<code>\nwsearrows</code> ($\Rrightarrow$)	75	<code>\odot</code> ($\odot$)	36	<code>\ointup</code> ($\oint$)	44
<code>\nwsearrows</code> ($\Rrightarrow$)	71	<code>\odotslashdot</code> ($\odot$)	36	<code>\olcross</code> ($\boxtimes$)	36
<code>\nwsebipropto</code> ($\propto$)	30	<code>\odplus</code> ($\oplus$)	33	old-style numerals	26
<code>\nwsecrossing</code> ($\times$)	49	<code>\OE</code> ($\text{\text{E}}$)	14, 223	<code>\olddWinkey</code> ($\text{\text{D}}$)	179
<code>\nwsecurvearrow</code> ($\curvearrowright$)	76	<code>\oe</code> ($\text{\text{o}}$)	14, 223	<code>\oldGclef</code> ($\text{\text{G}}$)	149
<code>\nwseharpoonnesw</code> ($\nwarrow$)	78	<code>\oequal</code> ($\text{\text{=}}$)	34	<code>\oldstylenums</code>	26
<code>\nwseharpoonnesw</code> ($\nwarrow$)	74	<code>\Ofen</code> ($\text{\text{O}}$)	179	<code>\oldWinkey</code> ($\text{\text{D}}$)	179
<code>\nwseharpoons</code> ($\text{\text{S}}$)	78	<code>\officialeuro</code> ($\text{\text{€}}$)	25	<code>\oleft</code> ($\text{\text{O}}$)	33
<code>\nwseharpoons</code> ($\text{\text{S}}$)	74	<code>\offinterlineskip</code>	211	<code>\oleft</code> ($\text{\text{O}}$)	35
<code>\nwseharpoonswne</code> ($\nwarrow$)	78	<code>ogonek</code> (package)	23, 226, 227	<code>\olessthan</code> ($\text{\text{O}}$)	28
<code>\nwseharpoonswne</code> ($\nwarrow$)	74	<code>ogonek</code> ($\text{\text{O}}$)	<i>see</i> accents	<code>\olessthan</code> ($\text{\text{O}}$)	35
<code>\Nwseline</code> ($\text{\text{N}}$)	49	<code>\ogreaterthan</code> ($\text{\text{O}}$)	28	<code>\olessthan</code> ($\text{\text{O}}$)	36
<code>\Nwseline</code> ($\text{\text{N}}$)	49	<code>\ogreaterthan</code> ($\text{\text{O}}$)	35	Olschok, Marc	209
<code>\nwspoon</code> ($\text{\text{N}}$)	84	<code>\ogreaterthan</code> ($\text{\text{O}}$)	36	<code>\OM</code> ($\text{\text{O}}$)	121
<code>\nwVdash</code> ($\text{\text{V}}$)	50	<code>\ohill</code> ($\text{\text{O}}$)	22	<code>\Omega</code> (Ω)	88
<code>\nwvdash</code> ($\text{\text{V}}$)	49	<code>ohm</code>	<i>see</i> <code>\texttohm</code>	<code>\omega</code> (ω)	88
O				<code>\omegaup</code> (ω)	89
<code>\O</code> ($\text{\text{O}}$)	14	<code>\Ohne</code> ($\text{\text{O}}$)	149	<code>\Omicron</code> ($\text{\text{O}}$)	88
<code>\o</code> ($\text{\text{o}}$)	14	<code>\OHORN</code> ($\text{\text{O}}$)	15	<code>\omicron</code> ($\text{\text{o}}$)	88
<code>o</code> ($\text{\text{o}}$)	88	<code>\ohorn</code> ($\text{\text{o}}$)	15	<code>\ominus</code> ($\text{\text{O}}$)	33
<code>\oast</code> ($\text{\text{O}}$)	34	<code>\oiint</code> ($\text{\text{O}}$)	40	<code>\ominus</code> ($\text{\text{O}}$)	28
<code>\oast</code> ($\text{\text{O}}$)	34	<code>\oiint</code> ($\text{\text{O}}$)	42	<code>\ominus</code> ($\text{\text{O}}$)	35
<code>\oasterisk</code> ($\text{\text{O}}$)	33	<code>\oiint</code> ($\text{\text{O}}$)	46	<code>\ominus</code> ($\text{\text{O}}$)	34
<code>\obackslash</code> ($\text{\text{O}}$)	33	<code>\oiint</code> ($\text{\text{O}}$)	43	<code>\ominus</code> ($\text{\text{O}}$)	34
<code>\obackslash</code> ($\text{\text{O}}$)	34	<code>\oiintclockwise</code> ($\text{\text{O}}$)	40	<code>\ominus</code> ($\text{\text{O}}$)	36
<code>\obackslash</code> ($\text{\text{O}}$)	34	<code>\oiintctrclockwise</code> ($\text{\text{O}}$)	40	<code>\onlymove</code> ($\text{\text{O}}$)	169
<code>\obar</code> ($\text{\text{O}}$)	28	<code>\oiintsl</code> ($\text{\text{O}}$)	44	<code>\oo</code> ($\text{\text{O}}$)	171
<code>\obar</code> ($\text{\text{O}}$)	35	<code>\oiintup</code> ($\text{\text{O}}$)	44	<code>\oo</code> ($\text{\text{O}}$)	18
<code>\obar</code> ($\text{\text{O}}$)	36	<code>\oint</code> ($\text{\text{O}}$)	39	<code>\oalign</code>	211
<code>\Obelus</code> ($\text{\text{O}}$)	171	<code>\oint</code> ($\text{\text{O}}$)	38	<code>\open</code> ($\text{\text{O}}$)	23
<code>\obelus</code> ($\text{\text{O}}$)	171	<code>\oint</code> ($\text{\text{O}}$)	40	open unit disk ($\text{\text{O}}$)	<i>see</i>
<code>\Obelus*</code> ($\text{\text{O}}$)	171	<code>\oint</code> ($\text{\text{O}}$)	40	alphabets, math	
<code>\obelus*</code> ($\text{\text{O}}$)	171	<code>\oint</code> ($\text{\text{O}}$)	42	<code>\openJoin</code> ($\text{\text{O}}$)	48
<code>\oblong</code> ($\text{\text{O}}$)	28	<code>\oint</code> ($\text{\text{O}}$)	46	<code>\openo</code> ($\text{\text{O}}$)	18
<code>\oblong</code> ($\text{\text{O}}$)	35	<code>\oint</code> ($\text{\text{O}}$)	41	<code>\openo</code> ($\text{\text{O}}$)	18
<code>\obot</code> ($\text{\text{O}}$)	33	<code>\oint</code> ($\text{\text{O}}$)	43	<code>\opentimes</code> ($\text{\text{O}}$)	48
<code>\obot</code> ($\text{\text{O}}$)	35	<code>\ointclockwise</code> ($\text{\text{O}}$)	40	OpenType	147
<code>\obot</code> ($\text{\text{O}}$)	36	<code>\ointctrclockwise</code> ($\text{\text{O}}$)	40	operators	27–29, 32–34
<code>\obrbrak</code> ($\text{\text{O}}$)	114	<code>\oiintsl</code> ($\text{\text{O}}$)	44	binary	28–36
<code>\obslash</code> ($\text{\text{O}}$)	28	<code>\oiintup</code> ($\text{\text{O}}$)	44	logical	<i>see</i> logical
<code>\obslash</code> ($\text{\text{O}}$)	35	<code>\oint</code> ($\text{\text{O}}$)	39	operators	
<code>\obslash</code> ($\text{\text{O}}$)	35	<code>\oint</code> ($\text{\text{O}}$)	38	set	<i>see</i> set operators
<code>\obslash</code> ($\text{\text{O}}$)	36	<code>\oint</code> ($\text{\text{O}}$)	38	unary	27
<code>\oc</code> ($\text{\text{O}}$)	27	<code>\oint</code> ($\text{\text{O}}$)	37	<code>\operp</code> ($\text{\text{O}}$)	36
<code>\ocirc</code> ($\text{\text{O}}$)	33	<code>\oint</code> ($\text{\text{O}}$)	42	<code>\oplus</code> ($\text{\text{O}}$)	33
<code>\ocirc</code> ($\text{\text{O}}$)	34	<code>\oint</code> ($\text{\text{O}}$)	41	<code>\oplus</code> ($\text{\text{O}}$)	27, 28, 209
<code>\ocirc</code> ($\text{\text{O}}$)	34	<code>\oint</code> ($\text{\text{O}}$)	43	<code>\oplus</code> ($\text{\text{O}}$)	35
<code>\ocircle</code> ($\text{\text{O}}$)	29	<code>\oint</code> ($\text{\text{O}}$)	43	<code>\oplus</code> ($\text{\text{O}}$)	34
<code>\ocoasterisk</code> ($\text{\text{O}}$)	33	<code>\oint</code> ($\text{\text{O}}$)	46	<code>\oplus</code> ($\text{\text{O}}$)	36
<code>\ocommatopright</code> ($\text{\text{O}}$)	101	<code>\ointclockwise</code> ($\text{\text{O}}$)	39	<code>\opluslhrim</code> ($\text{\text{O}}$)	32
<code>\octagon</code> ($\text{\text{O}}$)	132	<code>\ointclockwise</code> ($\text{\text{O}}$)	40	<code>\oplusrhrim</code> ($\text{\text{O}}$)	32
octonions ($\text{\text{O}}$)	<i>see</i> alphabets, math	<code>\ointclockwise</code> ($\text{\text{O}}$)	43	<code>\opposbishops</code> ($\text{\text{O}}$)	169
<code>\Octosteel</code> ($\text{\text{O}}$)	123	<code>\ointclockwise</code> ($\text{\text{O}}$)	46	<code>\Opposition</code> ($\text{\text{O}}$)	120
<code>\od</code> ($\text{\text{O}}$)	22	<code>\ointctrclockwise</code> ($\text{\text{O}}$)	39	<code>\Opposition</code> ($\text{\text{O}}$)	119
<code>\odash</code> ($\text{\text{O}}$)	34	<code>\ointctrclockwise</code> ($\text{\text{O}}$)	40	optical scaling	216
<code>\odiv</code> ($\text{\text{O}}$)	33	<code>\ointctrclockwise</code> ($\text{\text{O}}$)	43	options	<i>see</i> package options
<code>\odiv</code> ($\text{\text{O}}$)	36	<code>\ointctrclockwise</code> ($\text{\text{O}}$)	46	<code>\OR</code> ($\text{\text{O}}$)	121
<code>\odot</code> ($\text{\text{O}}$)	33	<code>\ointctrclockwise</code> ($\text{\text{O}}$)	43		

or *see* `\vee`
 OR gates 123
`\orbit` () 125
`\ORd` () 123
`\oright` () 33
`\oright` () 35
`\origof` () 85
`\origof` () 55
 oriscus *see* `musixgre`
`\ORl` () 123
`\OrnamentDiamondSolid` () 137
 ornaments 131, 132, 137, 191–192, 194–197
`\ORr` () 123
 orthogonal to *see* `\bot`
`\ORu` () 123
`\oslash` () 33
`\oslash` () 28
`\oslash` () 35
`\oslash` () 34
`\oslash` () 34
`\oslash` () 36
`\ostar` () 34
`\osum` () 42, 43
 .otf files 147
`\Otimes` () 36
`\otimes` () 33
`\otimes` () 28
`\otimes` () 35
`\otimes` () 34
`\otimes` () 34
`\otimes` () 36
`\otimeshat` () 36
`\otimeslhrim` () 32
`\otimesrhrim` () 32
`\otop` () 33
`\otop` () 35
`\otriangle` () 35
`\otriangleup` () 34, 67
`\otriangleup` () 33
`\oturnedcomma` () 101
 outer joins 114
 ovals . 135, 157–161, 186–187, 192, 202–203
`\ovee` () 28
`\ovee` () 35
`\Oven` () 178
`\oven` () 179
`\oven` () 179
`\overarc` () 22
`\overbrace` () 104
`\overbrace` () 103
`\overbrace` () 103
`\overbrace` () 104

`\overbrace` () 103
`\overbrace` () 102
`\overbracket` () 104
`\overbracket` () 103
`\overbracket` () .. 214, 215
`\overbridge` () 21
`\overgroup` () 104
`\overgroup` () 103
`\overgroup` () 103
`\overleftarrow` () 103
`\overleftarrow` () 102
`\overleftharp` () 84
`\overleftharpoon` () .. 84
`\overleftharpoon` () .. 103
`\overleftharpoon` () .. 103
`\overleftrightharpoon` () 103
`\overleftrightharpoon` () 102
`\overline` () .. 27, 100, 102
`\overlinesegment` () .. 103
`\overlinesegment` () .. 103
`\overparen` () 103
`\overparenthesis` () . 214, 215
`\Overrightarrow` () ... 102
 overrightarrow (package) . 102, 226
`\overrightarrow` () 103
`\overrightarrow` () ... 102
`\overrightharp` () 84
`\overrightharpoon` () . 84
`\overrightharpoon` () .. 103
`\overrightharpoon` () .. 103
`\overrightharpoon` () .. 103
`\overring` (°) 23
`\overset` 210
`\overt` () 34
`\overt` () 34
`\ovhook` () 101
`\ovoid` () 33
`\owedge` () 28
`\owedge` () 35
`\owns` *see* `\ni`
`\owns` () 91
`\owns` () 52, 92
`\owns` () 92
`\owns` () 91
`\owns` () 56
`\ownsbar` () 91

P

`\P` () 14, 222
`\P` () 14
`\p` (.) 171
`\p@` 213
 package options
 a (esvect) 104
 arrows (boisik) 80
 b (esvect) 104








`bbgreekl` (`mathbbol`) . 117
`c` (esvect) 104
`crescent` (fge) 101
`d` (esvect) 104
`e` (esvect) 104
`f` (esvect) 104
`g` (esvect) 104
`german` (keystroke) .. 122
`greek` (babel) . 14, 88, 89, 144
`h` (esvect) 104
`heartctrbull` (`bullcntr`) . 168
`integrals` (wasysym) .. 38
`largectrbull` (`bullcntr`) . 168
`mathcal` (euscript) ... 116
`mathscr` (euscript) ... 116
`mathscr` (urwchancal) . 116
`nointegrals` (wasysym) 38
`polutonikogreek` (babel) 14, 88, 89
`sans` (dsfont) 116
`scaled` (CountriesOfEurope) 178
`scr` (rsfso) 116
`smallctrbull` (`bullcntr`) 168
`smartctrbull` (`bullcntr`) 168
`upint` (stix) 36, 37, 44, 45
`utf8x` (inputenc) 224
`varg` (txfonts/pxfonts) 90
 packages
 abraces 105, 226, 227
 accents 100, 214, 226, 227
 actuarialangle .. 105, 214, 226
 adorn 127, 131, 132, 137, 226, 227
 adfsymbols 126, 129, 131, 136, 226
 $\mathcal{AS}$ 11, 14, 28, 38, 47, 59, 61, 66, 69, 87, 88, 90, 91, 93, 94, 100, 102, 105, 108, 111, 112, 117, 206, 207, 225
 amsbsy 220
 amsmath 11, 87, 100, 210, 219
 amssymb .. 11, 100, 112, 116, 144, 226
 amstext 211, 213
 apl 121, 226
 ar 118, 226
 arcs 22, 226
 arev .. 127–130, 137, 147, 178, 226
 ascii 122, 221, 226
 astrosym 188, 226
 babel ... 14, 88, 89, 144
 bartel-chess-fonts 204, 205, 226
 bbling 126–129, 131, 135, 137, 207, 226
 bbm 116, 226

bbold 116, 226
bclogo 180, 181, 226, 227
begriff 109, 226
bigints 41, 226, 227
bm 220, 226, 227
boisik 31, 35, 43, 54, 60, 65, 68, 79, 80, 90, 92, 93, 101, 111, 114, 133, 136, 144, 147, 226
braket 94
bullcntr . . . 168, 226, 227
bullenum 168
calligra 116, 226, 227
calrsfs 116
cancel 102
ccicons 26, 226, 227
cclicenses 26, 226
centernot 211
chancery 226
chemarr 106, 226
chemarrow . . 84, 106, 226
china2e . . . 25, 87, 117, 174, 175
china2e . . . 116, 226, 227
clock 167, 226
cmll 27, 33, 46, 58, 93, 226
colonequals . . 27, 58, 226
combelow . . . 23, 226, 227
cookingsymbols . 178, 226, 227
CountriesOfEurope . 176, 226, 227
cryst 202, 226
cypriot 143, 226, 227
dancers 198, 226
dblacnt 214
dice 203, 226
dictsym 172, 226
dingbat 128, 137, 194, 207, 226
DotArrow . . 107, 226, 227
dozenal . . . 110, 168, 226
dsfont 116, 226
epiolmec . . . 144, 146, 226, 227
epsdice 167, 226
esint 40, 226
esvect 104, 226
eufrak 116
eurosym 25, 226
euscript 116, 226
extarrows 106, 226
extpfeil 107, 226
extraipa 21, 226
fc 15, 19
fclfont 226
fdsymbol 30, 31, 34, 42, 43, 51–53, 60, 64, 68, 75–79, 85, 86, 90, 92, 96, 97, 101, 103, 108, 111, 113, 133, 136, 147, 226
feyn 125, 226
fge . 84, 92, 101, 110, 115, 226
fixmath 220
fontawesome 24, 25, 119, 124, 127–130, 132, 136, 181, 184, 226, 227
fontenc . . . 11, 14, 15, 19, 221, 223
fontspec . . . 147, 224, 225
fourier 25, 58, 89, 93, 99, 104, 129, 132, 165, 226
frege 110, 226, 227
gensymb 118
go 171, 226
graphics 84, 209
graphicx . . . 23, 206, 209
greenpoint 186, 226
hands 186, 226
harmony 149, 226
harpoon . . . 84, 226, 227
hhcount 167, 168, 226, 227
hieroglf 139, 226
holtpolt 107, 226
ifsym . 118, 135, 166, 207, 209, 226
igo 170, 226
inputenc 224
isoent 223
junicode 224, 226
keystroke 122, 226
knitting . . . 176, 226, 227
knot 194, 197, 226
latexsym . . . 28, 46, 58, 69, 112, 206, 226
lilyglyphs 147, 150–157, 161–163
lilyglyphs 226
linearA 139, 226
linearb 142, 143, 226, 227
logic 123
longdiv 102
magic 204, 226
manfnt 164, 226
marvosym . . . 24, 110, 119, 121, 123, 124, 127, 130, 164, 165, 175, 207
mathabx 27, 29, 33, 38, 48, 49, 59, 62, 66, 70, 71, 86, 91, 93–95, 100, 104, 110, 113, 120, 169, 206, 207, 226
mathbbol 116, 117
mathcomp 110
mathdesign 24, 32, 46, 92, 98, 115, 226
mathdots . 100, 107, 109, 213, 226
mathrsfs 116, 226
mathspec 88
mathtools 27, 56, 104, 106, 226
mbboard . . . 116, 117, 226
mdwmath . . . 105, 226, 227
metre . . . 22, 100, 171, 226
milstd 123, 226, 227
MnSymbol 27, 29, 30, 34, 41, 42, 49–51, 60, 63, 67, 71–74, 84, 85, 90, 91, 95, 100, 102, 103, 108, 111, 113, 132, 136, 147, 226
moonphase 188, 226
musixgre 149
musixlit 149
musixper 149
musixtex 226, 227
nath 93, 99, 226
nicefrac . . . 114, 226, 227
niceframe . . . 191–194, 197
nkarta 186, 226
ntheorem 112
ogonek 23, 226, 227
overrightarrow . . 102, 226
phaistos 138, 226
phonetic . 18, 22, 209, 226
pict2e 119
pifont . . . 15, 126–131, 136, 137, 186, 191, 202, 209, 226
pigpen 174, 226
pmbboxdraw 173, 226
polynom 102
prodint 46, 226
protosem 138, 226
psnfss 130
PSTricks 181
pxfonts . . . 27, 29, 39, 48, 59, 62, 70, 86, 89–91, 112, 116, 136, 206, 221
recycle 175, 226
relsize 22
rotating 26, 122
rsfso 116, 226
rubikcube . . . 185, 226, 227
sarabian . . . 144, 226, 227
savesym 206
semaphor . . . 200, 202, 226
semtrans 19, 23, 226
shuffle 33, 226
simplewick 215
simpsons 172, 226
skak 169, 170, 226
skull 169, 226
slashed 211
soyombo . . . 175, 226, 227
starfont . . . 120, 226, 227
staves 173, 226
steinmetz . . . 119, 226, 227
stix 32, 36, 37, 43, 44, 55, 56, 61, 65, 66, 68, 81–83, 87, 90–93, 97, 101, 103, 109, 111, 112, 114, 120, 121, 124, 133, 134, 137, 147, 167, 226, 227

stmaryrd	28, 38, 47, 59, 66, 70, 86, 93, 94, 207, 211, 225, 226
svrsymbols	125, 226, 227
t4phonet	19, 22, 226
teubner	25, 109, 144, 172, 226
textcomp	11, 13, 14, 19, 23–26, 69, 99, 114, 118, 147, 164, 206, 221, 223, 226
textgreek	14, 89, 226, 227
tfrrupee	25, 226, 227
TikZ	179–181, 185
tikzsymbols	179, 180, 226, 227
timing	118
tipa	16, 17, 19–22, 209, 226
tipx	17, 226
trfsigns	58, 92, 107, 226
trsym	58, 226
turnstile	57, 226
txfonts	27, 29, 39, 48, 59, 62, 70, 86, 89–91, 112, 116, 136, 206, 208, 221, 226
typelcm	206
ucs	224
ulsy	33, 86, 209, 226
umranda	192, 226
umrandb	193, 226
underscore	13
undertilde	105, 226
units	114
universa	136, 165, 226
upgreek	14, 89, 226
upquote	221
url	221
urwchancal	116, 226
ushort	105, 226, 227
vietnam	226
vtex	15, 19
wasysym	18, 24, 26, 29, 38, 47, 59, 62, 108, 112, 118, 119, 121, 123, 130– 132, 147, 164, 207, 226
webomints	191, 226
wsuipa	18, 21, 23, 207, 209, 214, 226
xfrac	114
yfonts	116, 117, 226
yhmath	101, 102, 105, 109, 213, 226
\PackingWaste (♻)	175
\Pakin, Scott	1, 212, 214, 225
\Pallas (♀)	120
\pan (☞)	179
\pan (☞)	179
\paperclip	180–181
\PaperLandscape (☞)	166
\PaperPortrait (☞)	166
par	see \bindnasrepma, \invamp, and \parr
paragraph mark	see \P
\parallel ()	46, 96
\parallel ()	52
\parallel ()	50
\parallel ()	55
\parallelogram (▭)	134
\parallelogramblack (▬)	134
parallelograms	133–134, 202–203
\ParallelPort (▯)	121
\parallelslant (//)	58
\parr (⌘)	33
\parsim (⌘)	55
\partial (∂)	91
\partial (∂)	91
\partial (∂)	93
\partialmeetcontraction (≦)	66
\partialslash (∂)	91
\partialvardint (⋯)	113
\partialvardlanddownint (⋈)	113
\partialvardlandupint (⋈)	113
\partialvardlrcircleleftint (⊖)	113
\partialvardlrcircleleftint (⊖)	71
\partialvardlrcirclerightint (⊖)	113
\partialvardlrcirclerightint (⊖)	71
\partialvardoint (⊖)	113
\partialvardoint (⊖)	113
\partialvardrcircleleftint (⊖)	113
\partialvardrcircleleftint (⊖)	71
\partialvardrcirclerightint (⊖)	113
\partialvardrcirclerightint (⊖)	71
\partialvardstrokedint (⋈)	113
\partialvardsumint (∑)	113
\partialvartint (⋯)	113
\partialvartlanddownint (⋈)	113
\partialvartlandupint (⋈)	113
\partialvartlrcircleleftint (⊖)	113
\partialvartlrcircleleftint (⊖)	71
\partialvartlrcirclerightint (⊖)	113
\partialvartlrcirclerightint (⊖)	71
\partialvartoint (⊖)	113
\partialvartoint (⊖)	113
\partialvartrcircleleftint (⊖)	113
\partialvartrcircleleftint (⊖)	71
\partialvartrcircularrightint (⊖)	113
\partialvartrcircularrightint (⊖)	72
\partialvartstrokedint (⋈)	113
\partialvartsumint (∑)	113
particle-physics symbols	125
\partof (3)	209
parts per thousand	see \textperthousand
\partvoice (☞)	21
\partvoiceless (☞)	21
\passedpaw (♂)	169
\PAUSE (⏸)	148
\PAuse ()	148
\pause (⏸)	148
pawn	170, 204–205
\PD (⌘)	121
PDF	147
.pdf files	223
pdfLATEX	224
\Peace (☞)	137
\PeaceDove (☞)	165
\Ped (♂)	148
\peeler (⌘)	179
\peeler (⌘)	179
\pencil (☞)	128
\PencilLeft (☞)	128
\PencilLeftDown (☞)	128
\PencilLeftUp (☞)	128
\PencilRight (☞)	128
\PencilRightDown (☞)	128
\PencilRightUp (☞)	128
pencils	128
\pentagon (⬠)	134
\pentagon (⬠)	132
\pentagonblack (⬠)	134
\Pentagram (★)	120
\pentagram (★)	34
\pentam (⌘)	172
people	see faces
percent sign	see \%
percussion	149
\permil (‰)	26
\Perp (⊥)	48
\Perp (⊥)	54
\Perp (⊥)	58
\perp (⊥)	46, 212
\perp (⊥)	52
\perp (⊥)	50
\perp (⊥)	55
\perps (⊥)	114
\perthousand (‰)	118
\Pfanne (☞)	179
\Pfund (⌘)	24
\PgDown (⏴)	122

<code>\PgUp</code> ()	122	<code>\PHoxBack</code> ()	138	<code>{\pigpenfont R}</code> ()	174
<code>phaistos</code> (package)	138, 226	<code>\PHpapyrus</code> ()	138	<code>{\pigpenfont S}</code> ()	174
<code>Phaistos disk</code>	138	<code>\PHpedestrian</code> ()	138	<code>{\pigpenfont T}</code> ()	174
<code>pharmaceutical prescription</code> <i>see</i>		<code>\PHplaneTree</code> ()	138	<code>{\pigpenfont U}</code> ()	174
<code>\textrecipe</code>		<code>\PHplumedHead</code> ()	138	<code>{\pigpenfont V}</code> ()	174
<code>\PHarrow</code> ()	138	<code>\PHram</code> ()	138	<code>{\pigpenfont W}</code> ()	174
<code>\phase</code> ()	119	<code>\PHrosette</code> ()	138	<code>{\pigpenfont X}</code> ()	174
<code>phasor</code>	119	<code>\PHsaw</code> ()	138	<code>{\pigpenfont Y}</code> ()	174
<code>\PHbee</code> ()	138	<code>\PHshield</code> ()	138	<code>{\pigpenfont Z}</code> ()	174
<code>\PHbeehive</code> ()	138	<code>\PHship</code> ()	138	<code>pilcrow</code> <i>see</i> <code>\P</code>	
<code>\PHboomerang</code> ()	138	<code>\PHsling</code> ()	138	<code>pipe</code> <i>see</i> <code>\textpipe</code>	
<code>\PHbow</code> ()	138	<code>\PHsmallAxe</code> ()	138	<code>\Pisces</code> ()	119
<code>\PHbullLeg</code> ()	138	<code>\PHstrainer</code> ()	138	<code>\Pisces</code> ()	119
<code>\PHcaptive</code> ()	138	<code>\PHtattooedHead</code> ()	138	<code>\pisces</code> ()	119
<code>\PHcarpentryPlane</code> ()	138	<code>\PHtiara</code> ()	138	<code>\Pisymbol</code> 186–205, 209	
<code>\PHcat</code> ()	138	<code>\PHtunny</code> ()	138	<code>\Pisymbol{astrosym}{0}</code> ()	
<code>\PHchild</code> ()	138	<code>\PHvine</code> ()	138	 188	
<code>\PHclub</code> ()	138	<code>\PHwavyBand</code> ()	138	<code>\Pisymbol{astrosym}{1}</code> ()	
<code>\PHcolumn</code> ()	138	<code>\PHwoman</code> ()	138	 188	
<code>\PHcomb</code> ()	138	physical symbols	118	<code>\Pisymbol{astrosym}{2}</code> ()	
<code>\PHdolio</code> ()	138	<code>\Pi</code> (Π)	88	 188	
<code>\PHdove</code> ()	138	<code>\pi</code> (π)	88	<code>\Pisymbol{astrosym}{3}</code> ()	
<code>\PHeagle</code> ()	138	<code>\pi</code> (π)	89	 188	
<code>\PHflute</code> ()	138	“pi” fonts	209	<code>\Pisymbol{astrosym}{4}</code> ()	
<code>\PHgauntlet</code> ()	138	piano ()	152, 163	 188	
<code>\PHgrater</code> ()	138	<code>\Pickup</code> ()	123	<code>\Pisymbol{astrosym}{5}</code> () .	
<code>\PHhelmet</code> ()	138	<code>pict2e</code> (package)	119	 188	
<code>\PHhide</code> ()	138	<code>pifont</code> (package)	15, 126–131,	<code>\Pisymbol{astrosym}{6}</code> () .	
<code>\PHhorn</code> ()	138	136, 137, 186, 191, 202,		 188	
<code>\Phi</code> (Φ)	88	209, 226		<code>\Pisymbol{astrosym}{7}</code> ()	
<code>\phi</code> (ϕ)	88	<code>pigpen</code> (package)	174, 226	 188	
<code>\phiup</code> (ϕ)	89	<code>pigpen cipher</code>	174	<code>\Pisymbol{astrosym}{8}</code> ()	
<code>\PHlid</code> ()	138	<code>{\pigpenfont A}</code> ()	174	 188	
<code>\PHlily</code> ()	138	<code>{\pigpenfont B}</code> ()	174	<code>\Pisymbol{astrosym}{9}</code> ()	
<code>\PHmanacles</code> ()	138	<code>{\pigpenfont C}</code> ()	174	 188	
<code>\PHmattock</code> ()	138	<code>{\pigpenfont D}</code> ()	174	<code>\Pisymbol{astrosym}{10}</code> ()	
<code>\Phone</code> ()	137	<code>{\pigpenfont E}</code> ()	174	 188	
<code>\phone</code> ()	164	<code>{\pigpenfont F}</code> ()	174	<code>\Pisymbol{astrosym}{11}</code> ()	
<code>\PhoneHandset</code> ()	137	<code>{\pigpenfont G}</code> ()	174	 188	
<code>phonetic</code> (package)	18, 22, 209,	<code>{\pigpenfont H}</code> ()	174	<code>\Pisymbol{astrosym}{12}</code> ()	
226		<code>{\pigpenfont I}</code> ()	174	 188	
<code>phonetic symbols</code>	16–19	<code>{\pigpenfont J}</code> ()	174	<code>\Pisymbol{astrosym}{13}</code> ()	
<code>\phonon</code> ()	125	<code>{\pigpenfont K}</code> ()	174	 188	
<code>\photon</code> ()	118, 125	<code>{\pigpenfont L}</code> ()	174	<code>\Pisymbol{astrosym}{14}</code>	
<code>photons</code>	125	<code>{\pigpenfont M}</code> ()	174	()	188
		<code>{\pigpenfont N}</code> ()	174	<code>\Pisymbol{astrosym}{15}</code> ()	
		<code>{\pigpenfont O}</code> ()	174	 188	
		<code>{\pigpenfont P}</code> ()	174	<code>\Pisymbol{astrosym}{16}</code>	
		<code>{\pigpenfont Q}</code> ()	174	()	188
				<code>\Pisymbol{astrosym}{17}</code> ()	
				 188	
				<code>\Pisymbol{astrosym}{18}</code>	
				()	188

<code>\Pisymbol{astroSYM}{230}</code>	<code>\Pisymbol{cryst}{8}</code> ($\rightarrow$) 202	<code>\Pisymbol{cryst}{85}</code> ($\searrow$) 202
(♂) 190	<code>\Pisymbol{cryst}{9}</code> ($\rightarrow$) 202	<code>\Pisymbol{cryst}{87}</code> ($\searrow$) 202
<code>\Pisymbol{astroSYM}{231}</code>	<code>\Pisymbol{cryst}{10}</code> (○) 202	<code>\Pisymbol{cryst}{88}</code> ($\searrow$) 202
(ℙ) 190	<code>\Pisymbol{cryst}{12}</code> (0) 202	<code>\Pisymbol{cryst}{89}</code> ($\searrow$) 202
<code>\Pisymbol{astroSYM}{232}</code>	<code>\Pisymbol{cryst}{15}</code> (♣) 202	<code>\Pisymbol{cryst}{95}</code> ($\searrow$) 202
(⊔) 190	<code>\Pisymbol{cryst}{20}</code> (♠) 202	<code>\Pisymbol{cryst}{97}</code> ($\searrow$) 202
<code>\Pisymbol{astroSYM}{233}</code>	<code>\Pisymbol{cryst}{21}</code> (♠) 202	<code>\Pisymbol{cryst}{98}</code> ($\searrow$) 202
(*) 190	<code>\Pisymbol{cryst}{22}</code> ($\rightarrow$) 202	<code>\Pisymbol{cryst}{99}</code> ($\searrow$) 202
<code>\Pisymbol{astroSYM}{234}</code>	<code>\Pisymbol{cryst}{24}</code> (♠) 202	<code>\Pisymbol{cryst}{102}</code> ($\rightarrow$) ..
(♂) 190	<code>\Pisymbol{cryst}{25}</code> ($\rightarrow$) 202	 202
<code>\Pisymbol{astroSYM}{235}</code>	<code>\Pisymbol{cryst}{27}</code> ($\rightarrow$) 202	<code>\Pisymbol{cryst}{103}</code> ($\rightarrow$) ..
(↖) 190	<code>\Pisymbol{cryst}{28}</code> ($\rightarrow$) 202	 202
<code>\Pisymbol{astroSYM}{236}</code>	<code>\Pisymbol{cryst}{29}</code> ($\rightarrow$) 202	<code>\Pisymbol{cryst}{104}</code> (♠) 202
(♂) 190	<code>\Pisymbol{cryst}{30}</code> (♠) 202	<code>\Pisymbol{cryst}{105}</code> ($\rightarrow$) ..
<code>\Pisymbol{astroSYM}{237}</code>	<code>\Pisymbol{cryst}{31}</code> (♠) ..	 202
(♂) 190	 202	<code>\Pisymbol{cryst}{107}</code> ($\rightarrow$) ..
<code>\Pisymbol{astroSYM}{238}</code>	<code>\Pisymbol{cryst}{32}</code> (♠) ..	 202
(□) 190	 202	<code>\Pisymbol{cryst}{108}</code> ($\rightarrow$) ..
<code>\Pisymbol{astroSYM}{239}</code>	<code>\Pisymbol{cryst}{35}</code> ($\rightarrow$) 202	 202
(○) 190	<code>\Pisymbol{cryst}{36}</code> (♠) 202	<code>\Pisymbol{cryst}{109}</code> ($\rightarrow$) ..
<code>\Pisymbol{astroSYM}{240}</code>	<code>\Pisymbol{cryst}{37}</code> ($\rightarrow$) 202	 202
(●) 190	<code>\Pisymbol{cryst}{38}</code> ($\rightarrow$) 202	<code>\Pisymbol{cryst}{112}</code> ($\rightarrow$) ..
<code>\Pisymbol{astroSYM}{241}</code>	<code>\Pisymbol{cryst}{39}</code> ($\rightarrow$) 202	 202
(⊙) 190	<code>\Pisymbol{cryst}{40}</code> (♠) 202	<code>\Pisymbol{cryst}{113}</code> ($\rightarrow$) ..
<code>\Pisymbol{astroSYM}{242}</code>	<code>\Pisymbol{cryst}{41}</code> (♠) ..	 202
(●) 190	 202	<code>\Pisymbol{cryst}{120}</code> ($\rightarrow$) ..
<code>\Pisymbol{astroSYM}{243}</code>	<code>\Pisymbol{cryst}{42}</code> (♠) 202	 202
(⊙) 190	<code>\Pisymbol{cryst}{43}</code> (♠) ..	<code>\Pisymbol{cryst}{121}</code> ($\rightarrow$) ..
<code>\Pisymbol{astroSYM}{244}</code>	 202	 202
(⊙) 190	<code>\Pisymbol{cryst}{44}</code> (♠) 203	<code>\Pisymbol{cryst}{123}</code> ($\rightarrow$) ..
<code>\Pisymbol{astroSYM}{245}</code>	<code>\Pisymbol{cryst}{45}</code> ($\rightarrow$) 203	 203
(⊙) 190	<code>\Pisymbol{cryst}{47}</code> ($\rightarrow$) 203	<code>\Pisymbol{cryst}{124}</code> (♠) 203
<code>\Pisymbol{astroSYM}{246}</code>	<code>\Pisymbol{cryst}{48}</code> ($\rightarrow$) 203	<code>\Pisymbol{cryst}{125}</code> ($\rightarrow$) ..
(♣) 190	<code>\Pisymbol{cryst}{49}</code> ($\rightarrow$) 203	 203
<code>\Pisymbol{astroSYM}{247}</code>	<code>\Pisymbol{cryst}{50}</code> (♠) 203	<code>\Pisymbol{cryst}{127}</code> ($\rightarrow$) ..
(♣) 190	<code>\Pisymbol{cryst}{55}</code> (♠) 203	 203
<code>\Pisymbol{astroSYM}{248}</code>	<code>\Pisymbol{cryst}{57}</code> (♠) 203	<code>\Pisymbol{cryst}{128}</code> ($\rightarrow$) ..
(♣) 190	<code>\Pisymbol{cryst}{58}</code> (♠) 203	 203
<code>\Pisymbol{astroSYM}{249}</code>	<code>\Pisymbol{cryst}{59}</code> (♠) 203	<code>\Pisymbol{cryst}{129}</code> ($\rightarrow$) ..
(♣) 190	<code>\Pisymbol{cryst}{60}</code> (♠) 203	 203
<code>\Pisymbol{astroSYM}{250}</code>	<code>\Pisymbol{cryst}{61}</code> (♠) ..	<code>\Pisymbol{cryst}{130}</code> (♠) ..
(♣) 190	 203	 203
<code>\Pisymbol{astroSYM}{251}</code>	<code>\Pisymbol{cryst}{62}</code> (♠) ..	<code>\Pisymbol{cryst}{131}</code> (♠) ..
(♣) 190	 203	 203
<code>\Pisymbol{astroSYM}{252}</code>	<code>\Pisymbol{cryst}{63}</code> (♠) 202	<code>\Pisymbol{cryst}{132}</code> (♠) ..
(♣) 190	<code>\Pisymbol{cryst}{64}</code> (♠) ..	 203
<code>\Pisymbol{astroSYM}{253}</code>	 202	<code>\Pisymbol{cryst}{133}</code> (♠) ..
(♣) 190	<code>\Pisymbol{cryst}{65}</code> (♠) ..	 203
<code>\Pisymbol{astroSYM}{254}</code>	 202	<code>\Pisymbol{cryst}{135}</code> ($\rightarrow$) ..
(♣) 190	<code>\Pisymbol{cryst}{66}</code> (♠) 202	 203
<code>\Pisymbol{astroSYM}{255}</code>	<code>\Pisymbol{cryst}{75}</code> ($\rightarrow$) 202	<code>\Pisymbol{cryst}{136}</code> (♠) ..
(♣) 190	<code>\Pisymbol{cryst}{77}</code> ($\rightarrow$) 202	 203
<code>\Pisymbol{cryst}{0}</code> (○) . 202	<code>\Pisymbol{cryst}{78}</code> ($\rightarrow$) 202	<code>\Pisymbol{cryst}{137}</code> ($\rightarrow$) ..
<code>\Pisymbol{cryst}{2}</code> (♠) . 202	<code>\Pisymbol{cryst}{79}</code> ($\rightarrow$) 202	 203
<code>\Pisymbol{cryst}{3}</code> (♠) 202	<code>\Pisymbol{cryst}{80}</code> (♠) ..	<code>\Pisymbol{cryst}{138}</code> ($\rightarrow$) ..
<code>\Pisymbol{cryst}{4}</code> (♠) 202	 202	 202
<code>\Pisymbol{cryst}{5}</code> ($\rightarrow$) 202	<code>\Pisymbol{cryst}{81}</code> (♠) ..	<code>\Pisymbol{cryst}{139}</code> ($\rightarrow$) ..
<code>\Pisymbol{cryst}{6}</code> (♠) 202	 202	 202
<code>\Pisymbol{cryst}{7}</code> ($\rightarrow$) 202	<code>\Pisymbol{cryst}{82}</code> (♠) ..	<code>\Pisymbol{cryst}{140}</code> (♠) ..
	 202	 202
	<code>\Pisymbol{cryst}{83}</code> (♠) ..	<code>\Pisymbol{cryst}{141}</code> (♠) ..
	 202	 202
	<code>\Pisymbol{cryst}{84}</code> (♠) 202	

<code>\Pisymbol{dancers}{245}</code>  .	<code>\Pisymbol{dice3d}{109}</code> )	<code>\Pisymbol{dingbat}{99}</code>
..... 200	 203	) 194
<code>\Pisymbol{dancers}{246}</code>  .	<code>\Pisymbol{dice3d}{110}</code> )	<code>\Pisymbol{dingbat}{100}</code>
..... 200	 203	) 194
<code>\Pisymbol{dancers}{247}</code>  .	<code>\Pisymbol{dice3d}{111}</code> )	<code>\Pisymbol{dingbat}{101}</code>
..... 200	 203	) 194
<code>\Pisymbol{dancers}{248}</code>  .	<code>\Pisymbol{dice3d}{112}</code> )	<code>\Pisymbol{dingbat}{102}</code>
..... 200	 203	) 194
<code>\Pisymbol{dancers}{249}</code>  .	<code>\Pisymbol{dice3d}{113}</code> )	<code>\Pisymbol{dingbat}{103}</code>
..... 200	 203	) 194
<code>\Pisymbol{dancers}{250}</code>  .	<code>\Pisymbol{dice3d}{114}</code> )	<code>\Pisymbol{dingbat}{104}</code>
..... 200	 203	) 194
<code>\Pisymbol{dancers}{251}</code>  .	<code>\Pisymbol{dice3d}{115}</code> )	<code>\Pisymbol{fselch}{0}</code> ) ..
..... 200	 203	 204
<code>\Pisymbol{dancers}{252}</code>  .	<code>\Pisymbol{dice3d}{116}</code> )	<code>\Pisymbol{fselch}{1}</code> ) ..
..... 200	 203	 204
<code>\Pisymbol{dancers}{253}</code>  .	<code>\Pisymbol{dice3d}{117}</code> )	<code>\Pisymbol{fselch}{2}</code> ) ..
..... 200	 203	 204
<code>\Pisymbol{dancers}{254}</code>  .	<code>\Pisymbol{dice3d}{118}</code> )	<code>\Pisymbol{fselch}{3}</code> ) ..
..... 200	 203	 204
<code>\Pisymbol{dancers}{255}</code>  .	<code>\Pisymbol{dice3d}{119}</code> )	<code>\Pisymbol{fselch}{4}</code> ) ..
..... 200	 203	 204
<code>\Pisymbol{dice3d}{49}</code> ) .	<code>\Pisymbol{dice3d}{120}</code> )	<code>\Pisymbol{fselch}{5}</code> ) ..
..... 203	 203	 204
<code>\Pisymbol{dice3d}{50}</code> ) .	<code>\Pisymbol{dingbat}{69}</code>	<code>\Pisymbol{fselch}{6}</code> ) ..
..... 203	) ... 194	 204
<code>\Pisymbol{dice3d}{51}</code> ) .	<code>\Pisymbol{dingbat}{70}</code>	<code>\Pisymbol{fselch}{7}</code> ) ..
..... 203	) ... 194	 204
<code>\Pisymbol{dice3d}{52}</code> ) .	<code>\Pisymbol{dingbat}{71}</code>	<code>\Pisymbol{fselch}{8}</code> ) ..
..... 203	) ... 194	 204
<code>\Pisymbol{dice3d}{53}</code> ) .	<code>\Pisymbol{dingbat}{72}</code>	<code>\Pisymbol{fselch}{9}</code> ) ..
..... 203	) ... 194	 204
<code>\Pisymbol{dice3d}{54}</code> ) .	<code>\Pisymbol{dingbat}{73}</code>	<code>\Pisymbol{fselch}{10}</code> ) ..
..... 203	) ... 194	 204
<code>\Pisymbol{dice3d}{97}</code> ) .	<code>\Pisymbol{dingbat}{74}</code>	<code>\Pisymbol{fselch}{11}</code> ) ..
..... 203	) ... 194	 204
<code>\Pisymbol{dice3d}{98}</code> ) .	<code>\Pisymbol{dingbat}{75}</code>	<code>\Pisymbol{fselch}{12}</code> ) ..
..... 203	) ... 194	 204
<code>\Pisymbol{dice3d}{99}</code> ) .	<code>\Pisymbol{dingbat}{76}</code>	<code>\Pisymbol{fselch}{13}</code> ) ..
..... 203	) ... 194	 204
<code>\Pisymbol{dice3d}{100}</code> )	<code>\Pisymbol{dingbat}{77}</code>	<code>\Pisymbol{fselch}{14}</code> ) ..
..... 203	) ... 194	 204
<code>\Pisymbol{dice3d}{101}</code> )	<code>\Pisymbol{dingbat}{97}</code>	<code>\Pisymbol{fselch}{15}</code> ) ..
..... 203	) ... 194	 204
<code>\Pisymbol{dice3d}{102}</code> )	<code>\Pisymbol{dingbat}{98}</code>	<code>\Pisymbol{fselch}{16}</code> ) ..
..... 203	) 194	 204
<code>\Pisymbol{dice3d}{103}</code> )	<code>\Pisymbol{dingbat}{99}</code>	<code>\Pisymbol{fselch}{17}</code> ) ..
..... 203	) 194	 204
<code>\Pisymbol{dice3d}{104}</code> )		<code>\Pisymbol{fselch}{18}</code> ) ..
..... 203		 204
<code>\Pisymbol{dice3d}{105}</code> )		<code>\Pisymbol{fselch}{19}</code> ) ..
..... 203		 204
<code>\Pisymbol{dice3d}{106}</code> )		
..... 203		
<code>\Pisymbol{dice3d}{107}</code> )		
..... 203		
<code>\Pisymbol{dice3d}{108}</code> )		
..... 203		

<code>\Pisymbol{fselch}{104}</code> 	<code>\Pisymbol{fselch}{132}</code> 	<code>\Pisymbol{fselch}{234}</code> 
..... 205	 205	 205
<code>\Pisymbol{fselch}{105}</code> 	<code>\Pisymbol{fselch}{133}</code> 	<code>\Pisymbol{fselch}{240}</code> 
..... 205	 205	 205
<code>\Pisymbol{fselch}{106}</code> 	<code>\Pisymbol{fselch}{134}</code> 	<code>\Pisymbol{fselch}{246}</code> 
..... 205	 205	 205
<code>\Pisymbol{fselch}{107}</code> 	<code>\Pisymbol{fselch}{135}</code> 	<code>\Pisymbol{greenpoint}{71}</code> 
..... 205	 205	 186
<code>\Pisymbol{fselch}{108}</code> 	<code>\Pisymbol{fselch}{136}</code> 	<code>\Pisymbol{hands}{65}</code>  ..
..... 205	 205	 186
<code>\Pisymbol{fselch}{109}</code> 	<code>\Pisymbol{fselch}{137}</code> 	<code>\Pisymbol{hands}{66}</code>  ..
..... 205	 205	 186
<code>\Pisymbol{fselch}{110}</code> 	<code>\Pisymbol{fselch}{138}</code> 	<code>\Pisymbol{hands}{67}</code>  ..
..... 204	 205	 186
<code>\Pisymbol{fselch}{111}</code> 	<code>\Pisymbol{fselch}{139}</code> 	<code>\Pisymbol{hands}{68}</code>  ..
..... 204	 205	 186
<code>\Pisymbol{fselch}{112}</code> 	<code>\Pisymbol{fselch}{140}</code> 	<code>\Pisymbol{knot1}{48}</code>  .
..... 204	 205	 194
<code>\Pisymbol{fselch}{113}</code> 	<code>\Pisymbol{fselch}{141}</code> 	<code>\Pisymbol{knot1}{49}</code>  .
..... 204	 205	 194
<code>\Pisymbol{fselch}{114}</code> 	<code>\Pisymbol{fselch}{142}</code> 	<code>\Pisymbol{knot1}{50}</code>  .
..... 204	 205	 194
<code>\Pisymbol{fselch}{115}</code> 	<code>\Pisymbol{fselch}{143}</code> 	<code>\Pisymbol{knot1}{51}</code>  .
..... 204	 205	 194
<code>\Pisymbol{fselch}{116}</code> 	<code>\Pisymbol{fselch}{144}</code> 	<code>\Pisymbol{knot1}{52}</code>  .
..... 204	 205	 194
<code>\Pisymbol{fselch}{117}</code> 	<code>\Pisymbol{fselch}{145}</code> 	<code>\Pisymbol{knot1}{53}</code>  .
..... 204	 205	 194
<code>\Pisymbol{fselch}{118}</code> 	<code>\Pisymbol{fselch}{151}</code> 	<code>\Pisymbol{knot1}{58}</code>  .
..... 204	 205	 194
<code>\Pisymbol{fselch}{119}</code> 	<code>\Pisymbol{fselch}{157}</code> 	<code>\Pisymbol{knot1}{59}</code>  .
..... 204	 205	 194
<code>\Pisymbol{fselch}{120}</code> 	<code>\Pisymbol{fselch}{163}</code> 	<code>\Pisymbol{knot1}{60}</code>  .
..... 204	 205	 194
<code>\Pisymbol{fselch}{121}</code> 	<code>\Pisymbol{fselch}{169}</code> 	<code>\Pisymbol{knot1}{61}</code>  .
..... 204	 205	 194
<code>\Pisymbol{fselch}{122}</code> 	<code>\Pisymbol{fselch}{175}</code> 	<code>\Pisymbol{knot1}{62}</code>  .
..... 204	 205	 195
<code>\Pisymbol{fselch}{123}</code> 	<code>\Pisymbol{fselch}{180}</code> 	<code>\Pisymbol{knot1}{63}</code>  .
..... 204	 205	 195
<code>\Pisymbol{fselch}{124}</code> 	<code>\Pisymbol{fselch}{186}</code> 	<code>\Pisymbol{knot1}{64}</code>  .
..... 204	 205	 195
<code>\Pisymbol{fselch}{125}</code> 	<code>\Pisymbol{fselch}{192}</code> 	<code>\Pisymbol{knot1}{65}</code>  .
..... 204	 205	 195
<code>\Pisymbol{fselch}{126}</code> 	<code>\Pisymbol{fselch}{198}</code> 	<code>\Pisymbol{knot1}{66}</code>  .
..... 204	 205	 195
<code>\Pisymbol{fselch}{127}</code> 	<code>\Pisymbol{fselch}{204}</code> 	<code>\Pisymbol{knot1}{67}</code>  .
..... 204	 205	 195
<code>\Pisymbol{fselch}{128}</code> 	<code>\Pisymbol{fselch}{210}</code> 	<code>\Pisymbol{knot1}{68}</code>  .
..... 204	 205	 194
<code>\Pisymbol{fselch}{129}</code> 	<code>\Pisymbol{fselch}{216}</code> 	<code>\Pisymbol{knot1}{69}</code>  .
..... 204	 205	 194
<code>\Pisymbol{fselch}{130}</code> 	<code>\Pisymbol{fselch}{222}</code> 	
..... 205	 205	
<code>\Pisymbol{fselch}{131}</code> 	<code>\Pisymbol{fselch}{228}</code> 	
..... 205	 205	

<code>\Pisymbol{knot1}{70}</code> () 194	<code>\Pisymbol{knot1}{102}</code> () 195	<code>\Pisymbol{knot2}{73}</code> () 195
<code>\Pisymbol{knot1}{71}</code> () 194	<code>\Pisymbol{knot1}{103}</code> () 195	<code>\Pisymbol{knot2}{74}</code> () 195
<code>\Pisymbol{knot1}{72}</code> () 194	<code>\Pisymbol{knot1}{104}</code> () 195	<code>\Pisymbol{knot2}{75}</code> () 195
<code>\Pisymbol{knot1}{73}</code> () 194	<code>\Pisymbol{knot1}{105}</code> () 195	<code>\Pisymbol{knot2}{76}</code> () 195
<code>\Pisymbol{knot1}{74}</code> () 194	<code>\Pisymbol{knot2}{48}</code> () 195	<code>\Pisymbol{knot2}{77}</code> () 195
<code>\Pisymbol{knot1}{75}</code> () 194	<code>\Pisymbol{knot2}{49}</code> () 195	<code>\Pisymbol{knot2}{78}</code> () 195
<code>\Pisymbol{knot1}{76}</code> () 194	<code>\Pisymbol{knot2}{50}</code> () 195	<code>\Pisymbol{knot2}{79}</code> () 195
<code>\Pisymbol{knot1}{77}</code> () 194	<code>\Pisymbol{knot2}{51}</code> () 195	<code>\Pisymbol{knot2}{80}</code> () 195
<code>\Pisymbol{knot1}{78}</code> () 195	<code>\Pisymbol{knot2}{52}</code> () 195	<code>\Pisymbol{knot2}{81}</code> () 195
<code>\Pisymbol{knot1}{79}</code> () 195	<code>\Pisymbol{knot2}{53}</code> () 195	<code>\Pisymbol{knot2}{82}</code> () 195
<code>\Pisymbol{knot1}{80}</code> () 195	<code>\Pisymbol{knot2}{58}</code> () 195	<code>\Pisymbol{knot2}{83}</code> () 195
<code>\Pisymbol{knot1}{81}</code> () 195	<code>\Pisymbol{knot2}{59}</code> () 195	<code>\Pisymbol{knot2}{84}</code> () 195
<code>\Pisymbol{knot1}{82}</code> () 195	<code>\Pisymbol{knot2}{60}</code> () 195	<code>\Pisymbol{knot2}{85}</code> () 195
<code>\Pisymbol{knot1}{83}</code> () 195	<code>\Pisymbol{knot2}{61}</code> () 195	<code>\Pisymbol{knot2}{86}</code> () 195
<code>\Pisymbol{knot1}{84}</code> () 194	<code>\Pisymbol{knot2}{62}</code> () 195	<code>\Pisymbol{knot2}{87}</code> () 195
<code>\Pisymbol{knot1}{85}</code> () 194	<code>\Pisymbol{knot2}{63}</code> () 195	<code>\Pisymbol{knot2}{88}</code> () 195
<code>\Pisymbol{knot1}{86}</code> () 194	<code>\Pisymbol{knot2}{64}</code> () 195	<code>\Pisymbol{knot2}{96}</code> () 195
<code>\Pisymbol{knot1}{87}</code> () 194	<code>\Pisymbol{knot2}{65}</code> () 195	<code>\Pisymbol{knot2}{97}</code> () 195
<code>\Pisymbol{knot1}{88}</code> () 194	<code>\Pisymbol{knot2}{66}</code> () 195	<code>\Pisymbol{knot2}{98}</code> () 195
<code>\Pisymbol{knot1}{96}</code> () 194	<code>\Pisymbol{knot2}{67}</code> () 195	<code>\Pisymbol{knot2}{99}</code> () 195
<code>\Pisymbol{knot1}{97}</code> () 194	<code>\Pisymbol{knot2}{68}</code> () 195	<code>\Pisymbol{knot2}{100}</code> () 195
<code>\Pisymbol{knot1}{98}</code> () 194	<code>\Pisymbol{knot2}{69}</code> () 195	<code>\Pisymbol{knot2}{101}</code> () 195
<code>\Pisymbol{knot1}{99}</code> () 194	<code>\Pisymbol{knot2}{70}</code> () 195	<code>\Pisymbol{knot2}{102}</code> () 195
<code>\Pisymbol{knot1}{100}</code> () 194	<code>\Pisymbol{knot2}{71}</code> () 195	<code>\Pisymbol{knot2}{103}</code> () 195
<code>\Pisymbol{knot1}{101}</code> () 195	<code>\Pisymbol{knot2}{72}</code> () 195	<code>\Pisymbol{knot2}{104}</code> () 195

<code>\Pisymbol{knot2}{105}</code> 	<code>\Pisymbol{knot3}{76}</code> 	<code>\Pisymbol{knot4}{50}</code> 
..... 195	 195	 196
<code>\Pisymbol{knot3}{48}</code> 	<code>\Pisymbol{knot3}{77}</code> 	<code>\Pisymbol{knot4}{51}</code> 
..... 195	 195	 196
<code>\Pisymbol{knot3}{49}</code> 	<code>\Pisymbol{knot3}{78}</code> 	<code>\Pisymbol{knot4}{52}</code> 
..... 195	 195	 196
<code>\Pisymbol{knot3}{50}</code> 	<code>\Pisymbol{knot3}{79}</code> 	<code>\Pisymbol{knot4}{53}</code> 
..... 195	 195	 196
<code>\Pisymbol{knot3}{51}</code> 	<code>\Pisymbol{knot3}{80}</code> 	<code>\Pisymbol{knot4}{58}</code> 
..... 195	 195	 196
<code>\Pisymbol{knot3}{52}</code> 	<code>\Pisymbol{knot3}{81}</code> 	<code>\Pisymbol{knot4}{59}</code> 
..... 195	 195	 196
<code>\Pisymbol{knot3}{53}</code> 	<code>\Pisymbol{knot3}{82}</code> 	<code>\Pisymbol{knot4}{60}</code> 
..... 195	 195	 196
<code>\Pisymbol{knot3}{58}</code> 	<code>\Pisymbol{knot3}{83}</code> 	<code>\Pisymbol{knot4}{61}</code> 
..... 195	 196	 196
<code>\Pisymbol{knot3}{59}</code> 	<code>\Pisymbol{knot3}{84}</code> 	<code>\Pisymbol{knot4}{62}</code> 
..... 195	 195	 196
<code>\Pisymbol{knot3}{60}</code> 	<code>\Pisymbol{knot3}{85}</code> 	<code>\Pisymbol{knot4}{63}</code> 
..... 195	 195	 196
<code>\Pisymbol{knot3}{61}</code> 	<code>\Pisymbol{knot3}{86}</code> 	<code>\Pisymbol{knot4}{64}</code> 
..... 195	 195	 196
<code>\Pisymbol{knot3}{62}</code> 	<code>\Pisymbol{knot3}{87}</code> 	<code>\Pisymbol{knot4}{65}</code> 
..... 195	 195	 196
<code>\Pisymbol{knot3}{63}</code> 	<code>\Pisymbol{knot3}{88}</code> 	<code>\Pisymbol{knot4}{66}</code> 
..... 195	 195	 196
<code>\Pisymbol{knot3}{64}</code> 	<code>\Pisymbol{knot3}{96}</code> 	<code>\Pisymbol{knot4}{67}</code> 
..... 195	 195	 196
<code>\Pisymbol{knot3}{65}</code> 	<code>\Pisymbol{knot3}{97}</code> 	<code>\Pisymbol{knot4}{68}</code> 
..... 195	 195	 196
<code>\Pisymbol{knot3}{66}</code> 	<code>\Pisymbol{knot3}{98}</code> 	<code>\Pisymbol{knot4}{69}</code> 
..... 195	 195	 196
<code>\Pisymbol{knot3}{67}</code> 	<code>\Pisymbol{knot3}{99}</code> 	<code>\Pisymbol{knot4}{70}</code> 
..... 196	 195	 196
<code>\Pisymbol{knot3}{68}</code> 	<code>\Pisymbol{knot3}{100}</code> 	<code>\Pisymbol{knot4}{71}</code> 
..... 195	 195	 196
<code>\Pisymbol{knot3}{69}</code> 	<code>\Pisymbol{knot3}{101}</code> 	<code>\Pisymbol{knot4}{72}</code> 
..... 195	 195	 196
<code>\Pisymbol{knot3}{70}</code> 	<code>\Pisymbol{knot3}{102}</code> 	<code>\Pisymbol{knot4}{73}</code> 
..... 195	 195	 196
<code>\Pisymbol{knot3}{71}</code> 	<code>\Pisymbol{knot3}{103}</code> 	<code>\Pisymbol{knot4}{74}</code> 
..... 195	 195	 196
<code>\Pisymbol{knot3}{72}</code> 	<code>\Pisymbol{knot3}{104}</code> 	<code>\Pisymbol{knot4}{75}</code> 
..... 195	 195	 196
<code>\Pisymbol{knot3}{73}</code> 	<code>\Pisymbol{knot3}{105}</code> 	<code>\Pisymbol{knot4}{76}</code> 
..... 195	 195	 196
<code>\Pisymbol{knot3}{74}</code> 	<code>\Pisymbol{knot4}{48}</code> 	<code>\Pisymbol{knot4}{77}</code> 
..... 195	 196	 196
<code>\Pisymbol{knot3}{75}</code> 	<code>\Pisymbol{knot4}{49}</code> 	<code>\Pisymbol{knot4}{78}</code> 
..... 195	 196	 196

<code>\Pisymbol{knot4}{79}</code>  196	<code>\Pisymbol{knot5}{53}</code>  196	<code>\Pisymbol{knot5}{82}</code>  196
<code>\Pisymbol{knot4}{80}</code>  196	<code>\Pisymbol{knot5}{58}</code>  196	<code>\Pisymbol{knot5}{83}</code>  196
<code>\Pisymbol{knot4}{81}</code>  196	<code>\Pisymbol{knot5}{59}</code>  196	<code>\Pisymbol{knot5}{84}</code>  196
<code>\Pisymbol{knot4}{82}</code>  196	<code>\Pisymbol{knot5}{60}</code>  196	<code>\Pisymbol{knot5}{85}</code>  196
<code>\Pisymbol{knot4}{83}</code>  196	<code>\Pisymbol{knot5}{61}</code>  196	<code>\Pisymbol{knot5}{86}</code>  196
<code>\Pisymbol{knot4}{84}</code>  196	<code>\Pisymbol{knot5}{62}</code>  196	<code>\Pisymbol{knot5}{87}</code>  196
<code>\Pisymbol{knot4}{85}</code>  196	<code>\Pisymbol{knot5}{63}</code>  196	<code>\Pisymbol{knot5}{88}</code>  196
<code>\Pisymbol{knot4}{86}</code>  196	<code>\Pisymbol{knot5}{64}</code>  196	<code>\Pisymbol{knot5}{96}</code>  196
<code>\Pisymbol{knot4}{87}</code>  196	<code>\Pisymbol{knot5}{65}</code>  196	<code>\Pisymbol{knot5}{97}</code>  196
<code>\Pisymbol{knot4}{88}</code>  196	<code>\Pisymbol{knot5}{66}</code>  196	<code>\Pisymbol{knot5}{98}</code>  196
<code>\Pisymbol{knot4}{96}</code>  196	<code>\Pisymbol{knot5}{67}</code>  196	<code>\Pisymbol{knot5}{99}</code>  196
<code>\Pisymbol{knot4}{97}</code>  196	<code>\Pisymbol{knot5}{68}</code>  196	<code>\Pisymbol{knot5}{100}</code>  196
<code>\Pisymbol{knot4}{98}</code>  196	<code>\Pisymbol{knot5}{69}</code>  196	<code>\Pisymbol{knot5}{101}</code>  196
<code>\Pisymbol{knot4}{99}</code>  196	<code>\Pisymbol{knot5}{70}</code>  196	<code>\Pisymbol{knot5}{102}</code>  196
<code>\Pisymbol{knot4}{100}</code>  196	<code>\Pisymbol{knot5}{71}</code>  196	<code>\Pisymbol{knot5}{103}</code>  196
<code>\Pisymbol{knot4}{101}</code>  196	<code>\Pisymbol{knot5}{72}</code>  196	<code>\Pisymbol{knot5}{104}</code>  196
<code>\Pisymbol{knot4}{102}</code>  196	<code>\Pisymbol{knot5}{73}</code>  196	<code>\Pisymbol{knot5}{105}</code>  196
<code>\Pisymbol{knot4}{103}</code>  196	<code>\Pisymbol{knot5}{74}</code>  196	<code>\Pisymbol{knot6}{48}</code>  196
<code>\Pisymbol{knot4}{104}</code>  196	<code>\Pisymbol{knot5}{75}</code>  196	<code>\Pisymbol{knot6}{49}</code>  196
<code>\Pisymbol{knot4}{105}</code>  196	<code>\Pisymbol{knot5}{76}</code>  196	<code>\Pisymbol{knot6}{50}</code>  196
<code>\Pisymbol{knot5}{48}</code>  196	<code>\Pisymbol{knot5}{77}</code>  196	<code>\Pisymbol{knot6}{51}</code> (◆) 196
<code>\Pisymbol{knot5}{49}</code>  196	<code>\Pisymbol{knot5}{78}</code>  196	<code>\Pisymbol{knot6}{52}</code> (●) 197
<code>\Pisymbol{knot5}{50}</code>  196	<code>\Pisymbol{knot5}{79}</code>  196	<code>\Pisymbol{knot6}{53}</code>  197
<code>\Pisymbol{knot5}{51}</code> (◆) 196	<code>\Pisymbol{knot5}{80}</code>  196	<code>\Pisymbol{knot6}{58}</code>  197
<code>\Pisymbol{knot5}{52}</code> (●) 196	<code>\Pisymbol{knot5}{81}</code>  196	<code>\Pisymbol{knot6}{59}</code>  197

<code>\Pisymbol{knot6}{60}</code> () 197	<code>\Pisymbol{knot6}{85}</code> () 196	<code>\Pisymbol{knot7}{63}</code> () 197
<code>\Pisymbol{knot6}{61}</code> () 197	<code>\Pisymbol{knot6}{86}</code> () 196	<code>\Pisymbol{knot7}{64}</code> () 197
<code>\Pisymbol{knot6}{62}</code> () 197	<code>\Pisymbol{knot6}{87}</code> () 196	<code>\Pisymbol{knot7}{65}</code> () 197
<code>\Pisymbol{knot6}{63}</code> () 197	<code>\Pisymbol{knot6}{88}</code> () 197	<code>\Pisymbol{knot7}{66}</code> () 197
<code>\Pisymbol{knot6}{64}</code> () 197	<code>\Pisymbol{knot6}{96}</code> () 197	<code>\Pisymbol{knot7}{67}</code> () 197
<code>\Pisymbol{knot6}{65}</code> () 197	<code>\Pisymbol{knot6}{97}</code> () 197	<code>\Pisymbol{knot7}{68}</code> () 197
<code>\Pisymbol{knot6}{66}</code> () 197	<code>\Pisymbol{knot6}{98}</code> () 197	<code>\Pisymbol{knot7}{69}</code> () 197
<code>\Pisymbol{knot6}{67}</code> () 197	<code>\Pisymbol{knot6}{99}</code> () 197	<code>\Pisymbol{knot7}{70}</code> () 197
<code>\Pisymbol{knot6}{68}</code> () 196	<code>\Pisymbol{knot6}{100}</code> () 197	<code>\Pisymbol{knot7}{71}</code> () 197
<code>\Pisymbol{knot6}{69}</code> () 196	<code>\Pisymbol{knot6}{101}</code> () 197	<code>\Pisymbol{knot7}{72}</code> () 197
<code>\Pisymbol{knot6}{70}</code> () 196	<code>\Pisymbol{knot6}{102}</code> () 197	<code>\Pisymbol{knot7}{73}</code> () 197
<code>\Pisymbol{knot6}{71}</code> () 196	<code>\Pisymbol{knot6}{103}</code> () 197	<code>\Pisymbol{knot7}{74}</code> () 197
<code>\Pisymbol{knot6}{72}</code> () 197	<code>\Pisymbol{knot6}{104}</code> () 197	<code>\Pisymbol{knot7}{75}</code> () 197
<code>\Pisymbol{knot6}{73}</code> () 197	<code>\Pisymbol{knot6}{105}</code> () 197	<code>\Pisymbol{knot7}{76}</code> () 197
<code>\Pisymbol{knot6}{74}</code> () 197	<code>\Pisymbol{knot7}{48}</code> () 197	<code>\Pisymbol{knot7}{77}</code> () 197
<code>\Pisymbol{knot6}{75}</code> () 197	<code>\Pisymbol{knot7}{49}</code> () 197	<code>\Pisymbol{knot7}{78}</code> () 197
<code>\Pisymbol{knot6}{76}</code> () 197	<code>\Pisymbol{knot7}{50}</code> () 197	<code>\Pisymbol{knot7}{79}</code> () 197
<code>\Pisymbol{knot6}{77}</code> () 197	<code>\Pisymbol{knot7}{51}</code> () 197	<code>\Pisymbol{knot7}{80}</code> () 197
<code>\Pisymbol{knot6}{78}</code> () 197	<code>\Pisymbol{knot7}{52}</code> () 197	<code>\Pisymbol{knot7}{81}</code> () 197
<code>\Pisymbol{knot6}{79}</code> () 197	<code>\Pisymbol{knot7}{53}</code> () 197	<code>\Pisymbol{knot7}{82}</code> () 197
<code>\Pisymbol{knot6}{80}</code> () 197	<code>\Pisymbol{knot7}{58}</code> () 197	<code>\Pisymbol{knot7}{83}</code> () 197
<code>\Pisymbol{knot6}{81}</code> () 197	<code>\Pisymbol{knot7}{59}</code> () 197	<code>\Pisymbol{knot7}{84}</code> () 197
<code>\Pisymbol{knot6}{82}</code> () 197	<code>\Pisymbol{knot7}{60}</code> () 197	<code>\Pisymbol{knot7}{85}</code> () 197
<code>\Pisymbol{knot6}{83}</code> () 197	<code>\Pisymbol{knot7}{61}</code> () 197	<code>\Pisymbol{knot7}{86}</code> () 197
<code>\Pisymbol{knot6}{84}</code> () 196	<code>\Pisymbol{knot7}{62}</code> () 197	<code>\Pisymbol{knot7}{87}</code> () 197

<code>\Pisymbol{knot7}{88}</code>  197	<code>\Pisymbol{magic}{88}</code>  204	<code>\Pisymbol{nkarta}{64}</code>  187
<code>\Pisymbol{knot7}{96}</code>  197	<code>\Pisymbol{magic}{90}</code>  204	<code>\Pisymbol{nkarta}{65}</code>  187
<code>\Pisymbol{knot7}{97}</code>  197	<code>\Pisymbol{moonphase}{0}</code>  188	<code>\Pisymbol{nkarta}{66}</code>  187
<code>\Pisymbol{knot7}{98}</code>  197	<code>\Pisymbol{moonphase}{1}</code>  188	<code>\Pisymbol{nkarta}{67}</code>  187
<code>\Pisymbol{knot7}{99}</code>  197	<code>\Pisymbol{moonphase}{2}</code>  188	<code>\Pisymbol{nkarta}{68}</code>  187
<code>\Pisymbol{knot7}{100}</code>  197	<code>\Pisymbol{moonphase}{3}</code>  188	<code>\Pisymbol{nkarta}{69}</code>  187
<code>\Pisymbol{knot7}{101}</code>  197	<code>\Pisymbol{nkarta}{33}</code>  186	<code>\Pisymbol{nkarta}{70}</code>  187
<code>\Pisymbol{knot7}{102}</code>  197	<code>\Pisymbol{nkarta}{34}</code>  186	<code>\Pisymbol{nkarta}{71}</code>  187
<code>\Pisymbol{knot7}{103}</code>  197	<code>\Pisymbol{nkarta}{35}</code>  186	<code>\Pisymbol{nkarta}{72}</code>  187
<code>\Pisymbol{knot7}{104}</code>  197	<code>\Pisymbol{nkarta}{36}</code>  186	<code>\Pisymbol{nkarta}{73}</code>  187
<code>\Pisymbol{knot7}{105}</code>  197	<code>\Pisymbol{nkarta}{37}</code>  186	<code>\Pisymbol{nkarta}{74}</code>  187
<code>\Pisymbol{magic}{48}</code>  204	<code>\Pisymbol{nkarta}{38}</code>  186	<code>\Pisymbol{nkarta}{75}</code>  187
<code>\Pisymbol{magic}{49}</code>  204	<code>\Pisymbol{nkarta}{39}</code>  186	<code>\Pisymbol{nkarta}{76}</code>  187
<code>\Pisymbol{magic}{50}</code>  204	<code>\Pisymbol{nkarta}{40}</code>  186	<code>\Pisymbol{nkarta}{77}</code>  187
<code>\Pisymbol{magic}{51}</code>  204	<code>\Pisymbol{nkarta}{41}</code>  186	<code>\Pisymbol{nkarta}{78}</code>  187
<code>\Pisymbol{magic}{52}</code>  204	<code>\Pisymbol{nkarta}{42}</code>  186	<code>\Pisymbol{nkarta}{79}</code>  187
<code>\Pisymbol{magic}{53}</code>  204	<code>\Pisymbol{nkarta}{43}</code>  186	<code>\Pisymbol{nkarta}{80}</code>  187
<code>\Pisymbol{magic}{54}</code>  204	<code>\Pisymbol{nkarta}{44}</code>  186	<code>\Pisymbol{nkarta}{81}</code>  187
<code>\Pisymbol{magic}{55}</code>  204	<code>\Pisymbol{nkarta}{45}</code>  186	<code>\Pisymbol{nkarta}{82}</code>  187
<code>\Pisymbol{magic}{56}</code>  204	<code>\Pisymbol{nkarta}{46}</code>  186	<code>\Pisymbol{nkarta}{83}</code>  187
<code>\Pisymbol{magic}{57}</code>  204	<code>\Pisymbol{nkarta}{47}</code>  186	<code>\Pisymbol{nkarta}{84}</code>  187
<code>\Pisymbol{magic}{66}</code>  204	<code>\Pisymbol{nkarta}{48}</code>  186	<code>\Pisymbol{nkarta}{85}</code>  187
<code>\Pisymbol{magic}{71}</code>  204	<code>\Pisymbol{nkarta}{49}</code>  186	<code>\Pisymbol{nkarta}{86}</code>  187
<code>\Pisymbol{magic}{82}</code>  204	<code>\Pisymbol{nkarta}{50}</code>  187	<code>\Pisymbol{nkarta}{87}</code>  187
<code>\Pisymbol{magic}{84}</code>  204	<code>\Pisymbol{nkarta}{51}</code>  187	<code>\Pisymbol{nkarta}{88}</code>  187
<code>\Pisymbol{magic}{85}</code>  204	<code>\Pisymbol{nkarta}{52}</code>  187	<code>\Pisymbol{nkarta}{89}</code>  187
<code>\Pisymbol{magic}{87}</code>  204	<code>\Pisymbol{nkarta}{53}</code>  187	<code>\Pisymbol{nkarta}{90}</code>  187
	<code>\Pisymbol{nkarta}{54}</code>  187	<code>\Pisymbol{nkarta}{91}</code>  187
	<code>\Pisymbol{nkarta}{55}</code>  187	<code>\Pisymbol{nkarta}{92}</code>  187
	<code>\Pisymbol{nkarta}{56}</code>  187	<code>\Pisymbol{nkarta}{93}</code>  187
	<code>\Pisymbol{nkarta}{57}</code>  187	<code>\Pisymbol{nkarta}{94}</code>  187
	<code>\Pisymbol{nkarta}{58}</code>  187	<code>\Pisymbol{nkarta}{95}</code>  187

\Pisymbol{nkarta}{96} (♠) 186	\Pisymbol{nkarta}{161} (♥) 187	\Pisymbol{nkarta}{192} (✱) 187
\Pisymbol{nkarta}{97} (♣) 186	\Pisymbol{nkarta}{162} (♦) 187	\Pisymbol{nkarta}{193} (●) 186
\Pisymbol{nkarta}{98} (♠) 186	\Pisymbol{nkarta}{163} (▲) 187	\Pisymbol{nkarta}{194} (□) 186
\Pisymbol{nkarta}{99} (⊗) 186	\Pisymbol{nkarta}{164} (—) 187	\Pisymbol{nkarta}{195} (♠) 186
\Pisymbol{nkarta}{100} (▲) 186	\Pisymbol{nkarta}{165} (—) 187	\Pisymbol{nkarta}{196} (♣) 186
\Pisymbol{nkarta}{101} (★) 186	\Pisymbol{nkarta}{166} (—) 187	\Pisymbol{nkarta}{197} (♠) 186
\Pisymbol{nkarta}{102} (♠) 186	\Pisymbol{nkarta}{167} (♣) 187	\Pisymbol{nkarta}{198} (♠) 186
\Pisymbol{nkarta}{103} (♠) 186	\Pisymbol{nkarta}{168} (⊗) 187	\Pisymbol{nkarta}{199} (♠) 186
\Pisymbol{nkarta}{104} (♠) 186	\Pisymbol{nkarta}{169} (♠) 187	\Pisymbol{nkarta}{200} (→) 186
\Pisymbol{nkarta}{105} (♠) 186	\Pisymbol{nkarta}{170} (♠) 187	\Pisymbol{nkarta}{201} (♠) 186
\Pisymbol{nkarta}{106} (♠) 186	\Pisymbol{nkarta}{171} (★) 187	\Pisymbol{nkarta}{202} (♦) 186
\Pisymbol{nkarta}{107} (♠) 186	\Pisymbol{nkarta}{172} (□) 187	\Pisymbol{nkarta}{203} (■) 186
\Pisymbol{nkarta}{108} (□) 186	\Pisymbol{nkarta}{173} (♠) 187	\Pisymbol{nkarta}{204} (■) 186
\Pisymbol{nkarta}{109} (♠) 186	\Pisymbol{nkarta}{174} (+) 187	\Pisymbol{nkarta}{205} (●) 186
\Pisymbol{nkarta}{110} (✱) 186	\Pisymbol{nkarta}{175} (□) 187	\Pisymbol{nkarta}{206} (■) 186
\Pisymbol{nkarta}{111} (○) 186	\Pisymbol{nkarta}{176} (●) 187	\Pisymbol{nkarta}{207} (♠) 186
\Pisymbol{nkarta}{112} (◇) 186	\Pisymbol{nkarta}{177} (□) 187	\Pisymbol{nkarta}{208} (✱) 186
\Pisymbol{nkarta}{113} (♠) 187	\Pisymbol{nkarta}{178} (♠) 187	\Pisymbol{nkarta}{209} (♠) 186
\Pisymbol{nkarta}{114} (♠) 187	\Pisymbol{nkarta}{179} (✕) 187	\Pisymbol{nkarta}{210} (♠) 187
\Pisymbol{nkarta}{115} (♠) 187	\Pisymbol{nkarta}{180} (□) 187	\Pisymbol{nkarta}{211} (←) 187
\Pisymbol{nkarta}{116} (●) 187	\Pisymbol{nkarta}{181} (♠) 187	\Pisymbol{nkarta}{212} (↓) 187
\Pisymbol{nkarta}{117} (♠) 187	\Pisymbol{nkarta}{182} (♠) 187	\Pisymbol{nkarta}{213} (↑) 187
\Pisymbol{nkarta}{118} (♠) 187	\Pisymbol{nkarta}{183} (★) 187	\Pisymbol{nkarta}{214} (↖) 187
\Pisymbol{nkarta}{119} (♠) 187	\Pisymbol{nkarta}{184} (♠) 187	\Pisymbol{nkarta}{215} (♠) 187
\Pisymbol{nkarta}{120} (♠) 187	\Pisymbol{nkarta}{185} (♠) 187	\Pisymbol{nkarta}{216} (●) 187
\Pisymbol{nkarta}{121} (♠) 187	\Pisymbol{nkarta}{186} (♠) 187	\Pisymbol{nkarta}{217} (♠) 187
\Pisymbol{nkarta}{122} (♠) 187	\Pisymbol{nkarta}{187} (♠) 187	\Pisymbol{nkarta}{218} (●) 187
\Pisymbol{nkarta}{123} (—) 187	\Pisymbol{nkarta}{188} (♠) 187	\Pisymbol{nkarta}{219} (♠) 187
\Pisymbol{nkarta}{124} (♠) 187	\Pisymbol{nkarta}{189} (♠) 187	\Pisymbol{nkarta}{220} (■) 187
\Pisymbol{nkarta}{125} (♠) 187	\Pisymbol{nkarta}{190} (✕) 187	\Pisymbol{nkarta}{221} (●) 187
\Pisymbol{nkarta}{126} (♠) 187	\Pisymbol{nkarta}{191} (○) 187	\Pisymbol{nkarta}{222} (●) 187

\Pisymbol{smfpr10}{117} (ʹ)	\Pisymbol{smfpr10}{153} (ᵑ)	\Pisymbol{smfpr10}{187} (ᵑ)
..... 200	 201	 200
\Pisymbol{smfpr10}{118} (ᵑ)	\Pisymbol{smfpr10}{154} (ᵑ)	\Pisymbol{smfpr10}{192} (ᵑ)
..... 200	 201	 200
\Pisymbol{smfpr10}{119} (ᵑ)	\Pisymbol{smfpr10}{155} (ᵑ)	\Pisymbol{smfpr10}{193} (ᵑ)
..... 200	 201	 200
\Pisymbol{smfpr10}{120} (ᵑ)	\Pisymbol{smfpr10}{157} (ʹ)	\Pisymbol{smfpr10}{194} (ᵑ)
..... 200	 201	 200
\Pisymbol{smfpr10}{121} (ʹ)	\Pisymbol{smfpr10}{158} (ᵑ)	\Pisymbol{smfpr10}{195} (ᵑ)
..... 200	 201	 200
\Pisymbol{smfpr10}{122} (ᵑ)	\Pisymbol{smfpr10}{160} (ᵑ)	\Pisymbol{smfpr10}{196} (ᵑ)
..... 200	 201	 200
\Pisymbol{smfpr10}{126} (ᵑ)	\Pisymbol{smfpr10}{161} (ᵑ)	\Pisymbol{smfpr10}{197} (ᵑ)
..... 200	 201	 200
\Pisymbol{smfpr10}{128} (ᵑ)	\Pisymbol{smfpr10}{162} (ʹ)	\Pisymbol{smfpr10}{199} (ʹ)
..... 200	 201	 200
\Pisymbol{smfpr10}{129} (ᵑ)	\Pisymbol{smfpr10}{163} (ʹ)	\Pisymbol{smfpr10}{200} (ʹ)
..... 200	 201	 200
\Pisymbol{smfpr10}{130} (ʹ)	\Pisymbol{smfpr10}{164} (ᵑ)	\Pisymbol{smfpr10}{201} (ʹ)
..... 200	 201	 200
\Pisymbol{smfpr10}{131} (ʹ)	\Pisymbol{smfpr10}{165} (ʹ)	\Pisymbol{smfpr10}{202} (ʹ)
..... 200	 201	 200
\Pisymbol{smfpr10}{132} (ᵑ)	\Pisymbol{smfpr10}{166} (ʹ)	\Pisymbol{smfpr10}{203} (ʹ)
..... 200	 201	 200
\Pisymbol{smfpr10}{133} (ʹ)	\Pisymbol{smfpr10}{167} (ᵑ)	\Pisymbol{smfpr10}{204} (ʹ)
..... 200	 201	 201
\Pisymbol{smfpr10}{134} (ʹ)	\Pisymbol{smfpr10}{168} (ʹ)	\Pisymbol{smfpr10}{205} (ʹ)
..... 200	 201	 201
\Pisymbol{smfpr10}{135} (ᵑ)	\Pisymbol{smfpr10}{169} (ʹ)	\Pisymbol{smfpr10}{206} (ʹ)
..... 201	 201	 201
\Pisymbol{smfpr10}{136} (ʹ)	\Pisymbol{smfpr10}{170} (ʹ)	\Pisymbol{smfpr10}{207} (ʹ)
..... 201	 201	 201
\Pisymbol{smfpr10}{137} (ʹ)	\Pisymbol{smfpr10}{171} (ᵑ)	\Pisymbol{smfpr10}{209} (ᵑ)
..... 201	 201	 201
\Pisymbol{smfpr10}{138} (ʹ)	\Pisymbol{smfpr10}{172} (ᵑ)	\Pisymbol{smfpr10}{210} (ʹ)
..... 201	 201	 201
\Pisymbol{smfpr10}{139} (ᵑ)	\Pisymbol{smfpr10}{174} (ʹ)	\Pisymbol{smfpr10}{211} (ʹ)
..... 201	 201	 201
\Pisymbol{smfpr10}{140} (ᵑ)	\Pisymbol{smfpr10}{175} (ʹ)	\Pisymbol{smfpr10}{212} (ʹ)
..... 201	 201	 201
\Pisymbol{smfpr10}{142} (ʹ)	\Pisymbol{smfpr10}{176} (ʹ)	\Pisymbol{smfpr10}{213} (ʹ)
..... 201	 201	 201
\Pisymbol{smfpr10}{143} (ʹ)	\Pisymbol{smfpr10}{177} (ᵑ)	\Pisymbol{smfpr10}{214} (ʹ)
..... 201	 201	 201
\Pisymbol{smfpr10}{144} (ʹ)	\Pisymbol{smfpr10}{178} (ᵑ)	\Pisymbol{smfpr10}{216} (ʹ)
..... 201	 201	 201
\Pisymbol{smfpr10}{145} (ᵑ)	\Pisymbol{smfpr10}{179} (ᵑ)	\Pisymbol{smfpr10}{217} (ʹ)
..... 201	 201	 201
\Pisymbol{smfpr10}{146} (ᵑ)	\Pisymbol{smfpr10}{180} (ʹ)	\Pisymbol{smfpr10}{218} (ʹ)
..... 201	 201	 201
\Pisymbol{smfpr10}{147} (ᵑ)	\Pisymbol{smfpr10}{181} (ʹ)	\Pisymbol{smfpr10}{219} (ʹ)
..... 201	 201	 201
\Pisymbol{smfpr10}{148} (ʹ)	\Pisymbol{smfpr10}{182} (ʹ)	\Pisymbol{smfpr10}{220} (ʹ)
..... 201	 201	 201
\Pisymbol{smfpr10}{149} (ʹ)	\Pisymbol{smfpr10}{183} (ʹ)	\Pisymbol{smfpr10}{221} (ʹ)
..... 201	 201	 201
\Pisymbol{smfpr10}{150} (ʹ)	\Pisymbol{smfpr10}{184} (ʹ)	\Pisymbol{smfpr10}{224} (ᵑ)
..... 201	 200	 201
\Pisymbol{smfpr10}{151} (ʹ)	\Pisymbol{smfpr10}{185} (ᵑ)	\Pisymbol{smfpr10}{225} (ᵑ)
..... 201	 200	 201
\Pisymbol{smfpr10}{152} (ʹ)	\Pisymbol{smfpr10}{186} (ᵑ)	\Pisymbol{smfpr10}{226} (ᵑ)
..... 201	 200	 201

$\backslash$ Pisymbol{WebOMintsGD}{51}  191
 $\backslash$ Pisymbol{WebOMintsGD}{52}  191
 $\backslash$ Pisymbol{WebOMintsGD}{53}  191
 $\backslash$ Pisymbol{WebOMintsGD}{54}  191
 $\backslash$ Pisymbol{WebOMintsGD}{55}  191
 $\backslash$ Pisymbol{WebOMintsGD}{56}  191
 $\backslash$ Pisymbol{WebOMintsGD}{57}  191
 $\backslash$ Pisymbol{WebOMintsGD}{65}  191
 $\backslash$ Pisymbol{WebOMintsGD}{66}  191
 $\backslash$ Pisymbol{WebOMintsGD}{67}  191
 $\backslash$ Pisymbol{WebOMintsGD}{68}  191
 $\backslash$ Pisymbol{WebOMintsGD}{69}  191
 $\backslash$ Pisymbol{WebOMintsGD}{70}  191
 $\backslash$ Pisymbol{WebOMintsGD}{71}  191
 $\backslash$ Pisymbol{WebOMintsGD}{72}  191
 $\backslash$ Pisymbol{WebOMintsGD}{73}  191
 $\backslash$ Pisymbol{WebOMintsGD}{74}  191
 $\backslash$ Pisymbol{WebOMintsGD}{75}  191
 $\backslash$ Pisymbol{WebOMintsGD}{76}  191
 $\backslash$ Pisymbol{WebOMintsGD}{77}  191
 $\backslash$ Pisymbol{WebOMintsGD}{78}  191
 $\backslash$ Pisymbol{WebOMintsGD}{79}  191
 $\backslash$ Pisymbol{WebOMintsGD}{80}  191
 $\backslash$ Pisymbol{WebOMintsGD}{81}  191
 $\backslash$ Pisymbol{WebOMintsGD}{82}  191
 $\backslash$ Pisymbol{WebOMintsGD}{83}  191
 $\backslash$ Pisymbol{WebOMintsGD}{84}  191
 $\backslash$ Pisymbol{WebOMintsGD}{85}  191
 $\backslash$ Pisymbol{WebOMintsGD}{86}  191
 $\backslash$ Pisymbol{WebOMintsGD}{87}  191
 $\backslash$ Pisymbol{WebOMintsGD}{88}  191

$\backslash$ Pisymbol{WebOMintsGD}{89}  191
 $\backslash$ Pisymbol{WebOMintsGD}{90}  191
 $\backslash$ Pisymbol{WebOMintsGD}{91}  191
 $\backslash$ Pisymbol{WebOMintsGD}{93}  191
 $\backslash$ Pisymbol{WebOMintsGD}{97}  191
 $\backslash$ Pisymbol{WebOMintsGD}{98}  191
 $\backslash$ Pisymbol{WebOMintsGD}{99}  191
 $\backslash$ Pisymbol{WebOMintsGD}{100}  191
 $\backslash$ Pisymbol{WebOMintsGD}{101}  191
 $\backslash$ Pisymbol{WebOMintsGD}{102}  191
 $\backslash$ Pisymbol{WebOMintsGD}{103}  191
 $\backslash$ Pisymbol{WebOMintsGD}{104}  191
 $\backslash$ Pisymbol{WebOMintsGD}{105}  191
 $\backslash$ Pisymbol{WebOMintsGD}{106}  191
 $\backslash$ Pisymbol{WebOMintsGD}{107}  191
 $\backslash$ Pisymbol{WebOMintsGD}{108}  191
 $\backslash$ Pisymbol{WebOMintsGD}{109}  191
 $\backslash$ Pisymbol{WebOMintsGD}{110}  191
 $\backslash$ Pisymbol{WebOMintsGD}{111}  191
 $\backslash$ Pisymbol{WebOMintsGD}{112}  191
 $\backslash$ Pisymbol{WebOMintsGD}{113}  191
 $\backslash$ Pisymbol{WebOMintsGD}{114}  191
 $\backslash$ Pisymbol{WebOMintsGD}{115}  191
 $\backslash$ Pisymbol{WebOMintsGD}{116}  191
 $\backslash$ Pisymbol{WebOMintsGD}{117}  191
 $\backslash$ Pisymbol{WebOMintsGD}{118}  191
 $\backslash$ Pisymbol{WebOMintsGD}{119}  191
 $\backslash$ Pisymbol{WebOMintsGD}{120}  191
 $\backslash$ Pisymbol{WebOMintsGD}{121}  191
 $\backslash$ Pisymbol{WebOMintsGD}{122}  191
 $\backslash$ pitchfork ($\pitchfork$) 113
 $\backslash$ pitchfork ($\pitchfork$) 47
 $\backslash$ pitchfork ($\pitchfork$) 54

$\backslash$ pitchfork ($\pitchfork$) 86
 $\backslash$ pitchfork ($\pitchfork$) 84
 $\backslash$ pitchfork ($\pitchfork$) 55
pitchfork symbols . 47, 84, 86, 113
Pitman's base 12 symbols 110, 168
 $\backslash$ piup (π) 89
 $\backslash$ planck ($\hbar$) 18
 $\backslash$ Plane ($\rightarrow$) 137
planets ... 119, 120, 188–190
 $\backslash$ plasmon ($\sim e^-$) 125
playing cards 136, 137
Plimsoll line 211
 $\backslash$ Plus ($+$) 129
 $\backslash$ plus (+) 30
 $\backslash$ plus (+) 30
plus-or-minus sign ... *see* $\backslash$ pm
 $\backslash$ PlusCenterOpen ($\oplus$) ... 129
 $\backslash$ pluscirc ($\oplus$) 29
 $\backslash$ pluscirc ($\oplus$) 31
 $\backslash$ plusdot (+) 31
 $\backslash$ plusdot (+) 32
 $\backslash$ pluseqq ($\pm$) 32
 $\backslash$ plushat ($\hat{+}$) 32
 $\backslash$ PlusOutline ($\oplus$) 129
plusses 129, 186–187
 $\backslash$ plussim ($\pm$) 32
 $\backslash$ plussubtwo ($\pm_2$) 32
 $\backslash$ PlusThinCenterOpen ($\oplus$) 129
 $\backslash$ plustrif ($\star$) 31
 $\backslash$ plustrif ($\star$) 32
 $\backslash$ Pluto ($\P$) 120
 $\backslash$ Pluto ($\P$) 119
 $\backslash$ Pluto ($\P$) 120
 $\backslash$ pluto ($\P$) 119
 $\backslash$ pm ($\pm$) 28
 $\backslash$ pm ($\pm$) 31
 $\backslash$ pm ($\pm$) 31
 $\backslash$ pm ($\pm$) 30
 $\backslash$ pm ($\pm$) 32
 $\backslash$ pm ($\pm$) 171
 $\backslash$ pmb 220
pmbboxdraw (package) 173, 226
 $\backslash$ pmod 87
 $\backslash$ pod 87
 $\backslash$ pointer (ϕ) 164
pointing finger *see* fists
 $\backslash$ PointingHand ($\rightarrow$) 165
 $\backslash$ pointint (ϕ) 43
 $\backslash$ pointintsl (ϕ) 45
 $\backslash$ pointintup (ϕ) 45
 $\backslash$ pointright ($\rightarrow$) 129
 $\backslash$ Poland ($\P$) 177
 $\backslash$ polaron ($\sim e^-$) 125
 $\backslash$ polishhook ($\hookrightarrow$) 23
 $\backslash$ polter ($\rightarrow$) 107
polutonikogreek (babel package option) 14, 88, 89
polygons .. 132–134, 157–161, 186–187, 202–203

polynom (package) 102
 polynomial division 102
 polytonic Greek . . . 14, 88, 89
 \portato (♩) 152
 \portatoDown (♩) 152
 \Portugal (♣) 177
 \Poseidon (♁) 120
 \positron (e^+) 125
 \postalmark (〒) 114
 \Postbox (✉) 175
 PostScript . . . 89, 117, 126, 209,
 218
 PostScript fonts 126
 \pot (♣) 179
 \pot (♣) 179
 \Pound (£) 25
 \pounds 14
 \pounds (£) 222, 223
 power set *see* alphabets, math
 \powerset ($\wp$) 91
 \Pp (⸔) 171
 \pp (⸔) 171
 \ppm (μ) 171
 \Ppp (⸔) 171
 \Pppp (⸔) 171
 \Pppp (⸔) 171
 \Ppppp (⸔) 171
 \Ppppp (⸔) 171
 \Pr (Pr) 87
 \Prec ($\ll$) 55
 \prec ($\prec$) 46
 \prec ($\prec$) 52
 \prec ($\prec$) 50
 \prec ($\prec$) 55
 \prec ($\prec$) 55
 \precapprox ($\approx$) 48
 \precapprox ($\approx$) 47
 \precapprox ($\approx$) 54
 \precapprox ($\approx$) 52
 \precapprox ($\approx$) 50
 \precapprox ($\approx$) 55
 \preccurlyeq ($\preccurlyeq$) 48
 \preccurlyeq ($\preccurlyeq$) 47
 \preccurlyeq ($\preccurlyeq$) 54
 \preccurlyeq ($\preccurlyeq$) 52
 \preccurlyeq ($\preccurlyeq$) 50
 \preccurlyeq ($\preccurlyeq$) 55
 \precdot ($\precdot$) 48
 \preceq ($\preceq$) 46
 \preceq ($\preceq$) 52
 \preceq ($\preceq$) 50
 \preceq ($\preceq$) 55
 \preceqq ($\preceqq$) 48
 \preceqq ($\preceqq$) 52
 \preceqq ($\preceqq$) 55
 \precnapprox ($\approx$) 49
 \precnapprox ($\approx$) 47
 \precnapprox ($\approx$) 54
 \precnapprox ($\approx$) 52
 \precnapprox ($\approx$) 51
 \precnapprox ($\approx$) 55
 \precneq ($\precneq$) 49
 \precneq ($\precneq$) 52, 53

\precneq ($\precneq$) 55
 \precneqq ($\precneqq$) 48
 \precneqq ($\precneqq$) 54
 \precneqq ($\precneqq$) 52, 53
 \precneqq ($\precneqq$) 55
 \precnsim ($\approx$) 49
 \precnsim ($\approx$) 47
 \precnsim ($\approx$) 54
 \precnsim ($\approx$) 52
 \precnsim ($\approx$) 51
 \precnsim ($\approx$) 55
 \precsim ($\approx$) 48
 \precsim ($\approx$) 47
 \precsim ($\approx$) 54
 \precsim ($\approx$) 52
 \precsim ($\approx$) 50
 \precsim ($\approx$) 56
 prescription *see* \textrecipe
 present-value symbols 105, 214
 \prime ($\prime$) 112
 \prime ($\prime$) 113
 \prime ($\prime$) 113
 \prime ($\prime$) 111
 primes 111–114
 \Printer (♻) 121
 printer's fist *see* fists
 printer's flowers *see* fleurons
and flowers
 probabilistic independence 212
 probability limit (plim) $\xrightarrow{n \rightarrow \infty}$ *see*
 \DeclareMathOperator
 \prod ($\prod$) 37
 \prod ($\prod$) 42
 \prod ($\prod$) 41
 \prod ($\prod$) 43
 \PRODI 46
 \PRODI ($\prod$) 46
 \Prodi 46
 \Prodi ($\prod$) 46
 \prodi 46
 \prodi ($\prod$) 46
 prodint (package) 46, 226
 product integrals 46
 \proflin ($\proflin$) 114
 \profsurf ($\profsurf$) 114
 Project Gutenberg 209
 projective space ($\mathbb{P}$) *see*
 alphabets, math
 \projlim (projlim) 87
 pronunciation symbols *see*
 phonetic symbols
 proof, end of 112
 proper subset/superset *see*
 \subsetneq/\supsetneq
 proper vertices 125
 \PropertyLine (⌞) 114
 \propfrom ($\propto$) 52
 \propto ($\propto$) 113
 \propto ($\propto$) 46
 \propto ($\propto$) 52
 \propto ($\propto$) 50

\propto ($\propto$) 56
 proto-Semitic symbols . . . 138
 \proton (p^+) 125
 protosem (package) . . . 138, 226
 \ProvidesPackage 225
 \PrtSc (⌞) 122
 \prurel ($\prec$) 54
 \prurel ($\prec$) 56
 \ps (⌞) 171
 pseudographics 173
 \Psi (Ψ) 88
 \psi (ψ) 88
 \psiup (ψ) 89
 psnfss (package) 130
 PSTricks (package) 181
 \Psyche (⌞) 120
 \Pu (⌞) 149
 \pullback (⌞) 31
 \pullback (⌞) 56
 pullback diagrams 213
 pulse diagram symbols . . . 118
 \PulseHigh (⌞) 118
 \PulseLow (⌞) 118
 punctuation 15
 punctum *see* musixgre
 \Purierstab (⌞) 179
 \pushout (⌞) 31
 \pushout (⌞) 56
 pushout diagrams 213
 \pwn (⌞) 18
 pxfonts (package) 27,
 29, 39, 48, 59, 62, 70, 86,
 89–91, 112, 116, 136, 206,
 221
 \Pxp (⌞) 171
 \pxp (⌞) 171
 Q
 Q.E.D. 112
 \QED ($\blacksquare$) 114
 \Qoppa (⌞) 144
 \qoppa (⌞) 144
 \qoppa (⌞) 144
 \qoppa (⌞) 144
 \qp (⌞) 148
 \qprime (⌞) 111
 \QQ (⌞) 121
 \qq (⌞) 148
 \qs (⌞) 148
 \qside ($\ll$) 169
 \Quadrad (⌞) 100
 \quadrad (⌞) 100
 \Quadrads (⌞) 100
 \quadras (⌞) 100
 \quark (q) 125
 \quarkb (b) 125
 \quarkc (c) 125
 \quarkd (d) 125
 \quarks (s) 125
 \quarkt (t) 125
 \quarku (u) 125

quarter note *see* musical symbols

`\quarterNote` (♩) 150

`\quaternote` (♩) 147

`\quaternote` (♩) 147

`\quaternote` (♩) 147

`\quarterNoteDotted` (♩̣) . 150

`\quarterNoteDottedDouble` (♩̣̣) 150

`\quarterNoteDottedDoubleDown` (♩̣̣̣) 150

`\quarterNoteDottedDown` (♩̣̣) 150

`\quarterNoteDown` (♩̣) . . . 150

quasi-quotation marks (⌈■⌋) *see* `\ulcorner` and `\urcorner`

quaternions (ℍ) *see* alphabets, math

quaver . *see* musical symbols

`\quaver` (♩) 150

`\quaverDotted` (♩̣) 150

`\quaverDottedDouble` (♩̣̣) 150

`\quaverDottedDoubleDown` (♩̣̣̣) 150

`\quaverDottedDown` (♩̣̣) . . 150

`\quaverDown` (♩̣) 150

`\quaverRest` (♪) 151

`\quaverRestDotted` (♪̣) . . 151

queen 170, 204–205

`\questeq` (≐) 56

`\Question` (??) 114

quilisma *see* `\musixgre`

`\Quincunx` (⌘) 120

Quine corners (⌈■⌋) *see* `\ulcorner` and `\urcorner`

quotation marks . . 13, 15, 26, 178, 220, 223

`\quotedblbase` („) . . . 15, 223

`\quotesinglbase` (,) . . 15, 223

R

`\R` (∼) 171

`\r` (♢) 19

`\r` (∼) 171

`r` (♢) 116

`\Radiation` (☛) 166

`\radiation` (☛) 178

radicals . *see* `\sqrt` and `\surd`

`\Radioactivity` (☛) 124

`\Radix` (ℝ) 120

`\Rain` (☔) 166

`\RainCloud` (☔) 166

raindrop 204

raising . . . *see* `\textraising`

`\RaisingEdge` (⌈) 118

`\Rangle` (⌋) 117

`\rAngle` (⌋) 99

`\rAngle` (⌋) 96

`\rAngle` (⌋) 98

`\rangle` (⌋) 27, 94

`\rangle` (⌋) 96

`\rangle` (⌋) 95

`\rangle` (⌋) 98

`\ranglebar` (⌋) 96

`\rangledot` (⌋) 96

`\rangledot` (⌋) 93

`\rangledownzigzagarrow` (⌋) 112

`\RArrow` (⌋) 122

`\rarrowfill` 106

`\ratio` (:) 58

`\RATIONAL` (ℚ) 87

`\Rational` (ℚ) 87

rational numbers (ℚ) *see* alphabets, math

rationalized Planck constant *see* `\hbar`

`\RB` (⌋) 121

`\Rbag` (⌋) 93

`\rbag` (⌋) 93

`\rbag` (⌋) 31

`\rbag` (⌋) 93

`\rblackbowtie` (⌋) 31

`\rblkrbrak` (⌋) 93

`\rBrace` (⌋) 98

`\rbrace` (⌋) 96

`\rbrace` (⌋) 97

`\rbrace` (⌋) 96

`\rbrace` (⌋) 98

`\Rbrack` (⌋) 117

`\rBrack` (⌋) 99

`\rBrack` (⌋) 97

`\rBrack` (⌋) 97

`\rBrack` (⌋) 98

`\rbrack` (⌋) 97

`\rbracklr tick` (⌋) 93

`\rbrackubar` (⌋) 93

`\rbrackurtick` (⌋) 93

`\Rbrbrak` (⌋) 93

`\rbrbrak` (⌋) 98

`\rc` (♢) 22

`\rCeil` (⌈) 99

`\rceil` (⌈) 94

`\rceil` (⌈) 97

`\rceil` (⌈) 95

`\rceil` (⌈) 97

`\rcirclearrowdown` (⌋) . 72

`\rcirclearrowleft` (⌋) . 72

`\rcirclearrowright` (⌋) 72

`\rcirclearrowup` (⌋) . . 72

`\rcircleleftint` (⌋) . 42, 43

`\rcircleleftint` (⌋) . . . 41

`\rcirclerightint` (⌋) . 42, 43

`\rcirclerightint` (⌋) . . . 41

`\rcorners` (⌈) 93

`\rcurvearrowdown` (⌋) . . 72

`\rcurvearrowleft` (⌋) . . 72

`\rcurvearrowne` (⌋) . . . 72

`\rcurvearrownw` (⌋) . . . 72

`\rcurvearrowright` (⌋) . . 72

`\rcurvearrowse` (⌋) . . . 72

`\rcurvearrowsw` (⌋) . . . 72

`\rcurvearrowup` (⌋) . . . 72

`\rcurvyangle` (⌋) 93

`\rdbrack` (⌋) 95

`\rdiagovfdiag` (⌋) 114

`\rdiagovsearrow` (⌋) . . . 81

`\Rdsh` (⌋) 75

`\Rdsh` (⌋) 81

`\Re` (ℝ) 91

`\Re` (ℝ) 92

`\REAL` (ℝ) 87

`\Real` (ℝ) 87

real numbers (ℝ) *see* alphabets, math

recipe *see* `\textrecipe`

`\recorder` (⌋) 164

`\Rectangle` (⌋) 135

`\RectangleBold` (⌋) 135

rectangles . 135, 136, 157–161, 186–187

`\RectangleThin` (⌋) 135

`\Rectpipe` (⌋) 123

`\Rectsteel` (⌋) 123

recycle (package) . . . 175, 226

`\recycle` (♻) 178

`\recycle` (♻) 175

`\Recycling` (♻) 175

recycling symbols . . 174, 175, 178, 180–184, 186

reduced quadrupole moment *see* `\rqm`

`\reference` (ℝ) 125

`\reflectbox` 209

registered trademark . 13, 25, 222

relational database symbols	114	<code>\rFloor</code> ($\Downarrow$)	99	<code>\rightarrow</code> ($\rightarrow$)	71
relational symbols	46	<code>\rfloor</code> ($\rfloor$)	94	<code>\rightarrow</code> ($\rightarrow$)	81
binary	47–51, 54–66, 84–86	<code>\rfloor</code> ($\rfloor$)	97	<code>\rightarrowapprox</code> ($\Rightarrow$)	81
negated binary	47–51, 53, 54, 56	<code>\rfloor</code> ($\rfloor$)	95	<code>\rightarrowbackapprox</code> ($\Leftarrow$)	81
triangle	66–68	<code>\rfloor</code> ($\rfloor$)	97	<code>\rightarrowbar</code> ($\rightarrow$)	79
<code>\Relbar</code> ($=$)	86, 210	<code>\rfloor</code> ($\rfloor$)	97	<code>\rightarrowbar</code> ($\rightarrow$)	81
<code>\Relbar</code> ($=$)	50	<code>\rftimes</code> ($\rtimes$)	56	<code>\rightarrowbsimilar</code> ($\Rightarrow$)	81
<code>\Relbar</code> ($=$)	87	<code>\rgroup</code> ($)$)	94	<code>\rightarrowcircle</code> ($\Rightarrow$)	79
<code>\relbar</code> ($-$)	86, 210	<code>\rgroup</code> ($)$)	97	<code>\rightarrowdiamond</code> ($\Rightarrow$)	81
<code>\relbar</code> ($-$)	50	<code>\rgroup</code> ($)$)	95	<code>\rightarrowgtr</code> ($\gg$)	66
<code>\relbar</code> ($-$)	87	<code>\rgroup</code> ($)$)	97	<code>\rightarrowonoplus</code> ($\oplus$)	81
<code>relsize</code> (package)	22	<code>\rgroup</code> ($)$)	95	<code>\rightarrowplus</code> ($\rightarrow$)	81
<code>\Request</code> ($\text{\textcircled{R}}$)	175	<code>\rgroup</code> ($)$)	97	<code>\rightarrowshortleftarrow</code> ($\leftrightarrow$)	81
<code>\resizebox</code>	84, 206	<code>\rgroup</code> ($)$)	95	<code>\rightarrowsimilar</code> ($\Rightarrow$)	81
<code>\Respondens</code> ($\sim$)	171	<code>\rgroup</code> ($)$)	97	<code>\rightarrowsupset</code> ($\Rightarrow$)	61
<code>\respondens</code> ($\sim$)	171	<code>\RHD</code> ($\blacktriangleright$)	29	<code>\rightarrowtail</code> ($\rightarrow$)	69
response ($\mathbb{R}$)	224, 225	<code>\rhd</code> ($\triangleright$)	28, 29	<code>\rightarrowtail</code> ($\rightarrow$)	79
<code>\restoresymbol</code>	206	<code>\rhd</code> ($\triangleright$)	64	<code>\rightarrowtail</code> ($\rightarrow$)	75
<code>\restriction</code>	<i>see</i>	<code>\rhd</code> ($\triangleright$)	63, 67	<code>\rightarrowtail</code> ($\rightarrow$)	71
<code>\upharpoonright</code>		<code>\rhd</code> ($\triangleright$)	32, 134	<code>\rightarrowtail</code> ($\rightarrow$)	81
<code>\restriction</code> ($\upharpoonright$)	70	<code>\Rho</code> (ρ)	88	<code>\rightarrowTriangle</code> ($\rightarrow$)	79
<code>\restriction</code> ($\upharpoonright$)	78	<code>\rho</code> (ρ)	88	<code>\rightarrowtriangle</code> ($\rightarrow$)	70
<code>\restriction</code> ($\upharpoonright$)	74	<code>\rho</code> (ρ)	89	<code>\rightarrowtriangle</code> ($\rightarrow$)	79
<code>\restriction</code> ($\upharpoonright$)	83	<code>\rhook</code> ($\hookrightarrow$)	87	<code>\rightarrowtriangle</code> ($\rightarrow$)	81
rests	<i>see</i> musical symbols	<code>\rhookdownarrow</code> ($\downarrow$)	76	<code>\rightarrowx</code> ($\rightarrow$)	81
retracting	<i>see</i>	<code>\rhookdownarrow</code> ($\downarrow$)	72	<code>\rightAssert</code> ($\vdash$)	52
<code>\texttretracting</code>		<code>\rhookleftarrow</code> ($\leftarrow$)	76	<code>\rightassert</code> ($\vdash$)	52
<code>\Retrograde</code> ($\mathbb{R}$)	120	<code>\rhookleftarrow</code> ($\leftarrow$)	72	<code>\rightbarharpoon</code> ($\Rightarrow$)	71
<code>\Return</code> ($\text{\textcircled{R}}$)	122	<code>\rhooknearrow</code> ($\nearrow$)	76	<code>\rightbkarrow</code> ($\rightarrow$)	75
return	<i>see</i> carriage return	<code>\rhooknearrow</code> ($\nearrow$)	72	<code>\rightbkarrow</code> ($\rightarrow$)	81
<code>\revangle</code> (Δ)	111	<code>\rhooknwarrow</code> ($\nwarrow$)	76	<code>\rightblackarrow</code> ($\rightarrow$)	79
<code>\revangle</code> (Δ)	112	<code>\rhooknwarrow</code> ($\nwarrow$)	72	<code>\rightblackspoon</code> ($\rightarrow$)	85
<code>\revangleubar</code> ($\underline{\Delta}$)	112	<code>\rhooknwarrow</code> ($\nwarrow$)	72	<code>\RIGHTCIRCLE</code> ($\bullet$)	132
<code>\revaw</code> ($\text{\textcircled{R}}$)	98	<code>\rhookrightarrow</code> ($\rightarrow$)	76	<code>\RIGHTcircle</code> ($\bullet$)	132
<code>\revD</code> ($\mathbb{D}$)	18	<code>\rhookrightarrow</code> ($\rightarrow$)	72	<code>\Rightcircle</code> ($\bullet$)	132
<code>\revddots</code> ($\ddots$)	213	<code>\rhooksearrow</code> ($\searrow$)	76	<code>\rightcurvedarrow</code> ($\curvearrowright$)	76
<code>\reve</code> ($\text{\textcircled{R}}$)	18	<code>\rhooksearrow</code> ($\searrow$)	72	<code>\rightcurvedarrow</code> ($\curvearrowright$)	81
<code>\reveject</code> ($\text{\textcircled{R}}$)	18	<code>\rhookswarrow</code> ($\swarrow$)	76	<code>\righddasharrow</code> ($\dashrightarrow$)	79
<code>\revemptyset</code> ($\emptyset$)	113	<code>\rhookswarrow</code> ($\swarrow$)	71	<code>\righddasharrow</code> ($\dashrightarrow$)	81
<code>\revemptyset</code> ($\emptyset$)	111	<code>\rhookuparrow</code> ($\uparrow$)	76	<code>\rightdbltail</code> ($\rightarrow$)	56
<code>\revepsilon</code> (ϵ)	18	<code>\rhookuparrow</code> ($\uparrow$)	71	<code>\RightDiamond</code> ($\blacklozenge$)	135
<code>\revepsilon</code> (ϵ)	209	<code>\rhoup</code> (ρ)	89	<code>\righdotarrow</code> ($\rightarrow$)	81
reverse solidus	<i>see</i>	<code>\right</code>	94, 98, 99, 206, 208	<code>\righdowncurvedarrow</code> ($\curvearrowleft$)	76
<code>\textbackslash</code>		<code>\rightangle</code> ($\angle$)	111	<code>\righdowncurvedarrow</code> ($\curvearrowleft$)	81
<code>\reverseallabreve</code> ($\text{\textcircled{R}}$)	148	<code>\rightangle</code> ($\angle$)	111	<code>\rightevaw</code> ($\text{\textcircled{R}}$)	98
<code>\reverseC</code> ($\text{\textcircled{R}}$)	148	<code>\rightangle</code> ($\angle$)	112	<code>\rightfilledspoon</code> ($\rightarrow$)	84
reversed symbols	209	<code>\rightangle</code> ($\angle$)	112	<code>\rightfishtail</code> ($\rightarrow$)	55
<code>\reversedvideobend</code> ($\text{\textcircled{R}}$)	164	<code>\rightanglesqr</code> ($\sqsubset$)	111	<code>\rightfootline</code> ($\rightarrow$)	52
<code>\revglotstop</code> ($\text{\textcircled{R}}$)	18	<code>\rightanglesqr</code> ($\sqsubset$)	111	<code>\rightfootline</code> ($\rightarrow$)	50
<code>\revmeasuredangle</code> (Δ)	111	<code>\rightanglesqr</code> ($\sqsubset$)	112	<code>\rightfree</code> ($\rightarrow$)	50
<code>\revnmid</code> ($\text{\textcircled{R}}$)	56	<code>\rightanglesquare</code> ($\sqsubset$)	111	<code>\righthalfcap</code> ($\frown$)	30
<code>\revsphericalangle</code> ($\triangleright$)	111	<code>\RIGHTarrow</code> ($\blacktriangleright$)	164	<code>\righthalfcup</code> ($\smile$)	30
<code>\Rewind</code> ($\blacktriangleleft$)	164	<code>\Rightarrow</code> ($\Rightarrow$)	27, 69	<code>\righthand</code> ($\text{\textcircled{R}}$)	129
<code>\RewindToIndex</code> ($\blacktriangleleft$)	164	<code>\Rightarrow</code> ($\Rightarrow$)	75	<code>\rightharpoonaccent</code> ($\curvearrowright$)	101
<code>\RewindToStart</code> ($\blacktriangleleft$)	164	<code>\Rightarrow</code> ($\Rightarrow$)	71	<code>\rightharpoonccw</code> ($\rightarrow$)	74
<code>\rfbowtie</code> ($\bowtie$)	56	<code>\Rightarrow</code> ($\Rightarrow$)	81	<code>\rightharpooncw</code> ($\rightarrow$)	74
<code>\rfilet</code> ($\text{\textcircled{R}}$)	95	<code>\rightarrow</code> ($\rightarrow$)	70	<code>\rightharpoondown</code> ($\rightarrow$)	71
		<code>\rightarrow</code> ($\rightarrow$)	69	<code>\rightharpoondown</code> ($\rightarrow$)	69
		<code>\rightarrow</code> ($\rightarrow$)	75	<code>\rightharpoondown</code> ($\rightarrow$)	80

$\backslash\mathrm{rightharpoonupdown}$ ($\rightarrow$)	78	$\backslash\mathrm{RightScissors}$ ($\times$)	127	$\backslash\mathrm{RK}$ ($\neg$)	121
$\backslash\mathrm{rightharpoonupdown}$ ($\rightarrow$)	83	$\backslash\mathrm{rightslic}$ ($\triangleright$)	28	$\backslash\mathrm{rlap}$	23, 24, 135, 212, 213
$\backslash\mathrm{rightharpoonupdownbar}$ ($\rightarrow$)	83	$\backslash\mathrm{rightslic}$ ($\triangleright$)	31	$\backslash\mathrm{rmoustache}$ ($\left\{ \right\}$)	94
$\backslash\mathrm{rightharpoonupdown}$ ($\Rightarrow$)	83	$\backslash\mathrm{rightslic}$ ($\triangleright$)	49	$\backslash\mathrm{rmoustache}$ ($\left \right $)	97
$\backslash\mathrm{rightharpoonup}$ ($\rightarrow$)	71	$\backslash\mathrm{rightspoon}$ ($\rightarrow$)	85	$\backslash\mathrm{rmoustache}$ ($\left \right $)	95
$\backslash\mathrm{rightharpoonup}$ ($\rightarrow$)	69	$\backslash\mathrm{rightspoon}$ ($\rightarrow$)	84	$\backslash\mathrm{rmoustache}$ ($\left \right $)	97
$\backslash\mathrm{rightharpoonup}$ ($\rightarrow$)	80	$\backslash\mathrm{rightsquigarrow}$ ($\rightsquigarrow$)	70	$\backslash\mathrm{RO}$ (p)	121
$\backslash\mathrm{rightharpoonup}$ ($\rightarrow$)	78	$\backslash\mathrm{rightsquigarrow}$ ($\rightsquigarrow$)	69	rock/paper/scissors	129
$\backslash\mathrm{rightharpoonup}$ ($\rightarrow$)	83	$\backslash\mathrm{rightsquigarrow}$ ($\rightsquigarrow$)	79	Roman coins	25
$\backslash\mathrm{rightharpoonupbar}$ ($\rightarrow$)	83	$\backslash\mathrm{rightsquigarrow}$ ($\rightsquigarrow$)	76	$\backslash\mathrm{Romania}$ ($\bullet$)	177
$\backslash\mathrm{rightharpoonupdash}$ ($\Rightarrow$)	83	$\backslash\mathrm{rightsquigarrow}$ ($\rightsquigarrow$)	72	Romanian comma-belo accent	
$\backslash\mathrm{rightimply}$ ($\Rightarrow$)	55	$\backslash\mathrm{rightsquigarrow}$ ($\rightsquigarrow$)	81, 82	(̣)	see accents
$\backslash\mathrm{rightlcurvearrow}$ ($\curvearrowright$)	76	$\backslash\mathrm{rightt}$ ($\vdash$)	23	rook	170, 204–205
$\backslash\mathrm{rightleftarrows}$ ($\rightleftarrows$)	70	$\backslash\mathrm{righttail}$ ($\rightarrow$)	55	roots	see $\backslash\mathrm{sqrt}$
$\backslash\mathrm{rightleftarrows}$ ($\rightleftarrows$)	69	$\backslash\mathrm{righttherefore}$ ($\therefore$)	108	roshambo	129
$\backslash\mathrm{rightleftarrows}$ ($\rightleftarrows$)	79	$\backslash\mathrm{righttherefore}$ ($\therefore$)	29, 108	$\backslash\mathrm{rotatebox}$	23, 209
$\backslash\mathrm{rightleftarrows}$ ($\rightleftarrows$)	75	$\backslash\mathrm{rightthreearrows}$ ($\rightarrow\rightarrow\rightarrow$)	79	rotated symbols	16–18, 23, 209
$\backslash\mathrm{rightleftarrows}$ ($\rightleftarrows$)	71	$\backslash\mathrm{rightthreearrows}$ ($\rightarrow\rightarrow\rightarrow$)	81	rotating (package)	26, 122
$\backslash\mathrm{rightleftarrows}$ ($\rightleftarrows$)	81	$\backslash\mathrm{rightthreetimes}$ ($\times$)	113	$\backslash\mathrm{rotm}$ ($\mathbb{U}$)	18
$\backslash\mathrm{rightleftcurvearrow}$ ($\curvearrowleft$)	76	$\backslash\mathrm{rightthreetimes}$ ($\times$)	28	$\backslash\mathrm{rotOmega}$ ($\mathbb{U}$)	18
$\backslash\mathrm{rightleftharpoon}$ ($\rightarrow$)	71	$\backslash\mathrm{rightthreetimes}$ ($\times$)	31	$\backslash\mathrm{rotr}$ ($\mathbb{J}$)	18
$\backslash\mathrm{rightleftharpoons}$ ($\rightleftharpoons$)	71	$\backslash\mathrm{rightthreetimes}$ ($\times$)	31	$\backslash\mathrm{rotvara}$ ($\mathbb{D}$)	18
$\backslash\mathrm{rightleftharpoons}$ ($\rightleftharpoons$)	69	$\backslash\mathrm{rightthreetimes}$ ($\times$)	29	$\backslash\mathrm{rotw}$ ($\mathbb{M}$)	18
$\backslash\mathrm{rightleftharpoons}$ ($\rightleftharpoons$)	69	$\backslash\mathrm{rightthreetimes}$ ($\times$)	32	$\backslash\mathrm{roty}$ ($\mathbb{A}$)	18
$\backslash\mathrm{rightleftharpoons}$ ($\rightleftharpoons$)	80	$\backslash\mathrm{rightthumbsdown}$ (☞)	128	$\backslash\mathrm{RoundedLsteel}$ ($\mathbb{L}$)	123
$\backslash\mathrm{rightleftharpoons}$ ($\rightleftharpoons$)	78	$\backslash\mathrm{rightthumbsup}$ (☜)	128	$\backslash\mathrm{RoundedLsteel}$ ($\mathbb{L}$)	123
$\backslash\mathrm{rightleftharpoons}$ ($\rightleftharpoons$)	74	$\backslash\mathrm{righttoleftarrow}$ ($\rightarrowleftarrow$)	70	$\backslash\mathrm{RoundedTsteel}$ ($\mathbb{T}$)	123
$\backslash\mathrm{rightleftharpoons}$ ($\rightleftharpoons$)	83	$\backslash\mathrm{righttoleftarrow}$ ($\rightarrowleftarrow$)	79	$\backslash\mathrm{RoundedTsteel}$ ($\mathbb{T}$)	123
$\backslash\mathrm{rightleftharpoonsdown}$ ($\Rightarrow$)	83	$\backslash\mathrm{Righttorque}$ ($\mathbb{J}$)	123	$\backslash\mathrm{RoundedTTsteel}$ ($\mathbb{I}$)	123
$\backslash\mathrm{rightleftharpoonsfill}$	106	$\backslash\mathrm{rightturn}$ ($\curvearrowright$)	164	$\backslash\mathrm{Rparen}$ ($\mathbb{J}$)	117
$\backslash\mathrm{rightleftharpoonsup}$ ($\Rightarrow$)	83	$\backslash\mathrm{rightupcurvedarrow}$ ($\curvearrowright$)	76	$\backslash\mathrm{rParen}$ ($\mathbb{J}$)	97
$\backslash\mathrm{rightleftsquigarrow}$ ($\rightsquigarrow$)	76	$\backslash\mathrm{rightVDash}$ ($\mathbb{H}$)	51	$\backslash\mathrm{rparen}$ ($\mathbb{J}$)	96
$\backslash\mathrm{rightlsquigarrow}$ ($\rightsquigarrow$)	76	$\backslash\mathrm{rightVdash}$ ($\mathbb{H}$)	51	$\backslash\mathrm{rparen}()$	97
$\backslash\mathrm{rightlsquigarrow}$ ($\rightsquigarrow$)	71	$\backslash\mathrm{rightVdash}$ ($\mathbb{H}$)	49	$\backslash\mathrm{rparen}()$	97
$\backslash\mathrm{Rightmapsto}$ ($\mapsto$)	75	$\backslash\mathrm{rightvDash}$ ($\mathbb{H}$)	51	$\backslash\mathrm{rparen}()$	97
$\backslash\mathrm{Rightmapsto}$ ($\mapsto$)	76	$\backslash\mathrm{rightvdash}$ ($\mathbb{H}$)	51	$\backslash\mathrm{rparen}()$	97
$\backslash\mathrm{Rightmapsto}$ ($\mapsto$)	71	$\backslash\mathrm{rightvdash}$ ($\mathbb{H}$)	49	$\backslash\mathrm{rparen}()$	97
$\backslash\mathrm{rightModels}$ ($\mathbb{H}$)	50	$\backslash\mathrm{rightwave}$ ($\mathbb{J}$)	98	$\backslash\mathrm{rparen}()$	97
$\backslash\mathrm{rightmodels}$ ($\mathbb{H}$)	51	$\backslash\mathrm{rightwavearrow}$ ($\rightsquigarrow$)	75	$\backslash\mathrm{rparen}()$	97
$\backslash\mathrm{rightmodels}$ ($\mathbb{H}$)	50	$\backslash\mathrm{rightwavearrow}$ ($\rightsquigarrow$)	81	$\backslash\mathrm{rparen}()$	97
$\backslash\mathrm{rightmoon}$ ($\mathbb{D}$)	120	$\backslash\mathrm{rightwhitearrow}$ ($\rightarrow$)	79	$\backslash\mathrm{rparen}()$	97
$\backslash\mathrm{rightmoon}$ ($\mathbb{D}$)	120	$\backslash\mathrm{rightwhitearrow}$ ($\rightarrow$)	81	$\backslash\mathrm{rparen}()$	97
$\backslash\mathrm{rightmoon}$ ($\mathbb{D}$)	119	$\backslash\mathrm{rightwhiteroundarrow}$ ($\rightarrow$)	79	$\backslash\mathrm{rparen}()$	97
$\backslash\mathrm{rightouterjoin}$ ($\mathbb{K}$)	114	$\backslash\mathrm{rightY}$ ($\rightarrow$)	31	$\backslash\mathrm{rparen}()$	97
$\backslash\mathrm{rightp}$ ($\rightarrow$)	23	$\backslash\mathrm{rightY}$ ($\rightarrow$)	29	$\backslash\mathrm{rparen}()$	97
$\backslash\mathrm{rightpentagon}$ ($\square$)	134	$\mathrm{rinforzando}$ ($\text{}$)	152	$\backslash\mathrm{rparen}()$	97
$\backslash\mathrm{rightpentagonblack}$ ($\bullet$)	134	$\backslash\mathrm{ring}$ (̇)	101	$\backslash\mathrm{rparen}()$	97
$\backslash\mathrm{rightpitchfork}$ ($\rightarrow$)	86	ring (̇)	see accents	$\backslash\mathrm{rparen}()$	97
$\backslash\mathrm{rightpitchfork}$ ($\rightarrow$)	84	ring equal to	see $\backslash\mathrm{circeq}$	$\backslash\mathrm{rparen}()$	97
$\backslash\mathrm{rightpointleft}$ (☞)	128	ring equal to	see $\backslash\mathrm{eqcirc}$	$\backslash\mathrm{rparen}()$	97
$\backslash\mathrm{rightpointright}$ (☜)	128	$\backslash\mathrm{ringplus}$ (̇)	32	$\backslash\mathrm{rparen}()$	97
$\backslash\mathrm{rightpropto}$ ($\propto$)	49	$\backslash\mathrm{riota}$ (̇)	114	$\backslash\mathrm{rparen}()$	97
$\backslash\mathrm{rightrcurvearrow}$ ($\curvearrowright$)	76	$\backslash\mathrm{riota}$ (̇)	18	$\backslash\mathrm{rparen}()$	97
$\backslash\mathrm{righttrightarrows}$ ($\rightarrow$)	70	$\backslash\mathrm{rip}$ (̇)	169	$\backslash\mathrm{rparen}()$	97
$\backslash\mathrm{righttrightarrows}$ ($\rightarrow$)	69	$\backslash\mathrm{risingdotseq}$ ($\Rightarrow$)	48	$\backslash\mathrm{rparen}()$	97
$\backslash\mathrm{righttrightarrows}$ ($\rightarrow$)	79	$\backslash\mathrm{risingdotseq}$ ($\Rightarrow$)	47	$\backslash\mathrm{rparen}()$	97
$\backslash\mathrm{righttrightarrows}$ ($\rightarrow$)	75	$\backslash\mathrm{risingdotseq}$ ($\Rightarrow$)	54	$\backslash\mathrm{rparen}()$	97
$\backslash\mathrm{righttrightarrows}$ ($\rightarrow$)	71	$\backslash\mathrm{risingdotseq}$ ($\Rightarrow$)	51	$\backslash\mathrm{rparen}()$	97
$\backslash\mathrm{righttrightarrows}$ ($\rightarrow$)	81	$\backslash\mathrm{risingdotseq}$ ($\Rightarrow$)	49	$\backslash\mathrm{rparen}()$	97
$\backslash\mathrm{righttrightharpoons}$ ($\Rightarrow$)	71	$\backslash\mathrm{risingdotseq}$ ($\Rightarrow$)	55	$\backslash\mathrm{rparen}()$	97
$\backslash\mathrm{righttrsquigarrow}$ ($\rightsquigarrow$)	76	$\backslash\mathrm{rJoin}$ ($\times$)	48	$\backslash\mathrm{rparen}()$	97
$\backslash\mathrm{righttrsquigarrow}$ ($\rightsquigarrow$)	71	$\backslash\mathrm{rJoin}$ ($\times$)	31	$\backslash\mathrm{rparen}()$	97

<code>\rrhDs</code> ()	185
<code>\rrhDsp</code> ()	185
<code>\rrhDw</code> ()	185
<code>\rrhDwp</code> ()	185
<code>\rrhE</code> ()	185
<code>\rrhEp</code> ()	185
<code>\rrhF</code> ()	185
<code>\rrhFp</code> ()	185
<code>\rrhFw</code> ()	185
<code>\rrhFwp</code> ()	185
<code>\rrhL</code> ()	185
<code>\rrhLa</code> ()	185
<code>\rrhLap</code> ()	185
<code>\rrhLp</code> ()	185
<code>\rrhLs</code> ()	185
<code>\rrhLsp</code> ()	185
<code>\rrhLw</code> ()	185
<code>\rrhLwp</code> ()	185
<code>\rrhM</code> ()	185
<code>\rrhMp</code> ()	185
<code>\rrhR</code> ()	185
<code>\rrhRa</code> ()	185
<code>\rrhRap</code> ()	185
<code>\rrhRp</code> ()	185
<code>\rrhRs</code> ()	185
<code>\rrhRsp</code> ()	185
<code>\rrhRw</code> ()	185
<code>\rrhRwp</code> ()	185
<code>\rrhSd</code> ()	185
<code>\rrhSdp</code> ()	185
<code>\rrhSl</code> ()	185
<code>\rrhSlp</code> ()	185
<code>\rrhSr</code> ()	185
<code>\rrhSrp</code> ()	185
<code>\rrhSu</code> ()	185
<code>\rrhSup</code> ()	185
<code>\rrhU</code> ()	185
<code>\rrhUa</code> ()	185
<code>\rrhUap</code> ()	185
<code>\rrhUp</code> ()	185
<code>\rrhUs</code> ()	185
<code>\rrhUsp</code> ()	185
<code>\rrhUw</code> ()	185
<code>\rrhUwp</code> ()	185

<code>\RRightarrow</code> ($\Rightarrow$)	81
<code>\Rrightarrow</code> ($\Rightarrow$)	70
<code>\Rrightarrow</code> ($\Rightarrow$)	79
<code>\Rrightarrow</code> ($\Rightarrow$)	75
<code>\Rrightarrow</code> ($\Rightarrow$)	71
<code>\Rrightarrow</code> ($\Rightarrow$)	81
<code>\rrparentthesis</code> ($\rangle$)	93
<code>\rrparentthesis</code> ($\rangle$)	93
<code>\RS</code> ($\blacktriangle$)	122
<code>\rsem</code> ($\parallel$)	97
<code>\rsem</code> ($\parallel$)	95
<code>\rsemantic</code> ... <i>see</i> <code>\rdbrack</code>	
<code>rsfs</code> (package)	116, 226
<code>\Rsh</code> ($\rightarrow$)	70
<code>\Rsh</code> ($\rightarrow$)	69
<code>\Rsh</code> ($\rightarrow$)	79
<code>\Rsh</code> ($\rightarrow$)	75
<code>\Rsh</code> ($\rightarrow$)	71
<code>\Rsh</code> ($\rightarrow$)	82
<code>\rsolbar</code> ($\nrightarrow$)	32
<code>\rsqhook</code> ($\sqhook$)	55
<code>\rsub</code> ($\supset$)	36
<code>\rtborder</code> ($\dashv$)	171
<code>\rtbotcorner</code> ($\lrcorner$)	171
<code>\rtimes</code> ($\rtimes$)	29
<code>\rtimes</code> ($\rtimes$)	28
<code>\rtimes</code> ($\rtimes$)	31
<code>\rtimes</code> ($\rtimes$)	30, 31
<code>\rtimes</code> ($\rtimes$)	29
<code>\rtimes</code> ($\rtimes$)	32
<code>\rtimesblack</code> ($\rtimes$)	31
<code>\rtriltri</code> ($\triangleright$)	68
<code>\rtriple</code>	99
<code>\rttopcorner</code> ($\ulcorner$)	171
<code>\RU</code> ($\mathbb{C}$)	121
Rubik's Cube	185
<code>rubikcube</code> (package)	185, 226, 227
<code>\ruledelayed</code> ($\rightarrow$)	55
<code>\rupee</code> (₹)	25
<code>\RV</code> (ϕ)	121
<code>\rVert</code> ($\parallel$)	99
<code>\rVert</code> ($\parallel$)	94
<code>\rVert</code> ($\parallel$)	96
<code>\rvert</code> ($\parallel$)	94
<code>\rvert</code> ($\parallel$)	96
<code>\rVert</code> ($\parallel$)	96
<code>\Rvzigzag</code> ($\#$)	93
<code>\rvzigzag</code> ($\#$)	93
<code>\rWalley</code> ($\mathbb{E}$)	179
<code>\rwave</code> (~)	98
<code>\rWavy</code> (~)	95
<code>\rwavy</code> (~)	95

S

<code>\S</code> ($\S$)	14, 222
<code>\S</code> ($\S$)	14
<code>\sA</code> (A)	175
<code>\SAa</code> ($\circ$)	144
<code>\SAb</code> (Π)	144
<code>\SAd</code> (d)	144
<code>\Sadb</code> (H)	144
<code>\SAdd</code> (H)	144
<code>\Sadey</code> (S)	179
<code>\sadface</code> (S)	178
<code>\SAf</code> (S)	144
safety-related symbols	124
<code>\Saftpresse</code> (S)	179
<code>\Sag</code> (S)	144
<code>\SAGA</code> (S)	144
<code>\Sagittarius</code> (S)	120
<code>\Sagittarius</code> (S)	119
<code>\sagittarius</code> (S)	119
<code>\SAh</code> (Y)	144
<code>\SAhd</code> (Y)	144
<code>\SAhu</code> (Y)	144
<code>\SAk</code> (h)	144
<code>\SAl</code> (h)	144
<code>\SAlq</code> (h)	144
<code>\SAm</code> (S)	144
<code>\samebishops</code> (S)	169
<code>\Sampi</code> (S)	144
<code>\Sampi</code> (S)	144
<code>\sampi</code> (S)	144
<code>\sampi</code> (S)	144
<code>\SAn</code> (h)	144
sans (dsfont package option)	116
<code>\sansLmirrored</code> (S)	114
<code>\sansLturned</code> (S)	114
<code>\SAo</code> (h)	144
<code>\Sappho</code> (S)	120
<code>\SAq</code> (S)	144
<code>\SAr</code> (S)	144
<code>\sarabfamily</code>	144
sarabian (package)	144, 226, 227
<code>\SAs</code> (S)	144
<code>\SAsa</code> (S)	144
<code>\SAsd</code> (S)	144
<code>\SAsv</code> (h)	144
<code>\SAt</code> (X)	144
<code>\SAtb</code> (S)	144
<code>\SAtd</code> (S)	144
<code>\satellitedish</code> (S)	137
satisfies ... <i>see</i> <code>\models</code>	
<code>\Saturn</code> (S)	120
<code>\Saturn</code> (h)	120
<code>\Saturn</code> (S)	119
<code>\saturn</code> (h)	119
savesym (package)	206
<code>\savesymbol</code>	206
<code>\SAw</code> (S)	144
<code>\SAy</code> (S)	144
<code>\SAz</code> (S)	144
<code>\SAzd</code> (S)	144
<code>\Sborder</code> (S)	137

<code>\scalebox</code>	206	<code>\Searrow</code> ()	79	<code>\semiquaverDottedDown</code> ()	150
<code>scaled</code> (CountriesOfEurope package option)	178	<code>\Searrow</code> ()	75	<code>\semiquaverDown</code> ()	150
<code>scaling</code>	216, 218	<code>\Searrow</code> ()	71	<code>\semiquaverRest</code> ()	151
mechanical	216, 218	<code>\searrow</code> ()	82	<code>\semiquaverRestDotted</code> ()	151
optical	216	<code>\searrow</code> ()	70		
<code>\scd</code> ($\mathbb{D}$)	18	<code>\searrow</code> ()	69, 213	<code>\Semisextile</code> ($\mathbb{V}$)	120
<code>\scg</code> ($\mathbb{G}$)	18	<code>\searrow</code> ()	75	<code>\Semisquare</code> ($\mathbb{Z}$)	120
<code>\Schaler</code> ()	179	<code>\searrow</code> ()	71	semitic transliteration	19, 23
<code>\Schneebesen</code> ()	179	<code>\searrow</code> ()	82	<code>\seModels</code> ()	49
<code>\Schussel</code> ()	179	<code>\searrowtail</code> ()	75	<code>\semodels</code> ()	49
<code>\schwa</code> ($\mathfrak{a}$)	18	<code>\searrowtail</code> ()	71	semtrans (package)	19, 23, 226
<code>\schwa</code> ($\mathfrak{a}$)	18	<code>\sebkarrow</code> ()	75	<code>\senwarrows</code> ()	75
Schwartz distribution spaces <i>see</i>		<code>\sec</code> (sec)	87	<code>\senwarrows</code> ()	71
alphabets, math		<code>\Sech</code> ()	149	<code>\senwcurvearrow</code> ()	76
<code>\sci</code> ($\mathfrak{i}$)	18	<code>\SechBL</code> ()	149	<code>\senwharpoons</code> ()	78
scientific symbols	118–125, 202–203	<code>\SechBl</code> ()	149	<code>\senwharpoons</code> ()	74
<code>\ScissorHollowLeft</code> ()	127	<code>\SechBR</code> ()	149	<code>\seovnearrow</code> ()	82
<code>\ScissorHollowRight</code> ()	127	<code>\SechBr</code> ()	149	<code>\SePa</code> ()	149
<code>\ScissorLeft</code> ()	127	<code>\second</code> ($\mathbb{I}$)	113	<code>\separated</code> ($\mathbb{I}$)	49
<code>\ScissorLeftBrokenBottom</code> ()	127	seconds, angular <i>see</i> <code>\second</code>		separation vector ($\mathbb{I}$)	116
<code>\ScissorLeftBrokenTop</code> ()	127	<code>\secstress</code> ($\mathfrak{i}$)	23	<code>\sepitchfork</code> ()	84
<code>\ScissorRight</code> ()	127	section mark <i>see</i> <code>\S</code>		<code>\seppawns</code> ($\mathbb{O}\mathbb{O}$)	169
<code>\ScissorRightBrokenBottom</code> ()	127	<code>\SectioningDiamond</code> ()	166	<code>\Serbia</code> ($\mathbb{V}$)	177
<code>\ScissorRightBrokenTop</code> ()	127	<code>\sector</code> ($\mathbb{V}$)	113	<code>\sercurvearrow</code> ()	76
scissors	127, 181–184	sedenions ($\mathbb{S}$) . <i>see</i> alphabets, math		<code>\SerialInterface</code> ()	121
<code>\scn</code> ($\mathbb{N}$)	18	<code>\seffilledspoon</code> ()	84	<code>\SerialPort</code> ()	121
<code>\scoh</code> ($\mathbb{N}$)	58	<code>\sefootline</code> ()	49	<code>\sersquigarrow</code> ()	71
<code>\Scorpio</code> ()	120	<code>\sefree</code> ()	49	<code>\sesearrows</code> ()	75
<code>\Scorpio</code> ()	119	segmented numerals	118	<code>\sesearrows</code> ()	71
<code>\scorpio</code> ()	119	<code>\Segno</code> ()	148	<code>\sespoon</code> ()	84
<code>\scpolint</code> ()	43	<code>\segno</code> ()	148	<code>\Sesquiquadrate</code> ()	120
<code>\scpolintsl</code> ()	45	<code>\seharpoonccw</code> ()	74	set interior <i>see</i> <code>\mathring</code>	
<code>\scpolintup</code> ()	45	<code>\seharpooncw</code> ()	74	set operators	
scr (rsfso package option)	116	<code>\seharpoonne</code> ()	78	intersection <i>see</i> <code>\cap</code>	
<code>\scr</code> ($\mathbb{R}$)	18	<code>\seharpoonsw</code> ()	78	membership <i>see</i> <code>\in</code>	
script letters <i>see</i> alphabets, math		<code>\selcurvearrow</code> ()	76	union <i>see</i> <code>\cup</code>	
<code>\scripta</code> ($\mathfrak{a}$)	18	<code>\selectfont</code>	11	<code>\setminus</code> ($\setminus$)	28
<code>\scriptg</code> ($\mathfrak{g}$)	18	<code>\selsquigarrow</code> ()	71	<code>\setminus</code> ($\setminus$)	30
<code>\scriptscriptstyle</code>	212	semaf.fd (file)	202	<code>\setminus</code> ($\setminus$)	30
<code>\scriptstyle</code>	212	semantic valuation	94, 95, 99	<code>\setminus</code> ($\setminus$)	30
<code>\scriptv</code> ($\mathfrak{v}$)	18	semaphor (package)	200, 202, 226	<code>\setminus</code> ($\setminus$)	32
<code>\Scroll</code> ()	122	semaphore symbols	200–202	<code>\seVdash</code> ($\mathbb{V}$)	49
<code>\scu</code> ($\mathfrak{u}$)	18	<code>\semapsto</code> ()	71	<code>\sevdash</code> ($\mathbb{V}$)	49
<code>\scurel</code> ($\mathfrak{r}$)	54	semibreve <i>see</i> musical symbols		<code>\Sextile</code> ($\mathbb{X}$)	120
<code>\scurel</code> ($\mathfrak{r}$)	55	<code>\semibreve</code> ($\mathfrak{o}$)	150	<code>\Sey</code> ($\mathbb{S}$)	179
<code>\scy</code> ($\mathfrak{y}$)	18	<code>\semibreveDotted</code> ($\mathfrak{o}$)	150	SGML	223
<code>\sddtstile</code> ()	57	semidirect products	28, 29, 113	sha (III)	209
<code>\sDep</code> ()	148	semiquaver <i>see</i> musical symbols		<code>\Shake</code> ()	148
<code>\sdtstile</code> ()	57	<code>\semiquaver</code> ()	150	<code>\shake</code> ()	148
<code>\sdtstile</code> ()	57	<code>\semiquaverDotted</code> ()	150	<code>\Shakel</code> ()	148
<code>\sdtstile</code> ()	57	<code>\semiquaverDottedDouble</code> ()	150	<code>\Shakene</code> ()	148
seagull <i>see</i> <code>\textseagull</code>		<code>\semiquaverDottedDoubleDown</code> ()	150	<code>\Shakenw</code> ()	148
<code>\Searrow</code> ()	70	<code>\semiquaverDottedDoubleDown</code> ()	150	<code>\Shakesw</code> ()	148

<code>\sharpArrowup</code> ($\sharp$)	151	<code>\simbot</code> ($\bot$)	93	<code>\slashd</code> ($\text{\textbackslash slashd}$)	18
Sharpe, Michael	22	<code>\simcolon</code> ($\sim:$)	58	<code>\slashdiv</code> ($\text{\textbackslash slashdiv}$)	29
<code>\sharpSlashtashlashStem</code>		<code>\simcoloncolon</code> ($\sim::$)	58	slashed (package)	211
($\sharp$)	151	<code>\simeq</code> ($\simeq$)	46	<code>\slashed</code>	211
<code>\sharpSlashtashlashStemstem</code>		<code>\simeq</code> ($\simeq$)	52	slashed letters	211
($\sharp$)	151	<code>\simeq</code> ($\simeq$)	49	slashed.sty (file)	211
<code>\sharpSlashtashlashStem</code> ($\sharp$)	151	<code>\simeq</code> ($\simeq$)	55	<code>\slashu</code> ($\text{\textbackslash slashu}$)	18
<code>\sharpSlashtashlashStemstemstem</code>		<code>\simgE</code> ($\simeq$)	66	<code>\Sleet</code> ($\text{\textbackslash Sleet}$)	166
($\sharp$)	151	<code>\simgtr</code> ($\gtrsim$)	66	<code>\sliding</code> ($\text{\textbackslash sliding}$)	21
<code>\shfermion</code> ($\text{\textbackslash shfermion}$)	125	<code>\similarleftarrow</code> ($\leftarrow$)	82	<code>\Slovakia</code> ($\text{\textbackslash Slovakia}$)	177
<code>\Shift</code> ($\text{\textbackslash Shift}$)	122	<code>\similarrightarrow</code> ($\rightarrow$)	82	<code>\Slovenia</code> ($\text{\textbackslash Slovenia}$)	177
<code>\shift</code> ($\text{\textbackslash shift}$)	27	<code>\simlE</code> ($\lesssim$)	66		
<code>\Shilling</code> (β)	24	<code>\simless</code> ($\lesssim$)	66	<code>\smallaltoclef</code> ($\text{\textbackslash smallaltoclef}$)	148
<code>\shneg</code> ($\text{\textbackslash shneg}$)	27	<code>\simminus</code> ($\approx$)	55	<code>\smallawint</code> ($\text{\textbackslash smallawint}$)	36
<code>\shortcastling</code> (O-O)	169	<code>\simneqq</code> ($\approx$)	53	<code>\smallawintsl</code> ($\text{\textbackslash smallawintsl}$)	37
<code>\shortdownarrow</code> ($\downarrow$)	70	<code>\simneqq</code> ($\approx$)	55	<code>\smallawintup</code> ($\text{\textbackslash smallawintup}$)	37
<code>\shortdowntack</code> ($\text{\textbackslash shortdowntack}$)	52	<code>\simperp</code> ($\perp$)	58		
<code>\shortdowntack</code> ($\text{\textbackslash shortdowntack}$)	55	simplewick (package)	215	<code>\smallbassclef</code> ($\text{\textbackslash smallbassclef}$)	148
<code>\ShortFifty</code> ($\text{\textbackslash ShortFifty}$)	165	<code>\simplus</code> ($\text{\textbackslash simplus}$)	32	<code>\smallblackcircle</code> ($\bullet$)	34
<code>\ShortForty</code> ($\text{\textbackslash ShortForty}$)	165	simpsons (package)	172, 226	<code>\smallblackdiamond</code> ($\blacklozenge$)	34
<code>\shortleftarrow</code> ($\leftarrow$)	70	Simpsons characters	172	<code>\smallblacklozenge</code> ($\blacklozenge$)	133
<code>\shortlefttack</code> ($\text{\textbackslash shortlefttack}$)	52	<code>\simrdots</code> ($\rightsquigarrow$)	54	<code>\smallblacksquare</code> ($\blacksquare$)	34
<code>\shortlefttack</code> ($\text{\textbackslash shortlefttack}$)	55	<code>\simrdots</code> ($\rightsquigarrow$)	55	<code>\smallblackstar</code> ($\star$)	34
<code>\shortmid</code> ($\text{\textbackslash shortmid}$)	47	<code>\sin</code> ($\sin$)	87	<code>\smallblacktriangledown</code> ($\blacktriangledown$)	
<code>\shortmid</code> ($\text{\textbackslash shortmid}$)	54	<code>\sincoh</code> ($\sim$)	58	 34, 68	
<code>\shortmid</code> ($\text{\textbackslash shortmid}$)	51	<code>\sinewave</code> ($\sim$)	114	<code>\smallblacktriangleleft</code> ($\blacktriangleleft$)	
<code>\shortmid</code> ($\text{\textbackslash shortmid}$)	30	<code>\sinewave</code> ($\sim$)	114	 34, 68	
<code>\shortmid</code> ($\text{\textbackslash shortmid}$)	55	<code>\sinh</code> ($\sinh$)	87	<code>\smallblacktriangleleft</code> ($\blacktriangleleft$)	
<code>\ShortNinetyFive</code> ($\text{\textbackslash ShortNinetyFive}$)	165	<code>\SixFlowerAlternate</code> ($\text{\textbackslash SixFlowerAlternate}$)	131	 134	
<code>\shortparallel</code> ($\text{\textbackslash shortparallel}$)	47	<code>\SixFlowerAltPetal</code> ($\text{\textbackslash SixFlowerAltPetal}$)	131	<code>\smallblacktriangleright</code>	
<code>\shortparallel</code> ($\text{\textbackslash shortparallel}$)	54	<code>\SixFlowerOpenCenter</code> ($\text{\textbackslash SixFlowerOpenCenter}$)	131	($\blacktriangleright$)	34, 68
<code>\shortparallel</code> ($\text{\textbackslash shortparallel}$)	52	 131		<code>\smallblacktriangleright</code>	
<code>\shortparallel</code> ($\text{\textbackslash shortparallel}$)	49	<code>\SixFlowerPetalDotted</code> ($\text{\textbackslash SixFlowerPetalDotted}$)	131	($\blacktriangleright$)	134
<code>\shortparallel</code> ($\text{\textbackslash shortparallel}$)	55	 131		<code>\smallblacktriangleup</code> ($\blacktriangleup$)	
<code>\ShortPulseHigh</code> ($\text{\textbackslash ShortPulseHigh}$)	118	<code>\SixFlowerPetalRemoved</code> ($\text{\textbackslash SixFlowerPetalRemoved}$)	131	 34, 68	
<code>\ShortPulseLow</code> ($\text{\textbackslash ShortPulseLow}$)	118	 131		<code>\smallbosonloop</code> ($\text{\textbackslash smallbosonloop}$)	125
<code>\shortrightarrow</code> ($\rightarrow$)	70	<code>\SixFlowerRemovedOpenPetal</code>		<code>\smallbosonloopAs</code> ($\text{\textbackslash smallbosonloopAs}$)	125
<code>\shortrightarrowleftarrow</code>		($\text{\textbackslash SixFlowerRemovedOpenPetal}$)	131	<code>\smallbosonloopVs</code> ($\text{\textbackslash smallbosonloopVs}$)	125
($\text{\textbackslash shortrightarrowleftarrow}$)	82	<code>\SixStar</code> ($\text{\textbackslash SixStar}$)	131	<code>\SmallCircle</code> ($\text{\textbackslash SmallCircle}$)	135
<code>\shortrightarrowtack</code> ($\text{\textbackslash shortrightarrowtack}$)	52	<code>\SixteenStarLight</code> ($\text{\textbackslash SixteenStarLight}$)	131	<code>\smallcircle</code> ($\circ$)	34
<code>\ShortSixty</code> ($\text{\textbackslash ShortSixty}$)	165	sixteenth note	see musical symbols	<code>\smallcirfnint</code> ($\text{\textbackslash smallcirfnint}$)	36
<code>\ShortThirty</code> ($\text{\textbackslash ShortThirty}$)	165	<code>\sixteenthNote</code> ($\text{\textbackslash sixteenthNote}$)	150	<code>\smallcirfnintsl</code> ($\text{\textbackslash smallcirfnintsl}$)	37
<code>\shortuparrow</code> ($\uparrow$)	70	<code>\sixteenthnote</code> ($\text{\textbackslash sixteenthnote}$)	147	<code>\smallcirfnintup</code> ($\text{\textbackslash smallcirfnintup}$)	37
<code>\shortuptack</code> ($\text{\textbackslash shortuptack}$)	52	<code>\sixteenthNoteDotted</code> ($\text{\textbackslash sixteenthNoteDotted}$)	150	<code>\SmallCross</code> ($\text{\textbackslash SmallCross}$)	135
<code>\shortuptack</code> ($\text{\textbackslash shortuptack}$)	55	 150		smallctrbull (bullcntr package option)	168
<code>\showclock</code>	166	<code>\sixteenthNoteDottedDouble</code>		<code>\smallctrbull</code>	168
<code>\shpos</code> ($\text{\textbackslash shpos}$)	27	($\text{\textbackslash sixteenthNoteDottedDouble}$)	150	<code>\smallldiamond</code> ($\text{\textbackslash smallldiamond}$)	34
shuffle (package)	33, 226	<code>\sixteenthNoteDottedDoubleDown</code>		<code>\smallldiamond</code> ($\text{\textbackslash smallldiamond}$)	34
<code>\shuffle</code> ($\text{\textbackslash shuffle}$)	32	($\text{\textbackslash sixteenthNoteDottedDoubleDown}$)	150	<code>\SmallDiamondshape</code> ($\text{\textbackslash SmallDiamondshape}$)	135
<code>\shuffle</code> ($\text{\textbackslash shuffle}$)	33	<code>\sixteenthNoteDottedDown</code>		<code>\smalldivslash</code> ($\text{\textbackslash smalldivslash}$)	31
shuffle product ($\text{\textbackslash shuffle}$)	33	($\text{\textbackslash sixteenthNoteDottedDown}$)	150	<code>\smallfint</code> ($\text{\textbackslash smallfint}$)	36
<code>\SI</code> ($\text{\textbackslash SI}$)	122	<code>\sixteenthNoteDown</code> ($\text{\textbackslash sixteenthNoteDown}$)	150	<code>\smallfintsl</code> ($\text{\textbackslash smallfintsl}$)	37
<code>\Sieb</code> ($\text{\textbackslash Sieb}$)	179	skak (package)	169, 170, 226	<code>\smallfintup</code> ($\text{\textbackslash smallfintup}$)	37
<code>\sieve</code> ($\text{\textbackslash sieve}$)	179	skull (package)	169, 226	<code>\smallfrown</code> ($\text{\textbackslash smallfrown}$)	47
<code>\sieve</code> ($\text{\textbackslash sieve}$)	179	<code>\skull</code> ($\text{\textbackslash skull}$)	178	<code>\smallfrown</code> ($\text{\textbackslash smallfrown}$)	54
<code>\Sigma</code> (Σ)	88	<code>\skull</code> ($\text{\textbackslash skull}$)	169	<code>\smallfrown</code> ($\text{\textbackslash smallfrown}$)	52, 86
<code>\sigma</code> (σ)	88	skulls	169, 178, 204	<code>\smallfrown</code> ($\text{\textbackslash smallfrown}$)	85
<code>\sigmaup</code> ($\text{\textbackslash sigmaup}$)	89	<code>\slash</code> ($\text{\textbackslash slash}$)	221	<code>\smallfrown</code> ($\text{\textbackslash smallfrown}$)	55
<code>\sim</code> ($\sim$)	46, 211, 221	<code>\slashb</code> ($\text{\textbackslash slashb}$)	18	<code>\SmallHBar</code> ($\text{\textbackslash SmallHBar}$)	135
<code>\sim</code> ($\sim$)	52	<code>\slashc</code> ($\text{\textbackslash slashc}$)	18	<code>\smalliiint</code> ($\text{\textbackslash smalliiint}$)	36
<code>\sim</code> ($\sim$)	49				
<code>\sim</code> ($\sim$)	55				

<code>\smalliiintsl</code> ($\iiint$)	37	<code>\smallpointint</code> ($\oint$)	36	<code>\smallvarointclockwisesl</code> ($\oint$)	37
<code>\smalliiintup</code> ($\iiint$)	37	<code>\smallpointintsl</code> ($\oint$)	37	<code>\smallvarointclockwiseup</code> ($\oint$)	37
<code>\smalliiint</code> ($\iiint$)	36	<code>\smallpointintup</code> ($\oint$)	37		
<code>\smalliiintsl</code> ($\iiint$)	37	<code>\smallprod</code> (Π)	29	<code>\SmallVBar</code> ($\bar{\mid}$)	135
<code>\smalliiintup</code> ($\iiint$)	37	<code>\SmallRightDiamond</code> ($\blacklozenge$)	135	<code>\smallwhitestar</code> ($\star$)	34
<code>\smalliint</code> ($\iint$)	36	<code>\smallrrppolint</code> ($\oint$)	36	<code>smartctrbull</code> (bullcntr package option)	168
<code>\smalliintsl</code> ($\iint$)	37	<code>\smallrrppolintsl</code> ($\oint$)	37	<code>\smartctrbull</code>	168
<code>\smalliintup</code> ($\iint$)	37	<code>\smallrrppolintup</code> ($\oint$)	37	<code>\smashtimes</code> ($\ast$)	31
<code>\smallin</code> (ϵ)	92	<code>\smallscpolint</code> ($\oint$)	36	<code>\smashtimes</code> ($\ast$)	32
<code>\smallin</code> (ϵ)	55	<code>\smallscpolintsl</code> ($\oint$)	37	<code>\smbkcircle</code> ($\bullet$)	35
<code>\smallint</code> ($\int$)	113	<code>\smallscpolintup</code> ($\oint$)	37	<code>\smbkcircle</code> ($\bullet$)	36
<code>\smallint</code> ($\int$)	113	<code>\smallsetminus</code> ($\setminus$)	28	<code>\smbkdiamond</code> ($\blacklozenge$)	35
<code>\smallint</code> ($\int$)	36	<code>\smallsetminus</code> ($\setminus$)	31	<code>\smbkdiamond</code> ($\blacklozenge$)	133
<code>\smallintBar</code> ($\oint$)	36	<code>\smallsetminus</code> ($\setminus$)	31	<code>\smbklozenge</code> ($\blacklozenge$)	133
<code>\smallintbar</code> ($\oint$)	36	<code>\smallsetminus</code> ($\setminus$)	30	<code>\smbklozenge</code> ($\blacklozenge$)	133
<code>\smallintBarsl</code> ($\oint$)	37	<code>\smallsetminus</code> ($\setminus$)	32	<code>\smbksquare</code> ($\blacksquare$)	35
<code>\smallintbarsl</code> ($\oint$)	37	<code>\smallsmile</code> ($\smile$)	47	<code>\smbksquare</code> ($\blacksquare$)	133
<code>\smallintbarup</code> ($\oint$)	37	<code>\smallsmile</code> ($\smile$)	54	<code>\smeparsl</code> ($\#$)	55
<code>\smallintbarup</code> ($\oint$)	37	<code>\smallsmile</code> ($\smile$)	52, 86	<code>\smile</code> ($\smile$)	46
<code>\smallintcap</code> ($\oint$)	36	<code>\smallsmile</code> ($\smile$)	85	<code>\smile</code> ($\smile$)	54
<code>\smallintcapsl</code> ($\oint$)	37	<code>\smallsmile</code> ($\smile$)	55	<code>\smile</code> ($\smile$)	52, 86
<code>\smallintcup</code> ($\oint$)	37	<code>\smallsqint</code> ($\oint$)	36	<code>\smile</code> ($\smile$)	85
<code>\smallintclockwise</code> ($\oint$)	36	<code>\smallsqintsl</code> ($\oint$)	37	<code>\smile</code> ($\smile$)	55
<code>\smallintclockwisesl</code> ($\oint$)	37	<code>\smallsqintup</code> ($\oint$)	37	<code>\smile</code> ($\smile$)	85, 86
<code>\smallintclockwiseup</code> ($\oint$)	37	<code>\SmallSquare</code> ($\square$)	135	<code>\smileeq</code> ($\cong$)	52, 86
<code>\smallintcup</code> ($\oint$)	36	<code>\smallsquare</code> ($\square$)	34	<code>\smileeq</code> ($\cong$)	85
<code>\smallintcupsl</code> ($\oint$)	37	<code>\smallsquare</code> ($\square$)	34	<code>\smileeqfrown</code> ($\cong$)	85
<code>\smallintcupup</code> ($\oint$)	37	<code>\smallstar</code> ($\star$)	34	<code>\smileface</code> ($\odot$)	178
<code>\smallintlarhk</code> ($\oint$)	36	<code>\smallsumint</code> ($\oint$)	36	<code>\smilefrown</code> ($\smile$)	52, 86
<code>\smallintlarhksl</code> ($\oint$)	37	<code>\smallsumintsl</code> ($\oint$)	37	<code>\smilefrown</code> ($\smile$)	85
<code>\smallintlarhkup</code> ($\oint$)	37	<code>\smallsumintup</code> ($\oint$)	37	<code>\smilefrowneq</code> ($\cong$)	85
<code>\smallintsl</code> ($\int$)	37			<code>\Smiley</code> ($\odot$)	165, 179
<code>\smallintup</code> ($\int$)	37	<code>\smalltrebleclef</code> (treble clef)	148	<code>\smiley</code> ($\odot$)	164
<code>\smallintx</code> ($\oint$)	36			<code>smiley faces</code>	114, 122, 164, 165, 174, 178–184, 188–190
<code>\smallintxsl</code> ($\oint$)	37	<code>\SmallTriangleDown</code> (∇)	135	<code>\smt</code> ($\leq$)	66
<code>\smallintxup</code> ($\oint$)	37	<code>\smalltriangledown</code> (∇)	33	<code>\smte</code> ($\leq$)	66
<code>\smallintxup</code> ($\oint$)	37	<code>\smalltriangledown</code> (∇)	34, 68	<code>\smwhitestar</code> ($\star$)	35
<code>\SmallLowerDiamond</code> ($\blacklozenge$)	135			<code>\smwhitestar</code> ($\star$)	133
<code>\smallloint</code> ($\int$)	36	<code>\smalltriangledown</code> (∇)	34, 67	<code>\smwhtcircle</code> ($\circ$)	35
<code>\smalllointsl</code> ($\int$)	37	<code>\SmallTriangleLeft</code> ($\triangleleft$)	135	<code>\smwhtcircle</code> ($\circ$)	133, 134
<code>\smalllointup</code> ($\int$)	37	<code>\smalltriangleleft</code> ($\triangleleft$)	33	<code>\smwhtdiamond</code> ($\diamond$)	35
<code>\smalllozenge</code> ($\diamond$)	133	<code>\smalltriangleleft</code> ($\triangleleft$)	34, 68	<code>\smwhtdiamond</code> ($\diamond$)	133, 134
<code>\smalllozenge</code> ($\diamond$)	132			<code>\smwhtlozenge</code> ($\diamond$)	133
<code>\smallni</code> ($\ni$)	55	<code>\smalltriangleleft</code> ($\triangleleft$)	34, 67	<code>\smwhtlozenge</code> ($\diamond$)	133
<code>\smallnopolint</code> ($\oint$)	36	<code>\smalltriangleleft</code> ($\triangleleft$)	133	<code>\smwhtsquare</code> ($\square$)	35
<code>\smallnopolintsl</code> ($\oint$)	37	<code>\SmallTriangleRight</code> ($\triangleright$)	135	<code>\smwhtsquare</code> ($\square$)	133
<code>\smallnopolintup</code> ($\oint$)	37	<code>\smalltriangleright</code> ($\triangleright$)	33	<code>snakes</code>	192
<code>\smallloiiint</code> ($\iiint$)	36	<code>\smalltriangleright</code> ($\triangleright$)	34, 68	<code>\sndtstile</code> ()	57
<code>\smallloiiintsl</code> ($\iiint$)	37			<code>\Snow</code> (snowflake)	166
<code>\smallloiiintup</code> ($\iiint$)	37	<code>\smalltriangleleft</code> ($\triangleleft$)	33	<code>\SnowCloud</code> (snowflake)	166
<code>\smallloiiintup</code> ($\iiint$)	36	<code>\smalltriangleleft</code> ($\triangleleft$)	34, 67	<code>\Snowflake</code> (snowflake)	131
<code>\smallloiiintsl</code> ($\iiint$)	37	<code>\smalltriangleleft</code> ($\triangleleft$)	34, 67	<code>\SnowflakeChevron</code> (snowflake)	131
<code>\smallloiiintup</code> ($\iiint$)	37	<code>\smalltriangleleft</code> ($\triangleleft$)	34, 67	<code>\SnowflakeChevronBold</code> (snowflake)	131
<code>\smallloiiintup</code> ($\iiint$)	37	<code>\smalltriangleleft</code> ($\triangleleft$)	34, 67		
<code>\smallloint</code> ($\oint$)	36	<code>\smalltriangleleft</code> ($\triangleleft$)	34, 67	<code>snowflakes</code>	131
<code>\smalllointctr clockwise</code> ($\oint$)	36	<code>\smalltriangleleft</code> ($\triangleleft$)	34, 67	<code>\Snowman</code> (snowman)	180
<code>\smalllointctr clockwise</code> ($\oint$)	37	<code>\smalltriangleleft</code> ($\triangleleft$)	34, 67	<code>\SNPP</code> (snowman)	172
<code>\smalllointctr clockwise</code> ($\oint$)	37	<code>\smalltriangleleft</code> ($\triangleleft$)	34, 67	<code>\snststile</code> ()	57
<code>\smalllointsl</code> ($\oint$)	37	<code>\smalltriangleleft</code> ($\triangleleft$)	34, 67		
<code>\smalllointup</code> ($\oint$)	37	<code>\smalltriangleleft</code> ($\triangleleft$)	34, 67		
<code>\smallowns</code> ($\ni$)	92	<code>\smalltriangleleft</code> ($\triangleleft$)	34, 67		
<code>\smallpencil</code> (pencil)	128	<code>\smalltriangleleft</code> ($\triangleleft$)	34, 67		

$\backslash$ squaredots (::) 108
 $\backslash$ squaredots (::) 30, 108
 $\backslash$ squarehfill (■) 133
 $\backslash$ squarehvfill (■) 133
 $\backslash$ squareleftblack (■) .. 133
 $\backslash$ squarellblack (■) 133
 $\backslash$ squarellquad (□) 133
 $\backslash$ squarelrblack (■) 133
 $\backslash$ squarelrquad (□) 133
 $\backslash$ squareneswfill (■) ... 133
 $\backslash$ squarenwsefill (■) ... 133
 $\backslash$ Squarepipe (□) 123
 $\backslash$ squarerightblack (■) . 134
squares 132–137, 157–161, 170,
171, 186–187, 192, 202–
203
 $\backslash$ SquareShadowA (□) 135
 $\backslash$ SquareShadowB (□) 135
 $\backslash$ SquareShadowBottomRight
(□) 135
 $\backslash$ SquareShadowC (□) 135
 $\backslash$ SquareShadowTopLeft (□) ..
..... 135
 $\backslash$ SquareShadowTopRight (□) .
..... 135
 $\backslash$ SquareSolid (■) 135
 $\backslash$ Squaresteel (■) 123
 $\backslash$ squaretopblack (■) ... 134
 $\backslash$ squareulblack (■) 134
 $\backslash$ squareulquad (□) 134
 $\backslash$ squareurblack (■) 134
 $\backslash$ squareurquad (□) 134
 $\backslash$ squarevfill (■) 134
 $\backslash$ squarewithdots (⊠) ... 137
 $\backslash$ squeezer (⊠) 179
 $\backslash$ squeezer (⊠) 179
 $\backslash$ squigarrowdownup (↕) . 71
 $\backslash$ squigarrowleftright (↔) ... 71
 $\backslash$ squigarrownesw (↖) ... 71
 $\backslash$ squigarrownwse (↗) 71
 $\backslash$ squigarrowrightleft (↔) 71
 $\backslash$ squigarrowswne (↘) ... 71
 $\backslash$ squigarrowswne (↘) ... 71
 $\backslash$ squigarrowupdown (↕) .. 71
 $\backslash$ squoval (○) 134
 $\backslash$ squplus (⊞) 29
 $\backslash$ squplus (⊞) 31
 $\backslash$ SS (SS) 14, 121
 $\backslash$ ss (ß) 14
 $\backslash$ ssdststyle (■) 57
 $\backslash$ ssarrow (↖) 70
 $\backslash$ ssarrow (↖) 80
 $\backslash$ sslash (//) 28
 $\backslash$ sslash (//) 31
 $\backslash$ sslash (//) 32
 $\backslash$ ssststyle (■) 57
 $\backslash$ ssststyle (■) 57
 $\backslash$ ssststyle (■) 57
 $\backslash$ sswarrow (↖) 70
 $\backslash$ sswarrow (↖) 80
 $\backslash$ staccatissimo (r) 152

$\backslash$ stackrel 27, 210, 214
standard state 211
 $\backslash$ star (★) 28, 214
 $\backslash$ star (★) 35, 133
 $\backslash$ star (★) 35
 $\backslash$ star (★) 34
 $\backslash$ star (★) 36
Star of David 131
 $\backslash$ stareq (≐) 52
 $\backslash$ stareq (≐) 55
starfont (package) 120, 226, 227
 $\backslash$ starofdavid (★) 133
 $\backslash$ starredbullet (★) 132
stars 112, 120, 131–134,
186–187
 $\backslash$ stater (♂) 25
 $\backslash$ Station (S) 120
statistical independence .. 212
 $\backslash$ staveI (⌵) 173
 $\backslash$ staveII (⌵) 173
 $\backslash$ staveIII (⌵) 173
 $\backslash$ staveIV (⌵) 173
 $\backslash$ staveIX (⌵) 173
 $\backslash$ staveL (⌵) 173
 $\backslash$ staveL (⌵) 174
 $\backslash$ staveLI (⌵) 173
 $\backslash$ staveLII (⌵) 173
 $\backslash$ staveLIII (⌵) 173
 $\backslash$ staveLIV (⌵) 173
 $\backslash$ staveLIX (⌵) 174
 $\backslash$ staveLV (⌵) 173
 $\backslash$ staveLVI (⌵) 173
 $\backslash$ staveLVII (⌵) 173
 $\backslash$ staveLVIII (⌵) 174
 $\backslash$ staveLX (⌵) 174
 $\backslash$ staveLXI (⌵) 174
 $\backslash$ staveLXII (⌵) 174
 $\backslash$ staveLXIII (⌵) 174
 $\backslash$ staveLXIV (⌵) 174
 $\backslash$ staveLXV (⌵) 174
 $\backslash$ staveLXVI (⌵) 174
 $\backslash$ staveLXVII (⌵) 174
 $\backslash$ staveLXVIII (⌵) 174
staves 173
staves (package) 173, 226
 $\backslash$ staveV (⌵) 173
 $\backslash$ staveVI (⌵) 173

$\backslash$ staveVII (⌵) 173
 $\backslash$ staveVIII (⌵) 173
 $\backslash$ staveX (⌵) 173
 $\backslash$ staveXI (⌵) 173
 $\backslash$ staveXII (⌵) 174
 $\backslash$ staveXIII (⌵) 174
 $\backslash$ staveXIV (⌵) 174
 $\backslash$ staveXIX (⌵) 174
 $\backslash$ staveXL (⌵) 174
 $\backslash$ staveXLI (⌵) 174
 $\backslash$ staveXLII (⌵) 174
 $\backslash$ staveXLIII (⌵) 174
 $\backslash$ staveXLIV (⌵) 174
 $\backslash$ staveXLIX (⌵) 173
 $\backslash$ staveXLV (⌵) 174
 $\backslash$ staveXLVI (⌵) 174
 $\backslash$ staveXLVII (⌵) 173
 $\backslash$ staveXLVIII (⌵) 173
 $\backslash$ staveXV (⌵) 174
 $\backslash$ staveXVI (⌵) 174
 $\backslash$ staveXVII (⌵) 174
 $\backslash$ staveXVIII (⌵) 174
 $\backslash$ staveXX (⌵) 174
 $\backslash$ staveXXI (⌵) 174
 $\backslash$ staveXXII (⌵) 174
 $\backslash$ staveXXIII (⌵) 174
 $\backslash$ staveXXIV (⌵) 173
 $\backslash$ staveXXIX (⌵) 173
 $\backslash$ staveXXV (⌵) 173
 $\backslash$ staveXXVI (⌵) 173
 $\backslash$ staveXXVII (⌵) 173
 $\backslash$ staveXXVIII (⌵) 173
 $\backslash$ staveXXX (⌵) 173
 $\backslash$ staveXXXI (⌵) 173
 $\backslash$ staveXXXII (⌵) 173
 $\backslash$ staveXXXIII (⌵) 173
 $\backslash$ staveXXXIV (⌵) 173
 $\backslash$ staveXXXIX (⌵) 174
 $\backslash$ staveXXXV (⌵) 174

$\backslash\staveXXXVI$ ()	174	$\backslash\submult$ ($\subsetneq$)	61	$\backslash\succcurlyeq$ ($\succsim$)	47
$\backslash\staveXXXVII$ ()	174	$\backslash\submult$ ($\subseteq$)	61	$\backslash\succcurlyeq$ ($\succsim$)	54
$\backslash\staveXXXVIII$ ()	174	$\backslash\submult$ ($\supsetneq$)	21	$\backslash\succcurlyeq$ ($\succsim$)	52
$\backslash\stdtstile$ ()	57	subscripts		$\backslash\succcurlyeq$ ($\succsim$)	49
$\backslash\steaming$ ()	178	new symbols used in	212	$\backslash\succcurlyeq$ ($\succsim$)	55
steinmetz (package)	119, 226, 227	$\backslash\Subset$ ($\subseteq$)	59	$\backslash\succdot$ ($\succ$)	48
Steinmetz phasor notation	119	$\backslash\Subset$ ($\subseteq$)	59	$\backslash\succeq$ ($\succeq$)	46
sterling	see $\backslash\pounds$	$\backslash\Subset$ ($\subseteq$)	60	$\backslash\succeq$ ($\succeq$)	52
stick figures	138, 180, 198–202	$\backslash\Subset$ ($\subseteq$)	60	$\backslash\succeq$ ($\succeq$)	49
$\backslash\Stigma$ (ζ)	144	$\backslash\Subset$ ($\subseteq$)	60	$\backslash\succeq$ ($\succeq$)	55
$\backslash\Stigma$ (Γ)	144	$\backslash\Subset$ ($\subseteq$)	61	$\backslash\succeqq$ ($\succeq$)	48
$\backslash\sigma$ (σ)	144	$\backslash\subset$ ($\subset$)	59	$\backslash\succeqq$ ($\succeq$)	52
$\backslash\sigma$ (τ)	144	$\backslash\subset$ ($\subset$)	58	$\backslash\succeqq$ ($\succeq$)	55
stix (package)	32, 36, 37, 43, 44, 55, 56, 61, 65, 66, 68, 81–83, 87, 90–93, 97, 101, 103, 109, 111, 112, 114, 120, 121, 124, 133, 134, 137, 147, 167, 226, 227	$\backslash\subset$ ($\subset$)	60	$\backslash\succnapprox$ ($\succsim$)	49
stmaryrd (package)	28, 38, 47, 59, 66, 70, 86, 93, 94, 207, 211, 225, 226	$\backslash\subset$ ($\subset$)	60	$\backslash\succnapprox$ ($\succsim$)	47
stochastic independence	see $\backslash\bot$	$\backslash\subset$ ($\subset$)	61	$\backslash\succnapprox$ ($\succsim$)	54
$\backslash\bot$		$\backslash\subsetapprox$ ($\subseteq$)	61	$\backslash\succnapprox$ ($\succsim$)	53
$\backslash\StoneMan$ ()	166	$\backslash\subsetcirc$ ($\subseteq$)	61	$\backslash\succnapprox$ ($\succsim$)	51
$\backslash\Stopsign$ ()	124	$\backslash\subsetdot$ ($\subseteq$)	61	$\backslash\succnapprox$ ($\succsim$)	55
$\backslash\StopWatchEnd$ ()	166	$\backslash\subseteq$ ($\subseteq$)	59	$\backslash\succneq$ ($\succneq$)	49
$\backslash\StopWatchStart$ ()	166	$\backslash\subseteq$ ($\subseteq$)	58	$\backslash\succneq$ ($\succneq$)	53
$\backslash\stress$ ($\text{'}\text{'}$)	23	$\backslash\subseteq$ ($\subseteq$)	60	$\backslash\succneq$ ($\succneq$)	55
$\backslash\Strichmaxerl$ ($\text{'}\text{'}$)	180	$\backslash\subseteq$ ($\subseteq$)	60	$\backslash\succneqq$ ($\succneqq$)	48
$\backslash\strictfi$ ($\text{'}\text{'}$)	48	$\backslash\subseteq$ ($\subseteq$)	61	$\backslash\succneqq$ ($\succneqq$)	54
$\backslash\strictfi$ ($\text{'}\text{'}$)	54	$\backslash\subseteq$ ($\subseteq$)	59	$\backslash\succneqq$ ($\succneqq$)	53
$\backslash\strictif$ ($\text{'}\text{'}$)	48	$\backslash\subseteq$ ($\subseteq$)	59	$\backslash\succneqq$ ($\succneqq$)	55
$\backslash\strictif$ ($\text{'}\text{'}$)	54	$\backslash\subseteq$ ($\subseteq$)	60	$\backslash\succnsim$ ($\succsim$)	49
$\backslash\strictiff$ ($\text{'}\text{'}$)	48	$\backslash\subseteq$ ($\subseteq$)	60	$\backslash\succnsim$ ($\succsim$)	47
$\backslash\StrikingThrough$ ($\text{'}\text{'}$)	24	$\backslash\subseteq$ ($\subseteq$)	60	$\backslash\succnsim$ ($\succsim$)	54
$\backslash\strns$ ($\text{'}\text{'}$)	114	$\backslash\subseteq$ ($\subseteq$)	61	$\backslash\succnsim$ ($\succsim$)	53
$\backslash\strokedint$ ($\text{'}\text{'}$)	42	$\backslash\subsetneq$ ($\subsetneq$)	59	$\backslash\succnsim$ ($\succsim$)	51
$\backslash\StrokeFive$ ()	166	$\backslash\subsetneq$ ($\subsetneq$)	59	$\backslash\succnsim$ ($\succsim$)	55
$\backslash\StrokeFour$ ()	166	$\backslash\subsetneq$ ($\subsetneq$)	60	$\backslash\succsim$ ($\succsim$)	48
$\backslash\StrokeOne$ ()	166	$\backslash\subsetneq$ ($\subsetneq$)	60	$\backslash\succsim$ ($\succsim$)	47
$\backslash\StrokeThree$ ()	166	$\backslash\subsetneq$ ($\subsetneq$)	60	$\backslash\succsim$ ($\succsim$)	54
$\backslash\strokethrough$ ($\text{'}\text{'}$)	101	$\backslash\subsetneq$ ($\subsetneq$)	61	$\backslash\succsim$ ($\succsim$)	52
$\backslash\StrokeTwo$ ()	166	$\backslash\subsetneqq$ ($\subsetneqq$)	59	$\backslash\succsim$ ($\succsim$)	49
$\backslash\stst$ ($\text{'}\text{'}$)	211	$\backslash\subsetneqq$ ($\subsetneqq$)	59	$\backslash\succsim$ ($\succsim$)	55
$\backslash\stststile$ ()	57	$\backslash\subsetneqq$ ($\subsetneqq$)	60	such that	209, 211
$\backslash\sttstile$ ()	57	$\backslash\subsetneqq$ ($\subsetneqq$)	60	$\backslash\suchthat$ ($\Rightarrow$)	211
$\backslash\sttstile$ ()	57	$\backslash\subplus$ ($\subseteq$)	59	$\backslash\sum$ (Σ)	37
$\backslash\STX$ ()	122	$\backslash\subplus$ ($\subseteq$)	60	$\backslash\sum$ (Σ)	42
.sty files	11	$\backslash\subplus$ ($\subseteq$)	60	$\backslash\sum$ (Σ)	42
$\backslash\SUB$ ($\rightarrow$)	122	$\backslash\subplus$ ($\subseteq$)	61	$\backslash\sum$ (Σ)	43
subatomic particles	125	$\backslash\subplus$ ($\subseteq$)	59	$\backslash\sumint$ ($\int$)	42
$\backslash\subcorner$ ()	21	$\backslash\subplus$ ($\subseteq$)	60	$\backslash\sumint$ ($\int$)	42
$\backslash\subdoublebar$ ()	21	$\backslash\subplus$ ($\subseteq$)	60	$\backslash\sumint$ ($\int$)	43
$\backslash\subdoublevert$ ()	21	$\backslash\subplus$ ($\subseteq$)	61	$\backslash\sumint$ ($\int$)	45
$\backslash\subdot$ ($\subseteq$)	61	$\backslash\subplus$ ($\subseteq$)	61	$\backslash\sumintup$ ($\int$)	45
$\backslash\sublptr$ ()	21	$\backslash\subplus$ ($\subseteq$)	61	$\backslash\Summertree$ ()	179
		$\backslash\subsim$ ($\subseteq$)	61	$\backslash\Summit$ ()	166
		$\backslash\subsub$ ($\subseteq$)	61	$\backslash\SummitSign$ ()	166
		$\backslash\subsup$ ($\subseteq$)	61	$\backslash\Sun$ ($\odot$)	120
		$\backslash\Succ$ ($\succ$)	55	$\backslash\Sun$ ($\odot$)	120
		$\backslash\succ$ ($\succ$)	46	$\backslash\Sun$ ($\odot$)	119
		$\backslash\succ$ ($\succ$)	52	$\backslash\Sun$ ($\odot$)	166
		$\backslash\succ$ ($\succ$)	49	$\backslash\Sun$ ($\odot$ vs. $\odot$ vs. $\odot$)	207
		$\backslash\succ$ ($\succ$)	55	sun	119, 120, 137, 164, 166, 180–181, 204, 207
		$\backslash\succapprox$ ($\succsim$)	48	$\backslash\sun$ ($\odot$)	120
		$\backslash\succapprox$ ($\succsim$)	47	$\backslash\sun$ ($\odot$)	164
		$\backslash\succapprox$ ($\succsim$)	54	$\backslash\SunCloud$ ()	166
		$\backslash\succapprox$ ($\succsim$)	52		
		$\backslash\succapprox$ ($\succsim$)	49		
		$\backslash\succapprox$ ($\succsim$)	55		
		$\backslash\succcurlyeq$ ($\succsim$)	48		

<code>\SunshineOpenCircled</code> (☀) ..	<code>\Swarrow</code> (↗)	70	Begriffsschrift ..	109, 110
..... 137	<code>\Swarrow</code> (↘)	80	biological	124
<code>\sup</code> (sup)	<code>\Swarrow</code> (↙)	75	block-element	173
<code>\supdsub</code> (⊃C)	<code>\Swarrow</code> (↘)	71	body-text	13–26
<code>\supedot</code> (⊃̇)	<code>\Swarrow</code> (↙)	82	bold	219–220
superscripts	<code>\swarrow</code> (↙)	70	box-drawing	173
new symbols used in ..	<code>\swarrow</code> (↘)	69, 213	chess ..	169, 170, 204–205
212	<code>\swarrow</code> (↙)	75	cipher	174
supersets	<code>\swarrow</code> (↘)	71	clock ..	164–167, 180–181
58–61	<code>\swarrow</code> (↙)	82	communication	123
<code>\suphsol</code> (⊃/)	<code>\swarrowtail</code> (↘̣)	75	computer	181–184
<code>\suphsol</code> (⊃C)	<code>\swarrowtail</code> (↙̣)	71	computer hardware ..	121
<code>\suplarr</code> (⊃)	<code>\swbkarrow</code> (↔̣)	75	contradiction	27, 86
<code>\supmult</code> (⊅)	<code>\Sweden</code> (🇸🇪)	178	cooking ..	178, 179, 181–184
<code>\supmult</code> (⊅)	<code>\swfilledspoon</code> (↙)	84	countries	176
supremum	<code>\swfootline</code> (↙)	49	crystallography ..	202–203
<i>see</i> <code>\sup</code>	<code>\swfree</code> (↙)	49	currency ..	24, 25, 114, 117
<code>\Supset</code> (⊃)	<code>\swharpoonccw</code> (↙)	74	dangerous bend	164
<code>\Supset</code> (⊃)	<code>\swharpooncw</code> (↙)	74	database	114
<code>\Supset</code> (⊃)	<code>\swharpoonnw</code> (↙)	78	definition	27, 214
<code>\Supset</code> (⊃)	<code>\swharpoonse</code> (↙)	78	dictionary ..	16–19, 172
<code>\Supset</code> (⊃)	<code>\Switzerland</code> (🇨🇭)	178	dingbat	126–137
<code>\Supset</code> (⊃)	<code>\swlcurvearrow</code> (↙)	76	dot ...	13, 107–109, 213
<code>\Supset</code> (⊃)	<code>\swlsquigarrow</code> (↙)	71	electrical	118
<code>\supsetapprox</code> (⊃̃)	<code>\swmapsto</code> (↙)	71	engineering ..	114, 118, 123
<code>\supsetcirc</code> (⊃)	<code>\swModels</code> (⊅)	49	Epi-Olmec	144–146
<code>\supsetdot</code> (⊃̇)	<code>\swmodels</code> (⊅)	49	extensible ..	84, 102–107,
<code>\supseteq</code> (⊃)	<code>\swnearrows</code> (↙↘)	75	119, 208, 214–215	
<code>\supseteq</code> (⊃)	<code>\swnearrows</code> (↙↘)	71	Feynman diagram ...	125
<code>\supseteq</code> (⊃)	<code>\swnecurvearrow</code> (↙↘) ..	76	file	181–184
<code>\supseteq</code> (⊃)	<code>\swneharpsons</code> (↙↘)	78	Frege logic ..	84, 92, 109,
<code>\supseteq</code> (⊃)	<code>\swneharpsons</code> (↙↘)	74	110, 115	
<code>\supseteqq</code> (⊃̃)	swords	165	frown	85, 86
<code>\supseteqq</code> (⊃̃)	<code>\swords</code> (X)	178	game-related ..	136, 137,
<code>\supseteqq</code> (⊃̃)	<code>\swpitchfork</code> (↙)	84	166, 167, 169–171, 181–	
<code>\supseteqq</code> (⊃̃)	<code>\swrcurvearrow</code> (↙)	76	184, 203–205	
<code>\supseteqq</code> (⊃̃)	<code>\swrsquigarrow</code> (↙)	71	gates, digital logic ..	123
<code>\supseteqq</code> (⊃̃)	<code>\swspoon</code> (↙)	84	genealogical	164
<code>\supsetneq</code> (⊅)	<code>\swswarrows</code> (↙↘)	75	general	164
<code>\supsetneq</code> (⊅)	<code>\swswarrows</code> (↙↘)	71	Go stones	170, 171
<code>\supsetneq</code> (⊅)	swung dash	<i>see</i> <code>\sim</code>	information	165
<code>\supsetneq</code> (⊅)	<code>\swVdash</code> (⊅)	49	informer	169
<code>\supsetneq</code> (⊅)	<code>\swvdash</code> (⊅)	49	inverted ..	16–18, 23, 209
<code>\supsetneq</code> (⊅)	<code>\syl</code> (☉)	22	Isthmian	144–146
<code>\supsetneq</code> (⊅)	<code>\syllabic</code> (,)	23	keyboard	122
<code>\supsetneqq</code> (⊅̃)	<code>\symA</code> (A)	116	knitting	176
<code>\supsetneqq</code> (⊅̃)	<code>\symAE</code> (Å)	117	Knuth's	164
<code>\supsetneqq</code> (⊅̃)	<code>\symB</code> (B)	116	laundry	165
<code>\supsetneqq</code> (⊅̃)	<code>\ymbishop</code> (♁)	170	legal ..	13, 14, 25, 26, 222
<code>\supsetplus</code> (⊅)	Symbol (font)	89, 209	letter-like ..	91–93, 181–184
<code>\supsetplus</code> (⊅)	symbols ..	13–138, 147–186, 188,	life insurance ..	105, 214
<code>\supsetplus</code> (⊅)	203, 204, 206, 208, 214,		linear logic ..	27–29, 33, 34,
<code>\supsetpluseq</code> (⊅̃)	219–220, 222		37, 41–43, 46, 58, 91, 92	
<code>\supsetpluseq</code> (⊅̃)	actuarial	105, 214	linguistic	16–19
<code>\supsim</code> (⊃̃)	alpine	166	log-like	87, 219
<code>\supsub</code> (⊃̇)	ancient language ..	138–146	logic	123
<code>\supsup</code> (⊃̇)	annuity	105, 214	<i>Magic: The Gathering</i> ..	204
<code>\surd</code> (√)	APL	55–56, 121	magical signs	173
<code>\surface</code> (☉)	astrological ...	119, 120,	map	186–187
<code>\SurveySign</code> (Δ)	188–190		maps	176
<code>\svrsymbols</code> (package) ..	astronomical ..	119, 120,	mathematical ...	27–117
125, 226,	174, 188–190		media control	164,
227			181–184	

METAFONTbook . . .	164	$\backslash t$ ($\otimes$)	171	teubner (package) 25, 109, 144,	
metrical	171, 172	t4phonet (package) 19, 22, 226		172, 226	
miscellaneous . .	112–115,	$\backslash Tab$ ($\leftarrow$)	122	TeX	11, 67, 68, 84,
137, 164–181, 185		$\backslash tabcolsep$	210	108, 119, 173, 206, 209–	
monetary . . .	24, 25, 117	tacks	46, 91	216, 218, 219, 221, 223,	
musical . . .	26, 147–163,	$\backslash taild$ (d)	18	224, 228	
180–184		$\backslash tailinvr$ ($\grave{t}$)	18	.tex files	223, 224
non-commutative division		$\backslash tailn$ (n)	18	TeXbook, The .	210, 212, 213,
.	107	$\backslash tailr$ (r)	18	215, 219	
particle physics	125	$\backslash tails$ (s)	18	symbols from	164
Phaistos disk	138	$\backslash tailt$ (t)	18	$\backslash text$	27, 211, 213
phonetic	16–19	$\backslash tailz$ (z)	18	$\backslash textacutedbl$ ($"$)	23
physical	118	$\backslash Takt$	149	$\backslash textacutemacron$ ($\acute{a}$)	20
pitchfork 47, 84, 86, 113		$\backslash talloblong$ ($\parallel$)	28	$\backslash textacutewedge$ ($\acute{a}$)	20
Pitman's base 12 110, 168		$\backslash talloblong$ ($\parallel$)	35	$\backslash textadvancing$ (¶)	20
present value . .	105, 214	$\backslash talloblong$ ($\parallel$)	36	$\backslash textAlpha$ (A)	14
proto-Semitic	138	$\backslash tally$ (I L U U N X) . . .	168	$\backslash textalpha$ (α)	14
pulse diagram	118	tally markers . . .	142, 166, 168	$\backslash textaolig$ (æ)	17
recycling .	174, 175, 178,	$\backslash tan$ ($\tan$)	87	$\backslash textasciiacute$ ($'$) .	23, 222
180–184, 186		$\backslash tanh$ ($\tanh$)	87	$\backslash textasciibreve$ (˘)	23
relational	46	$\backslash Tape$ (♯)	137	$\backslash textasciicaron$ (˘)	23
relational database . .	114	$\backslash Taschenuhr$ (⌚)	166	$\backslash textasciicircum$	13
reversed	209	Tate-Shafarevich group <i>see</i> sha		$\backslash textasciicircum$ (^) 13, 221,	
rotated . .	16–18, 23, 209	$\backslash Tau$ (T)	88	223	
safety-related	124	$\backslash tau$ (τ)	88	$\backslash textasciidieresis$ (¨) .	23,
scientific	118–125,	$\backslash Taurus$ (♉)	120	222	
202–203		$\backslash Taurus$ (♊)	120	$\backslash textasciigrave$ (˘)	23
semaphore	200–202	$\backslash Taurus$ (♋)	119	$\backslash textasciimacron$	221
Simpsons characters .	172	$\backslash taurus$ (♌)	119	$\backslash textasciimacron$ (˘) 23, 222	
smile	85, 86	tautology <i>see</i> $\backslash top$		$\backslash textasciitilde$	13
Soyombo	175	$\backslash tauup$ (τ)	89	$\backslash textasciitilde$ (~) 13, 221,	
spoon	84, 85	$\backslash tccentigrade$ ($^{\circ}\text{C}$)	110	223	
staves	173	$\backslash tcmu$ (μ)	110	$\backslash textasteriskcentered$ ($*$) 13	
subset and superset 58–61		$\backslash tcohm$ (Ω)	110	$\backslash textasteriskcentered$ ($*$) 13	
technological . .	118–125	$\backslash tcpertenthousand$ (‰) 110		$\backslash textbabygamma$ (ⱥ)	16
TeXbook	164	$\backslash tcperthousand$ (‰)	110	$\backslash textbackslash$ ($\backslash$) .	220, 221
transliteration	19	$\backslash td$ (☐)	22	$\backslash textbackslash$ ($\backslash$) .	220, 221
upside-down . .	16–18, 23,	$\backslash tddtstile$ (☐☐☐)	57	$\backslash textbaht$ (฿)	24
209, 221		$\backslash tdststile$ (☐☐☐)	57	$\backslash textbar$	13
variable-sized 37–46, 206,		$\backslash tdtstile$ (☐☐☐)	57	$\backslash textbar$ ()	220, 221
208		$\backslash tdtstile$ (☐☐☐)	57	$\backslash textbarb$ (b)	16
weather . . .	166, 180–181	technological symbols 118–125		$\backslash textbarc$ (c)	16
Web	181–184	$\backslash Telefon$ (☎)	123	$\backslash textbard$ (d)	16
yin-yang	165, 178,	$\backslash Telephone$ (☎)	166	$\backslash textbardbl$ ()	13
180–181, 192		$\backslash Telephone$ (☎)	175	$\backslash textbardbl$ ()	13
zodiacal 119, 120, 188–190		Tennent, Bob	27	$\backslash textbardotlessj$ (j) . . .	16
symbols.tex (file) . .	206, 225,	tensor product . . <i>see</i> $\backslash otimes$		$\backslash textbarg$ (g)	16
226		$\backslash Tent$ (⚡)	166	$\backslash textbarglotstop$ (?) . . .	16
$\backslash symC$ (C)	116	$\backslash tenuto$ (—)	152	$\backslash textbari$ (i)	16
$\backslash symking$ (♔)	170	$\backslash Terminus$ ($\otimes$)	171	$\backslash textbarl$ (l)	16
$\backslash symknight$ (♚)	170	$\backslash terminus$ ($\otimes$)	171	$\backslash textbaro$ (o)	16
$\backslash symOE$ (ø)	117	$\backslash terminus^*$ ($\oplus$)	171	$\backslash textbarrevglotstop$ (f)	16
$\backslash sympawn$ (♁)	170	$\backslash terminus^*$ ($\oplus$)	171	$\backslash textbaru$ (u)	16
$\backslash symqueen$ (♑)	170	$\backslash Terra$ ($\oplus$)	120	$\backslash textbeltl$ (f)	16
$\backslash symrook$ (♖)	170	$\backslash tesh$ (tf)	18	$\backslash textbenttailyogh$ (z) . .	17
$\backslash symUE$ (ü)	117	testfont.dvi (file)	218	$\backslash textBeta$ (B)	14
$\backslash SYN$ (—)	122	testfont.tex (file) .	216, 218	$\backslash textbeta$ (β)	14, 16
		$\backslash tetartemorion$ (☾)	25	$\backslash textbigcircle$ ($\bigcirc$) . . .	13
				$\backslash textbigcircle$ ($\bigcirc$) . . .	13
				$\backslash textbktailgamma$ (γ) . .	17
				$\backslash textblank$ (b)	26
				$\backslash textblock$ ($\blacksquare$)	173
				$\backslash textborn$ (★)	164

T

$\backslash T$	15
$\backslash T$ (♂)	23
$\backslash T$ ($\otimes$)	171
$\backslash t$ (♂)	19

<code>\textbottomtiebar</code> () .. 20	<code>\textdaggerdbl</code> (§) 13	<code>\textfrbarn</code> (n) 17
<code>\textbraceleft</code> 13	<code>\textdbend</code> () 164	<code>\textfrhookd</code> (ɖ) 17
<code>\textbraceright</code> 13	<code>\textdblhyphen</code> (=) 26	<code>\textfrhookdvar</code> (ɖ) 17
<code>\textbrevemacron</code> () 20	<code>\textdblhyphenchar</code> (=) .. 26	<code>\textfrhookt</code> (ɤ) 17
<code>\textbrokenbar</code> () .. 26, 222	<code>\textdblig</code> (db) 17	<code>\textfrtailgamma</code> (γ) ... 17
<code>\textbullet</code> (•) 13	<code>\textdctzlig</code> (ɔ̣) 16	<code>\textg</code> (g) 17
<code>\textbullet</code> (•) 13, 223	<code>\textdegree</code> (°) ... 114, 222	<code>\textGamma</code> (Γ) 14
<code>\textbullseye</code> (⊙) 16	<code>\textDelta</code> (Δ) 14	<code>\textgamma</code> (γ) 14, 17
<code>\textcelsius</code> (°C) .. 118, 224	<code>\textdelta</code> (δ) 14	<code>\textglobfall</code> (↘) 17
<code>\textceltpal</code> (˘) 16	<code>\textdied</code> (+) 164	<code>\textglobrise</code> (↗) 17
<code>\textcent</code> (¢) 24, 222	<code>\textdiscount</code> (%) 26	<code>\textglotstop</code> (?) 16
<code>\textcentoldstyle</code> (¢) .. 24	<code>\textdiv</code> (÷) 114	<code>\textglotstopvari</code> (?) .. 17
<code>\textChi</code> (X) 14	<code>\textdivorced</code> () 164	<code>\textglotstopvarii</code> (?) . 17
<code>\textchi</code> (χ) 14, 16	<code>\textdkshade</code> () 173	<code>\textglotstopvariii</code> (?) 17
<code>\textcircled</code> (⊙) 19	<code>\textdnblock</code> () 173	<code>\textgoth</code> 116
<code>\textcircledP</code> 25	<code>\textdollar</code> (\$) 13	<code>\textgravecircum</code> () ... 20
<code>\textcircledP</code> (P) 25	<code>\textdollar</code> (\$) 13, 24	<code>\textgravedbl</code> (") 23
<code>\textcircumacute</code> () ... 20	<code>\textdollaroldstyle</code> (\$) 24	<code>\textgravedot</code> () 20
<code>\textcircumdot</code> () 20	<code>\textdong</code> (₫) 24	<code>\textgravemacron</code> () ... 20
<code>\textclosepsilon</code> (ε) .. 16	<code>\textdotacut</code> () 20	<code>\textgravemid</code> () 20
<code>\textcloseomega</code> (ω) 16	<code>\textdotbreve</code> () 20	<code>\textgreater</code> 13
<code>\textcloserevepsilon</code> (ε) 16	<code>\textdoublebaresh</code> (f) .. 16	<code>\textgreater</code> (>) .. 220, 221
<code>\textcolonmonetary</code> (ℳ) . 24	<code>\textdoublebarpipe</code> (‡) . 16	<code>textgreek</code> (package) 14, 89, 226, 227
<code>\textcommatailz</code> (z) 16	<code>\textdoublebarpipevar</code> (‡) 17	<code>\textgrgamma</code> (γ) 17
<code>textcomp</code> (package) .. 11, 13, 14, 19, 23–26, 69, 99, 114, 118, 147, 164, 206, 221, 223, 226	<code>\textdoublebarslash</code> (≠) 16	<code>\textguarani</code> (G) 24
<code>\textcopyleft</code> 25	<code>\textdoublegrave</code> () ... 20	<code>\texthalflength</code> (˙) 16
<code>\textcopyleft</code> (©) 25	<code>\textdoublegrave</code> () ... 22	<code>\texthardsign</code> (b) 16
<code>\textcopyright</code> (©) .. 13, 25	<code>\textdoublepipe</code> () 16	<code>\textheng</code> (h) 17
<code>\textcopyright</code> (©) . 13, 25, 222	<code>\textdoublepipevar</code> () . 17	<code>\texthighrise</code> () 20
<code>\textcorner</code> (˘) 16	<code>\textdoublevbaraccent</code> () 20	<code>\texthmlig</code> (h) 17
<code>\textcrb</code> (b) 16	<code>\textdoublevbaraccent</code> () 22	<code>\texthooktop</code> (ˆ) 16
<code>\textcrd</code> (d) 19	<code>\textdoublevertline</code> () 16	<code>\texthtb</code> (b) 19
<code>\textcrd</code> () 16	<code>\textdownarrow</code> (↓) 69	<code>\texthtb</code> (b) 16
<code>\textcrg</code> (g) 16	<code>\textdownfullarrow</code> (⇓) . 17	<code>\texthtbardotlessj</code> (f) .. 16
<code>\textcrh</code> (h) 19	<code>\textdownstep</code> (ˆ) 16	<code>\texthtbardotlessjvar</code> (f) 17
<code>\textcrh</code> (h) 16	<code>\textdyoghlig</code> (ɔ̣) 16	<code>\texthtc</code> (ɛ) 19
<code>\textcrinvglotstop</code> (ʒ) . 16	<code>\textdzlig</code> (ɔ̣) 16	<code>\texthtc</code> (c) 16
<code>\textcrlambda</code> (λ) 16	<code>\texteightoldstyle</code> (8) . 26	<code>\texthtd</code> (d) 19
<code>\textcrtwo</code> (2) 16	<code>\textellipsis</code> 13	<code>\texthtd</code> (d) 16
<code>\textctc</code> (c) 16	<code>\textemdash</code> 13	<code>\texthtg</code> (g) 16
<code>\textctd</code> (d) 16	<code>\textendash</code> 13	<code>\texthth</code> (h) 16
<code>\textctdctzlig</code> (ɔ̣) 16	<code>\textEpsilon</code> (E) 14	<code>\texththeng</code> (h̃) 16
<code>\textctesh</code> (f) 16	<code>\textepsilon</code> (ε) 19	<code>\texthtk</code> (k) 19
<code>\textctinvglotstop</code> (ʒ) . 17	<code>\textepsilon</code> (ε) 14, 16	<code>\texthtk</code> (k) 16
<code>\textctj</code> (j) 16	<code>\textesh</code> (f) 19	<code>\texthtp</code> (p) 19
<code>\textctjvar</code> (j) 17	<code>\textesh</code> (f) 16	<code>\texthtp</code> (p) 16
<code>\textctn</code> (n) 16	<code>\textestimated</code> (E) 26	<code>\texthtq</code> (q) 16
<code>\textctstretchc</code> (f) 17	<code>\textEta</code> (H) 14	<code>\texthtrtaild</code> (d') 16
<code>\textctstretchcvar</code> (c) . 17	<code>\texteta</code> (η) 14	<code>\texthtscg</code> (c') 16
<code>\textctt</code> (t) 16	<code>\texteuro</code> (€) 25	<code>\texthtt</code> (t) 19
<code>\textcttctclig</code> (ḳ) 16	<code>\texteuro</code> (€) 24	<code>\texthtt</code> (t) 16
<code>\textcttturnt</code> (t) 17	<code>\texteuro</code> (€) 24, 223	<code>\texthvlig</code> (hv) 16
<code>\textctyogh</code> (z) 16	<code>\textexclamdown</code> 13	<code>\textifsym</code> 118
<code>\textctz</code> (z) 16	<code>\textfallrise</code> () 20	<code>\textinterrobang</code> (‡) ... 26
<code>\textcurrency</code> (¤) .. 24, 222	<code>\textfemale</code> (♀) 17	<code>\textinterrobangdown</code> (‡) 26
<code>\textcyp</code> 143	<code>\textfishhookr</code> (r) 16	<code>\textinvglotstop</code> (ʒ) ... 16
<code>\textdagger</code> (†) 13	<code>\textfiveoldstyle</code> (5) .. 26	<code>\textinvomega</code> (ω) 17
<code>\textdagger</code> (†) 13	<code>\textfjlig</code> (ff) 19	<code>\textinvsc</code> (v) 17
<code>\textdaggerdbl</code> (§) 13	<code>\textflorin</code> (f) 24	<code>\textinvscr</code> (v) 16
<code>\textdaggerdbl</code> (§) 13	<code>\textfouroldstyle</code> (4) .. 26	<code>\textinvscripta</code> (a) 17
<code>\textdaggerdbl</code> (§) 13	<code>\textfractionsolidus</code> (/) 114	<code>\textinvsubbridge</code> () .. 20
<code>\textdaggerdbl</code> (§) 13	<code>\textfrak</code> 116	<code>\textIota</code> (I) 14

<code>\textiota</code> (ι)	19	<code>\textkmit{X}</code> ($\mathbb{X}$)	176	<code>\textomikron</code> (ο)	14
<code>\textiota</code> (ι)	14, 16	<code>\textkmit{x}</code> ($\mathbb{X}$)	176	<code>\textonehalf</code> ($\frac{1}{2}$) ..	114, 222
<code>\textKappa</code> (K)	14	<code>\textkmit{Y}</code> ($\mathbb{Y}$)	176	<code>\textoneoldstyle</code>	26
<code>\textkappa</code> (κ)	14	<code>\textkmit{y}</code> ($\mathbb{Y}$)	176	<code>\textoneoldstyle</code> (ι) ..	26
<code>\textkmit</code>	176	<code>\textkmit{Z}</code> ($\mathbb{Z}$)	176	<code>\textonequarter</code> ($\frac{1}{4}$)	114, 222
<code>\textkmit{2}</code> ($\mathbb{A}$)	176	<code>\textkmit{z}</code> ($\mathbb{Z}$)	176	<code>\textonesuperior</code> (^{1})	114, 222
<code>\textkmit{3}</code> ($\mathbb{A}$)	176	<code>\textLambda</code> (Λ)	14	<code>\textopenbullet</code> (◦)	26
<code>\textkmit{4}</code> ($\mathbb{A}$)	176	<code>\textlambda</code> (λ)	14, 16	<code>\textopencorner</code> (⋈)	16
<code>\textkmit{5}</code> ($\mathbb{A}$)	176	<code>\textlangle</code> ($\langle$)	99, 221	<code>\textopeno</code> (◊)	19
<code>\textkmit{6}</code> ($\mathbb{A}$)	176	<code>\textlbrackdbl</code> ($\llbracket$)	99	<code>\textopeno</code> (◊)	16
<code>\textkmit{7}</code> ($\mathbb{A}$)	176	<code>\textleaf</code> ($\text{\textcircled{A}}$)	164	<code>\textordfeminine</code> (^{a}) ..	13
<code>\textkmit{8}</code> ($\mathbb{A}$)	176	<code>\textleftarrow</code> ($\leftarrow$)	69	<code>\textordfeminine</code> (^{a})	13, 222
<code>\textkmit{9}</code> ($\mathbb{A}$)	176	<code>\textlengthmark</code> (:)	16	<code>\textordmasculine</code> (^{o}) ..	13
<code>\textkmit{"}</code> ($\mathbb{A}$)	176	<code>\textless</code>	13	<code>\textordmasculine</code> (^{o})	13, 222
<code>\textkmit{}</code> ($\mathbb{A}$)	176	<code>\textless</code> ($<$)	220, 221	<code>\textovercross</code> ($\text{\textcircled{A}}$)	20
<code>\textkmit{}</code> ($\mathbb{A}$)	176	<code>\textlfblock</code> ($\text{\textcircled{A}}$)	173	<code>\textoverw</code> ($\text{\textcircled{A}}$)	20
<code>\textkmit{}</code> ($\mathbb{A}$)	176	<code>\textlfishhookrlig</code> (t) .	17	<code>\textpalhook</code> (◌)	16
<code>\textkmit{*}</code> ($\mathbb{A}$)	176	<code>\textlhbend</code> ($\text{\textcircled{A}}$)	164	<code>\textpalhooklong</code> (◌) ..	17
<code>\textkmit{-}</code> ($\mathbb{A}$)	176	<code>\textlhookfour</code> (4)	17	<code>\textpalhookvar</code> (◌)	17
<code>\textkmit{:}</code> ($\mathbb{A}$)	176	<code>\textlhookp</code> (p)	17	<code>\textparagraph</code> ($\text{\textcircled{A}}$)	13
<code>\textkmit{;}</code> ($\mathbb{A}$)	176	<code>\textlhookt</code> (t)	16	<code>\textparagraph</code> ($\text{\textcircled{A}}$)	13
<code>\textkmit{<}</code> ($\mathbb{A}$)	176	<code>\textlhti</code> (ι)	17	<code>\textperiodcentered</code> (◌) .	13
<code>\textkmit{@}</code> ($\mathbb{A}$)	176	<code>\textlhtlongi</code> (ι)	16	<code>\textperiodcentered</code> (◌) .	13, 222
<code>\textkmit{[}</code> ($\mathbb{A}$)	176	<code>\textlhtlongy</code> (y)	16	<code>\textpertenthousand</code> (‰) 13	
<code>\textkmit{]}</code> ($\mathbb{A}$)	176	<code>\textlinb</code>	142, 143	<code>\textpertenthousand</code> (‰) 13	
<code>\textkmit{A}</code> ($\mathbb{A}$)	176	<code>\textlira</code> (£)	24	<code>\textperthousand</code> (‰) ..	13
<code>\textkmit{a}</code> ($\mathbb{A}$)	176	<code>\textlnot</code> ($\neg$)	114, 222	<code>\textperthousand</code> (‰) ..	13, 223
<code>\textkmit{B}</code> ($\mathbb{A}$)	176	<code>\textlongleg</code> (r)	16	<code>\textpeso</code> (P)	24
<code>\textkmit{b}</code> ($\mathbb{A}$)	176	<code>\textlooptoprevsh</code> (l) ..	17	<code>\textPhi</code> (Φ)	14
<code>\textkmit{E}</code> ($\mathbb{A}$)	176	<code>\textlowering</code> ($\text{\textcircled{A}}$)	20	<code>\textphi</code> (φ)	14, 16
<code>\textkmit{F}</code> ($\mathbb{A}$)	176	<code>\textlowrise</code> ($\text{\textcircled{A}}$)	20	<code>\textPi</code> (Π)	14
<code>\textkmit{f}</code> ($\mathbb{A}$)	176	<code>\textlptr</code> (°)	16	<code>\textpi</code> (π)	14
<code>\textkmit{H}</code> ($\mathbb{A}$)	176	<code>\textlquill</code> (f)	99	<code>\textpilcrow</code> ($\text{\textcircled{A}}$)	26
<code>\textkmit{h}</code> ($\mathbb{A}$)	176	<code>\textltailm</code> (m)	16	<code>\textpipe</code> ()	19
<code>\textkmit{I}</code> ($\mathbb{A}$)	176	<code>\textltailn</code> (n)	19	<code>\textpipe</code> ()	16
<code>\textkmit{i}</code> ($\mathbb{A}$)	176	<code>\textltailn</code> (n)	16	<code>\textpipevar</code> (l)	17
<code>\textkmit{J}</code> ($\mathbb{A}$)	176	<code>\textltilde</code> (t)	16	<code>\textpm</code> (±)	114, 222
<code>\textkmit{j}</code> ($\mathbb{A}$)	176	<code>\textltshade</code> ($\text{\textcircled{A}}$)	173	<code>\textpmhg</code>	139
<code>\textkmit{L}</code> ($\mathbb{A}$)	176	<code>\textlyoghlig</code> (k)	16	<code>\textpolhook</code> ($\text{\textcircled{A}}$)	20
<code>\textkmit{l}</code> ($\mathbb{A}$)	176	<code>\textmarried</code> (∞)	164	<code>\textprimstress</code> (')	16
<code>\textkmit{M}</code> ($\mathbb{A}$)	176	<code>\textmho</code> (Ω)	118	<code>\textproto</code>	138
<code>\textkmit{m}</code> (m)	176	<code>\textmicro</code> (μ)	14	<code>\textPsi</code> (Ψ)	14
<code>\textkmit{O}</code> (O)	176	<code>\textmidacute</code> ($\text{\textcircled{A}}$)	20	<code>\textpsi</code> (ψ)	14
<code>\textkmit{Q}</code> ($\mathbb{A}$)	176	<code>\textminus</code> ($-$)	114	<code>\textqplig</code> (q)	17
<code>\textkmit{q}</code> ($\mathbb{A}$)	176	<code>\textMu</code> (M)	14	<code>\textquestiondown</code>	13
<code>\textkmit{R}</code> ($\mathbb{A}$)	176	<code>\textmu</code> (μ)	118, 222	<code>\textquotedbl</code> (") ..	15, 221
<code>\textkmit{r}</code> ($\mathbb{A}$)	176	<code>\textmu</code> (μ)	14	<code>\textquotedblleft</code>	13
<code>\textkmit{S}</code> ($\mathbb{A}$)	176	<code>\textmugreek</code> (μ)	14	<code>\textquotedblright</code>	13
<code>\textkmit{s}</code> ($\mathbb{A}$)	176	<code>\textmusicalnote</code> ($\text{\textcircled{A}}$) ..	147	<code>\textquoteleft</code>	13
<code>\textkmit{t}</code> ($\mathbb{A}$)	176	<code>\textnaira</code> (₦)	24	<code>\textquoteright</code>	13
<code>\textkmit{T}</code> ($\mathbb{A}$)	176	<code>\textnineoldstyle</code> (g) ..	26	<code>\textquotesingle</code> (') ..	26, 221
<code>\textkmit{U}</code> ($\mathbb{A}$)	176	<code>\textnrleg</code> (n)	17	<code>\textquotestraightbase</code> (,) .	26
<code>\textkmit{u}</code> ($\mathbb{A}$)	176	<code>\textNu</code> (N)	14	<code>\textquotestraightdblbase</code>	
<code>\textkmit{V}</code> ($\mathbb{A}$)	176	<code>\textnu</code> (ν)	14	<code>(u)</code>	26
<code>\textkmit{v}</code> ($\mathbb{A}$)	176	<code>\textnumero</code> (№)	26	<code>\textraiseglotstop</code> (°) .	16
<code>\textkmit{W}</code> ($\mathbb{A}$)	176	<code>\textObardotlessj</code> (j) ..	16	<code>\textraisevibyi</code> (l)	16
<code>\textkmit{w}</code> ($\mathbb{A}$)	176	<code>\textObullseye</code> (◉)	17	<code>\textraising</code> ($\text{\textcircled{A}}$)	20
		<code>\textohm</code> (Ω)	118	<code>\texttramshorns</code> (x)	16
		<code>\textOlyoghlig</code> (b)	16	<code>\texttriangle</code> (Δ)	99, 221
		<code>\textOmega</code> (Ω)	14	<code>\texttrbrackdbl</code> ($\llbracket$)	99
		<code>\textomega</code> (ω)	14, 16		
		<code>\textOmikron</code> (O)	14		

<code>\textturnh</code> (Ɀ)	16	<code>\thickapprox</code> ($\approx$)	47	<code>\times</code> (×)	31
<code>\textturnk</code> (Ɀ)	16	<code>\thickapprox</code> ($\approx$)	54	<code>\times</code> (×)	30
<code>\textturnlongleg</code> (Ɀ)	16	<code>\thickapprox</code> ($\approx$)	52	<code>\times</code> (×)	30
<code>\textturnm</code> (Ɀ)	16	<code>\thickapprox</code> ($\approx$)	55	<code>\times</code> (×)	32
<code>\textturnmrleg</code> (Ɀ)	16	<code>\thicksim</code> ($\sim$)	47	Times Roman (font)	24, 208
<code>\textturnr</code> (Ɀ)	16	<code>\thicksim</code> ($\sim$)	54	<code>\times</code> (×)	30
<code>\textturnrrtail</code> (Ɀ)	16	<code>\thicksim</code> ($\sim$)	52	<code>\times</code> (×)	32
<code>\textturnsck</code> (Ɀ)	17	<code>\thicksim</code> ($\sim$)	55	timing (package)	118
<code>\textturnscripta</code> (Ɀ)	16	<code>\thickvert</code> (Ɀ)	95	tipa (package)	16, 17, 19–22,
<code>\textturnscu</code> (Ɀ)	17	thin space	219	209, 226	
<code>\textturnt</code> (Ɀ)	16	<code>\ThinFog</code> (Ɀ)	166	tipx (package)	17, 226
<code>\textturnthree</code> (Ɀ)	17	<code>\thinstar</code> (Ɀ)	34	<code>\tminus</code> (−)	32
<code>\textturntwo</code> (Ɀ)	17	<code>\third</code> (Ɀ)	113	<code>\tndtstile</code> (Ɀ)	57
<code>\textturnv</code> (Ɀ)	16	thirty-second note <i>see</i> musical		<code>\tnststile</code> (Ɀ)	57
<code>\textturnw</code> (Ɀ)	16	symbols		<code>\tntstile</code> (Ɀ)	57
<code>\textturny</code> (Ɀ)	16	<code>\thirtysecondNote</code> (Ɀ)	150	<code>\tnttstile</code> (Ɀ)	57
<code>\texttwelvewardash</code> (−)	26	<code>\thirtysecondNoteDotted</code> (Ɀ)	150	<code>\to</code> <i>see</i> <code>\rightarrow</code>	
<code>\texttwooldstyle</code>	26	<code>\thirtysecondNoteDottedDouble</code> (Ɀ)	150	<code>\to</code> (→)	76
<code>\texttwooldstyle</code> (2)	26	<code>\thirtysecondNoteDottedDoubleDown</code> (Ɀ)	150	<code>\ToBottom</code> (Ɀ)	164
<code>\texttwosuperior</code> (²)	114, 222	<code>\thirtysecondNoteDottedDoubleDown</code> (Ɀ)	150	<code>\toea</code> (Ɀ)	82
<code>\textuncrfemale</code> (Ɀ)	17	<code>\thirtysecondNoteDottedDown</code> (Ɀ)	150	<code>\tona</code> (Ɀ)	82
<code>\textunderscore</code>	13	<code>\thirtysecondNoteDown</code> (Ɀ)	150	<code>\tone</code>	17
<code>\textuparrow</code> (↑)	69	<code>\Thorn</code> (Þ)	18	<code>\Tongey</code> (Ɀ)	179
<code>\textupblock</code> (Ɀ)	173	<code>\thorn</code> (þ)	18	<code>\top</code> (Ɀ)	28, 91, 212
<code>\textupfullarrow</code> (↑)	17	<code>\thorn</code> (þ)	18	<code>\top</code> (Ɀ)	92
<code>\textUpsilon</code> (Υ)	14	<code>\thorn</code> (þ)	18	<code>\top</code> (Ɀ)	91
<code>\textupsilon</code> (υ)	14, 16	thousandths <i>see</i>		<code>\top</code> (Ɀ)	92
<code>\textupstep</code> (↑)	16	<code>\textperthousand</code>		<code>\topborder</code> (Ɀ)	171
<code>\textvbaraccent</code> (Ɀ)	21	<code>\threeBeamedQuavers</code> (Ɀ)	150	<code>\topbot</code> (Ɀ)	212, 213
<code>\textvbaraccent</code> (Ɀ)	22	<code>\threeBeamedQuaversI</code> (Ɀ)	150	<code>\topbot</code> (Ɀ)	92
<code>\textvertline</code> (Ɀ)	16	<code>\threeBeamedQuaversII</code> (Ɀ)	150	<code>\Topbottomheat</code> (Ɀ)	178
<code>\textvibyi</code> (Ɀ)	16	<code>\threeBeamedQuaversIII</code> (Ɀ)	150	<code>\topcir</code> (Ɀ)	114
<code>\textvibyy</code> (Ɀ)	17	<code>\threedangle</code> (Ɀ)	112	<code>\topdoteq</code> (≐)	48
<code>\textvisiblespace</code>	13	<code>\threedotcolon</code> (Ɀ)	32	<code>\topfork</code> (Ɀ)	54
<code>\textwon</code> (₩)	24	<code>\threesim</code> ($\approx$)	211	<code>\topfork</code> (Ɀ)	55
<code>\textwynn</code> (p)	17	thumb pizzicato <i>see</i>		<code>\Topheat</code> (Ɀ)	178
<code>\textXi</code> (Ξ)	14	<code>\lilyThumb</code>		<code>\topsemicircle</code> (Ɀ)	134
<code>\textxi</code> (ξ)	14	tick <i>see</i> check marks		torus (Ɀ) <i>see</i> alphabets, math	
<code>\textxswdown</code> (Ɀ)	165	<code>\tieinfty</code> (Ɀ)	111	<code>\tosa</code> (Ɀ)	82
<code>\textxswup</code> (Ɀ)	165	TikZ (package)	179–181, 185	<code>\ToTop</code> (Ɀ)	164
<code>\textyen</code> (¥)	24, 222	tikzsymbols (package)	179, 180,	<code>\towa</code> (Ɀ)	82
<code>\textyogh</code> (ȝ)	19	226, 227		<code>\tplus</code> (+)	32
<code>\textyogh</code> (ȝ)	17	tilde 13, 16, 18, 20–21, 23, 26,		<code>\TR</code> (Ɀ)	121
<code>\textzerooldstyle</code> (o)	26	100, 102, 105, 214, 221		trademark	13, 25, 222, 223
<code>\textZeta</code> (Ζ)	14	extensible	102, 105	registered	13, 25, 222
<code>\textzeta</code> (ζ)	14	vertically centered	221	<code>\TransformHoriz</code> (Ɀ)	58
.tfm files	11, 186, 206, 224	<code>\tilde</code> (Ɀ)	101	transforms	58, 107
tfrupe (package)	25, 226, 227	<code>\tilde</code> (Ɀ)	100, 214	<code>\TransformVert</code> (Ɀ)	58
<code>\TH</code> (Þ)	14, 222	<code>\tildel</code> (†)	18	transliteration	19, 23
<code>\th</code> (þ)	14, 222	time of day	166, 167	semitic	19, 23
Thành, Hàn Thê	214	time signatures	151	transliteration symbols	19
<code>\therefore</code> (∴)	48	<code>\timelimit</code> (Ɀ)	169	transpose	28
<code>\therefore</code> (∴)	47, 108	<code>\times</code> (×)	28	transversal intersection	<i>see</i>
<code>\therefore</code> (∴)	54			<code>\pitchfork</code>	
<code>\therefore</code> (∴)	108			<code>\trapezium</code> (Ɀ)	134
<code>\therefore</code> (∴)	108			<code>\trebleclef</code> (Ɀ)	148
<code>\therefore</code> (∴)	109			trees	179, 204
<code>\Thermo</code>	166			trema (Ɀ) <i>see</i> accents	
<code>\thermod</code> (Ɀ)	114				
<code>\Theta</code> (Θ)	88				
<code>\theta</code> (θ)	88				
<code>\thetaup</code> (θ)	89				
<code>\thething</code> (Ɀ)	165				

trfsigns (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58, 92, 107, 226
$\triangleleft$ (package) .	58, 92, 107, 226	$\triangleleft$ (package) .	58,				

<code>\ulblacktriangle</code> (▴) .. 134	<code>\underparen</code> () ... 103	<code>\upblackspoon</code> (⤵) 85
<code>\ulcorner</code> (⌜) 93	<code>\underparenthesis</code> () 214,	<code>\upbow</code> (⤶) 148
<code>\ulcorner</code> (⌞) 93	215	<code>\upbowtie</code> (⌘) 30, 31
<code>\ulcorner</code> (⌟) 93	<code>\underrightarrow</code> () ... 103	<code>\upbracketfill</code> 215
<code>\ulcorner</code> () 96	<code>\underrightarrow</code> () .. 102	<code>\upchi</code> (χ) 89
<code>\ulcorner</code> (⌠) 95	<code>\underrightharp</code> () 84	<code>\updasharrow</code> (⤿) 80
<code>\ulcorner</code> (⌡) 93	<code>\underrightharpoon</code> () 84	<code>\updasharrow</code> (⤿) 82
<code>\ullcorner</code> () 96	<code>\underrightharpoon</code> () . 103	<code>\Updelta</code> (Δ) 89
<code>\ullcorner</code> (⌢) 95	<code>\undererring</code> () 23	<code>\updelta</code> (δ) 89
<code>\ullcorner</code> (⌣) 96	<code>underscore</code> ... <i>see</i> <code>underline</code>	<code>\Updownarrow</code> (↕) 69, 94
<code>\ullcorner</code> (⌤) 95	<code>underscore</code> (package) 13	<code>\Updownarrow</code> (↕) 75
<code>\ulrcorner</code> () 96	<code>\underset</code> 210	<code>\Updownarrow</code> () 97
<code>\ulrcorner</code> (⌞) 95	<code>undertilde</code> (package) . 105, 226	<code>\Updownarrow</code> () 72
<code>\ulrcorner</code> (⌟) 96	<code>\undertilde</code> () 23	<code>\Updownarrow</code> () 82
<code>\ulrcorner</code> (⌠) 95	<code>\underwedge</code> () 23	<code>\Updownarrow</code> () 98
<code>\ulrcorner</code> (⌡) 95	<code>Unicode</code> ... 11, 173, 223–225	<code>\updownarrow</code> () 69, 94
<code>ulsy</code> (package) 33, 86, 209, 226	<code>union</code> <i>see</i> <code>\cup</code>	<code>\updownarrow</code> () 97
<code>\ultriangle</code> (▵) 134	<code>unit disk</code> (ID) .. <i>see</i> <code>alphabets</code> ,	<code>\updownarrow</code> () 75
<code>\Umd</code> () 149	<code>math</code>	<code>\updownarrow</code> () 72
<code>\uminus</code> (⊖) 32	<code>\unitedpawns</code> (♞♟) 169	<code>\updownarrow</code> () 98
<code>umlaut</code> (¨) <i>see</i> <code>accents</code>	<code>units</code> (package) 114	<code>\updownarrow</code> () 82
<code>umranda</code> (package) .. 192, 226	<code>unity</code> (1) <i>see</i> <code>alphabets</code> , <code>math</code>	<code>\updownarrow</code> () 80
<code>umrandb</code> (package) .. 193, 226	<code>universa</code> (package) .. 136, 165,	<code>\updownarrow</code> () 82
<code>unary operators</code> 27	226	<code>\updownarrow</code> () 70
<code>\unclear</code> (∞) 169	<code>\unlhd</code> (⊲) 28, 29	<code>\updownarrow</code> () 75
<code>\underaccent</code> 214	<code>\unlhd</code> (⊳) 65	<code>\updownarrow</code> () 72
<code>\underarc</code> () 22	<code>\unlhd</code> (⊴) 63, 67	<code>\updownarrow</code> () 82
<code>\underarch</code> () 21	<code>\unlhd</code> (⊵) 32	<code>\updownarrow</code> () 82
<code>\underbrace</code> () 104	<code>\unrhd</code> (⊲) 28, 29	<code>\updownarrow</code> () 80
<code>\underbrace</code> () 103	<code>\unrhd</code> (⊳) 65	<code>\updownarrow</code> () 76
<code>\underbrace</code> () 103	<code>\unrhd</code> (⊴) 63, 67	<code>\updownarrow</code> () 83
<code>\underbrace</code> () 104	<code>\unrhd</code> (⊵) 32	<code>\updownarrow</code> () 83
<code>\underbrace</code> () 103	<code>\upalpha</code> (α) 89	<code>\updownarrow</code> () 83
<code>\underbrace</code> () 102	<code>\upand</code> (⋈) 32	<code>\updownarrow</code> () 71
<code>\underbracket</code> () 104	<code>\UParrow</code> (▲) 164	<code>\updownarrow</code> () 78
<code>\underbracket</code> () 103	<code>\Uparrow</code> (⤴) 69, 94	<code>\updownarrow</code> () 74
<code>\underbracket</code> () . 214, 215	<code>\Uparrow</code> (⤵) 75	<code>\updownarrow</code> () 83
<code>\underdotted</code> (..) 23	<code>\Uparrow</code> () 96	<code>\updownarrow</code> () 83
<code>\undergroup</code> () 104	<code>\Uparrow</code> (⤴) 72	<code>\updownarrow</code> () 78
<code>\undergroup</code> () 103	<code>\Uparrow</code> (⤵) 82	<code>\updownarrow</code> () 74
<code>\undergroup</code> () 103	<code>\Uparrow</code> () 98	<code>\updownarrow</code> () 78
<code>\underleftarrow</code> () 103	<code>\uparrow</code> (↑) 69, 94, 206	<code>\updownarrow</code> () 74
<code>\underleftarrow</code> () 102	<code>\uparrow</code> () 96	<code>\updownarrow</code> () 83
<code>\underleftharp</code> () 84	<code>\uparrow</code> (↑) 75	<code>\updownarrow</code> () 83
<code>\underleftharpoon</code> () .. 84	<code>\uparrow</code> (↑) 72	<code>\updownarrow</code> () 71
<code>\underleftharpoon</code> () .. 103	<code>\uparrow</code> () 98	<code>\updownarrow</code> () 78
<code>\underleftrightharpoon</code> () 103	<code>\uparrow</code> (↑) 82	<code>\updownarrow</code> () 74
<code>\underleftrightharpoon</code> () .	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 78
..... 102	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
<code>underline</code> ... 13, 27, 102, 105	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
<code>\underline</code> () 102	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
<code>\underlinesegment</code> () . 103	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
<code>\underlinesegment</code> () .. 103	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> () 82	<code>\updownarrow</code> () 83
	<code>\uparrow</code> (	

$\backslash$ upfilledspoon ($\P$)	84	$\backslash$ uppsi (Ψ)	89	$\backslash$ urcorner ($\Uparrow$)	93
$\backslash$ upfishtail (Υ)	55	upquote (package)	221	$\backslash$ urcorner ($\Uparrow$)	93
$\backslash$ upfootline (Υ)	50	$\backslash$ uprcurvearrow (Υ)	76	$\backslash$ urcorner ($\Uparrow$)	93
$\backslash$ upfree (Υ)	50	$\backslash$ uprho (ρ)	89	$\backslash$ urcorner ($\Uparrow$)	97
$\backslash$ Ugamma (Γ)	89	upright Greek letters	14, 89	$\backslash$ urcorner ($\Uparrow$)	95
$\backslash$ upgamma (γ)	89	$\backslash$ uprightcurvearrow ($\curvearrowright$)	76	$\backslash$ urcorner ($\Uparrow$)	93
upgreek (package)	14, 89, 226	$\backslash$ uprightcurvearrow ($\curvearrowright$)	82	url (package)	221
$\backslash$ upharpoonccw ($\Uparrow$)	74	$\backslash$ uprsquigarrow ($\Updownarrow$)	76	$\backslash$ urtriangle (∇)	134
$\backslash$ upharpooncw ($\Uparrow$)	74	$\backslash$ uprsquigarrow ($\Updownarrow$)	72	urwchancal (package)	116, 226
$\backslash$ upharpoonleft ($\Uparrow$)	71	upside-down symbols	221	$\backslash$ US ($\_$)	121, 122
$\backslash$ upharpoonleft ($\Uparrow$)	69	upside-down symbols	16–18, 23, 209	$\backslash$ US ($\_$)	122
$\backslash$ upharpoonleft ($\Uparrow$)	80	$\backslash$ Upsilon (Σ)	89	$\backslash$ usepackage	11
$\backslash$ upharpoonleft ($\Uparrow$)	78	$\backslash$ upsigma (σ)	89	$\backslash$ usf ($\frown$)	148
$\backslash$ upharpoonleft ($\Uparrow$)	83	$\backslash$ Upsilon (Υ)	88	$\backslash$ usfz ($\frown$)	148
$\backslash$ upharpoonleftbar ($\Uparrow$)	83	$\backslash$ upsilon (υ)	88	ushort (package)	105, 226, 227
$\backslash$ upharpoonright ($\Uparrow$)	71	$\backslash$ upsilonup (υ)	89	$\backslash$ ushort ($\sqcup$)	105
$\backslash$ upharpoonright ($\Uparrow$)	69	$\backslash$ upslice (Δ)	34	$\backslash$ ushortdw ($\sqcup$)	105
$\backslash$ upharpoonright ($\Uparrow$)	80	$\backslash$ upspoon ($\P$)	85	$\backslash$ ushortw ($\sqcup$)	105
$\backslash$ upharpoonright ($\Uparrow$)	78	$\backslash$ upspoon ($\P$)	84	$\backslash$ ut ($\sqcup$)	22
$\backslash$ upharpoonright ($\Uparrow$)	83	$\backslash$ upt ($\perp$)	23	UTF-8	224
$\backslash$ upharpoonrightbar ($\Uparrow$)	83	$\backslash$ uptau (τ)	89	utf8x (inputenc package option)	224
$\backslash$ upharpoonsleftright ($\Updownarrow$)	83	$\backslash$ uptherefore ($\therefore$)	108	$\backslash$ utilde ($\sim$)	105
$\backslash$ upin (Ψ)	55	$\backslash$ uptherefore ($\therefore$)	30, 108	$\backslash$ utimes ($\otimes$)	30, 31
upint (stix package option)	36, 37, 44, 45	$\backslash$ Utheta (Θ)	89	$\backslash$ utimes ($\otimes$)	32
$\backslash$ upint ($\int$)	44	$\backslash$ uptheta (θ)	89	$\backslash$ utimes ($\otimes$)	30
$\backslash$ upintsl ($\int$)	45	$\backslash$ uptodownarrow ($\Downarrow$)	70	Utopia (font)	24, 46
$\backslash$ upintup ($\int$)	45	$\backslash$ uptodownarrow ($\Downarrow$)	80	$\backslash$ UU ($\Uparrow$)	121
$\backslash$ upiota (ι)	89	$\backslash$ upuparrows ($\Uparrow$)	70	$\backslash$ UUparrow ($\Uparrow$)	82
$\backslash$ upkappa (κ)	89	$\backslash$ upuparrows ($\Uparrow$)	69	$\backslash$ UUparrow ($\Uparrow$)	98
$\backslash$ Uplambda (Λ)	89	$\backslash$ upuparrows ($\Uparrow$)	80	$\backslash$ UUparrow ($\Uparrow$)	75
$\backslash$ uplambda (λ)	89	$\backslash$ upuparrows ($\Uparrow$)	75	$\backslash$ UUparrow ($\Uparrow$)	82
$\backslash$ uplcurvearrow ($\curvearrowleft$)	76	$\backslash$ upuparrows ($\Uparrow$)	72	$\backslash$ UUparrow ($\Uparrow$)	98
$\backslash$ upleftcurvedarrow ($\curvearrowleft$)	76	$\backslash$ upuparrows ($\Uparrow$)	82	$\backslash$ UUparrow ($\Uparrow$)	98
$\backslash$ uplett	22	$\backslash$ upupharpoons ($\Updownarrow$)	71	uwebo.fd (file)	191
$\backslash$ uplsquigarrow ($\Updownarrow$)	76	$\backslash$ Upupsilon (Υ)	89		
$\backslash$ uplsquigarrow ($\Updownarrow$)	72	$\backslash$ Upupsilon (Υ)	89	$\mathbf{V}$	
$\backslash$ uplus ($\oplus$)	29	$\backslash$ upupsilon (υ)	89	$\backslash$ v (∇)	19
$\backslash$ uplus ($\oplus$)	28	$\backslash$ upvarepsilon (ϵ)	89	$\backslash$ vara (α)	18
$\backslash$ uplus ($\oplus$)	31	$\backslash$ upvarphi (ϕ)	89	$\backslash$ varamalg ($\mathfrak{A}$)	30
$\backslash$ uplus ($\oplus$)	31	$\backslash$ upvarpi (ϖ)	89	$\backslash$ varangle ($\angle$)	112
$\backslash$ uplus ($\oplus$)	30	$\backslash$ upvarrho (ρ)	89	$\backslash$ varbarwedge ($\bar{\wedge}$)	32
$\backslash$ uplus ($\oplus$)	32	$\backslash$ upvarsigma (σ)	89	$\backslash$ varbeta (β)	90
$\backslash$ Umapsto ($\mapsto$)	75	$\backslash$ upvartheta (ϑ)	89	$\backslash$ varbigcirc ($\bigcirc$)	28
$\backslash$ Umapsto ($\mapsto$)	75	$\backslash$ upVDash ($\Uparrow$)	52	$\backslash$ varbigtriangledown (∇)	134
$\backslash$ Umapsto ($\mapsto$)	72	$\backslash$ upVdash ($\perp$)	52	$\backslash$ varbigtriangleup ($\triangle$)	134
$\backslash$ upModels ($\perp$)	50	$\backslash$ upVdash ($\perp$)	50	$\backslash$ varcap ($\cap$)	31
$\backslash$ upmodels ($\perp$)	52	$\backslash$ upvDash ($\perp$)	52	$\backslash$ varCapricorn ($\mathfrak{C}$)	120
$\backslash$ upmodels ($\perp$)	50	$\backslash$ upvdash ($\perp$)	52	$\backslash$ varcarriagereturn ($\rightrightarrows$)	82
$\backslash$ upmu (μ)	89	$\backslash$ upvdash ($\perp$)	50	$\backslash$ VarClock ($\odot$)	166
$\backslash$ upnu (ν)	89	$\backslash$ upwavearrow ($\Updownarrow$)	75	$\backslash$ varclub ($\clubsuit$)	137
$\backslash$ Upomega (Ω)	89	$\backslash$ upwhitearrow ($\Updownarrow$)	80	$\backslash$ varclubsuit ($\clubsuit$)	136
$\backslash$ upomega (ω)	89	$\backslash$ upwhitearrow ($\Updownarrow$)	82	$\backslash$ varclubsuit ($\clubsuit$)	137
$\backslash$ upp ($\wedge$)	23	$\backslash$ Upxi (Ξ)	89	$\backslash$ varcoppa ($\P$)	144
$\backslash$ upparenthfill	215	$\backslash$ upxi (ξ)	89	$\backslash$ varcoprod ($\coprod$)	42
$\backslash$ Upphi (Φ)	89	$\backslash$ upY (λ)	30	$\backslash$ varcup ($\cup$)	31
$\backslash$ upphi (ϕ)	89	$\backslash$ upY (λ)	30	$\backslash$ varcurlyvee ($\vee$)	28
$\backslash$ Uppi (Π)	89	$\backslash$ upzeta (ζ)	89	$\backslash$ varcurlywedge ($\wedge$)	28
$\backslash$ uppi (π)	89	$\backslash$ Uranus (δ)	120	$\backslash$ vardiamond ($\diamond$)	137
$\backslash$ uppitchfork ($\pitchfork$)	86	$\backslash$ Uranus (δ)	120		
$\backslash$ uppitchfork ($\pitchfork$)	84	$\backslash$ Uranus (δ)	119		
$\backslash$ uppropto ($\propto$)	50	$\backslash$ uranus (δ)	119		
$\backslash$ Upsi (Ψ)	89	$\backslash$ urarc ($\curvearrowright$)	114		
		$\backslash$ urblacktriangle ($\blacktriangledown$)	134		

<code>\vartriangle</code> (Δ)	112	<code>\vdots</code> ($\vdots$)	109	<code>\Vertex</code> ($\mathbf{V}^X$)	120
<code>\vartriangleleft</code> ($\triangleleft$)	68	<code>\vdots</code> ($\vdots$)	107	<code>\vertoverlay</code> ($\ $)	56
<code>\vartriangleleft</code> ($\triangleleft$)	35, 68	<code>\vdots</code> ($\vdots$)	30	<code>\Vesta</code> ($\blacklozenge$)	120
<code>\vartriangleleft</code> ($\triangleleft$)	67	<code>\vdots</code> ($\vdots$)	108	<code>\VHF</code> ($\approx$)	118
<code>\vartriangleleft</code> ($\triangleleft$)	68	<code>\vdots</code> ($\vdots$)	56	<code>\Vier</code> ($\clubsuit$)	149
<code>\vartriangleleft</code> ($\triangleleft$)	66	<code>\vec</code> ($\vec{}$)	101	<code>vietnam</code> (package)	226
<code>\vartriangleleft</code> ($\triangleleft$)	66	<code>\vec</code> ($\vec{}$)	101	<code>\viewdata</code> ($\#$)	114
<code>\vartriangleleft</code> ($\triangleleft$)	68	<code>\vec</code> ($\vec{}$)	100	<code>\Village</code> ($\triangleup$)	166
<code>\vartriangleleft</code> ($\triangleleft$)	68	<code>\vec</code> ($\vec{}$)	101	<code>\vin</code> ($\downarrow$)	93
<code>\vartriangleleft</code> ($\triangleleft$)	63, 67	<code>\vec</code> ($\vec{}$)	100	<code>vinculum</code>	<i>see</i> <code>\overline</code>
<code>\vartriangleleft</code> ($\triangleleft$)	68, 134	<code>\vec</code> ($\vec{}$)	101	<code>\ViPa</code> (€)	149
<code>\vartriangleright</code> ($\triangleright$)	66	<code>\vec</code> ($\vec{}$)	100	<code>virga</code>	<i>see</i> <code>musixgre</code>
<code>\vartriangleright</code> ($\triangleright$)	66	<code>\vectors</code> ($\times$)	32	<code>\Virgo</code> ($\mathfrak{M}$)	120
<code>\vartriangleright</code> ($\triangleright$)	68	<code>\Vee</code> ($\mathfrak{W}$)	31	<code>\Virgo</code> ($\mathfrak{M}$)	119
<code>\vartriangleright</code> ($\triangleright$)	68	<code>\Vee</code> ($\mathfrak{W}$)	32	<code>\virgo</code> ($\mathfrak{M}$)	119
<code>\vartriangleright</code> ($\triangleright$)	63, 67	<code>\vee</code> ($\vee$)	29	<code>\vlongdash</code> ($\longdash$)	52
<code>\vartriangleright</code> ($\triangleright$)	68, 134	<code>\vee</code> ($\vee$)	28	<code>\vlongdash</code> ($\longdash$)	56
<code>\varupdownwavearrow</code> ($\Updownarrow$)	75	<code>\vee</code> ($\vee$)	31	<code>\VM</code> ($>$)	149
<code>\varupwavearrow</code> ($\Uparrow$)	75	<code>\vee</code> ($\vee$)	30, 31	<code>vntex</code> (package)	15, 19
<code>\varUranus</code> (Υ)	120	<code>\vee</code> ($\vee$)	30	<code>\vod</code> (v)	18
<code>\varv</code> (v)	90	<code>\vee</code> ($\vee$)	32	<code>\voicedh</code> (ɦ)	18
<code>\varvarpi</code> (ϖ)	89	<code>\veebar</code> ($\veebar$)	29	<code>\Vomey</code> ($\mathfrak{G}$)	179
<code>\varvarrho</code> (ϱ)	89	<code>\veebar</code> ($\veebar$)	28	<code>\vppm</code> (μ)	171
<code>\varVdash</code> ($\Vdash$)	55	<code>\veebar</code> ($\veebar$)	31	<code>\vpppm</code> (μ)	171
<code>\varveebar</code> ($\veebar$)	32	<code>\veebar</code> ($\veebar$)	30	<code>\vrectangle</code> ($\square$)	134
<code>\varw</code> (w)	90	<code>\veebar</code> ($\veebar$)	32	<code>\vrectangleblack</code> ($\blacksquare$)	134
<code>\vary</code> (y)	90	<code>\veedot</code> ($\veedot$)	31	<code>\vrule</code>	173
<code>\VBar</code> ($\mathbb{V}$)	135	<code>\veedot</code> ($\veedot$)	30	<code>\VT</code> (σ)	122
<code>\Vbar</code> ($\mathbb{V}$)	52	<code>\veedot</code> ($\veedot$)	32	<code>\Vulkanus</code> ($\mathfrak{Z}$)	120
<code>\Vbar</code> ($\mathbb{V}$)	55	<code>\veedoublebar</code> ($\veedoublebar$)	29	<code>\vv</code> ($\mathfrak{V}$)	104
<code>\vBar</code> ($\pm$)	52	<code>\veedoublebar</code> ($\veedoublebar$)	31	<code>\VvDash</code> ($\mathfrak{V}$)	48
<code>\vBar</code> ($\pm$)	55	<code>\veedoublebar</code> ($\veedoublebar$)	32	<code>\Vvdash</code> ($\mathfrak{V}$)	48
<code>\vBarv</code> ($\pm$)	55	<code>\veeq</code> ($\equiv$)	54	<code>\Vvdash</code> ($\mathfrak{V}$)	47
<code>\vbipropto</code> ($\propto$)	30	<code>\veeq</code> ($\equiv$)	52	<code>\Vvdash</code> ($\mathfrak{V}$)	54
<code>\vbrtri</code> ($\triangleright$)	68	<code>\veeq</code> ($\equiv$)	56	<code>\Vvdash</code> ($\mathfrak{V}$)	52
<code>\vcentcolon</code> ($\colon$)	56	<code>\veemidvert</code> ($\mathfrak{V}$)	32	<code>\Vvdash</code> ($\mathfrak{V}$)	50
<code>\vcenter</code>	210, 211	<code>\veeodot</code> ($\veeodot$)	32	<code>\Vvdash</code> ($\mathfrak{V}$)	56
<code>\vcrossing</code> ($\times$)	50	<code>\veeonvee</code> ($\mathfrak{W}$)	31	<code>\Vvert</code> ($\mathfrak{V}$)	97
<code>\VDash</code> ($\mathfrak{V}$)	48	<code>\veeonvee</code> ($\mathfrak{W}$)	31	<code>\Vvert</code> ($\mathfrak{V}$)	98
<code>\VDash</code> ($\mathfrak{V}$)	54	<code>\veeonvee</code> ($\mathfrak{W}$)	32	<code>\vvvert</code> ($\mathfrak{V}$)	95
<code>\VDash</code> ($\mathfrak{V}$)	52	<code>\veeonwedge</code> ($\mathfrak{X}$)	56	<code>\vysmbkcircle</code> ($\bullet$)	36
<code>\VDash</code> ($\mathfrak{V}$)	50	<code>\Venus</code> (♀)	120	<code>\vysmbksquare</code> ($\bullet$)	134
<code>\VDash</code> ($\mathfrak{V}$)	56	<code>\Venus</code> (♀)	120	<code>\vysmwhcircle</code> ($\circ$)	36
<code>\VDash</code> ($\mathfrak{V}$)	48	<code>\Venus</code> (♀)	119	<code>\vysmwhsquare</code> ($\circ$)	134
<code>\VDash</code> ($\mathfrak{V}$)	47	<code>\venus</code> (♀)	119	<code>\vzigzag</code> (zigzag)	114
<code>\VDash</code> ($\mathfrak{V}$)	54	<code>\vernal</code> ($\Uparrow$)	119		
<code>\VDash</code> ($\mathfrak{V}$)	52	<code>versicle</code> (V)	224, 225		
<code>\VDash</code> ($\mathfrak{V}$)	50	<code>\VERT</code> ($\mathfrak{V}$)	99		
<code>\VDash</code> ($\mathfrak{V}$)	55	<code>\Vert</code> ($\mathfrak{V}$)	94, 96		
<code>\vDash</code> ($\mathfrak{V}$)	48	<code>\Vert</code> ($\mathfrak{V}$)	97		
<code>\vDash</code> ($\mathfrak{V}$)	47	<code>\Vert</code> ($\mathfrak{V}$)	97		
<code>\vDash</code> ($\mathfrak{V}$)	54	<code>\Vert</code> ($\mathfrak{V}$)	98		
<code>\vDash</code> ($\mathfrak{V}$)	52	<code>\vert</code> ($\mathfrak{V}$)	94, 96		
<code>\vDash</code> ($\mathfrak{V}$)	50	<code>\vert</code> ($\mathfrak{V}$)	97		
<code>\vDash</code> ($\mathfrak{V}$)	56	<code>\vert</code> ($\mathfrak{V}$)	97		
<code>\vdash</code> ($\vdash$)	46	<code>\vert</code> ($\mathfrak{V}$)	98		
<code>\vdash</code> ($\vdash$)	52	<code>\vert</code> ($\mathfrak{V}$)	98		
<code>\vdash</code> ($\vdash$)	50	<code>\vert</code> ($\mathfrak{V}$)	98		
<code>\vdash</code> ($\vdash$)	55	<code>\vert</code> ($\mathfrak{V}$)	98		
<code>\vdash</code> ($\vdash$)	52	<code>\vert</code> ($\mathfrak{V}$)	98		
<code>\vdash</code> ($\vdash$)	56	<code>\vert</code> ($\mathfrak{V}$)	98		
<code>\vdash</code> ($\vdash$)	46	<code>\vert</code> ($\mathfrak{V}$)	98		
<code>\vdash</code> ($\vdash$)	52	<code>\vert</code> ($\mathfrak{V}$)	98		
<code>\vdash</code> ($\vdash$)	50	<code>\vert</code> ($\mathfrak{V}$)	98		
<code>\vdash</code> ($\vdash$)	55	<code>\vert</code> ($\mathfrak{V}$)	98		
<code>\vdash</code> ($\vdash$)	52	<code>\vert</code> ($\mathfrak{V}$)	98		
<code>\vdash</code> ($\vdash$)	56	<code>\vert</code> ($\mathfrak{V}$)	98		
<code>\vdash</code> ($\vdash$)	30, 108	<code>\vert</code> ($\mathfrak{V}$)	98		

`\water` (☼) 125
 wavy-line delimiters ... 95–98
`\wbetter` ($\pm$) 169
`\wdecisive` ($+-$) 169
`\weakpt` ($\times$) 169
`\WeakRain` (☂) 166
`\WeakRainCloud` (☁) 166
 weather symbols 166, 180–181
 Web symbols 181–184
 webomints (package) 191, 226
`\Wecker` (🕒) 166
`\Wedge` ($\blacktriangle$) 31
`\Wedge` ($\blacktriangle$) 32
`\wedge` ($\wedge$) 29
`\wedge` ($\wedge$) 28
`\wedge` ($\wedge$) 31
`\wedge` ($\wedge$) 31
`\wedge` ($\wedge$) 30
`\wedge` ($\wedge$) 32
`\wedge` ($\wedge$) 32
`\wedgedot` (Δ) 31
`\wedgedot` (Δ) 30
`\wedgedot` (Δ) 32
`\wedgedoublebar` (Δ) 32
`\wedgemidvert` ($\blacktriangle$) 32
`\wedge` ($\wedge$) 32
`\wedge` ($\wedge$) 31
`\wedge` ($\wedge$) 32
`\wedgedot` (Δ) 52
`\wedgedot` (Δ) 56
 Weierstrass $\wp$ function *see* `\wp`
`\westcross` ($\star$) 129
`\wfermion` ($\searrow$) 125
`\Wheelchair` (♿) 165
`\whfermion` ($\longleftarrow$) 125
`\whistle` (🎺) 21
`\white` 171
`\whitearrowupfrombar` ($\Uparrow$) 80
`\whitearrowupfrombar` ($\Updownarrow$) 82
`\whitearrowuppedestal` ($\Uparrow$) 80
`\whitearrowuppedestalhbar`
 ($\Uparrow$) 80
`\whitearrowuppedestalvbar`
 ($\Uparrow$) 80
`\WhiteBishopOnBlack` (♚) 170
`\WhiteBishopOnWhite` (♚) 170
`\whiteblackspoon` (☞) .. 85
`\WhiteEmptySquare` () 170
`\whiteinwhitetriangle` ($\triangle$) 134
`\WhiteKingOnBlack` (♔) 170
`\WhiteKingOnWhite` (♔) 170
`\WhiteKnightOnBlack` (♞) 170

`\WhiteKnightOnWhite` (♞) 170
`\WhitePawnOnBlack` (♙) 170
`\WhitePawnOnWhite` (♙) 170
`\whitepointerleft` ($\blacktriangleleft$) . 134
`\whitepointerright` ($\blacktriangleright$) . 134
`\WhiteQueenOnBlack` (♛) 170
`\WhiteQueenOnWhite` (♛) 170
`\WhiteRookOnBlack` (♖) 170
`\WhiteRookOnWhite` (♖) 170
`\whitesquaretickleft` ($\squareleftarrow$) 36
`\whitesquaretickright` ($\squaresrightarrow$) 36
`\whitestone` 170
 whole note *see* musical symbols
`\wholeNote` (♩) 150
`\wholeNoteDotted` (♩.) .. 150
`\wholeNoteRest` (—) 151
`\wholeNoteRestDotted` (— .) 151
`\wholeof` (ε) 209
`\whthorzoval` ($\bigcirc$) 134
`\whtvertoval` ($\bigcirc$) 134
 Wick contractions 215
`\wideangledown` ($\searrow$) 112
`\wideangleup` ($\nearrow$) 112
`\widearc` ($\widehat{\hspace{0.5em}}$) 104
`\widearrow` ($\widehat{\hspace{0.5em}}$) 104
`\widebar` ($\widehat{\hspace{0.5em}}$) 104
`\widebridgeabove` ($\widehat{\hspace{0.5em}}$) ... 101
`\widecheck` ($\widehat{\hspace{0.5em}}$) 104
`\widecheck` ($\widehat{\hspace{0.5em}}$) 103
`\widehat` ($\widehat{\hspace{0.5em}}$) 103
`\widehat` ($\widehat{\hspace{0.5em}}$) 103
`\widehat` ($\widehat{\hspace{0.5em}}$) 103
`\widehat` ($\widehat{\hspace{0.5em}}$) 102
`\widehat` ($\widehat{\hspace{0.5em}}$) 102
`\widehat` ($\widehat{\hspace{0.5em}}$) 102
`\widehat` ($\widehat{\hspace{0.5em}}$) 104
`\widehat` ($\widehat{\hspace{0.5em}}$) 104
`\widehat` ($\widehat{\hspace{0.5em}}$) 104
`\widehat` ($\widehat{\hspace{0.5em}}$) 103
`\widehat` ($\widehat{\hspace{0.5em}}$) 103
`\widehat` ($\widehat{\hspace{0.5em}}$) 103
`\widehat` ($\widehat{\hspace{0.5em}}$) 102
`\widehat` ($\widehat{\hspace{0.5em}}$) 104
`\widehat` ($\widehat{\hspace{0.5em}}$) 104
`\widehat` ($\widehat{\hspace{0.5em}}$) 102
`\widehat` ($\widehat{\hspace{0.5em}}$) 103
`\widehat` ($\widehat{\hspace{0.5em}}$) 103
`\widehat` ($\widehat{\hspace{0.5em}}$) 103
`\widehat` ($\widehat{\hspace{0.5em}}$) 102
`\widehat` ($\widehat{\hspace{0.5em}}$) 102, 105
`\widetriangle` ($\widehat{\hspace{0.5em}}$) 102

`\wind` 166
 Windows® 223
`\Winkey` (☺) 179
`\wInnocey` (☺) 179
`\Wintertree` (🌲) 179
`\with` ($\&$) 33
`\with` ($\llcorner$) 169
`\withattack` ($\rightarrow$) 169
`\withidea` (Δ) 169
`\withinit` ($\dagger$) 169
`\without` ($\lrcorner$) 169
 Wizards of the Coast 204
`\wn` (?) 27
 woman 138, 165
`\WomanFace` (👩) 165
 won *see* `\textwon`
 world 165
`\WorstTree` (🌳) 179
`\wp` ($\wp$) 91
`\wp` ($\wp$) 92
`\wp` ($\wp$) 92
`\wp` ($\wp$) 91
`\wp` ($\wp$) 92
`\wq` (👤) 148
`\wqq` (👤) 148
`\wr` ($\wr$) 28
`\wr` ($\wr$) 31
`\wr` ($\wr$) 30
`\wr` ($\wr$) 32
`\wreath` ($\wr$) 31
`\wreath` ($\wr$) 30
 wreath product *see* `\wr`
`\WritingHand` (👤) 165
 wsuipa (package) .. 18, 21, 23,
 207, 209, 214, 226
`\wupperhand` ($\pm$) 169

X

`\x` (ξ) 110
`\x` ($::$) 171
`\XBox` ($\boxtimes$) 130
`\xbsol` ($\backslash$) 44
 Xdvi 84, 209
`XLaTeX` 88, 147, 224
`XYTeX` 22
`\Xey` (Ξ) 179
 xfrac (package) 114
`\xhookleftarrow` ($\hookleftarrow$) ... 106
`\xhookrightarrow` ($\hookrightarrow$) .. 106
`\Xi` (Ξ) 88
`\xi` (ξ) 88
`\xiup` (ξ) 89
`\xLeftarrow` ($\Leftarrow$) 106
`\xleftarrow` ($\leftarrow$) 105
`\xleftharpoonowdown` ($\leftharpoonowdown$) . 106
`\xleftharpoonup` ($\leftharpoonup$) ... 106
`\xLeftrightarrow` ($\Leftrightarrow$) . 106
`\xLeftrightarrow` ($\Leftrightarrow$) . 106
`\xleftrightharpoonow` ($\leftrightharpoonow$) . 106
`\xleftrightharpoonow` ($\leftrightharpoonow$) . 106

$\backslash\leftrightharpoons$ ($\leftrightharpoons$)	106	$\backslash\text{twoheadrightarrow}$ ($\twoheadrightarrow$)	107	$\backslash\text{Zeta}$ (Z)	88
$\backslash\longequal$ ($\longequal$)	107	Xy-pic	213	$\backslash\text{zeta}$ (ζ)	88
$\backslash\longequal$ ($\equiv$)	106			$\backslash\text{zetaup}$ (ζ)	89
$\backslash\Longleftarrow$ ($\Longleftarrow$)	106	Y		$\backslash\text{Zeus}$ ($\text{\text{Zeus}}$)	120
$\backslash\longleftarrow$ ($\leftarrow$)	106	$\backslash\text{Ydown}$ (γ)	28	$\backslash\text{ZF}$ (F)	121
$\backslash\Longleftrightharpoonup$ ($\Longleftrightharpoonup$)	106	$\backslash\text{Ydown}$ (γ)	31	$\backslash\text{ZG}$ (G)	121
$\backslash\longleftrightharpoonup$ ($\leftrightharpoonup$)	106	yen	<i>see</i> $\backslash\text{textyen}$	$\backslash\text{ZH}$ (H)	121
$\backslash\longleftrightharpoonup$ ($\longleftrightarrow$)	106	$\backslash\text{yen}$ ($\text{\text{yen}}$)	114	$\backslash\text{ZI}$ (I)	121
$\backslash\Longrightarrow$ ($\Rightarrow$)	106	yfonts (package)	116, 117, 226	$\backslash\text{ZJ}$ (J)	121
$\backslash\longrightarrow$ ($\rightarrow$)	106	yhmath (package)	101, 102, 105, 109, 213, 226	$\backslash\text{ZK}$ (K)	121
$\backslash\mapsto$ ($\mapsto$)	106	yin-yang symbols	165, 178, 180–181, 192	$\backslash\text{ZL}$ (L)	121
$\backslash\mapsto$ ($\mapsto$)	107	$\backslash\text{Yinyang}$ ($\text{\text{Yinyang}}$)	165	$\backslash\text{ZM}$ (M)	121
XML	223	$\backslash\text{yinyang}$ ($\text{\text{yinyang}}$)	178	$\backslash\text{ZN}$ (N)	121
$\backslash\text{XQ}$ ($\text{\text{XQ}}$)	121	$\backslash\text{Yleft}$ ($\leftarrow$)	28	$\backslash\text{ZO}$ (O)	121
$\backslash\text{Rightarrow}$ ($\Rightarrow$)	106	$\backslash\text{Yleft}$ ($\leftarrow$)	31	$\backslash\text{Zodiac}$	119
$\backslash\rightarrow$ ($\rightarrow$)	105	$\backslash\text{yogh}$ ($\text{\text{yogh}}$)	18	zodiacal symbols	119, 120, 188–190
$\backslash\rightarrow$ ($\rightarrow$)	105	$\backslash\text{yogh}$ ($\text{\text{yogh}}$)	18	$\backslash\text{ZP}$ (P)	121
$\backslash\rightarrow$ ($\rightarrow$)	106	$\backslash\text{Yright}$ ($\rightarrow$)	28	$\backslash\text{zpipe}$ ($\gg$)	114
$\backslash\rightarrow$ ($\rightarrow$)	106	$\backslash\text{Yright}$ ($\rightarrow$)	31	$\backslash\text{zproject}$ ($\text{\text{zproject}}$)	114
$\backslash\rightarrow$ ($\rightarrow$)	106	Yu, Billy	214	$\backslash\text{ZQ}$ (Q)	121
$\backslash\rightarrow$ ($\rightarrow$)	106	$\backslash\text{Yup}$ ($\text{\text{Yup}}$)	28	$\backslash\text{ZR}$ (R)	121
$\backslash\rightarrow$ ($\rightarrow$)	106	$\backslash\text{Yup}$ ($\text{\text{Yup}}$)	31	$\backslash\text{ZS}$ (S)	121
$\backslash\rightarrow$ ($\rightarrow$)	106	$\backslash\text{Yup}$ ($\text{\text{Yup}}$)	92	$\backslash\text{ZT}$ (T)	121
$\backslash\rightarrow$ ($\rightarrow$)	106			$\backslash\text{Ztransf}$ ($\text{\text{Ztransf}}$)	58
$\backslash\rightarrow$ ($\rightarrow$)	106			$\backslash\text{Ztransf}$ ($\text{\text{Ztransf}}$)	54
Xs	129, 130, 165	Z		$\backslash\text{ztransf}$ ($\text{\text{ztransf}}$)	58
$\backslash\text{sol}$ ($/$)	44	$\backslash\text{ZA}$ (A)	121	$\backslash\text{ztransf}$ ($\text{\text{ztransf}}$)	54
$\backslash\text{Solid}$ ($\text{\text{Solid}}$)	129	Zapf Chancery (font)	116	$\backslash\text{ZU}$ (U)	121
$\backslash\text{SolidBold}$ ($\text{\text{SolidBold}}$)	129	Zapf Dingbats (font)	126, 130	$\backslash\text{zugzwang}$ ($\text{\text{zugzwang}}$)	169
$\backslash\text{SolidBrush}$ ($\text{\text{SolidBrush}}$)	129	$\backslash\text{ZB}$ (B)	121	$\backslash\text{ZV}$ (V)	121
$\backslash\text{swordsdown}$ ($\text{\text{swordsdown}}$)	165	$\backslash\text{Zbar}$ (Z)	92	$\backslash\text{ZW}$ (W)	121
$\backslash\text{swordsup}$ ($\text{\text{swordsup}}$)	165	$\backslash\text{Zborder}$ ($\text{\text{Zborder}}$)	137	$\backslash\text{Zwdr}$ ($\text{\text{Zwdr}}$)	149
$\backslash\text{tofrom}$ ($\longleftrightarrow$)	107	$\backslash\text{ZC}$ (C)	121	$\backslash\text{ZwPa}$ ($\text{\text{ZwPa}}$)	149
$\backslash\text{twoheadleftarrow}$ ($\twoheadleftarrow$)	107	$\backslash\text{zcmp}$ ($\text{\text{zcmp}}$)	114	$\backslash\text{ZX}$ (X)	121
		$\backslash\text{ZD}$ (D)	121	$\backslash\text{ZY}$ (Y)	121
		$\backslash\text{ZE}$ (E)	121	$\backslash\text{ZZ}$ (Z)	121