# AMCGRAW-HILL PUBLICATION EEK

OCT. 25, 1954

50 CENTS

The world's leading airlines choose the world's most popular aircraft...

# CONVAIR







SAUDI ARABIAN








SWISSAIR SWISSAIR Switzerland





















































CONVAIR A DIVISION OF GENERAL DYNAMICS CORPORATION



#### How the Holley Turbine Control helps jet pilots concentrate on FIGHTING, not flying

Nearly every foot of altitude, gained or lost, nearly every minute change in atmospheric conditions alters the amount of fuel flow needed by today's jet engine. Literally hundreds of mathematical problems must be solved every minute a jet is in the air. It would be impossible for any pilot to solve all these problems and still have time to concentrate on fighting. So the Holley Turbine Control was developed to solve them for him AUTOMATICALLY.


Holley's research department played an impor-

tant role in the development of this mechanical wizard. But producing Holley Turbine Controls requires special skills, too. Working to tolerances of as little as plus or minus 25 millionths of an inch, the Holley manufacturing division turns out turbine controls for thousands of today's jet aircraft.

Holley's highly-trained research, engineering and manufacturing staff can support your program of producing better products for the aviation industry, either your design or ours.

Leader in the design, development, and manufacture of aviation fuel metering devices.





Looking for fast action? Then look to pneumatics... the only actuating system that can store energy and deliver it instantly when you need it!

Because of this "storage" feature, you can get high horsepower delivery from a low horsepower source, without paying the usual high-horsepower weight premium!

Pneumatic systems maintain good performance through an extremely broad temperature range. From below -65° to well above 250°, viscosity of the air in the system remains essentially the same. It's never sluggish . . . won't slow down actuating time.

With pneumatics, there is no danger from fire, since the air used in the system cannot burn. And, because air is always available, there is no leakage problem. The compressor itself will compensate for leaks.

We here at Kidde have a complete line of pneumatic system components, including high output compressors, as well as the facilities for engineering complete pneumatic systems. If you have a problem in pneumatics, please write us.





Walter Kidde & Company, Inc., 1018 Main Street, Belleville 9, N. J.


Walter Kidde & Company of Canada, Ltd.



Resinite Vinyl Tubing not only meets, but consistently surpasses specifications for control of fungus and corrosion, flame resistance, dielectric strength and for performance at low and high temperatures. Extreme operating conditions prove the superiority of Resinite Specification Vinyl Tubing.

This superior quality of Resinite Tubing has been achieved through many years of specializing in vinyl tubing. It is maintained through constant research, accurate compounding, skillful workmanship, rigid quality control and thorough inspection. That's why more Resinite Specification Vinyl Tubing than any other is used by the aircraft and electronics industries.

Write today for samples and performance data.



### Aviation Week

OCTOBER 25, 1954

VOL. 61, NO. 17

**Editorial Offices** 

New York 36-330 W. 42nd St., Phone LOngacre 4-3000 (Night LO 4-3035) Washington 4, D. C.—National Press Bldg., Phone NAtional 8-3414 Los Angeles 17-1111 Wilshire Blvd., Phone MAdison 6-4323 Table of Contents on Page 8 53,311 copies of this issue printed

> Robert W. Martin, Jr.......Publisher Robert H. Wood...............Editor

#### Robert B. Hotz, Executive Editor

Albert W. Bentz News Editor	Erwin J. Bulban Special Assignments
David A. AndertonEngineering	William J. Coughlin West Coast
Irving Stone	Bernie Lang West Coast Assistant
G. L. Christian Equipment, Maintenance	Henry LeferNews Desk
Katherine JohnsenCongress	Gordon C. ConleyNews Desk
Philip KlassAvionics	G. J. McAllister Washington News Desk
Claude O. WitzeMilitary	Lawrence J. HerbArt Editor
Frank Shea, JrTransport	Victoria Giaculli Editorial Makeup
Craig LewisTransport	Leo T. Tarpey Printing & Production

#### DOMESTIC NEWS BUREAUS

Atlanta 3801 Rhodes-Haverty Bldg.	Houston 251303 Prudential Bldg.
Chicago 11520 No. Michigan Ave.	Los Angeles 171111 Wilshire Blvd.
Cleveland 151510 Hanna Bldg.	San Francisco 4
Detroit 26856 Penobscot Bldg.	Washington 41189 National Press Bldg.

#### FOREIGN NEWS SERVICE

EditorJ	oseph K. Van Denburg, Jr.	Manila
London	Edward W. S. Hull	Mexico City John Wilhelm
Paris	John O. Coppock	Sao PauloLionel J. Holmes
Bonn	Gerald W. Schroder	Tokyo

Aviation Week is served by Press Association, Inc., a subsidiary of Associated Press.

Research and Marketing: Irina Nelidow, Mary Whitney Fenton and Jeanne Rabstejnek.

J. G. Johnson . . . . . . . . . . . . Business Manager

W. V. Cockren, Production Manager T. B. Olsen, Promotion Manager

Sales Representatives: J. C. Anthony, New York; H. P. Johnson, Cleveland; D. T. Brennan and J. S. Costello, Chicago and St. Louis; E. P. Blanchard, Jr., Boston; James Cash, Dallas; William D. Lanier, Jr., Atlanta; R. E. Dorland, San Francisco; C. F. McReynolds and Gordon Jones, Los Angeles; W. S. Hessey, Philadelphia; C. A. Ransdell, Detroit. Other sales offices in Pittsburgh, London.



#### AVIATION WEEK . OCTOBER 25, 1954 Vol. 61, No. 17 Member ABP and ABC



Published weekly by McGraw-Hill Publishing Company, James H. McGraw (1860-1848), Founder. Publication Office: 99-129 North Broadway, Albany I, N. Y.

Executive, Editorial and Advertising Offices: McGraw-Hill Building, 330 W. 42nd St., New York 36, N. Y.

Donald C. McGraw, President; Willard Chevalier, Executive Vice-President; Joseph A. Gerardi, Vice-President and Treasurer; John J. Cooke, Secretary; Paul Montgomery, Executive Vice-President, Publications Division; Halph B. Smith, Vice-President and Editorial Director; Nelson Bond, Vice-President and Director of Advertising; J. E. Blackburn, Jr., Vice-President and Director of Circulation.


Subscriptions: Address correspondence to AVIATION WEEK—Subscription Service, 99-129 North Broadway, Albany I, N. Y. or 330 W. 42nd St., New York 36, N. Y. Allow 10 days for change of address.

Subscriptions are solicited only from persons who have a commercial or professional interest in aviation. Position and company connection must be indicated on subscription orders.

Single copies 50¢. Subscription rates—United States and possessions, \$6 a year; \$9 for two years; \$12 for three years. Canada \$8 a year; \$12 for two years; \$16 for three years, payable in Canadian currency at par. Other Western Hemisphere and the Philippines, \$10 a year; \$16 for two years; \$20 for three years. All other countries, \$20 a year; \$30 for two years; \$40 for three years. Entered as second-class matter July 16, 1947, at the Post Office at Albany, N. Y., under Act of Mar. 3, 1879. Printed in U. S. A. Copyright 1954 by McGraw-Hill Publishing Co., Inc.—All Rights Reserved. Cable Address: "McGraw-Hill New York." Publications combined with AVIATION WEEK are AVIATION, AVIATION NEWS, AIR TRANSPORT, AERONAUTICAL ENGINEERING and AIRCRAFT JOURNAL. All rights to these names are reserved by McGraw-Hill Publishing Co.

# MILESTONES IN AVIATION

# How Phillips 66 Pioneered in High Test Aviation Fuel




4 Today, Phillips produces tremendous quantities of 115/145 grade aviation gasoline for commercial and military use.



ufacturing have led the way in the production of many of the major ingredients of aviation gasolines. Today, Phillips Petroleum Company has the highest yield of aviation gasoline per barrel of crude oil processed.

Operators know they can always depend on Phillips 66 aviation products, long noted for highest quality.

AVIATION DIVISION PHILLIPS PETROLEUM COMPANY BARTLESVILLE, OKLAHOMA



TITANIUM and the F-102

From nose to tail, REM-CRU titanium plays an important part in the production of the Convair F-102 . . . just as it does in all advanced-type aircraft.

For REM-CRU titanium's high strength-toweight ratio, corrosion resistance and complete freedom from stress-corrosion cracking make it an essential material for high performance. In the F-102, commercially pure titanium is used for fuselage skin sections, shrouds, heating and ventilating ducts, and wing leading edge ribs. REM-CRU titanium alloy grades C-110M and C-130M are used extensively for primary structural fuselage frames and wing spar fittings.

REM-CRU, leading producer of titanium, has expanded its facilities to provide fast delivery of sheet, strip, plate, bars, wire, tubing and forgings . . . in a wide variety of sizes, shapes and grades - including new highstrength and weldable alloys.

Let our experienced engineering staffbacked by extensive test data-help you make the most of titanium in your application.

To keep abreast of the latest developments on this vital metal, write for the Rem-Cru Review-a free periodical devoted to the application and fabrication of titanium alloys.

# REM-CRU

TITANIUM REM-CRU TITANIUM, INC., MIDLAND, PENNSYLVANIA

#### NEWS DIGEST



#### New XT-37 Takes Off on First Test

USAF's first side-by-side jet trainer, Cessna Aircraft Co.'s new XT-37, takes off on its initial flight at Wichita Municipal Airport (Aviation Week Oct. 18, p. 15). The flight marks the

beginning of the twin-jet intermediary trainer's test program by Cessna and Air Force pilots. Switch from conventional tandem seating is expected to increase USAF instruction efficiency.

#### Domestic

Merger proposals from Eastern and National Airlines to Colonial are being Nov. 3, determines the alleged EAL-CAI control issue-key factor in the consolidation procedure (AVIATION Week Sept. 20, p. 95). Colonial has set Dec. 20 as the new deadline for Air Development Center. merger bids.

David S. Smith, attorney, Navy veteran and former State Department official, is the new Assistant Secretary of the Air Force for Manpower and Personnel.

New heightfinder radar for air defense, reported able to spot aircraft at three times the range of its predecessors, has been developed by General Electric Co. and Rome Air Development Center. GE is producing the new radar in both fixed and mobile versions.

Automatic fire control systems for Army's Skysweeper anti-aircraft cannon will be produced by Sperry Gyroscope Co. at Great Neck, N. Y., under a new \$18-million contract.

Northwest Orient Airlines last week settled for about \$240,000 the 30 death claims filed after an NWA Martin 2-0-2 crashed into a 500-ft. bluff near Winona, Minn., Aug. 29, 1948, killed 36 persons. Northwest and Glenn L. Martin Co., also named a defendant, will litigate the share each is to pay.

Three improved models of Project Volscan, automatic traffic control com-

puter developed by the Air Force Cambridge Research Center, have been ordered by USAF for operation evaluation. The improved version, manufacheld up until a Civil Aeronautics Board tured by Avco's Crosley Division, will pre-hearing conference, scheduled for be able to schedule takeoffs and landings and provide more flexibility in altitude scheduling. Air Navigation Development Board hopes to participate in one evaluation, slated for Wright

> New \$3-million Air Force contract has been awarded Lear, Inc., Santa Monica, Calif., for production of its MB-2 autopilot, scheduled to be installed on Republic F-84Fs (AVIATION WEEK June 28, p. 11).

> Fairchild Engine & Airplane Corp. has formed a Kinetics Division through absorption of Gassner Engineering. consulting group in aircraft, electronics reinforced plastic, special machinery and railroads. Alfred A. Gassner will be general manager, with offices in New York.

> J48 production will be continued at Pratt & Whitney Aircraft's East Hartford, Conn., plant under additional orders placed by the Navv.

> Lightplane builders exported 42 aircraft valued at \$741,247 last month, bringing the total so far this year to 403 at \$5,920,431, Aircraft Industries Assn. reports.

Herbert L. Sharlock, 76, former public relations and advertising director for Bendix Aviation Corp. and a prime mover in setting up the annual Bendix air races, died Oct. 18 at Elmira, N. Y. land.

#### Financial

Flying Tiger Line reports a loss of \$425,545 for the fiscal year ended June 30, compared with a net profit of \$1,853,155 for the previous 12-month period. Revenues totaled \$18,642,919, dropping from \$24,504,099 for fiscal 1952-53. FTL blames the deficit on "severe adjustments" in the Pacific airlift and delays in the proposed merger with Slick Airways (also see p. 100).

United Air Lines has declared a regular quarterly dividend of 25 cents plus an extra 50 cents on common stock, payable Dec. 15 to holders of record Nov. 15.

Fairchild Engine & Airplane Corp., Hagerstown, Md., will pay a 30-cent dividend on common stock Nov. 1 to holders of record Oct. 20.

#### International

Scandinavian Airlines System has ordered eight longrange DC-7Cs from Douglas Aircraft Corp., expects deliveries in the summer of 1956. Cost for each transport: \$3 million.

Aviateca DC-3 crashed Oct. 9 while trying to make an emergency landing in a river near La Florida, Guatemala, according to reports last week from Guatemala City.

Air Chief Marshal Sir Charles Medhurst, 57 chief of the Royal Air Force staff of Britain's joint services mission in Washington, D. C., from 1948 to 1950 died Oct. 18, in Lymington, Eng-



ONOGRAM

MANUFACTURING COMPANY

8557 Higuera Street, Culver City, California

A DIVISION OF LEWIS AND KAUFMAN, LTD.

#### The Aviation Week

October 25, 1954

#### Headline News

Bristol Bids for Transport Lead	13
Union Strength	16
New USAF Contracts	16
Gnat Leads Lightweight Competition	16
Fatigue Blamed in Comet Crashes	17
First Look in A4D Cockpit	21
SEC Reports Stock Transactions	22
CAB Lists Business Plane Accidents	26
_	

#### Aeronautical Engineering

Martin Offers	Combat Transport	30
Space Studies	Performed on Ground	32
Report on Rat	o: It's Here to Stay	37

#### Production

Doug	glas Pa Molds	ints for	6,400 Centr	Parts	Hourly Castings	46
1101	MADAGE	101	Centr	nugai	Castings	40

#### Equipment

New Omni-Mag Smoothes Approach.. 58

#### Avionics

Hughes	Co	mes	Bac	ck	Stron	œ.		(2)		20		23	75
Report	on	RTC	A	Sy	mposi	ur	n.				**************************************		82

#### Financial

Overseas Airlines Gain Strength..... 90

#### Air Transport

LAA Set for Test as Airline Feeder 95
Baker Pushes 'Chosen Instrument' 99
No Policy on Surface/Airmail100
Passenger Lines Winning Freight Fight. 100
CAB to Test Airmail Pay Formula101
TWA-Braniff Interchange Approved101
Bonanza Fights SWA 2-0-2, DC-3 Rate. 101

#### Departments

News I	)igest									+			į.								7
Picture	Page					Ų										Į.					9
Who's V	Where						4		4	+		4	¥	4	+				4		11
Industry																					11
Washing	ton R	o	u	1	dı		D								4						12
NACA																					40
Product	The second secon																				44
USAF (																					49
Navy C																					50
Oversea	Spot	li	gl	11			-							-							54
Off The																					62
New Av							-														65
Control of the second				0.00				700	100	6				91			39.	38	e.		110
What's			100	-												100					73
Filter C																				Ū	88
Bonanga																			i	i	101
News S																					108
Aviation																					108

#### Picture Credits

7—Cessna; 9—(top) NAA; (center) Glenn L. Martin; (bottom) McDonnell; 13-14—Bristol Aeroplane; 21—Douglas Aircraft; 30—Glenn L. Martin; 37—Cal Tech.; 96—Bill Clinkscales





READY FOR DELIVERY, these F-100 Super Sabres line up at North American Aviation's Los Angeles plant prior to being taken over by U. S. Air Force squadrons.

# Military Planes In the News

NEAR VERTICAL BANK shows the high maneuverability of Martin's P5M-2 Marlin, Navy's newest and largest anti-submarine plane. First P5M-2s have been delivered to the Navy for operation on the West Coast.

IN THE SLOT, the McDonnell F3H-1N Demon shows its head-on silhouette as the new Navy fighter comes in for a landing with its flaps lowered and wheels down.





### precision production through microhoning

The controlled-abrading Microhoning process gives you

- ... fast, efficient, controlled stock removal—with a minimum of generated heat
- ... geometric tolerance in millionths of an inch
- ... diametric size in tenths of thousandths of an inch
- ... surface finish held to any desired roughness, duplicated on every part
- ... functional surface character with the amount of deformed or smeared metal less than that resulting from any other metal-shearing process.

Microhoning obtains high production on parts of any size or material—with manuallycontrolled or automatic equipment.

DESIGN AND MANUFACTURING SERVICE

SERVICE For designing, testing and manufacturing precision parts, sub-assemblies and complete assemblies, our engineering, laboratory and production facilities offer a complete service. Experimental or production parts processed to your drawings and specifications; or we will design and manufacture to meet your most rigid functional specifications. For tolerance held to millionths of an inch on all types of equipment write to:

MICRO-PRECISION INCORPORATED
2205 Lee Street, Evanston, Illinois • DAvis 8-6771

MICROMATIC HONE CORPORATION
1535 Grande Vista Ave., Los Angeles 23, California • ANgelus 1-0309


MICROMATIC'S 25 YEARS

SERVICE Micromatic's 25 years of experience—working with processing and production engineers—in developing equipment and techniques for generating final accuracy on cylindrical and flat surfaces, can help you with your production problems.

JOB MICROHONING SERVICE

Should your organization lack the necessary facilities or find it inconvenient to set up for "short runs," Micromatic's Job Microhoning Department is at your service.

Skilled personnel provide prompt action on rush jobs and lend assistance in research work. For contract Microhoning of any cylindrical or flat surfaces of any size, your needs can be handled at:



MICROMATIC HONE CORPORATION 8100 Schoolcraft Ave., Detroit 38, Michigan • WEbster 3-7835

MICROMATIC HONE CORPORATION

1535 Grande Vista Ave., Los Angeles 23, California • ANgelus I-0309


MICROMATIC HONE LIMITED

330 Grand River Avenue, Brantford, Ontario, Canada • 33166

For complete engineering, sales and service of Microhoning machines, tools, fixtures and abrasives, or further information concerning the Microhoning process, write or call our Detroit office.

MICROMATIC

#### MICROHONING



MICROMATIC HONE CORPORATION, 8100 SCHOOLCRAFT AVENUE, DETROIT 38, MICHIGAN

#### WHO'S WHERE

#### In the Front Office

Carleton Putnam has resigned as board chairman of Delta-C&S Air Lines, will continue to serve as a director.

Rowland Burnstan, onetime president of Lawrance Aeronautical Corp. and former director of Minneapolis-Honeywell Regulator Co.'s Aeronautical Division, is new president of Borg-Warner International Corp. He succeeds John W. DeLind, Jr., elected board chairman of the export subsidiary of Borg-Warner Corp., Chicago.

sidiary of Borg-Warner Corp., Chicago.

Robert L. Earle has become executive vice president of Marquardt Aircraft Co., Van Nuys, Calif.

Robert M. Benson has been appointed a vice president of Gyromechanisms, Inc., Halesite, N. Y., will take charge of the company's West Coast Division in Los Angeles.

Jack C. Charleson, former manager of Piasecki Helicopter Corp.'s Canadian Division, is new managing director and member of the board of United Helicopters, Ltd., Ottawa, wholly owned subsidiary of Okanagan Helicopters, Ltd.

Felix Aimonetti has moved up to vice president and works manager of Link Aeronautical Corp., Endicott, N. Y. Other new officers: Arthur T. Healy, secretary-treasurer; David J. Vaughan, sales manager.

Arthur E. Abney has been appointed director of the Illinois State Department of Aeronautics.

Emil Jarz, formerly with personnel and labor relations for American Overseas and American Airlines, has been elected president of Mead & Wheeler Co., Chicago furniture and office equipment firm.

Air Commodore F. R. Banks has been elected a director of Bristol Aeroplane Co., Bristol, England.

#### Changes

Robert Insley, former vice president-manufacturing for Continental Aviation & Engineering Corp., has joined the Ford Motor Co. as chief product engineer of the Aircraft Engine Division, Chicago.

J. Nelson Kelly is new general manager of Lear's Aircraft Service Division, Santa Monica, Calif. Other changes: Donald W. Cook, California industrial relations manager; Harry Sosnoski, senior Washington, D. C., representative.

Leo M. Chattler, former chief of the actuating and flight control systems section of Navy's Bureau of Aeronautics, has joined the National Water Lift Co., Kalamazoo, Mich., as chief engineer.

#### Honors and Elections

Walter A. Spivak, chief product engineer for North American Aviation, and Dr. Homer J. Stewart, professor of aeronautics at the California Institute of Technology, have received "outstanding achievement" awards from the University of Minnesota's Department of Engineering.

Mrs. Betty H. Gillies has been elected chairman of the All-Women Transcontinental Air Race board of directors.

#### INDUSTRY OBSERVER

- ► Navy is ordering more Grumman F9F-8 sweptwing fighters to compensate for slow deliveries of the Chance Vought F7U-3 Cutlass and McDonnell F3H Demon. F9F-8 is powered by a 7,250-lb.-thrust version of the Pratt & Whitney Aircraft J48 turbojet.
- Avro Canada and Bristol Aeroplane Co. of England are collaborating on modification of the Avro Orenda jet engine to take the Bristol lightweight simplified afterburner. F-86 Sabres built by Canadair and powered by the Orenda will be equipped with the Bristol afterburner to improve performance at fighting altitudes. Bristol afterburner provides little additional power on takeoff, but gives up to 40% thrust augmentation at combat altitudes.
- Douglas is completing another rocket-powered version of the D-558-II Skyrocket research aircraft for the National Advisory Committee for Aeronautics. No significant design changes have been incorporated in the new Skyrocket, which will be used by NACA for further flight research in the supersonic range at Edwards AFB.
- ► First production increment of the Convair B-58 Hustler supersonic bomber will be powered by an advanced model of the Pratt & Whitney J57 turbojet. Later Hustlers are scheduled for the General Electric J79 still under development. USAF recently confirmed that the Hustler has been ordered into production (Aviation Week May 24, p. 13; Oct. 18, p. 14).
- ► Peter Masefield, chief executive of British European Airways, confirmed the Douglas sales effort for a 40-50-passenger twin-engine, turboprop-powered helicopter (AVIATION WEEK Oct. 4, p. 11) at a recent press conference in London. He confirmed that the Douglas helicopter was scheduled to be powered by the Rolls-Royce R.B.109 turboprop and said BEA is extremely interested.
- ▶ Northrop F-89 Scorpion series has not yet reached its aerodynamic ceiling, although the plane has been flown consistently above the 52,000-ft. level in pilot indoctrination. Northrop is planning increased power to boost the Scorpion's ceiling and the all-weather fighter's maximum maneuvering speed at extreme altitude.
- ▶ Boeing has three experimental turboprop aircraft undergoing engine ground tests preparatory to first flights. One is the B-47D with two Wright T49 turboprops replacing the two inboard twin General Electric J47 turbojet pods. The single J47 installations remain in the outboard pods. Two KC-97s have been equipped with Pratt & Whitney Aircraft T34 turboprops, replacing the R4360 Wasp Major piston engines.
- ▶ Bristol Aeroplane Co. is experimenting with durestos, a reinforced phenolic plastic using asbestos as a strengthening material for wing and fuselage structures, on both aircraft and missiles. Current experiments involve a 10-ft. durestos wing for transonic speed range and fuselage sections for large aircraft in addition to applications on Bristol's ramjet missile.
- ▶ Piasecki's YH-16 40-passenger helicopter has finished extensive ground runs and is scheduled to resume flying this week. Next test phase calls for 80 hr. flying. The H-16A, gas turbine-powered version, is nearing completion and is scheduled to begin ground testing soon.
- ▶ Boeing B-47E is equipped with a chaff chute on the side of the fuselage just back of the wing. Speculation that the chutes are for scattering "window" tinfoil strips to interfere with enemy ground and airborne radar is supported by the latest Commerce Department contract announcement. These include nearly a million dollars divided between Cochran Foil Co., Louisville, and Johnston Foil Co., St. Louis, to tool up for "chaff" production.
- ► Navy Bureau of Aeronautics has awarded contracts for design studies of one-man helicopters to Hiller, Gyrodyne and Kellett.

#### Washington Roundup —

#### Pentagon Mixup

Statement in Philadelphia speech by Navy Secretary Charles S. Thomas that Russia "has atomic weapons and aircraft faster than the speed of sound with which to deliver them" created another day of stress in the Pentagon. Immediate Navy explanation was that Thomas did not say Soviet planes could fly at supersonic speed when loaded with the weapon.

His office pointed out that the Secretary did not say "bombers" although many persons assumed that only bombers can carry the A-bomb. General Pentagon reaction was that Thomas misspoke, did not mean to say U.S. officially recognizes Russian claim to flight faster USAF release, issued less than a month before election, than sound.

Two days after Thomas' speech, Adm. Arthur Radford, Chairman of the Joint Chiefs of Staff, told a Chicago audience that comparisons of U.S. airpower with that of Russia are "liable to misinterpretation." He said, "It also should be remembered that we know exactly what we have. We do not have the same certainty about what the Soviets have."

#### Plastics Problem

USAF is conducting a survey among airframe manu-facturers to determine why they are not making more extensive use of reinforced plastic materials in aircraft and missiles. USAF is interested in pushing reinforced plastics wherever applicable because they save structural weight and strategic metals.

Meanwhile, Zenith Plastic Co. recently sponsored a forum of suppliers to the reinforced plastic fabricators aimed at developing better materials in this field.

#### Airpower Budget Boost

Pentagon is now in the throes of preparing the fiscal 1956 military budget at the Army, Navy and Air Force levels. Aviation Week predictions that the airpower budget will be boosted for fiscal 1956 are being borne out in the preliminary budgeting at service level.

#### Airway User Charges

Civil Aeronautics Authority is sticking to its guns on the thorny problem of airway user charges.

Says Donald S. King, a planning staff member of CAA's Office of Airways:

"The position of the CAA is that while favoring relief for the general taxpayer, there should be no discrimina-tion against aviation industry or airway users, and that airway user charges should be a part of an over-all program which should apply to all users of federally provided facilities in the transportation field."

The user charges problem has been batted around since 1945 when it was brought up in a congressional hearing and has been discussed every year since then. It probably will receive its annual going-over at the next session of Congress.

#### Bitten but Unbowed

Defense Secretary Wilson, who swore off political speechmaking after his unfortunate mixup with bird dogs and kennel dogs, returns to the fray late this week in Dayton, Ohio. Still receiving invitations to address GOP rallies, he has agreed to speak in behalf of George H. Bender, Republican senatorial candidate in Ohio.

Washington observers point out that of Wilson's four predecessors only Louis Johnson, a Truman appointee and Democrat, took an active part in politics.

#### Contract News Fumbles

Pentagon press corps is becoming increasingly irritated by Defense Department handling of news about contract awards. Says one seasoned reporter: "I don't care if I have to dig for this stuff along with everybody else, but I gotta know where to dig and for what part of it." Recent listed incomplete summary of Air Force contracts awarded since Sept. 1. Reporters were unable to get data on how much money was being spent with each company.

One day later, figures were printed by Commerce Department, for some of contracts not for others (see p. 16). In another case, the Army put out a special press release in Washington on a \$16-million project to prepare a Charlotte ordnance plant for Nike production. The same day a local release was made in New York about award of a \$164.8-million contract for actual output of the missile. Reporters were accused of missing the big story, and Army fumbled for several hours finding out if the New York report was true.

#### Democratic Chairmen?

Next week's election holds the prospect of a switch to Democratic control of congressional committees handling military and civil aviation.

Chairmanship of Senate Armed Services Committee would go to Sen. Richard Russell, who fought Eisenhower's cutback last year in Air Force funds. Sen. Stuart Symington, former USAF Secretary, would become a majority member, eligible for a subcommittee chairmanship.

House Armed Services Committee chairmanship would go to Rep. Carl Vinson, who also opposed the USAF cutback last year, and in the pre-Korea period opposed the Truman Administration's cutback in the 70-group air

Chairmanship of Senate Interstate and Foreign Commerce would go to Sen. Warren Magnuson, firmly opposed to elimination of competition in international aviation.

Rep. Percy Priest, longtime aviation enthusiast, would take over chairmanship of House Interstate and Foreign Commerce for the first time. Rep. Robert Crosser who headed the committee in the last Democratic Congress was defeated in the Ohio primary.

#### **Export Safeguard**


Civil Aeronautics Administration has launched a new effort to put foreign purchasers on guard against sub-standard aircraft and spares purchased from unethical U.S. dealers. Procedure now delegates responsibility to exporter for meeting specifications set down by the customer.

As always, practical effect is one of "buyer beware," but CAA hopes publicity given to new regulation will result in more caution by foreign shoppers. Program was pushed by ethical dealers who had to compete with material sorted out as usable by scrap metal operators and -Washington staff sold off in export market.

# AVIATION WEEK

VOL. 61, NO. 17

OCTOBER 25, 1954



BRITANNIA MK. 100 cutaway shows (1) sleeping berths (2) crew compartment (3) galley (4) lounge (5) coat storage (6) toilets.

Britannia and B. E. 25 Turboprop Are Keys as . . .

### Bristol Bids for Transport Leadership

By Robert Hotz

Bristol, England-Challenge of Bristol Aeroplane Co. to American leadership in the longrange international transport market is based on a firm faith in the turboprop engine and a 10-year development program for its Britannia airframe.

Bristol and Douglas Aircraft Corp. are locked in a battle for the strategic British Overseas Airways Corp. market for turboprop transports. BOAC has 33 Britannias on order but is negotiating with Douglas for a turboprop version of the DC-7 series (AVIATION WEEK Oct. 18, p. 13).

► Development Goal—Bristol's combined engine and airframe development program is aimed at producing a trans-port by the early 1960s that will cruise at 500 mph. with a specific fuel consumption of .36 lb./eph./hr. and carry payloads of 100 passengers nonstop both ways between New York and European capitals.

This Super-Britannia admittedly is a long way off, but Bristol offers it as proof of its faith in turboprop development for airline use and its determination to challenge successfully current American domination of the world airline market.


BRITANNIA WING is joined to fore and aft fuselages at extra-strong saddle section.

Timetable of the Bristol development Lockheed Aircraft Corp. Between the

program is aimed at catching and sur- advent of the advanced Super-Britannia passing similar advanced transport de- and the Mark 100 version now in provelopments planned by Douglas and duction are the six development stages



BRITANNIA 100S for BOAC are shown being assembled at Bristol's Filton plant.



BRITANNIA 300 (prototype above) is version Bristol is plugging to foreign lines.



ANOTHER VIEW OF FILTON plant shows Britannia 100 fore and aft fuselages.

listed in the accompanying table (p. 15). ▶ Power Diversions-Key to Britannia development is the new split compressor supercharged B.E.25 turboprop laid down by Bristol as a privately financed venture under the leadership of Dr. Stanley G. Hooker, chief engineer of its Engine Division.

The B.E. 25 basically is an 8,000shaft-horsepower engine, of which only 4,000 shaft horsepower actually are absorbed by the reduction gear and transmitted to the propeller shaft. The remaining power can be diverted for a variety of functions, including:

Supercharging the high-pressure sec-

tion of the engine to maintain a constant 4,000-shaft-horsepower output to altitudes over 20,000 ft.

• Bleed air for a boundary-layer control system operating over the Britannia flaps to provide shorter takeoff runs. Excess air from only two of the four Britannia engines is required for this operation.

• Bleed air for cabin pressurization to maximum altitude.

The B.E. 25 has an 11-to-1 pressure ratio that permits extremely low specific fuel consumption at cruising altitudes and speeds.

▶ Jet Augmentation—At sea level, the 4,000 shaft horsepower is augmented by about 2,700 lb. jet thrust for a total of 5,000 equivalent horsepower. The shaft horsepower remains constant to over 20,000 ft. altitude, with jet thrust diminishing gradually with altitude.

At 36,000 ft., the B.E. 25 will give the Britannia 3,000 ehp. and a cruising speed of 400 mph., with a specific fuel consumption of .38 lb./ehp./hr.

The supercharged B.E. 25 will provide constant takeoff power for any altitude and temperature encountered at any airport in the world.

The B.E. 25 is about 9 ft. long with a maximum diameter just over 41 in. and weighs about 3,000 lb. It utilizes the same propellers and reduction gear developed for the advanced Proteus turboprop. The compressor is split into low- and high-pressure units. The high-pressure compressor is linked to the single high-pressure turbine while the low-pressure compressor is connected to three low-pressure turbines and the reduction gear transmitting power to the propeller shaft.

▶1959 Availability-Bristol now is in the component testing stage of B.E. 25 development and expects to run a complete engine on the test stand early next year. It is in about the same state development as the Rolls-Royce RB-109, a split-compressor unsupercharged 4,000-shaft-horsepower gas turbine being considered by Douglas for its turboprop transports.

Both engines are expected to be available in 1959, but Bristol is counting heavily on the B.E. 25's high cruise power and low fuel specifics at altitude to shade the Rolls entry for airline operations.

The B.E. 25 will be a straight replacement for the Proteus 755 turboprop in late versions of the longrange Mark 300 Britannia. It will give this version of the Britannia a 50-mph. boost in crusing speed to 400 mph. and a performance bonus that can be taken either in a 25% increase in range (carrying additional fuel) or a 25% increase in payload over the same range as the Proteus 755-powered Mark 300

The swap of the B.E. 25 for the

Proteus will be fairly simple structurally in the Britannia and can be done by airline operators during major overhauls in their own shops.

►Thin-Wing Version—The B.E. 25 will take the Britannia airframe up to its current limitation below Mach .7.

For further performance stretch, Bristol plans a thin-wing version of the Britannia using advanced versions of the B.E. 25 aimed at still lower fuel specifics that will provide the ultimate 500-mph. cruising speed over 4,000-6,000-mi. stage lengths.

Prototype of this advanced version of the Super-Britannia should make its appearance in the early 1960s.

▶ Bridging the Gap—As an interim measure to bridge the gap between the current Proteus 705 engine and the B.E.25, Bristol has developed a much improved Proteus 755. The new Proteus will fit into the Britannia series beginning with the medium-range Mark 300 version, due for delivery to BOAC in 1955.

The Proteus 755 incorporates several features aimed at avoiding repetition of the engine failure that caused a forced landing and washout of the first Proteus 705-powered Britannia.

In this accident the reduction gear failed, allowing the free turbine to overspeed and throw blades. Blades ruptured the oil tank and fuel line, causing a serious fire.

►New Braking Device—A new double helical reduction gear has been substituted on both the 705s now flying and the new 755.

A braking device to prevent turbine overspeed and provide an automatic fuel cutoff beyond certain turbine rpm. has been developed for the 755. Allsteel compressor blades and elimination of both the cabin supercharger and accessory drive shafts are other features of the 755.

A 54-kw. generator is provided for remote accessory power, and cabin super charging is done with air bled from the compressor. The Proteus 755 has completed a 500-hr. endurance run, including 200 hr. at takeoff power of 4,180 ehp., compared with 3,780 ehp., for the 705.

The 705 using the new reduction gear will power the first 15 Britannia Mark 100s now under construction at Bristol's Filton plant. The 755 will power the Mark 300 prototype now being assembled and the longrange Mark 300 and Mark 250 production versions being built for BOAC and Oantas Empire Airways of Australia. The Mark 250 is a mixed passenger-cargo version specifically requested by Qantas.

▶ 1,000-Hr. Overhaul Goal—Bristol is aiming for a service life of 1,000 hr. between overhauls within two years after the Proteus 755 goes into regular

BOAC service.

Britannia Development Plan Still air Econ. Flight cruise date Proteus 705 65-92 100 4,100 (3,750 ehp.) 5,180 1955 350 6.800 Proteus 755 65-101 1244 3,800 (4,150 ehp.) 6,100 350 1956 Proteus 755 65-87 8.300 1241 250 LR 36,500 3,740 (4,150 ehp.) plus cargo Proteus 755 65-101 8,300 1244 350 300 LR 4,500 (4,150 ehp.) 5,600 400 B.E. 25 65-101 10,500 1244 (5,000 ehp.) .... (thin wing) B.E. 25 65-101 Advanced

\*Imperial gallons \*\*Statute miles. \*\*\*True air speed.

BOAC's current plans call for beginning pilot training and route familiarization with the Mark 100 on African and Orient flights early next year. Tourist passenger service is planned for early

(? ehp.)

development

The medium-range Mark 300 version may be introduced on the North Atlantic, although it can make the London-New York flight nonstop in only 15% of the winter weather and 60% during

The longrange Mark 300 will be delivered to BOAC in 1956 and is aimed at doing the New York-London operation nonstop in 95% of all weather. It should be directly competitive with the Douglas DC-7Cs that will be going into trans-Atlantic service with Pan American World Airways the same year.

► 350-Mph. Cruising—The longrange Mark 300 version will gross 165,000 lb. and carry 8,300 imperial gal. of fuel, using integral wingtip tanks with milled skins substituted for the conventional construction for better tank sealing. It is expected to cruise at 350 mph. at 30,000 ft. altitude with a fuel specific of .495.

Bristol is concentrating its sales campaign of the longrange Mark 300 and is offering it to other operators besides BOAC for 1957 delivery.

Price is about \$2,250,000 without spares and radio.

Bristol plans to accelerate production at Filton to Britannias per month, supplemented by an additional two monthly at Short Brothers' Belfast plant. Bristol recently acquired 15% of the Short stock.

With production rolling at 50 planes a vear. Bristol sees no problem keeping up with airline demand.

► Operator Showcase-Key to future Britannia sales will be its performance on BOAC routes. Bristol recognizes the difficulty of cracking the airline market without a satisfied operator to use as a showcase.

It is concentrating on making a good showing with BOAC while spreading the Britannia word among European, Asiatic and U.S. airlines.

▶ Hedging Bad Luck – Meanwhile, BOAC-with the experience of being stung badly in postwar succession by the Avro Tudor, the Handley Page Hermes and the de Havilland Comet while pioneering British airliners-apparently is hedging against any Britannia bad luck by negotiating with Douglas for the DC-7D powered by the Rolls-Royce R.B.109.

BOAC says it hopes to have pioneered turboprop operation over its far flung routes with the Britannia by the time the DC-7D is available and Bristol hopes nothing happens to upset that timetable.

The Bristol sales campaign is stressing the Britannia series as a compliment to the Viscount, taking over in the 800-1,000-mi. stage length where the Vickers transport stops. It is emphasizing the operational flexibility of the Britannia, which enables an operator to standardize on one type of equipment for both medium- and longhaul

The company also is banking on the large successive waves of postwar immigration from Europe to Africa, Australia. Canada and the Middle East to stimulate a continued growth of longrange air travel for the future. Bristol believes that the bulk of this air travel growth will be in aircoach and therefore is stressing the high-density, six-abreast seating versions of the Britannia series with its rail-anchored seats that make quick conversion of seating possible.

It also is counting on the operating economy of the turboprop as a bigger attraction for airlines than the high speed of the turbojet transport.

#### Union Strength

- Aircraft labor ties new negotiations to elections.
- Leaders predict 'hostile' bargaining if GOP wins.

Los Angeles-West Coast aircraft labor unions are looking to the Nov. 2 national elections to determine the strength of their position in the new round of labor negotiations now beginning in California.

Bargaining already has opened at some plants, with unions seeking general wage increases ranging from 6% to 8%.

"We expect a very hostile management again if the Republicans take over in Washington for another two years," one labor leader says. "The Senate is the crucial spot."

► New Bargaining Chief-One of the most significant developments in the aircraft labor picture has been the announcement by the United Auto Workers (CIO) that president Walter P. Reuther will be the new director of the North American Aviation bargaining council.

Reuther's appointment followed the resignation of former director John W. Livingston, who retains his duties as director of the General Motors Department and the National Aircraft Department of the international union.

UAW-CIO again will press for elimination of the auto-aircraft differential in its bargaining with North American, but just how strong a fight will be made depends on the outcome of the November elections.

Election of a friendly Congress will encourage the union to make a determined effort in its NAA bargaining.

#### **New USAF Contracts**

disclosed in Commerce Department's daily synopsis of procurement just 24 hr. after USAF Secretary Harold E. Talbott announced awards of more than \$1 billion since Sept. 1 (Aviation Week Oct. 18, p. 14).

The synopsis also disclosed the value of several contracts announced by Talbott, who did not give value figures. Included on the list:

- Boeing Airplane Co., Seattle, 50 B-52Ds with spare parts and tools, \$223,166,000. For the same aircraft produced at Wichita, \$83 million. No production number was given for the Wichita plant.
- Lockheed Aircraft Corp., Marietta, announced, is for 275 engines.

Additional Air Force contracts were Ga., for aircraft, spares, tools, ground handling equipment, \$30 million. This presumably covers the C-130 order reported by Talbott.

- Convair, San Diego, for aircraft, spares and tools, \$2.8 million.
- Facilities contracts to Convair for the production of the B-58 Hustler (\$266,-250) and North American Aviation for production of the F-100 (\$2,546,000). Curtiss-Wright Corp., Caldwell, N. J., for propellers, \$5,456,335.
- Turbojet engine orders to Ford Motor Co. (\$22,208,200) and Allison Division of General Motors (\$34,004,205). Ford will make the J57-F-13 and Allison the J71-A-9. The Allison order, previously

to head up the union team may in- or before Nov. 15. dicate an intention to carry the fight directly to North American's board

least one Administration official at- differential would mean about an 8% tempted to bring Kindelberger together wage boost in addition to fringe benewith union negotiators. The NAA ex- fits that will be sought. ecutive spurned the meeting.

move to bring into the bargaining someone of sufficient national stature to deal directly with Kindelberger.

This theory is given further support by the fact that Reuther will not take part in the early bargaining. He has named his top administrative assistant, Jack Conway, to coordinate the talks. ► New Proposals—Leaders of UAW-CIO Local 887 say the proposals to be presented to North American are not yet in final form. They were to be submitted to a meeting Oct. 24.

The new contract proposals must be placed before NAA by Nov. 5, and

▶ Top-Level Fight-Naming of Reuther negotiations are scheduled to start on

The differential in auto and aircraft wages that the union will seek to chairman, J. H. (Dutch) Kindelberger. eliminate stands at present between 15 During last year's bitter strike, at and 17 cents. Elimination of the

► Renewed Alliance—Despite a split Appointment of Reuther may be a last fall when International Association of Machinists (AFL) failed to follow UAW-CIO onto the aircraft picket line (AVIATION WEEK Dec. 14, p. 18), UAW-CIO leaders say the two unions again will work together.

> IAM-AFL already has opened bargaining with Douglas Aircraft Co.'s El Segundo and Santa Monica Divisions. It has asked for a 6% general wage increase, in addition to fringe benefits that include nine paid holidays instead of the present six. Also under discussion is a 35-hr. work week.

> The union has asked extension of any agreement to April 1956, a clause that could bring some stability to the aircraft labor picture and also could peg aircraft wages at a high level during a period of cutback. It would enable the union to hold a firm position during the term of a possibly unfriendly Congress.

It can be expected that bargaining now underway will be extended until after the November elections despite contract expiration dates.

► Strike-Plagued Winter?—IAM contracts at Lockheed Aircraft Corp. expire Dec. 15 at Burbank and Jan. 1 at Bakersfield. Lockheed also is facing negotiations with the Engineers & Architects Assn. and the International Brotherhood of Electrical Workers.

IAM now is opening negotiations at Convair in San Diego, where the contract expires Dec. 14.

#### Gnat Leads Lightweight Competition

Unofficial reports on the first round of evaluation for the North Atlantic Treaty Organization's lightweight fighter competition (Aviation Week Oct. 18, p. 11) indicate the British Folland Gnat aircraft in the lead, followed by the French Dassault Mystere 26 and the Italian Fiat GA-91.

The initial evaluation was conducted at a NATO meeting in Rome. Results of the final evaluation are expected to be completed by December in Paris.

Lead of the Gnat was credited to the recent flight demonstration of its prototype Midge at the 1954 Farnborough show and during a test period at the

Royal Air Force flight test center at Boscombe Down, England, where eight RAF and Royal Navy pilots made 18 flights in three days.

A British Avro delta and several other French designs also are being submitted for the competition. They include the Breguet 1002 Taon, designed for two Armstrong Siddeley Viper or Turbomeca turbojets; a modification of the Sneaso Trident; the Scnase Durandal, powered by a Snecma Atar turbojet, and the Sfeemas Model 1402 Gerfaut, also powered by an Atar.

The French designs all use delta wings, except the sweptwing Taon.

#### Fatigue Blamed in Comet Crashes

RAE says failure resulted from cabin pressurization action and wing bending during many hours of flight.

By Seabrook Hull (McGraw-Hill World News)

London-British Overseas Airways Corp.'s de Havilland Comet 1 crashed at Elba this year when a weak section of the pressurized cabin failed and explosive decompression sucked passengers and crew out of the jet transport and ripped off the top of the fuselage, the Royal Aircraft Establishment testified last week.

In brief, RAE findings before a court of inquiry into the Comet crashes boil down to: structural weakness in the main fuselage and resulting fatigue failure under the combined action of cabin pressurization and wing bending during many hours of flight operation.

An inevitable result of these conclusions will be changes in the Air Registration Board's pre-acceptance test requirements.

Because no witnesses and little wreckage were found after the Naples crash Apr. 8, RAE confined the bulk of its findings to BOAC's Comet G-ALYP that crashed at Elba Jan. 10. But an RAE spokesman said, "Owing to the absence of wreckage we are unable to form a definite opinion on the cause.

. . . But the explanation offered above for the accident at Elba appears to be applicable. . . ."

Exhaustive Tests-The government's conclusions were reached by RAE only after the most exhaustive test program ever carried out on a civil airliner. They were offered in evidence only after one Comet was tested to destruction, another had its fuel tanks ruptured, 70 full-fledged test flights were made in another, between 50 and 100 dynamic

test models were broken up. More than 5,500 "flights" were made in a specially designed, developed and built full-scale test rig, and 70% of the original aircraft (Elba crash) was recovered and reconstructed.

The Elba plane was the first Comet to go into commercial service. It had logged 3,681 flight hours.

► The Crash—The morning of the crash it arrived at Rome at 8:30 Greenwich Mean Time. At 9:31, it made a normal takeoff. At 9:50, the pilot reported that he was at 26,500 ft. and intended to continue climbing to his cruising altitude of 36,000 ft. That was the last Rome airport heard from him.

However, during its climb the Comet passed an Argonaut transport. During a brief radio conversation, the Argonaut pilot asked for the height of the cloud tops. Comet pilot radioed: "Did you

get mine . . ." the message never was finished. Investigators surmise that was the moment when disaster struck.

Here's what RAE investigators believe occurred at that moment:

 Initial failure occurred around the rear ADF window (there are two in line on top of the fuselage just aft of the flight deck) and immediately ripped loose a section of the pressurized fuselage.

• Explosive decompression of the fuselage occurred immediately, expelling all occupants as from a gun. Simultaneously, the whole top of the central cabin back of the "A" in BOAC ripped

From work done with ro scale models, RAE experts figure the cabin cleared of everything portable within a third of a second. In effect, after the first small rupture, there was an immediate disintegration of the central

Next, in rapid order, tail and fuselage aft of the rear wing spar came loose as a unit, the nose and outer half of the port wing came off, all as the result of heavy downward pressure.

The main wing section with the engines still intact then caught fire. The tail and after fuselage hit the sea intact, with the open fuselage section going in first. The burning wing fell in next. Other parts of the wreckage were scattered over a wide area.

► Weak Point—The specific weak point in the Comet 1, according to RAE, is at the corners of the windows. In repeated tests at Farnborough, fatigue failures showed up here.

At those points where DTD-546 aluminum alloy was used in the fuselage (with an ultimate static strength of 65,-000 lb./sq. in.) RAE testers showed both in the air and on the ground that stress of 45,700 psi. was imposed two or three times per normal 3-hr. flight. This meant that 70% loads were applied repeatedly to these parts during the actual life of the airliner.

Compared to normally accepted maximums of 40-50%, this fact never showed up in the Comet pre-acceptance

De Havilland ran compression tests on a section of the Comet cabin for equivalent of 54,000 flight hours before forcing a breakdown.

► Tank Tests—Although actual full details will become available to the general public only at the end of the inquiry, it is virtually certain that the only way RAE found them was through simultaneous wing bending and pressurization tests in a specially con-

structed tank designed to take a complete Comet 1 fuselage.

Normal practice of Britain's ARB is to proof-test pressurized aircraft hulls to one-third over the designed operational pressure. For the Comet, which carries a maximum of 81 lb./sq. in.-8,000-ft. cabin pressure at 40,000 ft.this would normally have meant prooftesting to 11 psi.

However, on de Havilland's suggestion, the Comet was tested to 17 psi., or two to one over operational requirements, before receiving its airworthiness certificate. Fatigue would not show up in a test of this nature.

One way the onset of fatigue failure may have been missed in the case of the Comet was in a subsequent pressurization test. Evidence presented to the court last week was to the effect that cabin integrity under pressurization was only checked to the standard rate of 11 psi. after repairs made in November 1953.

► Clean Bill—In the first days of the inquiry perhaps more was revealed about what things were not to blame for the Comet crashes than about things that were. For example, in Sir Lionel Heald's opening address these things were given a clean bill of health: the engines, maintenance, tail section strength, pilot and crew, the tower at Rome, ground crews at Rome, the tires (someone earlier suggested one might have blown up), the weather, power controls, pressurization system, and wing strength. The possibility of sabotage was very early effectively ruled cut. Comments on Redux bonding and the fuel system have been few, although it is certain they will be exhaustively reviewed as the hearings progresses.

Investigation into the causes of the two Rome crashes began almost immediately after Elba. Invaluable to the researchers was the large amount of wreckage Royal Navy divers were able to recover. All told, they brought up 80% of the aircraft structure, 80% of the powerplants and 50% of the equipment-totaling 70% of the recoverable weight of the aircraft. Aside from the value of these bits and pieces in themselves, the pattern in which they were found on the ocean floor provided important evidence of the order of breakup of the aircraft.

► Wired Skeleton—A close look at G-ALYP reassembled presents a startling, (and frightening) sight. Under a giant tent at RAE's Farnborough headquarters, every bit and piece that was recovered and could be identified has been hung back in place on specially built frameworks.

Whatever happened to G-ALYP some 35,000 ft. over the Mediterranean was, if nothing else, devastating. The main fuselage all the way from the main wing spar back to the rear pressure bulkhead seems simply to have disintegrated into pieces a foot or smaller in diameter.

The forward main wing spar just to left of center but still inside the fuselage shows a clean break. The tops and bottoms of the rear main wing spar are buckled-the top one down, the bottom one up-to within inches of one another. Passenger seats are twisted and buckled. The whole empennage is broken off clean with hardly a piece of metal ripped and is pretty much intact. The flight deck forward of the fuselage was torn loose in a perfect circular rip as though it had been done with a dull can opener. Whether tail and flight deck broke loose on impact with the water or during salvage operations hasn't been revealed.

The outer port wing panel has never been found though the very tip was recovered. Great, massive hunks of skin, three to four feet in diameter, were ripped loose from both upper and lower wing surfaces.

The wing spars, except for the missing port outer wing panel and the failure amidships are fairly much intact although considerably twisted and bent. The port inboard engine's turbine wheel is still missing. Its stator blades are is badly buckled. Aside from the one missing turbine wheel and magnesium parts dissolved by the sea water most of the engines were recovered.

tion of Redux-bonded stringers in both the wings and the fuselage will undoubtedly provide some interesting evidence of the reliability of this kind of construction under extreme conditions.

Aero Research, Ltd., which developed the Redux process, apparently expects some comment, either from the Crown or other counsels, because it has legal representation at the hearing. So have the Dunlop Rubber Co., British Thomson-Houston, South African Airwavs, de Havilland, British Airline Pilots Assn., navigating and engineering officers union, relatives of the victims, and interested government agencies.

The intensive recovery of wreckage in this, the first examinable instance of inflight failure of the pressurized cabin, may also provide some interesting knowledge on riveting techniques. In the small pieces of fuselage recovered from the breakup of the main passenger section were a great variety of failures.

The pressure bulkhead at the after end of the cabin was torn partially loose from its fuselage mounting ring and had about an 18-in, radial rip in the lower port quarter looking forward.

► Wreckage and Models—Having so much wreckage to examine was of course a great help to the investigators. For example, by checking the control

#### 24,500-Ft. Mark

Sikorsky Aircraft's turbine-powered XH-39 helicopter last week set its second unofficial world record by flying to an altitude of 24,500 ft. at Bridgeport,

In late August, the same aircraft set a world speed record of 156.005 mph. (Aviation Week Sept. 6, p. 16).

Both records were set by Army warrant officer Billy Western and exceeded marks made last year by Air Force Capt. Russell M. Dobyns, who set records of 146.763 mph. and 22,110 ft. in a Piasecki H-21 Work Horse.

Western's climb at Bridgeport was made under supervision of the National Aeronautic Assn. and will be submitted to Federation Aeronautique Internationale for official recognition.

Rules of the FAI required that Western improve on the Dobyns record by at least 3%. His actual figure for the climb exceeded the old mark by more than 10%. The record was set Oct. 17.

cables they were able to decide that blade ring of the port outboard engine two pieces of metal-one severely case. of events. And when they designed 3/2-scale dynamic models to fall apart in the deduced order and fired them off a hangar top at Farnborough they were able to duplicate on the landing field the wreckage pattern found in the Mediterranean. These models, which were scaled down not only in size but in density and launching speed as well to carefully duplicate the actual Comet in flight, were fired horizontally from a special hangar top track at 90 feet per second and were also dropped from balloons. Where possible they were caught in nets, but quite a few were lost anyhow. Where successive disintegration was required, strings were attached to the various parts to be pulled loosetiming and sequence of the breakup being preset by the string lengths. One end of the strings was attached to the launching site. Movies were taken of these tests.

▶ Pressure Tests in Tank-For the special static tests run on the Comet fuselage a tank 112 ft long, 20 ft. wide and 16 ft. high, containing 250,000 gal. of water was built out of bolted-together four-foot steel panels. The whole job of designing and building this unit took six weeks.

The fuselage was moved into place when the tank was only partly built.

The rest of the tank was then built around the Comet. The wings outboard of the engines stuck out of the tank. Under each wing were four hydraulic jacks which provided positive-G wing bending effects while simultaneously water was pumped into the submerged hull to simulate pressurization.

Drawbacks of the Farnborough rig were that it was not set up to apply negative-G gusts and didn't duplicate the constant small pressure fluctuations an actual aircraft in flight experiences as a result of the control system.

On walking through the fuselage drained of water you can see several places obviously ruptured. This fuselage was tested to destruction several times, repairs being made after each blowout. Near the end, all windows were blocked off and the area around them heavily reinforced with riveted-on heavy aluminum alloy. Tests were then run to see where, if the windows were eliminated. the fuselage would go next.

On another Comet, fueling tests were run to check the effects of overfueling and the results of the accumulation of excessive pressure. One tank was ruptured intentionally and the wing and controls checked for aerodynamic charthe rear fuselage pulled loose before the acteristics and strength. Nothing has badly scarred and chipped. The stator nose section. By matching together come out yet on the findings in this


burned, the other showing no evidence Seventy Flight Tests-In the flight of burning-they were able to decide test program, RAE made 70 full-fledged that the fire occurred after the breakup flight tests with aircraft rigged with and not before. In this way they were over 100 different sets of special in-No Word About Redux-The reac- able to reconstruct the actual sequence strumentation: strain gages to every conceivable part of the aircraft to record high-frequency vibrations, including engine efflux, semi-low-frequency vibrations from other sources such as buffetting, standard flight loads and the like. The aircraft also was wired to record temperatures in every part of the plane, to detect and record fuel leakage, the response of both the pilot and the plane in flight. Everything checked in the air was checked again on the ground. All flights were made unpressurized.

► Builder's Worry—Where all this leaves the people who made and those who bought the Comet is a moot question. De Havilland is trying to come out as best it can and has hired ex-Attorney General Sir Hartley Shawcross to represent it at the court of inquiry.


BOAC, of course, is present but apparently more in defense of its own interests as operator of the ill-fated planes than as a complainant against de Havilland. Air France isn't present.


Question of compensation to the airlines who bought Comets doesn't seem to be near the stage of litigation. It is reported that all Air France wants is a reasonable trade-in value on the Comets it already has bought.

It is a moot point whether Comet 1 will ever fly again commercially.



New Gilfillan GCA Quadradar FACT only complete, efficient, lowestcost, best-proven, lightweight radar traffic control system available today!





#### PROVEN PERFORMANCE **GUARANTEED DELIVERY**


Only the Gilfillan GCA Quadradar can bring the known reliability of components already proven under most adverse conditions in world-wide service. Built by the company with by far the greatest experience-builders of 500 GCA equipments.

Maintenance and training do not present new problems. Components are interchangeable with current GCA equipments now in operation in 28 countries around the world. Experienced GCA operators and maintenance personnel need only a few minutes further instruction.


Only Gilfillan provides field service through 200 Gilfillan technical experts located throughout the world.

Only Gilfillan offers a firm, low price on a superior, already-proven, in production, complete 4-way radar now; and a firm delivery date (10 months from date of order) backed by Gilfillan's unmatched record of on-time delivery.










HEIGHT-FINDING













#### F-94 Crash Protests Close Boston Runway

A runway at Boston-Logan International Airport has been closed following the crash of an Air National Guard jet interceptor near homes adjoining the field. The plane apparently lost power while taking off on an alert to check on an unidentified aircraft in the area.

The pilot was killed when he unsuccessfully attempted to ditch his Lockheed F-94 in a channel of water that separates the field from a residential area. Instead, the plane skidded up the bank onto a bordering roadway and halted near two homes, where it burst into flames and seared the dwellings.

The State Airport Management Board, acting on protests by civic leaders and elected officials, shut down Runway 41 for takeoffs and 22R for landings-except for military aircraft "in the event of a national emergency."

#### Harvard Offers New Air Medicine Course

A graduate course in aviation medicine is being offered this year at the Harvard School of Public Health, Cambridge, Mass.

Dr. Ross A. McFarland, associate professor of industrial hygiene and author of two books on human factors in air transportation and air transport design, will direct the training program.

Seminars during the four-quarter course will include discussions of practical human problems in high-altitude operations, ventilation, temperature, humidity, control of insects and airborne diseases, noxious gases, noise, vibration, acceleration and motion, cockpit and control cabins and passenger accommodations.


#### Airport Group Weighs Federal-Aid Program

A special seven-man group of Airport executives has been appointed by the Commerce Department to assist Undersecretary for Transportation Robert B Murray, Jr., in evaluating the 1955 Federal-aid airport program.


The group will look over the fiscal 1955 program and suggest ways the Commerce Department might improve preparation and administration of the 1956 program.

Members are: Claude Friday, president of the National Association of State Aviation Officials, Albany, N. Y.; Donald Martin, airport manager, Metropolitan Oakland International Airport, Oakland, Calif.; Fred Glass, director of aviation for the Port of New


#### First Look Inside Lightweight A4D Cockpit...



INSTRUMENT PANEL has large, easy-to-read dials. Armament controls are set below the dials. Landing gear lever (left) is shaped like wheel for easy identification. Trim controls sit atop pistol-grip stick, are actuated by pressing button in the center.



LEFT CONSOLE contains engine controls and oxygen regulator. Flap actuator (with airfoil shape) is behind the throttle, which also contains the speed-brake actuator.



RIGHT CONSOLE carries IFF, UHF and instrument lights controls, air conditioning and compass controller. Carrier deck arresting lever is at upper left. Tidy cockpit typifies weight-saving ideas that Douglas-El Segundo put into new Navy attack plane.



G. M. GIANNINI & CO., INC. AIRBORNE INSTRUMENT DIVISION PASADENA 1, CALIFORNIA



York Authority, New York; William Fuller, director of aviation, Meacham Field, Ft. Worth, Tex., and president, American Association of Airport Executives; Louis R. Inwood, director of aviation, Philadelphia International Airport, Philadelphia; Walter Betsworth, manager of Waterloo Municipal Airport, Waterloo, Iowa, and Melvin H. Nuss, director of Reading Municipal Airport, Reading, Pa.

#### SEC Reports Aircraft Stock Transactions

Mundy I. Peale, president and director of Republic Aviation Corp., has sold 1,000 shares of the company's common stock, reducing his holding to 4,082 shares, the Security & Exchange Commission reports.

Other transactions for the mid-August to mid-September period include:

ACF-Brill Motors Co. Acquisition of 1,000 common shares through exercise of an option, by William Nelson, officer, making a total holding of 5,000 shares; acquisition of 2,500 common shares by Joseph Towne, officer, his total holding.

Air Associates. Disposal of 600 preferred shares, total holding, by C. Kenneth Baxter,

Air Reduction Co. Disposal of 100 preferred shares by Charles Munson, director, his total holding.

Allegheny Airlines. Acquisition of 2,000 common shares by Willard Rockwell, Jr., director, making a total holding of 5,000; acquisition of 1,000 common shares by Henry Satterwhite, director, making a total holding of 10,900.

American Airlines. Acquisition of 100 common shares by R. E. S. Deichler, officer, making a total holding of 550.

Are Equipment Corp. Acquisition of 3,200 common shares by John Markey, officer and director, making a total holding of 106,325

Bellanca Aircraft Corp. Disposal of 500 common shares, total holding, by James Sullivan, director.

Capital Airlines. Acquisition of 200 common shares by J. D. Stetson Coleman, director, making a total holding of 5,200; acquisition of 1,000 common shares by Thomas Neelands, Jr., director, making a total holding of 5,000

Continental Air Lines. Direct acquisition of 5,300 common shares by Lawrence C. Ames, director, and indirect acquisition of 400 common shares through the C. H. Ames estate and family, making a total direct holding of 17,000 shares and an indirect holding of 1,900.

Douglas Aircraft Co. Acquisition of 10,-000 common shares through exercise of an option by Donald Wills Douglas, officer and director, making a total holding of 15,400.

Fairchild Engine & Airplane Corp. Acquisition of 2,500 common shares by Grover Loening, director, making a total holding of 12,500.

Flying Tiger Line. Disposal of debentures, valued at \$81,000, by James Davidson, director, leaving a holding valued at

Garrett Corp. Acquisition of 100 common shares by W. R. Ramsaur, officer and director, making a holding of 4,160.


General Dynamics Corp. Acquisition of 2,000 common shares through exercise of an option by Roger I. Harris, officer and director, making a total holding of 2,087; disposal of 1,335 common shares by Clifton Miller, director, leaving a holding of 5,000; disposal of 200 common shares by J. V. Naish, director, leaving a holding of 828; acquisition of 3,000 common shares by Frank Pace, Jr., officer and director, making a holding of 3,115; acquisition of 500 common shares by Lawrence Richardson, officer and director, making a holding of

General Electric Co. Acquisition of 1,500



TWA Super Connie With Tiptanks

Wingtip fuel tanks and advanced visual Tiptanks, with 600-gal. capacity each, are radar equipment will be included in Trans expected to add 600 mi, range with full World Airlines' newest Turbo Compound- payload. TWA claims they will be longest powered Super Constellations. First of the range transports available in 1955. RCAnew planes will be delivered in late February. built visual radar will be carried in nose.



AND it's a beehive of activity, too - for at the M world-famous Goodyear airship dock, production of lighter-than-air craft is in full swing.

Reason: The versatile airship is being called upon to play a variety of vital roles in our national defense. Armed with the latest in sonar equipment, MAD gear and the latest homingtype weapons - one of the principal roles of the new "super" blimps is that of a swift and deadly submarine hunter.

Pioneering in this nation's production of airships, Goodyear Aircraft has contributed new developments and special skills in metal-working

which have resulted in important structural improvements in airplane design.

Many of these advancements are embodied in the wide range of major aeronautical products being produced by Goodyear Aircraft Corporation - which today is serving virtually every member of the aeronautics industry.




Why not write today for your copy of "Ready Room"-new 20page illustrated brochure which interestingly describes the production facilities and scope of Goodyear Aircraft. Address: Goodyear Aircraft Corporation, Dept. 931AV, Akron 15, Ohio.

# GOOD YEAR AIRCRAFT

☆ THE TEAM TO TEAM WITH in AERONAUTICS ☆

Plants in Akron, Ohio and Litchfield Park, Arizona



#### OPERATION SKYHOOK

Since that memorable day in 1903, when Orville Wright soared 120 feet over the windswept dunes at Kitty Hawk, endless hours have been devoted to increasing the range and time-in-flight of American military aircraft. At Fletcher Aviation, our highly skilled engineers have worked on this vital problem for 320,120 hours during the past seven years.

Because of our work, and that of others, it is now possible for modern aircraft to triple their range and time aloft by using external wing tanks. Still, we are not satisfied. We are currently cooperating with the AMC on the development of in-flight refueling equipment which will permit America's air arm to attain maximum global mobility.

We are proud of this opportunity to further the progress of American aviation through "Operation Skyhook."

World's largest designers & manufacturers of external wing tanks
FLETCHER AIRPORT • ROSEMEAD, CALIFORNIA
SERVICE OFFICES: DAYTON, OHIO • WASHINGTON, D.C.
OFFSHORE AFFILIATES: OSLO, NORWAY • TOKYO, JAPAN

and disposal of 600 common shares by John Belanger, officer, making a total holding of 3,901; acquisition of 200 common shares by George Montgomery, director, making a holding of 800 shares; acquisition of 1,221 common shares by Ross Parker, officer, making a holding of 3,222 shares; acquisition of 1,500 common shares by Robert Paxton, officer, making a total holding of 6,115; acquisition of 1,047 common shares by Ray Turnbull, officer, making a holding of 2,847.

Grumman Aircraft Engineering Corp. Disposal of 1,000 common shares by L. R. Grumman, officer, leaving a holding of 150,900.

Lear, Inc. Disposal of 315 common shares, total holding, by Forrest Beamer, officer; disposal of 636 common shares, total holding, by Albus Durham, officer; disposal of 902 common shares by Paul Moore, officer, leaving 10; disposal of 346 common shares, total holding, by George Otis, officer.

Lockheed Aircraft Corp. Disposal of 455 capital shares by H. R. Campbell, officer, leaving a holding of 3,000; disposal of 500 capital shares by Daniel Haughton, officer, leaving a holding of 2,114; disposal of 200 capital shares by K. V. Sampson, officer, leaving a holding of 1,532.

Glenn L. Martin Co. Disposal of 1,400 common shares by Glenn L. Martin, leaving a holding of 273,700; indirect acquisition through wife's estate of 1,000 common shares by Duncan M. Spencer, director, making a total indirect holding of 2,500. Acquisitions of common shares through exercises of options: 1,250 shares by W. L. Lucas, officer, making a total holding of 1,350; 7,000 shares by George B. Shaw, officer, making a holding of 7,380; 3,500 shares by Daniel Siemon, officer, his total holding; 3,500 shares by Earl Uhlig. officer, making a total holding of 3,622; 5,000 shares by George Willey, officer, making a total holding of 3,622; 5,000 shares by George Willey, officer, making a total holding of 7,312.


McDonnell Aircraft Corp. Acquisition of 400 common shares by Garrett Covington, officer, making a total holding of 550.

Northrop Aircraft. Acquisition of 100 common shares, total holding, by James Allen, director. Acquisitions of common



#### Record Breakers Part

Standing before the Bell X-1A rocket-powered research plane in which they set speed and altitude records, Maj. Charles E. Yeager (left) and Maj. Arthur Murray say goodby before Yeager's departure on a new assignment. He left the USAF flight test section at Edwards AFB for 12th AF Head-quarters in Germany. Yeager flew the X-1A at 1,650 mph. last December; Murray piloted the craft to approximately 90,000 feet. Both men wear T-1 pressurized altitude suits.



# SPECI

FOR THE

BEST IN

#### ANTLICING EQUIPMENT

ADEL anti-icing equipment is designed, engineered and precision-built for maximum performance and dependability. Today, ADEL equipment is on the latest aircraft because ADEL has the proven ability to better serve the industry.



Fluid Metering Pump Series "M" with capacities from 5 to 15 GPH at 20 psi, 271/2 V.D.C. Width 31/6", length 6%". Weight 2.75 lbs. Single and dual outlet types. Meets all anti-icing requirements.

Filter-Micronic Series 12755 filters out foreign particles as small as 5 microns out of standard anti-icing and fuel heater system fluids. Aluminum bowl, easy to clean. Largest filter area available for size and weight (0.3 lb.).





Low-Pressure Check or Relief Valve Series 8182 widely used in fuel heater and antiicing systems. Easily adjustable. Cracking pressure range from 4 psi to 130 psi. Capacities to 36 GPH at 40 psi.

Low-Pressure Shut-off Valve Series 12257, solenoid operated, for instant flow control at remote points in antiicing and related systems. Ratings: 15, 40, 200 psi. 6, 12, 24, and 110V. D.C. Available with AN-type connectors.





ADEL also produces a complete line of HYDRAULIC & PNEUMATIC CONTROL EQUIPMENT, HEATER & FUEL SYSTEM EQUIPMENT, ENGINE ACCESSORIES and LINE SUPPORTS.

Write for new, descriptive Brochure containing detailed information on ADEL's line of Aircraft Anti-Icing, Heater and Fuel System Equipment. Address: ADEL DIVISION, GENERAL METALS CORPORATION, 10775 Van Owen Street, Burbank, Calif.



DIVISION OF GENERAL METALS CORPORATION . BURBANK, CALIF. . HUNTINGTON, W. VA

CANADIAN REPRESENTATIVE: RAILWAY & POWER ENGINEERING CORPORATION, LIMITED.

stock through exercises of options: 1,130 shares by Kenneth Bowen, officer, making a holding of 1,330; acquisition of 411 shares, total holding, by George Johnson, officer; 660 shares, total holding, by Edgar Schmued, officer.

Northwest Airlines. Acquisition of 300 common shares by William Stern, director, making a total holding of 2,000; acquisition of 200 common shares by Wheelock Whitney, director, making a total direct holding of 500 shares and 700 indirectly owned

Pan American World Airways. Acquisition of 418 capital shares by Henry Berke, officer, making a total holding of 853; disposal of 535 capital shares by Andre Priester. officer, leaving a holding of 4.351.

Raytheon Manufacturing Co. Acquisition of 3,500 common shares by C. F. Adams Jr., officer and director, making a holding of 11,000.

Reynolds Metals Co. Acquisition of 400 common shares by Calvin Coghill, officer, making a total holding of 1,205.

Rheem Manufacturing Co. Acquisition of 300 common shares, total holding, by A. C. Wedemeyer, officer and director.

Scaboard & Western Airlines. Disposal of 609 common shares by Arthur Dorden, officer and director, leaving a holding of 28.021; disposal of 200 common shares by Charles Ripley, director, leaving a holding of 23,500.

Solar Aircraft Co. Acquisition of 150 common shares, total holding by D. J. Guth, officer; disposal of 550 common shares, total holding, by Richard Rollins, director.

United Aircraft Corp. Disposal of 200 common shares by H. Mansfield Horner. officer and director, leaving a holding of 4,000; acquisition of 800 common shares by Lauren D. Lyman, officer, making a hold-

#### CAB Lists Business Aircraft Accidents

A compilation by Civil Aeronautics Board of accident statistics covering executive flying from 1950-53 reveals a total of 195 accidents during the fourvear period.

Until 1950, executive non-airline statistics were lumped into the personal transportation category. That year a new category was established to account for business aircraft.

The report covers companies owning one or more planes for personnel transportation or for other business and flown by professional pilots.

The 195 total breaks down into 28 fatal and 10 serious accidents plus 157 involving minor or no injuries. The fatal accidents accounted for 98 deaths.

Collision, stalls, airframe failure and propeller accidents to persons on the ground were leading types of serious accidents. Various types of collisions accounted for 23 in the fatal-serious cate-

Most major accidents occurred in normal flight. The majority of minor accidents occurred during landing roll.

The most prominent factor involving pilots was the continuation of visual flight rules in unfavorable weather.

On Jan. 1, 1954, investigation of accidents occurring to fixed-wing aircraft under 12,500 lb. was changed from CAB to Civil Aeronautics Administration.

AVIATION WEEK, October 25, 1954

#### Best equipment for the beautiful new twins





RECEIVER


Visual and Aural

VHF

TRANSCEIVER

36 Channels - crystal-controlled

OMNIMETER \* MARKER BEACON Omnirange Navigator



L-2 AUTOPILOT Push-button ILS Approach (3 in 1 Indicator) and Altitude Control



AUTOMATIC **DIRECTION FINDER** Remotely Controlled



VHF ANTENNA **Broad Band Performance** 



The great new "twins" and the superb new Lear line of specially designed radio and autopilot products were made for each other. To match the multi-engine speed, safety, and utility of these excellent planes, Lear offers quality, performance, and all-weather dependability. With Lear in the cockpit, the business plane is really in business! Lear Inc., LearCal Division, 3171 South Bundy Drivé, Santa Monica, California.



BEECH TWIN-BONANZA



CESSNA 310

#### Air Traffic Outpaces L.A. Expansion Plans

Air traffic at Los Angeles International Airport rapidly is outpacing ex-pansion plans, forcing field authorities to consider stop-gap facilities to handle the volume.

The temporary measures would make the "most efficient use" of the present terminal area during the next six years until passenger traffic can be transferred to new facilities, consultants to the Board of Airport Commissioners

An economic analysis prepared for

the board by Aviation Services Co., Minneapolis consultants, forecasts that by 1960 some 2.4-million passengers will be departing from the airport-twice as many as in 1952. Plane departures will climb to 89,589, and approximately twice the number of employes will be needed to handle the traffic volume.

The proposed stop-gap modernization plan recommends:

 Ten additional plane loading ramps for a total of 36 positions.

 Additions to the existing freight terminal to take care of an estimated 48,500 tons of air cargo, twice 1953's






at the touch of a button...

# PRODUCTION POWER

Well designed and equipped factory production power (like this 7000 ton hydro-press) at your disposal—to solve your production problems large and small.

The field of competitive manufacturing has widened to include the Oliver Aviation Division. Backed by 9 additional plants, we offer all phases of aircraft production, both defense and commercial. Typical of Oliver manufacturing skill is the production of fuselage sections for the Boeing RB-47 Stratojet.





Complete Brochure On Plant Facilities **Available Upon Request** 

BOEING RB-47 STRATOJET



OTHER PLANTS: Battle Creek, Michigan; Charles City, Iowa; South Bend, Indiana; Cleveland, Ohio; Be-Ge Mfg. Co., Gilroy, California; A. B. Farquhar Division, York, Pennsylvania; Springfield, Ohio; Shelbyville, Illinois.

 An increase in public auto parking facilities by at least 1,100 spaces. There now are 1,328 spaces.

 Enlarged kitchen and dining areas in restaurants to handle an estimated 75% increase in business by 1960.

#### American Asks Delay Of Agency Fee Boost

Postponement of action by Civil Aeronautics Board on an Air Traffic Conference Agency resolution that calls for a revision in compensation rates paid travel agents has been requested by American Airlines.

American proposes that present fees paid to travel agents-5% on point-topoint domestic travel, 7% on international ticket sales and 10% on domestic independent and advertised air tours-be continued pending action by the airline at the next regular meeting at ATC Nov. 15. The amendments filed with CAB were adopted by the conference April 1953.

Principal reason for American's request to rescind the amendments, according to C. R. Speers, senior vice president-sales, is AA's program for sales development and promotion that will be directed primarily at the personal, pleasure and vacation markets.

#### CAA Sets Up Tower Training on Formosa

An aeronautical training center now is operating in Taipei, Formosa, to train personnel for traffic control and communications work on the Free China system of airways.

The center is under direction of Civil Aeronautics Administration experts and is operated with the support of Foreign Operations Administration and Nationalist China's Civil Aeronautics Administration. The course lasts 13 weeks, and is patterned after the CAA training center at Oklahoma City.


#### **Brazil International** Plans New U.S. Route

Brazilian International Airlines plans to extend its South America-U.S. service from Miami to Chicago as soon as arrangements can be made. Miami now is BIA's only U.S. stop.

Airline officials say the new route would be operated three times a week, flying Douglas DC-4s.

They also report BIA has ordered eight Convair 340s and plans to buy three DC-6s next spring. Two 340s already have been delivered, four more will arrive this month and the last two are scheduled for late 1954.

AVIATION WEEK, October 25, 1954



# 50 to 80% lighter weight!

#### TWIGG CAN DO IT

. . . by fabricating new stainless steel honeycomb type core material into precision aircraft and guided missile parts!

#### **EQUAL STRENGTH** AT MAXIMUM OPERATING **TEMPERATURES**

Twigg's highly advanced high temperature brazing process provides long life for the assembly . . . insures honeycomb structure's strength at high operating temperatures.

#### EQUAL STRENGTH WITH 50 TO 80% WEIGHT REDUCTION

Designing and fabricating this new stainless core material into strong, light-weight assemblies is typical of Twigg's highly specialized metalworking techniques. Parts produced actually possess strength of stainless steel yet average 50 to 80% lighter weight.

### TWIGG CAN DO IT ... for you!

Aircraft engine parts adaptable to the stainless steel honeycomb type assembly include compressor casings, turbine frames, burner supports and forward frames. Details on other parts and their fabrication will be furnished on request.

Whatever your product requires . . . precision fabrication, lightness with strength, heat or corrosion resistance . . . call on TWIGG! A copy of our brochure, "Twigg Can Do It," illustrating facilities for fabricating and machining high capacity metals is yours for the asking. Write today.



MANUFACTURING

combustion chambers, transition

liners, turbine casings, tail cones,

brackets, and other components.

afterburners, burner supports,

FOR AIRCRAFT:





#### AERONAUTICAL ENGINEERING



BUILT-IN RAMP for passengers is shown on B-57B mockup. EIGHT-PASSENGER mockup includes four-place divan.



SIX-PASSENGERS are carried in one suggested version.



### Martin Offers B-57B Combat Transport

Glenn L. Martin Co. is trying to cated forward, and the co-pilot's seat B-57B, latest of the night intruder with identical controls. series, and is exhibiting a mockup of the plane at USAF bases.

Tactical Air Commands have an existing need for such aircraft to con- 12-passenger version. serve travel time for key men.

would be as a litter carrier, a small tanker, a bomber-navigator trainer, and a cargo plane for transporting highpriority items.

Extended Center-The mockup has the same nose section as the B-57, center section is 78 in.

interest the Air Force in a "combat is immediately behind and slightly transport" version of the twin-jet raised. Ejection seats are equipped

rently is being displayed with four Martin claims the Strategic and seats and a four-place divan. Martin says this can be changed to a six- or

The mockup shows two escape Other possible uses, Martin claims, hatches, one in the floor and the other in the roof of the cabin. The Colo.; Strategic Air Command headcabin entrance door is jettisonable.

> The co-pilot's seat can be reached through an entrance from the cabin, permitting passengers to obtain flight time in the plane.


within 12 months after the receipt and dual controls. The pilot is lo- comparable to the B-57B when full rector of flight at Martin, put the low-

advantage is taken of the B-57B learning curve.

The mockup has been displayed at Washington National Airport, Tactical An eight-passenger mockup cur- Air Command headquarters at Langley AFB, Va., and was scheduled to be shown at the National Guard Meeting last week in Miami; Air Materiel Command headquarters in Wright-Patterson AFB, Ohio; Air Defense Command headquarters at Ent AFB, quarters at Offutt AFB, Neb., and Air Training Command headquarters at Scott AFB, Ill.

Martin plans to deliver the B-57B to Air Force units within the next but the center fuselage section has ▶12-Month Production-Martin says few months, and a squadron at been extended 2 ft. Diameter of the the plane could be in production Langley AFB (now flying B-26s) will receive the first of the new model.

The cockpit contains tandem seats of an order, and its cost would be Tight Turns-O. E. (Pat) Tibbs, di-



#### . . . You Specify It . . . You'll Get It from Allied's Plant 3!

Give Allied extremely close machining tolerances . . . specifications for surface finish in the low microinch range . . . minimum limits in heat treat requirements . . . and you can be sure that you'll get what you want.

Because of the type of customers with whom Allied has been working for many years, precision has become standard—not unusual—procedure at Plant 3. It has necessitated the use of equipment especially suited for economical and efficient production of this type—and there is a wealth of it here, available to perform any operation which might be required.

Volume production is the primary business of Plant 3. However, special facilities are utilized for short run work. Check with Allied . . . learn how your needs-in any volume-can be met exactly.



#### WANT TO KNOW MORE . . .

about Allied's Plant 3? This new brochure describes in detail its facilities and scope of operation. Write for your copy . . . today.

#### ALLIED PRODUCTS CORPORATION

DEPT. D-22

12637 BURT ROAD

DETROIT 23, MICHIGAN



PLANT 3 Hillsdale, Mich.



PLANT 1 Detroit, Mich.

Other

Allied Products

SPECIAL COLD FORGED

PARTS . STANDARD CAP

SCREWS . SHEET METAL

DIES PRODUCED IN IRON,

ALLITE (ZINC ALLOY) AND

PLASTIC . R-B INTER-

CHANGEABLE PUNCHES

AND DIES

PLANT 2 Detroit, Mich.




slung aircraft through its paces at Langley in the first public display of the B-57B. The plane showed a high degree of maneuverability as Tibbs executed a turn within a mile radius.

Its speed is in the 600-mph. class, and the plane is powered by two Wright J65 engines-each developing 7,200 lb. thrust.

New design features on the B-57B include triangular speed brakes on both sides of the fuselage, a clamshell canopy for the two-man crew and a redesigned cockpit.

A New York Air National Guard wing is programmed for conversion to the B-57.



GETTING READY for space flight.

#### Ground-Borne Tank To Aid Space Studies

A sealed cabin, designed to investigate human factors inside the tight cockpit of a space ship, has just been delivered to the Air Force School of Aviation Medicine. Within the cold walls of this heavy steel tank are oxygen equipment, chemical filters to remove excess carbon dioxide and water vapor, and equipment to control the heat.

A joint effort of the School's departments of Physiology and Space Medicine, the sealed-cabin project is under the supervision of Dr. Hans-Georg Clamann, an authority on body functions at high altitudes.

▶ The Reasons Why-A scaled cabin is an essential tool to study high-altitude flight problems because it can furnish information about what goes on inside the aircraft. In contrast, a low-pressure, or altitude chamber, can only tell what happens when things go wrong and the pilot is subjected to outside conditions.

The cabin is hermetically sealed off from the outside air, and furnishes the artificial environment under which the pilot must live. The school says that conventional pressurized cabins of the current type cannot be used above 80,000 ft. There is so little air at that height that present-day compressors cannot pump enough in to keep the flier safe. Ozone is contained in the air



for starting . . . for servicing . . . for testing . . . for towing . . .

One compact, self-propelled, multi-purpose unit for aircraft and guided missiles.

Designed and manufactured by Consolidated, this complete source of ground support power is now serving the United States Air Force, Navy and Marine Corps.

This all-purpose unit can deliver all or any combination of the following:

a.c. power compressor 400 Cycles, 3 phase Air supply up to 3500 and 1 phase, close regpsi, 13.5 cfm, 1,000 cu. in. reservoir d.c. power towing 28.5 Volts, up to 2250 All-wheel drive-mechanical transmission or hydraulics torque converter-tows Up to 5000 psi-with aircraft up to 50,000

For individual ground service and testing requirements, Consolidated can supply these and numerous other proven units with the most exact power combinations needed, or will develop equipment to meet your most complex problems in aircraft and guided missile support.

For further information, write

OFFICES IN DAYTON, OHIO B-4 TALBOT BUILDING SANTA ANA, CALIFORNIA SPURGEON BUILDING WASHINGTON, D. C. CAFRITZ BUILDING.



AIRCRAFT EQUIPMENT DIVISION

STAMFORD · CONNECTICUT

# The Most Trusted Name in Ignition

### Pioneers in Development of Vibration-Resistant Electrical Connector

The unsatisfied demand for a rugged, dependable connector capable of meeting the exacting requirements of modern aircraft led the Scintilla Division of Bendix\* to develop the first vibration-resistant electrical connector. These connectors using the revolutionary new insert material known as Scinflex were first used on Scintilla Division's ignition equipment for piston engines.

So outstanding was the performance of this new and better connector that its acceptance and use have now become world-wide. Today the Scintilla Division is a major contributor to the electrical connector industry.


This pioneering has never stopped. Bendix was first in the field with cadmium plated connectors, which were later made a requirement of military specifications. Our latest contribution is the best engineered closed entry socket contact available anywhere-one which cannot be mechanically overstressed.

#### SCINTILLA DIVISION



AVIATION PRODUCTS: Low and high tension ignition systems for piston, jet, turbo-jet engines and rocket motors . . . ignition analyzers . . . radio shielding harness and noise filters . . . switches . . . booster coils ... electrical connectors.

Bendi



Export Sales: Bendix International Division . 205 East 42nd St., New York 17, N. Y.

FACTORY BRANCH OFFICES: 117 E. Providencia Ave., Burbank, Calif. . Stephenson Bldg., 6560 Cass Ave., Detroit 2, Mich. • 512 West Ave., Jenkintown, Pa. • Brouwer Bldg., 176 W. Wisconsin Ave., Milwaukee, Wisc. • American Bldg., 4 South Main St., Dayton 2, Ohio • 8401 Cedar Springs Rd., Dallas 19, Texas above 80,000 ft., and is harmful in high concentrations.

► What Happens Inside—A pilot in a sealed container uses up oxygen at about 26 quarts per hour. He exhales carbon dioxide and water vapor, which contaminate the interior atmosphere and raise its humidity. To complicate the issue further, the pilot's body heat raises the temperature.

This explains the need for chemical filters, oxygenation and refrigeration. There is another drawback: Inside pressure must be reasonable, otherwise the stress across the shell becomes a structural hazard in the near-vacuum of extreme altitudes.

For this reason, Clamann is considering a low-pressure environment for the pilot, equivalent to an altitude of about 18,000 ft. At this level, Inca descendants work the mines of the Andes in Peru without difficulty; but Clamann will base his final decision on experiments yet to be conducted.

#### Bell Establishes New Scholarships

Two full-tuition freshman scholarships have been established by Bell Aircraft Corp., through the Bell Foundation, Inc.

Established in the general fields of engineering or a related science at the University of Buffalo and Canisius College, the scholarships are augmented by an additional grant of \$500 to be used either to cover additional expenses incidental to the scholarship recipient, or to give him further assistance.

Scholarship selection will be made by authorities of the two schools on a basis of character, scholarship and financial need. Bell says that all other things being equal, it is requested but not required that the students be selected from either Erie or Niagara counties.

#### **GE Develops New** Metal-Ceramic Seal

A new aluminum-to-ceramic joining process developed by General Electric Co. can be used advantageously in the making of capacitors, highspeed relay switches, aircraft instrument panels and ignition systems and other items requiring insulated hermetic seals, the company reports.

The ceramic section is coated with an alloy, and molten aluminum alloyed with the coated ceramic. Resulting dense aluminum laver around the ceramic is machined to the required diameter, then brazed to the aluminum structure for which the ceramic seal was designed. Tests are reported to show the seal capable of withstanding high impact shock, vibration, and corrosion.

# what counts is...



Devoted exclusively to aircraft pro- a labor force averaging 12 years' duction, the recently built Kawneer experience in metalworking. From Aircraft Division plant has been World War I when Kawneer develplanned for the manufacture of top quality assemblies, sub-assemblies, and detail parts. Your requirements are produced on new, well maintained machines and equipment operated by

oped streamlined steel tubing to the present production of complete cockpit enclosures and other assemblies for jet aircraft, Kawneer's reputation for quality has steadily grown.

# AIIMA



A sound management team, and the and as to engineering and production economy of well planned production lines plus long experience assure you of delivery when and where you want it. Kawneer maintains constant liaison with its customers. This process enables both Kawneer and customer to be currently informed as to changes

progress right up to delivery on the scheduled date. Knowledge of industry, production methods, and creative engineering backed by Air Force certified quality control standards mean that you will safely meet your own production schedules.



Both plant and equipment have work as your partner. Integration been planned for smooth, economical and production of aircraft products, operation. Flexibility and precision only, translate themselves into a dehave been "built in" to successfully pendable, money-saving source.



SINCE 1907, FABRICATORS OF METAL AIRCRAFT ASSEMBLIES AND ARCHITECTURAL PRODUCTS.

# Best Pair.. to Get You There!



Wherever You Fly - Enjoy **Top Engine Performance** with Famous Flying Red Horse Products!

Tor top-flight performance and protection make this famous pair your traveling companions. Not only do Flying Red Horse aviation products have the approval of every major aircraft builder...surpass rigid specifications of the Army and Navy-but they can be found at hundreds of U.S. airports, coast to coast, border to border.

Take a tip! Always take off with the Flying Red Horse!

### WHY ACCEPT ANYTHING LESS?



Report on Rato:

#### Solid or Liquid: It's Here to Stay

If you want simplicity, solid-propellant type has it; liquid-fuel units give better efficiency, performance.

By Alfred J. Zaehringer

Today the solid-propellant Rato unit stands at a high point in its demilitary has helped evolve units which are certified for commercial operation of aircraft.

Liquid-propellant Rato units, although more complex, are currently capable of higher performance; they now threaten the pre-eminence of solid-fuel rockets in booster applica-

Week is an assessment of the contemporary status of both types of Rato engines.

(rocket-assisted takeoff) seems today, remember that the rocket has been employed for several hundred years and that even its use in aircraft is not new.

In 1929 Fritz von Opel in Germany used solid-propellant rockets to boost an aircraft into the air and also to provide propulsion for the first all rocketpropelled aircraft flight. In 1936 a German Heinkel took to the air with a liquid-rocket motor as a takeoff aid.

In the United States, 1941 marked the first aircraft (an Ercoupe) takeoff using solid-propellant motors, done under the aegis of the Army Air Force at March Field, Calif. In 1942, at Muroc. Calif., the first American liquid-fuel Rato motor was successfully flighttested. During the war and in the years that followed, developments have been rapid and changing.

► Why Rato?—The advent of the assisttakeoff rocket stems from the fact that an aircraft can sustain a far-heavier load in flight than it possibly can during takeoff. Additional power at takeoff is then one way of decreasing the takeoff

For example, the standard 1,000-lb.thrust rocket motor can decrease the velopment cycle; enormous use by the Douglas DC-3's takeoff distance by about 30%. At sea-level, with an aircraft speed of 60 mph., each 1,000 lb. of thrust adds about 300 brake hp. to the aircraft. For commercial operations, the weight carried is rather stringently restricted for safety purposes. However, for cases where additional loads must be carried (as in military operations) Rato is the ideal (though not neces-This special report for AVIATION sarily the most economical) way of getting an aircraft into the air.

► Solid-Propellant Rato—The simplicity of the solid-propellant Rato is its chief ►Old and New-As new as Rato virtue. A solid fuel is contained in a steel bottle. A nozzle is used to provide the proper working pressure and

> Alfred J. Zaehringer is president of the American Rocket Co., recently formed for consultation, research, development, production and testing of rocket and jet devices.

His past professional experience includes employment by the Willow Run Research Center of the University of Michigan, Thiokol Chemical Corp. and Grand Central Aircraft Co. in connection with classified military projects in guidance and propulsion of missiles. He has worked on such missiles as the Boeing Bomarc and Hughes Falcon, and has had extensive experience with Rato.

His professional affiliations include membership in the American Rocket Society, American Chemical Society and the American Ordnance Assn.

to expand the hot exhaust gases to the atmosphere. An igniter (usually a pyrotechnic agent such as black powder) furnishes hot gas and solid particles to impinge on the propellant surface and to ignite it.

Combustion proceeds at a controlled rate, governed by the area of exposed burning propellant surface and the nozzle throat (smallest cross-section) area. The total impulse of the motorproduct of thrust and burning timefixes the amount of propellant to be used. The required time of operation fixes the propellant and nozzle geom-

To provide relief in event of a large pressure build-up, a safety assemblyessentially a burst diaphragm-is pro-

This type of motor has no moving mechanical parts. One disadvantage is that the thrust cannot be throttled or shut off when desired; the entire wad must be shot.

Present Ratos have excellent reliability and can operate at temperatures ranging from -60F to +160F with little change in performance. The total impulse to powerplant weight ratio is very high and comparable to liquid

Present solid propellants have good specific impulses ranging from 150-200 sec. and are thus a little behind liquids. Specific impulse is the reciprocal of specific fuel consumption.

The early propellants which produced clouds of exhaust smoke are on their way out. The principal component of smokeless propellants is ammonium perchlorate, although cost and availability will restrict its use mainly to military Rato. A growing number of firms (American Rocket Co., Grand Central Aircraft Co., Phillips Petroleum Co., Standard Oil Co. of Indiana, and Thiokol Chemical Corp.) have entered the solid-propellant field with low cost, high-performance solid propellants. However, with all the competition that is shaping up, it is interesting to note that Aerojet-General's Ratos are still the only ones actually being used; and only Aerojet's standard 1,000-lb.-thrust motor has been certified by CAA.

► Liquid-Propellant Rato—Although much more complex than its solid-fuel counterpart, the liquid-fuel rocket motor is more efficient and is capable of much higher performance. Essentially, there are two systems: the monopropellant and the multipropellant

In the monopropellant system, a liquid such as nitromethane or hydrogen peroxide is injected into a combustion chamber. The monofuel system would be the most ideal type for Rato but, to date, no practical system has been evolved due to the relatively low performance or handling and stability



# SERVICE

in

# PRECISION MACHINING OF CRITICAL DETAILS and COMPONENT ASSEMBLIES




SERVICE and PRECISION are SYNONYMOUS at PATTERN PRODUCTS MANUFACTURING COMPANY. PATTERN offers an organization of PRODUCTION, MANUFACTURING and ENGINEERING PERSONNEL qualified to solve any of your manufacturing and engineering problems of critical machined parts and component assemblies. Engaged to assist you in the solving of such a problem, PATTERN becomes a CAPABLE AND INTEGRATED TEAM TO YOUR ORGANIZATION.

PATTERN PERSONNEL is fully versed in HIGH PRE-CISION QUALITY . . . the PATTERN story is one of SERVICE to METAL WORKING INDUSTRIES over a period of 36 years!

THE AVIATION INDUSTRY WILL FIND IN THIS 36 YEARS OF EXPERIENCE, A GREAT ABUNDANCE OF SERVICE TO ITS INDUSTRY.

You are invited to investigate the merits of PATTERN'S SERVICE TO YOU through their past and present PERFORMANCE IN THE FIELD OF AVIATION PROBLEMS CONCERNING THE PRODUCTION OF CRITICAL MACHINED PARTS AND ASSEMBLIES.





DETROIT 7, MICHIGAN, U.S.A.

#### American Solid Propellant Rato Motors

Manu- facturer	Designa- tion	Propellant	Thrust (lb.)	Dura- tion (sec.)	Length (in.)	Diam- eter (in.)	Remarks		
Aerojet	8AS-200	KClO <sub>i</sub> + asphalt-oil	200	8	16¼	6	Development toward 1,000 lb. thrust 14-sec. operation.		
	8AS-500	44	500	8	20	9%	*		
ш	5AS-1000		1,000	5		+++	-		
*	8AS-1000	**	1,000	8	2754	95%	ш		
	14AS-1000	W	1,000	14	35%	95%	200 lb. loaded, 118 lb. fired. I <sub>sp</sub> = 165 sec. Smoky exhaust (white).		
?	14DS-1000	Double- base	1,000	14			Smoky exhaust (black).		
Aerojet	15KS-1000	NH <sub>4</sub> ClO <sub>4</sub> +?	1,000	15		*****	Streamlined case. Smokeless exhaust.		
7	?	?	4,500	7			45 deg. exhaust nozzle. Used to power rocket sleds.		
Aerojet	2.5KS- 18,000	NH <sub>4</sub> ClO <sub>4</sub> +?	18,000	2.5			Smokeless exhaust. Cost \$515 ea.		
	Townstan	Aeroplex-K (KClO <sub>4</sub> + resin)	750	10	20	7	For light aircraft. In 1949		
	Junior Rato	Aeroplex - N (NH <sub>4</sub> ClO <sub>4</sub> + resin)	250	12	20		were scheduled to sell for \$150 ca. and \$50 for refills.		

difficulties encountered with present monofuels.

In the multipropellant system an oxidant and fuel react in a combustion chamber. For purposes of repeated operation hypergolic or self-igniting liquids are desired. Examples of hypergolic systems are hydrogen peroxide with a calcium permanganate catalyst, and red fuming nitric acid with aniline. Non-hypergolic system examples are liquid oxygen and alcohol, gasoline and acid.

Most propellant systems today have rather undesirable handling features and many contemplated liquid systems do not seem to offer improvements. Therefore, a compromise must be made between performance and handling. To date, only hydrogen peroxide systems have the necessary balance.

The Germans during the last war used many thousands of the Walter 109-501 Rato employing hydrogen peroxide and achieved a very high level of reliability equivalent to solid propellants. In addition to using low cost materials, the motors and entire systems could be reused.

Liquid-fuel Rato was not much used during the last war by the U.S. because simple liquid systems were not available. However, there now appear to be

definite trends toward the use of liquids. Aerojet has shown a reusable, retract-

able liquid-propellant installation for the Boeing B-47. In operation of highspeed rocket sleds, the Air Force has found that it can reduce propellant costs to about 1/25 when using liquid propellants in place of solids. The English, also, are finding that liquid operation can be less costly. The Armstrong Siddeley Snarler has been tested on a Hawker fighter; the 215-lb. liquid oxygen-alcohol rocket motor develops 2,000 lb. thrust. De Havilland has the Super Sprite Rato unit using hydrogen peroxide-kerosene or gasoline; maximum thrust of the 600 lb. motor is 4,000 lb. and the operating time is about 40 sec.

Performance of liquid systems is high, ranging from 200 sec. (the upper present solid propellant level) to 250 sec. specific impulse. Another decided advantage of the liquid system is its ability to operate efficiently at low combustion pressures around 300 psi. while most solid fuel motors operate at 1,000-2.000 psi.

Future Trends-Although the performance of the solid-propellant Rato motor is not exceptional, it will continue to be used in large numbers because of its simple operation. Its present high cost, however, will preclude

# Facts about HELI-COIL inserts in the aircraft industry

What they are

Heli-Coil\* screw thread inserts are precision-formed coils of stainless steel or phosphor bronze wire. Wound into tapped holes, they form permanent noncorrosive, strip-proof threads of astonishing strength.

How they cut weight

Threads tapped in aluminum or magnesium when protected by *Heli-Coil* inserts are much stronger, therefore you can use smaller, fewer, shorter cap screws for required strength. Fewer or shorter cap screws mean savings in fastening-weight, through lighter bosses, thinner flanges, and thinner wall sections.

What they are for

AS ORIGINAL COMPONENTS: Heli-Coil inserts are used to provide stronger, lighter fastenings, corrosion-proof, wearproof, threads in all assemblies. Thus you find Heli-Coil inserts throughout aircraft engines, airframes, and accessories, from the heart of jet engines to skin inspection panels.

FOR PRODUCTION SALVAGE: When conventional tapped holes are damaged in production restore them on the line with Heli-Coil inserts. Get better-than-original strength with no increase in screw size and no telltale signs of rework.

FOR SPEEDY REPAIRS: When tapped threads are fouled up by wear, stripping, or corrosion in service, renew them in minutes on location in shop or field with Heli-Coil inserts.

No welding—no plugging—no secondary machining—no oversize screws.

For useful tips, use the coupon for free subscription to "Heli-Call" in which we publish latest news on what others are doing in your field.

How they work

Holes are drilled and tapped as you do for ordinary threads—then Heli-Coil inserts are wound into tapped holes by hand or power tools. Install in a few seconds, assure thread protection forever. Can be used in any metal, wood or plastic.

No other method is so simple, effective and practical.

Heli-Coil inserts improve the end product, cut rejects, salvage threading errors. All sizes and types

Available for National Coarse, National Fine and Unified threads, pipe threads and spark plug threads. They are made in all standard sizes and lengths for assemblies requiring Class 3, 3B, 2 or 2B fits.

Best time to put Heli-Coil inserts benefits to your use is right at the designing board, as many leading manufacturers are doing. But to convince you of their many advantages ask for a working demonstration right on your production line. Write today! Complete information and engineering data is available in the Heli-Coil catalog. Use coupon!


OMPANY

ADDRESS

\*Reg. U. S. Pat. Off.

Approved for All Military

and Industrial Uses





Within the slender, streamlined hull of Nike, the supersonic (ground-to-air) missile, are many vital components, but none more vital than four special units, one about the size of a twopound coffee can, the other three similar in shape to a pint milk carton.

They're all-important gyros to keep the missile flying true, the large one a stabilizing "free" gyro, the smaller three "rate" gyros, damping out roll, pitch and yaw as the Nike streaks toward its target at an estimated 1500 m.p.h.

Without them Nike could never achieve the amazing intercept ability credited to it, now that the missile has been refined over the years and is going on "active duty" to help guard our nation.

These gyros are the contribution of Schwien Engineering, a company recently purchased by Whittaker, and thus the Southern California aircraft Bell Telephone (research), undertook valve concern has entered the gyroscope field.

Before I talked with Nevin Schwien, the gyro genius who founded the company, I knew little about the complexity and "intelligence" of these perfectly balanced whirling wheels. Afterward I realized I knew little more, for Schwien quickly loses the layman in the intricacies of torque, inertia, precession and the laws of gyrodynamics.

Gyros, I found, are basically measuring instruments. They tell you not only what you're doing, but how much In a turning moment, for instance, the free gyro will tell you how much you've turned and the rate gyro how fast you're turning.

In Nike's case the spinning wheels instantly catch the missile in any flight deviation beyond that necessary for intercept and through electronics direct the control surfaces for immediate correction.

Because the complexities of gyroscopes are far beyond me, it would be absurd to attempt an explanation, no matter how simple. But I can tell you something of Nevin Schwien's history in the field and the problems he has confronted - and solved.

Long ago, when he first became intrigued with gyros, Schwien realized that one day there would be a great demand for instruments utilizing the principle, and that the question was not only how to produce efficiency, but economy as well.

With these twin goals in mind, he produced gyros for Azon and Razon (1943-45), the famed radio-controlled

bombs of World War II, and for numbers of other experimental projects. Over the years his design and production skill gained wide recognition.

It was only natural, then, that he was called into conference in 1946 when AT&T, through its subsidiaries, the secret Nike project for the Army.

Schwien will tell you that no better choice for a prime contractor could have been made. He points to Western Electric's outstanding record for precision and exactness in operations of the far-flung telephone system, an ac-complishment which speaks for itself in electronic know-how and effective maintenance procedures.

Taking his World War II developments as a base, Nevin improved and refined his gyros through a score of new systems each year, channeling his design thinking through almost a complete transition for the Nike units.

There were problems aplenty. In the first place the extremely high G-loading imposed by Nike's acceleration and speed could well have defeated a less determined engineer.

"It is like hitting a gyroscope with a hammer," he commented, adding that today Nike's gyros are tested for a 60-G shock although only 40-G ruggedness is required.

There were problems of torque and lubrication and heat-and related problems of metallurgy and design and production. And always the challenge of keeping the cost within bounds for mass production.

Schwien gives enthusiastic credit to Douglas Aircraft for construction of the bird itself, and the Schwien staff is proud to have shared in this feat with Douglas.

Precision wheels, spinning in space at tremendous speeds, had never been called on for such tough, unerring duty.

But Schwien gyros turned the

extensive usage for commercial applications or applications requiring high thrusts for sustained periods or where thrust control is required.

As complexity is reduced and reliability increased, the liquid Rato system will show definite advantages over solids in applications requiring repeated, low-cost, high-performance operation. It is possible that present rocket de-velopments will allow commercial, built-in installations of liquid Rato systems in the near future. At any rate Rato is here to stay, at least until the space ship.

### NACA Reports

► Investigation of Mach Number Changes Obtained by Discharging High-Pressure Pulse Through Wind Tunnel Operating Supersonically (TN 3258)-By Rudolph C. Haefeli and Harry Bernstein, Lewis Flight Propulsion Laboratory.

The simulation of flight through a blast or a shock wave can not as yet be done successfully in a windtunnel. But with the use of one of the techniques described in this NACA Technical Note, a supersonic longitudinal-gust tunnel could be made to work and to simulate those special flight conditions.

Briefly, these studies are grounded in shock-tube theory, where a shock wave is propagated through a tube by the sudden breaking of a thin bulkhead separating high- and low-pressure chambers. If an analogous procedure is used in a windtunnel, models could be tested experimentally for transient phenom-

This kind of reasoning led the authors to test a group of different configurations in a small (3.4 x 3.4-in.) duct with two different nozzles for Mach numbers of 1.6 and 1.9 and a "multinozzle." Just upstream of the test section, they located a high-pressure chamber of gas, with a sealing bulkhead which could be punctured from outside the tunnel. With air blowing through the duct and test section, the chamber bulkhead was ruptured and the shock wave superimposed on the tunnel flow.

An abrupt rise in Mach number was produced, followed by a less-abrupt decrease toward the initial value.

In the case of the "multi-nozzle," which is as the name implies, a group of many tiny axially-symmetric nozzles formed into a honeycomb, there is a considerable increase in Mach number when the bulkhead is ripped.

Any of the arrangements tested appear to be applicable as a supersonic longitudinal-gust tunnel, say the authors. Final selection would be deter-



Toledo Edison Company reports on its use of Autopositive—

# "One saving after another since 1947"

Shortly after Kodagraph Autopositive Paper was introduced, the Toledo Edison Company, Toledo, Ohio, began exploring its possibilities for engineering drawing reproduction.

Here was a revolutionary photographic intermediate paper which produced positives directly from positives-no negative step. It could be exposed in standard print-making equipment . . . processed in standard photographic solutions. Entire operation in ordinary room light, too. Jobs which had been difficult and costly became easy and economical-Kodagraph Autopositive Paper costs only a few cents a square foot. Some typical savings at Toledo Edison which you can duplicate are listed here.

☐ Old prints and intermediates reclaimed. No time lost retracing. Autopositive Paper strengthens weak line detail, cleans up backgrounds. Toledo Edison now can get intermediates which have dense photographic black lines on an evenly translucent paper base. Original quality or better!

- ☐ Opaque originals no problem. Many of Toledo Edison's forms, charts, operating maps, etc., are on opaque stock-some two-sided. Data is added to these in pencil or by typewriter. Then Autopositive reproductions are made and used to produce the direct-process prints needed for distribution. The 1954 Annual Budget, for example, was reproduced in this manner. Autopositive saves time and dollars for all departments.
- ☐ Print-making simplified. Toledo Edison runs Autopositive intermediates at uniform, practical speeds in its direct-process machine ... gets sharp prints time after time. Autopositive lines do not smear, smudge, or lose density.
- ☐ Drafting shortcuts. An Autopositive print is made of a drawing which has to be altered. The obsolete detail is eradicated or scissored out, and another Autopositive is made. New design is then added, and the job is completed without redrafting.
- ☐ Photo-lasting file copies. Toledo Edison also finds that Autopositive intermediates will not turn yellow or become brittle... are ready to produce sharp, legible prints whenever needed.

]	Kodagraph	Autopositive	Paper
	<b>–</b>	S" in engineering drawing rep	
3 -	MAIL	COUPON FOR FREE BOOKLET	
	EASTMAN KODAK COMPA	NY	107
	Industrial Photographic Divisio		1
210		y of "Modern Drawing and Document Repro	duction."
			Kor

Shows all the ways you can save with Kodagraph Autopositive Paper.

Name		Position_	
Company		Street	
City	Zone	State	

Transfer 2



# A Single Responsible Source

### for Aircraft Hydraulic Products

#### PUMPS

- a. Fixed Displacement
- b. Variable Displacement
  - (1) Automatic Pressure Compensated
  - (2) Cylinder Controlled
  - (3) Electrically Depressurized
  - (4) Flow Reversing
  - (5) Servo Controlled

#### ACCUMULATORS

a. Spherical b. Cylindrical

#### MOTORPUMPS, AUXILIARY

- a. Electric Motor Driven Fixed Pumps
- b. Electric Motor Driven Variable Pumps

Various special devices not listed above are also

manufactured. Phone, wire or write us for a proposal

describing the aircraft hydraulic accessory required

for your particular project. Details of the above prod-

ucts are available on request. Ask for the new General

Bulletin A-5200-B which will introduce you to our

#### PRESSURE CONTROLS

- a. Relief Valves
- b. Pressure Regulators
- c. Sequence Valves
- d. Pump Control Valves
- e. Pressure Reducing Valves

complete Aircraft Products line.

- f. Reducing Relief Valves
- g. Brake Valves
- h. Other Special Valves

#### MOTORS

- a. Fixed Displacement
- b. Constant Speed (Automatic)
- . Variable Displacement

#### DIRECTIONAL CONTROLS

- a. Four Way Valves
- b. Selector Valves
- c. Servo Valves
- d. Other Special Valves

#### OTHER

- a. Hydraulic Drive Systems (for Armament, Electronics, Pneumatics and other)
  - (1) Variable Proportional
  - (2) Directly Proportional
  - (3) Constant Speed
  - (4) Specially Controlled
- b. Winch Systems
  - (1) Heavier Than Air
  - (2) Lighter Than Air
  - (3) Helicopters
- c. Electro-Hydraulic Servo Systems
- d. Special Hydraulic Devices

#### VICKERS Incorporated

1462 OAKMAN BLVD. • DETROIT 32, MICH.

Application Engineering and Service Offices: El Segundo, California, 2160 E. Imperial Highway Houston 5, Texas, 5717 Kirby Drive Detroit 32, Michigan, 1400 Oakman Blvd. Additional Service Facilities at:

Miami Springs, Florida, 641 De Sota Drive

TELEPHONE: TOwnsend 8-5100 . TELEGRAMS: Vickers WUX Detroit . TELETYPE "TWX" DE89 . CABLE: Videt Detroit

6672

42

ENGINEERS AND BUILDERS OF OIL HYDRAULIC EQUIPMENT SINCE 1921

mined largely by the desired shape of the curve of Mach number against time.

Determination of the Flying Qualities of the Douglas DC-3 Airplane (TN 3088)—By Arthur Assadourian and John A. Harper, Langley Aeronautical Laboratory.

Why test a DC-3 now? For several reasons: Almost every transport pilot has flown the airplane and knows how it handles, so that a comprehensive quantitative analysis would serve as a good basis for evaluation of present and future transports. Too, the DC-3 is being used as a "dog" ship for such work as autopilot tests by several organizations, and it would help them to have response data for the grand old bird.

Thus this NACA report, 20 years late to be sure, but a thorough and painstaking evaluation of the flight characteristics of an immortal airplane.

Even though the airplane was designed and built long before anybody had defined handling characteristics with any scientific precision, the flight characteristics of the DC-3 satisfied most of the current specs.

Normal-rated-power, clean configuration—unstable, stick-fixed, throughout the speed range, and unstable, stickfree, below the trim speed with the CG at its rearward limit. Trimmed at speeds near the normal cruise of 160 mph., stick-fixed stability is almost neutral


- Power-approach condition—unstable, stick-fixed, and slightly unstable, stickfree, at airspeeds below about 115 mph. with CG at its rearward limit.
- Maximum elevator control-force gradient of 60 lb./G in maneuvers was exceeded in most cases, especially at small values of acceleration.
- Rudder forces exceeded the allowable limit of 180 lb. to overcome adverse yaw developed in rolls out of turns.
- Rudder and aileron forces in steady sideslips tended to lighten for angles of sideslip larger than about 10 deg.
   A few cases of rudder overbalance were found.
- ► Some Aspects of the Helicopter Noise Problem (TN 3239)—By Harvey H. Hubbard and Leslie W. Lassiter, Langley Aeronautical Laboratory.

Primary sources of noise in current helicopter designs are the engine and accessories such as gearing, says this report.

The authors have made a general survey of the noise problem, using the viewpoint of an observer on the ground. They consider the nature of the problem, some tentative criteria for evaluating it and the physical charac-

# SAVE THOUSANDS OF DOLLARS in testing Aircraft Generators United's NEW FEEDBACK TEST STAND

- Eliminates Load Bank
- Simplifies Operation
- Cuts Initial Cost



The wraps are off! United's new feedback test stand, a compact unit 1/3 to 1/2 the size and weight of conventional equipment, provides complete testing with up to 200% loading. No load bank is required, a saving in both initial cost and test space. The feedback drive uses less than 1/3 of the horsepower of an old-type test stand. A direct economy! Only two simple controls are used for all load and power factor changes. Automatic protection is provided for temperature, voltage, air pressure, faults, current and synchronization. Full details are ready for you.



Write us today for Bulletin FTS

#### UNITED MANUFACTURING COMPANY

DIVISION THE W. L. MAXSON CORPORATION
41 HAIG STREET, HAMDEN, CONNECTICUT

"See Feedback In Operation At Aircraft Electrical Society Show, Los Angeles, October 28-29"



#### PSP AIRCRAFT QUALITY SOLENOIDS

D. C. Solenoids for use with instruments, valves and aircraft remote controlled equipment • 220 standard models • Push-type, Pull-type and Combination • Continuous or intermittent duty • Single and double coil • For operation at ambient temperatures to 500°F. Electrical connectors and mounting brackets for most requirements.



Largest Manufacturer on the Pacific Coast Producing Aircraft Quality Solenoids Exclusively



WITH





Field-tested Leach Precision Relays like this hermetically-sealed 400 cycle aircraft relay undergo rugged usage and it is essential that the precision schematic lettering remain easy to read and bonded for life to the relay—and Leach has standardized on one method of identification-Metal-Cal-the ultimate in labeling.

come in a variety of colors - matte or shiny finish — any size or shape.

#### Metal Cals

adhere permanently to any smooth surface-flat or curved-without screws or rivets.

#### Metal-Cals

assure legibility of the finest lettering or diagrammatic detail.

	for FREE SAMPLE vantages of METAL-CAL
M	etal-[al
	ed by C & H Supply Co. nue, Inglewood 3, California
Company	
0.000	
ddress	

teristics of noise from helicopters.

Most of the report refers to reciprocating-engine copters, although there is some discussion of other types, including those powered by tip jets. For the latter, the authors conclude that noise levels will be considerably higher than for reciprocating-engine types, and that the rotor system may be one of the primary sources of noise.

#### PRODUCTION BRIEFING

- ► Mohan, Kamerer & Co., Inc., 23 West John St., Hicksville, N. Y., is a new firm offering sales engineering and contract management services to the aviation industry. J. F. Mohan and Charles Kamerer both were formerly associated with Republic Aviation Corp.
- ► Erico Products, Inc., Cleveland 3, Ohio, is offering a molding service for production of fiberglass-reinforced plastic parts in intricate shapes and wide range of colors. Address: 2070 E. 61st
- ► Wagner Brothers, Inc., maker of metal finishing equipment and supplies, munication test equipment, standard has coordinated all equipment manu- capacitors, insulation test equipment facturing facilities in a new plant at 7800 Dix Road, Detroit, Mich.
- ► Inexpensive oil level gage, costing only \$1.50, saves many man-hours in checking cutting-oil tanks on highspeed routers and drills at Temco Aircraft Corp., Dallas. Previously an oiler had to check the fluid level in 13 tanks by climbing up on a slippery table and peering inside. Now, an upright nineinch Plexiglas tube is connected to the bottom of each tank by an elbow joint. Oil stands at the same level in the tube as it does in the tank. Now the oiler can readily make a visual check on the tanks as he walks by and refill as neces-
- ► Thompson Products, Inc., Euclid, Ohio, has taken delivery on a steel test chamber 28 ft. long and 13 ft. in diameter in which temperatures from -100 to 230F can be maintained, as well as altitudes from sea level to 50,-000 ft. The device, designed by Ramsey-Bennett Co. and built by Ohio Machine & Boiler Co., Elyria, will be used by Tapco for testing aircraft components.
- ▶ Bristol Co., Waterbury, Conn., maker of industrial instruments, has been purchased by American Chain & Cable Co., Inc., Bridgeport, for about \$7.6 million. Bristol's aviation line includes engine temperature controls, timers, transducers and other electronic and electromagnetic devices.

- ► American Bridge Division of U. S. Steel Corp. is fabricating three sections of a large new windtunnel for testing aircraft and missile engines at NACA's Lewis Flight Propulsion Laboratory, Cleveland, Ohio. Well over 125 tons of stainless steel will be used in the throat section of the tunnel.
- ► Lockheed Aircraft Service-International, N. Y. International Airport, reports work loads of 466,323 hours for the first half of this year, an 8% increase over the same period last year. During the period recently completed, LASI delivered 617 planes compared with 489 in the first half of 1953, most of it four-engine types.
- ► Northrop Aircraft, Inc., will enlarge its El Segundo, Calif., facility by adding a 198,000-sq. ft. materiel warehouse, boosting its storage area to 278,000 sq. ft. Upon completion of the addition, Northrop employment at El Segundo will rise from present 155 to about 1,200.
- ► Federal Telephone & Radio Co., Clifton, N. J., has organized an instrument division, which will cover comand laboratory and industrial electronic testing devices.
- ► Hexcel Products Co., Oakland, Calif., maker of structural honeycomb, has leased an additional 24,000-sq. ft. building at 2398 Fourth St., Berkeley, giving the firm a total 54,000 sq. ft. in its four East Bay structures.
- over manufacturing and sales rights for all products made by Standard Controls, Inc., Seattle. These include hydraulic and pressure-control valves for planes and missiles.
- ► Temco Aircraft Corp., Dallas, has erected a 5,000-ton aircraft press made by Hydraulic Press Mfg. Co., Mt. Gilead, Ohio.
- ► Com-Air Products, Inc., Los Angeles, maker of aircraft hydraulic and pneumatic units, has opened an office at 5886 Rhode Island Ave., Cincinnati, Ohio. Bernard L. Rice is Com-Air's representative at the new office.
- ► International Nickel Co.'s Development & Research Division has established four new sections: Constructional Alloy Steels, Electroplating, Inco Nickel Alloys Development and Stainless Steel and Heat-Resistant Alloys.
- ► Reska Spline Products Co., Detroit, is building a new plant to more than double its metal-working capacity.



MULTI-BARREL, Approx. 175 btu/min. per lb. of weight SINGLE-BARREL, Approx. 278 btu/min. per lb. of weight

UAP high density heat exchangers are obsoleting even comparatively recent (3 years) heat exchanger designs. Smaller, lighter, cleaner installations for aircraft engine and airframe manufacturers are possible due to the shrunken envelopes with attendant weight savings and the highly concentrated heat dissipating passages.





DATA IS THE SAME FOR BOTH HEAT EXCHANGERS

STATIC PRESSURES: Oil Circuit 400 psi, fuel circuit 1000 psi.


PRESSURE DROP: Oil Circuit-18 psi at 80 lbs/min at 260°F. using MIL-L-7808. Fuel Circuit—50 psi at 10,000 pph at 80°F. using JP-4 fuel.

OIL THERMOSTATIC BYPASS: Fully open at 200°F., fully closed at 238°F.

HEAT REJECTION: With oil flow at 80 lb/min, and fuel flow of 39 lbs/min with oil outlet temperature of 250°F, and fuel inlet temperature of 130°F. the cooler will dissipate 3600 BTU/min.


AIRCRAFT PRODUCTS, UNITED INC. 1116 BOLANDER AVE. . DAYTON 1, OHIO

#### PRODUCTION




1. SQUEEZE-HOOK grips part during 2,100-ft. journey along Douglas flow-paint line.





GOES CONVEYOR to 378-ft. underground painting and processing tunnel.



3. END OF LINE. Conveyor drops from overhead drying oven for unloading, inspection.

#### Douglas Paints 6,400 Parts Hourly

New production efficiencies are possible at Douglas Aircraft Co.'s Torrance, Calif., plant following installation of automatic conveyer paint line capable of flow coating accurately 6,400 plane parts an hour.

As part of the company's El Segundo facility, the plant is handling parts for the new F4D Skyray supersonic jet fighter and other Navy planes.

The painting system is capable of taking parts from one square inch up to

six feet long. Squeeze-type hooks at four-inch intervals suspend the pieces from the roller chain of the 2,100-ft. long steel monorail. The overhead conveyor dips into five production locations to receive, at a speed of 10-to-30-fpm., the newly formed sheet metal parts. At one point it goes underground into a chambered 378-ft. tunnel where the parts are subjected to a dozen differ-ent automatic phases, such as washing, rinsing, drying and various chemical treatments.

A flow-coating method slushes paint on at low pressure from banks of nozzles on the side and bottom of the proc-essing chamber. Uniform quality and thickness of finish is obtained with this system, Douglas says, avoiding paint droop or sag which sometimes results from high-pressure sprays or dipping. The flow-coater sprays 30-40 gal. of

zinc chromate primer during the two eight-hour shifts. Drying ovens main-tain 190-deg. heat and shut off automatically whenever the line stops to prevent heat from building up that might come too close to annealing

If a fire should occur, the system stops automatically, all fans and blowers stop, paint flow halts, heat sources are turned off and carbon dioxide is discharged into sumps and all closed

The flow-coat paint system is made by Industrial Systems, Inc., Los An-

#### Permanent Molds for Centrifugal Castings


A permanent-mold, centrifugal technique is cutting costs for aircraft manufacturers who are using the close-tolerance cast product to replace machined

Known as the Permafuge process, the technique was developed by John Hall of the Wheel Craft Corp., Azusa, Calif., in conjunction with Douglas Aircraft's Long Beach Division chief production engineer Emeric Bergere and chief materials engineer L. O. Curtis. ► Savings, Strength—Douglas reports it has saved about \$1½ million in the past two years on forging dies, tooling and machining.

A Northrop castings buyers reveals his company profited by about \$50,000 on just one order with Wheel Craft for muzzle doors.

Bergere points out that tests of Permafuge castings show values exceeding the present QQ-A-596 specifications by approximately 25%. However, these higher values cannot be specified until a new spec is written. The ARTC W-70 Casting Quality Improvement Subcommittee of the Aircraft Indus tries Assn. presently is outlining such a

AVIATION WEEK, October 25, 1954



Country's most complete facility tor research and development of air-turbine-driven equipment.



to PERFORMANCE

... RELIABILITY

... VERSATILITY

#### SUBTRACT

from WEIGHT

... COST

... MAINTENANCE






Turbine-Driven Fuel or Water-Alcohol Pumps



Turbine-Driven Cabin Air Compressors



Air-Turbine Starters



Turbine-Driven Ram-Jet Fuel Pumps plus many other turbine-driven accessories

Eclipse-Pioneer

TETERBORO, NEW JERSEY . DIVISION OF

West Coast Office: 117 E. Providencia, Burbank, Calif. **Export Sales: Bendix International Division** 205 E. 42nd St., New York 17, N. Y.

Have you considered the advantages of driving your air frame and engine accessories by air?

Compared to other existing drive systems, Eclipse-Pioneer Air-Turbine-Driven units . . including constant-speed drives . . . cost less and save up to 50% in weight. As desired, they can be supplied for mounting directly on the engine or at some remote location to suit space limitations. Relative simplicity of design permits replacement in minutes, and faster and cheaper overhaul.

E-P's air-turbine program is complete and covers a wide variety of functions, including ram air and engine-bleed, air-driven applications. And even as the most advanced units roll off the production line, research and development continue with vigor . . . investigating the practicability of bleed and burn systems . . . improving on limits of speed control . . . producing greater output in smaller packages.

With close to 40 years of specialized aviation accessory experience, we know the accessory business. And because we know accessories, we design and build our turbine drives with accessory requirements always firmly in mind.

Whether your requirements call for an accessory with integral air-turbine drive, or an airturbine drive by itself, E-P can suit your needs precisely. Write today for further information and for illustrated brochure, "Air-Turbine Facility".

... world's largest producer of aviation instruments and accessories

#### Custom installations

with production-line economy

# Collins 430

### SERIES TRANSMITTERS



Cabinet Size: Single cabinet, 26" wide x 33" deep x 84" high. Dual cabinet, 48" wide x 33" deep x 84" high.

#### Building-block assembly permits low-cost custom built HF communications transmitters

A Collins 430 Series transmitter can be tailored to your specific communications requirements — and at low cost. Various combinations of well-designed mass produced Collins basic units are assembled and mounted in one or more cabinets. The Collins method of assembly line production of sub-assemblies results in low manufacturing costs. And, because a great variety of sub-assemblies are produced, many different combinations are possible for *custom installations*.

Developed to fulfill requirements of ground-toplane, shore-to-ship, and point-to-point transmissions, the 430 Series transmitters are available with modulator and FSK units if desired. Provisions are also made for use of a master oscillator.

Collins' exclusive Autotune makes complete remote control practical. For example, the 431D-2 shown above can be completely controlled at distances up to 25 miles by a telephone dial system.

All 430 Series transmitters use efficient tetrode tubes in modern circuits to give an ideal power-to-size ratio for maximum economy of space.

Here is outstanding equipment, with wide frequency range and high performance, at low cost. Equipment designed to meet your changing requirements economically, too.

Write today for complete description and technical information.

508 A-1

PWR Control


H.V. Rect. R.F. Unit & Filter 430 Series transmitters Condensed Specifications 509 A-1 -Power Output: 431 Series - 1000 watts CW, FSK or phone. 432 Series - 2500 watts CW or FSK, 506 A-1 Modulator L.V. 2000 watts phone. PWR. 511 A-1 Frequency Range: 2.0 to 30.0 mc. Dial Cont Power Source: 208 to 230 volts, single phase, 50/60 505 A-1

507 A-1A

of transmitter frame showing building-block assembly.

#### COLLINS RADIO COMPANY, Cedar Rapids, Iowa

261 Madison Ave., NEW YORK 16 1930 Hi-Line Drive, DALLAS 2 2700 West Olive Ave., BURBANK Collins Radio Company of Canada, Ltd., 74 Sparks St., Ottawa, Ontario



specification for approval by the USAF's Materiel Laboratory.

Present development work indicates that by using high purity aluminum alloy ingots with oxide control that 45,000 psi. ultimate tensile strength, 30,000 psi. yield strength, and 8% elongation can be guaranteed in the near future. This compares with 33,000, 22,000 and 3% in the present spec.

► Grain, Types—While working to lower physical properties, the Wheel Craft castings are providing weight savings over regular foundry practices through reduced minimum thickness, draft angles and fillets, it is claimed.

Studies at Douglas with X-ray shows that grain appearance is the same as that of a forging in density. Centrifugal pour and setting of the molten material in the heated metal mold has the effect of showing defects, if there are any, on the surface.

Three classes of castings are available: Accurate shape, close tolerance, high integrity, at highest cost; high integrity, low tolerance, at medium cost; commercial quality, low-tolerance, no X-ray or fluorescent inspection, at low cost

#### **USAF** Contracts

Following is a list of recent USAF contracts announced by Air Materiel Command.

AiResearch Manufacturing Co., The Garrett Corp., Los Angeles, Calif., pneumatic starters, 938 ea., spare parts, \$2,349,834.

Bendix Products Division, Bendix Aviation Corp., South Bend 20, Ind., main wheel assy., 668 ea., brake assy., 668 ea., 1,864 ea., \$2,039,704; wheel assy., 240 ea., brake assy., 240 ea., brake assy., 240 ea., \$99,468.

Boeing Airplane Co., Wichita, Kansas, implementation of production of aircraft at a second source, \$5,000,000; facilities for production of aircraft, \$4,851,300; \$678,000. Seattle, Washington, facilities for production of aircraft, \$565,000.

Cline Electric Manufacturing Co., 3405 West 4th St., Chicago, Ill., regulator-magnetic amplifier, 200 ea., 1,000 ea., \$493,130. Convair Division of General Dynamics Corp., San Diego, Calif., facilities for support of aircraft, \$174,700.

Crosley Division, Avco Manufacturing Corp., Cincinnati, Ohio, fire control system, spare compartment, spare parts, 68 ea., \$5.177.610.

Eclipse-Pioneer Division, Bendix Aviation Corp., Teterboro, N. J., fuel/air combustion starter, 185 ea., \$563,325.

General Electric Co., 1 Jimson Rd., Cincinnati 15, Ohio, spare parts, \$1,500,000. Dayton. Ohio, generators, aircraft, 100 ea., spare parts 73 ea., \$93,427. Schenectady, N. Y., generator, tachometer, 2,160 ea., \$64,864.

Goodyear Tire & Rubber Co., Inc., 1144 East Market St., Akron 16, Ohio, wheel assy., 77 ea., 78 ea., brake assy., 76 ea., \$171,662.

Guardian Electric Mfg. Co., 1621 West Walnut St., Chicago 12, Ill., switch, control stick, 10,819 ea., \$504,812.

Kollsman Instrument Corp., 80-08 45th Ave., Elmhurst, N. Y., indicator; tachometer, 3,145 ea., \$257,665.

Lockheed Aircraft Corp., Burbank, Calif., gross weight and center of gravity indicators, 2 ea., \$41,357.

Lockheed Aircraft Service International,

Inc., New York International Airport, Jamaica 20, N. Y., parts and materials, 9 ea., electronic modernization, 5 ea., \$613,-261.

North American Aviation, Inc., Los Angeles International Airport, Los Angeles 45, Calif., implementation program, \$10,000,000. Royal Jet, Inc., 1024 Westminister Ave., Alhambra, Calif., 320 gal. jet fuel tank, 350 ea., \$144,700; tank assy., 328 ea., \$1,860,153. Seeger Refrigerator Co., 850 Arcade St., St. Paul. Minn., fuel tank-jet, 4,640 ea., \$1,242,220.

O. A. Sutton Corp., 1812 West Second St., Wichita, 120 gal. jet fuel tank, 4,640 ea., \$1,245,236.

Trans World Airlines, 10 Richards Rd., Kansas City 6, Mo., model of 20 L/049 aircraft, 20 ea., \$29,920.

United States Gauge Division, American Machine & Metals, Inc., Sellersville, Pa., transmitter, 1,889 ea., indicator, 788 ea., \$200,697.

Viewlex, Inc., 35-01 Queens Blvd., Long Island City 1, N. Y., projector, 676 ea., \$93,085.

Western Electric Co., Inc., 180 Broadway, New York 5, N. Y., pulse generators, \$245,-380.

Eclipse-Pioneer Div., Bendix Aviation Corp., Teterboro, N. J., indicator-fuel 730 ea., 363 ea., 350 ea., \$64,156.


Allison Div., General Motors Corp., Indianapolis 6, modif. and conversion of engine, \$715,000; facilities for production of engines, \$147,141.

Aircraft Gas Turbine Div., General Electric Co., 1 Jimson Rd., Cincinnati 15, training parts for aircraft engines, \$60,000.

C. T. M. Co., Inc., 10 Howard St., Buffalo 6, N. Y., rack-bomb spare parts, 95 ea., 182 ea., \$69,933.

Convair, San Diego, Calif., fuel tank study program for aircraft, \$47,699. Dorsey Trailers, Elba, Ala., semi-trailer, van type, spare parts and maintenance data-

51 ea., \$553,034.




# Means more than PRECISION WORKMANSHIP

no favors. Water leaks through any structure not precisely built. That's why making seaplane floats for 27 years has made precision manufacture of aluminum components a specialty at EDO.

Because of this unusual metal-working know-how, many manufacturers are turning their hard-to-make parts and sub-assembly problems over to EDO.

What's more, EDO's vast engineering staff, which has designed everything from complete aircraft to the Navy's latest sonar equipment can tackle problems right from the design stage, if desired.

Perhaps EDO can help you.



CORPORATION
Since 1925 COLLEGE POINT, NEW YORK

# Help Develop

tomorrow's planes at Fairchild. There are openings now for versatile engineers experienced in flight test data analysis, report preparation, and specialized instrumentation necessary for flight test developments projects in aerodynamics, heating, ventilating, and equipment testing.

AERONAUTICAL ENGINEERING DEGREE REQUIRED



Aircraft Division

805 PENNSYLVANIA AVENUE

FORD

HAGERSTOWN, MARYLAND

Adel Division, General Metals Corp., 10777 Van Owen St., Burbank, Calif., hydraulic valve, 124 ea., \$80,273; valve assy, hydraulie, 158 ea., \$28,950; valve assy: hydraulie for various aircraft, \$25,031.

Bendix Products Division Bendix Aviation Corp., 401 Bendix Drive, South Bend 20, Ind., engine parts for carburetors. \$209,802.

Mitchell Camera Corp., 666 W. Harvard St., Glendale 4, Calif., camera system, aircraft, 8 ea., \$87,175.

Raymond Corp., Greene, N. Y., truck, fork lift, electric, 6 ea., \$29,538. Raytheon Mfg. Co., Waltham, Mass.,

radar set AN/ALT-8, 24 ea., \$274,765. Republic Aviation Corp., Farmingdale, L. I., N. Y., handbooks, \$38,165.

Ryan Aeronautical Co., San Diego, Calif., target drones, spare parts, \$3,266,190. Bendix Products Division, Bendix Avia-

tion Corp., South Bend, Ind., engine parts for P&W J57-P-13 engines, \$172,806. Hydra-Power Corp., 10-12 Pine Court.

New Rochelle, N. Y., maintenance parts for cylinder, control booster, \$108,872. Lenoir Wood Finishing Co., 284 E. Harper

Ave., Lenoir, North Carolina, resin, saran, 18,000 gal., \$30,600.

McDonnell Aircraft Corp., P. O. Box 516, St. Louis 3, Mo., maintenance parts for F2H-2P, 3, 4 aircraft, \$4,496,991.

Parker Aircraft Co., 5827 W. Century Blvd., Los Angeles 45, Calif., fuel valve assy., 38 ea., \$29,056.

The Sherwin Williams Co., 325 N. Broad St., Philadelphia 7, Pa., varnish, 24,000 gal., \$43,820.

The following contract awards were recently announced by Gentile Air Force Depot, Dayton:

AiResearch Mfg. Co., 9851-9951 Sepulveda Blvd., Los Angeles 45, switch, thermostat, temp. controlling, 500 ea., \$89,050.

Cook Electric Co., 2700 North Southport Ave., Chicago 14, relay, inverter, changeover, 200 ea., \$36,220.

Fairchild Camera and Instrument Corp., 225 Park Ave., Hicksville, L. I., N. Y., resistors, potentiometers, variable, wirewound, 391 ea., \$45,316.

Laboratory for Electronics, Inc., 75 Pitts St., Boston 14, oscilloscope-cathode ray with 5YP-1 tube, 85 ea., \$68,944.

Pacific Scientific Co., 1430 Grande Vista Ave., Los Angeles 23, tensiometer, aircraft control cable, 522 ea., \$25,840.

Radio Corp. of America, Tube Div., 415 South Fifth St., Harrison, N. J., tube electron, receiving, pentode, special-purpose, 392,676 ea., \$655,768.

Shaw and Estes, 1407 S. Akard St., Dallas, Texas, stand assembly, jet engine test, semi-portable, 55 ea., \$1,659,121.

Sprague Engineering and Sales Corp., 1144 West 135th St., Gardena, Calif., stand test, hydraulic system, electric-motor-operated type, 2 1ea., \$70,888.

Testa Mfg. Co., 418 South Pecan St., Los Angeles 33, tester, optical sight, appl. to A-4 sight, 161 ea., \$43,484.

Union Switch and Signal Div., Westinghouse Air Brake Co., 1789 Braddock Ave., Swissvale, Pa., test racks, mobile, 40 ea., \$132,600.

United Mfg. Co., 41 Haig St., Hamden, Conn., tester, tachometer field portable, 67 ea., \$57,088.

Bird Electronics Corp., 1800 East 38th Street, Cleveland 14, Ohio, RF Wattmeter-Bird Model No. 43 with Element D-25, 286 ea., \$26,812.

#### **Navy Contracts**

Contracts recently announced by Navy's Aviation Supply Office, 700 Robbins Ave., Philadelphia 11, are:

North American Aviation, Inc., Columbus Division, 4300 E. 5th Ave. Columbus 16. Ohio, maintenance parts for SNJ and AJ aircraft, \$34,387.

Pacific Division, Bendix Aviation Corp., 11600 Sherman Way, North Hollywood, Calif., hydraulic valve assy., \$77,830.

The Paula Shops, 2574 Coral Way, Miami 45, Fla., tow target, 4,168 ea., \$112,536. Red Bank Div., Bendix Aviation Corp., Eatontown, N. J., alternator exciter control, regulator panel, \$187,749; control panel, 314 ea., \$52,727.

Telerad Mfg. Corp., 1440 Broadway, New York 18, field strength meter, MIPR, 429 ea., \$37,476.

Thompson Products, Inc., 23555 Euclid Ave.,



An interesting challenge for senior design engineers to work directly with top project supervisors helping through the prototype stage new developments in:

- Automatic Control Instruments
- Electronic Navigational Aids
- Magnetic Amplifiers
- Airborne Armament Systems
- Guided Missile Controls
- Computing Equipment

For these jobs we are interested in men with two or more years experience in electro-mechanical work related to the above fields or in men with superior scholastic records in physics; electrical, electronic or mechanical engineering.

#### YOU'LL LIKE WORKING AT FORD INSTRUMENT

- Not too large, not too small
- Stable but progressive company
- . N. Y. C. location with all its additional varied opportunities
- Above-average fringe benefits
- Pension Plan
- Nine Paid Holidays
- Two Weeks vacation with pay
- Tuition assistance for further related

Our policy of permanency of positions and continuity of service does not allow us to employ engineers unless there is a clear and definite need for them projected years into the future. And we promote from within. If you can qualify, we urge you to contact by mail, or if in N. Y. C. phone:

Mr. P. F. McCaffrey, Stillwell 4-9000, Extension 416

#### FORD INSTRUMENT COMPANY

Division of the Sperry Corporation

31-10 Thomson Ave., Long Island City, N. Y. (20 minutes from the heart of New York City)

#### Scale Tells Tale

Portable scale for determining weight distribution and balance of jet turbine "buckets" (blades) is designed to three times accuracy of mechanical indicator types. It accomplishes this by utilizing a frictionless shadow-edge indication and specially designed holder (right, actually an extension of the scale lever). Developed by Exact Scale Weight Co. to General Electric Co.'s order, the device will weigh accurately without being leveled. The firm is located in Columbus, Ohio.

# AEROPRODUCTS TURBOPROPS

have more flight time than any other American-made turbopropellers



Aeroproducts propellers are used by the U.S. Navy and Air Force on aircraft built by Douglas, Convair, and other great names in American aviation.




The years of pioneering work which Aeroproducts and Allison have done are now paying off in the availability of Turboprop engines and propellers which enable military and commercial aircraft to carry bigger payloads farther, faster and more economically than ever before.

Believing in the future of the gas turbine engine, Aeroproducts began work on propellers for turboprop aircraft over a decade ago. When a small turboprop aircraft was flown for the first time in the United States in 1945, it carried an Aeroproducts turbopropeller. Today, Aeroproducts turbopropellers are America's most widely used because they have proved their quality and stamina on military aircraft and the Allison Turboliner.

Turboprops are just part of Aeroproducts' contribution to safer, more efficient flying. Aeroprops for piston-driven engines, for instance, have long since proved themselves among the industry's finest. And Aeroproducts' hydraulic and pneumatic self-locking actuators provide easy, accurate control of flight surfaces. A new air-driven emergency generator, now available, is another notable development by Aeroproducts.



ALLISON DIVISION . GENERAL MOTORS CORPORATION . DAYTON, OHIO



VERSATILE, SMALL DESIGN Part 1007690. Used in Bendix-Pacific LM-128 Square-Motor rotary electric actuator. Split series, 24 V-D.C. Size: 1 inch square by 2 inches long. Rated at 4 oz. inches torque, intermittent duty to 165° F. Can operate satisfactorily up to 300° F. Weight: 6 oz. Reversible or unirotational. Motor designed to AN-M-40 and MIL-E-5272. Can also be obtained with magnetic brake. If motor desired with brake order part 1005940.

TEMPERATURE COMPENSATED Part 406046. Used on Bendix-Pacific Position Light Flasher. Shunt field 24 V-D.C. Rated at 1 oz. inch. Continuous duty up to 160° F. Weight: 13 oz. Unirotational. This motor incorporates thermistors in the field to compensate for temperature effect on motor speed.

Modifications to the above assemblies can be made to fit your specific requirements.

PACIFIC DIVISION . Bendix Aviation Corporation

11600 Sherman Way, North Hollywood, California

East Coast Office: 475 5th Ave., N.Y. 17

**Export Division: Bendix International** 

205 E. 42nd St., N.Y. 17

Canadian Distributors: Aviation Electric, Ltd., Montreal 9

Cleveland 17, Ohio, pump assys., \$49,375. United States Rubber Co., Fuel Cell Dept., Providence, R. I., bladder assy., 79,552 ea., \$191,784.

Willis and Geiger, Inc., 51 W. 21st Street, New York 10, outer garment for Mk-4 suit gloves, rubber sleeve, \$375,222; repair kit for anti-exposure suit, 4,414 ea., \$62,028; life preserver, 4,712 ea., \$71,528.

AiResearch Mfg. Co., div. of The Garrett Corp., 9851-9951 Sepulveda Blvd., Los Angeles 45, Calif., turbine assy., 386 ea., \$207,147; maintenance parts used on various fan and separator assys., \$58,539.

Champion Spark Plug Co., 900 Upton Ave., Toledo 1, Ohio, spark plugs, 39,000 ea., \$46,800.

The B. G. Corp., 136 W. 52nd St., New York, N. Y., spark plugs, 39,000 ea., \$45,825.

Stratos Div., Fairchild Engine and Airplane Corp., Bay Shore, L. I., N. Y., services and materials for generator drive assy., and repair parts, 69 ea., and spares, \$120,242,

Barber-Colman Co., Rockford, Ill., maintenance parts for various aircraft, \$37,321. Bendix Products Division, Bendix Aviation Corp., 401 Bendix Drive, South Bend 20, Ind., spare parts for P&W J57-P-11 engines, \$105,982.

Eclipse-Pioneer Division, Bendix Aviation

Corp., Teterboro, N. J., bearings, 40,100 ea., \$82,205.

Flexible Tubing Corp., New Whitfield St., Guilford, Conn., flexible tube, \$31,909. General Electric Co., 1405 Locust St., Philadelphia 2, Pa., controller and servomotor and spare parts, \$26,060.

G. M. Giannini and Co., Inc., 580 Fifth Ave, New York, N. Y., aerohead transmitter, 25 ea., \$33,085.

The Glidden Co., Chemical and Pigment div., 1717 Summer St., Hammond, Ind., pigment, cuprous oxide, 54,000 lb., \$26,606. Hughes Tool Co., Aircraft Division, Culver

City, Calif., armament parts, \$338,788. McCulloch Motors Corp., 6101 W. Century Blvd., Los Angeles 45, Calif., launcher and chute assy., 298 ea., \$427,652. Maine Specialty Co., 98 Exchange St., Port-


line turnbuckles, 6,000 ea., \$34,680. Pesco Products Division, Borg-Warner Corp., 24700 N. Miles Rd., Bedford, Ohio, spare parts for Pesco products, \$110,075;

land 3. Maine, connector, wire rope, life-

\$34,390. Wm. R. Whittaker Co. Ltd., 915 North Citrus Ave., Los Angeles 38, Calif., valve assy, for F7U-3, 3P aircraft and spare parts, \$67,935.

C. K. Williams and Co., 640 N. 13th St., Easton, Pa., pigment, cuprous oxide, 54,000 lb., \$26,606.





#### **B-52 Production Gets Rolling**

Production of the big Boeing B-52 Stratofortress eight-jet heavy bomber is making headway at Seattle, Wash., as these photos show. At top, women workers team with men on two of the planes as they near the final assembly area. From here the planes will shift back and be taken to an adjoining about six months ago.

Gendin

ACIEN

bay on the left for completion. Lower view looks down on three Stratofort nose sections being assembled in their two-story jigs, which allow a maximum number of employes to work on the assemblies. First production B-52A rolled out of the factory

#### LIGHTWEIGHT - HEAVY DUTY COWLING LATCH



—Tail piece in varied types

Toggle action provides pull-up - Thread provides adjustment - Securely locked when closed flush

"Kicker" forces latch open easily Latch plate opens without tools

For special jobs requiring a flush fitting structural fastener, a Simmonds Cowling Latch may be the answer. Successfully installed on a growing number of U.S. aircraft, Simmonds structural latches fit flush with cowling or other curved surfaces, (56 in. to flat). Simple in operation, positive in

action. 6 to 8 oz. weight, will withstand 7500 lbs. tension. Priced at a saving over comparable latches. Write for portfolio giving design details and full scale drawings.

Branch Offices: Glendole, Col. • Dallos, Tex. • Dayton, Ohio Sole Conadian Licensee: Simmonds Aerocessories of Canada Limited — Montreal

#### ELECTRONIC ENGINEERS

North American Aviation's Missile and Control Equipment Department offers unusual opportunities for engineers in the following fields:

FIRE CONTROL SYSTEMS RADAR ANALOG AND DIGITAL COMPUTERS INSTRUMENTATION TRANSISTOR CIRCUITRY SERVOMECHANISMS SYSTEM TESTING

Openings exist at both senior and junior levels. BS, MS or PhD in Mathematics, Physics or EE required. Junior engineers with this educational background, without experience, will be accepted for training in the above openings.

For additional information please forward

Missile & Control Equipment Dept. B, **Engineering Personnel** 

NORTH AMERICAN AVIATION, INC. DOWNEY, CALIFORNIA

In the N. Y. area, please contact our representative Mr. G. W. BENEDICT; 19 Rector St., Rm. 1609, N. Y. 6, N. Y.






#### "24 ACCIDENT-FREE YEARS ... 7 ON AIRWORK-OVERHAULED R-2000's!"

Writes Branch T. Dykes, President Colonial Airlines

In a recent letter of commendation, Colonial Airlines attributed part of the credit for their world's safety record to performance of their Airwork overhauled R-2000's. Airwork quality paid off in maintenance savings, too. During the 7 years Airwork has overhauled these R-2000's, operating time between overhauls increased from 900 hours to 1400 hours without lowering Colonial's impressively



SB11 MARILYN AVE., CULVER CITY, CALIF.



need

#### OVERSEAS SPOTLIGHT

#### Reds Add Radar Link

VIENNA Soviet forces in Austria have added a new link to the chain of radar stations stretching from the Baltic to the Black Sca. Most Soviet radar units in Austria are small and mobile, but in completing their radar warning system in the Soviet Zone here, they have equipped the bases at Wiener Neustadt and Bad Voeslau, both in lower Austria, with permanent radar installations.

#### Copter Field Upstairs

The first helicopter landing platform to be built in Scandinavia will be constructed soon on the roof of a 12-story office building here in Oslo.

The landing platform will be 4,500 sq. ft., and will be built above the building's regular roof, clear of chimney, smokestacks and similar obstruc-

#### Millions for Airfields

MELBOURNE

The Australian government will spend 5 million pounds (the Australian pound is worth \$2.24) this year in construction of strategically placed airfields. The new fields are designed to enable the air force to meet any threat to the Australian coast or within 1,000 mi. of it, government sources say.

#### Australian Guessing Game

MELBOURNE

A policy statement by the government's Defense Minister, Sir Philip McBride, that the air force plans to replace its Australian-built Sabre fighters and Canberra bombers with more modern types, coupled with the visit here of a British aircraft industry mission, has stirred speculation that Australia may be ready to buy British.

The Sabre, although adopted three years ago, is only now beginning to come off the assembly line of the government aircraft factory at Fisherman's Bend.

McBride also disclosed the government's plans to get new aircraft to replace Dakotas in one of two transport squadrons and to buy jet trainers to replace the piston-powered Wirraways.

Australia soon will send an aircraft production team overseas to study methods of building supersonic fighters and other advanced bomber types. The question asked here is whether they will merely be shopping for new ideas or whether the British mission has made a successful sales pitch.



#### "Government Plant No. 6 in Marietta, Georgia, is a new wonder of the industrial world"

Says James J. Haggerty, Jr., Aviation Editor, Collier's Magazine

If a list were made of the seven industrial wonders of the world, there is little doubt that one would be U. S. Government Aircraft Plant No. 6 (GAP-6) in Marietta, Georgia.

GAP-6 is the world's largest integrated aircraft plant under one roof. Operated for the U.S. Air Force by Lockheed since 1951, it builds six-engine B-47 jet bombers and modifies hundreds of other B-47's to keep them up to date. It produces Lockheed C-130 turbo-prop combat cargo planes, yet it still has room to make other, bigger aircraft in its massive B-1 building-all under one roof!

You get the same feeling of incredible size when you step inside GAP-6 in Georgia as you do when you first see Grand Coulee Dam, or the Empire State Building, or the Pentagon. It's the "under one roof" that makes this bigness important. There is no loss of time, no costly delay in assembly, manufacturing or tooling, for all facilities are as close as the nearest telephone. One example of its size: 70 miles of fluorescent tubing are required above its 76 acres (yes, acres) of floor space.

When used to capacity, GAP-6 can have four production lines-each for a different big plane.


**U.S. Air Force** 

Govt. Aircraft Plant No. 6

Lockheed

Aircraft Corporation (a Lackheed advertisement)

Georgia Division, Marietta



Drive power you can depend on . . . that's the keynote of the new line of Westinghouse 400-cycle, a-c motors. They deliver from 1/30 hp to 3 hp continuously from sea level to 50,000 feet—and raise performance standards to new highs in reliability and efficiency.

More horsepower than ever before has been packed into extremely small dimensions—like the four-inch diameter frame which delivers 3 hp and weighs under 10½ lbs. In spite of this small size and high rpm, temperature rise is kept exceptionally low by using new cooling techniques giving optimum thermal characteristics to produce the greatest possible horsepower per pound at all altitudes.


These new motors, designed to meet the requirements of specification MIL-M-7969, are totally enclosed, fan cooled and explosion-proof—ready-made for the most hazardous airborne applications. Sparks or flame caused by any abnormality cannot progress outside the motor. A patented method of flame suppression provides this same advantage on larger, open motors, over 3 hp.

#### Get More Information . . . NOW!

These new a-c motors—in ratings from 1/30 to 3 hp—are available NOW for direct drive and gear head applications. A drive you can depend on for vital controls and auxiliaries, they meet builder and user specifications with reserve to spare.

And Westinghouse will render full assistance in applying this new motor—the most advanced 400-cycle, a-c drive available today—to help you bring tomorrow's aircraft... One Step Closer. Get complete data and application information from your Westinghouse salesman or write Westinghouse Electric Corporation, 3 Gateway Center, P. O. Box 868, Pittsburgh 30, Pennsylvania.

J-91016



The exclusive Westinghouse cooling design is built around an aluminum frame with integral fins. A new, efficient shrouded fan provides high volume cooling air flow. The rotor has extended conductor bars giving far more effective internal air circulation and cooling without added fan weight.


Performance curves for the 3-hp motor highlight the efficiency of these new a-c motors and their ability to handle loads from sea level to 50,000 feet. Greatly simplified and ruggedly designed, they handle even higher intermittent loads for temporary demands, especially at altitude.

Jet Propulsion • Airborne Electronics • Aircraft Electrical Systems and Motors • Wind Tunnels to Plastics

Westinghouse



#### EQUIPMENT



BRACKETING DURING ILS APPROACH is eliminated when old-style Omni-Mag is replaced with new Expanded Range Unit.

# New Omni-Mag Smoothes ILS Approach

By George L. Christian

Teterboro, N. J.-A fundamental improvement in the operation of an important Bendix navigation aid has course. been made by the Eclipse-Pioneer Division working in conjunction with Marion Electrical Instrument Co.

panded Range Heading Indicator (or Expanded Range Omni-Mag), allows a pilot to make an asymptotic approach to the localizer beam while making an ILS landing. This holds true even if he intercepts the beam at a 90-degree angle provided he is at a reasonable distance from the airport (reasonable distance is considered to be about eight miles out, or beyond the outer marker).

ment gives a pilot about 30 seconds of advance information that a turn must be initiated to "close" on the localizer

Bendix Omni-Mag (also called the ID-249, -387 or MN-97), it it impossible to The improved unit, called the Ex- "close" on course asymptotically without "bracketing" unless the approach angle to the localizer beam does not exceed 45 degrees and distance to touchdown is at least 20 miles. And the 249-style unit gives only five seconds advance warning that a turn should be initiated.


► Safer and Easier—By eliminating the bracketing or overshooting previously associated with making ILS approaches

Stated another way, the new instru- with the Omni-Mag, the new instrument promotes safety. It allows the pilot to make more positive, quicker approaches while using up less air space as he nears the airport. And because With the original equipment-the less maneuvering is required, the pilot has less work to do during the critical last minutes of an instrument approach.


Another advantage is that presentation of both new and old instruments is almost identical. This means that pilots familiar with the old unit will immediately understand the new one.


Changeover from the old 249 type to the new Expanded Range instrument is simple. A new meter movement is substituted for the old within the Omni-Mag body. Both movements being electrically and mechanically interchangeable makes the exchange easy and inexpensive. EP officials estimate that the changeover will cost \$200; if done at overhaul of the Omni-Mag, the cost drops to approximately \$100. The meter movement is manufactured for EP by Marion Electrical of Manchester. N. H.

► Twenty-Five Seconds-In its new instrument, Eclipse-Pioneer expanded the travel of the localizer indicating bar a total of 5 degrees. It now travels about 14.8 deg. to either side of center; travel of standard cross pointer localizer indicators is approximately 12.3 deg. Also, standard cross pointer indicators use signal currents of ±150 microamperes although useful heading error



**EXPANDED RANGE** indicator (left) resembles old-style Omni-Mag unit externally.





OLD AND NEW indicators sit side by side in center of Marion Co.'s Aero Commander.

magnitude and sense information up to ± 450 microamperes is available from the ground ILS localizer transmitter.

So a mechanism was developed whose sensitivity would stretch to the full 450 microamperes available and thus give approximately 25 seconds more vance anticipation of heading change since the 450-microampere signals are intercepted about that much sooner than the 150-microampere signals.

► Flight Test—A flight test in Marion Electrical's Aero Commander gave practical proof of the extent to which flight operations may be improved with the Expanded Range instrument.

Newark Airport's ILS, two by the company's chief pilot, Keith Rand, and two by the writer. Each man tried one approach using the 249-type unit and each made one using the Expanded Range instrument. Both indicators were mounted side-by-side in the top center of the instrument panel. All four

approaches were started at 90 deg. to the ILS localizer beam and at approximately eight miles from Newark's instrument runway.

When the turn onto the localizer was made using the 249 instrument, bracketing was unavoidable in both cases in lining the Commander up with the runway. Similarly, during the two approaches using the Expanded Range indicator, the plane was flown into the localizer beam on an asymptotic path, with no bracketing whatsoever.

Lloyd Wilson, Eclipse-Pioneer sales engineer, told Aviation Week that the Expanded Range indicator is currently being evaluated by the Air Force, Navy's BuAer and by the airlines. He expects the Civil Aeronautics Administration will soon be testing the instrument too.

Better Mechanism — Eclipse-Pioneer says the Expanded Range Omni-Mag incorporates two unusual characteristics:

"Its magnetic structure is so contrived as to provide a curve of angular

deflection versus signal input which remains substantially linear in the portion of the signal current normally used for cross pointer presentation. It also provides an additional area of sharply attenuated sensitivity which makes available in a small additional scale area, useful navigational information from 150 through 500 microamperes of signal current," Eclipse-Pioneer says.

"The mechanism retains in the


"The mechanism retains in the normal signal current area, the desired and specified ballistic characteristics. This combination of characteristics is made possible by the use of an Alnico V core magnet with sharply oriented grain structure produced by a chilling cycle in its heat treatment. This magnet permits sharp attenuation of the leakage field at the extremes of mechanism travel."

• "A corollary feature of the mechanism
. . . is its substantial freedom from
the influence of random acceleration
or vibration. This is accomplished by
a combination of factors. Among them
are: use of a single air gap with a flux
density of 6,000 gauss average; doubling
the torque arm; and an approximate
one-third weight reduction of the
pivoted system.

"The increased torque developed for a given signal current is three times that of previous indicator mechanisms. The reliability index of mechanisms of this type can often be expressed as a function of the unit bearing loading which, in this mechanism, is approximately 9% of that of conventional mechanisms. This comes from the combination of keeping the moving system's weight down as low as possible and using larger bearing radii permitted by the much higher torque," Eclipse-Pioncer concludes.


▶ Precision Heading—To give its new, Expanded Range Omni-Mag the most exact compass heading information possible, Eclipse-Pioneer tied its heading indicator (a small pointer pivoted at the center of the instrument) into its new Executive Compass System (heart of the system is the same precision, electrically driven gyro used in EP's well-known Polar Path navigation system)

The Executive Compass's master indicator is equipped with an autosyn transmitter which will drive up to four repeater compasses located remotely anywhere in the aircraft. An EP spokesman said: "By hooking up the Executive Compass to the Expanded Range Omni-Mag we hope to make the instruments more useful to more people . . . this is especially true because of the ease of installation and lightness of the Executive Compass . . . which is made up of three components, the directional gyro, amplifier and indicator. . . . Weights of the respective units are:





RATE GYROS, FREE GYROS, ANGULAR ACCELEROMETERS, INTERVALOMETERS, COMPLETE CONTROL SYSTEMS





DIRECTIONAL GYRO (left) is same one used in EP Polar Path navigation system.

6.6, 1.5 and 1.5 lb. for a total of 9.6 lb."

Nith VOR Too-The Expanded Range Omni-Mag may also be used for cross-country navigation. It simplifies this job for very much the same reasons it simplifies ILS operations. For example, the new instrument

For example, the new instrument permits a pilot to intercept a new outbound radial with a minimum of bracketing. New courses may be selected with greater precision and less maneuvering. "Centering" the course needle to determine a heading is also accomplished more readily "since considerably greater indication of direction and magnitude of error is given."


#### OFF THE LINE

DC-3 operators may have their aircraft modified for operation at 26,900 lb. gross takeoff weight using Wright R1820-56, -66 or -72 engines (with 16-9 propeller reduction ratio) equipped with Ham Standard aluminum-blade 23E50/6477A-0 props and modified nose ring cowl at Aerodex, Inc., Miami International Airport, Miami, Fla. Aerodex says it has obtained Civil Aeronautics Administration approval to perform these modifications which involve operating the Wright powerplants at 1,350 hp. for takeoff. Aerodex will also furnish flight manuals for the 26,900 lb. operation.

Four-to-one: A Pratt & Whitney Air-craft engineer recently made this comparison between the relative powers of the 28 cylinder R4360 Wasp Major reciprocating engine and the J57 turbo-jet powerplant: The eight J57s which power Boeing's B-52 bomber generate as much power as 35 R4360s.

What flying weather in Iceland is like may be gathered from the fact that a Navy squadron based there has operated half of its total flight time this year under IFR (Instrument Flight Rules) conditions.

# You a target?



#### Let's face it ... we're <u>all</u> targets!

If your plant is not ready with a disaster plan, better act now. There's not a single American plant that's out of range of an intercontinental bomber—and fires, floods, tornadoes or explosions can kill you just as dead as an atom bomb.

It costs next to nothing to take a few simple steps which may save hundreds of lives. Here they are. Check them off today.

- Call your local Civil Defense Director. He'll help you set up a plan for your offices and plant—a plan that's safer, because it's integrated with community Civil Defense action.
- ☐ Check contents and locations of first-aid kits. Be sure they're adequate and up to date. Here,

again, your CD Director can help. He'll advise you on supplies needed for injuries due to blast, radiation, etc.

☐ Encourage personnel to attend Red Cross First-Aid Training Courses. They may save your life.

Encourage your staff and your community to have their homes prepared. Run ads in your plant paper, in local newspapers, over TV and radio, on bulletin boards. Your CD Director can show you ads that you can sponsor locally. Set the standard of preparedness in your plant city. There's no better way of building prestige and good community relations—and no greater way of helping America.


Act now . . . check off these four simple points . . . lives are at stake . . . have you a right to delay?







# SPEED ENGINE CHANGE



Aeroquip 3,000 p.s.i. Self-Sealing Couplings, standard equipment on the F-84F, allow disconnecting of all engine fuel and oil lines in minutes, without draining. When the replacement engine is installed,

lines are reconnected without air entering the fluid systems.


Complete engineering of aircraft plumbing systems is an Aeroquip specialty. Write for information.



AEROQUIP CORPORATION, JACKSON, MICHIGAN AERO-COUPLING CORPORATION, BURBANK, CALIFORNIA

(A Subsidiary of Aeroquip Corporation) Manufacturers of Aeroquip Flexible Hose Lines with detachable, reusable Fittings; Self-Sealing Couplings; Brazed Aluminum Elbows LOCAL REPRESENTATIVES IN PRINCIPAL CITIES IN U.S.A AND ABROAD . AEROQUIP PRODUCTS ARE FULLY PROTECTED BY PATENTS IN U.S.A AND ABROAD

#### NEW AVIATION PRODUCTS



RED PLUS BLUE equals black.


#### Rose-Colored Glasses Make Blind-Flying Hood Opaque

It takes less than a minute, says the manufacturer, to install or take down a new blind flight practice hood which uses a pair of filters to block outside visibility.

The hood is built of blue transparent Plexiglas. It encloses only the pilot being checked. The trainee wears red spectacles, which combine with the blue shield to black out the exterior, although allowing a clear view of the instruments.

The hood folds flat, 16x30x1 in., and weighs only 12 oz. The kit, with all hardware, installation instructions, and carrying case, costs \$67.50 for the Cessna 140, 170, 180 and Beech Bonanza. Aero Commander and Beech Twin-Bonanza installations sell for \$97.50.

Line-O-Site Co., Baxter Springs, Kan.



AMC is testing new Harvey skid.

#### Aluminum Alloy Skid Can Carry 10-Ton Load

A strong, lightweight aluminum alloy skid developed for handling and shipping heavy machines and equipment is offered by Harvey Aluminum, Torrance, Calif.

Skid is made from standard shape 6066-T6 (66S-T6) Harvey material, can be used with handling equipment such as lift jacks, lift trucks, cranes, rollers, dollies, casters, etc. A number of the units have been bought by USAF Air Materiel Command for developing research data.


Put together or disassembled quickly, the standard S-1 model will take a six-

ton load concentrated in the middle of the runner beams; with the load spread out from the center, capacity increases to 10 tons.

Harvey Aluminum, 19200 South Western Ave., Torrance, Calif.

#### New Seat Safety Belt Has Quick-Release Knob

The Harley Model 24200 passenger safety belt features a simple, quick-turning knob allowing fast opening. The 3-lb, belt exceeds the 3,000-lb. minimum load specified in Civil Aero-nautics Authority TSO-C22B. Now being produced in the U.S., the belt was developed in Great Britain for the Royal Air Force.



BELT PARTS: A, release knob; B, engaging tongue; C, pull tab; D, webbing release bar.

A safety feature prevents using the belt improperly, the maker notes. An engaging tongue is inserted into a slot until it actuates a safety pin, dropping a locking plunger into place. Turning the knob while the belt is under tension causes it to part, with an ejection


Among the British civil aircraft using this belt are the turboprop Vickers Viscount and Bristol Britannia. During Queen Elizabeth's trip around the world, a number of the belts were sent to Trans-Australia Airlines and fitted to the Convair 240s used by the Queen and her party.

Atsco, 1926 East Siebenthaler Ave., Dayton 4, Ohio.

#### Light Alternator Drive Features Ball Pistons

Use of raidal piston hydraulic transmissions containing precision steel balls instead of conventional cylindrical pistons, connecting rods and bearings makes possible simpler, lightweight constant-speed alternator drive for use on

Most of the important functions of the unit are contained in one compact



hese and other quadrants have been developed by Adams-Rite to meet customers exact specifications.

We can design and build engine controls to your requirements for both piston and jet engine airplanes.


You can rely on Adams-Rite Experience



Eastern Representative—Reciputi & Weiss, Inc., Amityville, N.Y. Midwest Representative—George E. Harris & Ca., 1734 N. Hillside, Wichita, Kansas, Offices: St. Louis, Kansas City, Dallas. Canadian Representative—Railway and Power Engineering Co., Montreal. Offices

throughout Canada.

#### ROBINSON WIRE TWISTER now in 2 sizes!



New 9" Slendernose for bench work on magnetos, carburetors, instruments and sub-assemblies. 12 oz. weight. 12" Standard for assembly line safety wiring. 15 ounce.

Split second whirling action safety wires 3 engines in time formerly required for one. Saves as much as \$140 per engine assembled.

3-tools-in-1 - Pliers . . . cutters . . . twisters.

Side cutting, oil tempered heads. Permanent bronze bearing, no adjustments.

Jaws lock on wire, can't slip off. Unconditional money back guarantee. Write for details including prices, testimonials and list of users. RALPH C. ROBINSON CO., Box 494, North Sacramento 15, Calif.



Floating "O" Ring construction gives perfect seal in:

- CHECK VALVES
- SHUTTLE VALVES
- RELIEF VALVES
- MANUAL RELEASE VALVES

catalog Information CIRCLE SEAL precision valves AMES.DOND.CLARK 2181 East Foothill Blvd., Pasadena 8, Calif.

unit. The new drive, when combined with a 400-cycle a.c. generator, gives all the benefits of a.c. electrical power available without use of inverters. The drive, is in effect, a continuously variable ratio gear box which automatically adjusts variable engine speed into the constant speed required to drive constant frequency a.c. generators.


Permissible continuous-duty rating of the new drive goes up directly with input speed, GE states. A drive delivering 15 hp. (9 kva.) at 4,000-rpm. input speed will deliver 30 hp. (20 kva.) at 8,000-rpm. input speed. Drive efficiency averages about 80%. Weight of the unit is approximately one-poundper-horsepower in 85-hp. drives and about two-pounds-per-horsepower in small units.

The device will operate either on a separate oil supply or off the engine oil system. A small oil cooler is necessary when a separate system is loaded by continuing to rotate the outer used. Production of the new GE thimble through about nine or ten drives will range from 15 hp. (9 kva.) to 85 hp. (60 kva.).

Ordnance Systems Division, Schenectady 5, N. Y.

#### **New Micrometer Reads** Direct in Ten-Thousandths

There is no need to decipher a vernier to get accurate readings to tenthousandths of an inch with a new




OUTER THIMBLE gives .0001 reading.

micrometer caliper available from L. S. Starrett Co. Faster measuring is another feature, there being no necessity to rely on feel to get the correct spindle pres-

Here is how it works: An inner thimble reads in thousandths and an outer thimble has large, widely spaced graduations in ten-thousandths. The measuring faces are brought up snug to the part being checked and then

The outer thimble is allowed to re-General Electric Co., Aeronautic & turn under spring tension until the .001 graduation on the inner thimble lines up with the reading line on the sleeve. The .0001 reading is taken directly from the outer sleeve. The maker claims an accuracy within .00005-in. throughout the "mike's" range. Range of the instrument is from zero to one inch.

L. S. Starrett Co., Athol, Mass.



#### Smaller and Lighter

Rapid advance in design of liquid-to-liquid heat exchangers manufactured by United Aircraft Products is graphically illustrated by this photo. In three years, UAP has been able to shrink the size of the heat exchanger from that shown on the left to the slim new unit on the right (actual dimensions are not given). New unit's wet weight of 17 lb. is 3½ lb. less than old exchanger's dry weight of 201 lb. Dry weight of new exchanger is 13 lb. Capacities of both are identical: With oil flow of 80 lb./min., fuel flow 39 lb./min., oil outlet temperature of 250F, fuel inlet temperature of 130F, the coolers will dissipate 3,600 Btu./min.

Inconel "X"

#### may hold the key to your aircraft design problem


Suppose you wanted an alloy that met these specifications:


- -High elastic limits above 1300° F.
- -Outstanding high-temperature strength
- -High resistance to oxidation
- -Readily fabricated into shape needed
- -Weldable by commonly-used methods

Then, Inconel "X"® is your alloy! An age hardenable alloy, it has every one of the properties mentioned - and a good many to spare. The jet plane afterburner bellows shown above is one application where Inconel "X" filled the bill. There are countless other aircraft jobs where it also meets all needs.

Let's take a brief look at some of the principal characteristics of Inconel "X".

After suitable heat treatment, it is an unusually strong alloy both at ordinary temperatures and at red heat. It offers excellent resistance to oxidation at high temperatures.





JET AFTERBURNERS boost power, but pose ticklish design problems. Bellows connection between main engine and afterburner must withstand high heat, flex through desired range, prevent hot gases from escaping. This bellows meets all specifications, enables afterburner to supply extra getaway zoom with top efficiency. Designed and manufactured by Solar Aircraft Company, San Diego, Calif., the bellows is made from .010 Inconel "X" sheet which is welded into a circular band — and then corrugated.

And under high stresses at 1200° to 1500°F. it has an outstandingly low creep rate. This property, combined with a relatively low coefficient of expansion, makes it particularly useful for moving parts which must operate in small clearances.

It is also useful where a high modulus of elasticity is needed. Its stiffness is about equal to that of alloy

Spring properties are excellent. When drawn into spring wire, it resists fatigue, stays flexible and strong at temperatures up to 1000°F.

Resistance to impact is good too. And you also have hardness . . . machinability . . . good forging and fabricating qualities. As for welding, this can be accomplished by most of the commonly-used methods including metal arc, inert gas metal arc or hydrogen arc, resistance spot and seam, and resistance butt.

In short, Inconel "X" is the kind of metal you can work with - and get the results you want.

THE INTERNATIONAL NICKEL COMPANY, INC. 67 Wall Street, New York 5, N.Y.



**Nickel Alloys** 

MONEL® • "R"® MONEL • "K"® MONEL • "KR"® MONEL "S"® MONEL . INCONEL® . INCONEL "X"® INCONEL "W"® . INCOLOY® . NIMONIC® Alloys NICKEL . LOW CARBON NICKEL . DURANICKEL®





#### EXPLODED VIEW

Ask about maintenance cost savings you can enjoy by using Lord Core Renewal Service on Dynafocal Suspensions.

THIS new Lord Dynafocal Mounting is interchangeable as to vibration characteristics and physical dimensions with any mounting now in use on Convair 240 and 340, Douglas DC 6 Series, Martin 404 and Military Aircraft using R-2800c engines. The Lord MR36M is stronger than any mounting of previous design. Its light weight saves up to 16 pounds per engine, depending on the type of mounting system now used. This new Lord Dynafocal can replace your present heavy mountings without any rework whatever.

The Lord MR36M Mounting is approved by CAA, USAF and Navy Bureau of Aeronautics. The reduced weight on 2 and 4 engine aircraft enables you to realize an immediate profit in additional payload. For complete details you are invited to write direct or refer to

the field offices listed below.

**BURBANK, CALIFORNIA** DALLAS, TEXAS PHILADELPHIA 7, PENNSYLVANIA DAYTON 2, OHIO 725 Widener Building 410 West First Street 233 South Third Street 313 Fidelity Union Life Building


DETROIT 2, MICHIGAN NEW YORK 16, NEW YORK CHICAGO 11, ILLINOIS CLEVELAND 15, OHIO 311 Curtis Building 280 Madison Avenue 520 N. Michigan Ave. 811 Hanna Building

LORD MANUFACTURING COMPANY . ERIE, PA.



Headquarters for VIBRATION CONTROL

#### LETTERS



#### No Magic Glass

In reference to the picture of the glass of water on the cowl of the Cessna 180 on p. 53 of the Aug. 23 issue of Aviation WEEK magazine, we were wondering if either you or any of your readers could tell us why the glass of water does not blow

> GIFFORD ASHER, RICHARD STOREY. BERTHA M. RYAN, JOHN M. Calligeros Aeroelastic Lab Cambridge, Mass.

(AVIATION WEEK asked Gardner Advertising Co., which prepared the advertisement for Cessna. Their answer follows.—Ep.)

Regarding the Cessna advertisement which shows a glass of water balanced on the cowling of a Cessna 180, we offer the following information:

The photo of the glass of water on the cowl of the Cessna 180 that appeared in the Aug. 23 issue of Aviation Week was taken on the ground at about 1,200 to 1,500 rpm. The weight of the glass and water was about

Since the airplane was not in motion, the only wind force acting on the glass of water was that induced by the action of the propeller. Thrust decreases from the tip of the propeller to the hub, due to the decrease in the speed of the propeller, proportionate to the decrease in the circumference of the propeller arc.

There is also a change in the shape of the propeller from an airfoil at the tip and center of the blade to a cylindrical shape at the hub, resulting in an additional loss in the thrust of air around the engine and cowl area. This is the reason for some of the cooling problems resulting when an airplane idles on the ground for any length of time. At 1,500 rpm, with the airplane not in motion there is not enough slipstream created in the cowl area to move a 14-lb. glass of

> W. J. ROGERS Gardner Advertising Co. 915 Olive St. St. Louis 1, Mo.

#### Trouble Records

It strikes me-if the idea is not already in effect-that a device is needed in new type

planes which might bring valuable data to our attention in case of a destructive accident in the air.

I am thinking particularly of the mysterious Comet mid-air explosions, but it could likewise apply to other planes.

I would suggest a fire- and explosion-proof voice recorder type of machine which would continually record and erase over a 2-minute period certain critical data, including perhaps (1) interphone or cockpit conversa-tion, (2) attitude of plane, (3) time, (4) tele-metered critical engine or other data of suspected source of trouble.

The machine should wire-record and erase automatically during entire flight; should be cut off upon unusual attitude, heavy shock or high temperature; and should be pro-tected by buoyancy and shielding from the elements, for future use upon recovery.

C. A. BOND Captain, U. S. Navy U. S. Naval Reserve Officers' Training Corps University of Michigan Ann Arbor, Mich.

#### Vibration


In reference to letter you published from M. R. Seldon, Chance Vought Aircraft, the author discusses a problem which has been equally disturbing to the Shock and Vibration Group at Bell Aircraft Corp. It is interesting to note that more people are becoming interested in this field of technology.

The existence of an academic definition for vibration or shock would seem to be of minor importance at the present time. The textbook definition of vibration has been adequate for years and a lengthy discussion of the precise definition of shock would use up much time required for real problems. The number of versions would probably equal the number of authors on the subject.

The real field which requires work lies in the future. We are on the threshold of a new era in equipment design; indeed, many of us have been forced across that threshold in recent years. The advent of the guided missile and the rocket-powered aircraft has forced changes in the concepts of isolator design. The customary low-frequency mounting system, as it is used today, must be revised to meet the following conditions:

- (a) Steady-state flight accelerations in all three planes of 5G or more.
- (b) Steady-state flight attitudes at all angles up to and including complete inversion.
- (c) Highly oxidizing atmosphere caused by the rocket propellants. (d) High temperatures up to 300F.

New, or rather revised, design parameters must be utilized to meet these conditions. These new systems will serve to end the old arguments over shock vs. vibration protection. The mount stiffness required in all planes, to meet the steady-state loads will restrict the isolator natural frequencies to a band normally assigned to so-called shock mounts. We will then obtain a nominal amount of shock protection combined with high-frequency vibration isolation. The



#### **IMPORTANT DUTIES**

Weighing only 2.335 ounces these minute devices tell the Jet Pilot when to apply oxygen, pressurize the cockpit and level off at service ceiling. It also functions as an automatic radio gain control, protects aerial photography film, and monitors the emergency fuel control system. To undertake these and other important duties faithfully, this snap action aneroid must be manufactured to the most exacting specifications. When calibrated to 40,000 feet pressure altitude, it responds within ± 1500 feet upon being subjected to extreme physical and environmental conditions. Manufactured by the Diaphlex Division.


We invite your inquiry.

#### Cook Electric Company

Established 1897 2700 Southport, Chicago 14, Illinois

Diaphlex-Aircraft Components and Accessories · Wirecom-Wire Communications, Protection & Distribution Apparatus • Magnilastic-Expansion Joints, Heavy Industry Equipment, and Airframe Structures • Cook Research Laboratories—8100 Monticello Avenue, Skokie, Illinois . Inland Testing Laboratories—1457 Diversey Parkway, Chicago 14, Illinois • Electronic Systems Division-2533 N. Ashland Avenue, Chicago 14, Illinois . Subsidiary: Canadian Diaphlex Limited-Aircraf Components and Accessories, Toronto, Ontario, Canada • Plymold Division-3415 Belmont Avenue, Chicago 18, Illinois,







equipment installed on such mounts must be similar in design to ground force communications gear.

Greater emphasis must be placed upon cooling and this factor will control cabinet size and arrangement. The newer stacked tubes, shockproof relays and ruggedized components will have to be employed to insure operation under the stiffer vibration requirement. The damping available must be such as to permit peak transmissibilities at resonance of no greater than 3.

A logical question to follow all of the above is, "What can we gain by all of this?" The primary advantages are as follows:

(a) We can provide equal isolation at all conditions of flight in aircraft no longer keyed to the G tolerances of the human pilot.

(b) We can successfully ship our missiles to the launching site and account for the shipping problem in equipment design. Current airborne equipment breaks down all too often during ground shipment. All too often we ignore the fact that the flight time of a missile is a small percentage of its life.

(c) These mounts may be applied to a greater variety of airframes. Helicopters, for example, cannot easily use the low-frequency aircraft suspensions now available.

(d) There is a possibility of standardization between aircraft and vehicular mounts which will save the thousands now spent on duplication between various mount manufacturers' "standard" sizes. Is there a real need for so

many mount types?
In conclusion, the problem may be summed up as follows:

(a) The possibility of vibration isolation, as we now interpret it, is becoming antiquated in the face of current aircraft performance.

(b) The thermal, shipping and corrosion problems are largely ignored in our current designs.

(c) Our current equipment is too fragile to suit the requirements of the airframes which we now use.

(d) Greater emphasis should be placed on the development of rugged tubes, relays and other components for use in aviation equipment.

RAYMOND G. YAEGER
Senior Vibration Test Engineer
Gen. Engineering Laboratories
Bell Aircraft Corp.
Buffalo, N. Y.

#### Praise

I would like to take this opportunity to thank you and your organization for the very fine stories of our A4D Skyhawk that have appeared in four of the recent issues of AVIATION WEEK. They are very much appreciated by all of our employes who worked on this airplane so diligently in order to produce it in record time and unprecedented weight.

So far, the airplane is doing very well and we think it will give an excellent account of itself in service, as well as result in a great saving to the taxpayer.


E. H. Heinemann, Chief Engineer Douglas Aircraft Co., Inc. El Segundo, Calif. amplete



# CONDITIONS PROVE COMPONENT PERFORMANCE



IMPACT. Unit must withstand impact shocks of 30g for a time duration of not less than 10 milliseconds.



VIBRATION. Operational accuracy guaranteed at 5g from 20 to 55cps and at 10g from 55 to 225cps.

#### first essential in aircraft electronics


Engine-control electronic equipment is frequently installed in close proximity to the turbojet engine. Therefore, electronic components must be designed and constructed to function with complete reliability under extreme ambient conditions. However, the degree of reliability attained depends largely upon the attention given to detail in applying these five major design principles to every phase of equipment development:

- Conception of basically simple circuitry to accomplish desired control functions.
- 2. Rugged design of mechanical details.
- 3. Selection of components based upon extensive environmental and life tests.
- 4. Operation of all components well below their maximum rating.
- 5. Adequate performance tests of production units under dynamic operating conditions.


Strict adherence to these principles has enabled us to achieve extreme reliability in all our aircraft electronic equipment. We believe our years of concentrated research, development and tests devoted exclusively to automatic control systems for jet engines can be of real value in solving your control problems. Our engineering counsel and extensive manufacturing and test facilities are at your service. We welcome your inquiry.

**TEMPERATURE CONTROL AMPLIFIER** (*Illustrated above*). Modulates exhaust nozzle area of a turbojet engine to maintain a constant turbine exit temperature. Input signal is derived from thermocouples. Output controls a servo which supplies hydraulic power to the exhaust nozzle positioning actuators.

TEST SPECIFICATIONS. MIL-E-5009A: Altitude, Ignition proof, sand and dust, humidity, sustained acceleration, impact. MIL-E-5272A: Salt Spray. MIL-E-5007A: General specification. MIL-I-6181: Radio interference.



SUSTAINED ACCELERATION. Unit must operate satisfactorily while subjected to sustained acceleration of 8g along its longitudinal axis, 10g along its vertical axis, and 5g along its horizontal axis.



FLIGHT TEST CHAMBER. Unit performance checked under simulated flight conditions within a temperature range of minus 65° F. to plus 200° F., a relative humidity of 95%, and at all altitudes up to 50,000 feet.

#### MANNING, MAXWELL & MOORE, INC.

AIRCRAFT PRODUCTS DIVISION . STRATFORD, CONN. . DANBURY, CONN. . INGLEWOOD, CALIF.



OUR AIRCRAFT PRODUCTS INCLUDE: TURBOJET ENGINE TEMPERATURE CONTROL AMPLIFIERS . ELECTRONIC AMPLIFIERS PRESSURE SWITCHES FOR ROCKETS, JET ENGINE AND AIRFRAME APPLICATIONS . PRESSURE GAUGES THERMOCOUPLES . HYDRAULIC VALVES . JET ENGINE AFTERBURNER CONTROL SYSTEMS.



This task force at Solar's Des Moines plant is studying a new diffuser assembly for a turboprop engine, on which Solar is working both in stainless steel and in titanium. Clockwise are Charlie Ragan, assistant contracts manager; Bill Dixon, chief production engineer; Bob Ballard, manager of manufacturing; Ed Gunton, assistant plant manager—operations; Bill Schilling, chief design engineer, and Hi Brown, chief metallurgist.

# A Solar Task Force can help you solve special problems

is the formation of a project task force. The requirements of the new job are studied and the engineering and shop skills demanded by it are noted. Next, individual engineers and specialists in these fields are selected from Solar's many departments, from research through production.

These men, as a team, are charged with full responsibility for the successful completion of their project. Each task force team is free to call for additional specialists whenever they are needed.

Through this task force system, each project - large or small - benefits from all

of Solar's knowledge and 27 years' experience in designing and building heat resistant alloy products. The task force system has resulted in many important design improvements, as well as impressive savings in production costs.

Solar will be happy to assign a task force team to help you solve special problems.



DESIGNERS, DEVELOPERS AND MANUFACTURERS OF METAL ALLOY PRODUCTS

## This is What Solar Offers You

solar specializes in the manufacture of precision products from alloys and special metals for severe service. Solar's experience since 1927 is unduplicated in this field. Solar skills and facilities range from research, design and development through to mass production. Wherever heat, corrosion or difficult specifications are problems, Solar can help you solve them.



PLANTS. In San Diego and Des Moines (photograph above). A total of 1,400,000 sq ft of floor space. Approximately 5,000 employees. Annual sales over \$65,000,000.

for all types of metal fabrication —forming, machining, welding, brazing, casting, coating. Extensive laboratory and testing equipment. Facilities for development, prototype, limited or mass production.

SERVICES. Research, design, development, tooling and production engineering staffs. Experienced with all alloy steels, stainless alloys, super alloys, and titanium and its alloys. Government source inspection and Solar quality control meet rigid aircraft and commercial standards.

#### CONTRACT PRODUCTION

Current orders include aircraft engine and airframe parts, alloy castings, pneumatic ducting, atomic energy components. Customers include some of the most honored names among aircraft and industrial companies in the U.S. and Europe.

#### SPECIAL PRODUCTS

Bellows. "Sola-Flex" bellows and expansion joints in many designs from ½ in, up to the world's largest, 28 ft in diameter.



Gas Turbines. Solar "Mars" 50 hp engines for auxiliary generator sets, ground carts, portable fire pumps; Solar "Jupiter" 500 hp engines in variable and constant speed models.

Ceramic Coatings. "Solaramic" ® is the Solar trade mark for a family of coatings that protects metals from heat, corrosion, galling and abrasion.

Controls. Complete control systems utilizing the new Solar "Microjet" ® principle for control of gas turbines, jet engines and pneumatic devices.

FURTHER INFORMATION
Your inquiry regarding any Solar
service or facility will
receive prompt attention. Address
Solar Aircraft Company
Department A-36
San Diego 12. California.

### WHAT'S NEW

#### New Publications

Life-saving news for lightplane pilots is contained in 180-Degree Turn Experiment, Aeronautics Bulletin Number 11, a 64-page report by University of Illinois' Institute of Aviation describing a procedure for pilots untrained in instrument flying to follow in bad weather. Address: Urbana, Ill. . . . Fundamentals of Friction and Lubrication in Engineering is bound collection of 12 papers presented at first national symposium of the American Society of Lubrication Engineers. Publication includes complete bibliographies with over 300 references. Price: \$3.50 (\$3.00 to ASLE members) from American Society of Lubrication Engineers, 84 E. Randolph St., Chicago

Digest of New York State Laws Affecting Aviation is available free of charge from the state's Department of Commerce, 112 State St., Albany 7. N. Y., or any of the department regional offices. . . National Machine Tool Builders' Assn. has issued 40-page Glossary of Engineering Terms for Hydraulic Presses. With later reports vet to come, association hopes to pave way for interchangeability of dies and fixtures between hydraulic and mechanical presses. Glossary is available from the association, 2071 E. 102nd St., Cleveland 6, Ohio; price, 75 cents. . . . Pallets and Palletization is 20-page handbook designed to become "bible to all pallet users." It is available without charge from many pallet suppliers, or tor \$1.00 from National Wooden Pallet Manufacturers Assn., 215 Barr Bldg., Washington 6, D. C.

Guide for A&E Mechanics, 12th Edition, contains basic information needed by mechanics; 128 pages; \$2.00;

1954-55 AIRPORT DIRECTORY NOW FOR SALE

data on varying state gasoline taxes.

Orders are coming in at a rate that promises a complete sellout. The price is

\$3.00 per copy. Send your check or moneyorder to: AIRPORT DIRECTORY,

McGraw-Hill Publishing Company, 330 West 42nd Street, New York 36, N.Y.

The new 1954-55 AIRPORT DIRECTORY is just off the

press. It lists more than 6,000 airports . . . by exact lati-

tude and longitude, number and types of runways, lights

and markings, obstructions, radio and weather facilities,

repair service, hangars, restaurants-even bus and taxi

service. Among many other useful features are tips on

weather and navigation, a map of all CAA regions, and

published by Aero Publishers, Inc., 2162 Sunset Blvd., Los Angeles 26, Calif. . . . New 48-page publications list gives all American Standards that are presently available. Write to American Standards Assn., 70 E. 45th St., New York 17, N. Y.

### Telling the Market

Full specifications on South Bend Lathe's complete line of machine tool attachments and accessories is contained in 40-page Catalog 5418, available from South Bend Lathe Works, 425 East Madison St., South Bend 22, Ind. . . . Sciaky Bros. offers two new bulletins: No. 313-12 covers new Sciaky standard multiple electrode machine (SX 36 G) for high-production resistance welding applications; No. 319-12 describes Dial Feed, a universal, rotary indexing unit for use with resistance welders, machine tools and various assembly operations; address: 4915 W. 67th St., Chicago, Ill. . . . Pioneer Model VH-215 Hand Broaching Machine is described in twocolor, four-page bulletin, available from Pioneer Branch Co. The company's address: 6434 E. Telegraph Rd., Los Angeles 22, Calif.

Ball-bearing swivel joints, loading racks, manifolding lines, flexible aircraft assemblies are among products described in 32-page Catalog G-4, available from Chiksan Co., Brea, Calif.... Engineering Manual 201G is 64-page catalog describing aircraft, electronic and industrial clamps manufactured by Thomas Associates, 4607 Alger St., Los Angeles 39. . . . Resistoflex Corp. has issued a 16-page catalog describing its aircraft hose and hose assemblies for use in hydraulic, fuel and oil systems. Address: Belleville, N. J. . . . Tubular steel scaffolds and materials hoisting towers made by Beaver Art Metal Corp. are shown in 16-page general catalog and parts list No. 56 that describes the company's Advance line. Write Dept. 7-5, Ellwood City, Pa.

Miles of
ATOMIC
ARTERIES

PROVE THE
WORTH OF THI
PRECISION
EXPERIENCE!

At sea, in the air, on the land, wherever atomic power is at work TMI Stainless Steel Tubing is on the job ... the vital link between the energy and the power. A These are the arteries that dare not say die! They must be perfect; they require thousands of specified tests, unbelievable purity, the most unique know-bow in the entire industry.

This experience, pyramided on all the other TMI ability to meet and surpass specialty specifications to .0003", is yours for the sharing to help make your product better . . . to help you cut your production costs!



SINCE 1941, BETTER STAINLESS STEEL AND ALLOY TUBING . . . IN .050 to .625 DIAMETERS

May We Serve You, Too!



AVIATION WEEK, October 25, 1954

AIRPORT DIRECTOR

the Statuted Aufterry

Airport Feedblad


72

# for business and componite aincraft:


Performance proved on more than 100 different types of aircraft, these safe, compact, efficient, dependable Janitrol heaters will cover every business or corporate aircraft need. All Janitrol heaters, fittings, and controls comply with applicable CAA Specifications. All are available through your local aircraft modification center, or your nearest Janitrol District Office.

# JANITROL'S COMPLETE LINE OF HEATERS & ACCESSORIES


S-25 or V-25 ... 25,000 Btu/hr rating in either vapor or spark spray types. Weight, 16½ lbs.... Dimensions, 16½" x 6". These heaters serving dependably in the "Aero Commander" and other similar size planes.




\$-50 ... 50,000 Btu/hr rating. Weight, 20½ lbs. Dimensions, 21½" x 7". Already standard equipment on many transports, it serves Beechcraft Models B-50, and D-18, and many other private planes.



\$-100 . . . 100,000 Btu/hr rating, Weight, 22½ lbs. Dimensions, 271/2" x 9". "Workhorse" of Janitrol combustion heaters . . . you'll find it in the DC-4, C-46, C-54, C-124, Constellations, PV-1, and Lodestar transports, and corporate conversions, in this size range.




\$-200 . . . 200,000 Btu/hr rating. Makes use of Janitrol's famous "radiant tube" principle of combustion. Weight, 27 lbs. Dimensions 23¾" x 10". Now in use on C-119s, C-120s, DC-3s, Super DC-3s, and many other famous larger aircraft. In some multi-unit installations S-200s supply more than 1,000,000 Btu/hr-used singly or in multiples, it will meet practically any private aircraft heating need.



Compactness, simplicity, complete interchangeability, and accessibility of every component pays off when you buy Janitrol. Blower assemblies, Sealed Control Cans, Ignition Units, Clamp Bands and flanges, Switches, shielded ignition leads, all from one source, one known quality, available everywhere . . . that is what you get when you buy Janitrol aircraft combustion heating equipment and accessories.



37 years experience in combustion engineering





District Engineering Offices: New York, 225 Broadway; Washington, D. C., 4650 East-West Highway; Philadelphia, Penna., 401 No. Broad St.; Kansas City, Mo., 2201 Grand Ave.; Fort Worth, 2509 Berry St.; Hollywood, Calif., 7046 Hollywood Blvd.; Columbus, Ohio, 400 Dublin Ave.

# AVIONICS

# Hughes Comes Back Strong After Blowup

 HAC heads for sales of \$200 million this year despite loss of key men and growth of competition.

By Philip Klass

Los Angeles-A year after resignation of Hughes Aircraft's top management-scientist team-which some feared might lead to a mass exodus that would shake the company's foundations-HAC appears today to be scarred but not too badly hurt by the experience.

A Defense Department spokesman, in a good position to know, told AVIATION WEEK that there are very few companies today which can match Hughes' staff, its experience, facilities, or enthusiasm in the military systems business.

► The Scars—However Hughes has lost a number of top-notch scientists and engineers who held key positions or were engaged in advanced development, a loss which may not show up for a couple of years. For example, of the 50 original members of HAC's advisory council (made up of senior scientists) listed in May 1953, approximately 40% have left during the past year.

(However, staff attrition at lower working levels has generally been very much lighter.)

In addition HAC has lacked permanent top management to set long-range policy and objectives. A successor to W. C. Jordan, who took over as general manager last fall and resigned this June, has not yet been named. In the interim, the company is being operated by an executive committee consisting of four Hughes vice presidents, each of whom is also responsible for operating

a major division within the company. Howard Hughes is known to have been considering Maj. Gen. Clarence Irvine as a successor to Jordan, but there is said to be some opposition to his appointment within HAC (AVIATION Week Sept. 20, p. 19). It is believed that Hughes recognizes that he must choose wisely to avoid serious morale problems that would follow if a third general manager were to quit.

▶ Business Is Good-Although Hughes has released no figures, observers report that the company this year will gross slightly more than last year's \$200 million, despite the general stretchout throughout the industry. Production



HAC'S CULVER CITY PLANT is center of company's research and development activities.

of fire control systems for the current least partially this is the result of F-89D) is down somewhat. However, production of newer and more complex fire control for the F-102, plus expansion of Tucson's production of the Falcon air-to-air missile have reportedly taken up the slack.

Hughes, until recently primarily an Air Force supplier, has gotten a multimillion-dollar Signal Corps contract to develop an integrated mobile antiaircraft system. The system will include surveillance and tracking radars, computers, and data collators.

HAC has also cracked the Navy's interceptor fire control business. At

### Second Look at Hughes

A year ago, Hughes Aircraft Co. was rocked by resignations of its top management which in five years had built it into a \$200-million-a-year avionics firm and a top producer for air defense. The formation and rapid growth of two new companies, Ramo-Wooldridge Corp. and Litton Industries, headed (and partially staffed) by former key HAC people, was described in this space Oct. 11 and Oct. 18.

There has been considerable speculation on Hughes' present status. Aviation Week's Avionics Editor, Philip Klass, has prepared the following report on Hughes Aircraft today, based on conversations with persons in and outside of Hughes who have followed the company's operations during the past year.

crop of interceptors (F-86D, F-94C, troubles with the new Westinghouse system, which that company is trying to

► But Competition Is Tougher—Despite all this, Hughes is facing tougher competition. If USAF's current competition for a new interceptor fire control system had been held 18 months ago, the odds would have been running very high in HAC's favor, because of its preeminent skills, facilities, and experience. Today, at least a few HAC officials are worried that it may go to a competitor, possibly North American Aviation's Downey group, RCA, General Electric, or to others anxious to enter the field. The reason: USAF's desire to get a few of its eggs out of the Hughes basket.

When the Hughes blowup came last fall, practically all USAF's interceptor fire control and air-to-air missile development, and most of its production capability, were centered in this one company. There was so much concern over the future of these vitally important projects that top AF circles were reportedly considering the possibility of severing the government-owned, Hughes-operated Tucson missile facility.

Air Force reportedly decided against such a move, because HAC's missile R & D group was located at the main Culver City plant, and because of possible repercussions in business

► New Prime Suppliers—During the past year, Air Force has taken steps to broaden its base of fire control suppliers by bringing in RCA and North American Aviation, and possibly others. RCA had earlier been set up as a sec-



ond source on HAC fire control.

Some Hughes people express concern over the possibility that Ramo-Woold-ridge Corp., headed by two former Hughes vice presidents, and staffed by former HAC people with fire control know-how (Aviation Week Oct. 11, p. 48) may collaborate with one of its competitors in the current interceptor fire control competition. This apprehension is spurred by the fact that R-W, shortly after it was formed, took on a consulting contract with Westinghouse's Air Arm division to assist in solving its current fire control system problems.

Advanced Electronics Hit—Hughes Aircraft's advanced electronics lab has been the hardest hit by loss of scientific personnel, with the radar (fire control) division running a close second, according to a former HAC official who still retains close contacts with the company. The advanced electronics lab's work in digital computers and electrodata machines is reportedly suffering, delaying the company's entry into commercial fields.

On the other hand, the guided missile division and electron tube lab have lost few scientists, except for normal turnover, he reports.

An examination of the list of HAC's senior scientists on the advisory council 18 months ago, shows that of the nearly 40% (20) who have left, approximately half have joined Ramo-Woold-ridge, another 25% have gone with Litton Industries, new company formed by Charles B. Thornton, former HAC assistant general manager. (AVIATION WEEK Oct. 18, p. 62).


(During last fall's "crisis," it was reported that Howard Hughes offered attractive bonuses to key people to get them to remain. This was confirmed to AVIATION WEEK in one instance by a scientist and long-time HAC employe, who said he turned down a very sizeable bonus to take a top spot elsewhere.

▶ Some Who Left—An idea of some of the important posts vacated can be gained from a list of some of the advisory council members who joined R-W. For instance, Dr. Ralph P. Johnson was former assistant technical director of HAC's R & D labs; Dr. E. M. Grabbe was former associate head of computer systems; Dr. B. F. Miller and W. B. Hebenstreit were former head and associate head of the advanced electronics lab; Dr. Harper Q. North was former head of the semi-conductor department.

At Litton, H. W. Jamieson was former associate head of the radar labs; Dr. Sidney Frankel was associate head of microwave research, and Sig Hansen was co-head of the storage tube section in the electron tube lab.

▶ Why Some Left-To understand the

when the "heat's on" upstairs... ... control counts When a jet knifes its way through the sky in supersonic flight, temperature's the critical factor. The hidden automatic controls that meter fuels, harness temperatures, and control pressures, must do their jobs instantly and dependably in the face of torrid engine temperatures and ambients. The faster flying ships of tomorrow demand that better automatic controls be on the drawing boards today. And aircraft engineers know of General Controls' long experience in designing automatic controls for home, industry and the military. That's why General Controls engineers are working alongside aircraft designers to write another chapter in the fantastic story of flight. Take your hi-g, hi-temp control problem where it belongsto General Controls. **General Controls** 



# GENERAL CONTROLS

Plants in: Glendale, Calif., Burbank, Calif., Skokie, Ill. Factory Branches in 38 Principal Cities

SEE YOUR CLASSIFIED TELEPHONE DIRECTORY

Manufacturers of Automatic Pressure, Temperature, Level and Flow Controls for Heating, Home Appliances, Refrigeration, Industrial and Aircraft Applications

collective motivation behind the limited exodus of top scientists, it is necessary to understand the strong allegiance which many felt toward Dr. Dean Wooldridge and Dr. Simon Ramo, and to a lesser extent toward Thornton, who had a following among HAC's management people.

To at least a number of the senior scientists and engineers, Ramo and Wooldridge were Hughes Aircraft Co. They were the prime movers in build- ment. ing HAC's scientific staff to a position of pre-eminence, having personally enticed many of the key people from other companies. Ramo and Wooldridge created at HAC the kind of research environment seldom found outside a pure research lab. Their "scientist is king" philosophy was carried to the point of providing plush carpeted offices for key scientists, an almost unheard of luxury.

When, after earlier warnings that all was not well, Ramo and Wooldridge announced their plans to leave, followed by resignations of Thornton and Gen. Harold George, HAC's general manager, it looked to many of the senior scientists as if the roof was about to cave in.

viously many in the 1,200-1,500 scientific staff, particularly among the more recent additions, who felt no such

strong ties with Ramo and Wooldridge, and who therefore stayed on.

The opportunity for personal advancement opened up by top-level departures seems also to have been a factor. When HAC's major expansion tapered off a couple year's ago, paths of advancement were clogged by top, second, and third tier supervisors who were only in their twenties and thirties, with a long time to go before retire-

Still another factor was the appeal by top AF officials, and by the departing management, for men to stay on the job lest serious damage result to vital defense projects. At least several key men. who had already made up their minds to leave, agreed to stay on for a suitable cooling off period.

► More Settled Today—Hughes people report that conditions today are "much more settled than ever before." They say that HAC "more closely resembles a solid commercial operation and is less a 'wonder company'."

This is not to say that everything is running smoothly at Hughes. Even before the blowup, HAC faced problems which always accompany a large organization and which become more ► Why Most Stayed-There were ob- difficult when the company has mush- New transducers, four types, for measroomed rapidly.

But if HAC can fill in the voids in its management and scientific staff, despite

the short supply of top scientists, before it seriously effects long-range development, and if there is no repeat performance of last fall's experience, the company should continue to play a dominant role in the avionics field.

Like a fast-rising prizefighter who finds himself on the canvas for the first time, but gets up a more experienced fighter, the overall effect of the recent crisis at Hughes Aircraft Co. may turn out to have been salutary.


#### New Avionic Bulletins

New technical bulletins on devices of interest to persons in the avionics field include:

- Motor application chart shows at a glance which of a variety of servo motors are available with one or more of the following: signal switch, limit switch, filter, clutch, brake, gear train, governor. Servo motors come in three basic types: permanent magnet and wound field d.c., and 400cycle a.c. Burton Manuf. Co., 11201 W. Pico Blvd., Los Angeles 64, Calif.
- · Diodes and transistors, including power types, are listed and application engineering data given in three bulletins, TE1300, TE1312, and TE1313. Transitron Electronic Corp., Melrose 76, Mass.
- · Solenoids, available in 300 different types, are described in Bulletin SO-100-300. Joseph Pollak Corp., \$1 Freeport St., Boston 22,
- uring vertical, horizontal and torsional vibrations are described in data sheets available from Consolidated Engineering, 300 N. Sierra Madre Villa, Pasadena 15, Calif.



AVIATION WEEK, October 25, 1954



# Behind the PLEXIGLAS . . . Proper Design

The combination of properties in Plexiclasacrylic plastic—clarity, strength, formability, resistance to weather-have made it a by-word for canopies, noses, astrodomes and other transparent enclosures on all types of aircraft.

Of equal importance with these properties is the design skill of aircraft engineers who determine the shapes to be formed, and the type and thickness of Plexiclas to be used. They must relate stressdistribution, attachment techniques, and maximum service requirements to the known capabilities of Plexiclas and to the over-all design of a plane.

The proper design of enclosures demands full knowledge of PLEXIGLAS. Over the years, Rohm & Haas Company, in addition to manufacturing an aircraft glazing material with the optimum balance of properties, has worked closely with the aircraft industry and the armed services so that plane designers will have a thorough understanding of acrylic plastic and will be able to use the material to best advantage.

The Rohm & Haas Company manual, "Handbook for Aircraft Engineers", provides detailed physical data on Plexiclas and outlines recommended practices in the design of transparent aircraft parts. Engineers are invited to write for a copy.

CHEMICALS

FOR INDUSTRY


### ROHM & HAAS COMPANY

WASHINGTON SQUARE, PHILADELPHIA 5, PA.

Representatives in principal foreign countries

CANADIAN DISTRIBUTOR: Crystal Glass & Plastics, Ltd., 130 Queen's Quay at Jarvis Street, Toronto, Ontario,

PLEXICLAS is a trademark, Reg. U.S. Pat. Off., and other principal countries of the Western Hemisphere,



# ENGINEERS

# RESEARCH DESIGN DEVELOPMENT

FOR LONG RANGE GUIDED MISSILE PROGRAM

Aeronautical, Electrical, Mechanical and Chemical Engineers, and Physicists needed in the following fields:

PRELIMINARY ANALYSIS AND DESIGN OF GUIDED MISSILES PRELIMINARY ANALYSIS AND DESIGN OF ROCKET ENGINES STRESS & DYNAMIC ANALY-

COMBUSTION DEVICES TURBINES & PUMPS VALVES & REGULATORS

INSTRUMENTATION ENGI-NEERING FOR ROCKET TEST LIQUID AND SOLID PROPEL-LANTS

FIELD TEST ENGINEERING

**AERODYNAMICS** 

**AEROTHERMODYNAMICS** AIRCRAFT STRUCTURES AND VIBRATION

MISSILE POWER PLANT SYS-TEMS

MISSILE ELECTRICAL SYS-TEMS

MISSILE HANDLING EQUIP-MENT

WEAPONS SYSTEMS ANALY-

FLIGHT TEST ENGINEERS FLIGHT TEST INSTRUMENTA-TION

Openings exist at both Senior and Junior levels. Junior engineers will be accepted, without experience, for training in the above openings.

For additional information please send resume to:

Missile & Control Equipment Dept. Engineering Personnel

NORTH AMERICAN AVIATION, INC. DOWNEY, CALIFORNIA

In the N. Y. area, pls. contact our representative, Mr. G. W. Benedict; 19 Rector St. Rm. 1609, N. Y. 8, N. Y.

Report on RTCA Symposium

# Military Supports Common System

Defense offers information pertinent to program; Air Force says it may step up switch from VHF to UHF.

to cooperate in setting up the Common in a conciliatory mood. System of air navigation and traffic control is seen in expressions by armed Radio Technical Commission for Aero-

acceptable public stand on such subjects as the Common System, motherhood, and sin, the expressions by military spokesmen nevertheless were significant.

The military sometimes are accused in certain civil aviation circles of having "sabotaged" the program several years ago because of tactical needs arising from the Korean war. The Tacan-DME controversy (Aviation Week Mar. 15, p. 126), mentioned frequently during the symposium, is one aftermath of the earlier civil-military schism.

Subject for discussion by RTCA's nine-man panel of experts was: "Where are we and where are we going with the Common System?" The symposium produced a modest amount of heat on the first question but shed little light on the second.

► Military Cooperation—Previous inability of civil agencies and groups engaged in Common System planning to get access to information on classified military developments long has been a sore point. It was a factor in the current Tacan-DME problem.

However, Henry Randall, office of the Assistant Secretary of Defense for Research & Development, said steps are under way to declassify as much information pertinent to Common System programs as possible.

Any RTCA special committee that believes it needs information on classified projects can approach his office, Randall added, and the Defense Department will try to break it loose.

Upon hearing of present congestion in civil VHF communications, Maj. Gen. Gordon Blake, USAF's chief communications officer, said the military may accelerate its move from VHF to UHF to relieve this congestion. (Blake's presence, although not a panel member, was evidence of the military's interest in Common System planning.)

Blake also said the Air Force does not intend to abandon VOR until the end of its useful life, although he failed to indicate when this might be.

► Conciliatory Moods—The military

Evidence of a strong military desire representatives were not the only ones

J. B. Hartranft, Jr., president of the Aircraft Owners & Pilots Assn., said he forces spokesmen during the recent believes general aviation users are ready to accept a shutdown of L/MF radio nautics symposium in Washington, ranges, providing Civil Aeronautics Administration agrees to use the resultant Recognizing that there is only one savings to install low-power, low-altitude VORs to fill gaps in the present Victor airways.

Hartranft's views were based on a recent AOPA survey that shows a large number of its members are VORequipped and nearly half are navigating by VOR more than 50% of the time.

In reply, CAA Administrator Fred B. Lee said the military still have a requirement for L/MF ranges that prevents their early shutdown. However,

#### Tacan Details

First official details on the military Tacan navaid system indicate its bearing accuracy is better than civil VOR but that its distance accuracy is slightly under that of civil DME. The Navy released information on Tacan during the Radio Technical Commission for Aeronautics symposium.

The Tacan airborne equipment, AN/ARN-21, provides both VOR and DME service in a single three-quarter ATR size package weighing 85 lb. (By comparison, civil VOR and DME for airline use each occupy a half ATR and together weigh 90-115 lb., depending upon the manufacturer.) Maximum Tacan range is 200 nautical miles (comparable to VOR-DME), Navy says.

Navy figures give Tacan a bearing error spread of ± two and a half degrees and a distance error spread of ± one nautical mile, on "uncalibrated equipment." Recent tests on experimental equipment sited in a good location showed errors under 0.5 deg. 95% of the time, with 0.8 deg. maximum error. Navy says. CAA Administrator F. B. Lee questioned Tacan performance figures, saying the matter still is under investigation by the Vortac com-

Navy claims Tacan requires less critical siting, provides better over-water performance and takes less equipment than civil VOR-DME.

AVIATION WEEK, October 25, 1954



MANUFACTURERS OF RUGGEDIZED AND "REGULAR" METERS AND RELATED PRODUCTS

Copyright 1954 Marion



he reported that CAA plans to install 63 new VORs by June 1956 to serve as gap fillers, terminal area fixes and to common denominator without adprovide bypass airways.

If current studies indicate the need for more, they may be added, Lee said. ► How Common?—The RTCA panel raised the old question of how common the Common System should be-and produced a variety of answers.

Hartranft complained that the private flyer and his pocketbook have not been included in Common System thinking and planning, despite the fact that nearly half of the 18,000 private fliers hold instrument ratings.

However, Defense Department's Ran-

dall cautioned that the Common System can not be reduced to the lowest versely affecting its usefulness in peacetime and war. "Compromise by some users is necessary," he said.

Jean H. DuBuque, executive director of the National Business Aircraft Assn., spoke out against attempts to impose military tactical requirements on the Common System, an obvious reference to the current Tacan controversy.

► Problem Areas—A statement by Lee ferring to the oft-discussed "private that CAA expects a 60% increase in load on its air route traffic control centers by 1960 served to underscore serious shortcomings cited by some

panel members under today's traffic density. Two examples:

· Lack of direct communications between most ARTC centers and the aircraft under their control poses a serious problem, according to Vernon Weihe of the Air Transport Assn.'s air navigation and traffic control group.

Weihe termed present communications "archaic." "We have made no progress in closed-loop, fail-safe com-munications system," Weihe said, reline." "We are using, in effect, a rural party line with no bell or dialing system, and frequently we have to talk through the operator."

· "We are on the brink of entering one of the blackest eras of air traffic control," Capt. J. D. Smith, representing the Air Line Pilots Assn., warned Smith complained about gaps in the Victor airways that force airline pilots to use both L/MF and VOR as navaids, about interruptions in the flow of traffic along the airways.

Smith called on the ANDB to recognize the close inter-relationship between avionic navaids and airport lighting. He urged planners to stop looking for a utopian system and to go to work on today's problems, adding that pilots would welcome the opportunity to participate in Common System planning. (The ANDB recently added a former American Airlines engineering pilot and captain, Sam Saint, to its

As partial confirmation of Smith's dire predictions, Saint cited Sept. 15 as a black day in the New York area. when heavy traffic under IFR conditions resulted in departure delays of two to three hours, with corresponding restrictions on inbound traffic. Lee said a full investigation of the causes are under wav.

▶ Problem Areas—The Air Coordinating Committee's navigation panel has set up a special working group (SWG-13) to study current problem areas where more progress is needed, J. M. Beardslee, panel chairman, said.

For example, SWG-13, approximately half through its study, is analyzing the application of longrange radar for enroute traffic control and possible revision of ARTC's flight progress strip form, presently used to show aircraft positions, Beardslee said.

Lee reported that CAA is planning to expand its direct ARTC communications, including peripheral networks in which remote VHFs are tied in by land lines. It also was reported that SWG-13 is analyzing the possibility of a Bostonto-Norfolk (Va.) VHF network to provide direct ARTC coverage along the East Coast.

Col. J. Francis Taylor, Jr., ANDB director, reported briefly on some of its

With pressure from the pilot's feet, tons of metal are brought to a fully controlled safe stop. Planes are landing faster and hotter, but with continually improved mechanisms such as Gladden's brake control units, greater power to control and stop is now possible. Gladden's ability to anticipate the requirements of the aircraft industry has made them a leader in the manufacture of brake control units. Today Gladden is in quantity production on the three major types of brake control units . . .

- Master brake cylinder
- Power boosted master brake cylinder
- Power brake valve

Over 15,000 power boosted master brake cylinders now in service.

Consult Gladden engineers on your hydraulic design problems.

OFFICES IN PRINCIPAL CITIES

Midwest representative: GEORGE E. HARRIS & CO., INC. 1734 No. Hillside Wichita, Kansas

Dallas, Texas Kansas City, Mo. St. Louis, Mo. Ft. Worth, Texas Cedar Rapids, Iowa

Eastern engineering and sales office. 509 Tasker Street Ridley Park, Pa.

BOOSTED

MASTER

CYLINDER

BRAKE

GLADDEN PRODUCTS CORP., 635 WEST COLORADO BLVD., GLENDALE 4, CALIFORNIA



# Salute to America's first all-jet bomber force

At Barksdale Air Force Base, La., late in July, the Second Air Force became America's first all-jet striking force with retirement of the last of its pistondriven bombers.

Now completely equipped with fast Boeing B-47 Stratojets, the Second Air Force is part of Strategic Air Command, America's global air arm. Its swept-wing Boeings are 600-mile-an-hour medium bombers that have broken all existing distance and endurance records for jet aircraft, including a nonstop trans-Pacific flight with aerial refueling from California to Japan.

Strategic Air Command continually

flies training missions that simulate exacting combat assignments. Ranging the skies over three continents, the polar ice cap and vast expanses of ocean, SAC aircraft follow split-second timetables. Their trial bombing runs, defense and other maneuvers are all scored in a relentless drive for ever-increasing proficiency.

Entire wings, numbering 45 Stratojets and 20 Boeing KC-97 tanker-transports, are rotated regularly through scheduled training operations to English and North African bases. On these missions, tanker-transports provide aerial refueling for the jet bombers,


and carry the ground personnel and equipment needed to make each unit self-sustaining for 30 days.

SAC is on an around-the-clock combat alert. Its operations have achieved such a high level of efficiency that its training missions could be transformed instantly into massive retaliatory action against the war-making power of any aggressor, anywhere.

Establishing America's first all-jet striking force marks a giant stride forward in this nation's defense program. The advance is continuing as additional Strategic Air Command units complete their transition to all-jet operations.

Young men: You'll acquire "know how" as an airman in the United States Air Force. Opportunities for BOEING top technical schooling, world travel and a responsible position on the nation's defense team.

AVIATION WEEK, October 25, 1954



Russell P. Hay

# "We Speed Repairs—Cut Maintenance Costs With Cherry Blind Rivets," Says This Fixed-base Operator

Home base airports and service shops—
the very backbone of operations and
maintenance for private planes—must
perform continued good service and reliable repair work at reasonable cost.
They know from experience that they
can do dependable work—quickly and
economically—when Cherry Rivets are
used for a myriad of fastening jobs.

That's why Russell P. Hay, Inc., well-known Cessna dealer at Pittsburgh's Allegheny County Airport, specifies Cherry Rivets for all service, maintenance and repair work in his CAA approved shop for metal airplanes.

Mr. Hay says, "We speed repairs and cut maintenance costs with Cherry Blind Rivets. Experience has shown us that they can replace any primary or standard rivet and give long, dependable service. We use them in a variety of ways from replacing entire wing surfaces to repairing small sections of controls and mounting accessories. With Cherry Rivets one man can do the job easily and quickly—they help complete repair jobs faster, which keeps our customers happy."

This is true in hundreds of home base

airports and major airline service depots throughout the world where dependable, speedy Cherry Rivets help to reduce costs —provide a fast, safe, secure method of fastening in hard-to-reach places.

The use of Cherry Rivets speeds repairs by eliminating the necessity of removing entire sections to gain access for
replacement of damaged sections and
parts. They are installed by one man
from one side of the work by a special
gun which pulls the stem into the hollow
shank—upsets the end of the blind side
—firmly clinches the rivet in place—fills
the hole—all in a split second. There is
no bucking—no hammering—no exploding. With Cherry Rivets, ships get out of
the shop faster, make room for other
jobs—the owner is in the air again sooner
and his repair bill held to a minimum.

Cherry Rivets are but one of a group of 10,000 types of fasteners and special cold-formed parts produced by Townsend in its several plants, As "The Fastening Authority," Townsend helps you speed repairs and original assembly—and helps you improve your operation with Cherry Blind Rivets.

For detailed application information, write for Bulletin TL-76.



In Canada: Parmenter & Bulloch Manufacturing Company, Ltd., Gananoque, Ontario

programs aimed as easing current opcrating problems. These included:

 Radar transponder beacon, now undergoing operational service tests by CAA's Technical Development Evaluation Center preparatory to firming up specs for the beacon system.

The L-band (1,000 mc.) transponder, when installed in aircraft, will increase the range of ground surveillance radars to 100 miles at 20,000 feet, as well as identifying individual aircraft on radar scopes, Taylor said.

• An electrodata system, capable of storing up to 2,000 flight plans or weather data for instant transmission and readout to remote traffic display boards or teletype machines, will be evaluated by TDEC as an integrated system during the coming year, Taylor reported.

• Simulation techniques for developing new traffic control procedures, which Taylor calls one of TDEC's most important tasks, are being expanded to include evaluation of a new horizontal plotting board for possible ARTC use.

The plotting table will be covered with a map of the area under control, with a ground radar display projected in the center. The map and scope display will use the same scale. Small markers, containing flight progress strips, will be positioned manually on the table and moved onto the radar display when the plane enters the radar surveillance area.

New Steering Committee—Recent formation of an RTCA steering committee, to review progress toward the Common System objectives and spell out problems.

The original RTCA Special Committee 31, which drew up the basic plan for the Common System, recommended the formation of such a group to monitor progress.—PK

# FILTER CENTER

Automatic Cruise Control—Wright Air Development Center will soon test a new automatic cruise control for the B-47, designed to position engine throttles automatically for the optimum ratio of airspeed to fuel consumption. System was developed by the J. B. Rea Co. of Santa Monica, Calif.

► East Coast Avionics Conference— Twenty-eight technical papers plus a symposium on air navigation and traffic control are scheduled for the first East Coast Conference on Airborne and Navigational Electronics to be held Nov. 4-5 in Baltimore. Technical papers will include reports on:

 Spatial stabilization with integrating gyros. New airport taxi radar.

- Cooling avionic equipment for highaltitude operation.
- Airborne receiver requirements for Navarho, new long-distance system.
- Advanced design VHF communications receiver.
- ▶ AF Seeks Light Weather Radar—Wright Air Development Center's radiation lab has asked for proposals on a 60-lb. X-band storm-warning radar for use on small military transports. Design spees call for a 12-in, antenna, 3-in, panel-mounted radar scope, and iso-echo contour circuitry to pinpoint storm cores.
- New DME Approach Procedures—CAA has approved new, more direct instrument approach procedures at Cheyenne and Salt Lake City for DME—equipped aircraft, taking advantage of their ability to orbit at a constant radius from a VOR or ILS/DME ground station. CAA has also given Narco's Model UDI-1DME the first unrestricted-type certificate for such equipment, company reports.
- JPL Gets New Computer—Cal Tech's Jet Propulsion Lab recently installed a new ElectroData Corp. Model 203 digital computer for use in its rocket and missile activities. Highlights of the general purpose machine were described in AVIATION WEEK (Apr. 12, p. 60).
- ► USAF Integrates Under Tracal—All AF research and development in the fields of traffic control, instrument approach and landing, has been integrated in a single project called Tracal (traffic, control, approach, landing) under Wright Air Development Center's Directorate of Flight and All-Weather Testing. The Tracal office, under Col. Leo N. O'Connor, will control budgets for such activities at ARDC centers.
- Vought Aircraft has applied for patents on a new semi-automatic system for speeding the reduction of oscillogram data by a factor of 10 over manual analysis. In the CVA system, an operator positions a small tracing head to follow oscillogram trace, which feeds signals into an analog computer for processing, after which they are plotted by a graphic recorder.
- ► NAA Develops Small VHF—An eightchannel crystal-controlled VHF transmitter-receiver, weighing 20 lb. and
  occupying less than one cubic foot, has
  been developed by North American
  Aviation's avionics group at Downey,
  Calif. Plug-in construction is used
  throughout. NAA says set is suitable
  for all types of aircraft. —PK



# Cherry Rivets speed overhaul and repair at American Airlines Depot

Keeping the huge American Airlines' fleet in top operating condition is a big job that requires an excellent organization of skilled specialists, a variety of special equipment, a large stock of replacement parts—plus good fasteners such as Cherry Blind Rivets.

At American Airlines' Tulsa Overhaul and Supply Depot, for example, they say, "We have recognized the use of the Cherry Rivet and its application in the overhaul and repair of our equipment. Cherry Rivets are used in the overhaul of aircraft commissary equipment, passenger seats, secondary structure of control surfaces and engine cowling. They prove to be a most satisfactory means of riveting where blind fasteners are required."

Here and in other repair shops of the world's airlines, Cherry Blind Rivets provide a fast, safe, secure method of fastening. Their use speeds repair by eliminating the necessity of removing entire sections to gain access for replacement of damaged sections and parts. This gets ships out of the shop faster—puts them back on the payline quicker—helps keep operating expenses down.

Cherry Rivets are installed by one man from one side of the work by a special gun which pulls the stem into the hollow shank—upsets the end on the blind side—firmly clinches the rivet in place—fills the hole—all in a split second. Bucking is eliminated.

To learn how you can speed repairs and reduce maintenance costs with Cherry Blind Rivets in aircraft and other industries, write for Bulletin TL-76—it is yours for the asking.



Cherry Rivet Division - Santa Ana, California


In Canada: Parmenter & Bulloch Manufacturing Company, Ltd., Gananoque, Ontario.

#### Use coupon below or write

TOWNSEND COMPANY
Sales Department
New Brighton, Pa.

Please send to me without obligation Cherry Blind Rivet Bulletin TL-76.

Name	Title	
Company		
Street		
	7000	State



1049 & AERO COMDR. C-124 Wemac Air Valves provide a wide

range of angular adjustments to control airstream direction and rate of flow by rotation of nozzle. Air leakage and weight are held to a minimum (tested 100% to aircraft specifications). Made of metal and/or plastic. Plastic can be colored to match or contrast with cabin decor.

We Also Manufacture:

- EDGE-LIGHTING PANEL LIGHTS ADJ. CABIN LIGHTS, READING AND
- COCKPIT FLOODLIGHTS • ELECTRICALLY HEATED EQUIPMENT



INGLEWOOD, CALIFORNIA

# FINANCIAL

#### Who Got Foreign Aid Paid Shipments of Aircraft, Engines & Parts Financed by Economic Cooperation Administration and Foreign Operations Administration—Apr. 3, 1948, to May 31, BELGIUM — LUXEMBURG \$4,200,000 800,000 60,400,000 IRELAND ...... 4,700,000 37,400,000 1,000,000 100,000

SOURCE: Foreign Operations Administration.

# Overseas Airlines Gain Strength

Example of growing confidence in foreign carriers: Private U.S. banks refinance KLM World Bank loan.

Royal Dutch Airlines with private U.S. portation: "It financed part of the cost banks of loans formerly placed with the World Bank reveals not only the improving credit of this foreign airline, but points up the improving stature of international airline operations as a loans in this field.

other foreign airlines) has benefited from ECA (now Foreign Operations Administration) grants. Since an equivalent of ECA grants in local currency is required to be deposited by the beneficiary in a counterpart fund, the proceeds of such grants are not directly FOA. reflected in the accounts of the com-

to the Netherlands from Apr. 3, 1948, to May 31, 1954, totaled \$37.4 million in the form of various complete aircraft, engines, and parts.

have also been important to the support of other countries. The accompanying table reveals the paid shipments in airpast six years-the total is \$108.6 million. This type of aid, however, appears to be at an end.

► Air France Support—As can be seen, France accounted for more than 60% of this type of foreign aid. It is known that Air France was the principal bene- activity. ficiary of this assistance. The World Bank also indirectly financed some of Air France's equipment acquisitions. The World Bank granted France a \$250-million reconstruction and development loan in 1947.


The recent refinancing of KLM that this loan helped France's air trans-

► John Bull's Billions-Significantly absent from this list is Great Britain. However, the United States has exbanking risk. It may well lead to other tended considerable aid to the British military air program and aircraft in-► Aid From Outside—KLM (along with dustry (estimated at approximately \$750 million from 1950 to mid-1954). In a broader measure, the United States has made substantial contributions to the over-all economy of the British through the various programs administered under ECA, Mutual Security Agency and

For example, for the period from Apr. 3, 1948, through June 30, 1954, ECA- and FOA-paid shipments the United Kingdom received more than \$3.7 billion in aid from these programs alone. This over-all assistance to the British economy conceivably was sufficient to permit the government to Foreign aid grants of the ECA-type support its own aircraft industry in the manner which it did, as well as subsidizing its nationalized airlines.

From 1946 through 1951 the Exportcraft, engines and parts made during the Import Bank of Washington, supported entirely by the United States Treasury, made aviation loans to various foreign governments. Many of these advances have since been repaid. However, the Export-Import Bank does not appear to be inclined to make further loans in this

►KLM's Loan—The present KLM refinancing stems from an original \$7million loan granted the carrier by the World Bank Mar. 20, 1952. This loan represented the first advances made by that financial institution to an air car-In a recent report the bank asserted rier. Of the \$7-million credit, the Chase



# Consider Packard as a source

Product quality? The wide choice of Packard, by America's foremost manufacturers of automotive vehicles, aircraft and appliances, is your answer.


Capacity and delivery? Packard is equipped to produce more than 7,000,000 feet of finished cable, and 800,000 wiring assemblies, daily . . . and to maintain delivery schedules unfailingly.

Engineering service? A large staff of Packard engineers is ready to serve you at any time, at any place. Call on them-the earlier, the better, preferably while your new product or model is still on the drafting board. Our engineering counsel has often effected important savings in assembly costs.



Packard Electric Division • General Motors Corporation • Warren, Ohio

AUTOMOTIVE, AVIATION AND APPLIANCE



Exclusively Edison - because this newest advance in aircraft fire detection is a single wire centered in thermistor material-with the outer sheath acting as a ground. Fire

Other developments, too, from the research facilities of the world-famous Edison Laboratory more than meet requirements for a fool-proof fire detection system in today's high-speed, high-altitude aircraft.

Fast response — signals "Fire Out" automatically - responds repeatedly to fire exposure.

- Uses direct current operates from primary battery supply - eliminates electronic tubes.
- Exclusive snap clamps permit simple installation-speed maintenance.
- detection is guaranteed even with a break. \* Withstands repeated flexing because there are no moving parts - no ceramic to crack.
  - Varying temperature alarm points from a single detector circuit in one continuous cable -guarantee maximum sensitivity for each area
  - Low Impedance design to eliminate completely false alarms due to moisture or capacitive effects.

With features like these, it's well worth your while to learn the complete story. Won't you write us?



A GREAT NAME CONTINUES GREAT NEW ACHIEVEMENTS

Thomas A. Edison, Inc.

INSTRUMENT DIVISION . 49 LAKESIDE AVENUE . WEST ORANGE, NEW JERSEY.

National Bank participated directly by advancing \$3.5-million. The entire loan was guaranteed by the Netherlands government and was secured by six Super Constellations. The debt was to be amortized over a six and one-half year period, bearing interest at the annual rate of 41%.

This loan had been reduced to \$5.6 million when it was refinanced in equal parts with the Chase National Bank and the National City Bank, both of New York. In effect, National City is supplying the bulk of the new funds in replacing the World Bank, as Chase held \$2.1 million of the former notes (which were included in the refinancing). The new loan is unsecured by any aircraft and is repayable in equal semi-annual installments over a four-year period, starting on Jan. 1, 1955.

KLM had one of the best years in its history during 1953. Its recent report showed a net profit of \$2,732,000 for last year compared to \$1,502,000 in 1952, \$2,776,000 in 1951, \$15,000 in 1950, and a loss of \$10.4 million in 1949. Good earnings and the release of past financial stringencies permitted the carrier to pay its first dividend in the postwar period, 4% on all shares, and amounting to \$1,296,274.

► Dutch Government's Role-While largely government-owned and supported, KLM appears to be operated along independent private enterprise lines, unlike most other nationally owned airlines.

The Netherlands government owns most of the share capital, which aggregated some \$32.3 million at the 1953 year-end. Much of this stock interest represents conversion of previously authorized indebtedness to the government by the company and new advances that were made by the government in

KLM has received government aid in the form of direct subsidies, capital investment, loans, guarantees of borrowing, and expenditures for airports and other facilities. KLM received direct subsidies from the beginning of its activity until World War II.

Under the basic agreement between the company and the government, approved by a law of Aug. 4, 1947, the Minister of Transport and Waterways may propose that a subsidy be granted to the company, the amount to be determined from year to year. The last direct subsidy appears to have been paid in 1949 with none since.

The refunding of the KLM loan from the World Bank to private capital is a current healthy development. It permits the evaluation of foreign airline financing on a sound economic premise without the assistance of U.S. government grants or supported lending institutions.

-Selig Altschul

# DOW CORNING Silicone News

FOR DESIGN ENGINEERS

# Dependability of Overload Relay Assured with Silicone Fluid

the Type C resets itself immediately when millions of operations in service. the circuit fault is corrected.

The Type C Relay combines hydraulic and magnetic action. When an overload occurs, a spring-loaded iron core in a non-magnetic tube filled with Dow Corning 200 silicone fluid is actuated by a solenoid coil. The core travels toward the end of the tube to complete a magnetic circuit. Resistance of the silicone fluid slows core travel providing a time delay inversely proportional to the overload current. Extreme overloads actuate the armature in-

stantly before the core reaches the end of the tube.


Time delay characteristics are determined by core design and fluid viscosity. Of these,

Latest addition to the series of silicone- the easiest and least costly to vary is the containing Hydraulic-Magnetic Circuit choice of a fluid having the proper viscosity. Breakers developed by the Heinemann Key to the consistent dependability of the Electric Company is the Silic-O-Netic type time delay is the fact that the initial C Overload Relay. A 400-volt service unit, viscosity remains constant, even after

> Unlike organic oils, Dow Corning 200 Fluid retains a relatively constant viscosity range; it does not thicken or thin out. This important feature plus high resistance to point unaffected by variations These same properties are

utilized in another type Heinemann relay which is pre-set at the factory for delay intervals of from 1 second to 2 minutes. The delay interval is determined almost

entirely by the viscosity of the Dow Corning 200 Fluid selected. In all these relays hermetic sealing is used to assure cleanliness and freedom from tampering. No. 6



#### over a wide temperature | Silicone Paint Improves; Protects Appearance of Mercury Manifolds

To preserve a quality appearance in keepoxidation and gumming helps | ing with the automobile itself, the exhaust keep the relay's actuation manifolds and crossover connection of all Mercury automobiles are coated with a in the ambient temperature. heat resistant silicone based paint. Formulated by Midland Industrial Finishes of Waukegan, Ill., the coating stays black and glossy despite surface temperatures in the range of 500 F. Compare that with the burnt-brown appearance of conventional

> First used on the manifolds of the 1953 Lincoln automobile, the silicone finish is expected to last the life of the automobile. No noticeable deterioration has been observed after as much as 100,000 miles,

> No additional work is required to apply the silicone paint. It's simply sprayed on the manifolds with conventional production line equipment and baked only 30 minutes at 500 F.

> Dow Corning 6 Compound, a grease-like, non-hardening, rust preventative for ferrous alloy metal parts in delicate mechanisms and fine instruments, provides excellent protection during long time, indoor or outdoor storage

New	Sili	one	Rubber	Gum	Can	Be	Sulfur	Vulcar	ized	and
Blend	led '	with	Organic	Rub	bers	to	Increase	Their	Stab	ility

Rubbery parts with properties intermediate between those of silicone rubber and organic rubbers can now be produced by compounding with a new silicone polymer that can be vulcanized with sulfur and blended in any proportion with organic rubbers.

Identified as Dow Corning 410 Gum and available now in commercial quantities, this new polymer can be blended with or applied as a protective coating to extend the serviceable temperature limits and the weather resistance of organic rubbers. Brittle point in the range of -70°F and usefulness at temperatures up to 400°F can be realized by proper blending. The physical properties of the blend will fall between those of high strength silicone rubber and

Dow Corning 410 Gum can also be blended

the organic rubber constituent.

with oil resistant rubbers to increase their stability in contact with hot oil. Such blending also markedly improves the ozone and weather resistance of organic rubber.

Tested in an atmosphere created by an ozone generator, for example, a Buna N type rubber, compounded for test purposes, showed failure cracks in less than 30 minutes. Under the same conditions, a fifty-fifty blend of the same organic elastomer and Dow Corning 410 Gum, compounded with the same fillers and vulcanizer showed no cracks after more than 8 hours.

Priced in the same range as standard silicone rubber gums, Dow Corning 410 Gum is currently available for immediate shipment in commercial quantities. Experimental samples for testing and evaluation are available on request. No. 7

	Aidland, Michigan Please send me more data on numbers: 6 7 8 9	Des	ig	n E	CI	ti-o n	2
6 7 8 9 AME	6 7 8 9 IAME	Aidland, M	ichigo	n		78.5	
	ITLE			44			
		NAME		-			-

ATLANTA . CHICAGO . CLEVELAND . DALLAS . DETROIT . LOS ANGELES . NEW YORK . WASHINGTON, D. C. (Silver Spring, Md.) Canada: Dow Corning Silicones Ltd., Toronto; England: Midland Silicones Ltd., London; France: St. Gobain, Paris



for throttle actuation
on USAF B-61 Martin Matador
pilotless bomber

With a powerful blast the Martin Matador roars away toward its target. Its performance aloft is equal to that of conventional jet fighter planes. There's no one aboard and the Matador's electro-mechanical "brains department" must function perfectly for constantly accurate control. Barber-Colman Company is privileged to have EYLC type rotary actuators, as shown below, selected as components for this craft. Here's example again of how Barber-Colman engineers team up with others of the aviation industry to help bring about unusual new developments. When you have need for highly dependable controls, specifically designed for your applications, consult Barber-Colman Company.



Actuators; Valves; Positioning Controls; Temperature Controls; Small Motors; Ultra-Sensitive Relays; Thermo-Sensitive Elements. Write for catalog F-4141. Engineering sales offices in Los Angeles, Seattle, Baltimore, New York, Montreal.

BARBER-COLMAN CO., DEPT. J, 1422 ROCK ST., ROCKFORD, ILL.
Aircraft Controls • Automatic Controls • Industrial Instruments • Small
Motors • Air Distribution Products • Overdoors and Operators • Molded
Products • Metal Cutting Tools • Machine Tools • Textile Machinery

# AIR TRANSPORT



BELINN'S BAILIWICK: 350 route-miles covering 5 million persons in L. A. area.



NEW COMMUNICATIONS LINK will permit split-second cooperation between ground stations, aircraft and LAA's control center at Los Angeles International Airport.

# LAA Ready for Test as Airline Feeder

- Passengers to be flown starting next month.
- Belinn sees operation as key to copter future.

By William J. Coughlin

Los Angeles—Los Angeles Airways puts its fleet of four Sikorsky S-55s into passenger service next month in a long-awaited move that president Clarence Belinn believes can make or break "the whole helicopter structure."

Entry of the nation's pioneer helicopter airline into the passenger field is the payoff of a longrange program planned when LAA first began to fly mail Oct. 1, 1947.

For seven years, Belinn has moved his line carefully through the preliminary stages of mail and air express service in preparation for the day when he could begin passenger flights

could begin passenger flights.

The copter airline executive avoided the temptation to enter the passenger field prematurely. Meanwhile, he built up reliability on LAA's 350-mi. route network that links the Los Angeles metropolitan area. Now, Belinn believes, the time has come to make what he regards as the do-or-die test of public acceptance of the helicopter's role as an airline feeder service.

► True Feeder—Noting that Chicago's helicopter service still is in the mail stage and that the New York Airways passenger service is limited to transportation between airports, Belinn says: "Our service will be an entirely different



SIKORSKY S-55 moves into Los Angeles Airways' shop for minor changes needed to fit it for passenger role. AiResearch Aviation Service Co. is helping with interior trim.



portation between airports, Belinn says: SHOP KEEPS BUSY MAINTAINING growing fleet of Sikorsky helicopters. S-51 is at "Our service will be an entirely different" left, S-55 at right. Company took delivery of its fourth S-55 last month.

AVIATION WEEK, October 25, 1954

concept of service. It will be a true feeder service, taking the passengers directly to departing airliners-all ticketed and with his baggage checked through."

It is on this effort that Belinn believes continued support for the helicopter lines will depend.

"If one in three makes good, it will the final trim and upholstery. prove the potential is there," he says. "If all three make it, we're in clover. If all three fail, we're out in the weeds."

break even.

"We feel this will attract enough metropolitan area communications. people to give us an index to the whole structure," Belinn explains. "If we come out in the black, good. If in the red, we'll have to get out and scratch." ► Cheaper Than Taxi—Belinn and his staff now are deep in planning the initial passenger flights. Service is scheduled to open about Nov. 15 between Los Angeles International Airport and the downtown Long Beach heliport, some 17 mi. away. One-way over the same distance.

Belinn picked Long Beach for the Gonset Co. of Burbank, Calif. initial test for a number of reasons. A large city with a population of nearly ican and Trans World Airlines do not serve the city.

Long Beach has a good heliport. It also is close enough to the Los Angeles airport so that LAA can control the feeder service closely during its early

is building new facilities for its passenger service. Two small passenger buildings are being constructed at LAA's landing pads alongside the fixed-wing transport ramps at International Airport. Passengers thus will be able to go from the helicopter directly to their departing airliner without entering the terminal building.

The buildings will include ticket counters and passenger lounges.

Conversion of the Sikorskys to sixplace passenger aircraft already has begun. LAA took delivery of its fourth S-55 last month. It is doing most of the conversion work itself with AiResearch Aviation Service Co. adding

► New Concept-Key to the passenger operation, however, will be a brand new communications system, linking the LAA's initial price structure is set to LAA control center to ground stations and aircraft under a new concept of

Federal Communications Commission approved the new concept in June, although it required a change of FCC rules to permit ground-to-ground communications on AM areonautical VHF

The system, developed under the direction of R. A. Girvin, LAA superintendent of communications, is built around portable Gonset communicators, whose lightweight transmitterfare will be \$6-cheaper than taxi fare receivers can operate on both 6-volt DC and 110-volt AC. They are built by the

LAA already has two dozen of these \$300 sets on order and plans eventual 500,000, it has no direct service by use of some 50. Both LAA mobile bluechip transcontinental flights. Amer- units and permanent ground stations will be so equipped.

► Area-Wide Network—The system will have its heart at the airline's operational control center at the Los Angeles International Airport, to be linked by leased land lines to a remotely controlled communications center located New Terminals-The helicopter line high in the Hollywood hills to overcome line-of-sight limitations.

A selective control system will enable the control center to call each station individually without activating the others, even though all are on the same frequency.

Thus LAA's aircraft, mobile units and ground stations will be linked into a single area-wide network capable of

instant communication through the control center to any unit in the system.

▶ Coordinated Connections—This positive communications network will assure coordination between aircraft and ground vehicles in the event of flight delays, weather diversion to alternate heliports or other emergencies, providing the split-second timing necessary for successful passenger operation.

It is evident that, when necessary, such a communications system will make it possible for departing airliners to be held a few minutes to allow an incoming helicopter to make connections-since the major airline can be provided with exact ETA of the heli-

LAA estimates its annual cost attributable to lack of adequate communications at \$74,000. The new system will eliminate this loss in addition to its other advantages.

The helicopter line will supplement its passenger service with its own limousines. When weather forces cancelation of a feeder flight, LAA can call in its ground vehicles to deliver passengers to the airport. Eventually, Belinn may introduce a custom service that will pick up the passenger by limousine at his home for the ride to the heliport. ▶ Trunkline Domination-How much use the 275,000 passengers who pass through International Airport each month will make of the new LAA service remains to be seen. Major airlines have promised Belinn full cooperation in his effort. Originating carriers will ticket passengers through on the helicopter when requested.

Public enthusiasm for the feeder service might find the major airlines purchasing blocks of seats on the LAA flights that connect with their own transcontinental schedules. The trunklines, without the necessity of operating their own helicopter service, thus could dominate the copter flights linked to their own schedules-perhaps even advertising such connections.

"We know that once we have the problems licked, we can do the most fantastic economic job possible for the airlines, and they know it also," says Belinn.

▶ Peak Periods—LAA is linking its initial passenger schedules to the peak periods of transcontinental travel. Present schedule calls for seven daily flights as a beginning, with the first departing from Los Angeles Airport for Long Beach at 9:12 a.m., departing Long Beach on the return trip at 9:27 a.m. to arrive at the airport at 9:40 a.m. in time to catch the major transcontinental departures.

Although no night flying is on the initial schedule, Belinn says: "We'll go into night operation just as fast as we can move into it."

The helicopter airline will operate



#### Northwest Airlines Top Brass

new position as president of Northwest Air- old R. Harris, who resigned Mar. 4.

Donald W. Nyrop (center), former Civil lines. He is shown with NWA board chair-Aeronautics Board Chairman and Civil Aero- man Croil Hunter (right) and executive nautics Administrator, has taken over his V.P. Malcolm Mackay. Nyrop succeeds Har-

# AIRCRAFT ENGINEERS

Y'all\* Come and Take a Seat at BOTH Tables The design table filled with a bountiful supply of projects involving the aircraft of tomorrow. The table of good living where a bountiful supply of the

GEORGIA

DIVISION

MARIETTA,

\*"Y'all", down here, means more than one. We can place Aircraft Engineers of all these types:

It's easy for you to mail the coupon now and we'll get in contact with you.

extra joys of life greet you day in and day out in the year-

round mild climate here in the hills of North Georgia.

LOCKHEED AIRCRAFT CORPORATION PRODUCTION DESIGN **DYNAMICS • STRUCTURES AERODYNAMICISTS • STRESS** Look to **DRAWINGS CHECKERS** Lockheed STAFF ENGINEERS . LIAISON for Leadership MATHEMATICIANS . RESEARCH MANUFACTURING RESEARCH . DESIGN

SERVICE MANUALS

LOCKHEED AIRCRAFT COR	PORATION-DEPT. AW- 10-25
7611/2 Peachtree St., N.E.	
Atlanta, Georgia	
Name	
Address	
City	State



# THE PROOF IS IN THE PACKAGES!

Rohr has won fame for becoming the world's largest producer of ready-to-install power packages for airplanes - like the Lockheed Constellation, Douglas DC-7, the all-jet Boeing B-52 and other great military and commercial planes.

This, we believe, is proof of Rohr's engineering skill and production know-how. But it's not the whole Currently, Rohr Aircraftsmen are producing over 25,000 different parts for aircraft of all kinds...many of these calling for highly specialized skill and specially engineered equipment.

Whenever you want aircraft parts better, faster, cheaper - call on Rohr. The proof of engineering skill and production know-how is in the thousands upon thousands of power packages that have made Rohr famous.



two types of flights. One will be a passenger-only schedule tied to connecting airline flights, with mail and express subordinate. The other will be a combination schedule set up to fit the needs of the Post Office. Since the flow of mail in the Los Angeles area is outbound in the morning, for example, these flights can carry inbound passengers on the return trip.

Belinn estimates his break-even load factor at 85%. This, he points out, is not high for 350 route-miles covering 5-million persons when compared to the 3.000 mi. a conventional feeder line must fly to cover the same number.

► Tough Problem—A major worry is weather. "We have the toughest helicopter weather in the world here," Belinn says. "Stratus moving in without notice . . . local ground fog . We have to tie our own schedules to the VFR limitations of the helicopter even though the airlines are flying IFR. There is no use trying to set up IFR schedules we can't keep."

By next year, however, LAA expects to have the equipment for IFR operation. "Then we'll fly all the time," the LAA president says. By eliminating the worry over early morning and evening weather, this will enable full flexibility in meeting the two peak airline periods, 7-10 a.m. and 4-11 p.m.

Minor Conversion-Changes necessary to convert the S-55s for passenger operations are minor, according to superintendent of maintenance Harry Botterud.

In addition to the cabin interior, these include installation of a firedetecting system, a firewall shutoff valve for the lubrication system and installation of stainless steel lines, v-nuts and fittings on the engine. LAA's newest S-55 includes these changes, and the other three are being adapted with CAA-approved passenger kits.

Russell Cunningham, LAA pilot, is project engineer on the passenger con-version and such allied subjects as the color of pilot uniforms. The passengeronly flights will have a pilot as a oneman crew. Combination flights will be staffed with a pilot and a mail-express attendant.

Anticipating the success of his Long Beach operation, president Belinn already is planning expansion of passenger service to other Southern California areas, beginning next April.

### **IMATA-TAG Merger**

Activities of the Independent Military Air Transport Assn. and the Transport Air Group will be merged Nov. 1. Ramsay Potts, IMATA president, will direct the combined operation.

L. R. (Mike) Hackney, TAG executive vice president, is joining private industry (Aviation Week Oct. 11, p. 16).

# Baker Pushes 'Chosen Instrument'

National's president proposes PAA as the sole U. S. flag airline, co-owned by domestic trunk carriers.

By Frank Shea, Jr.

Advocates of a "chosen instrument" for the U.S. in international airline competition got a boost last week, and this time from an unexpected source -the president of a major domestic they book passengers on TWA Interna-

 Scotched rumors that his company will place any orders for turboprop Vickers Viscount, stating that if and when a turboprop aircraft is bought it will be U. S.-manufactured.

• Proposed a cut in aircoach fares on a "non-reservation" basis.

▶ Practical Choice—In an exclusive interview, National Airlines' G. T. Baker told Aviation Week that "the emergence of a single U. S.-flag carrier is inevitable. Also, it's most practical and most sensible, and it's high time both the U. S. government and the air transport industry recognized the fact.

Pan American World Airways-not by political preference or choice, but from the standpoint of practicality. International airline competition being what it is today with foreign carriers pushing us hard, it seems foolish not to start our best team with both government and industry solidly behind it."

► Three-Way Competition—Baker said U. S.-flag airlines now compete not only among themselves and with foreign carriers but also must buck attempts of the domestic lines to undermine them.

"Take, for example, the hypothetical case of a midwesterner desiring to book air passage to Europe," he said. "It's his first trip, and he knows little or nothing about which airline goes where.

"He goes to the nearest domestic airline office and asks them to make his arrangements for him. The airline's reservations people cheerfully take over the task. They ticket him on their own carrier to New York-but then what do they do?

"They put him on BOAC, Air sidy burden." France, SAS or Sabena, spiting their own flag airlines and putting U. S. dollars into foreign treasuries. You never see any European airlines acting accordingly-why do we do it?"

In Baker's opinion there are two

principal reasons:

• It's no secret that many domestic carriers have little or no love for Pan American. Whether this is because it's big and successful or whether there are personal reasons, this is pretty much

an established fact. The result is that they rarely go out of their way to book passengers on PAA.

 TWA flies domestic as well as international routes. Big fear here as far as trunklines are concerned is that if tional, TWA Domestic in all proba-Simultaneously, this same airline bility will steal them on the return trip from New York to the Midwest. Again, as a result, they book on foreign car-

> ➤ Some Strings—While Baker advocates Pan American as the chosen instrument, he does not envison turning over all U. S.-flag routes to PAA without some strings attached.

> In the National chief's view, the best way to handle the matter would be to set it up in such a way that all domestic carriers would maintain an interest in Pan American. He proposed that

 Let out stock for purchase by the domestic trunklines, thereby giving each "Obviously," said Baker, "this means a financial interest in the company. Some sort of equitable proportion between carriers by size, importance, etc., would have to be worked out.

> Appoint the presidents of the leading trunklines to its board of directors, profiting by their additional know-how and many years of combined airline

experience.

► Workable Team—Baker believes the result would be a workable team, "with the entire U.S. air transport industry giving its all for the betterment of the U.S. flag's position over the world's air routes.'

All other countries are solidly behind their airlines, said Baker. "We've got to do the same if we're going to compete successfully in the future.

"I think this would be a practical, sensible solution to a long-standing problem," he added. "The airlines, as a whole, would benefit; U.S. prestige abroad would be greatly increased; and, perhaps most important of all, the U.S. taxpayer would be relieved of a major portion of the international sub-

On the latter point, it is expected that Baker will find support for his proposal. There have been indications that certain Administration officials are thinking along the same lines with a view aimed at placing the international airlines on a program of increased selfsufficiency, either by merger of unprofitable operations or through application of the chosen instrument theory.

► Subsidy Pressure—There has been pressure for some action on the international subsidy picture. Critics complain that while the major domestic airlines are nearly free of subsidy, international carriers are showing increasing to make up for lost time.' dependency on government support.

increased by about 255%.

lines, almost doubling their revenues in the same period, also have nearly doubled their dependence on subsidy, jumping from \$24 million to \$44 mil- ► New Fare Setup-Discussing aircoach, lion a year.

the subsidy for overseas airlines goes to support operations in areas where commercial revenues are weak. It is said that in these areas the government puts at such a cost.

Committee's report proposed a partial solution to these problems in advocating merger or elimination of uneconomical route operations.

that the establishment of a single U.S.flag carrier not only would reduce the international subsidy burden but possibly eliminate it eventually.

► Mixed Reaction - Airline officials queried by Aviation Week showed mixed reactions to Baker's proposal.

Some said: "It's too sensible, that's why it will never come about." Others commented: "It's ridiculous"; while still others said: "We'd like to get PAA president Juan Trippe's reaction.'

Many thought the proposal too broad and declined comment without getting down to more specific details.

that National might buy the Vickers Viscount, Baker told AVIATION WEEK that if and when NAL purchases a turboprop aircraft it will be U.S. manufactured.

"This doesn't infer anything against the Viscount," he said. "In many respects, we think it's a fine plane. As a new development, we've looked it over very carefully, but we have no intention of buying abroad at this time or at any time in the foreseeable future.'

Baker reasons that it is always best to have the manufacturer and the user on the same "piece of land." He said there can be a lot of "bugs" in any new airplane, and things can be a lot simpler if you do not have an ocean between the airline and the manufacturer.

"We are definitely interested in turboprop aircraft, however, and we're anxious to see further development along those lines in this country. p. 79).

There's no question that U.S. manufacturers were caught napping in this instance," he said, "I hope they're going

Baker made one further observation The domestic trunklines now cost on the Viscount which, he said, exthe taxpayers \$4.2 million a year in cluding all other factors would prohibit subsidy, or about half what they cost in NAL from purchasing the aircraft. This 1947. Their commercial revenues have is the fact that a carrier has to achieve a 64% load factor on the airplane bedo for our purposes," he stated. "We need a much bigger airplane with a lower load factor.

Baker revealed that he is working on a Critics also say about three-fourths of new fare-reservations setup for NAL.

He envisions a new fare structure for aircoach, whereby the fare would be lowered and reservations, for the most part, eliminated. Using hypothetical down a quarter every time the pas- figures, he said: "Take an ordinary \$50 senger puts down a dollar. The ques- coach fare. What I would like to do is, tion has been raised as to the wisdom say, lower that fare by \$10 and place of satisfying airlines' route ambitions coach passengers on a standby seatavailable basis. For those who don't The President's Air Coordinating care what time they leave, it would be more economical and should compensate for the inconvenience.

"For those coach passengers who must meet a time schedule, I would add Chosen instrument advocates carry the \$10 and give them a firm reservathis several steps further, contending tion. The amount of money that would be saved in administrative work and reservations handling would more than compensate for the general fare reduc-

"Also, it would most surely result in more volume traffic."

## Chances Dim for Policy On Surface Mail by Air

The outlook is dim for establishing an Administration policy on shipping first-class surface mail by air.

A panel of the National Transpor-► Turboprop Interest—Scotching rumors tation Council, reporting to Commerce Undersecretary for Transportation Robert Murray, has failed to reach unanimous conclusions on a surfacemail-by-air policy.

> the council Oct. 14, but NTC referred it back to the study group, headed by Dr. John Frederick, professor of transportation at the University of Maryland.

> ► Court Threat—Meanwhile, expansion of the mail experiment to West Coast flights (Aviation Week Oct. 18, p. 116) is confronted by the united opposition of 74 railroads.

> The railroads argue that the experiment should not be expanded until basic issues are resolved in a proceeding ordered by Civil Aeronautics Board when it approved continuation of the experiment on the East Coast to Sept. 30, 1955 (AVIATION WEEK Oct. 4,

Railroads claim the "right" to intervene in the West Coast case and block approval by CAB without a hearing. If the Board denies the intervention petition, the railroads may take court

Two airlines, Western and United, have approved the rate of 18.98 cents a ton-mile set by the Postmaster General for shipments of surface mail by air, on In contrast, the international air- fore he can make a profit. "That won't a space available basis, among 19 points in California, Oregon and Washington. ► Slick, Riddle Bids—Slick Airways and Riddle Airlines have filed to participate in the CAB proceeding on the East Coast service.

The Postmaster General has supported Slick's bid to participate in the experiment, saying: "So long as this class of mail transportation remains in an experimental stage for the purpose of study and continuing development, the department believes that the public interest logically requires that there be available for participation the full excess capacity and schedules of existing certificated air transport facilities."

In the airfreight case, now being heard by CAB examiner James Keith, Riddle is applying for a certificate to transport mail and freight between Florida and New York.

### Passenger Airlines Winning Freight Fight

The scheduled passenger airlines appear to be winning their eight-year battle with all-freight carriers.

While American Airlines asserted its dominance in the airfreight field by announcing a \$10.4-million order for seven DC-6As with Douglas Aircraft Co., the future of the only two remaining certificated all-freight lines-Flying Tiger Line and Slick Airways-was dubious.

American's order will boost the carrier's present fleet of three DC-6As to 10 by mid-1956. Delivery of three of the aircraft is specified for May, two for June and two for July 1956.

The panel's report was submitted to ▶Grave Doubts-Civil Aeronautics Board approved an arrangement proposed by Slick and Flying Tiger, under which FTL, would bow out of the freight business and become a leasing operation (Aviation Week Oct. 18,

> But the Board's qualifications that Tiger would have to come to an agreement with employes on severence pay left grave doubts that the proposed arrangement would materialize.

Failure to reach agreement with employes, notably pilots, on labor liability after 18 months of negotiating finally caused the two freight airlines to abandon merger plans. They estimated that their "exposure" to labor claims under merger would be between \$3 mil-

AVIATION WEEK, October 25, 1954

sibility of arriving at an agreement at this time.

► Proxy Fight—In addition, Flying Tiger pilots have opposed vigorously the latest proposal of Slick and Flying Tiger. They asked the Board to disapprove it and insist that the airlines go through with a merger, assuring their rights under the Railway Labor Act.

Adding another complication, Tiger pilots have launched a drive for proxies, in an attempt to wrest control from the present management at the annual stockholders' meeting that will be held Oct. 29.

Because of the short time, and the great difficulty involved in rounding up blocks of proxies, the campaign is not given much chance of success.

▶ Qualifications—The two qualifications CAB attached to its approval of the Slick-Flying Tiger arrangement:

 For a period of 18 months, Slick give preferential consideration in recruiting and member Oswald Ryan employes to persons dismissed from FTL as a result of the arrangement.

 Tiger must file by Oct. 29 "an agreement with its employes . . . providing for payments of money in definite or ascertainable amounts by Tiger to permissed . . . within six months as a result of the arrangement."

## CAB Will Test New Airmail Pay Formula

Civil Aeronautics Board has put the 13 domestic trunk airlines on a new temporary mail rate, based on a multielement formula favoring shorthaul carriers. The new rate is retroactive to Apr. 1.

In addition to linehaul payments of 30.10 cents a ton-mile, airlines will be paid for each pound of mail enplaned, ranging from 4.89 cents at the largest airports to 14.67 cents at the smallest airports (Aviation Week Oct. 11,

November Basis-First application of the new formula will be for November. Each airline's ton-mile yield during the month will be applied to the tonnage carried during the previous seven months to determine the mail pay for this period.

The Board was blocked from establishing the new rate on a final basis until a proceeding is held by objections filed by Trans World Airlines, United Air Lines, Slick Airways and the Postmaster General.

Under the new formula, TWA's yield would be 37.03 cents a ton-mile, and United's 38.04 cents. This compares with their present rate of 45 cents a ton-mile.

The Postmaster General has proposed

lion and \$6 million. With this past, a rate of 25.88 cents a ton-mile for Flying Tiger spokesmen see little pos- service mail pay. Under the new CAB formula, the lowest yield would be TWA's 37 cents.

> If United, TWA or any other party files an objection to establishing the new rate on a temporary basis, it would preclude the inauguration of accounting procedures Nov. 1 to calculate the rate under the new formula.

## CAB Approves TWA, Braniff Interchange

Civil Aeronautics Board has approved an equipment interchange between Braniff Airways and Trans World Airlines at Amarillo, Tex., to provide one daily roundtrip through flight between Houston and the West Coast.

CAB vice chairman Harmar Denny and members Josh Lee and Joseph Adams supported the interchange. It was opposed by chairman Chan Gurney

The Board will reconsider the interchange in connection with the renewal of Continental Airlines' authority to serve Houston on interchange flights DC-3 service. with American.

sons who . . . may be furloughed or dis- interchange, the Board majority de- saved \$132,942 with an all-DC-3 opclared, "include . . . the providing of eration, Bonanza claimed in attempt to services between Texas and California upset CAB's decision.

points competitive with the present monopoly operations of American and a strengthening of Braniff by permitting it to regain a portion of the traffic heretofore diverted from it by the Continental-American interchange."

### Bonanza Fights SWA 2-0-2, DC-3 Rate

Bonanza Airlines has challenged the economy of operating a mixed fleet of DC-3s and Martin 2-0-2s by Southwest Airways, recently approved by Civil Aeronautics Board (Aviation Week Oct. 11, p. 18).

This is the latest development in the running feud between the two local service carriers. In the Southwest renewal case, now in process, Bonanza is seeking SWA's routes, arguing it could operate them more economically and with less subsidy.

Judicious use of Southwest's nine DC-3s and three 2-0-2s, the Board found, enabled it to realize substantially higher passenger revenues per mile than it would have earned with all

For the period at issue, July 22, 1953 Benefits that will result from the new to June 30, 1954, Southwest would have

# SEARCHLIGHT SECTION

EMPLOYMENT: BUSINESS: "OPPORTUNITIES"

:EQUIPMENT :USED OR RESALE

## RAYTHEON'S MISSILE AND RADAR DIVISION

Bedford, Mass.

Career Engineering Positions Available

#### DESIGN ENGINEER

Three to five years' experience required in Ground-to-Air Missile launching equipment and/or field experience with intimate knowledge of missile

#### HEAT TRANSFER ENGINEER

Four to five years' experience required in cooling techniques and heat transfer design of electronic equipment for use in Guided Missiles and Air-borne Radar Systems.

Also a number of positions are available for Senior Electronic Engineers with experience in Circuit Design, Missile Systems, or Radar Systems.

RAYTHEON'S MISSILE AND RADAR DIVISION is a well-established, progressive organization located 20 miles from Boston, an area offering excellent housing, recreational and educational facilities.

Please write, giving full particulars concerning education, experience, and salary, to Personnel Division

#### RAYTHEON MANUFACTURING COMPANY

190 Willow Street, Waltham, Mass.

# control engineers

A further expansion of Honeywell's Aeronautical Division has created the following unusual opportunities. If you are interested in a permanent position with America's largest control manufacturer, consider these challenging opportunities now available at top salaries.

# MECHANICAL DESIGN ENGINEER —GYROS

New positions open in the design of mechanical components of gyros, accelerometers, synchros and other related devices. Requires minimum of 5 years experience in mechanical design.

#### HYDRAULICS DESIGN ENGINEER

New opportunity in design of hydraulic components and systems involving servos, valves, actuators for automatic flight controls. Requires engineering degree or equivalent and 5 years' design experience.

# RESEARCH ENGINEER —GYROS

Unusual new position open in Research Department for engineer to work on extremely low friction, low error and high precision multi axis gyro platforms. Position requires a Mechanical Engineer or Physicist with experience or advanced training in machine design, gyro principles and analytical mathematics.

# METHODS ENGINEER —GYROS

New position open as methods engineer working primarily on the assembly of precision gyros and other small devices. College degree or equivalent desirable plus 5 years' experience in similar or related work.

#### AERODYNAMICIST AND HELICOP-TER DYNAMICIST


Two new challenging positions open for an aerodynamicist and a helicopter dynamacist in the research phase of autopilot development. Will involve work on control dynamics of the airplane or helicopter, analytical investigations of control problems and correlation of experimental results with analytical predictions. Advanced degree in engineering, physics or mathematics or equivalent experience desired.

#### SERVOMECHANISM RESEARCH ENGINEER

Newly created position open in our Analytical Section studying control operations as simulated on our "Reac" computer. Work will be primarily in field of jet engine controls and will require an understanding of jet engine operation and control problems. Analog computer experience is necessary.

If you are interested in any of these well paid positions located in Honeywell's new Aeronautical Plant in Minneapolis, send your resumes to—

# Honeywell



J. Arthur Johnson

Director of Engineering Placement

Dept. AW-10

Minneapolis-Honeywell Regulator Co.
Minneapolis 8, Minnesota

# ENGINEERS

Attractive Positions

# TEMCO

IN DALLAS, TEXAS

For Details See

OCT. 11 AVIATION WEEK

or Write

E. J. HORTON

Engineering Personnel BOX 6191 DALLAS, TEXAS

#### AERODYNAMIC RESEARCH PERSONNEL

Sandia Corporation, a subsidiary of the Sandia Corporation, a subsidiary of the Western Electric Company and prime contractor to the Atomic Energy Commission, needs two aerodynamicists. Applicants with advanced degree(s) and some experience are preferred. Our Research and Development Program requires people with general knowledge of transonic and supersonic flow stability, instrumentation, pressure measurement, and testing problems. Tasks are assigned on a project engineer basis and direct responsibility is placed on the individual. Excellent employee benefits and research facilities. Address inquiries to:

PROFESSIONAL EMPLOYMENT
AND PERSONNEL DIVISION GE-20

C O R P O R A T I O N
SANDIA BASE

ALBUQUERQUE, NEW MEXICO

# ATTENTION ENGINEERS

Aeronca Manufacturing Corporation

a leading sub-contractor for the aircraft industry has immediate openings in its new research and development group for engineers qualified in

Applied Aerodynamics
Flight Control Systems
Aircraft Structures
Propulsion Systems
Electronics

Build your career with an expanding progressive company where advancement is assured for engineers with ability and initiative.

If you have three or more years' experience, a basic or advanced engineering degree, and are capable of original development activity in aircraft and missile systems, you are invited to contact our

Personnel Office at 1712 Germantown Road, Middletown, Ohio

# CONTROL DESIGN ENGINEERS

Exceptional opportunity with leading jet engine manufacturer, located in midwest, for graduate ME's or EE's.

Work will involve establishing design requirements, mechanization and quality on electrical, mechanical and hydraulic components for jet engine controls.

This is an opportunity that calls for initiative and imagination and offers extensive advancement and career possibilities.

Write full details to

P-4355, Aviation Week 330 W. 42 St., New York 36, N. Y.

#### DESIGN ENGINEER

For prominent West Coast manufacturer of industrial aircraft and marine equipment. Essential: Degree in Mechanical Engineering. Wide experience in design of hydraulic high pressure and piston pumps.

Salary \$7800—\$10,000 Age Open. P-4299, Aviation Week 330 West 42nd Street, New York 36, N. Y.

# LYCOMING



IS
LOOKING
FOR
ENGINEERS!

Here is an opportunity to work with internationally famous engineers, in the design and development of aircraft engines (gas turbine, reciprocating or related fields).

If you can qualify in the following, we will arrange a personal interview, with our Engineers, to discuss the many opportunities available at Lycoming.

- PROJECT ENGINEERS
  - LAYOUT DESIGNERS
     & DRAFTSMEN
    - DESIGN DRAFTSMEN
    - DESIGN ENGINEERS
      - ANALYSTS
        - CHECKERS

Send complete resume to:

E. E. Blakeslee, Per. Supv.



Lycoming Division
Avco Mfg. Corp.
Stratford, Conn.

# Micro-Wave Specialists

The growing importance of micro-wave applications to aircraft has created a staff opening for a Micro-Wave Specialist at Lockheed Aircraft Corporation.

The position requires a specialist who couples at least three years' practical experience in airborne radar applications with a strong theoretical background. An advanced degree in Physics is preferred.

Duties will involve keeping abreast of latest developments in the field of micro-waves, redesigning micro-wave systems for application on Lockheed Aircraft, and acting in a staff advisory capacity on micro-wave subjects.

Lockheed offers you a high salary commensurate with the importance of the position; generous travel and moving allowances; an opportunity to enjoy Southern California life; and an extremely wide range of employee benefits which add approximately 14% to each engineer's salary in the form of insurance, retirement pension, sick leave with pay, etc.

Address inquiries to E. W. Des Lauriers, Dept. W-M-10.

# Lockheed

Aircraft Corporation

Burbank, California

# Engineers!!

There's A

CESSNA AIRCRAFT COMPANY



# New Salary Structure

New Assignments

# New Models

FOR CONFIDENTIAL EVALUATION Send Resume To:

Employment Manager, Dept. AW Cessna Aircraft Company, Wichita, Kansas



CESSNA AIRCRAFT COMPANY . WICHITA, KANSAS

#### WANTED—SURPLUS ROD & BAR

Stainless—Aluminum—Steel—Brass Any size type and quantity. Cash for termination inventories. Send list to:

9050 Washington Blvd. Culver City, Calif.

IF YOU RENDER A SERVICE TO THE AVIATION INDUSTRY YOU SHOULD INQUIRE ABOUT THIS NEW SEC-TION!

Classified Advertising Division 330 W. 42 St., New York 36, N. Y.

# SPECIAL AVIATION

#### AIRCRAFT DEALERS

**EXECUTIVE AIRCRAFT** Complete Services and Sales DC-3 LODESTAR D185

ST. LOUIS REMMERT-WERNER

EXECUTIVE TRANSPORT AIRCRAFT AND TO...
All Models
LOCKHEED
GRUMMAN
CESSNA BEECHCRAFT DOUGLAS AERO COMMANDER

JIM WELSCH Aircraft Sales New York 17, New York Murray Hill 7-5884

#### PARTS & SUPPLIES

#### FOR IMMEDIATE SALE

Large Parts Inventory on a lot or item basis consisting of:

\*PRATT & WHITNEY \*Stromberg \*Eclipse-Pioneer \*Jack & Heintz

\*American Bosch

★American Brass

\*Champion \*Titeflex

\*WRIGHT

merican Brass ★Pesco ★Commercial & AN Hardware New, overhauled and used engines, car-buretors, magnetos, harnesses and engine driven accessories, etc.

> SUBSTANTIAL DISCOUNTS! Your inquiries invited! Sales Department

PACIFIC AIRMOTIVE CORPORATION Linden 3-8000

#### Lambert Field St. Louis, Mo. DC-3 LODESTAR BEECH

Airframe Engines Radios
A.R.C. Bendix Collins Lear Sporry Wilcox
P&W Continental Wright Goodrich Goodyear

#### AVIATION WEEK, October 25, 1954

#### **NEW CONVAIR 340**

FOR SALE OR LEASE
Airline Configuration: or will install
Executive Interior.
Immediate Delivery. Exclusive Agents BACON Corp.

Municipal Airport, Santa Monica, Calif.

EXbrook 7-3581 TExas 0-5107

WANTED—Surplus Aircraft Parts or termination inventories.

Get our cash offer by return mail. Send lists to:

COLLINS ENGINEERING COMPANY 9050 Washington Blvd. Culver City, Calif.

# SERVICES THE INDUSTRY

#### PROPELLER SERVICE



#### PROPELLER OVERHAUL

Pick up and delivery in New York area. Finest equipment. Experienced personnel. Approved repair station for Hamilton Standard and Hartzell propellers.

READING AVIATION SERVICE, INC. MUNICIPAL AIRPORT READING, PA.

### INSTRUMENT SERVICE

#### DIAL REFINISHING

We can refinish your dials or can supply many standard dials from our stock.

Screen Process or Hand Painted.
Fluorescent - Phosphorescent - Radium.

Special Dials made to order. Prompt Delivery.
Reasonable prices.


SOONER DIAL CO. Box 234 - Clinton, Oklahoma - Phone 486

#### OVERHAUL & MAINTENANCE

#### REMMERT - WERNER, Inc. Lambert Field St. Louis, Mo.

offers your choice of 1 DAY 2 DAY 3 DAY 100 hour OVERHAULS

BEECHCRAFT DC-3 LODESTAR



# paved invitation

This is the front door to one of the most exciting developments in the aircraft industry today... the development of a top team of Martin scientists, physicists and engineers to carry on a planned, long-range, top secret program.

Never before has there been such an opportunity -and invitation-to a small group of qualified creative engineers.

Write to J. M. Hollyday, Box A-8, The Glenn L. Martin Company.



the SYSTEMS **ENGINEER** at RCA

Systems engineers conduct studies to determine operational requirements . . . create and synthesize military equipment concepts . . . guide development of new integral elements . . . conduct evaluation programs to determine operational effectiveness.

You may qualify! Professional ability to create and analyze over-all complex systems and experience in electronic or electro-mechanical systems engineering required.

There are several opportunities now in:

**AVIATION ELECTRONICS** INFORMATION HANDLING COMPUTERS . RADAR COMMUNICATIONS MISSILE GUIDANCE

Send a complete resume of your education and experience to:



Mr. John R. Weld, Employment Manager Dept. B-450J-2, Radio Corporation of America Camden 2, New Jersey

## RADIO CORPORATION OF AMERICA

## SUPER-92

200 mph for your DC-3

GAA Approved R1830-SUPER-92 engines allow 700 HP normal cruise, better single engine—lower fuel and maintenance mileage costs with 20,000 extra miles between changes, with same overhaul intervals and costs as —92. Fully interchangeable with —92—same weight, mounts, cowls, lines, etc. Proven by thousands of hours of practical executive operation.

# **ENGINE WORKS**

PRATT & WHITNEY OVERHAUL ST. LOUIS, MO. CONTINENTAL LYCOMING EXCHANGE

# Good selection of Ranger-powered

Widgeons-G-44's and G-44A's. JIM WELSCH Aircraft Sales 60 East 42nd Street, Suite 729 New York 17, N. Y. Murray Hill 7-5884

GRUMMAN SUPER WIDGEON

by McKinnon-Hickman

New 270 h.p. Lycoming engines and three-bladed Hartzell propellers. Immediate de-

livery. Send for brochure which also covers

complete conversions and conversion kits.

GRUMMAN G-21A (GOOSE)

Zero since overhaul on engines, airframe

and instruments. New fabric. Interior and exterior can be finished to customer's spec-

#### FOR SALE LATE MODEL D-18S

Manufactured in 1953 400 hours Total Time Numerous extras - - -L-2 Autopilot With Auto App. Sperry Zero Reader Deluxe Radio Installation Call - Write - Wire

#### PAGE AIRWAYS, INC. Rochester Airport - Rochester, New York

Genesee 7301

#### DOUGLAS C-47 A's

Special Passenger & Cargo Configurations Three for immediate sale: \$55,000.00 each. Available for inspection,

BACON CORP. Municipal Airport, Santa Monica, Calif. TExas 05107 EXbrook 73581

### EXECUTIVE BEECHCRAFT D18S

For the Discriminating Buyer

Serial #A308, majored by Pratt and Whitney Aircraft, hangared, airline maintained, completely equipped, many extras to make your office in the air pleasing and efficient, Must be seen to appreciate. Full specifications upon re-

FS-4241, Aviation Week 520 N. Michigan Ave., Chicago 11, Ill.

#### HILLER HELICOPTER

Model UH 12A with Agricultural Spray equipment, full canopy, dual controls, 2way radio.

In excellent condition East Coast Aviation Corporation

#### Bedford Airport Lexington, Mass.

### **ENGINEERING OPPORTUNITIES**

NAGLER HELICOPTER COMPANY, INC.

### DESIGN ENGINEERS, MECH. and AERO. STRESS ANALYSTS

Work on small helicopter projects Design and development with a Young and Expanding Company SALARIES RIGHT TO QUALIFIED PEOPLE WRITE-SEND RESUME-CALL WESTCHESTER COUNTY AIRPORT WHITE PLAINS, NEW YORK

PRODUCT LINE AVAILABLE ELECTRO-MECHANICAL AIRCRAFT instrumentation with wide commercial and military market. Will consider sale and

WH 6-7500

merger with company having manufac-turing and sales facilities. BO-4290, Aviation Week, 330 W. 42 St.,

New York 36, N. Y.

REPLIES (Box No.): Address to office nearest you NEW YORK: 330 W. 42nd St. (36) CHICAGO: 520 N. Michigan Ave. (11) SAN FRANCISCO: 68 Post St. (4) LOS ANGELES: 1111 Wilshire Blvd. (17)

#### POSITIONS VACANT

EXPERIENCED HELICOPTER A/E mechanics with manufacturers courses on the service and maintenance of Sikorsky S-55, Bell and Hiller helicopters required. Must be free to travel anywhere in the world. Apply to Per-sonnel Manager. Field Aviation Co. Ltd.. Oshawa, Ont.

CERTIFIED PUBLIC Accountant - Must be well versed in all phases of fixed base service and have commercial license for the state of Pennsylvania. Applicant must have the ability to assume duties of chief financial officer. Give resume of experience and salary desired in first letter, to P-4353, Aviation Week.

THERMODYNAMICIST—GRADUATE ME with training and experience in thermodynamics to make cycle analyses and calculations, to predict engine performance, and to analyze the effect on the engine of new components and mechanical or control changes. This is an op-portunity to grow along with the expanding jet engine division of a multi-plant industrial leader located in the Midwest. Send resume with full details of education, age and experience to: P-4357, Aviation Week.

#### POSITIONS WANTED

ROTARY-WING Project Engineer 14 yr. experience, all types rotorcraft. Desires position with good potential. Write PW-4264, Aviation

AIRLINE TRANSPORT pilot now flying Capt. DC-3 scheduled airlines, Desires pilot position western U. S., preferably California, Age 33— 8000 hrs. Military and civilian—6000 hrs. DC-2 details on request, PW-4327, Aviation Week,

RESOURCEFUL MAN 34, college Grad. wishes to repr. firm with AMC agencies, comm. aviation; knowledge avionics etc; security-cleared, many contacts; navigation, sales promotion bkgrd. PW-4552, Aviation Week.

#### FOR SALE

Largest stock in the U. S., of new, used and overhauled engines, propellers, accessories and airframe parts. Free lists by makes. Vestco., Dept. F. Box 5306 T.A., Denver, Colo

For Sale, 6 allison engines, model EV-1710-117. Total time between 200 and 400 hours since new. Need minor overhaul. Less auxiliary stage supercharger. Engines boxed and ready for shipment. Bids will be received until 12.00 noon of November 15, 1954. Full information available from Dean, School of Engineering, University of Wichita, Witchia, Kansas.

Wanted Twin engine Beechcraft any model condition not important as we will overhaul in our shops. Please quote your lowest price. Southern California Aircraft Corporation, Box 433, Ontario, California.

AVIATION WEEK, October 25, 1954

# RADIO EQUIPMENT! AN CONNECTORS! AN CONDUIT FITTINGS! UG FITTINGS!

Immediate delivery from the world's largest stock of aircraft parts!

IMPORTANT! Check this ad carefully each time it appears—new offerings, never before advertised, will be listed! This group is just a small sample of our huge stock. Let us screen your inquiries for aircraft parts, accessories, AN and NAS hardware!

	RADIO E	QUIPMENT		Pieces		TINGS
Pieces Part Number 117 AA100-481-2 89 AA29026-1 12 MR-11-D 8 MN-20-A 14 MT-53-B 3 MT-5E 26 MS-49A 46 AL72092-1 570 MS-14A 4 MS-14BB 4 MS-51-AA 1,018 13018-A	Description Antenna Lead Antenna Lead Antenna Loop Unit Antenna Loop Antenna Lead Unit Antenna Reel Antenna Transfer Switch Base Assy. Box (Junction) Box (Junction) Box (Junction) Box (Junction)	Pieces Part Number 81 3616 7 MS41AA 3 MN-52-B 5 854364-1 922 D-12184 920 A15082 33 AC55655-2 142 BX42-7 7 C56728-2 (DA1-A	Description Control Wireless Operator Unit Control Wireless Operator Transfer Unit Control Azimuth Control Rheostat Converter Dial Dial Screw Assy. Dynamotor Dynamotor Dynamotor Modulator	556 97 191 15 77 94 128 116 97 1,979 27	UG 175/U UG 290-2 PL 293 UG 566/U UG 27A/U UG 201/U UG 255/U UG 104/4 UG 290-2 UG 21/U UG 260/U	Adapter Plug Connector Coaxial T Adapter Adapter Adapter Adapter Plug Plug Plug
230 AA26172-1 11 AC58789-1 10 AC50789-2 21 AC58790-3 20 AC72386-1 37 AI72392-1 30 73527-1 37 AA100481-2 71 AC58789-1T161 45 AC58970-1 33 AC58973-3 296 272827-10 276 272828-10 19 AC587683 17 AC587789-1-161 157 AC58792-3-36 51 AC58969-3 33 AC58973-3 125 A14109-2 3 A-30401 48 AA28707-2 84 84555 93 AA100102-1	Cable Assy. Cable Antenna Lead Cable	239 7884 93 AC-60524 237 313437 11 3937-A 42 A26043 380 A28100 29 AL71784-1 52 BX15-5 32 RA-10DB 4 Channel (1100-400KC) 68 BX17-3 79 BX17-16 80 A16901 2 A19770 171 AA26614-1 68 AA27565-2 92 AL71765-4 58 AL71765-6 302 K5898733AB 23 TA-12B	Unit Filter Radio Filter Radio Filter Light Filter Generator Knob Knob Oscillator Potentiometer (10.05,0-MC) (5.0-2.0-MC) (400-150KC) Radio Receivers Transformer	Pieces 840 2,730 5,469 711 602 440 9,302 22,525 340 461 543 6,200 32,850 69,631 8,363 45,563 20,001 21,695 2,214 13,181	CONDUIT  AN3050-8 -10 -20 -24 AN3051-6 -16 AN3052-4 -6 -10 -12 -24 AN3053-3 -6 -8 -10 -19 -16 -20 -24 -32	Ferrule
Pieces  262 AN3100-2A-1S  74 -4S-3S  53 -8S-1P  15 -10SL-3P  81 -12S-3S  753 -12-5P  2,098 -12-5S  146 -14S-2P  69 -14S-4P  23 -14S-5S  800 -A14S-5S  800 -A14S-5S  1,152 -A16S-1S  10 -A16S-8S  24 -A18-1P  75 -14S-9S  1,152 -A16S-1S  10 -A16S-8S  24 -A18-1P  75 -A18-1P  41 -18-4S  582 -18-12S  28 -18-15S  151 -A18-16S  84 -A20-1P  154 -A20-1S  124 -A20-1S  124 -A20-1S  124 -A20-1P  124 -A20-1P  125 -24-5P  28 -18-15S  151 -A18-16S  151 -A18-16S  151 -A18-16S  152 -A28-11P  154 -A20-27P  155 -24-5P  249 -A28-11P  166 -PR28-11P  175 -24-5P  249 -A28-11P  167 -PR28-11P  168 -R28-11P  169 -R28-11P  175 -24-5P  249 -A28-11P  240 -A28-11P  240 -A20-15  2	Coil Control Remote  A N CON  Pieces 108	Pieces 82	Pieces 178	403 200 484 11,032 6,712 24,092 726 745 184 4,402 125 607 5,036 10,285 11,260 10,285 11,260 147 2,280 108 934 11,628 4,314 8,382 11,021 3,408 57,221 11,021 3,408 57,221 138 632 4,435 138 632 4,435 138 632 4,435 138 632 4,435 138 632 4,435 138 632 4,435 138 632 4,435 138 632 4,435 138 632 4,435 138 632 4,435 138 632 4,435 138 632 4,435 138 632 4,435 138 632 4,435 138 632 4,435 138 632 4,435 145 158 637 774 1,641 1	AN3054-14 -16 -20 -24 -28 -32 -40 AN3055-8-4 -19-4 -18-10 -40-20 AN3056-4 -6 -10 -12 -12D -16 AN3057-3 -4 -8 -10 -12 -20 AN3058-3 -4 -8 -10 -12 -20 AN3059-16 -20 -20 AN3060-3 -8 -10 -16 -20 -20 -24 -28 -40 AN3061-6 -20 -24 -28 -40 AN3062-4 -6 -10 -20 -24 -28 -40 AN3063-3 -8 -32 -40 AN3064-3 -6 -8	Ferrule Nuts Nuts Nuts Nuts Nuts Nuts Nuts Nuts

## COMMERCIAL SURPLUS SALES CO.

4101 CURTIS AVENUE, BALTIMORE 26, MARYLAND

TELEPHONE: CURTIS 7-3300

# News Sidelights

There is no strong substantiating evidence that aft-facing seats would materially decrease the death rate in transport aircraft accidents, A. Howard Hasbrook, associate director of Aviation Crash Injury Research, Cornell-Guggenheim Aviation Safety Center, says. In an open letter to New York newspapers, Hasbrook comments: "Unfortunately, the problem of increasing safety in air transportation is a most complex one, and cannot be achieved as simply as those favoring aft-facing seats imply."

BeeCraft Associates Inc. has changed its name to Bee Aviation Associates Inc., to eliminate confusion with Beech Aircraft Corp.'s trademark Beechcraft. Company's certificated single-place Honey Bee has been flown by more than 120 pilots; new four-place Queen Bee (AVIATION WEEK Jan. 11, p. 17) is in engineering stage.

Columbia Broadcasting System will produce a 26-week series of half hour TV programs devoted to the history of the Air Force in World War II, possibly including Korea. Series, tentatively entitled Crusade in the Air, will be based on official USAF film.

Wichita's new municipal airport will be dedicated formally October 31. Former airport was purchased by the Air Force as a B-47 training base, now is known as McConnell AFB.

Four San Diego aircraft companies-Convair, Ryan Aeronautical, Rohr and Solar-expect an employment level next year slightly lower than 1954. Convair, with mid-year employment of 22,872, expects to level-off at 20,000; Ryan hopes to remain at about 4,000, compared to the postwar peak of 4,400 in 1953; Rohr expects to stay at somewhat over 5,300, and Solar says its force should be about the same as at present, 2,600.

Col. J. G. Vincent, pioneer aircraft powerplants engineer who was a leading developer of the Liberty engine of World War I and who contributed to refinement of the Packard-built Rolls-Royce engines of World War II, is expected to retire soon from Packard's board of directors. He probably will continue as an engineering consultant of the new Studebaker-Packard Corp.



WHAT'S COOKING?-Secretary of the Air Force Harold E. Talbott (center) takes a close look at one of Minneapolis-Honeywell's precision HIG gyros during a recent tour of the facility, where he also spoke at a mass-meeting of 10,000 employes that launched a company-union campaign against waste in production. When he visited the rigidly controlled gyro assembly rooms with Paul B. Wishart (right), M-H president, and Robert I. Wishart (no relation), secretary-treasurer of AFL Teamsters Local 1145, he donned nylon garb to guard against lint and dirt reaching instruments.

#### AVIATION CALENDAR

Oct. 27-29-National Business Aircraft Assn., seventh annual meeting and forum, Hotel Adolphus, Dallas.

Oct. 28-29-Aircraft Electrical Society, 11th annual display meeting, Pan Pacific Auditorium, Los Angeles.

Nov. 1-5-American Welding Society, fall meeting, Sherman Hotel, Chicago. Nov. 2-19-The American University, eighth

Air Transportation Institute, Washington, D. C.

Nov. 4-5-American Helicopter Society, first Western Forum, Institute of the Aero-

nautical Sciences Building, Los Angeles. Nov. 4-5-Airborne and Navigational Electronics, East Coast conference, Sheraton-Belvedere Hotel, Baltimore.

Nev. 8-9-National Aviation Trades Assn., annual convention and meeting, Biltmore-Terrace Hotel, Miami Beach, Fla.

Nov. 8-9-National Air Taxi Conference, annual meeting, Biltmore-Terrace Hotel, Minmi Beach, Fla.

Nev. 8-10-Air Industries & Transport Assn. of Canada, annual meeting, Chateau Frontenac, Quebec City. Nev. 9-12-Air Line Pilots Assn., conven-

tion. Sheraton Hotel, Chicago.

Nov. 10-12-Industrial Management Society. 18th National Time and Motion Study and Management Clinic, Hotel Sherman.

Nov. 11-12-Airmail Pioneers, division reunion, Hollywood Roosevelt Hotel, Los Angeles.

Nev. 12-13-National Symposium on Quality Control and Reliability in Electronics. Statler Hotel, New York.

Nov. 15-17-Aviation Distributors and Manufacturers Assn., 12th annual meeting, Mayflower Hotel, Washington, D. C. Nov. 15-17-Magnesium Assn., 10th annual

meeting, Hotel Chase, St. Louis. Nov. 17-19-California Association of Airport Fxecutives, semi-annual meeting, Sainte Claire Hotel, San Jose, Calif.

Nov. 18-19-American Society for Quality Control, ninth Midwest conference, Baker Hotel, Dallas.

Nov. 29-Dec. 3-American Society of Mechanical Engineers, Aviation Division, annual meeting, New York.

Nov. 30-Dec. 3-American Rocket Society. ninth annual meeting, Hotel McAlpin, New York.

Dec. 17-Wright Day Dinner, Statler Hotel. Washington, D. C.

Jan. 19-23-World Trade Fair of Aviation, Miami International Airport. Miami, Fla. Jan. 24-27-Plant Maintenance & Engineering Show, produced by Clapp & Poliak, International Amphitheatre, Chicago.

Mar. 28-Apr. 1-Ninth Western Metal Exposition and Congress, Pan-Pacific Auditorium and Ambassador Hotel, Los Angeles.

Apr. 18-21-Society of Automotive Engineers. Golden Anniversary Aeronautic Meeting, Aeronautic Production Forum and Aircraft Engineering Display, Hotel Statler and McAlpin Hotel, New York.

Apr. 24-28-Airport Operators Council, 1955 convention, Olympic Hotel, Seattle. May 4-6-Fourth International Aviation Trade Show, sponsored by Aircraft Trade Shows, Inc., 69th Regiment Armory, New

ADVERTISERS IN THIS ISSUE

AVIATION WEEK—OCTOBER 25, 1954

	2
ADAMS RITE MFG. CO	65
ADEL DIV., GENERAL METALS CORP	26
MOTORS CORP DIV. GENERAL	-51
AEROQUIP CORPORATION	64
Agency—The Fred M. Randall Co. AIRWORK CORPORATION	54
ALLIED PRODUCTS CORPORATION	31
AMERICAN GYRO CO	61
Agency—Howard H. Monk & Assoc	94
BELL AIRCRAFT CORP	76
BOEING AIRPLANE COMPANY	
G & H SUPPLY COMPANY (METAL-CAL)	46
CHANDLER-EVANS DIV. NILES-BEMENT- BOND CO	81
COLLINS RADIO COMPANY	48
CONSOLIDATED DIESEL ELECTRIC CORP	33
CORP. Front Co	ver
COOK ELECTRIC COMPANY	69
DAYSTROM INSTRUMENT DIV	
Agency—Morse Advertising Agency	62
Agency—Wagnitz Advertising, Inc.	93
Agency—J. Walter Thompson Co. ECLIPSE-PIONEER DIV. BENDIX	41
AVIATION CORP	47
EDISON, INC., THOMAS A. (INSTRUMENT DIVISION)	92
Agency—Gaynor & Company, Inc. EDO CORPORATION	49
Agency-Davis, Parsons & Strohmeler, Inc.	
ENGINEERING AND RESEARCH CORP	25
FAIRCHILD ENGINE & AIRDIANE CORD	
FLETCHER AVIATION CORP	
FORD INSTRUMENT CO. (DIV. OF	
THE SPERRY CORP.)	50
GIANNINI & CO. INC. G. W.	77
GILFILLAN BROTHERS	20
GLADDEN PRODUCTS CORP.	AS.
GOODYEAR AIRCRAFT CORP	23
Agency—Kudner Agency, Inc. HELI-COIL CORPORATION Agency—O. S. Tyson & Company, Inc.	39
ASSECT PRODUCTS CO.	78
Agency—Holden-Chapin-Larra Tra	ver
JAMES POND CLASS THE	67 66
KAWNEER COMPANY THE CALECOAST	
Agency Fuller & Built & There	
Agency—Cunningham & Walsh, Inc.	3
Agency—Ruchanan & Co., Inc.	27 54
LOCKHEED AIRCRAFT CORD.	55
LOCKHEED AIRCRAFT CORP	97
LORD MANUEACTURE & Coe, Inc.	68
· · · · · · · · · · · · · · · · · · ·	71
Acces Weints & Co.	70
Agency Melegrat & College But Company	83
MICRODOT DIVISION EST CORPORATION	63 70
MICROMATIC HONE COPPORATION. Inc.	10
Agency—The Griswold-Eshleman Co. MONOGRAM MFG. CO. (A DIVISION OF LEWIS & KAUFMAN LTD.)	ougo UZS
NORTH AMERICAN AVIATION INC.	8
OLIVER CORPORATION, Durstine & Osborn, Inc.	82
PACIFIC DIVISION BENDIN AVIATION COOR	20
PACKARD ELECTRIC DIV CENEDAL	0£
Agency-Campbell Possid Co.	91
PATTERN PRODUCTS MFG., CO	
Agency—Lambert & Feasley, Inc.	
Agency-B. K Davis & Bro.	837
Agency-L. J. Swain Advertising	43
Agency-G. M. Basford Company RESIN INDUSTRIES, INCORPORATED	6
RHEEM MFG. CO. (GOVERNMENT	4
Agency—Campbell-Ewald Co.	19
The second secon	

ROBINSON CO., RALPH C 66 Agency—Chapin-Damm Advertising	SURFACE COMBUSTION CORP. (JANITROL AIRCRAFT-AUTOMOTIVE DIV.)	74
ROHM & HAAS CO	Agency—Odilorne Industrial Adv.	
Agency—Arndt-Preston-Chapin-Lamb & Keen, Inc. ROHR AIRCRAFT CORPORATION	TOWNSEND COMPANY	83
Agency—Barnes Chase Company	TUBE METHODS, INC	73
SARGENT ENGINEERING CORPORATION 59 Agency—Darwin H. Clark Co. Adv.	Agency-lobn Miller Adv. Agency	
SCINTILLA MAGNETO DIV., BENDIX AVIATION CORP	TWIGG INDUSTRIES, INC	
Agency-MacManus, John & Adams, Inc.	UNITED AIRCRAFT PRODUCTS, INC	45
SEARCHLIGHT SECTION101, 102, 103, 104, 105, 106	Agency—Langeler Adv. Agency	43
Agency—Rurka Dowling Adams Inc	VICKERS, INC. (A DIVISION THE SPERRY CORP.)	
SUCUNY VACUUM OIL CO., INC., 36	Agency—Witte & Burden Adv. WEMAC COMPANY	90
Agency—Compton Advertising, Inc. SOLAR AIRCRAFT COMPANY	Agency—McKee-Burns Adv.	
Agency—The Phillips-Ramsey Co. Adv. SPERRY GYROSCOPE CO. (DIV.	WESTINGHOUSE ELECTRIC CORP	57
Agency-Reach Vates 6 Marie Third Cover	WHITE INDUSTRIES, INCORPORATED	32
STILLMAN RUBBER CO	WHITTAKER CO., LTD., WM. R	40



#### HAS IMMEDIATE OPENINGS FOR

★ EQUIPMENT DESIGN STAFF ENGINEER

To Be Responsible For All Helicopter Equipment Engineering

POWER PLANT GROUP ENGINEER Must Have Turbine Experience

DESIGNERS-STRESS ENGINEERS Rotor or Transmission Experience Desired

> AERODYNAMICISTS Helicopter Experience Required

VIBRATIONS ENGINEERS

STRESS ENGINEERS Aircraft Experience Required

STRUCTURAL TEST ENGINEERS FLIGHT TEST ENGINEERS

### FLIGHT TEST INSTRUMENTATION ENGINEERS

All Of The Above Positions Require Minimum Of Three Years Aircraft or Related Experience and Degree in Engineering

Send Complete Resume To FRANK COE, EMPLOYMENT MANAGER

# PIASECKI HELICOPTER CORPORATION

Morton, Pennsylvania (Philadelphia Suburb)

AVIATION WEEK, October 25, 1954

# LETTERS

### Burbank Boggle

I certainly agree with the letter "Burbank Boggle" by W.M.C. in the Aug. 30, 1954. issue. Although I live only a mile from the Burbank Air Terminal, I recently made a train trip to Yuma, Ariz., only because of the lack of plane service from Burbank. It seems CAB has given L.A.'s International Airport a monopoly which is both irritating and inconvenient to many would be air travelers.

What Mr. W.M.C. neglected to state is that, besides Burbank and Glendale, the Burbank Air Terminal is in much easier access to: San Fernando, Sunland, La Crescenta, La Canada, Altadena, Pasadena, downtown Los Angeles, Hollywood, Universal City, Studio City, North Hollywood. I say give the Burbank Air Terminal more plane service and watch congratulations flow in from disgruntled air travelers who have been forced to make the long trek to International Airport.

JOHN J. HANSEN 436 South Beachwood Burbank, Calif.

#### Braniff DC-3

The Aug. 30 AVIATION WEEK stated that "Braniff Airways DC-3 struck a power line and crashed last week while approaching Mason City, Iowa, during a blinding thunderstorm . . ." (p. 7).

The newspaper and radio reports carried a statement to this effect for the first 12 hours following the accident. This erroneous report apparently came as a result of a power line in the general vicinity having been blown down during a violent thunderstorm.

The flight was holding some 15 miles from the airport and had advised it was awaiting the passage of a thunderstorm over the field.

Within 30 hours after the accident newspapers were carrying a corrected version of this story. . . .

Such inaccuracies are expected of the daily press. . . . We are disappointed to have such inaccurate reporting coming from an aviation magazine with the high reputation and regard that we have for your publication.

L. Homer Mouden, Chairman Regional Safety & Engineering Committee Air Line Pilots Assn. 4712 Troost Ave.

Kansas City, Mo.

(We regret the error; news wires in the New York City area did not carry the correction.—Ep.)

#### Mile Is Shorter

Just noticed that the Oct. 11 issue of AVIATION Week continues an error which was started and published in several newspapers. That error is on page 16 and regards the length of the nautical mile: the item calls it 6,080.20 ft. long. Actually on July 1, 1954, the CAA, as ordered by the Department of Commerce, standardized on

ft. The Defense Department also agrees.

We are correcting our little handbook and I trust you will correct your reference files.

NICK DEN TEX

Pratt & Whitney Aircraft Div. United Aircraft Corp. East Hartford 8, Conn.

## Praise

I am indeed complimented that you saw fit to include my speech on national airpower policy in your Sept. 27 issue.

I feel that this message states explicitly our national position, and I am gratified that it will receive wide circulation through a magazine which has the stature of AVIATION WEEK.

SEN. LEVERETT SALTONSTALL

you for the complimentary reference to my being a "hardboiled optimist" in the sky tourist business.

All of us in aviation—and I respectfully include editors of trade publications—owe our future to the extension and broadening of air travel. To that extent your editorial decrying negative or "saturation" thinking was most refreshing.

On the other hand, no one can say now that some fare increases may not be necessary in the future, as your editorial wisely pointed out.

It was a thoughtful and thought-provoking piece.

R. S. Damon, President Trans World Airlines, Inc. 380 Madison Ave. New York 17, N. Y.

I have read with interest your editorial, "Helping Communities in Trouble," in your Sept. 16 issue. We here at Bell Aircraft appreciate the fine things you said about Douglas and North American as well as the mention of Bell Helicopters. We in the helicopter business carry on a concerted campaign of being of assistance to communities, municipalities and people in distress and we seldom get any recognition whatsoever for our efforts.

James C. Fuller
Public Relations Director
Bell Aircraft Corp.
Helicopter Division
P. O. Box 482
Ft. Worth 1, Tex.

This is an acknowledgment of your editorial, "Helping Communities in Trouble." As you know, the council maintains a selection of background material on the helicopter and attempts to keep this as up to date as possible. Your editorial displays such a thorough understanding of the value of the 'copter, aside from its strictly military and commercial application, that we would very much like to reproduce this as one of the papers we distribute.

Don Ryan Mockler, Director Helicopter Council Aircraft Industries Assn. Washington 5, D. C.

Phil Klass wrote a feature article about Balco's new HT-2 200-deg, capacitor in the Avionics section recently. Needless to say we . . . are grateful to AVIATION WEEK for the boost. What you might be interested in is the reader interest that his article stirred up. Enclosed is a list of the companies represented among the many responses that came in as a result of the story. The degree of interest can be judged from the fact that most of the inquiries were followed by sample-quantity orders. Even though most of these sample quantities have not as yet been completely tested, we have already received several larger repeat orders based on the customers' evaluations. It is apparent that Mr. Klass showed good judgment in feeling that our product would fill a critical need for your subscribers. He handled the technical details accurately and did a fine job of putting the engineering facts into a very readable form. His conscientious verification of all our claims has convinced us that anything under his byline can always be taken as "the straight dope."

BALCO RESEARCH LABORATORIES M. K. Goldstein, President 49-53 Edison Place, Newark 2, N. J.

I have just completed reading your very interesting and complete article on our DC-7 operations by George L. Christian and . . . thank you. We have circularized all our employes, advising them of the article.

F. J. Schwaemmle
Director of Information Services
Delta-C&S Air Lines
Municipal Airport
Atlanta, Ga.

I've just seen the story (by William Coughlin) on our company in the Oct. 4 Aviation Week and I think you are to be complimented. Everyone here who has seen the story thinks it is one of the best yet done from the standpoint of accuracy and balanced presentation.

RALPH W. KUMMER
Public Relations Manager
Hiller Helicopters
Palo Alto, Calif.

We would like to have authority to reproduce Selig Altschul's article on the local service airlines, which appeared in the Aug. 23 issue. This article tells the local service story very clearly and we would like to have it read by a number of people in our territory. Naturally, Aviation Week would receive full credit.

C. M. BRITT Vice President-Sales Southern Airways, Inc. Atlanta Airport Atlanta, Ga.

is excellent and will do much to inform the public concerning the requirement of the local service airlines for permanent certificates

DON NYROP

(Other Letters on p. 69)


AVIATION WEEK, October 25, 1954

Model 539 VSWR Test Set consists of removable indicator unit (top) and power supply (bottom) fitted in compact aluminum combination carrying case.

# NEW VSWR TEST SET



for rapid and accurate check of X-Band Radars



- Now available is the Sperry Microline<sup>‡</sup> Model 539, VSWR Field Test Set, designed for accurate measurement of the voltage standing-wave ratio of X-band radar equipment during installation, maintenance and repair. This compact portable test set is also ideal for use in production and laboratory testing.
- Model 539 is a direct-reading reflectometer-type instrument which consists of a klystron oscillator, high directivity directional coupler, detector, amplifier and indicator, power supply and modulator. Calibration is accomplished with a reference mis-match.
- The simplicity of adjustment and operation of the test set make it extremely useful for accurate measurements over the entire range. It is particularly useful in adjusting a standing-wave ratio since the meter gives a continuous indication. Indicator unit can be easily connected to the equipment to be tested with a thumbscrew-operated clamp.
- This test set is approved by the military as the AN/UPM-12 meeting all the requirements of Specification MIL-T-945A.

\*T.M. HEG. U.S. PAT. OFF.

SPECIFICATIONS

VSWR Ranges 1.05-1.3±5% 1.3-2.0±5% 2.0-3.0±10% 3.0-10.0 uncalibrated

Freq. Range 8.5-9.6 kmc

Waveguide Connection

RG52/U (1 x % waveguide) or RG51/U (1% x % waveguide) through accessory adapter

Dimensions

Length 19% in. Width 12 in. Height 10% in.

Weight 35 lbs.

Power 105-125 volts
Requirements 50-1000 cycles

75 watts

For further information write Special Electronic Sales Department

For convenience in field work, the microwave indicator unit can be easily removed from carrying case.



CLEVELAND · NEW ORLEANS · BROOKLYN · LOS ANGELES · SAN FRANCISCO · SEATTLE
IN CANADA — SPERRY GYROSCOPE COMPANY OF CANADA, LIMITED, MONTREAL, QUEBEC

110



High-strength aluminum-alloy nuts meet AN steel nut tensile loads. Nylon locking inserts guarantee reusability through 50 on-off cycles.

Approved for use on Air Force, Army and Navy aircraft, the new ESNA Blue "J's" are lighter than any other self-locking nuts of equivalent strength.

Intended for use with AN steel bolts and lubricated to minimize thread wear, the new ESNA Blue "J's" provide a smoothly uniform torque-tension relationship and forestall thread galling. They accomplish maximum fastener weight savings without sacrificing strength. Completely inter-

changeable with equivalent steel parts.

Briefly, here's what we offer:

STRENGTH . . . Tested and approved to AN tensile strength specifications for steel nuts of the same size.

availability... sizes #6 through ¼" in designs that offer every important standard hex and anchor configuration including one lug, two lug, and corner types, floaters and gang channel.

NYLON INSERTS . . . in all anchor and channel types provide extended reusability — assuring elimination of maintenance problems created by replacement of "fixed" or inaccessible fasteners which are riveted or welded to the structure (hex nuts available with fiber or nylon inserts) and assuring the vibration proof holding power, reusability and self-locking action provided in all ELASTIC STOP® nuts.

# ELASTIC STOP NUT CORPORATION OF AMERICA



Elastic Stop Nut Corporation of Dept. N46-1025, 2330 Vauxhall	America Road, Union, New Jersey
Please send me the following free fa	stening information:
<ul> <li>□ Details on ESNA Blue "J's"</li> <li>□ ELASTIC STOP nut bulletin</li> </ul>	☐ Here is a drawing of our product.  What self-locking fastener would you suggest?
Name	
Firm	
Street	
City	Zono Stato