

Sundstrand powers electrical system


Sundstrand builds the Constant Speed Drive and its related controls for the 400-cycle electrical system of McDonnell's F-101 Voodoo, a new supersonic, long-range fighter capable of delivering atomic weapons. And many other advanced aircraft depend upon a Sundstrand-driven 400-cycle electrical system, because such a system is efficient, versatile, and capable under all conditions. The Sundstrand Drive makes possible a completely automatic, parallel, constant frequency a-c system, with full rated electrical system power, plus overload capacity, available from engine windmill to full thrust. That is why the Sundstrand Drive is used on more types of aircraft than any other constant speed drive. For complete details, check with our home or district office. SUNDSTRAND

SUNDSTRAND AVIATION

Division of Sundstrand Machine Tool Company, ROCKFORD, ILLINOIS . Western District Office: Hawthorne, California

CONSTANT SPEED DRIVES . AIRCRAFT ACCESSORIES

RESEARCH KEEPS B.F. Goodpich first in Rubber



New De-Icers mark B. F. Goodrich's 25 years of leading fight on ice

New chordwise De-Icers improve airflow

You're looking at the most efficient ice protection yet developed - new B. F. Goodrich chordwise De-Icers.

The small rubber tubes that inflate to snap off ice are built chordwise, in line with the air stream. This enables the De-Icers to maintain a smooth flow of air over the wings even during the brief three-second inflation cycle.

New BFG chordwise De-Icers are standard equipment on TWA's Super-G, above, also Lockheed's 1049-G's for Northwest. They climax 25 years of leadership in the fight against ice. We first gave airplanes ice protection in 1930. Here's how we started . . .

1927 - Most planes still grounded in cold weather. Ice often forces airmail pilots to turn back or bail out.



World's first ice protection system, BFG De-Icers tested on Douglas mail plane.

1928-Dr. William C. Greer and B. F. Goodrich engineers develop world's first ice protection-a rubber "overshoe" containing inflatable tubes that crack off ice. Copyrighted name: De-Icers.

1929-First flight made by planes with test sections of De-Icers.

1930-First flight of a plane completely equipped with De-Icers. Although hand pumped, BFG De-Icers bring plane through severe icing conditions.



B. F. Goodrich builds world's first refrigerated wind tunnel to speed work on ice problems.

1931-BFG's "Miss Silvertown" is first plane to have engine-driven pump for inflating De-Icers.

1932-First commercial installation of De-Icers on fleet of Northrop Alpha mail planes. Soon followed by installation on Boeing 247's, Douglas DC-1's and DC-2's, Martin B-10's and pursuit ships piloted by Jimmy Doolittle.

1936-By now De-Icers have been made more efficient by increasing number of tubes and making them smaller.

1938-B. F. Goodrich develops De-Icers for 4-engine flying boats and transports.

1940-Improved air operating system results in faster tube inflation-deflation.



B. F. Goodrich pioneered use of Mt. Washington, N. H., for aircraft ice removal tests.

1942-Every U. S. combat bomber and personnel-carrying transport is equipped with B. F. Goodrich De-Icers. Throughout war, dependable De-Icer operation saves thousands of lives, many planes.

1943 - Solenoid manifold distributor system with electronic timer gives infinite variations of De-Icer control. This new De-Icer control system used on B-29's flying on first Tokyo raids.


1948-100,000th BFG De-Icer installed. All major airlines that fly in icing conditions use De-Icers.

1952-New super-small tube De-Icers installed on all Super Constellations. Cemented on, new De-Icers eliminate fairing strips, assure longer life.

1955-First B. F. Goodrich chordwise De-Icers installed on Lockheed 1049-G's.

Only B. F. Goodrich makes De-Icers. Only B. F. Goodrich can give you the proved advantages of De-Icer protection. For special applications, B. F. Goodrich has also paralleled De-Icer progress with developments in chemical and electrical ice protection. The B. F. Goodrich Company, Aeronautical Sales, Akron, Ohio.

B.F. Goodrich



This Directional Gyro incorporates advances in the art of gyroscopics which achieve an unusual degree of accuracy, and at the same time extreme ruggedness, making it ideal for aeroplane and missile applications where low drift is required; even under maximum vibration conditions.

SPECIFICATIONS:

Diameter 5 inches

Length 51/2 inches

Weight: 5.5 lbs.

Drift rate on Scorsby

(excluding earth's rate) ±6°/ hour maximum

1000 hours minimum

Potentiometer Pickoff -

resolution 0.18°

linearity 0.1% Induction Motor - 400 cps, 115 volts

Vibration: Mil E 5272 A Procedure I

extended to 2,000 cps. Temperature Range: -54°C to +71°C

Gyromechanisms' engineering specialists are available for consultation on possible applications, without obligation.



Halesite, Long Island, New York 11941 Wilshire Blvd., Los Angeles 25, California

Designers and producers of precision potentiometers, gyros for all purposes, and magnetic amplifiers.

Aviation Week

MAY 16, 1955

VOL. 62, NO. 20

Editorial Offices

New York 36-330 W. 42nd St., Phone LOngacre 4-3000 (Night LO 4-3035) Washington 4, D. C.—National Press Bldg., Phone National 8-3414 Los Angeles 17-1111 Wilshire Blvd., Phone MAdison 6-4323

Table of Contents on Page 8

56,231 copies of this issue printed

Robert B. Hotz..... Editor

David A. Anderton Engineering	William J. Coughlin West Coast
Irving Stone	Bernie Lang West Coast Assistant
G. L. Christian Equipment, Maintenance	
Katherine JohnsenCongress	Henry LeferNews Desk
Philip KlassAvionics	Gordon C. ConleyNews Desk
Claude O. WitzeMilitary	G. J. McAllister Washington News Desk
Craig LewisTransport	Lawrence J. HerbArt Editor
Preble Staver	Victoria Giaculli Editorial Makeup
Erwin J. Bulban Business Flying	Jerome E. Kelley Printing & Production

DOMESTIC NEWS BUREAUS

Atlanta 3801 Rhodes-Haverty Bldg	Houston 251303 Prudential Bldg
Chicago 11520 No. Michigan Ave.	Los Angeles 171111 Wilshire Blvd.
Cleveland 15	San Francisco 4
Detroit 26856 Penobscot Bldg.	Washington 41189 National Press Bldg.

FOREIGN NEWS SERVICE

EditorJohn Wilhelm	BonnGerald W. Schroder
Associate EditorGeorgia Macris	Mexico CityJohn H. Kearney
London Edward W. S. Hull	Sao PauloLionel J. Holmes
ParisJohn O. Coppock	Tokyo

Aviation Week is served by Press Association, Inc., a subsidiary of Associated Press.

Research and Marketing: Irina Nelidow, Mary Whitney Fenton, Jeanne Rabstejnek, and Mildred Raba.

J. G. Johnson Business Manager

T. B. Olsen, Promotion Manager

W. V. Cockren, Production Manager

Sales Representatives: J. C. Anthony, New York; H. P. Johnson, Cleveland; D. T. Brennan and J. S. Costello, Chicago and St. Louis; E. P. Blanchard, Jr., Boston; James Cash, Dallas; William D. Lanier, Jr., Atlanta; T. Evans Wyckoff, San Francisco; C. F. McReynolds and Gordon Jones, Los Angeles; W. S. Hessey, Philadelphia; C. A. Ransdell, Detroit. Other sales offices in Pittsburgh, London.



AVIATION WEEK . MAY 16, 1955 . Vol. 62, No. 20 Member ABP and ABC



Published weekly by the McGraw-Hill Publishing Company, James H. McGraw (1860-1948), Founder, Executive, Editorial, Advertising and Subscription Offices: McGraw-Hill Building, 330 West 42nd Street, New York 36, N. Y. Publication Offices: 99-129 North Broadway, Albany 1, N. Y. Donald C. McGraw, President; Paul Montgomery Executive Vice-President; Joseph A. Gerardi, Vice-President and Treasurer; John J. Cooke, Sceretary; Nelson Bond, Executive Vice President and Director of Advertising; J. E. Blackburn, Jr., Vice President and Circulation Director, Subscription; Address correspondence to AVIATION WEEK—Subscription Service, 99-129 North Broadway, Albany I. N. Y. or 330 West 42nd St., New York 36, N. Y. Allow 10 days for change of address.


Subscriptions are solicited only from persons who have a commercial or professional interest in aviation. Position and company connection must be indicated on subscription orders.

Single copies 50¢. Subscription rates—United States and possessions, \$6 a year; \$9 for two years; \$12 for three years. Canada \$8 a year; \$12 for two years; \$16 for three years, payable in Canadian currency at par. Other Western Hemisphere and the Philippines \$10 a year; \$16 for two years; \$20 for three years, All other countries \$20 a year; \$39 for two years; \$40 for three years, Entered as second class matter July 16, 1947, at the Post Office at Albany, N. Y., under Act of Mar. 3, 1879. Printed in U. S. A. Copyright 1955 by McGraw-Hill Publishing Co., Inc.—All Rights Reserved. Cable Address: "McGraw-Hill New York." Publications combined with AVIATION WEEK are AVIATION, AVIATION NEWS, AIR TRANSPORT, AERONAUTICAL ENGINEERING and AIR-

WEEK are AVIATION, AVIATION NEWS, AIR TRANSPORT, AERONAUTICAL ENGINEERING and AIR-

MAGNESIUM

EXTRUSIONS FORM RUGGED CARGO DECKS



Complete magnesium extruded cargo deck of the new Convair-built Navy

R3Y-1 "Tradewind" now in production at San Diego.

Navy R3Y-1 demonstrates magnesium's combination of light weight, simplicity and toughness for better flooring

Convair and the U. S. Navy present the "Tradewind" as the fastest flying boat in production. Its turbo-prop engines provide a top speed of more than 350 mph . . . enable it to take off in 30 seconds with full load.

One factor that contributes greatly to the increased speed and easy handling of this giant seaplane is the extensive use of magnesium in its design. Take as an example, the cargo deck made of magnesium ZK60A extrusion alloy:

- * It's light in weight.
- * It's strong and rugged enough for heaviest duty.
- * Its simplified design permits easy installation and maintenance.

This combination of qualities makes magnesium perfectly suited for this application.

There are other instances, too, where magnesium has helped designers solve weight and speed problems. For more detailed information, contact your nearest Dow sales office, or write to THE DOW CHEMICAL COMPANY, Midland, Michigan, Dept. MA 310J.

you can depend on DOW MAGNESIUM



MACWHYTE

CABLE TERMINALS ASSEMBLIES TIE RODS

Macwhyte "Hi-Fatigue" * Aircraft Control Cable gives you uniformity in handling and service performance through rigid product quality control and precision manufacturing.

Because it is properly PREformed, "Hi-Fatigue" cable lies dead with no tendency to twist or curl.

Assemblies can be made to closer tolerances, and there is minimum uniform stretch in any length . . . from an inch to a reel of cable.

Macwhyte makes a complete line of sizes and types of "Hi-Fatigue" Aircraft control cable in Galvanized, Tinned, and Stainless Steel. "Safe-Lock" terminals for swaging are manufactured according to government standards. Terminals may be purchased loose or attached to cable.

SEND FOR MACWHYTE AIRCRAFT CATALOG A-2



2905 Fourteenth Avenue, Kenosha, Wisconsin. Manufacturers of "Hi-Fatigue" Aircraft Cable-"Safe-Lock" Cable Terminals-Cable Assemblies-Tie Rods-Braided Wire Rope Slings-Bright, Galvanized, Stainless Steel, and Monel Metal Wire Rope.

MILL DEPOTS:

New York 4, 35 Water St. Pittsburgh 19, 704 Second Ave. Chicago 6, 228 So. Desplaines St. St. Paul 4, 2356 Hampden Ave.

Ft. Worth 1, P.O. Box 605 Portland 9, 1603 N.W. 14th Ave. Seattle 4, 87 Holgate St. San Francisco 7, 141 King St. Los Angeles 21, 2035 Sacramento St.

*"Hi-Fatigue" is a registered trademark.

NEWS DIGEST

Domestic

Convair 340B, new version of the twin-engine airliner with reduced cabin noise plus increased speed and payload (AW Mar. 28, p. 87), is going into production at the company's San Diego plant. Deliveries are expected to start within 12 months. Continental Air Lines has purchased seven early delivery positions on the assembly line; USAF and Real S. A. Transportes Aereos of Brazil have taken two each.

Elfaka approach lights will be tested at McGhee-Tyson Airport at Knoxville, Tenn., under a joint civil-military evaluation program. Conducted by Civil Aeronautics Administration and USAF, tests of the Dutch-designed flushed-mounted lights will endeavor to settle civil-military differences over approach configurations (AW Jan. 10, p. 21). Knoxville was chosen to permit additional evaluation by airline pilots. Final program depends on a cost allocation, still to be worked out.

F-89H Scorpion, new version of Northrop Aircraft's twin-jet all-weather interceptor, is being built for USAF at the company's Hawthorne, Calif., plant, confirming Aviation Week Mar. 21, p. 10.

Richard E. Horner, general engineer at USAF's flight test center, Edwards AFB, Calif., has been sworn in as Deputy for Requirements to Trevor Gardner, Assistant USAF Secretary for Research and Development.

Stanley Aviation Corp. will consolidate all engineering and production activities at its new Denver factory this summer, and close its Buffalo, N. Y., facility, which was used for the past year for research and development.

Riddle Airlines purchased four Douglas DC-4Bs last week, for service on its personnel and freight airlift for Air Research and Development Command. Three DC-4Bs were from Capital Airlines and one from Los Angeles Air Service Co. Total cost, including spares: more than \$2 million.

Four Republic F-84Gs will fly 4,840 miles nonstop May 18 from Itazuke AFB, in southern Japan, to Williamstown, Australia. The fighter-bombers will be refueled by tanker planes over Guam, Manus Island and Townsville, Australia.



Up, Over and Through

McDonnell's XV-1 pressurejet-plus-propeller convertiplane takes off on its first trip over the hump between hovering and forward flight, thus becoming the first convertiplane to make the transition. Pressurejet rotor drive enables rotor rpm. in autorotational forward flight to be dropped to half its hovering rpm., unloading the blades. Forward propulsion is from the pusher propeller, powered by a Continental R975-19. That engine also drives compressors that supply high-pressure air to the McDonnell-developed rotor tip pressurejets, located on the tip of each blade.

at the Naval Air Development Center at Johnsville, Pa., died May 8. An associate of the late Orville Wright, Driggs developed retractable landing gear and a significant part of the vertical takeoff fighter designs.

William A. Wheatley, 86, who set up United Air Lines' education program for schools and colleges, died May 3 in Los Angeles.

Financial

Lockheed Aircraft Corp.'s net profit for the first quarter of this year totaled \$4.6 million, a 4% decline from the same period of 1954. Sales dropped 12% to \$190 million.

Eastern Air Lines' net profit for the first quarter of 1955 increased to an alltime high of \$2,348,000, more than double the \$1,139,000 for the first three months of last year. Gross revenues were \$52,773,000, a 19% gain.

National Airlines reports record operating revenues of \$16,239,000 for its operate one flight a week on the new third quarter ended Mar. 31, 26% higher than the same period last year. Net income totaled \$1.7 million, compared with \$1,248,000. Operating expenses increased 19% to \$12,704,184.

Northwest Orient Airlines had a net loss of \$532,569 for the first quarter of Ivan H. Driggs, 61, chief scientist 465 during the first three months of Winnipeg, 63%.

last year. Operating revenues increased to \$13,963,327, highest first-quarter return in NWA's history.

Okanagan Helicopters, Ltd., Vancouver, reports a net profit of \$41,449 for 1954, highest so far for the Canadian copter operator. Gross revenues increased nearly 50% to \$738,000.

Bell Aircraft Corp., Buffalo, N. Y., declared a 50-cent dividend on common stock, payable June 30 to holders of record June 15.

International

Two Comet 1As will be modified for the Royal Canadian Air Force by de Havilland Aircraft of Canada, Ltd., at Toronto. The company will incorporate changes recommended after a British court of inquiry found that metal fatigue caused the Comet crashes.

Air India International inaugurated direct Constellation service between Bombay and Tokyo last week, will

Trans-Canada Air Lines reports the average load factor for Vickers Viscount reached 87% during the first month of operation on TCA's Toronto-New York route. Other Viscount load factors: Montreal-Toronto, 86%; To-1955, compared with deficit of \$1,437,- ronto-Lakehead, 81%, and Lakeheadas others see us...

A user tells how AETCO SERVICE helped him



Frank Trivisani The Kett Corp., Cincinnati, Ohio

"During the past 18 months the Kett Corporation has been engaged in intensive development to increase the serviceable operating temperature of special purpose high temperature actuators for use on turbojet power plants and other applications encountering ambient temperatures in excess of 500°F. Complete testing of development and final actuators to AN and MIL specifications plus additional increased temperature requirements were essential during the process of qualifying various designs.

"Because of the urgency of the development and the time limitations, Mr. Kupiec of AETCO was authorized by telephone to proceed on tests of the first actuators. The results were presented in a comprehensive report which covered not only the necessary information but considerable helpful comments

and analysis.

"This was the first of several subsequent tests, each of which was carried out with similar efficiency. The anticipated difficulty of liaison in doing business with a company over 600 miles away failed to materialize because of the highly efficient reporting, discussions, and consultation carried on between Mr. Kupiec of AETCO and the Kett Corporation. In addition, the AETCO's concise factual reports proved an asset when submitted in turn to our customers."

Aetco

GENERAL AIRCRAFT COMPONENT TESTING including Hydraulic, pneumatic, electric (400 cycle, AC-DC) and mechanical IN FLIGHT TESTING, TOO

AIRCRAFT EQUIPMENT TESTING COMPANY 1806-12 FLEET ST. BALTIMORE 31, MD.

The Aviation Week May 16, 1955

Headline News

HSL-1 Starts Trials	+					
Industry Service Help Needed						
Japan Airpower Coming Back.	٠	,		×	*	. :
•						

Aeronautical Engineering

	F-11F-1 Pictures						
	Fosters Air Progress						
Thrust &	Drag		+	į.		÷	i
Model to	Train Drone Operator	cs		ø	4		-

Production

	Proc									
Tap	e Gui	des I	Precis	ion	Bore	r.,				. 5
Pipe	er Exp	ands	for A	Apac	he P	ush				- 5
Twi	n 310	Boos	sts Ce	ssna	Sale	8				6
Nort	throp	Proc	luces	Pre	cisio	n C	pti	ics		6

Avionics

Ationics
National Avionics Conference 16
Indicator Pinpoints Engine Heat 33
New Computer Developments 37
Midgets Join Avionics Lineup 39
Avionics Company Expansions 40
Backward-Wave Tube Designs 40
Avionic Firms Report Profits 40
New Components for Servo Systems 40
•

Equipment

			s Bid													
Expe	rts	Revi	ew A	irci	caf	t	D	c	e.	e	r e	11	į	01	n	
New	Av	iatio	n Pro	du	ets							+				
			Mark													

Air Transport

American's Turboprop Decision Near 13	ŀ
FOA Aids Pakistan Airline 14	
PAA to Switch DC-6Bs to Freight 23	
Pacific Traffic Heads for Peaks111	
Operators Say Copter CAR Premature112	
Anti-Trusters Look at Airlines112	
CAB Disapproves Hawaii Operation115	í
IATA Approves Family Plan115	
Australians Want More DC-6Bs116	
Local Lines Certificates116	
CAB Orders118	
Shortlines	Ì
•	

Aviation Safety

Poor	Planning	Leads	to	Ditching	 8
		170	0.0		

Financial

Curtiss-Wright Net Doubles Dividend Policy to Stay Conservative	18
_	

Editorial

Secrecy	Menaces	Progress12	2

Departments

Calenda	r	÷					,		÷		÷			i	÷	ï		3
What's																		
Letters																		300



Whether your control system is manual or power operated, there's a spot in it for this right-angle takeoff. Designers like its light weight and high capacity. Purchasers like its low price. Performance data:

Mode & Type		P RPA	Ultin Sta Torq (in I	ue /	WI
R-300 2-way	4	1800		+	3 1b
R-310 3-way	ł	1800	450	1	lb
R-320 2-way	1	1800	1500	+	Ib
R-330 3-way	1	1800	1500	21	16

For full information on ANGLgear, send for our new Aviation Catalog.



HILLSIDE 5, N.J.

AVIATION WEEK, May 16, 1955

WHO'S WHERE

In the Front Office

Maj. Gen. Victor E. Bertrandias, vice president of Hammond Manufacturing Corp. and its new subsidiary, Air Logistics Corp., both at Pasadena, Calif.

John C. Holley, vice president-sales, Holley Carburetor Co., Van Dyke, Mich. Arleigh J. Hess, manager of Holley's aircraft activities.

William A. Yost, Jr. vice president-staff operations, Allis-Chalmers Manufacturing Co., Milwaukee.

F. Earle Cazayoux, vice president-finance, Libbey-Owens-Ford Glass Co., Toledo,

Allen B. Heinsohn, executive secretary, National Pilots Assn.

Honors and Elections

Lt. Gen. James H. Doolittle, vice president of Shell Oil Co., elected president of the Wings Club, Inc., New York.

William E. Boeing, founder of Boeing Airplane Co., received Seattle University's 1955 Economic Statesmanship Award.

Donald A. Quarles, Assistant Secretary of Defense; William T. Schwendler, executive vice president of Grumman Aircraft Engineering Corp., and Frank N. Piasecki, former board chairman of Piasecki Helicopter Corp., awarded honorary doctorates in engineering from the New York University College of Engineering.

Changes

Bernard A. Schmickrath, assistant chief engineer in charge of Pratt & Whitney Aircraft's nuclear project, will be in charge of the new USAF atomic aircraft engine research facility to be operated at Middletown, Conn., by P&WA. Also working on the project: Guy E. Beardsley, development engineer, and C. E. Holtsinger, Jr., assistant general manager and coordinator.

Col. Albert A. Arnhym, public information officer, Air Research & Development Command.

Richard Stockwell left American Aviation Publications, Inc., where he had been editorial director since last October.

William Perrault, former managing editor of American Aviation magazine, joined the military sales staff of Lockheed Aircraft Corp.'s Georgia Division at Marietta.

Homer H. Evans, Jr., advertising director, General Dynamics Corp., New York.

D. S. Stewart, Britannia development manager, Bristol Aeroplane Co.'s Aircraft Division.

L. A. Mayberry, engineering manager of Hoffman Laboratories, Inc., Los Angeles. Gene Lamphear, chief electrical engineer.

Robert W. Jenkins, director of flight operations, Mohawk Airlines. Adolph Vlcek, Jr., tooling manager,

Glenn L. Martin Co., Middle River, Md. Norman H. Golden, chief engineer, Riddle Airlines.

John M. Rogers, manager of Reaction Motors' new West Coast liaison office in Los Angeles,

INDUSTRY OBSERVER

- ► Lockheed test pilot Herman (Fish) Salmon has flown the XFV-1 vertical takeoff fighter through the complete transition from vertical to horizontal flight and return at least a dozen times at Edwards AFB, Calif. Transition flights all have been made at altitude to provide a safety factor in event of engine or propeller trouble. Salmon reported excellent handling characteristics through the entire transition range including hovering. Takeoffs and landings were made in horizontal position using auxiliary gear.
- ▶ Ryan Aeronautical Corp., delta-wing jet-powered vertical takeoff fighter is ready for initial flight testing. The Ryan VTOL is powered by a Rolls-Royce Ltd. Avon axial flow turbojet delivering about 10,000 lb. thrust.
- ▶ Boeing's B-52 Stratofortress bomber is equipped with a crosswind landing gear. Boeing is also flight testing huge 40-ft.-long tip tanks for use on the B-52D, longer range version of the Stratofortress.
- ► Motorists along the public highway that traverses Edwards AFB can see the Chance Vought F8U-1 supersonic day fighter as it takes off from North Base and passes over the highway at low altitude. Recent flights observed used a Republic F-84F as chase plane for the new Vought fighter.
- ► Confirmation that a new highspeed, high-altitude research plane is being developed for the joint USAF, Navy, NACA piloted aircraft research program was given by Donald Quarles, Assistant Secretary of Defense for Research and Development in Congressional hearings. The plane referred to by Quarles is the 100-mile-altitude rocket-powered research aircraft reported by AVIATION WEEK Dec. 13, p. 11. Quarles said the Navy had proposed the project-Douglas was to be the manufacturer. After the proposal was coordinated to meet USAF and NACA requirements the project was diverted to USAF sponsorship. No manufacturer has been selected yet for the project. Douglas and Bell Aircraft are the main contenders.
- Convair's need for an avionics manufacturing facility to build equipment developed by San Diego division was the major reason behind General Dynamics' recently announced plan to buy Stromberg-Carlson, a Convair official announced. New addition, Stromberg-Carlson, also will develop automatic electronic controls for nuclear powerplants in which General Dynamics is interested.
- ▶ Douglas Long Beach Division delivered the last C-124 Globemaster transport to USAF on a total production run of nearly 450 planes. The turboprop powered C-133 transport is now in production at Long Beach as the successor to the C-124 series.
- Lockheed has been assured by USAF of an additional production contract for the supersonic F-104 day superiority fighter out of Fiscal 1956 funds. This would continue F-104 production beyond the 17 planes already ordered. First production F-104 is scheduled to fly before the end of 1955.
- ► Convair is still testing its F2Y Sea Darts with both single and double hydro-ski configurations. The single ski plane has not yet been fully flight tested but has made short hops off the water during taxi tests.
- ▶ Douglas Aircraft has scheduled the roll-out of its first DC-7 Seven Seas transport for November with the first flight planned for December. Assembly of the center wing spar of the first DC-7C began last week at Santa Monica. Work on fuselage assembly will begin in June.
- ► Escape for the crew of a Boeing B-52 Stratofortress will provide an exciting sight for detached observers. Entire tail turret blows off carrying the gunner with it. Three of the other five crew members eject upward while two use downward ejecting seats.
- Army and Marines are working together on development of a new high performance observation plane for eventual use by both services.

Washington Roundup -

DME Showdown

First real showdown on the Tacan versus VOR/ DME controversy will come when the House takes up Civil Aeronautics Administration's budget for Fiscal 1956 in the near future.

As recommended by the Eisenhower Administration, the budget now contains \$1.3 million for 55 new DME installations.

House Subcommittee on Government Operations of the Military, headed by Rep. Chet Holifield, is expected to sharply criticize government agencies-Navy in particular-for wasting government funds and time in reaching agreement on a common navigational system. The subcommittee report is scheduled for release sometime this week.

Wilson to Face AIA

Defense Secretary Charles E. Wilson feels strongly that West Coast aircraft makers have misunderstood plant dispersion policy as outlined by USAF Secretary Harold E. Talbott (AW May 9, p. 13). Wilson will face the board of governors of Aircraft Industries Assn. at their Williamsburg, Va., meeting this week in effort to convince them there is no threat to California plants in existence. He feels there has been confusion "between broad policy and a specific case." Talbott, Wilson pointed out, "is a direct man. He probably just told somebody."

R&D to Dayton?

There will be a long battle in Congress over the issue as to whether Air Force's Research and Development Command headquarters should be moved from Balti- in the capital. more to Dayton, as USAF proposes.

First tests will come in connection with the military Public Works Authorization Bill on which House Armed Services Committee opened hearings last week. The Maryland Congressional delegation will fight to have a \$6 million authorization for new R&D facilities at Dayton eliminated. The Ohio delegation, with the well wishes of the Air Force, will counterattack.

Ohio Congressmen and Ohio business interests were not aware of USAF's plan until it was announced. But now they are steamed up for action. "Dayton stands ready to assist the Air Force in moving R&D back," Harry Hall, executive vice president of the Dayton Chamber of Commerce, declared.

The second test on the R & D transfer will come in connection with an appropriation bill providing the actual money to implement the authorization-unless the Maryland delegation is successful in eliminating the \$6 million item for Davton facilities from the authorization measure.

Aircraft Investigation

House Appropriations Committee has singled out Defense Department policies on aircraft obsolescencewhich determines how many and how frequently planes should be bought-and the aircraft spares and parts program for investigation.

"cannot be avoided, but it can and should be minimized . . ."

Officially announcing the launching of an investigation of Defense Department procurement (AW Apr. 18 p. 11), "The largest area for savings," the committee listed the six subjects it intends to cover:

- Buying only what is determined to be actually
- Buying only in quantities needed.
- Buying new equipment only after thorough-going
- Having due regard for necessity to phase out present equipment for new equipment.
- Maintaining effective controls and audits over all procurement processes.
- Developing and retaining experienced procurement

Speed Airline Deliveries?

Navy's plan to buy cargo planes and lease them to commercial operations has run into the opposition of Sen. Styles Bridges, top Republican on the Armed Services and Appropriations committees.

He proposes higher production priority for planes on order by the airlines to build up airlift, instead.

The Navy isn't using its transports to "the fullest extent possible," Bridges declared in a floor speech, while airlines complain they have to wait 12 to 36 months for deliveries because of the priority given to military production.

Good for GM

Charles E. Wilson's maiden comment on being nominated Secretary of Defense that "What's good for General Motors is good for the country" still reverberates

"Since Wilson made that comment 18 months ago," Rep. Henry Reuss told a congressional hearing, "GM's net defense business has increased by \$1.7 billion, while that of other automobile companies has decreased by \$395 million."

Reuss' comment: "Nash and the other independents would like to have a chance to show what is good for them is also good for the country."

Missile Showing Killed

Navy is proving most sensitive of the Armed Forces in carrying out Defense Secretary Charles E. Wilson's orders to tighten up on release of information about new weapons (AW May 2, p 17). There has been no formal release of Navy contract information since the directive came out in late March, although newsmen had become accustomed to such information once or twice a week.

Even more recently, a Navy contractor holding security and review clearance to unveil a new guided missile at Bolling AFB on Armed Forces Day, May 20, found that Navy Secretary Charles S. Thomas ordered the display cancelled about a month after approval had been given the project. To make the affair even more muddled, neither the contractor nor security and review officers who had given the okay were notified of the reversal, ordered 24 hours before the Thomas office put Aircraft obsolescence, the House committee observed, a clamp on all exhibits and demonstrations of guided missiles and new aircraft.

Washington staff

AVIATION WEEK, May 16, 1955




A IR CONDITIONING systems designed and built by Hamilton Standard are being supplied for such outstanding jet aircraft as the Air Force's Northrop F-89D Scorpion. Years of pioneering aviation experience, the highest engineering skills and unsurpassed modern facilities lie behind these air conditioning systems and other basic lines* of aeronautical equipment which Hamilton Standard is producing for 38 different types of turbine-powered aircraft.



Wherever Man Flies.

-HAMILTON STANDARD, WINDSOR LOCKS, CONNECTICUT



AVIATION WEEK

VOL. 62, NO. 20

MAY 16, 1955

AA Nears Decision on Turboprop Order

Outcome of Lockheed-Douglas battle may shape U. S. jet transports sales pattern; designs use T56s.

By Robert Hotz

Lockheed and Douglas are battling in the final round for the first, and what may be the most significant, airline order for an American-built gas turbine powered transport. Prize in this competition is an order from American Airlines as the beginning of a replacement program for its 80-plane fleet of piston powered Convair-Liners. American's range. decision will be made within a few weeks.

Eastern Air Lines is expected to follow American's lead with an order for about 70 turboprop transports.

The two California manufacturers are competing on a new set of performance specifications submitted by American after its earlier turboprop design competition failed to produce an acceptable medium range transport. Convair and Vickers-Armstrongs were also in the original competition.

American now wants a 60-passenger

Tanker Rejection

Confirmation of the fact that the Boeing KC-135 jet tanker had been vetoed by top level Defense Department sources was given Congress by Frank Newbury, Assistant Secretary of Defense for Applications Engineering. Newbury told the House Appropriations Committee that his office made a study of the Air Force jet tanker requirements aimed at reducing the number of aircraft types in the inventory.

"Based on a technical review with this principle in mind," Newbury said, "it was recommended that the KC-135 be discontinued and replaced by converted B-36 and B-52 aircraft until such time as the characteristics of a special jet tanker could be more permanently delineated."

Newbury's recommendation was rejected by Defense Secretary Charles E. Wilson who supported the USAF decision to buy the KC-135, both as its alleged "interim" tanker type and again as its purported "ultimate" tanker type supposed to be chosen from the results of a USAF design competition.

plane capable of cruising at more than 400 mph. over a 2,000 mile optimum range. This would enable American to offer nonstop Chicago-Los Angeles service with the new transport in addition to covering all of its current medium haul route segments. Gross weight of the proposed turboprop transport would be just under 100,000 lb. and price is expected to be in the \$2 million

Operation Goal: 1959

Delivery of the winning design is scheduled to begin by mid-1958. Initial route operations will begin before the end of 1958 with full scale use early in 1959. The turboprop medium range transport will be one of two basic gas intentions of buying Viscounts either turbine types to figure in airline equip- from Capital Airlines which has ordered ment buying plans during the next five 60 or directly from Vickers-Armstrongs

The other aircraft will be a turbojet • Diminishing sales campaign in the long-range type for trans-continental and trans-Atlantic nonstop operations. Boeing and Douglas are competing in turboprop transports in the American this market with their Model 717 and competition were designed around ad-DC-8, respectively.

years that American Airlines has taken the lead in setting the new equipment pattern for the domestic market. Its for the size and speed American besponsorship of the Douglas DC-7 series lieves necessary for economic operations. established the current nonstop transcontinental airline service pattern. If price (\$58,000 including 15% import the DC-7 sales pattern is indicative, the duty) directly from Rolls due to an exwinner of the American turboprop com- clusive sales arrangement with Vickers petition will sweep the major sales in that barred Dart sales to any competithe first round buying of a Californiabuilt gas turbine powered transport. Westinghouse proposed to manufacture Douglas sales of the DC-7 since its under license in Kansas City (\$85,000) original order of 25 from American was considered too high by prospective have climbed to a total of 107 air-

Effects of AA Decision

Other effects of American's decision on the Lockheed-Douglas competition will include:

• Entry of the Allison Division of General Motors Corp. into the commercial turboprop market on a significant scale. Both Lockheed and Douglas designs are based on the Allison Model 501-D10 turboprop, a comat 3750 eshp. (AW Jan. 24, p. 80).

New Transport Specs

The following performance specifications have been given Lockheed Aircraft Corp. and Douglas Aircraft Co. Inc. by American Airlines for the development of a medium range turboprop powered transport to replace its current Convair-Liner fleet:

Passenger Capacity60 Cruising Speed......Over 400 mph. Optimum Range......2,000 miles Gross Weight...... Under 100,000 lb. Powerplants....Four Allison T56 turboprops rated 3750 eshp.

- Dimmed future for continued penetration of the U.S. domestic airline market by the British Vickers Viscount. American Airlines vigorously denied any
- U.S. on the Rolls-Royce, Ltd. Dart 1500 eshp. turboprop. All four earlier vanced versions of the Dart. Two This is the second occasion in recent factors combined to eliminate the Dart from competition.

It did not provide sufficient power It would not be available at its low tors until 1958. Cost of the Dart airline buyers.

 Determination of Douglas Aircraft's future transport plans. Donald Douglas, company president, recently noted that his firm had both a turboprop and turbojet transport under development but that he had not yet determined which to push first. If Douglas wins the American turboprop competition, it is likely they will have to push the turboprop project to meet the 1958 delivery date. If Lockheed wins the turboprop order, it is likely that Dougmercial version of the T56 engine rated las will push its DC-8 turbojet project to try to take the long haul market

away from Boeing and its Model 717. Key factor in the future of the U.S. built turboprop transport will be the Allison Model 510 engine. Earlier engines in the Allison turboprop development program sponsored by the Navy's Bureau of Aeronautics have encountered serious service problems. Most of these problems occured in the propeller gear box and engine fuel controls of the double-barreled T40 using two power sections geared to a single set of contra-rotating propellers. The T56 on which the Model 510 is based uses a single power section and a threebladed Aeroproducts propeller.

MATS Uses Engine

YT56 engines have been flying experimentally on two Lockheed C-130 cargo transports and two Convair C-131C transports used by Military Air Transport Service. Difficulties with engine fuel controls and altitude performance have been encountered with these YT56 prototypes. Lockheed now has the first production model T56 flying experimentally in one nacelle of a Constellation flying test bed. Initial flight experience with the production T56 indicates these earlier problems have been alleviated and good service performance may be expected. The T56 will power production versions of the Lockheed C-130. By 1958, when first airline transport is scheduled for delivery, there will be about 250 C-130s with over 1,000 engines in military service. Airframe engineers concerned with the American Airlines transport proposal believe there will be ample opportunity to develop a commercially reliable T56 with good overhaul interval as a result of the C-130 program.

General Motors Corp., which previously relied almost entirely on government financing of its Allison Division aircraft operations, recently made a top level policy decision to support this activity with a \$75 million investment of corporation funds for better research, development and testing facilities. Allison engineering and top level management has been revised and General Motors President Harlow Curtice has taken a personal interest in the Allison turboprop program. He has consulted with Lockheed, Douglas and American on the commercial Model 510 program and promised full support of the corporation's resources.

Neither Pratt & Whitney nor Curtiss-Wright have a turboprop in the power class desired by the airlines for current projects. Westinghouse planned production of the Dart at Kansas City if a commercial market developed in this country, but it is doubtful if they will tackle it with only the prospects of a Fokker F-27 feeder liner program remaining.

FOA Supports Technical Aid To Pakistan International Airlines

program for air transportation has been set up for Pakistan by the Foreign Operations Administration. Other airline assistance contracts under FOA are being negotiated, and that with Turkey is reported to be near finalization.

Pan American World Airways has contracted to provide the technical assistance team to aid Pakistan International Airlines in modernizing and expanding its operations. A twenty-four man PAA team will serve side by side with Pakistani counterparts in operations, pilot training, dispatch, communications, maintenance, traffic and sales, passenger service, treasury and accounting, and supply.

FOA is underwriting the program with \$725,000 the first year and plans a contribution of \$1,775,000 for the following two years. Pakistan will make a local currency contribution of \$121,-212 each year. A previous FOA program is aiding Pakistan install air navigation facilities.

negotiation nearly one year. The main cause for the delay was over the amalgamation PIA with the domestic Orient Airways. This was completed in Jan.

The consolidated airline is an "autonomous corporation in which the government under present charter will hold at least 51% of the stock. It now owns 65%.

Its equipment consists of two Lockheed Super Constellations, two Convair 240s and 8 or 9 operable Douglas

Aussie Shapeup

(McGraw-Hill World News)

Melbourne-United States is expected to strengthen the Royal Australian Air Force with consignments of air-to-air and air-to-ground guided missiles plus new jet fighters-possibly Convair's F-102A and the Lockheed F-104.

Aviation experts here predict this aid is forthcoming under plans for closer military cooperation between the U.S. and Australia.

The deliveries would touch off several problems here. RAAF is short of manpower, and a number of hard-to-spare experts would have to be sent to the U.S. for training. Ground facilities at many air bases would have to be improved and extended.

But authorities say the new guided missiles and aircraft could be used in campaigns to recruit needed manpower.

The first official technical assistance DC-3s. Two or three more DC-3s are claimed by PIA but are not believed to be flyable.

> Air transportation has a unique significance to Pakistan. The country is divided into two sections, 1400 miles apart, one on each side of India. Even within each section surface transportation is slow and inadequate for the country's economic development plans. ► Emphasis—Primary emphasis in the assistance program is being placed on domestic service, according to Samuel H. Miller, technical consultant to PAA's executive staff, who has handled the planning for Pan American.

> If a priority were to be placed on steps in the program, maintenance would come first, Miller says. On the Super Connies, for example, PIA gets less than three hours utilization per day, compared with a standard of eight to nine hours. Also, the aircraft have to be flown at lower altitudes and slower speeds than their economic best.

Flight operations is next in impor-Consolidation First-The technical tance, followed by traffic and sales. assistance agreement has been under There have been no economic studies made of routes traffic flow.

► New Equipment Later—After finding out what modern management and operation techniques can accomplish in boosting PIA's traffic, then consideration will be given to augmenting the line's equipment, according to Miller. He believes Pakistan will need considerably more aircraft than it now has in order to meet transportation require-

Pan American will do no purchasing for PIA under the FOA contract. Miller says the team's objective is to work itself out of a job by training Pakistanis to manage and operate their own airline.

Prior to this FOA contract, the Pakistan airlines were getting advice catchas-catch-can from any foreigner available for consultation on any problem that happened to develop.

Besides considering assistance for Turkey in air transportation, FOA is believed to be planning help for South Vietnam's Air Vietnam as well as other underdeveloped countries.


National's Net Rises

National Airlines has reported a net profit of \$1,700,414 or \$1.67 per share, on total operating revenues of \$16,239,-252 for the three month period ending March 31, 1955. This compared with net earnings of \$1,247,894 on gross revenues of \$12,861,058 for the same period in 1954.



Pair ligers

Two Tigers pause for flight portraits by Grumman's G-21 photo ship to show the latest configuration of the supersonic fighter. Changes from the first prototype include a lengthened nose, extended boundary-layer bleed plate ahead of the duct inlets and a larger clear portion of the sliding canopy. Afterburner apparently has been installed on the Wright J65 turbojet. Tiger's claws-four 20-mm. cannon-can be seen mounted in pairs below the engine air intakes. White Tiger (below) carries new Navy designation of F11F-1; unpainted plane (above) has original F9F-9 marking. Leading-edge slats and large-deflection full-span trailing-edge flaps are shown extended. Tiger prototype went through Mach 1 on an early test flight, but the type has since experienced some highspeed stability and control problems. Grumman has a \$40-million production order underway, following on the heels of a half-dozen prototypes for accelerated service test.



Airframe Makers Do Not Want To Get Into Avionics—Convair

that airframe builders are using the own avionic group. weapon system concept to pull elec- VSAF Policy-Brig. Gen. C. H. Mittronics research, development and manufacture into aircraft plants.

August C. Esenwein, Convair vice Worth Division, told the National Conference on Aeronautical Electronics that the airframe industry has enough problems to demand the full attention of its technical talents-"without assuming the unfamiliar burden of black-box-

president and chief engineer for Glenn .. Martin Co., warned airframe manufacturers not to dissipate their avionic engineering talent in developing equipment but to assign them to weapon system management.

He also told avionics companies they should be willing to accept small development contracts, gambling with aircraft builders that a prototype will result in quantity production.

But W. R. Persons, president of Emerson Electric Manufacturing Co., said the cost of making weapon system proposals grows to as much as \$50,000.

Therefore, it appears only fair, said Persons, that a prospective subcontrac-

Offset Principle

Subsidy to Pan American World Airways on Fiscal 1954 and Fiscal 1955 operations should be reduced by approximately \$5.2 million by application of the so-called "offset principle," according to Civil Aeronautics Board's staff.

Under this principle, based on a Supreme Court decision, excess earnings of one segment of an airline's operation are applied to subsidy requirements of other segments.

The staff maintains that for the last nine months of Fiscal 1954 (from Oct. 1, 1953 to July 1, 1954) there will be over \$3.1 million in PAA earnings to apply against subsidy, and for the full Fiscal 1955 there will be \$2.1 million. All recaptures prior to Oct. 1, 1953, when the order separating mail pay from subsidy was issued, go to Post Office, instead of CAB.

The Fiscal 1954 and Fiscal 1955 operations of only two other carriers will be affected by application of offset, according to CAB's staff: Delta-Chicago and Southern Air Lines, \$1.1 million; Braniff Airways, \$91,000.

Dayton-Convair scolded the avi- tor should know from the start whether onics industry last week for its fears he will be bidding against the prime's

chell, director of procurement and production for Air Materiel Command's headquarters at Wright Patterson AFB, president and manager of the Fort indicated the Air Force is against encroachment by aircraft companies.

"There must be some compelling reason for an airframe manufacturer to build his own component equipment," he said. "This should happen only by default of the electronics industry.

▶ Dissipated Talent-E. G. Uhl, vice Air Force to encourage or condone airframe manufacturers from entering the electronics business-or the same policy in reverse."

► Team Discipline—Sperry Gyroscope versa....
Co.'s Norman L. Winter said: "The "The e electronics industry can serve the weapon system concept in all facets.

"We recognize the need for team discipline. Someone should have the responsibility and authority and the communications to carry out a program. There is no standard answer to all weapon systems problems.

He said each program should have its parameters laid out and then it should be examined to see whether an airframe or avionics firm would make the better manager.

▶ 'Only Solution'-Esenwein reported that of 1,320 engineers working on Convair's B-58 Hustler at Fort Worth, only 239 are electronics engineers.

"In developing the B-58 weapons system, we are continually confronted by the vastness of the undertaking," he said. "Only one solution to getting the job done is possible: extensive subcontracting.

"Never has our problem been one of too little work, work to be husbanded selfishly in our own plant. Rather, the greatest problem has been one of finding capable, qualified, enthusiastic and uncommitted vendors. Our sister divisions at San Diego and Pomona have had the same trouble on other programs -which is why, in certain instances, they have had to do some of the electronics work themselves."

► False Alarm—In addition to fear of encroachment, avionics companies are alarmed over two other implications of the weapon systems concept, said Esenwein. These other fears are:

 Severence of direct contact between prime and subcontractors.

"In my experience for the last two and a half years under the B-58 weapons systems program, the exact opposite has occurred. The coordination that

has emerged and the integration that has been possible, both technically and administratively, have been of the highest degree.

"From the outset, regular and frequent meetings and reviews yielding timely resolutions of differences have been the key. . . . We seem, because of the greater interdependence of effort enforced by the weapon systems concept as well as the complexity of the system in question, to be preventing fires rather than putting them out." Stagnation of research and state of the art advancements because of elimination of generalized programs.

". . . Historically, technological improvements in the applicatory sense seem to come from having to deal with specific problems. The need for a par-"However, it is not the policy of the ticular item creates the demand for solution. It would seem that requirements for new, novel and improved items are continually pulling at the state of the art, rather than vice

> "The electronics industry should not become alarmed if it is unable to secure as many programs for developing items and subsystems applicable acrossthe board . . .'

Aviation Obligations

Obligations of the Air Force and Navy for aircraft and related procurement are on the upswing, with new orders increasing and cancellations decreasing.

Net obligations for the first three quarters of Fiscal 1955 of \$4.2 billion compared with only \$807 million for the same period of Fiscal 1954.


The sharp increase was with USAF: from \$395 million for the 1954 period to \$3.6 billion for the 1955 period. Navy's obligation of \$649 million for the 1955 period compared with \$412 million for the 1954 period.

The prospect, though, is that both services will wind up the fiscal year in July with substantially greater carryovers into Fiscal 1956 than estimated. As of Apr. 1, the total unobligated balance on hand for new procurement orders was \$8.3 billion. This was divided: USAF, \$5.9 billion; Navy, \$2.4 billion.

Expenditures for aircraft and related procurement, reflecting production, are inclined downward, according to Defense Department figures.

USAF and Navy spending averaged \$727 million monthly during the first three quarters of Fiscal 1955, compared with an average of \$775 million during Fiscal 1954.

The unexpended balance on hand for payments was over \$20.4 billion, as of Apr. 1. This was divided: USAF \$13.5 billion; Navy, \$6.9 billion.





TANDEM-ROTOR BELL HSL-1 prepares to take off from the USS Kula Gulf during the anti-sub copter's shakedown cruise.

HSL-1 Starts Fleet Trials On Carrier

BIG HSL-1 squeezes onto the Kula Gulf's elevator, with 51-ft. rotors folded, as copter is brought up from the hangar deck to start sub hunt. Three HSL-1s provided 100% availability during the eight-day maneuvers.

BATCH of new HSL-1s gets finishing touches before delivery to the Naval Air Training Center at Patuxent River, Md., where the helicopters are undergoing advanced trials.





Curtiss-Wright Net Climbs 100%; Hurley Renews Equipment Appeal

Profits of Curtiss-Wright Corp. are beginning to reach "the desirable rate" of 51% on sales, after taxes. But this isn't excessive, said Roy T. Hurley, company president, in an appeal for ready to meet accelerated demands if more lenient consideration of aircraft profits and depreciation allowances.

Announcing a consolidated net profit of \$6,820,707 for the first three months of 1955 (double last year's first quarter net of \$3,193,842) on sales of \$123,-496,571. Hurley last week claimed the aircraft industry needed such a ratio. He said it was less than manufacturing and automobile company averages.

Commercial business accounted for 40% of the first quarter profit, Hurley announced. Unfilled orders and scheduled production under advance contracts for the company and its subsidiaries totaled \$860 million on Mar. 31, approximately the same as last year.

► Re-equipment Program—In a full dress presentation of a proposal he has been making to the aircraft industry for over a year,-"with mixed success," Hurley outlined a \$70-million five-year re-equipment program for his company tied to a five-year depreciation allowance and company sharing of cost reductions to the government.

With the new equipment, mainly machine tools, Hurley said Curtiss-Wright can reduce production costs by 30%. On Air Force business for which the company would receive \$400 million, production costs now run \$360 million. This could be cut by \$108 million to \$252 million.

The company could undertake the reequipment on its own, but its allowable gross, pre-tax profit, figured at 11.1%, would drop from \$40 million to \$28.8 million. Hurley suggested that his stockholders wouldn't tolerate this.

► \$80.9-Million Savings—His alternate proposal is for the government to allow the company to keep 25% of the savings from cost reduction and to depreciate the new equipment over five years. Under this scheme, government payments to Curtiss-Wright would drop to \$319.1 million, saving \$80.9 million for the government. Company profits before taxes would be \$53.1 million, an increase of \$13.1 million.

In addition to government savings and the increased company profits, Hurley claimed the plan would eliminate the investment which the government has had to make in his and other aircraft companies. At the end of the five complex weapons to our arsenal," Maryears, Curtiss-Wright would own all of its facilities and equipment and would depend on the government only for country must take leadership. . . . " wind tunnel and similar facilities. ". . . There can be and must be ability tests."

"If the re-equipment is not handled in some way, costs of producing equipment for the Air Force will rise," he "Also, the industry will not be war should break out."

Lack of industry support for his proposal, he blamed upon the "erroneous view" that the aircraft industry would always be a "peak-and-valley" business. Expansion, Dispersal-Hurley also announced three land purchases being made by the company:

 In central Pennsylvania, almost midway amongst Emporium, St. Marys, Phillipsburg and Clearfield, a tract of about 52,000 acres where jet testing and research facilities will be located. Somewhere between the Sierras and the Rockies, an area of 100,000 acres for future development.

 In northwest New Jersey, west of Suffern, for executive headquarters and vault storage of design plans-as a safeguard against atomic attack.

The movement of executive headquarters from Wood-Ridge, N. J., does not mean a cutback there. The Wright Engine Division activities have grown so that there isn't room any longer for executive headquarters at that location, Hurley said.

Industry Must Help Improve Field Servicing, Defense Official Says

Aircraft and electronics industries must assume greater responsibility for maintenance of their products in the field and maintenance must be made cheaper and easier, a Defense Department official declared last week.

The declared policy of giving initial production contracts to the firms which develop weapon systems designs is intended to improve reliability as well as facilitate production, the American Ordnance Assn. was told at a San Francisco meeting by William H. Martin, Deputy Assistant Secretary of Defense for Applications Engineering.

In order to meet this challenge, Martin said, it is up to the contractors to make sure their development engineers and designers have these things:

 Knowledge of the conditions to which the equipment is subjected in the field, in distribution and storage.

• Early knowledge of all failures in evaluation tests and the conditions under which they took place.

 Information on how the product behaves under service conditions.

 Analysis of all malfunctions and troubles to determine causes.

Martin said his office, headed by Frank D. Newbury, has an Office of Maintenance Engineering for the seeking of better maintenance methods.

The reason: The cost of maintaining electronic equipment in the Air Force is twice as much a year as the initial cost of the equipment. Navy estimates maintenance during life of the equipment costs 10 times as much as the original item.

"We cannot keep on adding more tin declared, "unless we lick these problems. . . . The industry of this

a better balance than we now have between production results and service results. Industry can and should take a part in this and conditions should be suitable for participation.

"This means also that some industrial organizations may need to recognize that their responsibilities go beyond what has seemed to them to be the limits of their own direct interests."

Martin expanded to some extent on the declared effort of Newbury's office to seek new economies in the development field. One example of this was a program to enforce standardization of jet engine sizes and thrusts.

Martin said it is good to have several approaches to a new weapon so that every research possibility can be explored by industry, the universities and the military. However, he said, the multiple approach should not be used "in design-development activity, where the objective is a specific equipment or system."

► Single Approach—In this field, Martin said, "We want to narrow down to a single approach if possible, the selection of which must be the responsibility of the military but the implementation of which is generally the responsibility of industry."

"... There is a strong tendency for the multiple approaches-which are desirable in the exploratory phase-to persist as multiple projects in the designdevelopment phase and then as multiple items in production and use . . .

"It is generally not expensive to have multiple approaches in the exploratory work. In the design-development phase, however, costs rise rapidly because hardware is being built and many models are needed for the searching engineering and operational suit-

Airline Group Studies No-Show Problems

A number of plans designed to correct abuses of airlines reservations systems and relieve the no-show problem have been referred to a special committee by the Air Traffic Confer-

The action was taken at the Spring meeting of ATC when four airlines suggested various solutions to the cancellation and no-show problems. The seven-man special group will review the plans and report its recommendations within 60 days.

The matter will be taken up by ATC on Aug. 11 at a special meeting scheduled for Chicago.

The conference also decided to set up an office of enforcement to back up ATC resolutions. This action is subject to the approval of the board of directors of Air Transport Assn.

The plans submitted by the four airlines:

 American Airlines would extend the no-show penalty now used on coach service to first class flights (AW May 2, p. 98).

· United Air Lines advocates an incentive system and would credit a before the flight and the ticket was ton. used as booked. United suggests \$3 flight tickets.

 National Airlines suggests a dual USAF stock lists. ticket system whereby a passenger reservation ticket. The trip ticket would be refunded, but the reservation charge

would not. Less than three hours before flight time, a passenger could buy a ticket at the airport ticket counter without paying the reservation ticket

 Western Air Lines plan would require a passenger who makes reservations more than a week before flight time to pick up his ticket seven days before flight date or be cancelled. A change or cancellation between seven and three days before the flight would cost the customer a 5% charge. A cancellation less than three days in advance of the trip, or a no-show, would cost the price of the first leg of the

Western would require that passengers making reservations less than a week before the trip pick up the ticket the same day or else be can-

Those reserving space the day of the flight would have to pick up the ticket within two hours.

WADC Seeks Bidders For Local Purchases

Wright Air Development Center is establishing a Bidder's Mailing List of Suppliers considered qualified to bid or passenger \$3 for a ticket coupon, pro- negotiate on local-purchase requireviding the ticket was purchased and ments of the various WADC laborareservations made at least two days tories at Wright-Patterson AFB, Day-

Materials normally procured by the and \$5 charges on refunds for unused base's local purchase branch are standard commercial items not listed on

would buy a basic trip ticket and a and gages of various sorts, some types catalogs and contract numbers for items of avionic equipment, aeromedical on which they desire to submit quotaequipment and supplies, various types tions.

Airport Aid Cut


Increased appropriations for the Federal Air Airport Program in Fiscal 1956 have been promised by House Appropriations Committee members, who object to the \$11 million requested in CAA's budget as "piddling." CAA Administrator Fred Lee told the committee he knew of no specific reasons for the reduced amount. The original request submitted to the Secretary of Commerce was for \$41.5 million for grants-in-aid for airports, Lee said. The Department cut \$10 million and sent a request for S31 million to the Bureau of the Budget which has further pared it down to the \$11 million finally forwarded to Con-

of test equipment pumps and parachute assemblies. The complete list is available from WADC's local Purchase Branch.

Contractors who wish to be placed on the mailing list must fill out form SF-129, Bidder's Mailing List Application, and send it to Local Purchase, indicating the various items they are interested in selling to WADC labo-

The form must be submitted by all contractors who wish to be queried on quotations even if they have formerly done business with the branch. Brochures, catalogs and literature on applicable items should be forwarded at the same time.

Contractors on Federal Supply Schedules of the General Services Ad-Typical of these items are meters ministration should send price lists,



P-1 Shows Over-and-Under Configuration

English Electric's P-1 longrange supersonic interceptor, designed to strike enemy aircraft over their home territory, sits for its first air-to-air portrait. The side view of the new prototype shows the over-and-under configuration of the dual Armstrong Siddeley the company's manager of flight operations, and Peter Hillwood.

Sapphire powerplants without afterburners, that have boosted the P-1 to supersonic speeds on most of its 100-plus test flights beginning last August. Test flying is shared jointly by R. P. Beamont,

Conversion Dampens AMC Hope To Sell C-82s; Plan New Offerings

By Claude O. Witze

Wright-Patterson AFB, Ohio-Air Materiel Command has more than 400 used aircraft lined up for sale and will open a new set of bids-on 93 surplus C-82 transports—at Kelly AFB in Texas; June 3.

This is USAF's second effort to get the stock moving by disposing of the Flying Boxcars. First set of offers was opened on March 30 but they resulted in so many contingency bids that the only solution was to scrap the whole effort and start again.

According to Col. J. M. McCampbell, chief of the Property Disposal Division of AMC's Directorate of Supply, the initial effort gave bidders too much leeway to be selective in naming their preferences. Result was that the better planes were chosen in groups with more than one choice by many bidders. All the offers were thrown out, Col. McCampbell says, to protect the government and prospective customers.

▶ Second Sale Likely-In the new offer, dated May 4, bidders are required to name one price for any selected aircraft identified by serial number. No contingency bids will be allowed and no single bid will be accepted for more than one aircraft. Separate offers must be made for each one.

AMC's Property Disposal Division expects not all of the 93 aircraft will be sold and that a new sale will be needed. The planes will go without spares, sold as is and on the spot. They can be seen at Kelly AFB and Hill AFB, Ogden, Utah.

Col. McCampbell says the aborted sale of March 30 resulted in substantial interest, particularly from would-be purchasers in Cuba and Mexico.

In addition to the C-82s, Col. Mc-Campbell told Aviation Week, he expects upcoming sales of surplus aircraft will seek disposal of:

 Nineteen Northrup YC-125 Raiders. Bids will be invited in about 30 days. The aircraft are powered by three Packet for economical civilian use." Wright R1820 engines. Can be seen at Sheppard AFB, Wichita Falls, Texas. • Forty-two Beech T-7 and 137 T-11 trainers. Located at Hill AFB, Ogden, the applicant would have to first pre-

 One hundred and twenty-nine Beech C-45 transports. This is a five-passenger plane, powered by two Pratt & Whitnev R985 engines. Also located at Hill

Col. McCampbell said sale of the trainers and C-45s will be held only after a report from the Commerce Department on possible impact of the the situation with that encountered in Senior Vice President-Operations.

sale on the aircraft industry. Study is routine before disposal of property with acquisition cost of \$250,000 or more.

Before any sales are held, second routine procedure is to offer the material to other government agencies. Aircraft sometimes are passed along in this manner. Recently two C-45 transports were given to the U.S. Forest Service and one to the National Advisory Committee for Aeronautics. Two of the Northrop tri-motor planes have been taken by the Department of Health, Education and Welfare.

Before the March bidding on the 93 C-82 Flying Boxcars, USAF officials had admitted some pessimism over the prospects.

► Conversion Cost High-Major problem concerning disposal of the C-82s to private buyers is an apparent prohibitive expense involved to modify the planes to meet civil air requirements. Two years ago, Fairchild Engine and Airplane Corp., which built 220 C-82s as a forerunner to the C-119, inves-

that CAA standards could be met but cost probably would be prohibitive.

In mid-March a joint Air Force-Civil Aeronautics Board statement was issued which amounted to a "buyer beware" warning. Prospective purchasers of the C-82 were reminded that the aircraft does not meet civil air requirements and the modifications necessary to permit certification would be extremely difficult and costly. The Board independently stressed that there was no intention to waive any of the transport category requirements for the C-82. Interested buyers were advised to consult with CAA as to plans for qualifying the aircraft for civilian use prior to making any commitment.

► More Power Needed—CAA engineering chief W. H. Weeks told AVIATION Week: "We don't know the extent of modifications that would be required to permit certification of the C-82

CAA has not received any applications for civil certification of the military transport, he said, and added that sent his substantiating data and plans before flight tests will be considered. Weeks said the plane would probably need more horsepower because military gross weights ordinarily cannot qualify for civil certificates. One problem, he said, would be CAA rule for singleengine performance and weight factor.

B-26 Spares

Wright-Patterson AFB-For the first time since 1948, spare parts are available to keep privately-owned B-26 aircraft in flying condition.

Air Materiel Command is ready to accept bids on spare parts through the National Bidders Control Branch, Building 140, Attention: SASPC, Kelly AFB, Texas.

B-26 planes bought after World War II for commercial use have been getting along since 1948 without USAF spares, sale of which was stopped in that year.

AMC doesn't know how many of the aircraft still are in use, but some demand for the parts is expected.

the civil use of the C-46. Industry experts contend, however, it is a totally different problem. The difficulties encountered with the C-46 are believed resolved and at a much more modest figure than is forecast for the C-82.

► C-46 Program—The Air Force backed into the sale of the last batch of C-46s after a nine-year leasing period. As many as 106 C-46s were leased at one tigated the question of civil conversion. time to commercial operators. USAF Fairchild's report was to the effect offered them for sale last summer. An initial lot of 53 C-46s were disposed of in January and the balance will be sold in the near future. The price varied between \$50,000 and \$75,000 per plane depending on allowances for the number of hours on engines and airframe. Civil operators of the C-46 had their problems with CAB while they were operated under lease. The Board successively reduced the gross weight limitations aimed at bringing the aircraft within transport category requirements and continued to grant waivers as modification experiments progressed.

AA to Equip DC-7s With C-Band Radar

American Airlines will start installation of C-band radar in its DC-7 fleet next fall.

American has signed a contract with Radio Corporation of America for inflight weather surveillance equipment for its current fleet of 25 DC-7s. Installation will start in October, and will be continued on 14 DC-7s scheduled for early 1956 delivery. The whole program will cost about \$800,000.

The carrier is installing the radar on its DC-7 aircraft first since its use on long-haul will furnish "practical operational experience over a wide area of the country, so that we can properly evaluate the effectiveness of this type of Efforts have been made to compare radar," according to O. M. Mosier,

AVIATION WEEK, May 16, 1955



CANOPY LATCH SHOWN FULL SIZE

FIRST in mechanical actuation

Resident Sales Engineers: New York City Dayton, Ohio


CLOSED CIRCUIT LINEAR BALL SYSTEM

FOUR WAY SPLINE PERMITS LOW LINEAR

FRICTION UNDER HIGH TORQUE LOAD

2981 EAST COLORADO STREET,





"Marks the beginning of a new era of both utility and safety"

... says Leighton Collins, Editor Air Facts Magazine

WHAT IS THE LEAR ARCON? Left to itself, the average plane wants to fly in a circle. With the Lear Arcon, your plane wants to fly straight - until you want it to turn, thus eliminating the deadly "graveyard spiral" - always a threat to the noninstrument pilot.

IS THE ARCON AN AUTOPILOT? No, but it is the next best thing to an autopilot, especially when you are under pressure to do something else, such as navigate, communicate, or just plain relax.

IS IT A SUBSTITUTE FOR AN INSTRUMENT RATING? No more than a life-preserver is a substitute for knowing how to swim. However, the Arcon could save your life if you were inadvertently caught in "weather," and it will ease the burden of the qualified instrument pilot who deliberately chooses to fly instruments.

WHY IS IT THE FINEST DEVICE OF ITS KIND? The Lear Arcon is simple, fool-proof, uncompromising in quality. Magnetic amplifiers are used instead of tubes - "printed" circuits

instead of wires. No trim lights to monitor. Built to military standards of performance and dependability. Designed for trouble-free operation.


WHAT TYPE OF PLANE IS IT SUITABLE FOR? All types. And equally easy to install in all. Every Arcon installation is CAA approved for each airplane type.

IS IT INDUSTRY APPROVED? The Areon will soon be offered as factory installed equipment by most leading aircraft manufacturers.

IS IT PILOT APPROVED? Ask any pilot who has had an opportunity to fly it. You will soon find very few pilots who will fly without it, because it makes an airplane fly the way it should automatically. The Arcon is here now. See it. Fly it. Discover how it "marks a new era of safety and utility" for you!

See your nearest Lear distributor or write for full information to Lear Incorporated, LearCal Division, 3171 South Bundy Drive, Santa Monica, California.

25 YEARS OF SERVICE TO AVIATION



HITCH-HIKING COPTER is loaded aboard PAA DC-4 freighter for Miami-Sao Paulo flight.

PanAm Plans to Convert DC-6Bs To Freighters for Cargo Boom

By Gordon Conley

Pan American World Airways is preparing to convert some of its DC-6Bs to DC-6A airfreighters as new Douglas DC-7Bs and DC-7Cs free the older transports from passenger routes. With more all-cargo planes, officials believe the airline can push its total airlift past the 80 million lb. forecast by PAA for

"We need more freighters," says Ed Hudak, U. S. cargo sales manager. "We're getting more cargo than we can handle-especially on North Atlantic routes. And we haven't even started to scratch the surface of this market."

Pan American has 45 DC-6Bs to draw on for conversion to DC-6A configuration as its seven DC-7Bs and 33 DC-7Cs are delivered in 1955-56 (AW May 2, p. 86). PAA will get its first DC-7B late this month, and DC-7C deliveries will start next year.

The airline's present all-cargo fleet now consists of three DC-6As and 11 DC-4s. Nineteen passenger DC-4s. equipped with foldup seats on runners, are available for quick conversion to freighters.

More than 60% of PAA's air cargo business now is lifted on combination freight/passenger transports because of the better service and frequency possible with this larger fleet.

► Cargo Growth—Pan American believes the largest growth this year will come from North Atlantic shipments. Willis G. Lipscomb, vice president-traffic and sales, forecasts a gain of at least 50% over the 13.7 million lb. carried by the Atlantic Division in 1954.



Smaller increases are expected from the airline's three other divisions. Their cargo records last year: Latin America, 46.1 million lb.; Pacific, 4.4 million lb., and Alaska, 6 million lb.

► 20% Reduction—Lipscomb bases his North Atlantic prediction on low rates adopted by the International Air Transport Assn. last March and scheduled to become effective July 1. This new structure will reduce rates 20% on up to 75% of North Atlantic air cargo, cutting the average from 32 cents a tonmile to 26 cents.

Air cargo shipments between the U. S. and Europe have started to climb under the present rate structure, increasing 20% during the first quarter of this year over the same 1954 period.

To meet this normal gain plus sharper ones expected after July 1, Pan Ameri-can plans to increase its all-cargo flights on the North Atlantic from three to six round-trips a week.

► Future Cuts?—The new North Atlantic rate, first proposed by PAA, apparently is the first step in an PanAm program to reduce tariffs to the minimum possible to make a profit.

"We've got to keep pulling the rates down," says Cargo Sales Manager Hudak. "It's better to have a smaller profit and a larger volume. But the European airlines want to keep rates up to what the traffic will bear. We had stiff opposition from them in IATA on the new rate."

► Turboprop Freighters—Hudak believes international air cargo rates eventually should be reduced to 8 or 9 cents a tonmile. He says this would be possible with one of the new turboprop-powered military freighters, the Lockheed C-130A or the Douglas C-132.

Pan American has started preliminary negotiations with USAF to lease C-130As, Hudak reports, and is talking with airframe builders on what it wants in a commercial all-cargo transport.

▶ Best Market-Bulk of Pan American's cargo now moves to Latin America, where airlines hold the upper hand over surface carriers. Railroads have only 85.207 miles of track in the entire



INDIA ELEPHANT gets special handling. CARGO DRUMS go into Stratocruiser hold.

Latin America area, compared with 227,-224 miles in the United States. Highway facilities are, to a large degree, underdeveloped.

"Dealers in South America also have realized that if they bring in a large volume of merchandise by ship, it's all appropriate going to waste if they've made a wrong first guess on what will sell," Hudak says. "Airfreight eliminates this chance and gives them a larger variety with smaller are inventories."

In addition, PAA reports if often underbids surface carriers on shipments to Latin America. The division's rates, 25-30 cents a ton-mile, are the airline's lowest.

Japan Airpower Coming Back

Japan is slowly getting back into the

Last month the Rising Sun insignia appeared on military jet aircraft for the first time.

Three Japanese pilots are presently checked out in and flying F-86s. Others are taking flight instruction on Lockheed T-33s, being checked out on Curtiss C-46 transports, Grumman TBMs and Lockheed P2Vs.

of international operations and its Air Force.

third of domestic service. Two Japanese Some

became captain pilots on the line's domestic runs. Expansion of JAL's services in Southeast Asia was being pushed under pressure from the government.

JAL has decided to order two Douglas DC-7Cs. Placing of the new order is dependent upon government approval.

Aircraft companies were overhauling airframes and engines, both jet and piston powered, for the U. S. Far East Air Force.

Some aircraft assembly contracts were underway for light planes and helicopters. But the industry was marking time pending U. S. and Japanese government decisions on how to finance aviation purchases for the Air, Maritime and Ground Staff Offices of Japan's National Defense Agency.

After many months of tortuous negotiations, during which the Japanese attempted to maneuver the U.S. into agreeing to foot the total bill for the air buildup, agreement is about to be announced on a production plan. The U.S. will buy aircraft to be assembled or built in Japan by Japanese manufacturers.

The Japanese government will now appropriate funds for purchasing production equipment and building new plants.

Initial Japanese plans call for about 100 each of North American F-86s and Lockheed T-33s to be purchased knocked-down for assembly in Japan. The F-86s will come first, according to Japanese industry sources who feel that Mitsubishi Heavy Industries Co. should have a head start on Kawasaki Aircraft Co.

Mitsubishi has license agreements with North American, and Kawasaki is tied up with Lockheed.

▶ Political Contracts — In addition to asking the U. S. to foot the major share of the bill, the Japanese authorities want sole power of determining who will build what in Japan. U. S. officials — knowing of political ties that would throw most of the aircraft business to certain traditional firms, regardless of competence—have insisted that as long as the U. S. is paying, it should have some say.

One notable case came up last year, when the U. S. Far East Air Logistic Force awarded a jet engine overhaul contract to Kawasaki Aircraft Co., rather than to a company recommended by a Japanese advisory committee. FEALOG FOR and FEAF said they selected the company best prepared to undertake the contract and with readily available technical assistance from the U. S. FEAF wanted performance right away and did not want to wait while a




to conform to applicable specifications for power packs and nacelle.

Before choosing your flush latches and hinges, just ask yourself one question... who was on first? HARTWELL equipment is used by every major aircraft manufacturer because it is designed for application.

Visible in inset are ten specially designed convex latches mounted on one of four engine pod cowlings. The toggle mechanism locks in place and applied load holds the flush latch closed. Simple tee-bolt and trigger opening action.

Produced to exacting aircraft requirements and delivered quickly, efficiently, and economically.



9035 Venice Boulevard Los Angeles 34, California Branch Offices: Wichita, Kans.; Fort Worth, Texas


24





BRIDGEPORT BRASS COMPANY, ALUMINUM DIVISION, BRIDGEPORT 2, CONNECTICUT . Offices in Principal Cities


One-Half the Size One-Third the Weight of the Standard BNC!



NEW DAGE DM SERIES COAXIAL CABLE CONNECTORS

- weatherproofed and sealed
- quick disconnect
- · vibration proof
- · mechanically rugged
- withstand extreme temperatures
- heavy silver plating
- · can be adapted to any miniature cable
- · requires no special tools for assembly
- all general types available
- for samples and detailed information

DAGE ELECTRIC COMPANY, INC. BEECH GROVE, INDIANA



designated company made its arrange-

Kawasaki had made its technical assistance contract with Lockheed Aircraft Service Overseas Corp., which demonstrated to FEAF that it could provide complete technical assistance. All other companies still were negotiating.

► Head Start-The importance of the Kawasaki contract is the head start it gives this company in the jet engine business. In addition to overhauling engines for all USAF units in the Far East, the company may receive contracts for jet overhaul from Asian air forces supplied with U. S. equipment— such as the Chinese Nationalists on Formosa.

The next logical step would be assembly of jet engines for Japanese-made aircraft. Kawasaki should have the advanced know-how to win it these contracts, and later to begin manufacture in Japan.

Admittedly both engine assembly and manufacture are a long way off. not have the quality of materials to merit undertaking such manufacture. Nor does the potential volume of business promise to make production economical.

▶ Japanese Pressure—FEAF has stuck by the decision giving Kawasaki the overhaul business.

But the Japanese Ministry of International Trade and Industry wants future production concentrated solely in the Japan Jet Engine Co., jointly owned by Shin Mitsubishi Heavy Industry Co., Fuji Heavy Industry Co. and Ishikawajima Heavy Industry Co., and set up under a special Diet law.

To further its aims, MITI administratively discriminates against Kawasaki by curtailing allocations to it of government funds and has been trying to force acceptance of another Japanese company upon FEAF for part of the jet engine overhaul.

Fuji Heavy Industry Co., formerly Nakajima Aircraft Co., imported 70 Beech T-34s. Twenty were completed, and 50 knocked down for assembly in Japan. All are for the National Defense Agency. An additional 30 are scheduled for assembly later in the year. Fuji also is seeking other markets for the Mentor in Southeast Asia.

guided missiles. It hopes to obtain technical assistance from an American missile maker. Efforts so far have been disappointing because of U.S. security restrictions.

► U. S.-Furnished Airpower-From the U.S., the Japanese have received 63 T6Gs, six T-33s, 16 C-46s, for the Air the Maritime Staff, and more than other prospect is the Convair.

100 L-5s, L-19s and L-21s, six H-13s and five H-19s for the Ground Staff. Additional P2Vs are scheduled for delivery later in the year. The P2Vs are specified for training purposes only.

More T-33s will be made available as

more officers complete basic flight training, and move on the for transition into fighter units.

The U.S. also will turn over enough F-86s to equip one squadron before the end of the year.

Original planning of the air staff called for the North American T-28. This was washed out recently in an economy move.

► Kawanishi Comeback—Shin Meiwa Industries Co., formerly Kawanishi Aircraft Co., is the only member of Japan's Big Four has had a hard time getting back into the aircraft business.

Formerly a manufacturer of aircraft for the Japaneses Imperial Navy, the company now hopes to reenter the seaplane business with technical assistance from an American manufacturer.

Feelers have been extended to get The industry knows that Japan does Shin Meiwa a contract for overhaul of Republic F-84s still based with FEAF

▶ JAL's First Year—Japan Air Lines reports a successful first year in interna-

On combined international and domestic (Tokyo-Honolulu-San Francisco and Tokyo-Okinawa), JAL broke even on revenue and direct expenses. The airline is in the red because of the high cost of hiring and keeping American pilots, the high cost of maintenance and the heavy interest it must pay on equipment loans.


The new government installed last month is reinforcing JAL's capital with one billion ven (about \$3,000,000). It also promises a loan of \\$500,000,000, and an annual direct subsidy of ₹350,-000,000 (nearly \$1,000,000). Another assist is reduction of the transportation tax on air travel from 20 to 10%. This enables JAL to increase tariffs without making an increase in fares.

Substitution of Douglas DC-7Cs for de Havilland Comets has been decided upon by the company board even if this means forfeiture of one-half the down-payment of \$1,000,000 made on Comets last year.

► Future Outlook—Plans to expand service to Brazil ARP postponed in favor Main future interest for Fuji is of extensions to Bangkok and Rangoon.

The government believes it would be more profitable and in keeping with Japanese economic interests to develop this regional traffic.

Eventually, Japan Air Lines will need replacements for its DC-4s on domestic service. They are attracted by the Vickers Viscount and will keep a close watch Staff; 12 SNJs, 10 TBMs, 17 P2Vs for on Capital Air Lines' experience. An-



WINDING PRECISION COILS

THE IMAGINATION FOR RESEARCH

THE SKILL FOR PRODUCTION

Navigational Gear Missile Guidance & Control Systems Radar Noise Reduction Countermeasures (ECM) Communications Terminal Equipment Transistor Application



A SUBSIDIARY OF HOFFHAN ELECTRONICS CORP.

Three complete plants with a total of 240,000 square feet are devoted exclusively to precise military electronics and electro-mechanical production. These facilities are staffed and equipped to design, develop, test, and manufacture equipment ranging in size from miniature trans-ceivers to heavy shipboard fire control weighing more than two tons.


Hoffman Laboratories is equipped with a completely integrated manufacturing operation with sheet metal, machine shop, plating, welding, assembly, and test departments.

Constant quality control and inspection procedures assure the highest equipment efficiency . . . equipment that meets and exceeds requirements.

> Write the Sales Department for your free copy of "Report From Hoffman Laboratories."

CHALLENGING OPPORTUNITIES FOR OUTSTANDING ENGINEERS TO WORK IN AN ATMOSPHERE OF PRACTICAL, CREATIVE ENGINEERING. WRITE TO DIRECTOR OF ENGINEERING, HOFFMAN LABORATORIES, INC., 3761 SOUTH HILL STREET, LOS ANGELES 7, CALIFORNIA

A-C SYSTEMS FOR AIRCRAFT



...a report from JACK & HEINTZ


Wide range of a-c systems... result of expanded J&H Generator line

Jack & Heintz now offers the aircraft industry complete alternating-current systems and components "tailored" to meet the demands of tomorrow's high-performance aircraft.

With the expansion of its a-c generator line

and extensive experience in the development and production of a-c control panels, regulators and other auxiliary components, J&H can now supply a-c systems ranging from 3 through 120 kva. These systems are capable of isolated or parallel operation.

MAJOR SYSTEM COMPONENTS



GENERATORS: Designed to meet MIL-G-6099 and applicable drawings, J&H a-c Generators are among the smallest and lightest yet developed. Available models include cooling by blast air, oil or vapor.


Important features include:

Light weight* • High efficiency*

Low harmonic content* • Phase balance*

Class "C" thermal (120° C) performance

*Better than required by MIL-G-6099 and applicable drawings.




control panels: Designed to meet applicable USAF and Navy specifications, J&H Panels can also be built to special requirements. They can operate either from the d-c bus or independent of it.

J&H Panels include any or all of the following functions (which can be supplied as individual components, if desired):

Generator control-relay • Overvoltage protection†
Undervoltage protection • Phase-sequence protection • Under-speed or under-frequency protection
Anti-cycling • Power indication • Field flashing
Special interlocking

†Overvoltage relay is insensitive to acceleration forces.



VOLTAGE REGULATORS: Designed to meet MIL-G-6099 and applicable drawings, J&H Regulators are of the static-magnetic-amplifier type. Weighing as low as 11 pounds, the regulators feature a magnetic reference eliminating the use of electronic tubes. Provision is made in all regulators for reactive load division function. Either average or high-phase sensing is available.



circuit breaker, designed to meet MIL-C-8379A (ASG) and rated at 175 amperes. It has the following outstanding features:

Weight—4¾ Ibs.

Phase barriers throughout

Balanced rotary latch

Direct solenoid-actuated contacts

Noncritical adjustment of interlock contacts

Easy inspection of main contacts

OTHER COMPONENTS: In addition to the panel functions which can be supplied as individual components, Jack & Heintz has developed transformers, reverse power relays, phase sequence relays and other auxiliary a-c system components.

Jack & Heintz has complete facilities for design, development and testing of your special aircraft accessories or systems...plus production for limited or full-scale runs. We invite your inquiry. Write Jack & Heintz, Inc., 17635 Broadway, Cleveland 1, Ohio. Export Department: 13 East 40th Street, New York 16, N. Y.

ELECTRICAL and MECHANICAL ENGINEERS: There's a promising future for you at Jack & Heintz. Engineering and research laboratories located in suburban Cleveland close to good residential areas. Many benefits include: insurance, hospitalization, medical care and liberal vacation policy. Write Manager of Technical and Professional Placement today for illustrated, descriptive booklet.

© 1955, Jack & Heintz, Inc.

AIRCRAFT EQUIPMENT




From searching and tracking to the final attack, anti-submarine warfare requires the skills of highly trained men. With ERCO's P2V-5 Tactical Trainer, radar man, bombardier-navigator and the other operator can learn their jobs without ever leaving the ground. When it is connected to ERCO's P2V-5 Operational Flight Trainer, still more of the crew can be trained simultaneously.

This ERCO combination achieves the same results as actual flight tactics—eliminates delays caused by weather and aircraft availability—yet provides a far greater variety of situations than occur on routine training missions. These all-electronic marvels, developed and produced by ERCO—save the Navy lives, time and dollars.

ERCO builds simulators for more different military aircraft than any other manufacturer

Make ERCO your scientific research department — your engineering staff — your extra plant when the job calls for:

ELECTRONICS • ANALOG COMPUTERS
AIRBORNE ARMAMENT
GUIDED MISSILE COMPONENTS
AIRCRAFT EQUIPMENT
MACHINERY
SHEET METAL FABRICATION



ERCO produces what ERCO designs

ENGINEERING and RESEARCH

A DIVISION OF OCE INDUSTRIES

RIVERDALE, MARYLAND

AVIATION CALENDAR

May 16-National Fire Protection Assn., annual aviation seminar, Netherland Plaza Hotel, Cincinnati.

May 16-20—National Materials Handling Exposition, produced by Clapp & Poliak, International Amphitheater, Chicago.

International Amphitheater, Chicago.

May 18-19-Air Navigation Development
Board, technical symposium on the common system radar beacon, Washington,
D. C.

May 18-20—National Telemetering Conference, Morrison Hotel, Chicago.

May 19-Royal Aeronautical Society, 43rd Wilbur Wright Memorial Lecture, Royal Institution, London. Lecturer: Dr. C. S. Draper, head of the Department of Aeronautical Engineering at Massachusetts Institute of Technology.

May 19-21—Armed Forces Communications Assn., global communications conference, Commodore Hotel, New York.

May 23—Daniel Guggenheim Medal Board of Award, annual meeting, University Club, New York.

May 23-24—American Society for Quality Control, ninth annual convention, Hotels Statler and New Yorker, New York.

May 28-30—Eastern States Soaring Assn., championship contest, Wurtsboro, N. Y. May 30—Federation Aeronautique Internationale and KNVvL Royal Netherlands Aeroclub, fifth International Air Display, Ypenburg Aerodrome, The Hague.

May 30-June 4-Aviation Writers Assn., 1955 annual convention, King Edward Hotel, Toronto.

May 31-June 3—Design Engineering Show, produced by Clapp & Poliak, Inc., Convention Hall, Philadelphia.

June 4-Reading Aviation Service, sixth annual Maintenance and Operations Meet-

ing, Reading, Pa.

June 4-5—Canada's National Air Show, Toronto.

June 8-10—American Welding Society, third annual Welding Show, Municipal Auditorium, Kansas City, Mo.

June 9-14—Sixth All-Women's International Air Race, Washington, D. C., to Havana, Cuba.

June 10-19—Twenty-first International Aviation Display, LeBourget Field, Paris,

June 12-17—Society of Automotive Engineers, Golden Anniversary meeting, Chalfonte-Haddon Hall, Atlantic City, N. J.

June 12-19—Pennsylvania Pilots Council, Pilot's Proficiency Contest, Graham Field, Butler, Pa.

June 13-14—Women's Aeronautical Assn., annual Skylader Derby, Little Rock, Ark., to Raton, N. M.

June 18-25—Philadelphia Junior Chamber of Commerce, third annual Transcontinental Air Cruise, Palm Springs, Calif., to Philadelphia.

June 20-23—Institute of the Aeronautical Sciences and the Royal Aeronautical Society of Great Britain, fifth International Aeronautical Conference, IAS Building, Los Angeles.

June 20-25—Symposium on Electromagnetic Wave Theory, University of Michigan, Ann Arbor, Mich.

June 20-July 1—Special short course on Parachute Technology, Massachusetts Institute of Technology, Cambridge.

THIS IS FOR YOU ... IF YOU HAVE AN AC GENERATOR COOLING PROBLEM!



SPECIFICATIONS

208/120 Valts, 0.75 Power Factor, Y-connected, 400 CPS

Type No.	Rat- ing KVA	Rated Cool- ing Air Pres- sure "H:0	Rated Cooling Air Ib./min.	Diam. in.	Speed RPM	Approx. Weight Ibs.	Flange and Drive Spline
*28E16-1	20	6	11	8.25	6000	60	AND10266 XVI-A
*28E17-1	30	5	13	8,25	6000	69	AND10266 XVI-A
*28E14-1	40	5	14.5	9.25	6000	83	AND10266 XVI-A
*28E15-1	60	6	16	9.25	6000	100	AND10266 XVI-A
28E19-1	10	6	8.4	6.5	8000	31	AND10262 XII-A
28E19-3	10	6	8.4	6,5	8000	32	New 9" Flange
28E20-1	20	6	8.5	6.5	8000	45	AND10262 XII-A
28E20-3	20	6	8.5	6,5	8000	46	New 9" Flange
28E21-1	30	10	12.4	6.5	0008	60	AND10262 XII-A
28E21-3	30	10	12.4	6.5	8000	61	New 9" Flange
*28E10-1	9	6	8.6	6.5	8000	39.5	AND10262 XII-A

*These generators include integral fan permitting full load continuously up to 80°C at sea level with no additional cooling.

**This generator incorporates a DC output of 30 volts, 50 amps capacity in addition to the AC output.

All generators have been designed to MIL-G-6099 and MS-33542 which specifies cooling air of 120°C at sea level, 40°C at 50,000 ft., and —12°C at 65,000 ft., and will deliver full rated load under these conditions.



HIGH-TEMPERATURE AC GENERATORS

meet military class C air-cooled specifications ... offer maximum performance at minimum size and weight...range from 9 KVA to 60 KVA

These generators are designed as part of complete Red Bank high temperature AC generating systems that also include magnetic amplifier voltage regulators and system protection components. For full details, write Red Bank Division, Bendix Aviation Corporation, Eatontown, New Jersey.

West Coast Sales and Service: 117 E. Providencia Ave., Burbank, Calif. Canadian Distributor: Aviation Electric Ltd., P.O. Box 6102, Montreal, P.Q. Export Sales: Bendix International Division, 205 E. 42nd St., New York 17, N. Y.




¹/₈, ¹/₄ and ¹/₂ watt *Molded* Precistors

IRC molded Deposited and Boron Carbon Precistors are now available in 1/8, 1/4 and 1/2 watt sizes. These 1% precision film type resistors combine the advantages of high stability, small size and low cost in either deposited carbon or boron carbon units. Ratings are based on full load at 70°C. ambient.

The molded plastic housing provides complete mechanical protection, minimizes the effect of moisture and improves load life characteristics.

Equivalent In Size To IRC's Popular Types BTS • BW1/2 • BTA



Precistor	IRC Size		Dim	ension	
Types	Equivalent	A	В	С	D
MDA — MBA	BTS	13/12"	1/8"	11/2"	.025"
MDB — MBB	BW1/2	5/2''	3/16"	11/2"	.025"
MDC - MBC	BTA	23/12"	1/4"	11/2"	.032"

Precision Wire Wounds . Ultra HF and Hi-Voltage Resistors . Low Value Capacitors . Selenium Rectifiers . Insulated Chokes . and Hermetic Sealing Terminals

Wherever the Circuit Says

Voltmeter Multipliers . Boron & Deposited Carbon Precistors . Controls and Potentiometers · Power Resistors · Low Wattage Wire Wounds . Germanium Diodes . Insulated Composition Resistors



	MOLDED DEPOSITED	
	CARBON PRECISTORS	
Niloan II	MIAGE	
	Type MDA—1/6 Watt	
4	T(n)g	5
	M.DB1%	MA
	Type MDB—1/4 Watt	
	I(R)C	
	MDC 1%	
	Type MDC—1/2 Watt	
	MOLDED BORON	
	CARBON PRECISTORS	
	HAAIS.	
	Type MBA—1/a Watt	
	1(8)5	
	MBB1%	
	Type MBB—1/4 Watt	
	MBC1%	
	Type MBC — 1/2 Watt	

INTERNATIONAL RESISTANCE CO.

Dept. 153, 401 N. Broad St., Philadelphia 8, Pa.

In Canada: International Resistance Co., Ltd., Toronto, Licensee

Send me data on:

- Molded Deposited Carbon Precistors
- Molded Boron Carbon Precistors

AVIONICS

Indicator Pinpoints Engine Temperature

By Philip J. Klass

The simple thermocouple-galvanometer combination, long used in aircraft to measure and indicate engine temperature, faces tough competition from new super-accurate self-nulling type systems. The need for high accuracy stems from the critical effect of exhaust and turbine inlet temperatures on the performance and life of turbojet and turboprop engines.

One of the new temperature indicators, developed by Avien under Wright Air Development Center sponsorship, provides:

 Accurate measurement of temperature with a sensitivity of 1 deg. C and a maximum error of 5% full scale. (This corresponds to 5C for normal turbojet temperature ranges.)

• Expanded scale indication, with a large pointer that swings over a 288deg. are and a smaller vernier sub-dial which makes one complete revolution per 10C. This makes it possible to read the indicator easily to within 2 C.

 Stability over a wide range of operating conditions for 1,000 hr. without need for recalibration, according to Avien.

The new Avien system, consisting of a thermocouple, amplifier, and small (2-in.) panel indicator, weighs 3½ lb. Minneapolis-Honeywell has a similar temperature indicating system, which also weighs 3½ lb. and is reported to have comparable accuracy to the Avien. General Électric is developing a similar system.

Avien's unit is installed on Lockheed's new C-130A, R7V-2, and will go into Northrop's new F-89H and a new Martin airplane.

Old Versus New

In the older thermocouple-galvanometer type indicator, the thermocouple develops a voltage whose magnitude is a function of the difference in temperature between its "hot junction" and its "cold junction." The hot junction is inserted into engine exhaust gas stream, for example, while the cold junction is located externally. The thermocouple signal powers a small panel-mounted galvanometer calibrated to read temperature.

With such a system, because relatively little power is developed, heavy thermocouple leads must be run to the cockpit instrument and lead resistance must be kept low to prevent serious voltage drop. The galvanometer panel



USAF LOCKHEED C-130 is among the new turboprop and jet planes getting Avien's highly accurate temperature indicator, designed to boost engine performance and life.

indicator inherently is limited to small total pointer deflections, and the scale is non-linear because of the inherent thermocouple characteristics.

In the new indicating systems, the a linear scale throughout the range. thermocouple voltage is balanced out in a bridge circuit by a small servo sysis drawn from the thermocouple, lead resistance is not critical, permitting the couple-generated voltage. use of lighter-gage thermocouple wire. By locating the amplifier near the engine, the length of this thermocouple wire run can be reduced. This provides attractive weight saving over the thermocouple-galvanometer approach in some installations.

Conventional wires connect the am-


plifier to the panel indicator.

Since panel indicator power is provided by the servo motor, it is possible to greatly expand the scale and provide

▶ Ingenious Voltage Reference—One of the major problems involved in designtem which simultaneously positions the ing a null-balancing type system is to panel indicator pointer. Since no power find a suitable constant-voltage source with which to compare the thermo-

If the overall system is to have an accuracy of 0.5%, then the d.c. voltage reference must maintain its output constant to even closer limits, despite changes in airplane supply voltage, frequency, and changes in ambient temperature.

Avien has developed a novel con-



AVIEN SYSTEM COMPONENTS-Panel indicator and amplifier. Thermocouple is not shown.

Engineers! Join this winning team!

· At DOUGLAS you'll be associated with top engineers who have designed the key airplanes and missiles on the American scene today. For example:




DC-7"SEVEN SEAS" America's finest, fastest airliner



C-124 "GLOBEMASTER" World's largest production transport

NIKE Supersonic missile selected to protect our cities



A3D "SKYWARRIOR" Largest carrier-based bomber



A4D "SKYHAWK" Smallest, lightest atom bomb carrier



B-66 Speedy, versatile jet bomber

With its airplanes bracketing the field from the largest personnel and cargo transports to the smallest combat types, and a broad variety of missiles, Douglas offers the engineer and scientist unequalled job security, and the greatest opportunity for advancement.

For further information relative to employment opportunities at the Santa Monica, El Segundo and Long Beach, California, divisions and the Tulsa, Oklahoma, division, write today to:

DOUGLAS AIRCRAFT COMPANY, Inc.

C. C. LaVene, Employment Mgr. Engineering General Office 3000 Ocean Park Blvd. Santa Monica, California

stant-voltage reference which is small, light, and has no moving parts. It employs only three special silicon diodes and a few resistors. Despite its simplicity, Avien says the new voltage reference maintains constant output within 0.25% for ±10% variations of line voltage and frequency, over the temperature range of -60°C to 70°C.

Of this total, only 20% is due to voltage and frequency variations; the balance is due to temperature change. ▶ Diode Voltage Regulator—Avien makes use of the fact that a semi-conductor diode behaves much like a voltage regulator when in its full conducting state. When a diode and a resistor are connected in series across a voltage source, any variation of the voltage will cause a corresponding increase or decrease in voltage drop across the resistor, while the drop across the diode remains nearly constant.

What variation does occur across the diode can be effectively reduced by cascading the diode resistor circuits. Avien uses a double cascade which holds output voltage constant within 0.05% for 10% variations in line voltage, according to Harold Koletsky, project engineer.

Compensation

Unfortunately the voltage regulation characteristic of a simple diode is adversely affected by changing temperatures.


As temperature goes up, diode conductivity in the forward direction increases. Fortunately, however, the conductivity of the diode in the reverse (back) direction decreases, under the same condition. Avien came up with the idea of connecting two silicon diodes "back-to-back" to provide the needed temperature compensation.

In such a back-to-back diode, any temperature change which increases conductivity in a forward direction through one-half of the diode causes a compensating decrease in reverse direction conductivity through the second half, and vice versa.

When applied in a suitable circuit, three back-to-back diodes and their associated resistors provide a voltage regulator which is relatively insensitive to changes in temperature over a relatively wide range of values.

Although two conventional diodes could be used, Avien employs a special back-to-back diode developed for it by National Semiconductor Corp. The device resembles an ordinary junction transistor except that it has no base

Avien subjects the units to 100-hour temperature cycling tests, during which their characteristics are carefully checked. In the first stage of the cascade, diodes which show a variation of ½ to 1% over AVIEN temperature indicating system.



K-VOLT STANDARD for voltage reference uses three special silicon diodes.

the temperature range can be used. Diodes selected for the second stage must have a temperature stability of better than ½%, Avien says,


Koletsky reports that Avien has temperature-cycled its voltage references for more than 1,000 hr. and that they show a stability of better than 0.1%. At the present time Avien is contemplating marketing its K-volt standard, as the voltage reference is called, for use in other control systems which need such a device.

► Thermal Sink—The K-volt standard and the thermocouple's cold junction are mounted within a hermetically scaled can, filled with silicone oil, which serves as a thermal sink to isolate them from sudden changes in ambient temperature.

Long-term changes in temperature, which are reflected into the thermal sink temperature, are compensated for by a pair of resistors wound over the cold junction on a single bobbin.

One of the resistors has a temperature coefficient similar to that of the standard Chromel-Alumel thermocouple used in the system.

► Servo System—The panel indicator is driven from a two-phase 400-cps. motor, powered by a 2½-tube servo amplifier. (The other half of the twin triode is used as a rectifier to supply



Flexibility in Application Versatility in design...

packaged analog-digital converters

Shaft Position to Digital Converters features reliability, long life, non-ambiguity and speed makes these converters ideal for computers or data handling systems where serial read-out is

preferred. Librascope converters transmit information at almost any rate desired up to 1 mc and in some cases above, and may be multiple timeshared, holding extra circuitry to a minimum. All units quickly adjustable, syncro-mounted. Available in Binary, Gray code or Binary decimal code as shown in chart below. Special units may be designed to your order.

Write for catalog information.

FEATURES: . Unique, staggered double

brush pick-off system.

. Reads out serially into

· Analog-digital or digital-

· Associated circuitry can be

data-handling problems.

designed to fit your

scan matrices.

analog operation.

· May be time-shared.

· Syncro-mounted.

relays or single or multiple

	STATE OF THE			The second second
CODE	MODEL*	RESOLUTION PER INPUT SHAFT REV.	RESOLUTION OVER FULL RANGE	DIMENSIONS DIAMETER X LENGTH
	7 digit	128	1 part in 128	2" x 24%4"
	13 digit	128	1 part in 8192	2" x 313/32"
BINARY	17 digit	128	1 part in 131,072	2" x 413/6"
	19 digit	128	1 part in 524,288	2" x 413/16"
DINIADY	0-2000	200	1 part in 2000	31/6" x 427/32"
BINARY	0-3600	200	1 part in 3600	31/6" x 427/52"
CODED	0-20,000	200	1 part in 20,000	31/6" x 427/32"
DECIMAL	0-36,000	200	1 part in 36,000	31/4" x 63/4"
GRAY	8	256	1 part in 256	31/6" x 11/1/6"

Precision gearing
Shaft Speed: 120 rpm continuous
Operating temp: -55° C to +75° C
Shock and Vibration: up to 15 G, 5 to 500 cps.

Life Expectancy: Function of lead current, For 13 digit unit @ 2 ma. per brush, life approx. 5x10° breaks or makes at approx. 120 rpm.

3/16 X 1 /16 1 part in 256

Engineers, physicists and mathematicians interested in challenging California careers, contact Mac McKeague, Personnel Director.


* SPECIAL

AVAILABLE

UNITS




LIBRASCOPE, INC. . 808 WESTERN AVENUE . GLENDALE, CALIFORNIA



There is a Trentweld Tubing to fit all your requirements

Aircraft Tubing Beverage Tubing Formed Tubing Heat Resistant Tubing Large Diameter Tubing Mechanical Tubing Ornamental Tubing Pressure Tubing Shaped Tubing



for dimensional accuracy . . . physical uniformity

Back of TRENTWELD tubing's reputation for trouble-free service is its manufacture by *tube mill specialists*. But it is not the welding alone — it is the Trentweld process after welding that makes it superior to other tubing.

That's why TRENTWELD means accurate, uniform tubing ... with excellent corrosion resistance . . . high strength and light weight. And TRENTWELD's smooth surface is easy to clean. It's the right choice where long life and efficient performance are needed.

Important, too, is Trent's wide range of sizes, shapes and grades — the largest in the industry. $\frac{1}{8}$ " to 40" OD are standard, and even larger sizes can be supplied if you need them. So whatever your tubing requirements are, remember, you can't buy better tubing than TRENTWELD.

STAINLESS STEEL TUBING

TRENT TUBE COMPANY, GENERAL SALES OFFICES, EAST TROY, WISCONSIN (Subsidiary of CRUCIBLE STEEL COMPANY OF AMERICA)

the K-volt standard with 22 v. d.c.)

The d.c. thermocouple error signal is converted to a.c. by means of a chopper. Servo system sensitivity is such as to respond to thermocouple error signals as low as 40 microvolts, corresponding to a temperature change of 1C, Koletsky says. Power consumption is 0.15 amp. at 115 v., 400 cps.

Avien says that amplifier and indicator are individually calibrated at the factory to permit field replacement of either unit without the need for recalibrating the system.

Address: 58-15 Northern Blvd., Woodside 77, N. Y.

New Developments In Aviation Computers

A novel combination digital-analog computer, called "Wedilog," operates on the principle of functional simulation but employs digital numbers instead of voltages.

The new Wedilog computer, developed by Wang Laboratories, will solve linear and non-linear ordinary and partial differential equations, integral equations, and simultaneous differential and algebraic equations.

It combines the conventional d.c. analog computer's simplicity of problem set-up with the accuracy and resolution of a digital computer. Machine resolution is five decimal digits. All numbers are handled as a true number with sign. Company's address is 37 Hurley St., Cambridge, Mass.

Other new computer developments of interest to the aviation industry include:

• Alwac III, designed for use by small organizations, is the latest addition to the line of digital computers produced by Logistics Research, Inc.

New Alwac III operates at twice the basic computing speed of earlier models, has storage capacity for 2,048 additional words in its main memory, and twice the capacity in its fast access storage (128 words). Thirty additional commands have been added.

Machine uses magnetic memory drum capable of storing 4,096 words, or 8,192 if required. It operates from punch-tape input-output.

Alwae III occupies approximately 24 sq. ft. of floor space. Manufacturer's address: 141 So. Pacific Ave., Redondo Beach, Calif.

· Readix is a decimal, serial, singleaddress machine with magnetic storage capacity of 4,000 words. Each word consists of 10 decimal digits with sign, or two commands, complete with address. Machine uses more than 50 basic commands, and can modify its own instructions. Electric typewriter is the input-output medium. Manufacturer: J. B. Rea Co., 1723 Cloverfield

Blvd., Santa Monica, Calif.

• Reac Series 400, superseding earlier Reeves electronic analog computers, permits problem verification and checking directly from the problem equations. New machine also has servo multipliers and resolver servos with improved dynamic response, amplifiers with greater bandwidth and larger power output, and auxiliary equipment of improved stability. Building-block construction used throughout permits computer to be tailored easily to problems and simplifies maintenance.

For further information, write to Reeves Instrument Corp., Sales Dept., 215 East 91st St., New York 28, N. Y.

Avionics Bulletins


Recently announced bulletins and reports of interest to the avionics industry include:

· Digital computer design and circuitry for two large-scale machines, the general purpose Midac and the special-purpose Mydsac are described in 116-page report prepared by the University of Michigan's Willow Run Research Center, Report No. 1947-2-T can be obtained from University of Michigan Press, Ann Arbor. Price is \$2.00.

· Compression multi-headers, for use in all types of hermetically sealed components. Ask for Cat. No. 200 (16 pp.). Hermetic Seal Products Co., 29-37 South Sixth St., Newark, N. J.

• Self-synchronous motors, 30 different models for instrument system use. Ask for folder EI-5A (6 pp.). Electric Indicator Co., Inc., Springdale, Conn.





Douglas Aircraft improves weld quality, increases production, speeds operator training

... thanks to the ease of operation and simplified control of P&H Dial-electric Arc Welders

TALK to Douglas Aircraft engineers at Santa Monica about welding thin sections of aluminum, stainless steel, and titanium. They'll tell you that complete control of the welding arc is of the utmost importance. That's why they've switched to P&H Welders for all their inert-gas, shielded-arc operations.

It's easy to see why Douglas is sold on P&H. It's the only welder that provides precise heat regulation and high-frequency stabilization positively and instantly with an automobile-accelerator type of foot control. Because the welder responds immediately to control

— without time lag — production is up, spoilage is way down, and operators are easier to train. Douglas likes the reliability and steady operation of P&H Welders they can establish control and setting standards to produce uniform welded duplication.

Try one P&H on your production line and you'll never use anything else. Get full information from your P&H representative, distributor or write us. Welding Division, Harnischfeger Corporation, 4695 W. National Avenue, Milwaukee 46, Wisconsin.

HARNISCHFEGER




P&H welding equipment is manufactured and sold in Canada by REGENT EQUIPMENT MANUFACTURING COMPANY LTD., 455 King Street West . Toronto, Ontario, Canada

New Midgets Join Avionics Lineup

A tiny new relay, called by its manufacturer the "world's smallest shock-resistant relay," is one of several recently announced subminiature components of interest to designers seeking ways to cut the size and weight of avionics equipment.

The new midget relay, called "Neo-



mite," is housed in a ½-in.-high transistor case and weighs only 0.035 oz. The unit's contacts are rated at ¼ amp. (non-inductive), and it operates from 26 v. d.c. Normal sensitivity of 100 milliwatts can be adjusted down to approximately 40 mw.

Manufacturer: Elgin-Neomatic, Inc., 9010 Bellanca Ave., Los Angeles 45, Calif.

Other new miniature components include:

• Rotary trimmer capacitor, measuring only $\frac{3}{4}$ in. long x $\frac{1}{4}$ in. dia., is available in two sizes: 0.5 to 3.0 $\mu\mu$ f and 1.0 to 4.5 $\mu\mu$ f. Q is 500 at 50 mc. and temperature coefficient is 200 ppm.

Manufacturer: Corning Glass Works, Corning, N. Y.

• Selector switch with positive detent action, measuring approximately 1 in. dia. across the terminals, is available in single-deck models with 2 to 10 posi-



tions. Contacts are rated to break 1 amp. at 115 v. a.c. (resistive load). Bulletin 114A gives application data on new Series 24 switches.

Manufacturer: Grayhill, 561 Hillgrove Ave., LaGrange, Ill.

• Instant-release hinge serves as both a

Ex-Cell-O Precision at Production Prices



FUEL CONTROL AND METERING ASSEMBLIES



HYDRAULIC & PNEUMATIC

ACTUATOR ASSEMBLIES

FUEL NOZZLES FOR JET ENGINES

JET ENGINE BLADES



MISCELLANEOUS AIRCRAFT AND
COMMERCIAL PRECISION PARTS



JET COMPRESSOR ROTORS

54-23

Ex-Cell-O's facilities include laboratory control of materials, design and process engineering, machining of all materials, complete quality control to meet the most rigid specifications, and delivery to meet customers' requirements.

For information or a quotation, write or phone the Precision Products Division of Ex-Cell-O.

EX-CELL-O CORPORATION - DETROIT 32, MICHIGAN

MANUFACTURERS OF PRECISION MACHINE TOOLS . GRINDING SPINDLES . CUTTING TOOLS . RAILROAD PINS AND BUSHINGS . DRILL JIG BUSHINGS . AIRCRAFT AND MISCELLANEOUS PRODUCTION PARTS . DAIRY EQUIPMENT

For mild steel, cas

ron, "hard-to-weld"

steels, stainless steels, hard surfacing hinge and a quick-disconnect fastener will move its headquarters, labs, adminfor side panels and brackets in electronic chassis. New miniature model measures only 14 in. long, contains spring-loaded finger pad for detaching.

Manufacturer: Burklyn Co., 3429 Glendale Blvd., Los Angeles 39, Calif. Sealed panel instruments, measuring only 14 in. square, are available in varicty of types, including d.c. microammeters, milliammeters, ammeters, and voltmeters. Model 100's accuracy is quoted at within 3% full scale; scale length is 0.738 in.

Manufacturer: DeJur-Amsco Corp., 45-01 Northern Blvd., Long Island City 1, N. Y.

Avionics Companies Report Expansions

Texas Instruments, Inc., Dallas, a major transistor producer, has purchased the business and assets of the Radell Corp., Indianapolis, manufacturer of deposited carbon precision resistors. Operations are being transferred to the Dallas facility without interruption of deliveries, TI says.

Other new mergers and expansions in the avionics industry include:

 Fairchild Camera & Instrument Corp., Svosset, N. Y., has acquired all the voting stock of Freed Electronics & Control Corp., New York, specialists in ultrasonic and radar display, storage and recording techniques. Freed will retain its corporate identity, operating as a Fairchild subsidiary.

· Mag-Electric Products, Inc., Hawthorne, Calif., maker of magnetic amplifiers, power supplies and transformers, has acquired all the assets of Mag-Electric Networks, Inc., maker of radar components.

• Textron American, Inc., Detroit, (formed by the merger of Textron, American Woolen Co., and Robbins Mills) has purchased Ryan Industries, Inc., maker of aerial cameras, and electro-mechanical equipment.

· California Testing Labs, Inc., Los Angeles, has expanded its environmental and qualification test facilities and services through the acquisition of California Electronic Services Co., which specializes in radio interference testing.


 Helipot Corp., Pasadena, Calif., maker of precision potentiometers and components, will consolidate all of its administrative and manufacturing operations in new facility to be constructed at Newport Beach, Calif., and slated for occupancy in mid-1956.

 Radio Receptor Co., Inc., producer of semi-conductors and electronic equipment, is moving to new 66,000sq.-ft. factory at 80 N. 5th St., Brooklvn, N. Y.

• Electronics Corporation of America ington Blvd., Los Angeles.

istration and sales offices to a new 208,000-sq.-ft. facility at 1 Memorial Drive, Cambridge, Mass., late this

• Motordyne, Inc., Monrovia, Calif., maker of small motors, dynamotors and inverters, has added 14,000 sq. ft. to its plant, doubling previous capacity.



Backward-Wave Tube Designs Reported

Two new backward-wave tubes, providing voltage tuning over a wide band, are among the recently announced microwave devices of interest to radar and countermeasures equipment de-

Stewart Engineering Co. announces its Type OA-7-11-50 helix-type backward-wave oscillator, offering continuously voltage-tuned operation over the frequency range of 5.8 to 11.6 kmc.

Unit reportedly provides minimum power output of 50 mw. over the 7.0 to 11.6-kmc. band, and at least 5 mw. over its entire frequency range. Variations of load, from perfect match to a short circuit of any phase, results in less than 1% frequency shift in the absence of pads between the tube and its load, according to manufacturer.

Company's address: Box 277, Soquel, Calif.

Huggins Laboratories, Inc., announces a similar tube covering the range of 7 to 14 kmc., which can be swept across this band in less than one microsecond. Tube has 10-mw. output. Address: 711 Hamilton Ave., Menlo Park, Calif.

Other new microwave devices:

 Air-to-air heat exchanger, kidney shaped, for use in cooling airborne radar indicators. Cooling air travels through the shell of the exchanger and in turn cools fan-driven air from the radarscope housing. Unit is made by AiResearch Manufacturing Co., Los Angeles.

 High-power pulse-forming network, hermetically sealed, is for use with magnetrons and klystrons. Unit, designed to MIL specs, can be provided with 5 to 100-kv. ratings, 2 ohms or more impedance, and with pulse widths from 0.1 microseconds. Manufacturer: Luther Electronic Co., 5728 W. Wash

Avionic Firms Report Net Up, Sales Down

Annual reports recently issued by avionics manufacturers show that profits generally are up, after taxes, and in some cases before taxes, despite a slight drop in sales. Highlights of these annual reports follow:

· Servomechanisms, Inc., reports a net profit after taxes of \$503,900 for 1954. up 65% over 1953, despite slightly lower sales of \$12,509,024-6% under the 1953 figure. Profit before taxes was up 58% over last year. Net earnings were 66 cents per share. Company paid a 40-cent dividend. Present backlog is \$11.4 million, slightly under 1953.

 Norden-Ketay Corp. reports 1954 sales of \$9,086,453, with a net profit of \$1,002,922 covering operations for only Ketay Instrument Corp. prior to its merger with Norden Laboratories Corp. Net income per share was \$1.01. The company gives no comparison with previous year because of change in fiscal period used. Norden-Ketav has undertaken a major program to develop "entirely new concepts of data transmission" for the Office of Naval Research.


 Texas Instruments, Inc., reports gross sales of \$24,387,334, approximately 10% below the 1953 figure, which TI attributes to a general decline in genphysical exploration and the military stretch-out. After-tax earnings were \$1.2 million, or 40 cents per share, approximately 5% under 1953. The sale of military radar and sonar equipment totaled \$12,829,602, down 21% from 1953. Current military backlog is \$13 million. Company says it expects demand for its silicon and germanium transistors to grow during 1955.

• Sylvania Electric Products, Inc., showed 1954 sales of \$281,641,987, approximately 4% under 1953, with net earnings of \$9,480,941 after taxes, approximately 1% under 1953. Earnings per common share were \$2.92, down 6% from 1953, because of a larger number of outstanding shares. Annual dividend of \$2.00 equalled that of 1953.

Company has become increasingly active in military electronics field and has established a missile systems lab and electronic systems division. Sylvania also reports activity in the fields of radar, navigation and ECM equipment for all three military services.

New Components For Servo Systems

A new miniature tubeless d.c. reference voltage source, reportedly stable to within 0.1% for 20% variations in supply voltage, is one of several recently



. . . an entirely new development in gas turbine control components

"Vapoflash" - a unique new measuring probe - provides the advantage of high-gain, pneumatic output. The power level of the control signal is such that greatly simplified mechanisms can be applied to modulate main engine and afterburner fuel flow, and the exhaust nozzle area of turbojet engines.

The accurately calibrated "Vapoflash" probe exposes a mercury-filled capillary tube to the gas stream of the jet engine. As the gas temperature rises to the control set point, the pressure of the vaporized mercury in the element develops a signal which is measured by a metal diaphragm. As the diaphragm moves, it actuates a preloaded cantilever beam which operates a pneumatic orifice. Compressor discharge pressure serves as supply pressure: adequate power is conveniently available for control actuation. With several "Vapoflash" units connected in parallel for averaging, reliable measurement and control of gas turbine temperatures is simplified.

We are confident that our long experience in developing, manufacturing and testing jet engine control components can be of practical service to you. Our engineering department will welcome the opportunity to analyze your control requirements.

MANNING, MAXWELL & MOORE, INC.


AIRCRAFT PRODUCTS DIVISION . DANBURY, CONN. . STRATFORD, CONN. . INGLEWOOD, CALIF.



OUR AIRCRAFT PRODUCTS INCLUDE: TURBOJET ENGINE TEMPERATURE CONTROL AMPLIFIERS . ELECTRONIC AMPLIFIERS PRESSURE SWITCHES FOR ROCKETS, JET ENGINE AND AIRFRAME APPLICATIONS . PRESSURE GAUGES THERMOCOUPLES . HYDRAULIC VALVES . JET ENGINE AFTERBURNER CONTROL SYSTEMS.

AVIATION WEEK, May 16, 1955

40



1802 STANLEY AVE., DAYTON 4, OHIO

announced devices of interest to persons engaged in the development of servo

The new Type 140RB2 voltage reference comes in two models, one operating from 24 v. d.c., the other from 110 v., 400 cps. Both have a constant 5-v. output. Special units are available for inputs of 12 v. to several hundred

The device reported has a temperature drift of no more than 0.01% per degree C, and a repeatibility error of less than 0.1%. Unit comes in a hermetically sealed can whose diameter is the same as a miniature vacuum tube, and whose height is 1 in. for the d.c. model, 2 in. for the a.c. version. Manufacturer: Manning, Maxwell & Moore, Stratford, Conn.

Other new servo system components include:

• Size 15 resolver, Type 3D-2348, requires no associated amplifiers or compensators because of unit's small variation in transformer ratio and phase shift with varying input voltage. Maximum angular error is 0.12% and maximum axis misalignment is 7 minutes, according to manufacturer. Input voltage range is 0 to 16 v., 400 cps. Input impedance is 740/79 deg.

Manufacturer: John Öster Manufacturing Co., Avionic Div., 1 Main St., Racine, Wis.

• Chopper, for converting d.c. signals to 400 cps., employs photocells instead of conventional vibrating elements. Absence of moving parts reportedly gives new Model 307 a minimum life of 3,000 hours. New chopper is said to be insensitive to temperature variations between 50 and 100C, and to have a noise pick-up of less than 200 microvolts rms. Unit operates from 115 v., and has a d.c./a.c. conversion ratio of 0.5. Chopper measures \(\frac{2}{8}x\frac{2}{8}x2 \) in., weighs 1.6 oz.

Manufacturer: Avion Instrument Corp., 299 State Highway No. 17, Paramus, N. J.


· Gear-drive magnetic clutches, Series 500, weigh less than 1 oz., can transmit 1 to 15 oz. in. at speeds up to 200 rpm. Units can be supplied to operate from 6 to 30 v. d.c.

Manufacturer: Electronic Manufacturing Engineers Co., 2410 Beacon Ave., Seattle 44, Wash.

Transistor Booklet

To build a small transistorized radio receiver, audio oscillator or electronic timer in your basement, a new booklet prepared by Hydro-Aire shows circuits for nine transistorized devices. The booklet, entitled "The Transistor and You," is available free from Electronics Division, Hydro-Aire, Inc., 3000 Winona Ave., Burbank, Calif.

AVIATION WEEK, May 16, 1955



969 EAST SECOND STREET, DEPT. 10 . POMONA, CALIFORNIA

Engineering and design development by Haskel Engineering Associates Glendale, California

Resident Sales Engineers located in Kansas City (Independence), Mo. Baltimore, Md.



Plexiglas 55

On the Cessna T-37 and on many other military and commercial aircraft, Plexiclas 55 is providing significantly longer service life for transparent enclosures. This grade of acrylic plastic is characterized by notably improved crazeresistance and a higher maximum useful service temperature. These advantages are combined with the traditional clarity, formability and weather-resistance of Plexiglas—aviation's standard transparent material.

The list of planes now using Plexiclas 55 includes:

Boeing B-47 Beech T-34 Cessna T-37

Douglas A4D, F4D-2 Douglas DC-7, DC-6B, DC-6 Lockheed F-104, T-33B Convair XFY-1, F-102 Martin XP6M-1, B-57B North American FJ-4, F-100

We will be glad to send you detailed information on Plexiclas 55. For the planes of the future, we are working to raise the quality of transparent plastic to an even higher level.

Plexiglas is a trademark, Reg. U.S. Pat. Off. and in other principal countries in the Western Hemisphere. Canadian Distributor: Crystal Glass & Plastics, Ltd., 130 Queen's Quay at Jarvis St., Toronto, Ontario.



WASHINGTON SQUARE, PHILADELPHIA 5, PA. Representatives in principal foreign countries

AERONAUTICAL ENGINEERING



PULQUI II FIGHTER INTERCEPTOR with top speed of 625 mph. was second jet plane built in Argentina. First was the Pulqui I.

Argentina Fosters Ambitious Air Plans

(McGraw-Hill World News)

Buenos Aires-An ambitious development program leading to construction of a supersonic delta-winged prototype aircraft is being pushed vigorously by technicians at Argentina's Industrias Aeronauticas y Mecanicas del Estado (IAME).

A full-scale unpowered model of the design, the IA 37, currently is being flown in extensive glide tests to supplement wind tunnel data and calculations. Previously, large numbers of dynamically similar models were flighttested by being catapulted to speeds simulating full-scale performance.


Next step will be the construction of a powered prototype, designed for subsonic speeds. IAME engineers will evaluate results of the tests and incorporate any necessary changes in the final, supersonic prototype.

Development of the IA 37 is part of the dynamic program aimed at a general overhaul of Argentine air power during the next two years.

Double Development

Both military and civil aviation are due for a thorough overhauling during the 1955-1956 period. While ground facilities are rated among the best in Latin America, the aircraft in use, though generally in good condition, are mostly obsolete.

Plans have already been drawn up for renewal of a sizable proportion of the aircraft in use. World aircraft producers are well aware of these plans, and U. S. and British manufacturers,



IA 37 DELTA scale model is being flown in glide tests to supplement wind tunnel data.

including Douglas, Lockheed, Convair, terms of actual dollar purchases are still Bristol, Rolls-Royce and Blackburn have been lobbying in Buenos Aires in a hard competition for the expected orders.


Though military requirements in

a secret, a good share of the 1,140 million pesos set aside for expenditure by the Ministry of Aeronautics under Argentina's second Five-Year Plan is slated to go into foreign purchases. The

Air power is a growing force in the Republic of Argentina. Autonomous since 1944, the Argentine Air Force has been strengthened by transfusions of planes and techniques from the United States, Great Britain and Germany. It is now in the process of re-equipping major segments, as well as starting on an ambitious program of local production of a light multi-purpose aircraft. Design projects for a supersonic delta-wing fighter and a four-jet transport are well on the way.

Argentina depends on air power for internal communications as much as for defensive strength. The republic administers about 1 million sq. mi., onethird of the land area of the U.S., strung out from the 25th parallel to as far south as the 69th in Antarctica—roughly the distance between Mexico City and the top of Alaska. In this huge area live about 16 million people, or about one-tenth of the U. S. population. A strong air transport industry, backed by military airlift, ties the ends of the republic together.

This exclusive report on air power in Argentina was prepared by Harry Muller, McGraw-Hill World News Correspondent in Buenos Aires, with the cooperation of government officials.



IA 24 CALQUIN light bomber-attacker is a two-seater. It is constructed of wood.

same can be said of the 327 million capital for its future development. pesos earmarked for the Ministry of Transport. Notwithstanding lack of dollar exchange, Argentina hopes to buy most of its needs in the U. S., one of the considerations being uniformity of equipment for continental defense.

Meanwhile, negotiations on the part of the state-owned Aerolineas Argentina -AA-for the purchase of five DC-7s are known to be well advanced. AA has plans to acquire a total of 10 machines, including smaller craft, which involves an estimated total of 18 million U. S. dollars.

► Short Supply—The stringent dollar shortage in Argentina precludes any immediate possibility of volume imports of small aircraft for civilian use, for which there is heavy demand. Indication of this is given by the recently created General Administration o Civil Aviation (Dirección General de Aviación Civil), under the Ministry of Aeronautics.

This group is to acquire 100 helicopters provided foreign exchange is made available.

On the domestic front, practically the entire aircraft output of the stateowned IAME plants is currently being absorbed by the Argentine Air Force, but will be greatly increased as soon as the Kaiser group relieves IAME of its current automotive production, now estimated to take almost 30% of its man-hours.

Plans are reported completed for the establishment of an aluminum indus-

This will be backed by the necessary power supply, available as soon as some of the important hydro-electric projects are finished. Another important event in Argentina's civil transport service is President Peron's move

Military Air Force

Dating as far back as 1913, when the Military Aviation School was founded as the country's first institution for aero-navigation personnel, the Argentine Military Air Force has evolved considerably in the past 10 years.

Though its present fleet of planes tend to meet instruction, training and perfecting of personnel requirements, today there is an urgent need for renewal of aircraft and equipment. Most of it is obsolete, apart from wear and tear, as a result of intensive use and the scarcity of spare parts.

In 1944, the AAF was placed under a ministry of its own. Shortly after, it was completely reorganized and attained absolute autonomy directly under a commander-in-chief, who also was put in control of civil aviation activities,

Previously, however, the situation of the AAF was similar to that of the USAF before it won autonomy. Many of its ranking officers actively campaigned for recognition of the preponderant power of the air arm and for greater independence. The first step in that direction was taken when it was

Argentine Air Force Aircraft Roster

Combat Types

20 heavy bombers: Avro Lincoln, from England, 1947.

150 light bombers: IA Calquin, locally built, delivered in 1946.

100 fighter-bombers: Fiat G-46, from Italy, 1947.

120 observation: IA 22, locally built, delivered in 1945.

120 fighter-interceptors: Gloster Metcors.

Training Types

200 Percival Prentice basic trainers, from England, 1950.

100 IA 22s, locally built delivered in 1944.

30 Beech AT-11s, from U.S., delivered in 1947.

30 Fiat G-55 trainers, from Italy, delivered in 1949.

Transports

25 Douglas DC-3s and C-47s, from U.S., delivered in 1944 and 1947.

30 Bristol 170s, from England, delivered in 1948.

50 de Havilland Doves, from England, delivered in 1947.

8 Douglas DC-4s, from U.S., delivered in 1947.

30 Vickers Vikings, from England, delivered in 1946.

Liaison

150 El Boyero, locally built, delivered in 1950.

accorded the status of a command.

With the vast extent of the country, the radius of action of the AAF is enormous and planes of the Antarctic Group have flown as far south as Lat. 69° of the Antarctic continent, in the sector where the country exercises its sovereignity.

► Command Organization—Organically, the Argentine Air Force is constituted by a General High Command and various subordinated aerial commands which group together the basic branches of the military aeronautical



to invite the investment of private IA 35 MULTI-PURPOSE all-metal plane is completely Argentine, including its engines.





Robert F. Wood, Newport Air Park, Newport, Rhode Island.



A. M. "Sime" Bertolet, Reading Aviation Service, Inc., Municipal Airport, Reading,



Max R. Brand, Aero Commander Distributors, Hangar 3, P.O. Box 8426, Municipal Airport, Tulsa, Oklahoma.



H. Leibee Wheeler, Buffolo Aeronautical Corporation, Buffalo Municipal Airport, Buffalo, New



Gene Hudman, Stonnell and Holladay Aircraft Sales, Carolina Division, Municipal Airport, Charlotte, North Carolina.




Dan Vest, Vest Aircraft & Finance Co., P. O. Box 5306, Sky Ranch Airport, Denver,



B. G. Vandre, Van's Air Service, Municipal Airport, St. Cloud,



Art Meurer, Arthur Meurer Co., Inc., LaGuardia Field, New York,



H. Warren Holladay, Stonnell and Holladay, Easton Municipal Airport, Easton, Md.





Louis Humphreville, Executive Aircraft Corp., Detroit City Airport, Detroit 13, Michigan.



Don Pennington, Southern Aero, Inc., Municipal Airport, Atlanta, Georgia.

NATION-WIDE SALES AND SERVICE





Peter Graves, Southern Ohio Aviation Sales Co., Dayton Municipal Airport, Vandolia,



John A. "Jack" Baumann, Santa Monica Aviation, Santa Monica Airport, Santa Monica,



Paul Bailey Indianapolis Executive Aircraft Corp. Indianapolis Municipal Airport Indianapolis, Indiana



John Wilsdon, Executive Flying O. B. Callan, National Aero Corporation, P.O. Box 122, Lambert Field, St. Louis,



Sales Carp., Midway Airport. Chicago, III.



Charles H. E. Westerman, British Colonial Airlines, Calle Lopez No. 1 - Despacho 502 Mexico, (1) D.F., Mexico.



NATION-WIDE SALES and SERVICE

onnander AERO DESIGN AND ENGINEERING COMPANY

TULAKES AIRPORT . OKLAHOMA CITY, OKLAHOMA



MILITARY AERONAUTICAL SCHOOL headquarters in province of Córdoba, Argentina.

institution-tactical, strategic and de-

On its part, the General High Command responds to the Ministry of Aeronautics, and, together with civil aviation, they represent the operative branch of that ministry. The Aeronautical Quartermaster General Division is responsible for meeting the materiel requirements of both the air force and civil aviation and supplying related technical services.

There are three commands in the

- Defense, with responsibility for everything relative to active defense and patrolling activities, including fightercontrol services.
- Transport, which supervises activities of light and heavy transport units, not only for transportation of military equipment and personnel, but also for civil misssions, such as development of promotional airlines, Lineas Aéreas del Estado (LADE), emergency services to other government departments and exceptional transportation requirements.
- Tactical, in charge of preparation and direction of attack units, fighterbombers and observation planes, which must act in cooperation with the army and navy.
- ► Outside Influence—The Argentine Air Force's structural organization, tactics and policies are influenced basically by three foreign powers. In its general organization, it tends to follow British methods; American practice is reflected in bombardment tactics, cooperation with the Army, maintenance system, logistics and navigation procedures; defense tactics and ground control interception operations owe much to the German influence.

The British influence stems from the fact that during 1946 to 1952. Argentina has had a steady number of officers of the Royal Air Force acting as advisors.

Between 1938 and 1946, Argentina had a U. S. air mission under contract. but it is now believed more economical, and equally effective to send Argentine trainees to the U.S.

From 1947 to 1954, Argentina's air force had as special advisor former Luftwaffe Lt. Gen. Adolf Galland, who returned to West Germany towards the end of January 1955.

Efficiency of Argentina's air force, as a whole, is regarded by foreign observes as good, on the basis of its flying time record and very low rate of acci-

► Naval Aviation—Argentina's Ministry of Marine, within its naval organization, has a separate branch known as the Fleet Air Arm (Aviación Naval), which is used almost exclusively in the Antarctic region, both for reconnaissance and for scientific investigation. interceptors and radar, security and In recent times, helicopters have played rich 440-hp. engines. an important role in this activity.

The Ministry of Marine has its own air training school at Puerto Belgrano for recruiting of personnel, and has naval air stations all along the Southern Atlantic coast. It operates a regular naval air transport service between Buenos Aires and Ushuaia.

Aeronautical Industry

Industrias Aeronaúticas y Mecánicas del Estado is a state organization, constituted by a group of plants which are mainly devoted to the construction of aircraft and aeronautical materiel, as the province of Córdoba.

IAME at present employs about 13,- they have delivered: 000 workers. Over 70% of the manhours so far have been in aeronautical seater trainer, and scout plane (DL-

activities. IAME's installations in Cordoba cover more than 1.5 million sq. ft., involving an investment estimated at almost 1 billion pesos. Employ-ment figure does not include those working in dependent industries of IAME, which have facilities for producing aircraft, engines, turbojets, aeronautical instruments, spare parts and parachutes. It is the most important light metallurgical industry in South America, and embraces some 930 large and small plants and workshops-670 in Buenos Aires, 135 in Córdoba and 125 in Rosario.

Since 1927, when the Argentine Military Aircraft Factory was first established in Córdoba, there has been a concerted move on the part of Argentine technicians to produce designs of their own, apart from the construction of planes and engines under license.

Thus, in 1928, the Military Factory, which years later was to become the present highly mechanized IAME works, started to produce under license the Avro "Gospart," a World War I type of trainer craft, of which some 100 units were turned out; in 1929 the plant delivered 40 "Bristols," an observation biplane, with an in-line motor, as well as some 40 Dewoitine D-21 fighters, equipped with Lorraine-Diet-

► Research Started-In 1930, IAME began intensive research in an attempt to develop designs of its own. Among other types, some 300 observation planes, bombers, training and transport machines were turned out under their respective serial numbers: AMO-1, AMB-1, AME-1, AeT-1.

In 1937, however, the Córdoba factory returned to producing engines and planes under license. Patent rights were acquired of the Curtiss Hawk 75 and Focke-Wulf 44-J Stieglitz, of which 200 and 500 were produced locally, engines included.

As of 1943, the Córdoba establishwell as automotive vehicles. Its main ments reverted again to active research research and production center is in development and production of planes of their own design. Since that year

• 220 units of IA 22, advanced two-



IA 22 ADVANCED TRAINER and observation plane was built wholly in Argentina.



Split second whirling action safety wires 3 engines in time required for one by any other method. Saves as much as \$140 per engine assembled.

3-Tools-in-1: Pliers . . . Cutters . . . Twisters. Side cutting. Permanent bronze bearing. Jaws lock on wire, can't slip off.

Used throughout the world for all aircraft assembly and maintenance.

9" Slendernose, wt. 12 oz. \$19.50 12" Standard, wt. 15 oz. \$20.50

Unconditional Guarantee! Write for details. RALPH C. ROBINSON CO., Box 494B, North Sacramento 15, Calif.

ENGINEERS

Unusual Positions With Established Flight Research Organization

ENGINEERING

instruments & instrumentation, Bachelor's degree in Engineering required: MS or PhD preferred. Minimum of 2,500 hours first pilot time; comml, multi-engine land, single engine land and instrument rating essential, ATR, rotary wing & jet exp. desirable.

FLIGHT TEST ENGINEER

gaged in the development, installation & flight testing of aircraft instrumentation and flight control equipment. Must be familiar with all op-erational phases of electrical and mechanical air-craft control systems. Engineering degree or equivalent techni exp required.

> SUBMIT RESUME Att: Robert Stewart

PHONE FOR APPOINTMENT RONKONKOMA 9-8086 (RONKONKOMA, N. Y.)

SPERRY... GYROSCOPE COMPANY

Division of the Sperry Corp. P. O. BOX 218 RONKONKOMA, L. I., N. Y.



MODERN AIRPORT at Ezeiza, Argentina, is equipped for domestic and international flights.

DL/24), equipped with 415-hp. Armstrong Siddeley Cheetah engine (adaptation of North American Texan AT-6).

• 100 units of the IA 24 Calquin, light two-seater, bomber-attacker, equipped with two engines, locally made, and similar to the de Havilland Mosquito.

• 150 units of El Boyero, lightplane for liaison, gunnery control and training purposes for civil aviation, equipped with imported engines, either Continental or Lycoming.

research and development work resulted in producing in 1947 Latin America's first jet-propelled plane. With conventional wing end equipped with Rolls-Royce Derwent turbojets, only one was produced. It was known as Pulqui I.

With the help and experience of foreign technicians, including Kurt Tank, former technical director of the German Focke-Wulf firm, and presently chief consultant of IAME, the Pulqui II was developed, and six have been constructed.

Pulqui II is a high midwing cantilever fighter monoplane, with 45-deg. sweepback, with wing area of 268 sq. ft. Its powerplant consists of one Rolls-Royce Nene 2 centrifugal-flow turbojet. Its maximum speed at 16,400 ft. is 652 mph., and rate of climb 5,850 fpm. It has an absolute ceiling of 49,200 ft. and its landing speed at 8,800 lb. is 106 mph.

Presently, the research laboratory of IAME's Aerotechnical Institute, which possesses Latin America's only supersonic wind tunnel, is well advanced in developing a supersonic delta-wing craft.

What's Next

IAME's future production program includes construction of the IA 35, to be known as Justicialista del Aire. With top priority, full production will

start on a first series of 100 units towards the end of 1955 and throughout 1956, at an estimated cost of over 1.5 million pesos per plane.

It is a low-wing all-metal multi-purpose plane, and is destined to satisfy immediate requirements of the military and civil aviation. It can be used as a bomber trainer, for instruction and advanced training; exploration and reconnaissance, including photographing; light transport for cargo and passengers, and for ambulance purposes. Its crew ▶ First Jet-Major efforts of IAME's would vary between 4 and 11, according to what use is made of it.

Its powerplant will consist of two IAR 190 El Indio engines, locally made, and with normal cargo it will weigh 7,700 lb., and have a cruising speed of 220 mph. Ultimate production total depends on the automotive work that the recently established Kaiser enterprise, Industrias Kaiser Argentina-IKA-takes over from IAME.


Second on the list of priorities is construction of four types of planes for civil aviation: a two-seater 65-hp. aircraft for instruction; a two-seater 65-hp. plane for touring; a four-seater executive plane, similar to the Ryan Navion, with a single 95-hp. engine; and a six-seater executive plane with two 95-hp. engines. All engines will be locally made.

Third priority is given to a fourmotored jet-propelled transport to be totally constructed in Argentina. With four jets, it will have an average speed of 435 mph. and a capacity for 40 passengers. Kurt Tank aided in its design. It is also planned to construct a cargo carrier powered by four engines, to be made locally.

In design, Argentine experts in their recent research undertakings in the jetpropelled field have tended to follow the British trend.

In regard to engines, IAME is now working on the production of light types, in-line or radial, which will be used to power most of the planes

AVIATION WEEK, May 16, 1955




EVERY MAJOR AIRCRAFT MANUFACTURER USES ADAMS-RITE



ADAMS-RITE MANUFACTURING CO., 540 W. CHEVY CHASE DR., GLENDALE 4, CALIF.

REPRESENTATIVES: EASTERN - Reciputi & Weiss, Inc., Amityville, N.Y. MIDWEST - George E. Harris & Co., 1734 N. Hillside, Wichita, Kan. Offices: St. Louis, Kansas City, Dallas. CANADIAN - Railway & Power Engineering Co., Montreal. Offices throughout Canada.



which its future production program calls for. When Kaiser takes over, IAME will also give priority to pro-duction of machine tools, which will primarily be used in the air industry.

Laboratory Produces 'Super Purity' Metal

Germanium with impurities of about one part in 10 billion is prepared routinely in Westinghouse Research Laboratories, Pittsburgh, in "super pur ity" program on titanium and other leard-to-get materials.

Basic process, called cage zone refining, depends on metal impurities having a preference for either the liquid or solid state of the material. For example, when a bar of impure titanium is melted progressively from end to end, the iron concentrates in the liquid titanium and follows the molten zone to the end of the bar. This end can then be cut off and discarded and the process repeated for maximum removal of impurities.

Westinghouse scientists have deeloped a method of melting the metal by using the material as its own crucible, preventing contamination from any container. In a low-pressure. inert argon or helium atmosphere, a square-sectioned titanium bar stands on a metal platform. Platform is slowly raised through a heating coil. High-frequency 10,000-cycles-per-second current flows in the coil and induces large electric currents inside the bar. These eddy currents cause the metal to melt from the inside. The bar's corners rapidly lose their heat and remain rigid; thus they act as a "cage" containing the molten metal.

THRUST & DRAG

new class of heli-vector aircraft is a large indicator, illuminated from behind. It would say simply:

TILT

"When you reward him with more responsibility, you put him in work he is not qualified to do. If you don't put him in a management job, how do you reward him?"


AVIATION WEEK, May 16, 1955

The entire aviation world has been waiting for this . . .

TO

DESTRUCTIVE

PRESSURES




The first practical explosion extinguishing system

You can mark an end to a major hazard to combat aircraft . . . explosions and fires resulting from the ignition of fuel vapors by enemy gunfire. This first practical explosion extinguisher system - the Fireye visual system* is now being installed on military aircraft.

This remarkable Fireye development in the hitherto uncontrolled field of explosions . . .

 provides complete and practical protection against fuel tank explosions and fires • is thoroughly proved under gunfire • operates under extreme flying conditions * reduces weight and maintenance to absolute minimums takes no appreciable space.

For complete technical information write . . .



ELECTRONICS CORPORATION OF AMERICA 77 Broadway, Cambridge, Mass.

PHOTOSWITCH DIVISION . COMBUSTION CONTROL DIVISION . BUSINESS MACHINES DIVISION PHOTOCONDUCTOR-TRANSISTOR DIVISION . MARINE DIVISION



MILLIONTHS OF A SECOND


Dotted line shows pressure rise during

an uncontrolled explosion. Solid line

indicates course of explosion extin-

guished by Fireye.

*Protected by U.S. and foreign patents issued and pending



Suggested instrumentation for the

"We find when we want to reward a qualified engineer with a managertype job he usually is not suitable." The engineer is at his best in a creative job, Robert Gross, president of Lockheed, says.

Pay him, Mr. Gross, pay him. -DAA

G. M. GIANNINI & CO., INC. . PASADENA 15, CALIF. . EAST ORANGE, NEW JERSEY

MODEL 45177

MODEL 45154

MODEL 45172

2.19 in. x 2.83 in, weight 15 oz. max.

x 2.48 in. weight 8 oz. max.

Up to 4 outputs and inputs in ranges 0-1 to 0-150

psi abs, diff. or gage. (Set of 2 model 45176).

Ranges 0-5 to 0-30 psi abs. Size 2.25 in. dia.

Ranges 0-10 to 0-30 psi abs, diff. or gage, Size

Giannini

Via Alberto Da Giussano 15, Milano, Italy

1 Copthall Close, London E.C. 2, England

EUROPEAN REPRESENTATIVE-

Giannini Limited

Giannini Italiana S.p.A.

BRITISH ISLES REPRESENTATIVE-

AUTHORIZED DEALERS

CALIFORNIA

Qualitron, Incorporated 2945 North Hollywood Way Burbank Phone: Thornwall 6-8317

Airesearch Aviation Service Co. 5907 W. Imperial Highway Los Angeles Phone: Orchard 8-2661

Southern California Aircraft Corp. Ontario International Airport Phone: Ontario 6-3871

Bayaire Avionics, Inc. Hanger No. 2 Oakland Municipal Airport Phone: Lockhaven 9-8385

COLORADO

Aircraft Radio & Accessories Co. Stapleton Airfield Phone: Freemont 7-3850

CONNECTICUT

Pratt and Whitney Aircraft Div. of United Aircraft Corp. Rentschler Airport East Hartford Phone: Jackson 8-4811 Ext. 357

DISTRICT OF COLUMBIA

Butler Aviation Washington National Airport Washington, D. C. Phone: Sterling 32316

FLORIDA

Florida Aircraft Radio & Marine, Inc. 5365 N. 36th Street Phone: 88-4614 or 88-4615

GEORGIA

Aero Corporation Atlanta Municipal Airport Atlanta Phone: Calhoun 7721

ILLINOIS

Butler Aviation Chicago Municipal Airport Phone: Portsmouth 7-4400

KANSAS

Aircraftco, Incorporated Wichita New Municipal Airport Phone: Whitehall 3-4297

LOUISIANA

Currey Sanders Aircraft Co. Shreveport Downtown Airport Shreveport Phone: 4-2269

MICHIGAN

Anderson Aircraft Radio Co. Detroit City Airport Phone: Venice 9-6700

MINNESOTA

Minnesota Airmotive, Inc. Wold-Chamberlain Field Minneapolis Phone: Dupont 8-388

MISSOURI

Navco Lambert Field Phone: Pershing 1-1710

NEW JERSEY

Smith-Meeker Engineering Co. Mallard Hangar Teterboro Airport Teterboro Phone: Worth 4-5510

NEW YORK

Smith-Meeker Engineering Co. 157 Chambers Street New York Phone: Worth 4-5510

Page Airways Rochester Airport Phone: Gennessee 7301

Smith-Meeker Engineering Co. Westchester County Airport White Plains

NORTH CAROLINA

Southern Flight Service Charlotte Municipal Airport Charlotte Phone: Charlotte 4-3540

Piedmont Aviation, Inc. Smith-Reynolds Airport Winston Salem Phone: Winston Salem 3-2443

OHIO

Chamberlain Aviation, Inc. Hangar 1, Municipal Airport Akron Phone: Stadium 4-0469

Dayton Aviation Radio & S. Dixie Highway, U. S. Route 25 Troy Phone: Vandalia 4-4627

OKLAHOMA

Aerotron Radio Company Tulsa Municipal Airport Phone: 8-9327

PENNSYLVANIA

Interference Research, Inc. 117 S. 46th Street Philadelphia Phone: Baring 2-1641

Page Airways Allegheny County Airport Phone: Homestead 1-4044

Reading Aviation Service, Inc. Reading Municipal Airport P. O. Box 1201 Phone: Reading 3-5255

TEXAS


Continental Radio Company Houston Municipal Airport Phone: Olive 9535

Airnews, Incorporated San Antonio Municipal Airport San Antonio Phone: University 6-5801 or Travis 3062

Associated Radio Co. 3508 Love Field Drive Phone: FL 7-2891 or DI 3363

CANADA

Technical Enterprises Toronto (Malton) Airport Malton, Ontario Phone: Cherry 1-5257




COLLINS EXPERIENCED DEALERS ARE READY TO GIVE YOU THE FINEST IN INSTALLATION AND MAINTENANCE

THESE FRIENDLY DEALERS have Collins trained techni-L cians and the latest bench test equipment to assure factory-quality radio maintenance. In addition, they carry complete stocks of equipments for immediate installations. You will notice that Collins Dealers are conveniently located throughout North America. They are constantly improving their facilities and are always ready to aid in planning your installation and maintenance programs, or simply discuss your radio equipment ideas with you.

COLLINS RADIO COMPANY CEDAR RAPIDS, IOWA

261 Madison Avenue, NEW YORK 16, NEW YORK 1200 18th Street N. W., WASHINGTON, D. C. 1930 Hi-Line Drive, DALLAS 2, TEXAS 2700 W. Olive Avenue, BURBANK, CALIFORNIA 218 Sussex Gardens, LONDON W-2, ENGLAND Ave. Franklin Roosevelt 115 Gr. 603, RIO DE JANEIRO, BRAZIL COLLINS RADIO COMPANY OF CANADA, LTD., 74 Sparks St., OTTAWA, ONTARIO





AEROLAB'S SMALL CRAFT is expected to cut cost of training drone controllers.



RECOVERY CHUTE is released on demand or on failure of any part of radio system.

Model to Train Drone Operators

Pasadena, Calif.—Navy has completed acceptance tests on a new radio controlled drone for use in training target drone controllers.

The small craft is manufactured by Aerolab Development Co. About 550 have been ordered by the military, with 250 going to the Army training center at Ft. Bliss and the remainder to units of the National Guard.

the Army and National Guard. Cost of the trainers is less than \$500 each, about one-fifth the cost of a tactical drone. Since many drones are lost in since the parachute is released either training, use of the small trainer is on demand or automatically in the expected to effect a considerable sav-

The Aerolab device (Orguy-M1) is a high wing monoplane with a 6-ft. the same as that of present military deg. over the 360-deg. rotary range.

wing span. A 1-hp. engine turns a 13in. propeller at approximately 12,000 rpm. Fuselage is sheet metal, with wings and tail of balsa and nylon.

▶ Drone Control—A five-channel Aerolab receiver controls the tiny drone through small servos which drive a movable elevator and rudder. Four of the channels control up and down elevator and left and right rudder. The Navy administered the contract for fifth channel prevents deployment of the drone's recovery parachutes except by interruption of the channel. This provides a "fail safe" recovery system event of failure of any part of the radio system.

target drones. Use of the Aerolab trainer will permit National Guard units to maintain proficiency throughout the year in drone control, thereby lowering a high target attrition rate which target control detachments have encountered during summer camp.

Speed of the Aerolab trainer is close to 60-mph with a range of 20 mi. Weight of the aircraft, including radio, battery and servo equipment, is slightly less than 16 lb. The trainer contains fuel for 20-30 min. of flight.

The device is launched from a threewheeled cart tethered to a central pylon by a cable. It is accelerated to takeoff speed while rotating in a circle about the pylon. Since this method is sensitive to wind and terrain characteristics, Aerolab also is experimenting with a catapult launcher.

Present contract is scheduled for completion by August and the target drones can be made available to other purchasers off the present production line, beginning in June, Aerolab reports. The firm also is studying use of the device as a radar trainer or tactical gunnery target.

Tape Control Guides Precision Borer

A standard four-spindle Excello precision boring machine has been adapted successfully to punched tape automatic operation by Minneapolis-Honeywell Regulator Co.

Initially used in production of gear trains for aircraft indicators, the system's suitability for high-precision gyroscope parts, servo motors and other equipment is now under study. Indications are that it is especially suited to medium-size production runs and promises substantially lower tooling and setup costs than punch-press piercing dies or drill ream jigs, and operating costs are less than for jig bores, M-H says. ► How It Works-Hole coordinates and feed instructions are punched on tape and the proper adapter is attached to the rotary fixture. Cutting tools are mounted and the tape is placed in the control circuit's reader.

The machine is adaptable to a variety of hole patterns and sizes. Different piece parts are handled by changing the adapter ring and inserting the appropriate tape. Accuracy is stated to be better than 0.0005 in.

For a small number of parts the machine can be manually operated by adjusting 10 knobs in the control cabinet to handle linear travel of the cross slide and rotary motion of the holding fixture. Either automatically or manually operated, coordinate information is fed in increments of 0.0001 in. Radio ground control box used is over the 8-in. linear range and 0.01



Twin Coach helps Boeing get them in the air




The Boeing KC-135 jet tanker-transport is of vital importance to the national defense. The prototype of this airplane—America's first jet transport—is shown above. To produce and deliver KC-135s to the Air Force as rapidly as possible, Boeing enlisted the aid of Twin Coach Aircraft Division as a subcontractor for major airframe assemblies.

This important assignment typifies the way prime contractors rely on Twin Coach Aircraft Division. For Twin is staffed with experienced aircraft specialists to design and build tooling . . . with experienced aircraft production personnel . . . under experienced aircraft supervision and management.

If you have an assembly you're thinking of subcontracting, call Twin Coach Aircraft Division. You'll be secure in the knowledge that your assembly will be built by aircraft specialists—by men whose sole aim is to build to specification . . . on schedule . . . at the lowest possible cost.



Giant 25-foot Droop & Rein universal planer mill, only one of its kind in the country, was recently installed at Twin Coach Aircraft Division.



Other divisions of Twin Coach Company make: FAGEOL VAN AND PONY EXPRESS TRUCKS ENGINES . FAGEOL-LEYLAND DIESEL ENGINES.



WHAT'S NEW

Telling the Market

Multiple pressure readout systems for wind tunnels, engine test facilities, Catalog 58-15, Fischer & Porter Co., 393 Jacksonville Rd., Hatboro, Pa. . . . How Scott Investment Casting Can Benefit You, examples of economies, Scott Casting & Manufacturing Corp., Berwyn, Pa. . . . Nylofast all-nylon fasteners, said to be only one-sixth the weight of stainless steel and one-half the weight of LF aluminum, are covered in folder by Anti-Corrosive Metal Products, Inc., Castleton-on-Hudson, N. Y.

Insurok laminated and molded plastics in sheet, rods and tubes, bulletin, Richardson Co., 2662 Lake St., Melrose Park, Ill. . . . Permacel 2I Electrical Tapes, heat-curing and self-sticking, Permacel Tape Corp., Advertising Services Dept., New Brunswick, N. J. . . . Sealed Guiderol, also rest of bearing line is described in 140-page catalog, McGill Manufacturing Co., Inc., Valparaiso, Ind.

Headed and threaded parts produced by single or double extrusion, brochure, Cleveland Cap Screw Co., 2917 E. 79th St., Cleveland, Ohio. . . . Metal-working induction heating equipment for forging, hardening, annealing and joining, Booklet B-6519, Westinghouse Electric Corp., P. O. Box 2099, Pittsburgh 30, Pa. . . . NesTier line of small parts handling equipment, including boxes and baskets, hopper, hopper racks and shelf racks, Catalog DN-1000, Chas. Wm. Doepke Manufacturing Co., Inc., 8820 Blue Ash Rd., Rossmoyne, Ohio.


Are welding and oxyacetylene supplies and accessories, Form ADC 848, Air Reduction Sales Co., 60 E. 42nd St., New York 17, N. Y. . . . Precision drawn closings and metal stampings, catalog, Hudson Tool & Die Co., Inc., 118-122 So. 14th St., Newark 7, N. J.

Rod finder guide, (TIS-1126) also covers flux, recommendations for torch and metal are joining and overlaving of all base metals, Technical Information Service, Eutectic Welding Alloys Corp., 40-40 172d St., Flushing 58, N. Y.

Gage blocks for measurements in metal-working, Freeland Guage Co., 9940 Freeland Ave., Detroit 27, Mich. . . . Hobs, cutters and broaches, booklet. Brad Foote Gear Works, Inc., 1309 So. Cicero, Cicero 50, Ill. . . . Tri-Ind-X industrial radiography machine brochure, Triplett & Barton, Inc., P. O. Box 3128, 831 No. Lake St., Burbank, Calif.

New "Style 3" Panel Fastener!

PANELOC introduces Light-Weight, All-Steel Model, Setting Superior Standards in Tension and Shear at a new low price! Only three simple parts to inventory.



Exceptional durability, low price, and simplicity make the new fastener a newsworthy item. It conforms to Specification MIL-F-5591A and is interchangeable with all other "Style 3" fasteners. Let us send you a detailed catalog on the lightest, strongest, most economical "Style 3" Fastener available today.

PANELOC... America's most versatile line of aircraft fasteners...includes Styles 1 2 and 3 Panel Fasteners, High Performance Fasteners, Rotary Latches and Snap Fasteners.









Fill in Coupon or Write Letter for Catalogs



Scovill Manufacturing Company 43 Mill Street, Waterbury 20,	
Please send me fastener catalo	ogs checked:
() Style 3 (MIL-F-5591A)	() High Performance (NAS 547) () Rotary Latch teners (AN227)
Name	Title
Company	
Address	



Piper Expands for Apache Push

By Erwin J. Bulban

Lock Haven, Pa.-Piper Aircraft Corp. is undertaking a major plant expansion costing some \$400,000 to catch up on a seven-months' order backlog for twin-engine Apache business planes.

Traditionally there has been a prothis year, such talk has "gone out the window," says William T. Piper, Sr. Instead Piper will step up Apache output to two-a-day in September and expects to build some 360 twins this year, more than were made last year by all of the small-business-plane producers reporting to the Aircraft Industries Assn.

Piper built 101 Apaches last year.

"We have never built anything with the public appeal of the Apache," Piper's chief executive told AVIATION Week, adding that there seems to be "no limit" on the potential of the light twins. Another company official confidently thinks that the firm can sell 1.5 Apaches a day.

► Silver Lining—These are the factors behind official estimates that Piper will gross between \$18 million and \$20 million in fiscal 1955 compared with 1954's \$11.4 million. This is despite a steadily declining volume of military business, attributed to the fact primes are pulling work back to their own shops.

Current military subcontracts include ejection seats, cockpit canopies and ammunition containers for Grumman. The company this year is also filling some Army orders for tandem liaison planes and continuing work on spare parts contracts.

In addition to the Apache, expansion is forecast for the company's other civil products. Estimates are that more than 800 single-engine four-place Tri-Pacers indicated to AVIATION WEEK.

will come off the lines this year, compared with 750 last year. Nearly 300 tandem PA-18s are expected to reach the spray/dust, farm/ranch, uraniumexploration markets in 1955 as against 200 in 1954.

This year the Apache will hit the export market with increasing frequency. Policy has been to hold up duction slowdown here in the fall. But here until Piper completed a thorough field check on the first production batch of some 20 Apaches and worked out the usual run-of-the-mill service problems that are connected with introduction of a new and more complex

> Feeling is that the export market for the twin may turn out to be bigger than that of the single-engine types. Approximately 17% of Tri-Pacer production has been going overseas.

> ➤ Spreading the Business—The boom in Lock Haven is also felt by the company's suppliers. These are some estimates of Piper spending for each 20working-day month, according to J. W. (Jake) Miller, general sales manager:

> • \$300,000 for engines with Lycoming Division, Avco Manufacturing Corp. • \$63,000 for radio with Lear, Inc., and National Aeronautical Corp. (Narco). • \$44,000 for propellers with Hartzell Propeller, Inc., and Sensenich Corp.

> Indications are that industry-wide equipment spending is headed upward for a long time. Significant guideposts: About 1,000 twin-engine business planes will be produced by the industry this year, Piper officials estimate. This would be approximately three times the production of this type of airplane last year.

• Some 5,000 business and utility planes will be built annually in the next three or four years, compared with an average of slightly over 3,000 in the past few years, these same sources

 Majority of buyers are getting fully equipped airplanes and many are adding to the equipment they have. At Piper, the fully outfitted Apache, priced at \$35,075, far outsells the \$32,-500 airplane on which the company based its big sales pitch. The latter plane, the firm says, usually gets full instrumentation and navigation gear installed to the owner's order after leaving the factory.

At the plant is the second production Apache fitted with the Lear L-2 autopilot, including altitude and automatic approach control. Piper has heard that other Apaches have gotten L-2 installations in the field. The factory twin also has the new Scott oxygen console for high-altitude flying.

Sales figures disclose that last year 65% of the Tri-Pacers left Lock Haven with full instrumentation. The company expects the percentage to be "much higher" in 1955.

▶ Distribution Trends—Longer range of the Tri-Pacer and Apache has resulted in a changing distributorship pattern, with fewer and larger fran-

In the days when the short-range tandem was the company's star product, Piper had some 60 sales areas; now there are 47 national distributors. This trend has now stabilized, the company states, with marginal operators shaken out with the decline of governmentsupported programs such as G.I. training.

Larger territories, increased sales and more expensive merchandise are creating a new income trend for the company's distributors: The \$1-millionplus annual gross. This year Piper will have four or five distributors in that category, with another in California in the \$2-million bracket.

An Illinois distributor, George Edgecumbe, told Aviation Week that in April he had already done 40% of last year's business. Last month he delivered five Apaches and eight Tri-Pacers. In 1954 he grossed \$600,000; this year he expects to hit \$1 million.

Another trend that aids sales is increasing support from finance organizations, who are becoming increasingly aware of the stability, of the businessplane markets.

Distributors today can make a collect call to a finance organization, such as Aircraft Investment, Ft. Worth, and get a customer credit approval in two hours. On a \$35,075 Custom Apache, the customer pays \$12,000-\$13,000 down and can stretch his payments over 36 months, with interest running

The insurance with no deductibles will cost him about 3% of the list price. There are no co-signers needed. ► Consistent Production—In addition to the 1.6 Apaches currently coming off To get maximum performance from your DC-3...



Guessing about the capabilities of your DC-3 can not only be uneconomical...it can be downright dangerous. The AiResearch 26,900 lb. Gross Weight Flight Manual provides complete operating data for DC-3s equipped with P&W R-1830-75 or R-1830-94 engines under all load and altitude conditions.

This manual gives you length of runways required for take-off and landing, rate of climb and the proper power settings for maximum economy and range. It tells you how to get in and out of any airport in the United States.

> Write or telephone today for further information.



AiResearch Aviation Service Division International Airport, Los Angeles, Calif. • Telephone: ORegon 8-2661



800 MILES MORE RANGE for DC-3s is achieved through the exchange of wings containing auxiliary fuel tanks with 400 gallons added capacity. By exchanging wings, installation time is cut in half.



SAFETY FACTOR FOR LODESTARS INCREASED by replacing present integral tanks with Goodyear nylon fuel cells. Experienced, licensed mechanics at AiResearch Aviation Service have made this installation for many Lodestar owners.

over 9 miles up in a matter of seconds

with ALAR AUTOMATIC REGULATORS



Simulating a rate of climb far exceeding that for the fastest planes, Alar oxygen regulators are proven under conditions more severe than those ever encountered in normal flight. At the final inspection panels shown, each unit must pass thirty-seven check points requiring fifty-nine separate readings. Yet such rigid testing is but one of the important factors that guard Alar dependability. For in addition, each Alar product reflects a wealth of manufacturing experience...plus a laboratory devoted exclusively to the study of precision controls. You will find our staff uniquely equipped to help you with your instrumentation problems. Write for details today.



Specialists in the design and development of dependable pressure regulating instruments

ALAR PRODUCTS • INC.

1071 POWER AVENUE . CLEVELAND 14, OHIO

the lines daily, Lock Haven is producing five Tri-Pacers and three PA-18 tandems. Impact of the twin has been to put a tight squeeze on production areas and lessen flexibility. If Piper could figure some way of scheduling additional planes without disrupting the present line, the firm could sell from 50 to 100 additional PA-18s just in the uranium exploration market, sales manager Miller says.

But the company feels that it would rather maintain consistent production and lose some sales in certain areas. Still remembered is an experience two years ago when Piper put an extra production effort into Tri-Pacers to meet anticipated demand. Man-hours soared 25%, costs went up 10% and for six months profit slid to 1%. Result: A price increase.

Many of these production problems are expected to be eased when the new 66,000-sq. ft. addition is completed this fall. This will permit shifting Apache final assembly to the new area, which will feature a 90-ft. clear span and provide considerably more elbow room.

In line with increased production, employment is expected to increase to approximately 1,500, some 50% higher than early last year.

Aero Design Grants New Franchises

Three new franchises for twin-engine Aero Commander business planes have been granted by Aero Design & Engineering Corp., Oklahoma City.


Southern parts of California and Nevada will be served by Santa Monica Aviation; North and South Carolina will be represented by Stonnell & Holladay, Easton, Md.; and Venezuela, Peru, Haiti, British, French and Dutch West Indies, Dominican Republic and Puerto Rico will be served by Eternitas Trading, C.A., Caracas, Venezuela.

Model 310 Twin Boosts Cessna Sales

Recent Cessna Aircraft Co. single and twin-engine business plane deliveries provide a striking indication of the large increase in gross commercial aircraft sales expected this year for manufacturers of twins.


In March Cessna delivered 18 twinengine Model 310s having an estimated retail value of \$1,008,000. The company also delivered 158 single-engine 170s, 180s and 195s valued at \$1,935,-600.

Model 310 deliveries in the first quarter totaled 34 airplanes valued at \$1,888,000; single-engine deliveries came to 390 aircraft valued at \$4,758,700.



FABRICATOR OF JET ENGINE COMPONENTS


Do you need jet engine components? We have the engineering ability, the production facilities and ingenuity, the experience in forming, welding and machining of high temperature alloys required to fabricate precision parts. These four units—compressor casing, bearing air seal, exhaust duct and cone assembly, inner combustion liner assembly—are good examples of the tough jobs we like to tackle and do.



On the mainline of the PRR, midway between Trenton, N.J., and Philadelphia, Pa.

FLEETWINGS DIVISION

KAISER METAL PRODUCTS, INC.




Transistor Fuel Gage. Matching all the new requirements for jet flight, the new transistor fuel gage is smaller in size, lighter in weight and more rugged and reliable than previous electronic models. Combined with the Honeywell Multiplex System—one amplifier serving two or more indicators—it represents a big advance in accurate fuel measurement.



Pressure Ratio Indicator. Today's jet pilot is assured an easy, accurate take-off power check, and more economical cruise performance with the new Honeywell Pressure Ratio Indicator. It accurately measures the ratio of jet inlet pressure to exhaust pressure. Another model is available which measures the difference in pressures.



Exhaust Gas Temperature Indicator. In safeguarding jet engine life and assuring the pilot of adequate thrust, accurate exhaust has temperature indication is a must. That's why this new Honeywell system, four times more accurate than any other available system, contributes greatly to more efficient and eliable flight in the ever-developing jet age.




Thermistor Level Switch. The rugged Thermistor Liquid Level Switch provides accurate, reliable fuel level control. It has no moving parts. Vital for in-flight refueling, it acts as a high level cut-off switch protecting against tank rupture and dangerous spillage. As a low level switch it can actuate valves and operate low level warning lights.



A NOTE TO ENGINEERS

Almost daily, exciting new positions open in our instrument and control work. We need qualified men. If you're interested in opportunity, write: Director of Engineering, 2600 Ridgway Road, Minneapolis 13, Minnesota.



The coil winding machine you see here is one of three in our production line. The only ones in existence, they represent our answer to the specialized demands of today's new instruments. The new coil winders produce potentiometers, are capable of winding the finest wire with an accuracy hitherto unknown, faster than ever before.



How to find out all about them. Honeywell jet instruments are available to manufacturers who require precision performance. For details write on your business letterhead to Dept. AW-5-85, at the address given below. Or, if you'd like your information right now, pick up the telephone and call Sterling 1-8011 in Minneapolis.

With the ever accelerating developments of the jet age, there is a continual and increasing need for better instruments.

These instruments must be more reliable, smaller, lighter and, above all, more accurate to meet the extreme demands of speed, altitude and compactness that jet planes require.

These rigid requirements have caused instruments to become servo mechanisms and their development requires the same specialized techniques and engineering minds as the development of airborne control systems.

Drawing on our engineers with their knowledge of all facets of airborne control systems, Honeywell has developed a line of new instruments for jet aircraft based on the servo mechanism principle.

Part of this line of instruments is shown above. In our research and development departments there are additional instruments such as accelerometers, mach sensors and inlet ice indicators. There are others and the list will grow because, as a leading manufacturer of airborne controls, Honeywell Aero is ideally suited to produce these new instruments.

Honeywell Aeronautical Division



2600 Ridgway Road, Minneapolis 13, Minnesota

LETTERS

Model Beginnings

In the "Marquardt Story" (AW Apr. 18, p. 43), the brief biography of Roy Marquardt omitted one fact which I believe to be rather significant: Roy started out as a designer and builder of model airplanesand was mighty good at it, too.

So many of our outstanding aircraft designers and manufacturers-Donald Douglas, George Page, Stanley Hiller, just to name a few-benefited from youthful efforts with model aircraft that it would seem as though industry's appreciation and support of this endeavor might be universal, but strange to say, about 97% of our aviation industry chooses to ignore this important phase of aeronautical education.

It should be noted that a few far-sighted companies do recognize and are assisting model aviation in some manner: Pan American World Airways Sponsors the "Payload" cargo-lifting events; Hiller has set up an annual competition for model helicopters, and last year Convair hosted the International Wakefield rubber and FAI gas-powered events-both won by American teams.

Also, Lockheed (Marietta) and Temco have sponsored individual modelers to national and international meets. The U.S. Navy, of course, contributes mightily to the success of our U.S. Nationals (up to 1,500 contestants) and the Air Force sponsors a great many meets for its person-

What better way is there to guide our youth into aeronautical engineering or trade schools than by helping to expand the instructive, wholesome hobby of model aviation? The air services know its value. When will industry get in stride?

PARNELL SCHOENKY 125 East Maple Ave. Kirkwood 22, Mo.

P. S. In case you wondered, I'm not in the model airplane business, being a mechanical engineer in the flight test dept, at McDonnell, and a modeler for some 24 years.

Engineer Pay Low?

Perhaps my own experience is a pertinent commentary on the "Engineer Shortage in the Aircraft Industry."

My age is 42. I have 21 years of engineering experience, 18 of it in aircraft. hold two college degrees and expect a doctorate this year. I am a licensed aeronautical and mechanical engineer. I am also a licensed commercial pilot with a helicopter rating. I have no physical disabilities or limitations.

From personal preference I like aeronautical engineering work better than general mechanical engineering. I am competent in the entire field of aeronautical engineering. I can return to any of my previous employers in the aircraft industry -at their salary figure.

My last position in the aircraft industry paid \$9,000 a year. My present position

in the general mechanical engineering field pays \$15,600.

I respond to every advertisement for engineering personnel in the aircraft field which asks for "senior" or "experienced" men. If no salary is mentioned in the negotiations I usually receive an offer in the \$7,000 to \$10,000 per year range. If, without mentioning qualifications at all, I ask for the top salary bracket under consideration I find that it is virtually never above \$10,000 per year.

From this it seems obvious that the industry, as a whole, is anxious to buy knowledge, skill and experience, but is unwilling to bid competitively in the open market for this commodity.

Many competent aeronautical engineers of my acquaintance have left the field for sales or administrative work, where the rewards are greater, and others have done as have, and gone to less interesting, but more remunerative jobs.

NAME WITHHELD

ME in Carpentry

In reply to Mr. Timson's letter ("Industry Defender" (AW Apr. 18, p. 60), wherein he is critical of Mr. Moesel's letter, would like to point out some of the facts which I have found to be true.

Mr. Timson called attention to the Searchlight Section of this magazine for securing a position with the aviation industry. This I have tried on numerous occasions and I would like to quote a typical answer from one of the few companies who demonstrated enough common courtesy to

"Your experience is in excess of that required for the position which we have available, and we are keeping your resume on file" (meaning in the waste basket because we don't want to pay that high a salary to buy such experience) "in the event we should require the services of a person with your background in the future.'

In some cases where I have avoided the salary issue until the interview, I have found the companies are desirous of hiring engineers if they will work for prestige, honor or some other form of compensation which does not buy the necessities or life.

In brief synopsis, I might state that I am an electronics engineer with a pilot (ATR) background. I worked for the Civil Aeronautics Administration in the capacities of an electronics engineer and an Airway Flight

I also wish to point out that the CAA has more respect for the knowledge and knowhow of these engineers, flight inspectors, aviation safety agents and other personnel which they employ, than does private industry. They have the problem of their hands being tied by congressional appropriations and Civil Service regulations, and thereby are limited as to the salaries they can pay for the very competent people which they miraculously keep on their staff.

As for the engineers who have left the

field, and entered sales or some other wellcompensated field, I personnally can supply the names of at least 15. All of them have approximately the same reasons: not enough compensation relative to other fields. I can even go as far as to name one who has a masters degree in engineering and is working as a carpenter because the pay is higher.

There would be no shortage or engineers if the pay were commensurate with other occupations. The trouble is we have so many engineers that the law of supply and demand has forced them into other types of employment.

ROBERT E. HAYDON 211 N. Elmhurst Ave. Mount Prospect, Ill.

Decca vs. Tacan

I have followed with interest the controversy reported in Aviation Week concerning VOR/DME versus Tacan.

It is odd to find that in all the arguments presented for a common short-and medium-range aid, no mention is made of the Decca Navigator System.

This system gives a position accurate to yards, not merely a bearing and distance; and can be used by both fixed wing aircraft and helicopters as it works from ground level upwards. It is not affected by mountains or other topographical features.

As a commercial pilot I have used the system for nearly three years and have found the pictorial presentation given by the Decca Flight Log far superior to anything else I have ever used. It is equally suitable for airways or off-ways flying, and I have found it to be sufficiently precise to use for instrument approaches when the cloudbase has been as low as 200 ft. at airfields where no other aids were available.

Since helicopter operations are becoming increasingly important it would seem folly to accept yet another common aid such as Tacan which does not cater to them.

W. G. POULTER Air Enterprises (London), Ltd. Croydon Airport Surrey, England

Robson Supporter

I have followed Capt. Robson for some time. His work to me always appears well considered. As you of course realize, you are doing aviation a service in this country with every issue you print because you determine the situation, consider the facts, and then print the truth.

It is unfortunate that you can't please everyone all the time and I don't believe you can be too concerned about this; you must not be. Otherwise you could not cover aviation where there can be no bluffing-either you have airspeed or you

Please accept my vote for you to continue to allow Capt. Robson and other such clear thinkers free expression in our land which must remain free.

V. Pendergraf, Cmdr., USN (CSC) Air Operations Office, Staff CTF-43 United States Atlantic Fleet

Airports the world over



service with Breckeys **EQUIPMENT** and **ACCESSORIES**

These Buckeye products, like all Buckeye equipment for the oil and aircraft industries, are in worldwide use today. Send coupon for information about these and other aircraft servicing accessories.

NO. 4092 SINGLE POINT FUEL NOZZLE



A self-sealing coupling valve, No. 4092 is quickly and easily connected for refueling or defueling. Unusually low pressure drop. Self-adjusting; fits any qualified adapter. Couples, locks and controls flow in one motion. No auxiliary controls. Seals automatically when disconnected.



NO. 4083

Has aluminum elbow; qualified for military use.

> Patented 2,665,925 2,665,926

NO. 4093 SELF-SEALING HYDRANT VALVE

Aside from stirrup handles, No. 4093 is like No. 4092 Fueling Nozzle. Used widely in hydrant systems for pipe lines with pits or above ground.

Patented 2,665,925 2,665,926


NO. 4096C HYDRANT ADAPTER



Sturdy brass construction, 21/2" standard flange, generally installed in manhole or pit on apron. Used in conjunction with No. 4093, combination can be used for fueling or defueling.



Easily removable 60mesh brass wire strainer.





NO. 775M AIRCRAFT REFUELING NOZZLE (OVER-WING)

Has passed rigid tests under adverse conditions to qualify for satisfactory refueling of military airplanes. Widely used at commercial airports. Brass or aluminum.



BUCKEYE	IRON & BRAS	S WORKS,	Dept. AW
Box 883,	Dayton 1, Ohi	0	
	and the second s	The Control of Control	Action Control Control


	ails on No. 4	(BERTHER E. J., 1997) - (BERTHER E. BERTHER E. BERTHER E.
☐ No. 4093,	☐ No. 4082,	☐ No. 775 M.
NAME		
TITLE		
ADDRESS		
CITY		_STATE

PRODUCTION BRIEFING

- ► Menasco Manufacturing Co., Burbank, Calif., received contracts for nose and main landing gears for T2V-1 carrier jet trainers from Lockheed Air craft Corp.
- ► Oakland Aircraft Engine Service, Metropolitan Oakland International Airport, Calif., received a \$700,000plus contract from USAF to overhaul P&W R2800 engines. Secured in bid competition at Air Materiel Command, the order increases the firm's backlog to over \$1 million.
- Calif., is building a new plant to house engineering, tool and die, finishing and assembly in addition to general sales and administrative offices.
- ▶ Temco Aircraft Corp., is adding a \$500,000 extension covering 76,000 sq. ft. to its Garland, Tex., plant.
- ▶ Reynolds Metals Co. will build a \$3 million aluminum extrusion plant near Richmond, Va., with operation to start early next year.
- ▶ Hetherington, Inc., Sharon Hill, Pa., aircraft and electronic switch maker,

▶ Olympic Plastics Co., Los Angeles, has adopted dual-film "EC" anodizing process for aluminum under license from Colonial Alloys Corp., Philadel-

- ► Consolidated Engineering Corp., Pasadena, Calif., merged sales and service facilities with its subsidiary, Consolidated Vacuum Corp., Rochester, N. Y.
- ► Fairchild Camera & Instrument Corp. established a Processing Equipment Section at Hicksville, N. Y., to concentrate on design, research and production of special rapid film processing devices for military and civil use. One of the objectives is to make processing equipment an integral part of the camera. Director is Charles N. Edwards.
- Fram Corp., Providence, R. I., fuel, air, water and oil filter manufacturer, has moved office of sales manager-Aviation Division from Washington, D. C., to main office to coordinate its activities with the Aviation Engineering Dept. Fram is appointing representatives to maintain contact with the industry.
- ► Kelite Corp. is new corporate name of integrated Kelite firms operating in the U.S. L.C. Sorensen is president of the new organization, incorporated in California. Kelite of Canada and Kelite of Mexico operate independently.




MICROSCOPIC INSPECTION of cross-sectioned metal specimens is speeded by new press that mounts the items in plastic in about five minutes. Plastic mounting facilitates holding specimens while their cross sections are polished. They are then etched to bring out metal's structure and magnified up to 1,000 times. To mount, sections are placed in a female die. Heating elements bring the die to 250F and powdered Lucite is poured into the die. Die is capped and 4,200 psi. pressure is applied. Cooling blocks then replace the heating element and pressure is released when temperature drops to about 150 deg. New press is used in metallurgical laboratory of Temco Aircraft Corp., Dallas, Tex.



BOOTS Aircraft NUT CORPORATION 529 NEWTON TURNPIKE NORWALK, CONN.


THIS IS

GROUND SUPPORT!



The complex requirements of missile and piloted aircraft mean constantly stricter demands of ground support equipment. In this field, CONSOLIDATED has developed a wide range of single and multipurpose units designed for both missiles and piloted aircraft. The compact Model 2100, for example, a self-propelled multi-purpose unit ... performs every function of electrical hydraulic and pneumatic testing.. is capable of servicing and starting guided missiles and jet air-craft quickly, surely and under the most difficult operational conditions . . . and can be used for heavy duty towing as well. It provides:

- HYDRAULICS . . . 10 GPM, 3000
 A. C. POWER . . . 30 KVA, 400 compensating.
- 5000 lb. drawbar pull.
- PSI variable volume, pressure cycles, 3 phase and 10 KVA single phase, close regulated.
- TOWING . . . All wheel drive, over D. C. POWER . . . 28.5 volts, 500 AMP continuous.



OTHER MODELS OF SINGLE AND MULTI-PURPOSE GROUND SUPPORT EQUIPMENT ARE in active use with U.S. Air Force, Navy and Marine Units..available with any combinations of ..AC and DC power..high pressure air, hydraulics, and low pressure air..refrigeration and heating.

CONSOLIDATED'S resourcefulness in solving the most challenging problems in the design and manufacture of ground support equipment attests to its ability to develop specialized units to fit your individual needs.



BRANCHES · DALLAS TEX DAYTON OHIO SANTA ANA CAL + WASHINGTON, D.C.






for jet engine parts

When you want maximum strength with minimum weight-specify EDGEWATER ROLLED STEEL RINGS. They are weldlessrolled from a solid steel block, in diameters from 5 inches to 180 inches. Accurate forming of desired cross-section during the rolling operation (see below) reduces machining, saves material, cuts costs.


Representative cross-section shapes as rolled by Edgewater



Write for free descriptive booklet

PITTSBURGH 30 PA.





ANAHEIM grinder-polisher department.

Northrop Produces **Precision Optics**

Precision glass surfaces are being made on a production basis for use in guided missile and other research programs by Northrop Aircraft, Inc.'s Ana-heim, Calif., division.

Included are lenses for an optical radar plotting board, tooling optics for test fixtures used to inspect optomechanical range finders and large glass surfaces for a guided missile project.

Northrop-Anaheim has 12 grinders and polishers with a combined capacity of 29 spindles, and the firm has ordered an optical filming machine capable of coating parts up to 36 in. in diameter.

The Anaheim division currently employs 1,400.

Navy Contracts

Contracts recently announced by the Navy's Aviation Supply Office, 700 Robbins Ave., Philadelphia 11, are:

Melstrom Mfg. Corp., 74 Lafayette St., Perth Amboy, N. J., dummy load, 555 ea.,

Northeastern Engineering, Inc., Bedford St., Manchester, N. H., radar test sets, 70 ea., \$88.050.

Pervo Paint Co., 6624 Stanford Ave., Los Angeles, paint, 24,000 gal., \$32,640. Red Bank Div., Bendix Aviation Corp., Eatontown, N. J., panels and generators,

\$278,761. Scintilla Div., Bendix Aviation Corp., Sherman Ave., Sidney, N. Y., contact assys.,

\$83,571. Taylor Metal Products Co., 335 W. 6th St., Mansfield, Ohio, anchor mooring,


Turco Products, Inc., 95 Fairmount Ave., Philadelphia 23, compound, \$26,682.

U. S. Relay Co., 1744 Albion St., Los Angeles, relays, 8,194 ea., \$35,644.

Vickers, Inc., 1400 Oakman Blvd., Detroit 32, pumps, \$252,236. Westinghouse Electric Corp., 3001 Walnut

St., Philadelphia 4, controls, \$436,861. Weston Hydraulies, Ltd., 10918 Burbank

Elvd., N. Hollywood, valves, 70 ea., \$28,256. William Armstrong Smith Co., 109 E. Forrest Ave., East Point, Ga., paint, 27,500 gal., \$44,970.



THE WORLD'S LARGEST EXPANSION JOINTS have been custom designed and built by Solar. They are part of the new supersonic wind tunnel at NACA's Lewis Laboratory in Cleveland. Included are 13 stainless steel bellows, ranging from 5 to 28 feet in diameter. The 28-foot joint—as tall as a three story building-is the largest metal bellows ever made, and required over 10,000 linear inches of flawless welding.

Many Sola-Flex bellows of all sizes are today in use in wind tunnels and similar installations. For a ramjet test facility, for example, Solar recently built a joint to allow both angular and lateral movement under temperatures up to 650 F and pressures ranging to 150 psi. And small Solar aircraft bellowsless than an inch in diameter-are used in aircraft engines, pneumatic ducting, and other applications.
Sola-Flex bellows are another example of Solar's increas-

ingly diversified services for the aircraft industry. No matter

how difficult your problems of pressure, temperature or corrosion, standard Solar designs or special Solar engineering aid can help solve them. Whether you need a giant joint for a huge wind tunnel, or a tiny bellows for an engine assembly—consult Solar for expert advice. Address Solar Aircraft Company, Dept. B-18, San Diego 12, California.



DESIGNERS, DEVELOPERS AND MANUFACTURERS OF "Mars" and "Jupiter"
Gas Turbine Engines and Power Units • Jet Engine Components and Afterburners • Sola-Flex® Bellows and Industrial Expansion Joints • Solaramic® Coatings for Metals • Custom-Engineered Aircraft Controls and Ducting Systems • Welding Fluxes • Exhaust Manifolds • Precision Fabrications of Titanium and All High Temperature Alloys,

FINANCIAL

Aircraft Industry Likely to Keep Conservative Dividend Policy

are likely to remain at a high level, cash dividends to stockholders will probably not keep pace, at least in the near future.

The industry finds a continuing need for augmented capital resources. This is dictated by expansion requirements for plant, equipment and facilities. Also, government policies, such as tightening up on progress payments, place greater capital requirements on the companies themselves.

Not Always High

For a number of years aircraft earnings, as a whole, were either moderate or sub-marginal. So cash disbursements to stockholders were non-existent, or nominal at best. Dividend policies were notable by their absence.

Investment commitments in aircraft equities were made not for any expectation of obtaining any current, stable income return, but for the speculative growth qualities believed present in the companies.

As earnings for the group began to rise in 1951, there was some anticipation that stockholders might begin to see increased and regular cash divi-

But the industry, as a group was slow to move in that direction. There was the constant need to husband resources for plowing back into enlarged and improved facilities.

Furthermore, the aircraft industry, as today, was beset by the contractual nature of its operations. An accurate measure of results could hardly be ascertained until specific contracts encompassing periods of 18 months and more were completed. For this reason, aircraft builders were and remain loath to issue quarterly reports, and followed a course of paying irregular and sporadic dividends.

Investment Pressures

As the upsurge in earnings began to make its influence felt in 1952, investment pressures toward a liberalization of dividend disbursements on a more regular basis also began to make themselves felt.

This trend continued, until today most aircraft companies are converted to regular quarterly dividend disburse-

Although aircraft industry earnings ment. This policy has been accompanied by the issuance, in most instances, of quarterly sales and earnings reports. However, these interim reports are heavily qualified by the contractual nature of the group's activities. For a correct perspective, a long-term view over a period of years must be taken of a company's operations.

> As earnings continued on a sharp upgrade during the past three years, dividends were stepped up, too, but by turn. no means in the same ratio. In fact, dividend payments or "pay-outs" to stockholders have averaged on the low

The accompanying table reveals the earnings and dividends record for the individual aircraft builders during the past three years. While wide variations prevail among the separate companies, gains. the 1952 average industry "pay-out" of 33.5% compared with 52.9% as paid by all American corporations, according upon which additional earnings are to to figures issued by the Department of be created, the stockholder may be bet-Commerce.

The same general U.S. corporate values augmented.

compilation shows a 51.4% "pay-out" in 1953 and a 55.6% "pay-out" in 1954, compared with the aircraft industry's 34.7% in 1953 and 30.3% in 1954.

In other words, the aircraft industry cash dividend disbursements, as a group, have been far from liberal.

Stock Dividends

Stock dividends have also been used in the industry and may be regarded as a form of return to the stockholder.

For practical purposes, a stock dividend permits the company to retain cash in the enterprise while appearing to give the stockholder a form of re-

There can not be any doubt, however, that stock dividends tend to convert earnings into permanent capital and require management to earn a return on the reconverted capital.

Furthermore, stock dividends serve to reduce income taxes for the recipient by translating regular income to capital

If the enterprise is profitable and further expansion and growth is indicated, ter off to receive stock and have equity -Selig Altschul

Aircraft Earnings and Dividends

(PER COMMON SHARE)

		1952			1953			1954			
Company	Earnings	Dividends	Percent Dividend Payout	Earnings	Dividends	Percent Dividend Payout	Earnings	Dividends	Percent Divident Payout		
BeechBellBoeing	\$2,82 3,46 8,67	\$0.80 1.50 2.67	28 43 31	\$(3.87) 3.92 12.51	\$1,20 2,00 3,50	51 28	\$5.64 2.85 (a) 11.39	\$1.00 1.25 (a) 3.00	18 44 26		
Cessna Chance Vought Convair (c)	1.59 N. A. 3.49(b)	0.50 N. A. 1.75	31 N. A. 50 (b)	1.54 N. A. 4.31(b)	0.50 N. A. 1.80	33 N. A. 42 (b)	2.97 6.15	0.50 0.80	17 13		
Curtiss-Wright Douglas Fairchild	1.02 8.99 1.36	0.60 3.75 0.60	59 42 44	1.28 15.46 1.74	0.60 6.50 0.80	47 42 46	2.35 14.70 1.43	1.00 6.50 0.80	43 44 56		
General Dynamics (c) Grumman Lockheed	2.67 3.61	2,00 1.20 (s)	75 33 (s)	3.56 5.79	2.00 1.88(s)	56 32 (s)	9.44 5.61 7.94	3.50 2,00 2,60 (s)	37 45 33 (s)		
Martin	3,03 (b) 4,49 2,28	None 1,00 1.25	None 22 55	7.06 6.18 3.72	None 1.00 1.50	None 16 40	7.85 5.03 6.46	1.00 (s) 1.00 2.75	13 (s) 20 43		
Northrop Republic Ryan United Aircraft	4,22 7,32 2,23 5,18	1.00 1.14 (s) 0.50 2.00	24 16 (s) 22 39	3.64 6.83 3.80 6.22	1.00 1.50 (s) 0.50 2.75	27 22 (s) 13 44	5.25 6.71 5.15 7.65	1.00 (s) 2.00 (s) 0.50 3.50	19 (s) 30 (s) 10 46		
AVERAGE			33.5%			34.7%			30.3%		

NOTES: All computations on outstanding share capitalizations prevailing during year.


(a) On adjusted average shares outstanding during year.

(b) Excludes nonrecurring and special items, (c) Convair merged into General Dynamics for 1954.

(s) Plus 10% stock dividend.

() Deficit.

AVIATION WEEK, May 16, 1955



FIXED DISPLACEMENT HYDRAULIC PUMPS

A New Series of Pumps for Applications Involving Higher Temperatures, Higher Speeds or Higher Ceilings

The performance advantages of the 66 Series of STRATOPOWER Pumps will excite the interest of any engineer concerned with tomorrow's aircraft. To name just four...their ability to function at higher altitudes...operate at higher speeds...tolerate higher temperatures ...deliver fluid power with an exceedingly high horsepower/weight ratio.

These STRATOPOWER Pumps pack more power than ever into extremely small dimensions. They feature a piston actuation mechanism which is positive in action, unaffected by fluid temperatures or inlet pressures...a mechanism which transmits power by means of fewer moving parts and with exceptionally high efficiency at all speeds.

Write today for full information on Series 66 STRATOPOWER and other significant STRATOPOWER developments.

THE NEW YORK AIR BRAKE COMPANY

STARBUCK AVENUE WATERTOWN . N. Y. INTERNATIONAL SALES OFFICE, 90 WEST ST., NEW YORK 6, N.Y.

WATERTOWN DIVISION
The New York Air Brake Co. 720 Starbuck Ave., Watertown, N.Y.
I would like further information on the new STRATOPOWER Series 66 Hydraulic Pumps other STRATOPOWER Hydraulic developments
NameTitle
Company
Address
CityState

engineers

Here's your opportunity to work in an organ-ization where your own ideas can be put into working reality. All American Engineering's progressive management has provided an ideal environment where engineers work individually and in groups . . . constantly searching for solutions to the stimulating problems facing the aviation industry today!

If the opportunity of working for a small, sound, vital company - with plenty of room for creative engineering - sounds like what you've been searching for, investigate an ALL AMERICAN career today!

dero and

mechanical

put your ideas to work II American


ENGINEERING COMPANY

All American Engineering Company offers an unusually flexible design and engineering service to the aviation industry and the military. Among the many important developments of this dynamic organization are the famous hydro-ski, tow-target and air-sea rescue winches, in-flight refueling systems, ejection seat trainers, experimental impellers, portable mooring mast for airships, many types of arresting gear, catapult

devices, air pick-up equipment and the solutions to various problems of energy absorption.

The unique and important talent of All American's engineers to research and design right to the vital issues of each problem means a minimum of lost time and wasted activity. This, of course, results in maximum satisfaction and savings to the company's numerous clients in both industry and government.


THIS IS ALL AMERICAN



The All American light weight Model 63 winch is used for airborne hoisting and in-flight re-manning.



This 75 foot winch test tower is capable of simulat ing flight conditions and loads up to 30,000 lbs.




This laboratory at the foot of the tower is used to test winches with both hydraulic and electrical drives.

RESEARCH . DESIGN . MANUFACTURE

All American Engineering Company







THIS IS THE

OPPORTUNITY TO ADVANCE YOUR CAREER

Here, at Lockheed in Georgia, advanced thinking on advanced aircraft design leads directly to advanced aircraft engineering positions. If you've got what it takes, here's the place to make the most of it.

Marietta, Georgia

AIRCRAFT ENGINEERS NEEDED

STRESS . STRUCTURES . DYNAMICS . DESIGN . LIAISON AERODYNAMICISTS . THERMODYNAMICISTS . RESEARCH PRELIMINARY DESIGN . PRODUCTION DESIGN . FLIGHT TEST DRAWINGS CHECKERS . SERVICE MANUALS . MATHEMATICS

Write in complete confidence to LOCKHEED AIRCRAFT CORPORATION, DEPT. AW-5-16. 7611/2 Peachtree St., N. E., Atlanta, Georgia




Minimum



Valcor Valve Part No.	Type	Max. Operating Pressure	Flow Characteristics
V-3800	Normally Open	200 psig	See Curve D
V-3900	Normally Closed	100 psig	See Curve D
V-6800	Normally Open	300 psig	See Curve C
V-8400	Normally Closed	200 psig	See Curve C
V-8500	Normally Open	300 psig	See Curve B
V-5000	Normally Closed	300 psig	See Curve B
V-8300	Normally Open	500 psig	See Curve A
V-7000	Normally Closed	500 psig	See Curve A

SPECIFICATIONS:

- WEIGHT—1/3 lbs.
- AMBIENT TEMPERATURE-minus 65° to plus 180°F.
- MAX. LEAKAGE—1/2 cc/hr. fuel 10 cc/min. air
- CURRENT DRAIN—1/2 amperes @ 24 V.D.C. Designed in accordance with MIL-V-8610 (ASG) and MIL-E-5009A



NEW VALCOR SOLENOID VALVES

RECEPTACLE

(EQUIVALENT)

2 PORTS PER

AND 10050-4

... with the highest ratio of flow to weight of any valve made. They are low in weight (1/3 lb.); low in pressure drop (see chart); low in power consumption (1/2 amp. at 24 V.D.C.); . . . and low in cost. No other Solenoid Valve but VALCOR is so completely depended upon in so many critical applications.



Eastern Representative East Coast Engineering Co. Roslyn Professional Bldg. Roslyn, N. Y.

> Western Representative Rowe Sales Co. 2140 Westwood Blvd. Los Angeles 25, Calif.

VALCOR ENGINEERING CORPORATION CARNEGIE AVE., KENILWORTH, NEW JERSEY

EQUIPMENT

Experts Review Aircraft Deceleration

By George L. Christian

The problem of stopping fast aircraft within reasonable distances on the ground has ramifications reaching into the areas of braking, auxiliary stopping methods, reverse thrust devices and airport construction.

And some of the same factors that enable a plane to fly fast-such as wing sweep and thinness, and general cleanness of design-make the job of stopping the craft more difficult.

This situation and what to do about it were discussed by the panel on "Ground Deceleration of Aircraft" during the recent Society of Automotive Engineers' meeting in New York.

Why So Hot?

Modern jet planes land so hot-faster than their stall speed-for a number of reasons. Republic Aviation Corp. engineer, R. C. Bergh, outlined them as follows:

• High wing loading makes a fast approach mandatory.

· A swept or delta-wing aircraft cannot be side-slipped in case the approach is too high.

 High lift coefficient of a wing cannot be used to full advantage with deltawing planes-the pilot cannot get a high enough angle of attack without bumping the aircraft's tail.

 Flight control efficiency at slow speeds is marginal.

• Engine acceleration is slow-eight to 10 seconds is required to achieve full thrust from idle; if engine is accelerated faster, compressor may stall and burn off turbine buckets.

Convair's representative dissented on two points. Speaking of the still-classi-fied B-58 Hustler, a supersonic, deltawing bomber, he said that the plane could achieve a 17-deg. nose-up attitude, and that the General Electric J79 turbojet engines could accelerate from idle to full thrust in four or five seconds. This is possible because of the powerplant's constant speed characteristics, he said. Another advantage of this constant speed characteristic is that the plane's hydraulic pumps are kept up to speed and therefore give near maximum output even during approach, when hydraulic services are needed.

Brake Problems

In 1930, typical landing speed was approximately 30-40% of its top speed. Today, the ratio between these speeds is about 5:1 or 6:1, and it will soon

stand at 10:1 or higher, said the Re- a plane covers 840 ft. slowing from public panelist.

When a plane's landing speed jumps from 100 knots to 150 knots, you have 225% the energy to absorb in stopping.

The following figures show, in terms of energy the brakes must absorb, how the task is growing. Figures are for the original design of a fighter, current model of the same plane, and for a new fighter design:

	Normal	Aborted
	Stop	Takeoff
	Ft. Lb.	Ft. Lb.
Original Design	2,000,000	3,000,000
Current Model	4,300,000	11,000,000
New Model	8,000,000	15,000,000

A panelist cited these figures to show difficulty of slowing a fast plane in the initial phases of landing:

With a deceration rate of 5 ft./sec.2,

150 to 135 mph. The same plane covers only 48 ft. in slowing from 15 to 0 mph.

On another aircraft, more than 60% of the stopping distance is used in decelerating from 150 to 100 mph., and only 10% from 50 to 0 mph.

▶ Bigger Job, Smaller Brakes—The Goodyear Tire & Rubber Co. representative, A. W. Cook, enumerated some of the problems facing brake, tie and wheel manufacturers. The demand is for brakes that are smaller, yet capable of doing more work than ever. In effect the brake has to do the same job as the engine, only in reverse and for a much shorter period of time.

Because wings are thinner, airframe designers can no longer tuck main gear in the airfoils, but must turn to the fuselage, as in the Grumman F11F-1



NORTH AMERICAN F-100's thin wing forced designers to tuck landing gear in fuselage.



GRUMMAN F11F-1's knife-like airfoil could not take any part of the landing gear assembly.



STANDARD MINIATURE RATE GYROS

 Damping ratio — as required (tolerance 0.2 critical over the AN temperature range — no heater)

- Motor excitation—26 or 115 volts AC, 400 cycles or 26 volts DC
- Vibration operational through 10 G's from 10 cps to 2000 cps
- Acceleration—100 G's along any axis

Openings Are Available For Highly Qualified Engineers Important components of this 'flight team' are
MINIATURE RATE GYROS produced by American Gyro.

Particularly considering the fact that the

The extreme high speed of the F-100 makes things

used. In this instance, a vital part of the co-pilot

in the smooth flight path as controlled by the pilot.

consists of a damping system that immediately and

automatically senses and corrects the slightest variation

happen pretty fast for the pilot, so a "built-in" co-pilot is

F-100 is a single-seat fighter!

STANDARD MINIATURE RATE GYROS ARE IMMEDIATELY AVAILABLE IN PRODUCTION QUANTITIES



CONTROL SYSTEMS, STABLE PLATFORMS, MINIATURE AND SUB-MINIATURE RATE GYROS, VERTICAL GYROS, FREE AND DIRECTIONAL GYROS, ACCELEROMETERS, INTEGRATION, INTERVALOMETERS, POTENTIOMETERS, SYNCHROS, RESOLVERS, SENSING AND ACTUATING COMPONENTS.

3030 NEBRASKA AVE. - SANTA MONICA, CALIF.

TODESCRIPTATIVES, CANADIAN Destromatherical Destruct Asiacoust October, DACIEIC MODIUMEST, I M Walthow Co. Router Gold Smith Washington, WEIGHT SISIN, II A Wohl 34 Mann Avenue Saichern III



DYNAMOMETER simulates landing loads.

Tiger and the North American F-100 Super Sabre.

Also, brake manufacturers must find higher-temperature materials or they will have to go to heat exchangers, the engineer said. Brake temperatures are already up to the maximum limits of steel, Cook pointed out.

Wheels are facing the same problem. Magnesium is a good metal for wheels, but new alloys will have to be found to withstand tomorrow's 400F. wheel temperatures, Cook said. Bicycle landing gear configuration, such as used on Boeing's jet bombers, the B-47 and B-52, does not allow plane weight to transfer rapidly to the landing gear, making deceleration immediately after touchdown difficult.

Tire design is already past the 250inph. speed mark. Problems here are tread separation at high speeds and the temperature extremes that tires have to withstand. Answers lie in finding new materials and manufacturing methods.

Aircraft tire development is not cheap, Goodyear said. The company recently put into operation a new dynamometer costing \$500,000. The machine, driven by a 200-hp. reversible

What It Costs to Stop 4-Jet Medium Bomber

Item	Lb.	Money
Four wheels, brakes and tires	2,100	\$8,000
Four-wheel anti-skid	CATAL	EDCT-C-HOOS
system	75	2,400
Four-jet reverse sys- tem	600	60,000
One drag parachute	150	1.000 (est

motor, is 14 ft. high, weighs 113 tons and can simulate aircraft landing loads up to 60,000 lb. per wheel at 250 mph. It can develop up to 104 million ft. lb. of kinetic energy. The unit can accommodate tire sizes up to 70 in. in diameter. Ten-foot-diameter steel plates can be added to or removed from the flywheel to vary its weight.

The dynamometer has test facilities on each side of the flywheel to permit two tire, wheel and brake assemblies to be tested alternately. Machine automatically records speed, stop time, torque, brake pressure and other pertinent data.

Anti-Skid Devices

Hydro-Aire's spokesman, O. Wilkinson, discussed anti-skid devices. This type of mechanism is designed to provide a pilot with automatic optimum braking efficiency regardless of speed of aircraft or runway condition (wet, icv or dry).

Hydro-Aire's Hytrol (and similar devices) achieves this by automatically limiting braking pressures to low values at high roll speeds and by giving high braking pressures at low roll speeds.

The device can also be used for pushbutton braking of drone aircraft, allowing them to be stopped without skidding the main wheels.

Wilkinson said that during the last four years his company has been able to cut Hytrol's weight from 10 to 4 lb. per wheel. He said one installation has been in service for over four years and has given less trouble than any other piece of equipment on the air-plane.

Hytrol was designed and patented by Boeing, and is licensed to Hydro-Aire for manufacture. Other similar devices in this country are Westinghouse Air Brake's Decelostat and a Goodyear development. The English firm, Dunlop, markets the Maxaret unit, which is installed on the Vickers Viscount; and a French Company has also developed a unit.

Anti-skid devices are used on 44 different types of aircraft all over the world.

Other Devices

Other deceleration devices discussed by the panel:

• Drag parachutes. The 32-ft.-dia. drag chute used to slow the B-47 exerts a 38,000-lb. pull when opened at 160 knots—a good example of the large amount of work such deceleration devices can do.

A panelist said that a drag chute does twice the work a brake does when used to stop a plane which aborts a takeoff at 10 knots under unstick speed.

However, drag chutes cannot be used in 30-knot crosswinds which are at

Among
important activities
at Hughes is a
program involving
comprehensive
testing and evaluation
in connection with
Hughes-developed
radar fire control and
navigation systems
for latest type
military all-weather
interceptors.



System Test Engineers

There is need on our Staff for qualified engineers who thoroughly understand this field of operation, and who have sufficient analytical and theoretical ability to define needed tests; outline test specifications; assess data derived from such tests, and present an evaluation of performance in report form.

Engineers who qualify in this area should have 1 a basic interest in the system concept and over-all operation of test procedures; 2 experience in operation, maintenance, "debugging," development, and evaluation testing of electronic systems, and knowledge of laboratory and flight test procedures and equipment; 3 understanding of basic circuit applications at all frequencies; 4 initiative to secure supporting information from obscure sources.

Hughes

RESEARCH AND DEVELOPMENT

SCIENTIFIC AND ENGINEERING STAFF

Culver City, Los Angeles County, Calif.



Eliminates Instrument Interference!

and strand, swaged terminals for aircraft cable use and many other important firsts in the aircraft cable industry, announces the development of a new non-magnetic aircraft cable to eliminate another of the problems that have plagued aircraft designers for years. The new cable, named "NO-MAG," has these characteristics:

Non-Magnetic Properties . . . "NO-MAG" cable is made from type 305 stainless steel. This steel remains non-magnetic after severe cold working-in contrast to standard stainless steel aircraft cable which shows a pronounced increase in magnetism after swaging, wire drawing or other cold working operations.

This non-magnetic property of new "NO-MAG" cable eliminates the possibility of instrument interference caused by cable magnetism.

Corrosion Resistance . . . New "NO-MAG" cables have corrosion resistant qualities similar to, but

standard stainless steel.

Good Thermal Characteristics . . . The thermal expansion characteristics of new "NO-MAG" cable are much closer than those of standard stainless steel or carbon steel cables to the used in making aircraft. This greatly simplifies maintaining cable tension

under various changes in temperature. High Fatigue Resistance. Preformed construction and careful processing Complete Range of Sizes, Congive new "NO-MAG" cable high fatigue resistance, as established in extensive testing procedures.

High Abrasion Resistance ... New sirable for aircraft use.

ACCO, originators of Preformed cable slightly better than, cables made of "NO-MAG" cable shows greater abrasion resistance than standard stainless steel aircraft cables.

> Tensile Strength, while lower than that of stainless and carbon steel, is sufficient to enable replacing these, size for size, with "NO-MAG" on many characteristics of aluminum alloys applications where the characteristics of "NO-MAG" are required.

> > Use with Swaged Terminals . . . Swaged terminals can be applied to standard AN dimensions.

> > structions. New "NO-MAG" cable is furnished in sizes from 1/6" to 1" in all of the constructions found most de-

Get the complete story on this new technical development for the aircraft industry. Write today to Detroit office.



Automotive and Aircraft Division AMERICAN CHAIN & CABLE

601 Stephenson Building, Detroit 2 2216 So. Garfield St., Los Angeles 22 . Bridgeport 2, Conn.



45 deg. to the path of the plane. Also there is the problem of retrieving the chutes if jettisoned on the runway, inspecting, repacking and storing them.

This will pose a problem to civilian airlines, since no commercial carriers are equipped with parachute lofts (with the exception of Formosa-based Civil Air Transport which does provide its pilots with parachutes because of the often hazardous missions they fly).

Importance of indoctrinating crews in how to use and care for drag chutes is underlined by the fact that one Air Force squadron increased the life of its chutes from four or five landings to 40-50 landings after a thorough instruction in use of the devices.


• Reverse thrust. Reverse-pitch propellers and reverse-thrust devices for jet engines are about equally efficient-both give about 50% of an engine's total thrust in reverse, the panel heard. And both reduce ground roll by about the same amount-approximately 44%, according to a Wright Air Development Center spokesman.

Using jet reverse, a pilot can make his landing approach with 100% power and partial reverse thrust. In case of a go-around, he can cut reverse thrust 1 sec. This compares to 8-10 sec. required to get full thrust out of a jet engine whose power has been reduced for the approach.

The device can also be used to slow a fighter down for slow-moving targets and to avoid overtaking an aircraft

Thrust reverser's weight penalty of about 150 lb. for current aircraft is not considered severe because it can replace drag chutes and possibly speed brakes, WADC said.

Turning 1,200F exhaust gases through approximately 50 deg. is perfectly feasible, but the device could cause critical center of gravity problems



Self-Lubricated Drive

New hydraulically powered airborne accessory drive gear box is self-lubricated and may be used as a continuous-duty unit. Hydraulic motor may be used as driving member, drive and a.c. and d.c. generator says manufacturer, Western Gear Works, Box 192, Lynwood, Calif.

if added to the tailpipe of a single-engine fighter. It poses no such problem

if installed on a podded engine.

Other requirements: reverse thrust device must fail safe—and must be incapable of inadvertently reversing in the air; the unit must not have any appreciable affect on the engine's forward thrust, must not affect a plane's control surfaces, must not impinge on any part of the airframe, and must not cause the engine to ingest foreign matter at low

USAF has experimented with instal-lations on a Lockheed T-33 and a Republic F-84F, WADC reported.

Lockheed has a study contract to investigate reverse thrust installation problems and Goodyear and Aerojet have contracts to study directional control features of afterburner and nonafterburner jet engine exhausts.

Arresting Devices

BuAer's J. C. Terry gave these details of three aircraft arresting devices.

· Arresting cable used with a hook on the plane. This is standard procedure for stopping aircraft aboard a carrier.

• Landing gear barrier. This device aland have full forward thrust in about lows the nose gear to pass over, then engages the main gear which must drag an anchor chain down the runway. Good for dry runways, this method is less effective if they are wet or icy. It is being installed at all Navy fields from which jet aircraft operate.

> • Wing barrier arresting unit allows the nose and canopy of a plane to go through it and applies stopping force to the wing. It is unusable with multiengine aircraft or planes with highly swept wings.

> A general barrier problem is that nylon, which goes into most of them, becomes brittle in extreme cold.

Airport Problems

T. Sullivan, representing the Port of New York Authority, discussed airport problems associated with fast-landing

Airframe designers must hold landing speeds down so that planes can be stopped on runways of existing lengthin the 7,500-ft. to 9,000-ft. category, he

Cost of lengthening runways is high-\$500,000 for a 1,000-ft. extension, Sullian said. This is because the runway usually selected to be lengthened is the instrument strip, which means relocatting the inner, middle and outer markets, and ILS and GCA equipment.

The \$500,000 includes all costs: additional land, extending runway lights, putting in a 14½-in.-thick, heavy dutyrunway capable of handling aircraft weighing 150,000 lb. and more.



DOES THIS BUSINESS FLYER KNOW ABOUT YOU?

Airport Operator: Could he find your

Dealer: Could he find your place of business?

Distributor? Does he know where to buy the products you sell?

This man is important to you. He is one of an ever-growing number of U. S. business pilots who together fly almost 4,000,000 hours every year. He wants to know about you—your airport-your services and products-because he is one of the legion of business pilots who are responsible for operating and maintaining an ever-growing business aircraft fleet that now numbers 21,500. For you, he represents a typical member of the business flying market that the most recent annual figures show spends more than \$280 million on maintenance and modification, fuel and oil, and related airplane operating expenses . . . mostly at non-airline airports. Growing at its present rate, business flying will become a billion dollar business by

Tell this buying-power-packed market about yourself, and measure the results in profit dollars! Put yourself on the map-reach leading business and private pilots with a selling message that lasts all year—by advertising in the brand new, 1955-56 edition of the Aviation Week Airport Directory,—publishing June, 1955. Last year more than 5,300 copies of the Aviation Week Airport Directory were bought by the nation's leading business, executive, commercial and private flyers. These men depend on the Aviation Week Airport Directory as their guide to the airports and airport facilities that can best fill their service needs, and the needs of their passengers, as they travel from one part of the country to another.


Give yourself the representation you deserve. Make your advertising reservations now. Hurryclosing date is June 13. Your advertisementor a cooperative advertisement with your suppliers-can be placed next to any airport listing in any geographical section you are interested in. Rates are low-about the same as for classified advertising in most newspapers, depending on the size of your advertisement, and your advertisement can be any size-even down to a single line. Fill out the coupon without delay to assure special attention and a good position for your advertisement. Make sure now-today -that leading business and private pilots will know about you.

Aviation	Week:	Airport	Directory,	15533		
330 West	42nd	Street,	New York	36,	N.	Y.

Please reserve advertising space for me in the 1955-56 Aviation Week Airport Directory and send me full information on rates, sizes, and positions available.

NAME	÷	×	ě		ı			t	ŧ		ż	×	3	×		Ŧ		÷	3				+		*	9	+	Y	+	1	+	
ADDRESS	×	Ġ.		÷	4	£		+	+	j.	+		Œ.	ŧ	+	4	,	1		3	3	ě	3	,	×			4		3	×	
COMPANY	70	'n.	Ä		Ä,	ì	Ť		ij	6	4	Ť	9.		4	Ť	*	-		3	ě	*			÷		,	÷		+	-	

NEW AVIATION PRODUCTS



Tests Elastic Properties

Dynamic damping and elastic prop-erties of rubber, rubber-like materials and plastics can be tested under conditions of strain, temperature and frequency in studies of vibration and shock isolation value.

delavan

NOZZLES

die

and perpendicular to this condition. Lord Manufacturing Co., Erie, Pa.

Copter Light Takes 1,000G

New lamp, designed for helicopter rotor installation, takes centrifugal forces to 1,000G, the manufacturer reports. The blade-tip lamp was developed for copter identification and formation flying light. Kaman Helicopter Corp., Bloomfield, Conn., as-

Lamp has two closely spaced, tightly coiled and rigidly supported filaments and produces about 35 cp. which reflectors increase about nine times. It operates at 12 v. A resistance cable inside the rotor blade reduces the voltage from the copter's 28-v. system.

Westinghouse Electric Corp., Lamp Division, Bloomfield, N. J.

New Aircraft Motors

Delavan . . . designer and manufacturer of

fuel nozzles for Pratt & Whitney Air-

craft's J57 turbojet, powering the North

American F100 super sabre. Delavan has

brought unprecedented nozzle perform-

DELAVAN Mfg. Co.


GRAND AVE. & FOURTH ST. . WEST DES MOINES, IOWA

ance to the aircraft industry.

New gearhead and direct-drive electric motors have been developed to Dynamic modulus testing machine work aircraft pumps, flaps, compressors, has variable speed of 2-60 cps. and landing gear and armament accessories. St., New York 12, N. Y. specimens can be flexed to amplitude Fan-cooled and explosion-proof, the ±4-in. Static pre-strain may be equipment comes in frame sizes of applied in direction of dynamic strain 2, 2½ in., 3½ in. and 4 in o.d.

Motors are available for 5,600, 7,300 and 11,300 rpm. Continuous ratings range from 12 to 22 hp. Equipment is designed for 200-v. three-phase 400cycle electric systems.

Westinghouse Electric Corp., Lima,



Differential Weighs 1/3 Oz.

Mechanical differential weighs approximately \(\frac{1}{3}\) oz. and is only \(\frac{1}{32}\)-in. in diameter.

Input shaft diameter is 1-in. Breakaway torque is reported to be 0.01 oz.-in. The unit uses sub-miniature ball bearings.

Pitometer Log Corp., 237 Lafayette

Crack-Free Chrome Process

A new chromium plating process which deposits the metal free of pores and cracks has been developed by United Chromium, Inc. The process allows plating directly on steel without nickel or copper-nickel undercoat and forms a practically impenetrable corrosion barrier.


Under the new process, the chromium does not shrink as it is being deposited, and therefore is not under the high stress found with normal chrome plating techniques, says the

Also, the plating has low coefficient

The bath used with the process reis used in the solution.

Cost of crack-free vs. ordinary chrome plating is usually comparable, according

United Chromium, Inc., 100 E. 42nd St., New York 17, N. Y.



company.

of friction, excellent adhesion, a nongalling surface and good ductility when compared to ordinary chrome finishes. The two latter features make the process desirable for chrome-plating dies: non-galling property keeps metal from sticking to the die, while increased duetility reduces possibility of chrome cracking under impact.

quires only the usual plating equipment and the solution does not deteriorate. United says. No special treatment of the base metal is required, but a proprietary United Chromium compound

to the company.





Menasco was first to deliver complete aircraft landing gear utilizing high heat treat steels with ultimate tensile strengths from 260,000-280,000 PSI, and 20% saving in critical weight. Comprehensive research by Menasco into all aspects of high heat treat was necessary for the production of the landing gear for the new Lockheed YC-130, an airplane whose tremendous load-carrying capacity requires rugged performance of its landing gear. Pioneering accomplishments like this improvement of existing basic materials is one of the reasons why leading aircraft designers constantly look to Menasco Manufacturing Company for advanced ideas, originality of design and progressive techniques in the production of better landing gear.

menasco manufacturing company

Specialists in Aircraft Landing Gear 805 SOUTH SAN FERNANDO BOULEVARD, BURBANK






Positive Control Instantly!

AEROPRODUCTS SYNCHRONIZED ACTUATORS PROVIDE POSITIVE SYNCHRONIZATION OF MULTIPLE HYDRAULIC CYLINDERS




AIR-DRIVEN GENERATOR



TURBOPROP





Now, Aeroproducts mechanically synchronized hydraulic actuators assure precise positioning among the multiple attaching points of the afterburner nozzle.

Other models of Aeroproducts actuators combine synchronized travel with additional desirable features such as positive-acting, infinitely positioning brakes, and auxiliary power drives.

These actuators, in both hydraulic and pneumatic versions, are applicable to all highambient temperature installations, including jet engine thrust reversers, flaps, and splitcontrol surfaces on guided missiles.

If you're on a team designing a new airplane or powerplant, you'll find Aeroproducts ready to meet your most detailed specifications-for turbo-propellers, other propellers requiring high horsepower absorption, actuators, air-driven generators and hydraulic pumps, and other aircraft components now in the development stage.

General Motors engineering leads the way A Building for today... Designing for tomorrow A eroproducts

ALLISON DIVISION OF GENERAL MOTORS . DAYTON, OHIO

ALSO ON THE MARKET

Two-way radios for airport vehicles with single power input plug operate on six or 12-v., d.c. or 117-v., a.c. Fleetcom, Jr., units measure 13-in. x 6½-in. x 8½-in. Prices from \$350-\$425.-Communications Co., Inc., Coral Gables, Fla.

Imprinter for marking legends on production items holds eight-hour ink supply.-Adolph Gottscho, Inc., Hillside 5, N.J.

Bi-directional two-speed gear-driven actuator Model 474 develops 44-in. lb. output torque using 115-v. single-phase 400-cycles and 28-v. d.c. for antenna scan drive. Built-in speed selector permits full or sector scan.-American Electric Motors, Inc., 4811 Telegraph Rd., Los Angeles 22, Calif.

New welding equipment: Heavy-duty spot welder for high duty cycle resistance joining on medium-gage sheet Lower arm adjusts vertically from 13-in. between arms in closed position to 23-in.—Delta Welder Corp., 8525 Livernois, Detroit 4, Ill. P&H WP-1 welding positioner with 24-in. table handles weldments to 500 lb. Table tilts 135 deg.-Welding Division, Harnischfeger Corp., Milwaukee 46, Wis.

Portable welding gun with parts interchangeable among various models incorporates extra-long bushing, to eliminate bearing failure due to flash carryback, the maker states.-Craft Welding Equipment Co., Detroit 3, Mich.

Cartridge heating unit, designated Firerod, has been operated outdoors up to 720 continuous hours at 1,800F sheath temperature.-Watlow Electric Manufacturing Co., 1376 Ferguson Ave., St. Louis 14, Mo.

Series 2300 check valve for pneumatic and hydraulic applications works in 0-10,000-psi. range. Floating poppet design is not affected by foreign particles in the fluid.-James-Pond-Clark, 2181 E. Foothill Blvd., Pasadena 8 Calif.

Bellows-equipped all-metal 992-D motor valve is designed for industrial vats, tanks and processes as a final control element in hydraulic and pneumatic systems.-Fulton Sylphon Division, Robertshaw-Fulton Controls Co., Box 400, Knoxville, Tenn.

Electrical insulating varnish, Ulti-Meg 110, meant to be applied to missile and rocket electrical systems, has a temperature range of -55 C to +250 C for static equipment and -55 C to +200

C for rotating equipment.—Lynn Engineering & Supply Co., 1204 Russ Bldg., San Francisco 4, Calif.

Pressure control gage is operated by a micro-switch operating at preset pressures. Switch is rated for 125 v. or 250 v. a.c., five amperes or 30 v. d.c. at 2 amp.-W. C. Dillon & Co., Inc., Van Nuys, Calif.

Eight-day aircraft clocks with 24-hr. or 12-hr. dials are made to MIL-C-9196 and 10400 specs. Model 618/12 lists at \$195 and Model 618/20 at \$220.-Wakmann Watch Co., Inc., 15 W. 47 St., New York, N. Y.


J Model Jetcal analyzer checks jet engine gas temperature and rpm. systems to ±4 C and ±0.1% rpm., respectively, the manufacturer states-B&H Instrument Co., Ft. Worth 7, Tex.

Cloverleaf hangar for lightplanes holds four aircraft in separate stalls. Standard types takes planes up to Piper Apache 512s; larger models can store Beech 18s.-Quad Corp., Worcester, Mass.

Herculite tarpaulins to protect aircraft from weather are made of nylon and vinyl plastic film, electronically welded. -Fellowcraft Engineering, Inc., 270 Jelliff Ave., Newark, N. J.

New compound-type piston engine

of unmatched efficiency in the small engine field




Turbosupercharger supplies 40" mercury absolute pressure at carburetor inlet up to 16,000 ft. Weight only 36 lbs.

0-425-13 engine and turbo as installed in Army H-18 helicopter.

AIRCOOLED MOTORS, Inc. SYRACUSE, N.Y.

Smith, Kirkpatrick & Co., Inc., 46 Trinity Place, N. Y. 6 Export Distributors of "Aircooled" Products

AVIATION WEEK, May 16, 1955



AVIATION SAFETY

CAB Report on Johnson DC-3 Loss

Poor Planning Leads to Ditching

THE ACCIDENT

At approximately 2300, Dec. 22, 1954, a Douglas DC-3C, N 24320, owned and operated by the Johnson Flying Service, Inc., Missoula, Mont., was ditched in the Monongahela River because of fuel exhaustion while making an approach to the Allegheny County Airport, Pittsburgh, Pa.

Ten of the 28 persons on board, including one crew member, were drowned. The aircraft was damaged slightly by the water landing, but received substantial damage while it was being removed from the river.

HISTORY OF THE FLIGHT

Johnson Flying Service's Flight 4844-C, Dec. 22, 1954, was a CAM (civil air movement of military personnel) flight from Newark, N. J., to Tacoma, Wash., with planned intermediate stops, among which were Pittsburgh, Pa.; Colorado Springs, Colo.; Monterey, Calif.; and Tacoma, Wash.

The crew consisted of Capt. Harold A. Poe, Capt. Joseph J. Grekowicz, and Copilots Clarence E. Chapman and Charles R. Carter. Capt. Robert P. Walker, the fifth crew member, was employed by the company as cabin attendant prior to the departure from Newark.

The aircraft was serviced with 170 gal. of 100 octane fuel which was placed in the two main tanks in equal amounts, making a total of 225 gal., according to the weight and balance manifest. A preflight inspection of the aircraft was performed by Capt. Grekowicz with no discrepancies found. According to the company's Weight and Bal-ance Manifest, the aircraft at the time of departure weighed 25,317 lb., which was within the allowable gross weight of 25,346 lb.; the load was distributed within the prescribed limits with respect to the center of gravity of the aircraft.

Prior to departing Newark, Capt. Poe filed with the CAA by telephone a flight plan indicating a flight to be made in accordance with visual flight rules (VFR) to the Allegheny County Airport, Pittsburgh, Pa. The route to be followed was via Amber 7, Green 3, and Red 21 Airways. The flying time to Pittsburgh was estimated to be 1 hr. and 40 min., at a true airspeed of 155 knots" with 2 hr. and 40 min. of available

The flight departed Newark at 2038 with 23 passengers on board. Routine en route position reports were made and at 2206 the flight reported over Philipsburg, Pa., VFR, estimating Westover, Pa., at 2219. At approximately 2220, the Pittsburgh combined CAA station/center (INSAC and Air Route Traffic Control) heard the flight calling

¹ All times herein are eastern standard

Where necessary, distances have been

converted to nautical miles and speeds to

knots. The airspeed indicators of the air-

craft were calibrated in miles per hour.

and based on the 24-hour clock.

Altoona, Pa., radio (INSAC) on the radio frequency of 126.7 mc.

As several calls to Altoona were unanswered, Pittsburgh radio attempted to contact the aircraft but was unsuccessful. Two minutes later, at 2222, Pittsburgh radio heard N 24320 calling Westover on 126.7 mc. Since Westover is a radio beacon and has no voice facilities, Pittsburgh radio again tried to contact the aircraft, but was unsuccessful. At 2225 the flight reported to Brookville, Pa., radio that it was over Westover at 2220, VFR, estimating Pittsburgh at

Pittsburgh radio received a call from the flight at 2238 asking if fuel was available at Johnson Marker." Pittsburgh interpreted this to mean Johnstown, Pa., and replied "Reference fuel at Johnstown, they do have 91/96 octane and lower and we're attempting to contact Allegheny Airlines at Johnstown now to see if they would be open at this time of night. The Air Guide doesn't list any hours that they are open. You'll have enough fuel to land at Allegheny County, original destination, won't you, over?"

The pilot advised he was not sure, and then requested that the runway lights at the Johnstown Airport be turned on. Pittsburgh radio attempted to contact the Johnstown Airport by telephone and interphone without success and advised the flight that they were unable to contact them at this time but would continue trying. At 2244, N 24320 called Pittsburgh radio and advised that it was over the Johnstown Airport. The pilot was asked to stand by and as soon as it was determined that Johnstown could not be contacted. Pittsburgh radio so advised.

that it had passed Johnstown and was continuing to the Allegheny County Airport. Two minutes later Pittsburgh again asked the flight if it wished them to continue attempting to contact the Johnstown Airport. The pilot then said he would continue to Pittsburgh and asked for information on other fields where he might land. This was answered, "Douglas 4320 Pittsburgh radio. Nothing for a DC-3 Douglas 4320, it's either Greater Pittsburgh or Allegheny County, over."

At 2251, Pittsburgh gave the flight the current Alleghenv County weather as: south-southwest 9. When asked his altitude the pilot answered 3,200 feet. He was then given the winds aloft at 3,000 feet as being 260 degrees, 10 knots. A minute later the flight advised that it was 7 miles east of the Allegheny County Airriver and could see the field lights.

Pittsburgh radio then called the Allegheny County tower and advised that N 24320, a DC-3, was approximately 10 miles east, low on fuel, and was landing at that

A new era in the art of forging has been established as production goes forward on this 35,000-ton closed die forging press. Larger forgings with closer tolerances than heretofore possible open new concepts in forging design. Wyman-Gordon continues to pioneer by - Keeping Ahead of Progress.

WYMAN-GORDON CO.

Established 1883

FORGINGS OF ALUMINUM . MAGNESIUM STEEL . TITANIUM

WORCESTER 1, MASSACHUSETTS HARVEY, ILL. . DETROIT, MICH.

N 24320, at 2247, told Pittsburgh radio

Clear, temperature 20, dewpoint 10, wind port and could see it; that it was crossing the

AVIATION WEEK, May 16, 1955



SAFETY

airport. The tower requested that the aircraft change to tower frequency. Pitts-burgh radio called the flight at 2254, and asked it to contact the tower on 121.3 mc. In reply the pilot said that he did not have 121.3 mc. but would contact the tower on 126.18 mc. He was advised that frequency was satisfactory.

The flight immediately called the tower and requested landing information. It was then cleared for a straight-in approach to runway 27 and asked to report when 3 miles out. The weather was given as: Wind southwest variable south, calm to 10, altimeter 29.84. At 2256, the flight reported it was 3 miles east on final approach; it was then cleared to land. At 2257, the flight reported that it was out of gas. At this time the tower observed the aircraft to be approximately 2 miles from the airport on final approach. The tower immediately asked if the pilot believed he could make the field. The pilot replied, "I doubt it very much. We have both engines feathered, we are coming down over the red lights. I don't know if we'll make it or not. We are 2,000 feet." At 2258 the pilot advised, "We are going to set it down."

The tower observed the aircraft make a left turn and head toward the south. It then disappeared from the controller's view below the hills southeast of the airport. Necessary calls pertaining to the emergency were immediately effected. The aircraft, heading in a southerly direction, was ditched wheels up in the Monongahela River at approximately 2300. The captain, Harold A. Poe, who was flying the aircraft, and nine passengers were drowned.

INVESTIGATION

Ditching was one and one-half miles south of the McKeesport, Pa., bridge and approximately two miles southeast of the Allegheny Airport. The aircraft came to rest about 35 feet from the west bank of the river at a point which is 600 feet below the elevation of the airport.

According to witnesses it floated for a



La Paz Omnirange

Local llamas show mixed interest in South America's first VOR nav-aid station, installed by Braniff Airways at La Paz, Bolivia, to supplement present low-frequency aids on its routes across the Andes from Peru to Argentina and Brazil. Signals from the omnirange station, made by Collins Radio Co., have been received at distances up to 130 miles, as a result of La Paz's 13,504-ft. altitude. Avionics end of the station was flown in, while the "birthday cake" enclosure was shipped by water and rail.

HERE'S



100 G'S WORTH OF ELECTRICAL PROTECTION!

Deutsch Blue-glass Hermetic Seal Connectors withstand:



mechanical shock of 100 G's thermal shock from -300°F to +500°F bonding temperatures as high as 1000°F operating pressures up to 7000 psi high potentials of over 1000 volts


There can be no compromise when you are pushing electrical circuits to extremes . . . protection from G forces, heat, cold, pressure, high voltage, corrosion, rare atmosphere, vibration, etc., must all be considered when using electrical components for modern air-borne equipment.

That's why Deutsch Hermetic Connectors have been designed to withstand the roughest handling, assembly and operating conditions. Heart of these connectors is a compression glass seal which combines extreme hardness with unusual resiliency . . . hardness to take bonding temperatures up to 1000°F.... resiliency to withstand mechanical shock of 100 G's.

Deutsch connector shells are manufactured in our own extensive machining department . . . allowing us to hold tolerances and quality to the exacting standards required for the best hermetic connectors available.

Shells are designed with a tapered serrated surface so connector is mechanically anchored against turning when pressed into device housing. High melting temperature of glass seal permits use of any common method of bonding . . . soft solder to brazing.

Deutsch Hermetic Connectors are available with standard AN pin contact arrangements. Pins are hard alloy with flat pierced end for easy connection and inspection. Available as integral mounting receptacle, boxmounting receptacle and integral mounting plug. Write for bulletin AWH-2, or see your Deutsch Representative for details on sizes and adaptations.






175 TYPES OF AN CONNECTORS STOCKPILED AS COMPLETE ASSEMBLIES . . . extensive manufacturing facilities of the Deutsch Company permit high level of stockpiling plus ability to manufacture modified versions of all types of connectors.




LOS ANGELES 3, CALIF.














CONSTANTLY GROWING THROUGH BETTER SERVICE

electrical components & sub-assemblies for military aircraft & missiles



We are currently producing parts for numerous military aircraft and missiles; also parts and sub-assemblies in many other fields. For top quality and best prices—

CONTACT

All Type Harnesses & Assemblies
Aircraft Component Parts
Co-Axial Cable Assemblies
Shielded Cables
Junction Boxes
Thermocouples
Electronic Control Boxes
Test Equipment

bernco

engineering corporation
5230 W. 10th St., Indianapolis, Ind.

SAFETY

short time and was completely submerged in approximately 15 minutes. Prior to sinking, the current of the river turned the aircraft to the left and slowly moved it approximately 450 feet downstream to a position about 75 feet from the west shore.

Following ditching, all passengers were evacuated through two emergency exits, one over each wing. None of the passengers or crew received injuries during the ditching. The last person to leave the cabin was Capt. Walker, who estimated that it took approximately 7 min. to get everyone out of the cabin and on the wings or fuselage. Some of the passengers could not swim and the icy waters made it difficult for even good swimmers to reach the shore.

After recovery from the river the aircraft and engines were examined and found to be capable of normal operation at the time of the accident. Each of the four fuel tanks contained approximately a gallon of fuel. Water in varying amounts found in these tanks was unquestionably the result of the aircraft's submersion in the river.

Co-pilot Chapman stated that the engines and aircraft functioned in a normal manner throughout the entire flight.


An examination of company records was made to determine if the aircraft had been maintained in accordance with accepted safety standards. It was found that this had been done. During the study of maintenance records particular emphasis was placed on the past condition of the fuel system and fuel quantity gages of the aircraft. No reports of malfunctioning of these units could be found.


On Dec. 17 and 18, 1954, N 24320 was flown from Seattle, Wash., to LaGuardia Airport, New York. With the exception of Capt. Walker, the same crew flew the eastbound flight. Capt. Poe was senior pilot in command on both the east and west-bound flights.

While in New York, Capt. Poe contacted the Aircoach Transport Assn. (ACTA) and learned that Johnson Flying Service had a CAM flight originating at Newark, N. J., at 2030 on Dec. 22, 1954, with its destination Tacoma, Wash. At that time it was thought there would be 24 military passengers for this flight. The aircraft was not serviced at LaGuardia, and after a four-day layover it was ferried, on Dec. 22, 1954, to Newark Airport, landing there at 1855.

Capt. Grekowicz occupied the co-pilot's seat on the ferry flight from LaGuardia to Newark and said that when taxiing to the ramp at Newark the fuel gages registered a total of 85-90 gal. This was divided as follows: left main 35 to 40 gal., right main 50 gal., and left and right auxiliary tanks empty. However, Co-pilot Chapman stated that he thought there were 65 gal. on board prior to refueling. This was based on his observation of the fuel gages on arrival at LaGuardia; also on what he observed from the aisleway during the flight to Newark, and, by again reading the gages on departure from the ramp at Newark. He did not discuss the amount of fuel on board with Capt. Poe or the other crew members.

Upon arriving at the ramp Capt. Poe ordered 125 gal. of 91 octane fuel to be distributed equally between the two main tanks, but inasmuch as 91 octane was not





SAFETY

available, 100 octane fuel was accepted. Subsequently, when it was found that passenger and baggage weight was less than originally estimated, Capt. Poe changed this order to 170 gal. of fuel instead of the 125 gal. previously ordered. The refueling crew then metered 85 gal. into each of the two main tanks, but did not stick the tanks to determine the total amount in each since the crew did not request that this be done.

The 23 passengers were checked in by a representative of Aircoach Transport Assn. Each passenger's baggage was weighed and tabulated on an adding machine tape. This tape was then given to the crew, together with copies of the passengers' military orders, to aid them in preparing the weight and balance form and to serve as a passenger manifest.

Capt. Poe prepared and signed the weight and balance form for the flight, and Capt. Grekowicz initialed it as loader. This form indicated that 844 lb. of baggage were in the front baggage compartment and 408 lb. in the rear baggage compartment. This latter compartment, which has a maximum allowable capacity of 350 lb., was loaded in accordance with Capt. Poe's instructions. The crew stated that the total baggage weight of 1,252 lb. did not include crew baggage weights or that of their flight kit.

The weight of each passenger was computed at 165 lb. and each crew member at 170 lb. The weight of the crew's baggage was included with their weight. Following the accident, all baggage was recovered. This consisted of 23 duffle bags, 16 gym bags, and 5 crew bags.

All military baggage was completely dried and weighed by the military authorities and its total weight was found to be 1,512 lb., 260 lb. more than that shown on the weight and balance form. As the baggage was free of mud and other debris it was unnecessary to clean it.

In addition, the weight and balance listed 225 gal. of fuel at a total of 1,350 lb.; 36 gal. of oil at a total of 270 lb.; aircraft empty weight 17,800 lb.; useful load 7,517 lb.; gross load 25,317 lb.; and the maximum allowable gross as 25,346 lb.

This form indicated that the rear compartment was overloaded by 58 lb. but that the entire load was distributed within the prescribed center of gravity limits of the

Capt. Poe filed a flight plan with the CAA prior to departure. However, he did not discuss this with the co-pilot or prepare the required company Flight Plan and Log. It could not be determined where or how he computed the flight time of 1 hr. and 40 min. from Newark to Pittsburgh, or why he selected Red 21 airway for a part of the route to be flown when that airway had been discontinued since Dec. 8, 1953.

The other crew members disclaimed any knowledge of the contents of this flight plan. The Company Operations Manual states that it is the pilot's responsibility to use current airways charts for flight planning and navigation and such charts were in the flight kit on board the aircraft.

On the trip from Seattle to New York, the flying of the aircraft was divided between two crews, with Capt. Poe and Co-pilot Chapman flying three segments and Capt. Grekowicz and Co-pilot Carter flying two segments.

Just prior to departure from Newark,



STRATOS

AIR-CONDITIONS THE NEWEST USAF BOMBER THE EIGHT-JET BOEING B-52

The Boeing B-52 jet bomber entering operational service with the Strategic Air Command this spring becomes the world's first heavy jet bomber to go into service.

Joining its medium jet bomber teammate in SAC—the Boeing B-47—the B-52 "Stratofortress" greatly strengthens America's Air Arm. A high flying, high speed heavyweight with a range longer than that of any other operational jet aircraft, it is destined to be the backbone of SAC's striking force for some time to come.

To cool the crew and the tons of intricate equipment aboard the B-52, Boeing picked a highly efficient cooling system designed and produced by Stratos.



... where the future is measured in light-years!

Main Office: Bay Shore, L. I., N. Y. * West Coast Office: 1355 Westwood Blvd., Los Angeles, Calif.

THERE IS A REASON WHY!

DALLAS AIRMOTIVE OVERHAULS MORE AIRCRAFT ENGINES THAN ANY OTHER COMPANY IN THE WORLD



6114 Forest Park Road, Dallas, Texas

ELmhurst 3771

THE WORLD'S LARGEST PRODUCER OF READY - TO - INSTALL POWER PACKAGES FOR AIRPLANES INVITES YOU TO ENJOY YOUR WORK AND YOUR LIFE IN

SOUTHERN CALIFORNIA

We believe we can offer you an opportunity to improve your position in the business world – and improve your way of life here at Rohr Aircraft Corporation in beautiful, temperate, exciting Southern California. To strengthen our personnel in various departments, Rohr has a real opportunity for you if you are skilled as an – ENGINEER (Aircraft Design or Structures)

LOFTSMAN JIG & FIXTURE BUILDER TOOL PLANNER TOOL DESIGNER



Please write giving complete details and we will answer immediately.

Mr. Ned DeWitt, Personnel Department 15 Rohr Aircraft Corporation Chula Vista, California

9 miles south of San Diego on sunny San Diego Bay.

SAFETY

Co-pilot Chapman was told by Capt. Poe that they would fly the aircraft to Pittsburgh. Co-pilot Chapman testified that because he did not know until then that he was to fly this portion of the flight, he had not prepared in advance the required portions of the company's Flight Plan and Log. He made out this form in flight after departing Newark with some of the data supplied him by Pilot Walker, who was sitting in the jump seat.

The route indicated on this form was determined without consulting Capt. Poe to find out which route he intended to fly. As a result Chapman and Walker, using a current RF 8 chart, made out the Flight plan and Log to show a route via Amber 7, Green 3, Red 13, Red 8, and Red 13 airways to McKeesport, Pa. (However, the flight plan filed by the captain specified a route over Amber 7, Green 3, and Red 21 airways to the Allegheny County Airport at Pittsburgh.)

Examination of these flight plans revealed many errors, including distances, headings, radio frequencies, and airways.

The company's operations manual required as a minimum for VFR flight sufficient fuel to fly from takeoff to the airport of intended landing, plus 45 min. of reserve fuel (60 gal.)^a and an additional 25 gal. to allow for variations in performance, etc.

This manual also provided that an additional 11 gal, be included for use in taxiing, engine runup, and takeoff, which was not to be shown on the flight plan, clearance, or weight and balance forms.

Based on 225 gal. shown on the weight and balance manifest, the fuel consumption on the subject flight averaged 96.5 gal. per hour. Co-pilot Chapman stated that approximately 700 hp. was used for cruising. According to the company's operations manual, this is about 100 hp. more than specified.

Between Newark and Philipsburg, Chapman advised Capt. Poe of ground speed made good at each check point. He also said that when in the vicinity of Philipsburg, he advised the captain that their fuel was getting low and that to continue would mean using the reserve supply, which was contrary to company instructions.

Co-pilots Chapman and Carter stated that an ADF (automatic direction finder) approach, using the radio beacon, was made to the Johnstown Airport. Also that when this approach was made neither the airport's lights nor the lights of the city of Johnstown were seen. Investigation disclosed that it was the custom at this airport for lights to be turned on daily at sunset.

It was established that on the night of Dec. 22, 1954, the lights of one runway, the rotating beacon, and a ceiling light were turned on at sunset and remained on all night. No witness was found who observed an aircraft in the vicinity of the radio beacon or airport at the time the flight reported being there.

Weather along the route between Newark and Pittsburgh was good, permitting the aircraft at 4,000 ft. to remain well below all clouds, with good visibility along the

For flight planning, the company's operations manual specified the average hourly fuel consumption for a DC-3 to be 80 gal.

"NEW LOOK" in JET VTO Plane Design



Another Example of How


RYAN BUILDS BETTER

The development of a challenging new concept in vertical take-off jet aircraft has been entrusted to Ryan by the U. S. Air Force because Ryan has succeeded in solving many of the air age's most difficult jobs, and has conceived and pioneered a basic design that is ingenious and promising. Already Ryan has put in six years of research and development on this aircraft...the latest in a long series of Ryan achievements that have made aviation history.

Today, backed by 32 years of active contribution to aeronautical progress, Ryan holds more military prime contracts than ever before. With 1 out of 6 employees an engineer, a scientist or employed in a supporting technical position, Ryan can capably perform the jobs that require special abilities in all phases of design and production of piloted aircraft, drone missiles, airborne electronics, weapons systems and high-temperature parts for every type of heat engine.

Engineers looking for a challenging future will find outstanding opportunities at Ryan.

COMPONENTS	AIRBORNE ELECTRONICS EQUIPMENT	RYAN	JET COMPONENTS	PILOTLESS JET AIRCHAFT
METALLURGICAL ENGINEERING	WEAPONS SYSTEMS (((***)))	AERONAUTICAL COMPANY SAN DIEGO 12, CALIFORNIA	A RAM JETS	AIRCRAFT EXHAUST



Does your electronic "brain" require hydraulic or electrical "muscles"?

To assure precise functioning of automatic devices, servo mechanisms, control equipment and instruments, equip them with power by Pesco—Hydraulic Pumps, Hydraulic Motors and Electric Motors. These aircraft-quality units operate with unmatched precision and absolute dependability over a long service life. They are extremely compact, lightweight and ruggedly built for severe environmental conditions.

For information on how these Pesco products can be applied to your particular problem, contact: PESCO, 24700 North Miles Rd., Bedford, Ohio.



BORG-WARNER CORPORATION
24700 NORTH MILES ROAD BEDFORD, OHIO

SAFETY

entire route. The forecast en route winds aloft for the 4,000-ft. level, available to the crew prior to departure, were as follows: Newark to Harrisburg, 10 degrees at 20 knots; Harrisburg-Altoona, 300 degrees at 20 knots; Altoona-Pittsburgh, 270 degrees at 15 knots.

According to the U. S. Weather Bureau the flight encountered winds as forecast, except that the Altoona-Pittsburgh winds were 25 knots. Capt. Poe advised Chapman before departure that the expected winds would be from the west-northwest at 10 to 15.

Johnson Flying Service, Inc., of Missoula, Mont., has been engaged in commercial flying for approximately 30 years. In 1953, the company began operating large aircraft in passenger service as a part of its irregular air carrier operation.

Mr. William H. Lockwood, because of his previous experience in this field, was employed to supervise this new operation. After a short time Lockwood was promoted to chief pilot and operations manager and placed in complete charge of the company's transport division, the positions he held on the day of the accident. Mr. Lockwood was based in Seattle.

The company used two Douglas DC-3s and one Curtiss C-46 aircraft in this phase of its business. (All pilot, company, and aircraft records except those pertaining to the maintenance of the C-46 aircraft were kept at Missoula.)


Besides the normal duties of operations manager, chief pilot, and check pilot, Lockwood flew as captain for the company approximately 50% of the time. He stated that because of this it was necessary for him to make one or two trips a month to Missoula. During Lockwood's employment, the flight operation of this division of the company was not given any direct supervision by his superiors.

Johnson Flying Service became a member of the Aircoach Transport Assn. in 1952. By contractual agreement the carrier gave ACTA the exclusive right to represent it before various government agencies for the procurement of transportation of personnel by air, with authority to enter into contracts for both official and unofficial traffic.

As a result of this agreement ACTA obtained 244 trips for the company. Notification to the company by ACTA of the awarding of each contract was accomplished by means of a teletype message to ACTA's branch office in Seattle for forwarding to Mr. Lockwood; or, in the event of Lockwood's absence from Seattle, the message was sent to the company's main office at Missoula. In addition, at the termination of each flight away from Seattle, captains were advised by Lockwood to call the nearest ACTA office for information pertinent to another assignment,


In the event a DC-3 was to be used it was agreed between the company, ACTA, and the military that this aircraft would be equipped to transport up to a total of 24 passengers plus 66 lb. of baggage for each. The carrier is paid on the basis of a specified route mileage and not on the number of passengers flown.

However, if 24 passengers are to be transported, and for any reason the carrier decides all 24 cannot be taken, the remaining passengers must be transported first class to



To Provide Faster Response While Preventing Costly and Dangerous Tube Damage The A. W. Haydon Company's Double Delayed Reset Time Delay Relay delays application of plate power to vacuum tubes until filaments reach operating temperatures, Initial delay of 4 minutes is obtained after closure of "time" switch before closure of the load circuit. Reset is controlled by a double escapement which provides a rapid reset rate from the "time out" position to the point where the load switch opens; and a slow reset rate for the balance of the reset time, Current interruptions of eight seconds or longer will introduce a delay after power is restored, up to the full reset interval of six minutes. Interruptions of six minutes or longer will result in a four minute delay before reclosure. Motor Operates at 400 cycles from 115 volt and clutch coil from 26½ volt DC supply. Temperature range —55°C to +85°C — Motor pull-in voltage 85 volts — drop-out voltage 65 volts or less — Clutch coil pull-in voltage 18 volts — drop-out voltage 13 volts or less. — Hermetically scaled

See us at I.R.E. Show 570-572



(General Catalog Sent on Request)



Design and Manufacture of Electro-Mechanical Timing Devices

ENGINEERS AND SCIENTISTS

You'll find at

ONVA

A DIVISION OF GENERAL DYNAMICS CORPORATION

ENGINEERING FOR THE FUTURE

CAREER OPPORTUNITIES EXIST IN:

AERODYNAMICS

Aero-Analysis Performance

Theoretical Aerodynamics **Experimental Aerodynamics**

AEROPHYSICS

Stability and Automatic Control Aero-Electronics

Armament Analysis Electronic Computing

PROPULSION

Propulsion Research **Environmental Controls Systems Development**

Propulsion Development

NUCLEAR PHYSICS

Theoretical Nuclear Physics **Experimental Nuclear Physics**

STRUCTURES ENGINEERING FOR AIRCRAFT

Stress Analysis Structural Research Flutter and Dynamics Structural Loads

DESIGN for AIRCRAFT and NUCLEAR APPLICATION

Power Plant Installations

Airframe Structures Thermodynamics Mechanisms

Electrical Electronics Equipment Design

ENGINEERING TEST

Data Reduction Flight Test Instrumentation Fluid Dynamics-Electronic, Electrical-Structural

It is required that applicants for these positions have formal education in Aeronautical, Mechanical, Civil or Electrical Engineering, Physics or Mathematics-or professional experience in one of the fields above.

At CONVAIR you have an excellent opportunity to do graduate work-in plant or in evening college. CONVAIR offers liberal travel allowances, paid vacations, excellent insurance and retirement programs.

Send Resume to M. L. TAYLOR CONVAIR, Engineering Personnel Dept. NN FORT WORTH, TEXAS

A DIVISION OF GENERAL DYNAMICS CORPORATION FORT WORTH, TEXAS

SAFETY

their destination at the carrier's expense. All assignments must be accepted by the carrier without regard to weather, route, distance to be flown, number of crew, or amount of fuel which can be carried.

Because Chief Pilot Lockwood was away from Seattle a considerable amount of time, and since he believed Capt. Poe to be qualified, he gave him more authority than the average captain. As senior pilot in command of this flight he was responsible for crew assignment and crew coordination. On all flights captains served as their own dispatchers.

Capt. Poe hired Co-pilots Chapman and Carter at Seattle Dec. 17, 1954, prior to departing eastbound for New York. They did not receive the ground training nor take the written examinations required by the company's operations manual.

Capt. Grekowicz, who had been a copilot for the company, was making his first roundtrip as a captain. He received his Airline Transport Pilot rating from a company pilot, who was a designated CAA flight examiner, just prior to departing Seattle on Dec. 17, 1954. Capt. Walker was hired by Capt. Poe as a cabin attendant at New York for the westbound trip to Seattle. He was a former captain for Johnson Flying Service and was furloughed in March 1954.

ANALYSIS

The chief pilot and operations manager had many duties. Since he was frequently away from base flying another company aircraft he delegated some of his duties to Capt. Poe and another pilot. These men were both made check pilots and Capt. Poe was allowed to employ other pilots.

No training program as such, other than ground school, was organized.

Flight training was normally en route training and was given by one of the check pilots or another captain.

The overall program did not insure that all pilots were proficient according to the standards set forth in the operations manual.

It is apparent that this accident was operational in nature. Many things must be considered in properly planning and completing a flight. The general conduct of this flight clearly indicates poor judgment, carelessness, and lack of supervision and training. The fact that a Flight Plan and Log was not prepared prior to departing Newark and that the co-pilot did not know the route to be flown was the result of poor crew coordination and flight planning

While it is not known exactly how much fuel was on board when the aircraft departed Newark, it is apparent that there was not a sufficient amount of fuel to fly to Pittsburgh by either of the planned routes and arrive there with any margin of safety. The elapsed time of the flight from takeoff to ditching was 2 hr. and 22 min.

Considering the altitude and distance flown, and the various power settings which the co-pilot testified were used, together with other known factors, it is calculated that approximately 260 gal. of fuel were consumed.

This would have made the aircraft overloaded at the time of takeoff.

The passengers' baggage when recovered weighed more than that shown on the

FOR EMERGENCY HYDRAULIC POWER

Model AA-19033. Vickers Electric Motor Driven

Auxiliary Hydraulic Pump for 3000 psi.

ELECTRIC MOTOR SPEE

Performance Curves of Vickers Motorpump Model AA-19033.

VICKERS Incorporated

DIVISION OF THE SPERRY CORPORATION

1462 OAKMAN BLVD. . DETROIT 32, MICH.

Application Engineering and Service Offices:

El Segundo, California, 2160 E. Imperial Highway (ORegon 8-2503)

Arlington, Texos, P.O. Box 213 (ARlington 4-4171) Detroit 32, Michigan, 1400 Oakman Blvd. (TOwnsend 8-5100)

Additional Service facilities at:

Miami Springs, Florida, 641 De Sato Drive (Phone 88-7340)

TELEGRAMS: Vickers WUX Detroit . TELETYPE "TWX" DE89 . CABLE: Videt Detroit

OVERALL EFFICIENCY RIC INPUT (HORSEPOW

9000

≥ 8000

6000

3000

1000

3 2000

USE A DEPENDABLE VICKERS®

MOTORPUMP

* PROVEN RELIABILITY

These Motorpumps have accumulated remarkable records of dependability on numerous military aircraft and major airlines.

* HIGHER OVERALL EFFICIENCY

Vickers Piston Pumps have 92% overall efficiency . . . resulting in higher motorpump overall efficiency.

* LESS WEIGHT

High pump efficiency and low starting torque permit use of a smaller, lighter electric motor. Total weight of Model AA-19033 is only 33.9 lb. including radio noise suppressor (3.4 lb.); hydraulic pump weighs only 2.18 lb.

* EXPLOSION PROOF

Conforms to Specification MIL-M-8609.

LOWER POWER DEMAND

The more efficient pump means less current drain . . . longer emergency operation.

★ DIRECT DRIVE - NO GEARING

Ability of pump to operate at high speed permits direct drive at 7500 rpm.

* LOW STARTING TORQUE

Less than 10% over maximum running torque.

* SMALLER SIZE

Higher overall efficiency, low starting torque, and high pump speed save space as well as weight.

For more information about Vickers Motorpumps, ask for new Bulletin A-5207.

ENGINEERS AND BUILDERS OF OIL HYDRAULIC EQUIPMENT SINCE 1921

DELIVERY (CPM)



Chief Pilot Reeves says: "Gulf Aviation Products and I have been flying together for nearly 20 years. And right from the start, I learned that you just can't beat Gulf's great oils for dependability, service and protection. Gulf's really out front when it comes to meeting our demands for better aviation oils.

"Naturally, I've been using Gulf Aviation Gasoline, too, during all these years. I think those Micronic Filters on the Gulf pumps are pretty reassuring to a pilot. They tell him he's getting 'refinery-clean' gasoline pumped into his ship."



To all pilots, Gulf recommends these two top-quality oils:



GULF

MRCRAFT

INGINE OIL

If your plane is powered with a horizontally opposed or Ranger in-line engine, your best bet is Gulfpride Aviation Oil, Series-D. It's a detergent dispersant oil that cuts down ring- and valve-sticking, high oil consumption, oil-screen clogging and plug fouling. Pilots say it stretches time between overhauls as much as 100%.

If your plane has a radial engine, or one that doesn't need a detergent oil, use Gulf Aircraft Engine Oil, Series-R. It retards sludge and carbon formation, and retains its body at high operation temperatures. Pratt & Whitney and other manufacturers approve it for all radial engines.

AND Gulf Aviation Gasoline . . . it comes to you "refinery-clean," for your safety, from pumps with advanced Micronic Filters.

SAFETY

manifest. In addition, the operations manual required that the baggage of all crew members and the flight kit be weighed and this amount shown on the manifest. While it is not possible to determine with precise accuracy the total weight of all the above-mentioned items, it is obvious that the aircraft was overloaded at the time of departure.

The inclusion of any additional weight to the figures shown on the weight and balance manifest would have reduced the allowable fuel load below the minimum of 200 gal. required for takeoff.

Capt. Poe estimated the flying time to Pittsburgh to 1 hr. and 40 min. The distance, along the route shown in the CAA flight plan, is approximately 271 miles. To accomplish this in the estimated time would require an average ground speed of 163 knots. With the wind along the route forecast to be from the northwest and west averaging over 17 knots at the planned cruising altitude of 4,000 feet, this ground speed is unrealistic.

Under these conditions a reasonable ground speed would be approximately 126-130 knots and would require an average elapsed time of 2 hr. and 7 min.

The Flight Plan and Log which Copilot Chapman prepared after departure included many mistakes, among which were: Wind directions and velocities different from those that were forecast; a higher true airspeed than is reasonable to expect for a DC-3 unless flying at higher altitudes; airways which differed from the route filed by Capt. Poe; some stations, courses, and radio frequencies that did not agree with either the filed CAA flight plan or the airways shown on the Flight Plan and Log; some errors in ground speed of 13 knots or more; and an estimated total time which exceeded the 1 hr. and 40 min. estimated by Capt. Poe. The estimated ground speed used was 148 knots, whereas the actual ground speed made good averaged only 126 knots.

The company operations manual states, "The average hourly fuel consumption for a DC-3 to be used in flight planning is as follows: 80 gal." Based on this figure the 225 gal. on board, as shown on the weight and balance manifest, should have allowed the aircraft to remain airborne for 2 hr. and 48 min. Instead, the fuel was exhausted in 2 hr. and 20 min. of flight.

There are many variables such as power settings used, altitude flown, and load, to mention but a few, which must be considered in order to accomplish any flight at a specified average fuel consumption.


It could not be positively determined just where the aircraft was when it reported being over Johnstown at 2244; however, if it had been over Johnstown at this time. the average ground speed from Johnstown to the point of ditching would have been about 178 knots. This ground speed is unreasonable, considering the headwinds encountered in that portion of the flight and the fact that power was reduced to conserve fuel.

Co-pilots Chapman and Carter testified they believed they were over the Johnstown radio beacon and later over the airport area. However, when there they did not see the airport rotating beacon, runway lights, or the lights of the city. These

Circuit Protection Assured in AVRO


Twin Jet Interceptor with KLIXON

CIRCUIT BREAKERS



D6364 and D6752-1





Especially designed to fight up where it's really cold, Avro CF-100

Interceptors streak across the Arctic skies ready to meet all comers.

To get the most out of the electrical circuits, Avro Aircraft Ltd. uses Klixon Breakers.

Like the plane, Klixon Breakers are designed and built to take it under all flying conditions. They are preeision calibrated and individually tested for ultimate trip and 200% load tripping characteristics. Write for data giving complete details.



METALS & CONTROLS CORPORATION SPENCER THERMOSTAT DIVISION 2805 FOREST STREET, ATTLEBORO, MASS.

BELL AIRCRAFT CORPORATION

has

Immediate openings in Airplane Projects

for

AIRCRAFT DESIGN ENGINEERS

and

DRAFTSMEN

DESIGN

Structural — Power Plant Aircraft Equipment

MECHANICAL DESIGN

Landing Systems — Flight Controls

Hydraulic Systems — Pneumatic Systems

ELECTRICAL DESIGN

Equipment — Installations

If you want to become a member of aviation's best-known engineering team — the team that developed the X-1, X-5, and the X-1A — holder of the world's speed and altitude records; if you desire to advance yourself professionally through interesting assignments and avail yourself of a liberal tuition assistance program, send in your resume.

WRITE: Manager, Engineering Personnel



Post Office Box 1

Buffalo 5, N. Y.

SAFETY

lights were on at the time and should have been seen if the aircraft was in that vicinity.

It appears, therefore, that a navigational error must have been made and that the aircraft was actually some place else. As an example, it may have been over the New Alexandria radio beacon, which is approximately 27 miles west-northwest of the Johnstown Airport and nearly on course between Westover and Pittsburgh.

One of the cardinal rules of safety which is set forth in the operations manual is, "Pilots are not to pass up a refueling facility unless they have sufficient fuel and oil to reach the point cleared within reserve limits established."

On the subject flight, Capt. Poe was advised when the aircraft was near Philipsburg, an available refueling point, that to continue the flight would necessitate the use of reserve fuel. Again the crew demonstrated a decided disregard for the principles of safety by passing an acceptable DC-3 refueling airport.

The captain's judgment may have been influenced by his desire to accept the entire assigned payload in an effort to save money for his company. This limited the amount of fuel which could be carried and made necessary frequent and costly en route refueling stops. Because of this he may have elected to use a part of his reserve fuel to extend each leg of the flight.

It is incredible that an air carrier aircraft flown by accredited personnel could be forced down for lack of fuel on a short night flight in good weather when we think of the great progress aviation has made to date, particularly with respect to pilot training, aircraft instrumentation, navigational aids, and airport lighting.

FINDINGS

On the basis of all available evidence the Board finds that:

1. The crew, the aircraft, and the carrier were properly certificated.

2. The company did not properly check the competency of the crew in accordance with their operations manual prior to flight assignment.

3. The aircraft was overloaded at time of takeoff.

 The flight was improperly planned, and was not conducted in accordance with the company's operations manual.

5. The captain, contrary to the company's operations manual, passed a suitable refueling facility after being advised that if the flight continued to its destination it would be necessary to use reserve fuel.

6. Weather along the route was good and approximately as forecast.

 The aircraft was ditched in the Monongahela River, two miles from its destination because of fuel exhaustion.

PROBABLE CAUSE

The Board determines that the probable cause of this accident was fuel exhaustion brought about by inadequate flight planning. Contributing factors were inadequate crew supervision and training.

By the Civil Aeronautics Board:


Ross Rizley
Joseph P. Adams
Josh Lee
Chan Gurney
Harmar D. Denny

Here's how BOWER Spher-o-honed design lengthens bearing life... cuts maintenance costs!

The Bower tapered roller bearing design features shown on this page are vitally important to every bearing user. For they illustrate the high quality, precision workmanship and close attention to engineering detail that go into every Bower bearing. Even more important, these Bower design features will give you significant bearing advantages such as reduced wear, longer

bearing life and lower maintenance requirements. They've been thoroughly proved by extensive use in virtually every type of bearing application. If your product uses bearings—whatever it may be—specify Bower now. Or better yet, call in a Bower engineer while your product is still in the blueprint stage.


BOWER ROLLER BEARING COMPANY . DETROIT 14, MICHIGAN



A COMPLETE LINE OF TAPERED, STRAIGHT AND JOURNAL ROLLER BEARINGS FOR EVERY FIELD OF TRANSPORTATION AND INDUSTRY







IF you want immediate employment in an area where new horizons are opening in aviation, including latest developments in in-flight refueling—IF you want to live in the Sunny South—IF you have experience in aircraft

Myes AIRCRAFT CORPORATION Birmingham. Ala.


still has openings for

25 ENGINEERS

- New Structure Design
- Latest Stress and Weight Analysis
- New Process Preparation
- Latest in In Flight Refueling Systems
- Latest in Retrofit Electronic Engineering

Send a resume of your qualifications to:

MR. A. V. WELSH **Employment Manager** Hayes Aircraft Corp. P. O. Box 2287 Birmingham, Alabama



THAT CESSNA AIRCRAFT COMPANY NOW HAS







AND MANY OTHER INTEREST-ING PROJECTS"IN THE WORKS"



Cessna offers competitive salaries; job stability; flying club; and the convenience of living within 15 minutes of work in a friendly city. BUT, EVEN MORE IMPORTANT, Cessna offers fertile soil for new ideas, individual recognition and maximum opportunities in both civil and military aviation. You are not just a cog in a machine.


WRITE:

Cessna Aircraft Company Dept. AWP-10, Wichita, Kansas State experience and qualifications.

New, important positions are available now to engineers qualified for circuit development and electrical installation design.



electrical and electronics systems



The big power loads for our long range airships . . . for guided missiles and projectiles . . . for analog-computing equipment . . . require the development of hundreds of electrical and electronics circuits, and the careful coordination of these circuits through intricate distribution and monitoring systems. Expert engineers are needed at once to assist on these essential military contracts.



At Goodyear Aircraft the professional engineer is afforded every opportunity to advance his career to the limits of his abilities and ambitions. The diversity of our industrial interests is assurance of steady progress for the Company and its personnel. Write today to

C. G. Jones, Mgr. Salary Personnel

ENGINEERS

Our extensive permanent expansion in the field of turbo-motive machinery for aircraft opens exceptional opportunities for graduates of engineering colleges. West Lynn, which is near Boston, in the heart of New England, brings you within easy reach of recreational, resort and educational centers.

Openings for engineers interested in:

MECHANICAL DESIGN HYDRAULIC DESIGN HEAT TRANSFER CONTROLS SYSTEMS VIBRATION ANALYSIS

DEVELOPMENT OF NEW SYSTEMS PRODUCT & COMPONENT EVALUATION PRODUCT DESIGN

Replies will be held in strict confidence. d resume to Mr. Fred W. Snell

Aircraft Accessory Turbine Department

1000 Western Avenue

West Lynn, Mass.

is YOUR FUTURE as promising as a HELICOPTER'S?

We think the future of the helicopter is virtually unlimited. Why not make your future just as promis-

SIKORSKY, pioneer helicopter manufacturer, needs . . .

TEST ENGINEERS DESIGN ENGINEERS WEIGHTS ENGINEERS DEVELOPMENT ENGINEERS

> to do important work in the fascinating and fastgrowing helicopter field. Expanding military and commercial requirements are a challenge to skilled men-offer excellent opportunities to further your professional stature.

> Engineers whose abilities or experience qualify them for these responsible positions will enjoy a wellrewarded career with a secure future and many benefits for themselves and their families.

Send a complete resume to R. L. Auten, Personnel Department

SIKORSKY AIRCRAFT

Bridgeport 1,

Connecticut

IMMEDIATE OPENINGS

FORGING DIE DESIGNERS DIE ENGINEERS

Hydraulic & Mechanical Forging Presses

FORGING DIE DESIGNERS and Forging Die Engineers having extensive experience with hydraulic and mechanical forging presses are needed now at Harvey Aluminum in Torrance,

THIS IS AN EXCEPTIONAL opportunity for unlimited professional advancement with the nation's leading independent producer of wrought alumi-

EXCELLENT HOUSING for city, suburban or country living

YOUR CORRESPONDENCE will be kept in complete confidence

SEND YOUR RESUME to Administra-

TORRANCE, CALIFORNIA MILES SOUTH of LOS ANGELES 40 Years of Engineering and Production Leadership in the West

California

tive Engineering Dept

AVIATION WEEK, May 16, 1955

ADVANCE YOUR POSITION IN GUIDED MISSILE ELECTRONICS

Apply your wealth of engineering experience + DCA1

PROJECT ENGINEERING

You will direct and coordinate the work of a group charged with developing complex systems. You'll administer programs which result in systems that meet military requirements. Your wide experience in equipment development and design, and sound management background will be fully utilized.

> Project Engineering Fields include: Radar • Data Handling and Transmission • Computers

SYSTEMS ENGINEERING

Advanced Systems Analysis-You will create from basic military requirements new guided missile systems which utilize the latest advances in electronics. Close contact is maintained with basic research developments at RCA and other research centers.

Systems Development-You will view systems as a whole in order to anticipate and optimize problems. You'll develop design criteria for major components which increase operational reliability of over-all systems. Your broad technical experience and thorough understanding of the systems approach will be applied.

ENJOY ALL OF RCA'S DESIRABLE CAREER ADVANTAGES . . .

Please send resume of education and experience to:

Mr. John R. Weld Employment Manager, Dept. B-2E Radio Corporation of America 30 Rockefeller Plaza New York 20, New York



HERE'S

WHY

YOU

SHOULD

COMPARE

LET'S FACE IT ...

there are thousands of engineering positions open today ... but -

CROSLEY

DIVISION



✓ New engineering groups being established offering unusual opportunities NOW . . . "on the ground floor."

√ Greater advancement opportunities assured by the continued expansion of this young, vibrant engineering organization.

PRESENT **REQUIREMENTS***

Electronics and Mechanical Engineers, Physicists and Mathematicians:

- · Advanced Research
- Research • Project
- Advanced Design
- Senior Design
- Design • Junior

CROSLEY ENGINEERING GROWTH IN PERSONNEL **** *** ** *** REQUIRED **EXPANSION** 1952 1953 1954 1955 1956 1957 ----

SOME OF THE FIELDS OF INTEREST TO CROSLEY:

Radar - Servo-mechanisms - Fire Control - Digital Circuitry - Navigation - Communications - Countermeasures - Missile Guidance - Microwave Design - Telemetry

SUBSTANTIAL BENEFITS AVAILABLE TO YOU:

Excellent salaries, fully equipped modern laboratories, paid vacations and holidays, subsidized university educational program, group insurance program for you and your family, retirement plan and adequate housing in desirable residential areas.

Investigate these opportunities by sending resume to:

*U. S. Citizenship required

DIRECTOR OF ENGINEERING Government Products - Crosley Division, **AVCO Manufacturing Corporation** Cincinnati 15, Ohio

MORE POWER, SPEED, LOAD & SAFETY



THE NEXT TIME YOU NEED ENGINES-CONSIDER THIS ...

your DC-3* can easily hold 15,000 feet of altitude with

one engine out equipped with

Pratt & Whitney R-1830-94

engines

*26,900 LBS, GROSS WEIGHT

for Complete details call PLymouth 4-3144

Steward-Davis

INC., 13501 S. WESTERN GARDENA, CALIFORNIA

America's largest supplier of R-1830-94 engines

AIR AGENCY CERTIFICATE NO. 4044 POWER PLANT CLASS 1 AND CLASS 2

AVIATION WEEK, May 16, 1955

"SUNDSTRAND **AVIATION**"

Has Opportunities for DESIGN ENGINEERS MECHANICAL ENGINEERS **ELECTRICAL ENGINEERS** to Design and Develop MECHANICAL-HYDRAULIC CONSTANT SPEED SYSTEMS

Please address complete resume, out-lining details of your technical background to

MR. HOWARD EKSTROM Personnel Director -SUNDSTRAND AVIATION 2531 11th, Rockford, Illinois

AERODYNAMICISTS WANTED

for teaching positions in expanding Aeronautical Engineering Department in a large University located in Boston area.

Industrial experience and aerodynamics required; advanced degree preferred. In applying enclose resume of education, experience and salary expected.

> P-6293, Aviation Week 330 W. 42,St., New York 36, N. Y.

CAREERS for ENGINEERS







Ryan's increased activity in aircraft, powerplant and avionics engineering and manufacture is opening many new opportunities for you to live and work in beautiful Southern California. Your reply to the Administrative Engineer will be strictly confidential.

Ryan Needs:

Aerodynamicists Mechanical Engineers **Engineering Designers** Systems Analysts **Electronics Engineers** Flight Test Engineers Propulsion Engineers **Electronics Technicians**



RYAN AERONAUTICAL COMPANY

SAN DIEGO, CALIF.

where the future begins

You are looking at a piece of our world-approximately 600,000 square miles of it photographed from a Martin Viking research rocket which attained an altitude of 158 miles.

This picture says more than words about the future of flight. But what about your future?

Today at Martin, one of the finest engineering teams in the world is at work on tomorrow's development and design problems in the fields of AERODYNAMICS, ELECTRONICS, STRUCTURES, PROPULSION AND NUCLEAR POWER.

No matter how limited or extensive your background, there will always be openings on that team for the engineer who has what it takes to go higher! Contact J. M. Hollyday, Dept. A-5, The Glenn L.

Martin Company, Baltimore 3, Maryland.



Structures Engineer

- · Opportunity to pioneer in wing design for aerodynamic heating.
- Development program for wing structures of high performance aircraft.
- · Association with scientists and engineers in a small, aggressive company engaged in advance research and development programs for guided missiles.

Write to: PERSONNEL MANAGER Aerophysics Development Corporation (Subsidiary of Studebaker-Packard Corp.)

P. O. BOX 949 SANTA MONICA, CALIF.

WANTED AIRPORT SERVICE OPERATOR

A portion of a large Southern California air-port is available under sublease to a capable operator who can service and repair aircraft; store and fuel transient planes; and handle related activities such as flight training, car rentals, lunch counter, sleeping accommoda-tions, etc.—Excellent flying weather. Hunting and fishing. Aircraft modification contracts available at this location.

Detail your experience and financial respon-

BO-6428, Aviation Week Los Angeles, Calif.

1111 Wilshire Blvd.

SKILLED PILOTS

AVAILABLE No Fee to Employers PILOTS EMPLOYMENT AGENCY Teterboro (N. J.) Airport Hasbrouck Heights - 8-1091

REPLIES (Box No.): Address to office nearest you NEW YORK: 330 W. 42nd St. (36) CHICAGO: 520 N. Michigan Ave. (11) SAN FRANCISCO: 68 Pust St. (4) LOS ANGELES: 1111 Wilshire Blvd. (17)

POSITIONS WANTED

Airline Flight instructor desires West Coast position: A.T.R. DC4, CV340, Commercial DC3, helicopter, plus jet time, 5000 hours. Age 35. Resume on request. PW-6350, Aviation Week.

Sales Engineer 29 BSEE. Aggressive, desires opportunity sales management. 7 years sales, and application engineering in aircraft, met-als and electrical field. Write PW-6470. Aviation Week.

Editor writer, hvy. exp. aviation pr & publications, seeking N. Y. post reply PW-6469, Aviation Week.

Experienced Pilot-ATR on DC-3; DC-4; C-46; young & Energetic. Will accept company or airline copilot position. Box 534, Hazardville, Conn.

SELLING OPPORTUNITY WANTED

Well established small company, with ten years experience aircraft instruments, accessories, electrical material and related items, seeks aircraft equipment manufacturer to represent in the Kansas, Oklahoma, Missouri territory. Well known at all aircraft and industrial plants this area. Can supply excellent references, RA-6435, Aviation Week.

FOR SALE

Cessnas, Brand new 1955:-170-180-195-310 for lease wet or dry. Iternational Aviation. County Airport White Plains, N. Y. Tel. WH-8-2049.

C-47 - DC-3C DOUGLAS AIRCRAFT

26 and 28 airline passenger aircraft available for long term lease.

Aircraft in excellent condition having air stair door, outside baggage compartment.

Call, write or wire

WILLIAM C. WOLD ASSOCIATES

516 Fifth Ave. New York 36, N. Y. Cable: BILLWOLD Tel. MUrray Hill 7-2050

Ford Motor Company of Canada has switched DC3 Engine Overhauls

Lambert Field Inc. St. Louis, Mo.

FOR SALE

Excellent for Conversion Engines 1820-56 "0" Time SMOH

LODESTAR 18-56

MINNESOTA AIRMOTIVE INC. Minneapolis, Minn. PA - 9-8388

AIRPLANES WANTED

Need 50 Bonanzas, Navions, 180's, 190's, 170's, Aero Commanders, Twin Navions, Twin Beeches, etc. Will Buy Dealers' Stocks New or Used

Vest Aircraft Co.'s Skyranch BOX 5306, DENVER 17, COLORADO

We Buy DC-3 and C-47

—also components, fuselages, center sections, Pre-fer runout or needing work, airline, passenger, or cargo, Pratt & Whitney or Wright. State price, time, quantity, type engines. We are not brokers

REMMERT-WERNER, INC. Lambert Field St. Louis, Mo.

AIRPLANE AND ENGINE MECHANICS

Are you interested in a Non-Profit Organization with an aim toward:

- Broadening your knowledge of modern aviation from a Professional Aviation Mechanics view-
- Improving prestige and recognition for those choosing Aircraft Repair and Maintenance as
- Representation in matters effecting this pro-

Address inquiries to: PROFESSIONAL AVIATION MECHANICS Station H, P.O. Box 89 Buffalo, N. Y.

Replies assured-No Union Affiliations.

UNUSUAL

OPPORTUNITIES

can be found each month in the

SEARCHLIGHT SECTION

INSTRUMENT SERVICE



ELECTRONIC SPECIALISTS CUSTOM INSTALLATIONS OF ARC .. BENDIX .. COLLINS NARCO .. ECLIPSE . . SPERRY LEAR

READING AVIATION SERVICE, INC. MUNICIPAL AIRPORT READING, PA.

INSTRUMENT

Sales & Serv. Inc. NY International Airport Jamaica 30, N. Y. CLASS 1, 2, 3, 4

unlimited OL6-5678 TWX NY4-396

PARTS & SUPPLIES

R. K. Brown Co.

PARTS SPECIALIST

Lambert Field

STROMBERG INJECTION CARBURETOR

CARBURETORS PARTS ASSEMBLIES CARBURETORS SUPPLIED IN REPAIRABLE CONDITION OR OVERHAULED AND CERTIFIED BY CAA APPROVED REPAIR STATION.

Parts also available for Holley Carburetors 238-A PARK AVE. EAST RUTHERFORD, N. J. WEbster 9-9250, 9-9251 Cable Address "Brownaere"

Has all Parts and Supplies for Executive DC-3 LODESTER BEECH Airframe Engines Radios
A.R.C. Bendix Collins Lear Sperry Wilcox
P&W Continental Wright Goodrich Goodyear

AIRCRAFT DEALERS



SHOP EQUIPMENT

New-Used-Rebuilt AIR TOOLS

Complete Selection of Air Tool Accessories AIR TOOL SERVICE DESIGN CONSULTANTS ENGINEERED REBUILDING PROFESSIONAL AIRCRAFT SERVICES 47 Stanley Ave., Hastings-on-Hudson 6, N. Y.

HELICOPTERS

HILLER

UH12B's

AVAILABLE FOR LEASE IMMEDIATELY

Complete spares for foreign operation. Float gear, etc.

TRANS-INTERNATIONAL AIRLINES, INC. HELICOPTER DIV.

P. O. Box 233 Miami 48, Fla.

ENGINE WORKS

St. Louis Lambert Field Largest supplier of engines for executive DC3. We stock, overhaul, and install—

Wright R1820 **Pratt Whitney** R1830

-202, -56, -72 -75, -92, -94 Also R2000-D5, -13 R1340 R985

DC3 Owners-write for our DC3 engine evaluation form, and engine exchange plan.

Deal Directly With Owner

Frederick B. Ayer offers

Hamilton Standard 12D40-211-6101A12

PROPELLER ASSEMBLY

FOR AT-6 AIRPLANE

- · CAA certified overhaul.
- · Also all parts for this assembly. Very large stock available.

Prices-Wholesale Frederick B. Ayer

TRADE AYER COMPANY Linden Airport, Linden, N. J.

has switched DC3 and Bonanza Engine Overhauls


GOODYEAR AIRCRAFT

ENGINE WORKS Lambert Field Inc. St. Louis, Mo.

gines, wing and prop de-icers, couch, nose tank, all bulletins complied with. Will lease to reputable firm or individual for three years at \$975 per month including full coverage insurance and purchase option. Also Bonanzas for lease from \$550 per month.

Bob Siler, Manager TRADEWIND AIRPORT CORPORATION Phone DR2-6724 Amarilla, Texas ENGINEERS

Creative Opportunities with Republic Aviation



Flight Test

Research

Flutter & Vibration

Stress Section

SENIOR AERODYNAMICIST An aerodynamics engineer (5 years or more experience) experienced in static and dynamic stability of airframes and autopilots. Able to investigate stability and control problems in detail with only general guidance. Original ideas and initiative required. SENIOR AERODYNAMICIST Four to five years experience in performance to do drag analysis. Must be familiar with the drag problems of supersonic aircraft.

DYNAMICS ENGINEER A broad program involving analytical and experimental investigations of the complex dynamics problems associated with supersonic aircraft offers a real opportunity for young engineers with ability. You will gain invaluable experience under competent supervision to develop a professional background in such areas as servo-mechanisms, analogue computers, control system dynamics, non-linear mechanics and hydraulic system analysis. A program of laboratory investigations on actual systems in conjunction with analytical work, as well as a coordinated lecture program, offers an outstanding environment for rapid professional development. A degree in ME, AE or Physics with good Math background is preferred.

SENIOR FLIGHT TEST ENGINEER Experienced in power plant and performance work. Aeronautical plus thermodynamics education preferred. Turbo-jet experience necessary, Unusual opportunity to fill a specific responsible vacancy.

FLIGHT INSTRUMENTATION ENGINEER Experience with oscillographic and electronic flight installations preferred, ground experience accepted. Openings for a senior and junior position are available in

ANTENNA ENGINEER To conduct pattern studies, design prototype antennas and supervise flight tests of new antenna installations. College graduate in Physics, Math or E.E.

VIBRATION ENGINEER Two to five years aircraft vibration experience required. Shock and vibration theory and a practical knowledge of electromechanical shaker application as used in experimental research testing of complete airframes for flutter analyses and component investigation essential. Familiarity with usage of accessory electronic instrumentation equipment desired. Graduate with M.E. or A.E. degree preferred.

SENIOR RESEARCH ENGINEER-SERVOMECHANISMS B.S. degree in mechanical or aeronautical engineering with a minimum of 3-5 years experience in testing or design of servo-mechanism controls. Must be capable of conducting airplane autopilot and controls system testing and analyses. Familiar with all phases of oscillograph instrumentation. Vibrations experience considered.

Specialized openings for Thermodynamics engineers in the following categories, B.S. in M.E. or A.E. required.

SENIOR THERMODYNAMICS ENGINEERS (1) Four years experience with engine control systems, (2) Inlet specialist. Four years experience on both subsonic and supersonic design, (3) Four years experience in SENIOR DYNAMICS ENGINEER Supervisory position open for a capable engineer interested in advanced problems in aeroelasticity of

supersonic airplanes. Emphasis on experimental and analytical work associated with complex airplane vibration problems. Several years experience in vibration testing and analysis as well as flutter analysis required. Chance for advancement good for right man. STRUCTURES ENGINEERS Two openings exist for Structures Engineers with thorough experience in airframe stress analysis and struc-

tural design of major airframe components. A working knowledge of energy methods and aircraft shop practice together with demonstrated ability to direct a small group is also desired. WIND TUNNEL MODEL DESIGNER Mechanical Engineer for wind tunnel model design experienced in intricate mechanisms, application of materials used in high speed model design, and ingenuity to originate testing devices. 3 to 5 years experience and college degree preferred.



Please address complete resume, outlining details of your technical background, to: Assistant Chief Engineer

HEPUBLIC AVIATION

FARMINGDALE, LONG ISLAND, NEW YORK

LEASE-\$975 MONTH

D18-S Twin Beech. Hydromatics, zero en-

FOR SALE! 21 NEW DOUBLE PASSENGER SEATS Manufactured by Warren McArthur #366-2-40" inside width

COMMERCIAL AIRCRAFT PARTS CO. (formerly Commercial Surplus Sales Co.) 4101 Curtis Ave. Baltimore 26, Md.

SUPER-92

St. Louis, Mo.

Lambert Field

1—Portable Structural Steel AIRPLANE HANGAR

130' x 160'. War Dept. TM5-9612 fabricated for the U.S. Govt. Sheet steel ribbed galvanized roofing. Height at center of truss 39'. Hangar still in original 15 crates complete as received with assembly tools, lights, assembly instructions and drawings. Avail, for inspection,

Gross weight 231,072 pounds Price \$30,000

H. H. BUNCHMAN, V. P. CRANE CO. 836 S. Michigan Av. Chicago, III.

AVIATION WEEK, May 16, 1955



NEW YORK-LOS ANGELES
3 Nonstop Roundtrips

NEW YORK-SAN FRANCISCO
One-stop Daylight Service

LOS ANGELES – WASHINGTON, D. C. 2 Nonstop Roundtrips

BOSTON - LOS ANGELES
One-stop Daylight Service

WASHINGTON, D. C.—SAN FRANCISCO
One-stop Daylight Service





Americas Leading Airline

AIR TRANSPORT

Pacific Air Travel Heads for New Peak

Airlines see aircoach, credit plans, expanded hotel accommodations as reasons for 20-40% traffic gain.

By William J. Coughlin

San Francisco-Airline travel across Nort the Pacific is expected to reach a new are a high this year despite the war threat ice."

In the Far East.

U. S. scheduled airlines flying trans-Pacific routes are preparing for their biggest season to date, following record first-quarter traffic. Northwest Orient Airlines is anticipating a traffic increase of more than 40% on its Pacific routes; Pan American World Airways expects a jump of at least 25%, and United Air Lines is counting on a 20% increase in its traffic to Hawaii.

Newer equipment is going into service, and schedules will be stepped up to meet the growing traffic demand.

▶ Running Ahead—"The Formosan situation doesn't seem to be affecting the travel picture at all," reports Herbert F. Milley, traffic and sales manager for the Pacific-Alaska Division of Pan American.

The Pacific picture not only is keeping pace with the airline boom predicted elsewhere but is running considerably ahead of it.

Pan American's Pacific travel, which increased 9% in 1954, gained 31% in 1955's phenomenal first quarter. The increase in traffic beyond Honolulu was even more spectacular, topping 50%.

The airline reports this was matched by an increase in charter flights, with charter revenue in the first five months totaling \$1 million, compared to a \$1-million total for 1954.

► Travel Factors—Airline officials attribute the upswing to a number of factors:

• Increased tourist interest. Both Hawaii and Japan, for example, are expecting their biggest tourist year. This has been aided by the efforts of such organizations as the Pacific Area Travel Assn. and the Hawaii Visitors Bureau.

• Expanded hotel accommodations. This is particularly true in Honolulu. Airlines that formerly were forced to turn down passengers because hotel rooms were not available for them in Honolulu now can confirm hotel reservations when selling tickets.

• Increased aircoach flights. "Tourist flights appeal to the tourist," says a PanAm official. "It is largely the businessman on an expense account who flies first-class."

Pay-later plans. "Fly now—pay later is a very definite business-getter," reports
Northwest Airlines. "Lots of people are using it on the trans-Pacific service."
 ★ Better Service—All three airling planning to fight for a bigger shape the growing Pacific travel market, means bigger advertising budget

Pan American's deferred payment plan produced \$3 million in revenue during the first eight months of its operation. Some 16% of all PAA pay-later tickets sold were to Hawaii, compared with 7% of regular tickets.

► New NWA Airliners—New equipment will play an increasing role in the competition for the trans-Pacific travel dollar.

Northwest is scheduling four flights a week to the Far East on its new Lockheed Super Constellations, three through to Manila with one turning around at Tokyo.

"We hope to expand this service in the future," says George E. Hatch, Western region sales manager for NWA. "Daily flights are in the planning stage."

The airline has now expanded its Super Connie service to Hawaii to three flights weekly. There also is DC-6B tourist service.

In an appeal to the East Coast trade,
Northwest also provides service from
New York to Hawaii on the "Hawaiian
Express" Stratocruiser, departing from
New York at 4.15 p.m. (EDT) and
arriving Honolulu at 9:50 a.m. (HST)
after stops at Minneapolis and Portland.

Pacific flights.
It all adds to the Pacific this double the 10 predicted for (AW Apr. 25,

Northwest, which carried 9,565 passengers to and from Honolulu last year, is forecasting an increase to 12,480 this year. First quarter figures for 1955 showed 3,342 passengers, climbing from 1,743 last year.

NWA expects its traffic to the Far East to increase to 14,000 this year from 9,309 last year.

► Increased UAL Flights—United Air Lines, which flies to Hawaii but not beyond, is increasing both its schedules and its equipment to keep pace with its competitors.

Starting on June 1 from Los Angeles, Calif., for example, UAL will double its first-class DC-7 service, going from two to four flights weekly. DC-6 coach flights will increase from six to eight a week.

United believes its two-abreast coach seating offers tremendous appeal to tourists making the long Hawaii flight on a limited budget.

"Our traffic to Hawaii was up over 20% in the first quarter, and we expect to do as well or better the rest of the year," says a UAL spokesman.

▶ Better Service—All three airlines are planning to fight for a bigger share of the growing Pacific travel market. This means bigger advertising budgets and better service for the customer. "We intend to step up our promotion in a very substantial way," NWA reports.

There will be emphasis on food and beverage service for both the first-class and aircoach traveler. Cocktails, wines and liqueurs are served free on first-class flights.

Tourist passengers will find that meals are free and cocktails available for 50 cents a drink on some flights.

Pan American's first group of Nisei stewardesses began serving aboard Clipper flights on the San Francisco-Tokyo route last month in another sign of the quickening competition in the Pacific.

PAA officials expect them to offset some of the appeal of Japanese stewardesses on rival Japan Air Lines. Northwest also is considering hiring Nisei stewardesses for its Tokyo service.

At least one airline is considering both recorded music and inflight movies as new attractions on the long trans-Pacific flights

It all adds up to an airline boom in the Pacific this year that will more than double the 10% increase in air travel predicted for the industry as a whole (AW Apr. 25, p. 111).

AA Credit Plan

American Airlines is expanding its air travel credit plan on May 16 to offer credit facilities to the local service carriers.

American has developed a plan in conjunction with the Beneficial Finance Corporation to offer the local airlines the same credit facilities the larger carriers are finding so successful in promoting air travel.

A package installment plan which includes promotional material will be furnished by American. The company will also assume the financial risks of the program.

While designed primarily for travel on American, the plan can be used for travel on scheduled airlines anywhere in the world and can include the ground portion of package vacations.

Operators Label Copter CAR Premature

manufacturers is visualized in the cur- only be larger but intended for use in tain route limitations. rent Civil Aeronautics Board draft re- air carrier service. lease of expanded airworthiness requirements for rotorcraft. At the same of Safety Regulation is to establish time, commercial helicopter operators three helicopter categories; Normal, view the Board's proposals as premature Transport A and Transport B. "Norconsidering the real future of com- mal Category" would be for relatively mercial helicopters to be eight to 10 vears away.

Both the manufacturers and the operators participated in several years of joint effort by CAB and CAA to revise and enlarge present helicopter airworthiness regulations. The decision, now, is to establish three categories of helicopters-small, medium and large worthiness requirements.

CAB's notice of proposed rule making (DR N9. 55-11), would establish a new Part 7 and amend Part 6 of the Civil Air Regulations. The proposed Part 7 is to provide for two transport categories of helicopters. Amendment of Part 6 is for simplification of requirements for small helicopters. Deadline set by the Board for additional comment from interested parties is June 15.

► Army Approves—The manufacturers are agreeable to such new rules because they see in them the only vardstick to apply in seeking an airworthiness certificate. Also, it is known that the Army has been prodding CAB to expedite its helicopter requirements. Army intends to include them in specifications for its own future procurement, another advantage to the manufacturer. The Airworthiness Requirements Committee of the Aircraft Industries Association is prepared to accept the Board's proposal subject to requesting a number of door" to new enterprise. changes and deletions.

On the other hand, the commercial operators—both present and prospective -are concerned with being burdened by excessive regulation at this stage. They contend the helicopter business is not sufficiently developed to restrict it with a large volume of rules.

► New Distinction—What the two industries are being asked to live with are new regulations designed to make a distinction between large and small helicopters and between helicopters intended for general use and air carrier service. The presently effective helicopter airworthiness requirements contained in CAR Part 6 make no such distinc-

Requirements of Part 6 were based primarily upon experience gained with helicopters of relatively small size. Those requirements are considered unsuitable for large helicopters under development. The desire is to establish chairmen of CAB and other agencies of p. 12)

An immediate boost for helicopter new rules for helicopters which will not formance operating limitations and cer-

small helicopters. "Transport Categories A and B" are for large helicopters intended for air carrier service. Requirements for eligibility in each classification is as follows:

 Normal Category—Limited to 6,000 lbs. or less maximum weight; opera-(HVR) only; eligible for all passenger multi-engine-with corresponding air- and cargo operations except in certificated schedules and irregular air ments. carrier service.

 Transport Category A—Required to be multi-engined; no maximum weight limitations; eligible for all types of operations but subject to compliance with appropriate performance operating ments. limitations when used in air carrier

Having established these require-Recommendation of CAB's Bureau ments for three helicopter categories, CAB proposes to amend presently effective Part 6 and make it applicable only to Normal Category helicopters. The two transport categories are to be governed by the new Part 7.

► Some Objections—The provisions for Normal Category or small helicopters would be simplified. Most significant would be the limitation of requirements for scheduling performance and the necessity of providing a flight tions limited to visual flight rules manual. Transport Category B is covered by the present Part 6 plus a number of additionally proposed require-

The provisions for Transport Category A are entirely new and include proposals covering single-engine performance, fire prevention, engine installation and detail design require-

General industry acceptance of the proposed rules is expected. However, • Transport Category B-Limited to even the manufacturers have made ex-17,500 lbs. or less maximum weight; ceptions. Major objection is to the operations limited to visual flight rules weight limitation of 17,500 lbs. for (HVR) only; eligible for air carrier Transport Category B helicopter for service subject to compliance with per- both passenger and cargo operations.

Anti-Trusters Focus on Airlines

House Judiciary Committee, aiming to tighten anti-trust law, focused on the air transportation industry last week.

Sen. Joseph O'Mahoney and Rep. Henry Reuss charged domination of Civil Aeronautics Board by the scheduled airlines to maintain a "closed

Rep. Emanuel Celler, chairman of facts. the subcommittee on monopoly, suggested that airline mergers be prohibited and entry liberalized.

▶ Fears Concentration—As counsel to North American Airlines during a "leave of absence" from the Senate, O'Mahoney said he discovered that air transportation illustrates that "concentration of economic power will take over control of the government-perhaps unconsciously."

He pointed out that 96% of air traffic is held by the "grandfather" airlines, and only four percent by new lines certificated since the 1938 Civil Aeronautics Act. "Free enterprise has only squeezed," he declared.

Pointing out that the White House staff grew under the Roosevelt and Truman administrations and "is still

"getting word from the White House" before they make quasi-judicial deci-


► Would Shun Advice—His solution: require all Board members to take an oath of office that they will not take advice from any source, but base decisions solely on hearing testimony and

He also suggested longer terms for Board members "for greater independ-

O'Mahoney singled out Pan American World Airways as being "economically greater than most of the nations of the world."

Reuss cited the Pacific case as "a horrible example of how the government itself tries to create monopoly." Secretary of Commerce Sinclair Weeks, Reuss declared, "got the President in one of his unguarded moments to overrule a unanimous decision of the CAB removing Northwest Airlines entirely from the Milwaukee-Honolulu route a foot in the door and that foot is being and giving PAA a monopoly-though Northwest was willing to perform the flight without a cent of subsidy. Fortunately the protests were long and loud. The President had to back down growing," he criticized the policy of the and reverse himself." (AW Feb 14


AMERICA'S HOTTEST JETS HAVE HYATTS!



When astonished test pilots put the sensational new Lockheed F-104 through its paces, they promptly nicknamed it the "Gee Whizzer"-and no wonder! One of the newest and fastest American interceptors, powered by a J-65 jet engine with a thrust equalling thirteen thousand horsepower, it has a reported speed of 1500 mph!


Naturally, no ordinary bearings could last long in a job like this. That's why the designers depend on fifteen precision HYATT Roller Bearings to help harness those 13,000 horses. Once again, as so often in jet engine history, HYATTS have played a vital role in breaking another "bearing barrier"!

Remember, when your design requirements outstrip the capabilities of ordinary bearings, come to HYATT for help. Hyatt Bearings Division, General Motors Corporation, Harrison, New Jersey.



ROLLER BEARINGS

AVIATION WEEK, May 16, 1955



In the high sky, a new high-performing trainer

Cessna T-37... Designed for Jet Training

Today's air age demands that our Air Force pilots be masters of the turbojet airplane. Jet age training requirements call for an airplane able to deliver outstanding performance at all altitudes. Also, an efficient jet trainer has to be maneuverable, safe, easy to handle—with a slow landing speed.

The T-37 performance will permit high alti-

tude training for eadet pilots at an earlier phase of their training schedule. And, this means training cost economy.

CESSNA was given the responsibility of developing this new trainer. We are proud and privileged to join with the Air Force in planning its training program for the jet age.

CESSNA AIRCRAFT COMPANY



Be an Aviation Cadet. Inquire today at your Air Force Recruiting Office about the future your Air Force offers you.

WICHITA, KANSAS

CAB Reverses Examiner, Will Not fares. Approve HAL Convair Operation

findings, the Civil Aeronautics Board has decided not to underwrite Hawaiian Airlines' Convair operation in setting mail pay for HAL and Trans-Pacific Airlines.

The Board also made sharp cuts in mail pay recommended for past and future periods for the two Hawaiian carriers. The decision sets mail pay for HAL at \$238,073 for the period September 3, 1953, to February 28, 1954, and \$187,363 annually for the period starting March 1, 1955. This will mean a refund of \$137,179, since the carrier received \$375,252 during the September-February period.

Mail pay for Trans-Pacific for the period January 8, 1953, to February 28, 1954, is set at \$410,324. For the future period starting March 1, 1954, mail pay is \$59,878 a year.

► Examiner Overruled—These figures represent reductions from recommendations of Examiner Herbert K. Bryan, who provided \$434,495 for TPA and \$605,502 for HAL for the past periods, and \$95,056 for TPA and \$671,626 for HAL for future periods.

Central issue in the case was Hawaiian's operation of Convairs. The company took delivery on five 340s early in 1953 in an effort to combat inroads made by TPA since its certification in 1949.

Initially, there was a marked impact on TPA traffic and breakeven need increased from \$151,072 in 1952 to \$337,931 in 1953. Since then, the novelty has worn off and TPA's reported breakeven need for 1954 was \$94,873:

At the same time, Hawaiian's dependence on mail pay for its mixed Convair-DC-3 operation has increased from a reported breakeven need of \$222,139 in 1951 to \$821,797 in 1953. despite steady increases in traffic.

► Follow Domestic Policy—The CAB has decided not to underwrite the operation of Convairs by HAL and has based its mail pay on an all DC-3 operation. This policy is similar to that followed in setting mail pay for domestic local service carriers.

The Board finds no support in the record for the examiner's contention that the Board has to support additional costs of re-equipment for smaller carriers to encourage economic development of air transportation. The CAB decision mentions that a local service carrier, Southwest Airways, succeeded in reducing mail pay requirement with the use of a mixed fleet of Martin 2-0-2s and DC-3s. Two other as adjustments to narrow the gap be- adding a new point to their systems.

In a sharp reversal of an examiner's local carriers are planning to put Convair or Martin equipment on their routes within the next few months, in spite of the Board's policy of not underwriting such ventures.

As to the superiority of the Convair in Hawaiian operations, CAB points out that HAL's share of the total market has slipped from 72.51% in 1953 to 70.41% last year, indicating that the diversionary advantages of the Convair were temporary.

▶ Board is Skeptical—CAB finds little probability that HAL will reach an economical basis of operation with the

of Hawaiian operations, the speed advantage of the 340 over TPA's DC-3s is negligible. Over the average passenger haul of 131 miles, the Convair advantage is 10 minutes. The CAB foresees no traffic volume in the immediate future which would make the Convair operation economical.

The Board also finds that HAL made little effort to reconcile capacity with traffic and expanded capacity beyond the traffic potential at the expense of its load factors.

The Board reaches the conclusion that "HAL was engaged in a deliberate program, in which the Convair purchase was an integral part, to offer a volume of capacity which would blanket the market and forestall TPA's efforts for competitive survival."

In its decision, CAB expresses the conviction that a carrier on subsidy must, in making management decisions, consider the effect of those decisions on subsidy need. According to CAB, factors of competitive advantage which are of primary concern in other industries must be subordinated to the effect on required subsidy.

"We regard this of importance," says the decision, "not only to protect the federal treasury from an unwarranted drain, but also to preserve for the traveling public the full benefits of a competitive service."

IATA Announces Family Fare Plan

A family fare plan is the latest effort of trans-Atlantic airlines to boost traffic during the slow winter season.

The International Air Transport Assn. announced an airline fare pro-1956, off-season which features substantween winter and summer passenger

Under the family plan, the head of the family pays full fare. Other members-wife or husband and children between 12 and 25-pay a reduced fare. Children under 12 are already eligible for a 50% fare cut.

Savings amount to \$150 one way and \$300 round trip for first class and \$130 and \$200 for tourist service.

The fare differential between seasons has been reduced to \$30 for first class and \$40 for tourist for a round trip. Present differential is \$80 and \$97.

CAB to Survey Freight Forwarders

The future of International Air Freight Forwarders will be determined In view of the short haul nature by a general investigation instituted by the Civil Aeronautics Board.

The Board will make a general survey of forwarders engaged in transportation of property between the United States and overseas points as a review of the first five years of regulation. The international forwarders began operations under present rules in 1950, and their five-year authorization is up in August.

Domestic forwarders are currently under review in another investigation and an examiner's report is now waiting Board action.

All present holders of letters of registration, all applicants and the Railway Express Agency have been included in the proceeding. The case will also be concerned with the extent to which the CAB should attempt to regulate foreign citizens operating as forwarders from foreign countries.

Examiner Approves New Capital Service

Direct nonstop service between Norfolk, Va., and Atlanta to be performed by Capital Airlines has been recommended by Civil Aeronautics Board Examiner Curtis C. Henderson.

The case stems from an application of the Norfolk Port Authority, asking the CAB to remedy the deficiency in service between the Norfolk area and the Southeast and Southwest. Capital, Delta-C&S Air Lines, Eastern Air Lines and National Airlines all applied for the direct service.

Examiner Henderson finds that Capital should perform the service, since it already serves both points via Asheville, N. C.

The examiner recommends that the carrier be authorized to overfly Ashegram for the November 1 to April 1, ville and fly directly between Norfolk and Atlanta. Certification of any tial reductions for family travel as well of the other applicants would involve

Australian Airlines Want More DC-6Bs

(McGraw-Hill World News)

Melbourne-Nationalized Trans-Australia Airlines and privately-owned Australian National Airways are pressing the government for permission to buy more DC-6Bs from Douglas Aircraft

TAA wants dollars to cover the cost of at least one U.S.-built airliner and is trying to convince federal officials that it needs two. Australian National is asking for a foreign exchange allocation to purchase two DC-6Bs.

►DC-6B vs. Viscount—Trans-Australia had believed its fleet of seven turboproppowered Vickers Viscounts would eliminate the need for other transports. But the British airliners are making a poor domestic route between eastern and utilization. western Australia.

Australian National is carrying 52 passengers plus about 7,000 lb. of cargo in its Douglas transports, compared with the Viscount's 32 passengers and arise from proposals to establish pro- a year. some 2,000 lb. of cargo. Whenever hibited or restricted areas and obstrucwesterly winds exceed 80 knots, west-tions to air navigation. Objective of make the flight nonstop.

► Higher Expenses—The turboprop airliners are increasing TAA's operating expenses on the domestic route. Trans-Australia had flown 50-passenger DC-4s until the DC-6B's popularity on ANA flights forced the switch to newer equipment.

on seven nightly roundtrips a week plus two daytime DC-4 flights. This gives work. the airline a total capacity on the route of 324 seats a week, compared with 350 when only seven DC-4 roundtrips were flown.

► Sudden Interest—Trans-Australia executives say the Viscount is not designed for this domestic operation, the reason 14 lines. for their sudden interest in DC-6Bs.

Australian National officers report they want to buy more of the transports because their fleet of two DC-6s and two DC-6Bs have proved "extremely popular" in this country and suitable to conditions and operating requirements

ACC Panel Studies Airspace Problems

A survey of airspace utilization is being made by the Air Coordinating Committee's Airspace Panel. Emphasis will be on restricted, warning and control areas in connection with the over-all

Copter Charters Anywhere

Airwork, Ltd., and a British helicopter operator are forming a new company designed to undertake rotary charters any where in the world.

The independent U. K. airline and Fisons Pest Control, Ltd., agricultural copter operator, will be equal shareholders in the new operation-to be known as Fison-Airwork.

Eight Hiller helicopters, now owned by Fisons, combined with Airwork's fixed-wing fleet will cover activities including executive charters, aerial surveys and engineering construction work plus spray/dust flights.

Airwork will administer all business other than agricultural charters. These will be handled by Fisons.

procedures and other activities which showing against ANA's DC-6Bs on the are generally associated with airspace

ACC's Airspace Panel, assisted by eight regional subcommittees, is charged with preventing and eliminating conflicts in the use of airspace which may bound Viscounts have to put into the current survey is to inform ACC Kalgoorlie for refueling while DC-6Bs on specific areas in which conflicts now exist and where trouble may be antici-

Local Service Lines Assured Certificates

The 14 local service airlines appear Now TAA is operating two Viscounts certain to become a permanent part of his pension would be about 6% less the domestic air transportation net-

> Commerce Department has informed members of the House and Senate Commerce Committees that "the Administration has no objection" to legislation directing Civil Aeronautics Board to grant permanent certificates to the

> The statement was made as Congress completed action on the bill.

On Capitol Hill, this was taken as assurance that the White House would approve the measure.

Two main provisions of the legislation, as they were sent to the President

· CAB would be required to grant permanent certificates to all local service lines "continuously" in operation since Jan. 1, 1953, who filed applications within 120 days after enactment, unless the service has been "inadequate and inefficient."

 CAB would have discretion to withhold from permanent certification "not over one half of the intermediate panel also will study jet penetration "generated insufficient traffic. . . ."

Pilot Retirement Plan Cuts Age, Raises Pay

Air Line Pilots Assn. is pushing through a pension program that cuts the minimum retirement age to 50 and sets up payments ranging from more than \$3,600 to \$9,600 a year.

In the first contract signed under the new plan, Pan American World Airways agreed to the lower age and higher retirement pay after more than a year of negotiation (AW May 2, p. 86). Northeast Airlines followed with an agreement setting up a pilot pension program similar to PAA's.

ALPA now is trying to negotiate a third contract with United Air Lines.

Contracts with PanAm and NEA call for an A fund, with fixed benefits paid entirely by the airlines, and a B fund that consists of 6% of the pilot payroll. Pilots contribute 3% of the second fund, and the company makes up the rest.

Dividends from equity-type securities are expected to increase retirement pay from the B fund by at least 2%

Under the Pan American agreement, a pilot with 25 years of service and earnings of \$13,000 a year can retire at 60 with an annual pay of \$9,665-if he received the full 2% appreciation. Without this increase, his pension would be \$7,878 a year.

At the other end of the scale is the pilot who retires at 55 with no accumulation of dividend. His annual pay would be \$3,693.


If an ALPA member retires at 50. than the payments at 60.

Wilson New Deputy At Commerce Dept.

Thomas Bayne Wilson has been sworn in as Deputy Under Secretary of Commerce for Transportation. He will serve as deputy to Louis S. Rothschild, the Under Secretary for Transportation.

A former member of the Kansas State Legislature, Wilson comes to the Commerce Department from the General Services Administration where he was Deputy Commissioner for the Emergency Procurement Service.

Wilson has had wide experience with many forms of transportation, including service with Trans World Airlines. He has been an executive of various railroad, trucking and steamship companies and was Chief of Transportation for the Southwest Pacific Area on the staff of Gen. Douglas MacArthur in World War II. He served as chairman problem of diminishing airspace. The points" on a carrier's system that of the Board of TWA from 1938 to



Wing spar forging is sprayed with lubricant before final operation on 35,000-ton press.

GIANT SQUEEZE slashes airframe weight



50,000-ton press (background) and 35,000-ton press are housed in 10-story, 12-acre building adjacent to Alcoa's forging and casting works in Cleveland.

A mighty forging operation has begun production at the Cleveland Works of Aluminum Company of America. Two mammoth new Alcoa-operated Air Force presses with capacities of 50,000 and 35,000 tons will squeeze out massive airframe parts replacing numerous smaller components.


Previously, wing spars and other major structural members had to be built up from many individual parts. Big parts from the big presses will slash structural weights.

The giant presses, which tower four stories above the plant floor and penetrate another three stories below, produce forgings which are more intricate and closer dimensionally to the finished part than forgings from smaller presses. This means additional savings in machining costs. It

may be cut 20% to 25% as a result of the economies afforded by the big presses.

Alcoa takes pride in its part in the Air Force's heavy press program which will result in stronger, lighter components at less cost for our military aircraft. ALUMINUM COMPANY OF AMERICA, 1800-E Alcoa Bldg., Mellon Sq., Pittsburgh 19, Pa.

Your Guide to Aluminum Value



is expected that the cost of airframe parts Fasten Aluminum With Alcoa® Aluminum Fasteners

CAB ORDERS

(Apr. 28-May 4)

GRANTED:

Western Air Lines and Braniff Airways leave to intervene in the New York-Mexico City nonstop case on the sole issue of the validity of the certificate of Eastern Air Lines for a New Orleans, La.-Mexico City

Slick Airways an exemption to permit an agreement for the lease of three C-46s from American Air Export & Import Co.

Flying Tiger Line an exemption to perform 20 charter flights from London, Paris, Brussels, Bremen, Munich, Milan and Athens to New York pursuant to a contract with the Intergovernmental Committee for European Migration. FTL also was granted an exemption to transport agricultural laborers between points in the United States and in the British West Indies, British Guiana and British Honduras, subject to certain restrictions, until Mar. 31, 1956.

North Central Airlines an exemption to permit one daily roundtrip flight between Chicago and Duluth via Milwaukee and Green Bay until 60 days after decision in the North Central certificate renewal case. An investigation of the service is ordered and consolidated with the renewal case.

Ozark Air Lines permission to serve Nashville, Tenn., through Berry Field.

Purdue Aeronautics Corp. an exemption to perform various charter flights to Canada and Cuba.

APPROVED:

Agreement between Trans World Airlines, Continental Air Lines and various other carriers relating to intercompany arrangements.

Resolutions adopted by the International Air Transport Assn. between various airlines relating to North Atlantic cargo rates, South Atlantic fares and North and Mid-Atlantic promotional off-season fares.

Caribbean Airways for lease of one DC-4 case was denied. by FTL.

Air Transport Assn.'s amendment of its articles of association to increase membership of the board of directors from 10 to 11.

Extension of temporary suspension of Seattle-Houston interchange service between United Air Lines and Braniff Airways, until Oct. 1, 1955.

ORDERED:

Continental Air Lines' rate for carrying surface mail on the route transferred from Pioneer Air Lines be fixed at 30 cents a ton-mile.

Catalina Air Transport to inaugurate service between Los Angeles and Catalina Island during the period ending Aug. 1, 1955. Catalina's application for temporary suspension of service was ordered set for future hearing and petitions of Southwest Airways, Channel Airways and Channel Air Service consolidated with the Catalina application for hearing and disposition.

United Air Lines' exemption authority to provide free transportation to technical employes of Sperry Gyroscope Co. for inflight in its certificate renewal case.

Swissair Pilot Program

(McGraw-Hill World News)

Geneva-Swissair will start a pilot training program next fall in an effort to end the shortage of Swiss crews that has confronted the airline for the past 30 years. By 1957 or 1958, Swissair expects all pilots to be furnished by the school.

The airline now is selecting candidates, restricted to Swiss nationals, for the first one-year training program. The course will start with basic flight fundamentals and end with advanced training in DC-3s.

Swissair has been forced to go beyond its country's borders to recruit pilots since it started operating in the 1920s. Last year, a nation-wide publicity campaign to draw experienced nationals into the airline brought little response from either military or civilian pilots.

observation extended for six months from May 3, 1955.

Suspension of certain fares filed by Great Lakes Airlines extended to Aug. 7, 1955, to allow added time for investigation.

Suspension of certain fares filed by Currey Air Transport, Ltd., extended to Aug. 9, 1955, to allow added time for investiga-

DISMISSED:

Delta-C&S Air Lines' complaint against summer excursion fares, proposed by Delta, Eastern Air Lines and National Airlines, for lack of facts that warrant suspension or investigation.

Investigation and suspension of certain fares filed by Trans Caribbean Airways, since the fares have been canceled.

Island Air Ferries' application for a certificate of convenience and necessity, for lack of prosecution.

North Central Airlines' petition for leave to intervene in the service to Sioux Falls case. North Central's motion to consoli-Flying Tiger Line's agreement with Trans date the case with the Frontier renewal

> Joint application of William R. Boyd, Katherine L. Boyd and All American Airways for approval of a stock sale. At the time of the application, Boyd was president of Riddle Airlines, and he and Mrs. Boyd owned certain Riddle stock. Boyd has resigned as officer and director of Riddle, and the Board has dismissed the proceeding at the request of the carrier, finding he and Mrs. Boyd do not control Riddle.

DENIED:


Riddle Airlines' application for an exemption to operate over routes certificated to U. S. Airlines, since the issues are being reviewed in the airfreight renewal case.

National Airlines leave to intervene in the ease involving nonstop service between New York/Washington and Mexico City.


Resort Airlines' petition for reconsideration of an earlier decision which denied a request that certain Resort applications be consolidated with the carrier's certificate renewal case. Also denied was Resort's petition for a 12-month deferral of procedural dates

SHORTLINES

- ► Sabena Belgian World Airlines opened its own catering kitchen recently near Idlewild International Airport, New York. Facilities, are set up to provide 160 meals per day for flights departing from New York.
- ► Aer Lingus carried a record 342,765 passengers in the financial year ending March 31, 1955, an increase of 14% over the previous year. Load factor was 72%, compared with 70% for the preceding period.
- ► Air Transport Association reports that scheduled airlines carried over 3,000,-000 passengers a month for the first time in April. Revenue passenger traffic for the first quarter was 21.7% above the figure for first quarter 1954. . . . Airlines Clearing House interline business amounted to \$50,062,347 in March, a 22% increase over March, 1954. . . . Passengers fatality rate for U.S. scheduled airlines was .21 per 100 million passenger-miles for the 12 months ending in April.
- Airwork Atlantic will increase trans-Atlantic cargo schedules to three flights weekly on May 17.
- ► Avianca is reported to have sold its five C-46 cargo aircraft and replaced them with DC-4s, bringing its fleet to a total of 13 DC-4s. The carrier is also reported to have bought a number of R2000 engines.
- ► Avensa, Venezuelan affiliate of Pan American World Airways, has received two new Convair 340 aircraft. The delivery brings the carrier's Convair fleet to five 340s, all of which are used on domestic routes.
- ► The Colombian government has raised its transportation tax on travel abroad from 3% to 40%.
- ► Lake Central Airlines boarded a record 8,755 passengers in April. Lake Central had a profit of \$4,574 in the first quarter, compared with a loss of \$43,868 in the same period of 1954.
- ► National Airlines flew 94,967,000 revenue passenger-miles in April, a 32% gain over April, 1954.
- ► North Central Airlines showed a profit of \$10.421 in the first three months of this year, compared with a \$191,431 loss in the same period last year.
- ► Trans World Airlines' April traffic recorded a 10% increase over the previous year.



First Plans for Mechanical Flight



"If I find that this instrument made with a screw be well made - that is to say, made of linen of which the pores are stopped up with starch — and be turned swiftly, the said screw will make its spiral in the air and it will rise high."

These are not words of a visionary but the careful notes of the man who gave the world its first detailed plans for mechanical flight - Leonardo da Vinci. Over 400 years ago he made a careful scientific investigation of the mechanics of bird flight, planned in detail the helicopter and parachute, and constructed many test models of flying machines. Always seeking improvements, he died with his work unfinished.

"There shall be wings!" da Vinci declared. "If the accomplishment be not for me, 'tis for some other." Today we have those wings and like da Vinci, keep trying to improve the ways we fly. With the same spirit ESSO research continues to supply today's new and better aircraft with new and better aviation petroleum products.

It pays to ask for



INTERNATIONAL AVIATION PETROLEUM SERVICE



ADVERTISERS IN THI

ADAMS RITE MFG. COMPANY
AERO DESIGN & ENGINEERING COMPANY 48 Agency—Tom P. Gordon Co., Adv.
AEROPRODUCTS ALLISON DIV., GENERAL MO- TORS CORP
AIRBORNE ACCESSORIES CORP 8 Agency—Gray & Rogers Adv.
AIRCOOLED MOTORS, INC
AIRCRAFT EQUIPMENT TESTING COMPANY 8 Agency—Mahool Advertising, Inc. AIRESEARCH AVIATION SERVICE DIVISION OF
THE GARRETT CORP
ALAR PRODUCTS, INC
Agency—Gaynor & Co., Inc. ALUMINUM CO. OF AMERICA
Agency—Fuller & Smith & Ross, Inc. AMERICAN AIR FILTER CO., INC., HERMAN NELSON DIV
Agency—Zimmer-McClaskey Adv. AMERICAN AIRLINES, INC
Agency—Lennen & Newell, Inc. AMERICAN CHAIN & CABLE, AUTOMOTIVE & AIRCRAFT DIV
Agency-Reincke, Meyer & Finn, Inc. AMERICAN ELECTRONICS MFG., INC
Agency—Clyde D. Graham Adv. AMERICAN GYRO DIV. OF DAYSTROM PACIFIC CORP. 76
Agency-P. W. Voorhees Adv. ANDERSON STRUCTURAL STEEL CO
Agency-West-Marquis, Inc. ARMA DIVISION, AMERICAN BOSCH ARMA CORP. 12
Agency—Doyle, Kitchen & McCormick, Inc.
B. H. AIRCRAFT CO., INC
BELL AIRCRAFT CORP
Agency—Bull Advertising Agency BOOTS AIRCRAFT NUT CORP., BANG-LOC DIV., 66
Agency—Woodward & Byron, Inc. BOWER ROLLER BEARING CO
BRIDGEPORT BRASS COMPANY (ALUMINUM DIV.) 25
Agency—Hazard Advertising Company BUCKEYE IRON & BRASS WORKS
CESSNA AIRCRAFT COMPANY
Agency — Gardner Advertising Co. CHANDLER-EVANS DIV., NILES-BEMENT-POND
Agency—Hugh H. Graham & Assoc. COLLINS RADIO COMPANY
Agency—W. D. Lyon Co., Inc. COMPUTING DEVICES OF CANADA LIMITED120 Agency John McKenney Bingham Limited Adv.
CONSOLIDATED DIESEL ELECTRIC CORP 67
CONVAIR A DIVISION OF GENERAL DYNAMICS CORP. 96 Agency—Thomas L. Yates Adv. Agency
CRAIG MACHINE, INC
DAGE ELECTRIC CO., INC
Agency—Jim Bradford Adv. DALLAS AIRMOTIVE, INC
DEUTSCH COMPANY, THE 87
Agency—Charles Bowes Adv. DOUGLAS AIRCRAFT CO., INC
DOW CHEMICAL COMPANY
EDGEWATER STEEL COMPANY
Agency—Walker & Downing Industrial Adv. ENGINEERING & RESEARCH, A DIV. OF ACF INDUSTRIES, INC. 30
Agency—Lewis Edwin Ryan Adv. ESSO EXPORT CORPORATION
Agency—McCann-Erickson, Inc. EX-CELL-0 CORPORATION
FIREYE DIV. ELECTRONICS CORP. OF AMERICA 53
Agency-Horton-Noyes Company Adv.
GIANNINI & CO., INC., G. M
GOODRICH CO., THE R. F. (AFRONAUTICAL
Agency—Batten, Barton, Durstine & Osborn, Inc. GRUMMAN AIRCRAFT ENGINEERING CORP.
Agency—Fuller & Smith & Ross, Inc.
GULF OIL CORPORATION
Agency—Gaynor & Co., Inc.
HAMILTON STANDARD DIV., UNITED AIRCRAFT CORP.
Agency—Lennen & Newell, Inc. HARNISCHFEGER CORP. (WELDING DIV.) 38 Agency—Hoffman & York, Inc.
Agency—The McCarty Company
Agency—Cory Snow, Inc. 95 HOFFMAN LABORATORIES, INC. 27
Agency—Anderson-McConnell Adv. Agency HUGHES RESEARCH & DEVELOPMENT LABORA-
Agency—Foote, Cone & Belding HYATT BEARINGS DIV., GENERAL MOTORS
CORP

AVIATION WEEK—MAY 16, 1955	
Agency—Arndt-Preston-Chapin-Lamb & Keen, Inc.	WYMAN GORDON CO
JACK & HEINTZ, INC	ZEPHYR MANUFACTURING CO., INC. (SALE DIV.) Agency—The Perrett Company Adv.
KAISER METAL PRODUCTS, INC. (FLEETWINGS DIV.)	SEARCHLIGHT SECTION
LEACH RELAY DIV. OF LEACH CORP Third Cover	(Classified Advertising) H. E. Hilty, Mgr. EMPLOYMENT
Agency—Buchanan & Co., Inc. LIBRASCOPE, INCORPORATED	Positions Vacant
Agency—Western Advertising Agency, Inc. LOCKHEED AIRCRAFT CORP	SPECIAL SERVICES To the Industry
Agency—Walter C. Davison Company	PLANES—EQUIPMENT (Used or Surplus New) For Sale
Agency—Needham, Louis & Brorby, Inc. MANNING, MAXWELL & MOORE, INC. (AIR-CRAFT PRODUCTS DIV.) Agency—Fuller & Smith & Ross, Inc.	WANTED Planes
MARQUARDT AIRCRAFT COMPANY	
Agency—The McCarty Company MINNEAPOLIS HONEYWELL REGULATOR CO. (AERONAUTICAL SALES)	
NEW YORK AIR BRAKE CO., THE WATERTOWN DIV	
PESCO PRODUCTS DIV., BORG-WARNER CORP., 94 Agency—The Jayme Organization, Inc.	
RED BANK DIV., BENDIX AVIATION CORP 31 Agency—MacManus, John & Adams, Inc. ROBINSON CO., RALPH C	
ROHM & HAAS COMPANY	
SCOVILL MANUFACTURING CO., AIRCRAFT FASTENER DIV	"Celastic" cargo compartment liner
Agency—Needham, Louis & Brorby, Inc. SEARCHLIGHT SECTION. 102, 103, 104, 105, 106, 107 108, 109	for luggage chafe protection
SERVOMECHANISMS, INCFourth Gover Agency—Sanger-Funnell, Inc. SKYLINE PRODUCTS, INC	WE'VE GOT A BOOKLET DESCRIBING
Agency—Triton Advertising SOLAR AIRCRAFT COMPANY 69 Agency—The Phillips-Ramsey Co. Adv. SPENCER THERMOSTAT DIV., METALS & CONTROLS CORP. 99	Celastic "the miracle plastic"
SPERRY GYROSCOPE CO., DIV. THE SPERRY CORP. 50	just waiting for your letter of request! This is the fabulous plastic that you cut
Agency—Equity Adv. Agency STRATOS A DIV. OF FAIRCHILD ENGINE & AIR- PLANE CORP	from soft sheets, soften in a liquid sof- tener, mold or shape any way you want
SUNDSTRAND MACHINE & TOOL CO Second Cover Agency—Howard H. Monk & Assoc., Inc.	and let it harden—that's all! "Celastic" has a million uses, you'll be interested
TRENT TUBE COMPANY	in at least one of them. So, write now
TWIN COACH CO., AIRCRAFT DIVISION 56 Agency—Palm & Patterson, Inc.	for your copy of this free booklet, it will be sent to you by return mail. reg. U. S. Pat. Office
VALCOR ENGINEERING CORPORATION 74 Agency—Adolf F. Gottesmann Adv. Agency VARD, INC 21	a colloid freated fabric PRODUCTS INC.
Agency—Graphics, Inc. VICKERS, INC. A DIV. OF THE SPERRY CORP 97 Agency—Witte & Burden Adv.	DATE OF THE PRODUCTS INC.
WARREN WIRE COMPANY 47	THE REPORT OF THE PARTY OF THE
Agency—Jules L. Klein Adv. WATERTOWN DIV., NEW YORK AIR BRAKE CO. 71 Agency—Hubert & Jones Adv.	GRAND BOULEVARD, DEER PARK, NEW YORK

12	ISSUE
55	
32	WYMAN GORDON CO
-29	ZEPHYR MANUFACTURING CO., INC. (SALES DIV.) Agency—The Perrett Company Adv.
61	SEARCHLIGHT SECTION (Classified Advertising)
22 35	H. E. Hilty, Mgr. EMPLOYMENT Positions Vacant
73	SPECIAL SERVICES To the Industry
43	PLANES-EQUIPMENT (Used or Surplus New) For Sale
6	WANTED Planes
41	
90	
-63	
71	
94	
31 50	
44	
92	
93	
	"Celastic" cargo compartment liners
57	for luggage chafe protection
107 109 ver	WE'VE GOT A BOOKLET DESCRIBING
121	1 1 Tic "the miracle
69	Celastic "the miracle plastic"
93	
50	just waiting for your letter of request! This is the fabulous plastic that you cut



Secrecy Menaces Technical Progress

Recently declared intention of the Defense Department to discourage publication of unclassified technical information, now circulated freely among scientists and engineers, (AW May 2, p. 17) gives the aircraft industry a new interest in basic problems of press freedom. Part of an old cause to the newspaper profession, this new trend was discussed at length at a recent meeting of the American Society of Newspaper Editors. One of the speakers was Dr. Malcolm C. Henderson, a former Atomic Energy Commission official now a professor at Catholic University. Here are some pertinent excerpts from Dr. Henderson's address:

"I feel there is a very real and continuing need-toknow on the part of the intelligent public; a need that goes much deeper and is much more important than the present administration with its constantly increasing

restrictiveness seems willing to grant . . .

'. . . There is obviously a feeling in high places here in this country that any information, classified or not, will help our enemies too much. Evidently the Soviets feel this way too. Even the day the apple trees blossom in the Ukraine and the day the ice goes out of the Nova are classified items, not to speak of census figures, production rates on any commodity, and all sorts of other things that we make no bones about publishing-as yet. There is a blind faith in this country that somehow more and more secrecy will somehow save us. I want to urge most emphatically that the criterion should always be . . . the simple one: Does releasing an item help the enemy more than it helps us? If, in the judgment of the expert who knows the whole picture, it does so, then it should be kept classified at an appropriate level. If it does not, then it should be unclassified and available for publication . . .

. The only way we can get the full good out of technological advances is to have them widely known. Suppression of classified material, while necessary, is bad enough, but the suppression of non-classified materialstrategic information we are to call it now-is much worse. What will happen is that suppression in the newspapers must of course be accompanied by suppression in all media, and in particular in the technical journals, trade papers, house organs, proceedings of learned societies and everywhere that technical material of general interest is published. Now, when the technical journal is censored for unclassified material as well as classified, the technician, engineer, and scientist will really have blinders and earmuffs put on him. It is just this sort of information that keeps him active, interested and productive, and it is to the wide dissemination of such information that American technology owes a large measure of its success.

"It is all very well to talk of a gray area, not classified or classifiable, but important to an enemy, of which every editor is supposed to learn enough to avoid publication of items in it when they reach him. I cannot see how such a vague responsibility could be expected to work in peacetime—or over a long term of cold war. Just as in war, the world is at the mercy of the most warlike, so here: the press is at the mercy of the least responsible member. In suppressing or controlling information that is not classified or classifiable we will lose valuable advantages and get nothing in return; not even secrecy, let alone security . . .

"The real handicap the people on my side of this

argument have to face is that the damage that can result from incautious publication is evident, immediate, and direct, and the discussion about it is fraught with the emotions raised by an apparent attack on security. On the other hand the benefits that follow from real candor in areas even where it is fully justified have to be explained; they are long-range, indefinite, and seem merely traditional. I earnestly believe, nevertheless, that the benefits are very real and important, and that by foregoing them we jeopardize some of our most precious liberties, as well as impeding technological progress.

"From where I sit, it does no good for the administration to disclaim any attempt at censorship. Censorship is no less censorship because it is informal and voluntary. Let us have restrictions on classified information, and let us put teeth in the law so we can prosecute and convict those who leak classified material, but let's put no faith in a general atmosphere of secrecy in a gray area. I fear that the only permanently gray area will be the heads of the editors who try to live with the concept of strategic information.

in the two ways of life: the Communist and the Democratic. It is a part of the price we pay for being a democracy that we cannot control all we would like to in the way of information about ourselves without in some measure ceasing to be a democracy. In Russia all information is classified except what is specifically OK'd for release. In this happier country only designated things are withheld. Once we get to a state where we permit the borders of the classified realm to be fuzzy, or put the responsibility on the editors to withhold certain types of information in peacetime, without adequate training—and I doubt if any training could be adequate in this context—we are on the road to complete control of the press and all information media.

"One of the current and extensively believed myths, popular particularly with the services, is that a compendium of information is a great deal more valuable than the individual items contained in it. This belief accounts for some curious anomalies of classification, where every item in a document may have been published but the document carries a CONFIDENTIAL rating. . . . There is, of course, just a little merit in this contention, but the restrictive results are considerable. The most we can gain by classifying the compendium is a few months' or weeks' time: the time it takes an intelligent compiler to pull the material together. Don't you think the enemy has made such compilations? . . .

"In approaching the problem generally, there are two basic errors we must avoid. We must not assume the enemy to be superhumanly intelligent and completely successful in espionage, nor must we consider them completely stupid. If they are brilliantly successful in penetrating our security, then we have everything to gain by telling our own people everything as soon as possible. If they are stupid, then we have something to gain by covering up for a little while, even those things that are pretty obvious, until the handicap to our own progress is serious. It seems to me, that in spite of all the evidence to the contrary we still lean toward the side of thinking the enemy stupid."

Packaged circuitry...







less construction time

less servicing time

more flying time

Leach, leader in aircraft relays, now offers a double timesaver . . . Hi-Seal Packaged Circuitry. Installed as a unit, Hi-Seal Circuitry saves time, space, and manpower at the assembly plant . . . makes service easier, too. Individual units can be tested and replacements made in just minutes . . . planes need not be grounded while components are checked in place. For reducing time, increasing dependability, talk to a Leach Field Engineer . . . learn how Hi-Seal Packaged Circuitry can help turn construction and servicing hours into flying hours.



Here's a typical Hi-Seal unit, used for automatic control of cockpit warning lights. It controls 16 separate circuits from one compact package. Production Hi-Seal packages have also included unitized controls for master warning systems, radar antennae, and wingflap actuators. Hi-Seal units may also be designed to simplify complex systems through modular construction. All are available with mass-spectrometer checked hermetic sealing.

LEACH

CORPORATION

LEACH RELAY DIVISION

5915 AVALON BOULEVARD, LOS ANGELES 3, CALIFORNIA

LEACH RELAY DIVISION

PALMER GENERATOR DIVISION

INET PRECISE POWER DIVISION


SERVING INDUSTRY IN THE LABORATORY ... IN THE PLANT ... ON THE GROUND ... IN THE AIR

DISTRICT OFFICES AND REPRESENTATIVES IN PRINCIPAL CITIES OF U.S. AND CANADA

LEACH CORPORATION INTERNATIONAL SALES AND ENGINEERING DIVISION, 332 WEST 21st STREET, NEW YORK, N. Y.

The MASTER AIR DATA COMPUTER

Another
SERVOMECHANISMS
Building Block
System



The Master Air Data Computer provides a single coordinated source for input information required by the various aircraft control and instrumentation systems. It is a central "clearing house" for aerodynamic intelligence. There is no fundamental limit to the number of functions, outputs or services that this computer can perform.

The Master Air Data Computer represents another outstanding example of Servomechanisms' design philosophy. As a result of our complete and careful analysis of the problem, our engineers have developed a series of standard plug-in components which, when assembled in "building block" fashion, produce many versions of the Master Air Data Computer—each for a specific application. Consequently each requirement can be tailored quickly and economically through the use of selected "building blocks." At most, only one or two of the "building blocks" require any internal changes. The remaining components are standard for all configurations. In addition to the fast economical and accurate solutions to our customers' problems, all plug-in components of the same type are completely interchangeable thus insuring maximum reliability through simplifying maintenance in the field.

Servomechanisms proven ability to anticipate and interpret our customers' needs, to design to specifications, to produce in quantity and follow-up throughout the life of the delivered equipment, all add up to a complete service.

Write for Air Data Computer Brochure, GA3.

Typical example of Servomechanisms "building block" philosophy. Both the Convair F102 and the Northrop F89 use variations of this computer. One requires somewhat different information than the other. A simple change in one of the plug-in "building blocks" and the equipment became custom made for each aircraft.

SERVOMECHONISMS

Eastern Division Post & Stewart Avenues, Westbury, N. Y.
Western Division 12500 Aviation Boulevard, Hawthorne, Calif.
Components Division 625 Main St., Westbury, N. Y.
Industrial Electronics of Canada, Ltd. 83 Torbarrie Rd., Toronto 15, Canada