

<u>Index Terms</u>	<u>Links</u>					
Mac-Cormack method	3-63					
mach number, definition of	10-9					
Maclaurin's series	3-32					
magnesium	2-17	2-58	2-152	2-164	2-190	
magnesium acetate	2-17					
magnesium ammonium chloride	2-17					
magnesium ammonium phosphate	2-17					
magnesium ammonium sulfate	2-17					
magnesium benzoate	2-17					
magnesium carbonate	2-17					
magnesium chloride	2-17	2-58	2-101	2-122	2-152	2-164
	2-190	2-202				
magnesium hydroxide	2-17					
magnesium nitride	2-17					
magnesium oxide	2-17					
magnesium perchlorate	2-17					
magnesium peroxide	2-18					
magnesium phosphate	2-18					
magnesium potassium chloride	2-18					
magnesium potassium sulfate	2-18					
magnesium silicofluoride	2-18					
magnesium sodium chloride	2-18					
magnesium sulfate	2-18					
magnets:						
C-frame	19-45					
drum	19-42					
flux density	19-40					
force	19-42					
grate type	19-42					
intensity of	19-40					
lifting	19-42					
plate	19-42					
pulley	19-42					
solenoid	19-45					
superconducting	19-47					
susceptibility	19-41					
magnetic separation	19-40					
equipment for	19-42					
principles of	19-40					
magnetic separator	19-42					
applications of	19-48					
drum magnets	19-42	19-43				
alternating polarity	19-43					
unigap	19-43					
dynamic devices	19-47					
grate type	19-42					
high-gradient (HGMS)	19-48					
induced pole	19-44					
induced roll	19-43					
lifting magnets	19-42					
magnetic hump	19-42					

<u>Index Terms</u>	<u>Links</u>					
magnetic separator ( <i>Cont.</i> )						
open gradient (OGMS)	19-48					
plate magnets	19-42					
pulley magnets	19-42					
wet drum	19-43					
magnetic susceptibility of minerals and elements	19-41					
magnetization	19-41					
curves	19-41					
maldistribution	6-32					
maleic acid	2-40					
maleic anhydride	2-40	2-70				
malic acid	2-40					
malonic acid	2-40					
maltose	2-40					
mandelic acid	2-40					
manganese	2-18	2-58	2-152	2-165	2-190	
manganese acetate	2-18					
manganese carbonate	2-18					
manganese chloride	2-18	2-58	2-152	2-165	2-191	2-202
manganese hydroxide	2-18					
manganese nitrate	2-18					
manganese oxide	2-18					
manganese sulfate	2-18					
manifolds:						
discharge	6-32					
return	6-32					
mannitol	2-40					
mannose	2-40					
manometers:						
open or differential	10-11					
tubes size for	10-12					
manufacturing-cost estimation	9-54					
budgetary control:						
actual costs	9-60					
standard costs	9-59					
variances	9-60					
contribution analysis	9-61					
costs:						
annual	9-54					
direct	9-57					
indirect	9-57					
general considerations	9-55					
one main product	9-55					
product pricing:						
cost basis	9-58					
rapid estimates	9-57					
recycled heat energy:						
value of	9-62					
two main products	9-56					

<u>Index Terms</u>	<u>Links</u>					
margaric acid	2-40					
Margules equation	4-22	13-18				
Martin's diameter	20-8					
mass transfer:						
in adsorption	16-18					
coefficients	16-20					
limits	16-26	16-28				
particle diffusion	16-19	16-23				
pore diffusion	16-19	16-23				
rates	16-21					
resistances, combining	16-22					
Chilton-Coulburn analogy	5-58	5-79				
continuity equational material balance	5-46					
correlations	5-58	5-60				
tables	5-59					
diffusivity:						
estimation in gases	5-48					
estimation in liquids	5-50					
fluids in porous solids	5-54					
interdiffusion coefficient	5-46					
mass	5-46					
mutual	5-46					
self	5-46					
trace	5-46					
flux expressions:						
Fick's first law	5-42	5-47				
Stefan-Maxwell equations	5-47					
interphase:						
concentrated systems	5-56					
dilute systems	5-54					
effective area of	5-74	5-78				
height equivalent to one transfer unit (HTU)	5-57					
number of transfer units (NTU)	5-57					
nomenclature and units	5-43					
separation of supercritical fluids	22-17					
mass transfer coefficients	5-46	23-39	23-43	23-51	23-46	
definition	5-57					
factors influencing	5-61	5-64	5-66	5-69	5-71	5-74
masurium	2-18					
materials of construction	28-3					
hard	20-11					
hardness of	20-11					
mechanical properties	28-45					
selection of:						
corrosion resistance.						
<i>See</i> corrosion; specific material						
economics	28-28					
in high temperatures	28-8	28-50	28-56	28-62	28-64	
in low temperatures	28-50					

<u>Index Terms</u>	<u>Links</u>					
materials of construction ( <i>Cont.</i> )						
soft	20-11					
standards and specifications	28-28					
material-to-void ratio	20-33					
mathematical constants, miscellaneous	3-8					
mathematical symbols	1-24					
matrix:						
algebra	3-46					
addition and subtraction	3-47					
adjugate matrix of	3-47					
equality of	3-47					
inverse of	3-47					
multiplication	3-47					
transposition	3-47					
vectors	3-48					
calculations	3-47					
computations	3-48					
Gauss elimination	3-49					
Lu factorization	3-48					
maximum mixedness	23-16	23-21				
McCabe-Thiele method	13-27	13-97				
mean temperature difference	11-4					
mean value	9-23					
measured-survival function (MSF)	9-31					
example of	9-32					
measures	1-19					
U.S. Customary	1-19					
mechanical impulse	10-22					
mechanical power transmission	29-54					
bearings	29-54					
magnetic	29-57					
oil-film	29-55					
rolling-element	29-56					
mellitic acid	2-40					
membrane separation processes	22-37					
electrodialysis	22-42					
gas-separation	22-61					
general	22-37					
microfiltration	22-57					
nanofiltration	22-48					
pervaporation	22-67					
reverse osmosis	22-48					
ultrafiltration	22-52					
mensuration formulas	3-10					
irregular areas and volumes	3-12					
planar geometric figures	3-10					
solid geometric figures	3-11					
menthol	2-40	2-70	2-89	2-111	2-184	2-254
mercapto benzothiazole	2-40					
mercaptothiazoline	2-40					
mercuric acetate	2-18					

<u>Index Terms</u>	<u>Links</u>						
mercuric bromide	2-18						
mercuric carbonate	2-18	2-19					
mercuric chloride	2-18	2-58	2-152	2-165	2-191	2-202	
mercuric cyanide	2-40						
mercuric fulminate	2-18	2-40					
mercuric hydroxide	2-18						
mercuric oxide	2-18						
mercuric oxychloride	2-18						
mercuric silicofluoride	2-18						
mercuric sulfate	2-18						
mercurous acetate	2-18						
mercurous bromide	2-18						
mercurous chloride	2-19						
mercurous iodide	2-19						
mercurous nitrate	2-19						
mercurous oxide	2-19						
mercurous sulfate	2-19						
mercury	2-19	2-58	2-93	2-152	2-165	2-191	2-250
MERSHQ equations	13-53						
mesh	19-18						
mesitylene	2-40						
mesityl oxide	2-40						
metals and alloys:							
corrosion resistance	28-28						
high alloys	28-35						
in high-temperature construction	28-50	28-56	28-62	28-64			
aluminum	28-56						
castable monolithic refractories	28-62	28-64					
ceramic-fiber insulation linings	28-62						
chrome bricks	28-58						
chromium in	28-50	28-56					
creep in	28-50						
high-alumina bricks	28-57						
internal insulation	28-57						
magnesite bricks	28-58						
refractories	28-57	28-62	28-64				
refractory brick	28-57	28-63					
silica bricks	28-57						
silicon in	28-56						
stress rupture in	28-50						
in low-temperature construction	28-50						
aluminum	28-50						
copper and alloys	28-50						
nickel steel	28-50						
stainless steel	28-50						
medium alloys	28-35						
properties	28-28						
mechanical properties	28-45						
melting temperatures	28-35						

<u>Index Terms</u>	<u>Links</u>					
metanilic acid	2-40					
methane	2-40	2-50	2-70	2-127	2-135	2-144
	2-251	2-253				
methanol, synthesis	23-13					
methoxy-methoxyethanol	2-41					
methyl acetate	2-41	2-52				
methyl acrylic acid	2-41					
methylal	2-41					
methyl alcohol	2-41	2-51				
methylamine	2-41	2-52				
methylamine hydrochloride	2-41					
methylaniline	2-41	2-53				
methyl anthranilate	2-41					
methyl anthraquinone	2-41					
methyl athracene	2-41					
methyl benzylaniline	2-41					
methyl benzoate	2-41	2-52				
methyl bromide	2-41	2-70				
methyl butyrate	2-41	2-52				
methyl caprate	2-41	2-70				
methyl caproate	2-41	2-70				
methyl caprylate	2-41	2-70				
methyl cellosolve	2-41					
methyl chloride	2-41	2-70				
methyl chloroacetate	2-41	2-70				
methyl chloroformate	2-41					
methyl cinnamate	2-41	2-70				
methyl cyclohexane	2-41	2-70				
methylene-bis-(phenyl4-isocyanate)	2-41					
methylene bromide	2-41					
methylene chloride	2-41					
methylene dianiline	2-41					
methylene iodide	2-41					
methyl ethyl carbonate	2-41					
methyl ethyl ketone	2-41	2-52				
methyl ethyl oxalate	2-41					
methyl formate	2-41	2-52	2-71			
methyl furoate	2-41					
methyl glucamine	2-45					
methyl glycolate	2-41					
methyl heptoate	2-41					
methyl hypochlorite	2-41					
methyl iodide	2-41	2-71				
methyl lactate	2-41					
methyl laurate	2-41	2-71				
methyl mercaptan	2-41	2-53				
methyl methacrylate	2-41					
methyl myristate	2-41					
methyl naphthalene	2-41					
methyl nitrate	2-41					
methyl nitrite	2-41					

<u>Index Terms</u>	<u>Links</u>
methyl nonyl ketone	2-41
methyl oleate	2-41
methyl orange	2-41
methyl palmitate	2-41
methyl phosphine	2-41
methyl propionate	2-41 2-52
methyl propyl ketone	2-41 2-71
methyl salicylate	2-41
methyl stearate	2-41
methyl toluate	2-41
methyl toluidine	2-41
methyl valerate	2-41
methyl vinyl ketone	2-41
Michaelis-Menten kinetics	24-21
Michler's hydrol	2-41
Michler's ketone	2-41
microfiltration	22-57
micromanometers	10-13
micronizer	20-47
Mikro pulverizer	20-41
mills:	
air-swept	20-32
Andritz-Sprout-Bauer attrition	20-45
annular gap	20-36
APV Gaulin colloid	20-46
ball	20-31
batch	20-32
bowl	20-45
Bradley pneumatic Hercules	20-45
Buhrstone	20-45
cage	20-29
capacity	20-34
Charlotte	20-46
circuit	20-15 20-18
continuous	20-32
disk attrition	20-45
efficiencies	20-34
entoletor impact	20-42
feeders	20-34
fine impact	20-42
Fitz	20-42
hammer	20-41
grate-discharge	20-34
horizontal tube	20-37
jet	20-47
Majac	20-47
Marcy Ball	20-35
Morehouse	20-46
novel media	20-39
pebble	20-31
pin	20-42

<u>Index Terms</u>	<u>Links</u>	
mills ( <i>Cont.</i> ):		
premier	20-46	
Pulvert	20-39	
Raymond VR	20-45	
ring-roller	20-43	
rock-pebble	20-31	
selection of	20-34	
simulation of	20-18	
speed	20-32	
stirred media	20-35	
tumbling	20-31	
turbo	20-42	
vertical vibratory	20-37	
vibratory	20-37	
wear	20-11	
mixer:		
batch	18-25	
change-lan	18-25	
double-arm kneading	18-26	
helical blade	18-26	
intensive	18-27	
roll mills	18-28	
cleaning	19-14	
continuous	18-29	
Farrel continuous	18-30	
Holo-flite processor	18-31	
Kenics static	18-32	
Kneadermaster	18-32	
motionless	18-32	
Porcupine processor	18-31	
pug mills	18-32	
Rietz extractor	18-30	
single-screw	18-29	
Sulzer static	18-32	
trough-and-screw	18-30	
twin-screw extractor	18-30	
double cone	19-13	
figures of	19-13	
flexibility of	19-16	
heating and cooling	18-34	
horizontal drum	19-13	
impact	19-14	
Muller	19-13	19-14
performance characteristics of	19-14	
power for	19-14	19-15
ribbon	19-12	
scale-up of	18-32	
shell and internal device rotate	19-14	
single rotor	19-14	
solid-solid	19-12	
stationary shell (trough)	19-12	



<b><u>Index Terms</u></b>	<b><u>Links</u></b>	
mixer ( <i>Cont.</i> ):		
tumbler	19-13	
turbine	19-13	19-14
twin rotor	19-13	19-14
twin shell	19-13	
types of	19-12	
vacuum	19-16	
pressure	19-16	
vertical screw	19-12	
wear of	19-16	
mixer-settler:		
definition of	18-19	
flow or line mixer	18-19	
liquid-liquid extraction	18-19	
mixing in agitated vessels	18-19	
mixing	19-10	
charging in	19-14	
classification of	18-5	
continuous	19-16	
cooling	19-16	
dust formation in	19-14	
electrostatic charge	19-16	
equipment for	18-8	19-12
axial-flow impellers	18-8	
baffled tanks	18-10	
close-clearance impellers	18-8	
close-clearance stirrers	18-9	
radial-flow impellers	18-9	
small tanks	18-8	
unbaffled tanks	18-9	
<i>See also mixers</i>		
fluid behavior	18-10	
fluid motion and process performance	18-11	
laminar flow	18-12	
turbulent flow	18-11	
heating	19-16	
impact	19-14	
liquid adding in	19-16	
mechanisms of	19-12	
of paste and viscous-material	18-25	
pilot tests	19-16	
product contamination	19-16	
solid-solid	19-10	
objectives of	19-10	
properties affecting	19-10	
segregation problems	19-11	
uniforming of	19-11	
technology of	18-5	
time	19-14	
uniformity of	19-14	
mixing cell calorimetry (MCC)	26-50	

<u>Index Terms</u>	<u>Links</u>				
model predictive control (MPC)	8-25				
basic features, MPC	8-25				
on-line optimization	8-25	8-27			
standard quadratic programming	8-26				
step-response	8-26				
modulus of elasticity	10-107				
Mohs scale	20-11				
moisture content:					
critical	12-33				
equilibrium	12-34				
of granulation	20-75				
moisture measurement:					
absolute-moisture methods	8-51				
capacitance methods	8-52				
dew-point methods	8-51				
oxide sensors	8-52				
photometric moisture analysts	8-52				
piezoelectric methods	8-52				
relative-humidity methods	8-51				
molybdenum	2-19	2-58	2-152	2-165	2-191
molybdenum chloride	2-19				
molybdenum oxide	2-19	2-58	2-152	2-191	
molybdenum sulfide	2-19				
molybdic acid	2-19				
momentum transfer	10-22				
Monte Carlo method	9-26				
Monte Carlo simulation	3-60				
morphine	2-41				
motor control:					
centralized control	29-11				
contactor type	29-10				
direct-current motor control	29-13				
multispeed alternating current	29-13				
protection	29-11				
differential	29-12				
ground-fault	29-13				
locked-rotor	29-12				
motor	29-11				
overload	29-11				
phase-current balance	29-12				
reverse-phase	29-12				
short-circuit	29-12				
surge	29-13				
undervoltage	29-12				
reduced-voltage starting	29-13				
secondary control of wound-rotor motors	29-13				
starters	29-10				
types of	29-10				
switch gear	29-10				
synchronous motor starters	29-13				

<b><u>Index Terms</u></b>	<b><u>Links</u></b>
motor enclosures	29-9
fire, explosion hazards	29-10
open, dripproof	29-9
totally enclosed	29-9
weather-protected	29-9
motors	29-4
adjustable-speed drives	29-9
adjustable-frequency alternating current	29-9
electromagnetic	29-9
mechanical	29-9
RectiFlow	29-9
alternating current motor, constant speed	29-4
alternating current squirrel-cage	
induction motors	29-4
braking, regeneration	29-6
braking time	29-6
control	29-5
direct-current field excitation	29-7
formulas	29-4
power-factor correction	29-6
synchronous alternating current motors	29-6
synchronous speed	29-4
alternating current, multispeed	29-7
four-speed, two-winding squirrel-cage	29-7
pole-amplitude-modulated induction	
motors	29-7
single-winding consequent-pole motors	29-7
two-winding motors	29-7
alternating current, wound-rotor	
induction	29-7
characteristics	29-8
control of	29-8
efficiency	29-7
saturable reactors	29-8
thyristors	29-8
direct current motors	29-8
compound-wound DC	29-9
series	29-8
electric	29-4
mucic acid	2-41
multinomial distribution	3-72
multiple regression	3-84
Murphree plate efficiency	13-34
mustard gas	2-42
mutations	24-6
myricyl alcohol	2-42
myristic acid	2-42
myristyl alcohol	2-42

<u>Index Terms</u>	<u>Links</u>						
nanofiltration	22-48						
naphthalene	2-42	2-51	2-71	2-176			
naphthalene disulfonic acid	2-42						
naphthalene sulfonic acid	2-42						
naphthasultam	2-42						
naphthasultam disulfonate	2-42						
naphthoic acid	2-42	2-71					
naphthol	2-42	2-71					
naphthol sulfonic acid	2-42						
naphthyl acetate	2-42						
naphthyl amine	2-42	2-71					
naphthyl amine hydrochloride	2-42						
naphthyl amine sulfonic acid	2-42						
naphthyl isocyanate	2-42						
Nasselt equation	5-13						
for condensate films	5-20						
for nucleate-boiling	5-22						
natural-draft towers	12-20						
natural gas:							
compressibility	27-12						
liquefied	27-12						
neodymium	2-19						
neon	2-19	2-53	2-59	2-144	2-152	2-165	2-256
neptunium	2-19						
Nemst -Haskell equation	5-53						
Newtonian	10-5						
Newtonian fluid	6-4						
Newton-Raphson procedure	3-50	3-51					
Newton's law	6-51						
NFPA Standard System for Identification							
of Hazards	26-12	26-13					
nickel	2-19	2-59	2-152	2-165	2-191		
nickel acetate	2-19						
nickel ammonium chloride	2-19						
nickel ammonium sulfate	2-19						
nickel and alloys as construction material	28-35						
properties of	28-42						
nickel bromate	2-19						
nickel bromide	2-19						
nickel bromoplatinate	2-19						
nickel carbonate	2-19						
nickel carbonyl	2-19	2-59					
nickel chloride	2-19	2-59	2-101	2-122	2-152		
	2-191	2-202					
nickel chloride, ammonia	2-19						
nickel cyanide	2-19						
nickel dimethylglyoxime	2-19						
nickel formate	2-19						
nickel hydroxide	2-19						
nickel nitrate, ammonia	2-19						
nickel oxide	2-19						

<u>Index Terms</u>	<u>Links</u>					
nickel potassium cyanide	2-19					
nickel sulfate	2-19					
nicotinic acid	2-42					
nicotine	2-42	2-71				
nitric acid	2-20	2-84	2-102	2-184		
nitroacetanilide	2-42					
nitroacetophenone	2-42					
nitro acid sulfite	2-20					
nitroaminoanisole	2-42					
nitroaminophenol	2-42					
nitroaniline	2-42	2-71	2-176			
nitroanisole	2-42					
nitroanthraquinone	2-42					
nitroanthraquinone sulfonic acid	2-42					
nitrobenzalchloride	2-42					
nitrobenzaldehyde	2-42	2-71				
nitrobenzene	2-42	2-71				
nitrobenzidine	2-42					
nitrobenzoic acid	2-42					
nitrobenzyl alcohol	2-42					
nitrobenzyl bromide	2-42					
nitrochlorotoluene	2-42					
nitrocresol	2-42					
nitrocymene	2-42					
nitrodimethylaniline	2-42					
nitrodiphenyl	2-42					
nitrodiphenylamine	2-42					
nitrogen	2-20	2-53	2-59	2-127	2-135	2-145
	2-152	2-165	2-191	2-257		
nitrogen oxide:						
as a pollutant	27-26					
<i>tetra-</i>	2-20					
<i>tri-</i>	2-20					
nitrogen oxide, <i>di-</i>	2-20	2-59	2-152	2-191		
nitrogen oxide, <i>mono-</i>	2-20	2-54	2-59	2-152	2-165	2-191
nitrogen oxide, <i>penta-</i>	2-20	2-59	2-152	2-191		2-259
nitrogen oxybromide	2-20					
nitrogen oxychloride	2-20					
nitroguanidine	2-42					
nitron	2-43					
nitronaphthalene	2-43					
nitrophenol	2-43	2-71				
Nitrophenol sulfonic acid	2-43					
nitrophthalic acid	2-43					
nitrosodimethylaniline	2-43					
nitrosonaphthol	2-43					
nitrotoluene	2-43	2-72				
nitrotoluene sulfonic acid	2-42					
nitrotoluidine	2-43					
nitroxyl chloride	2-20					
noise control	8-74					

<u>Index Terms</u>	<u>Links</u>					
nomographs:						
preliminary calculation	21-25					
design factor	21-27					
preliminary design	21-22					
nonadecane	2-43	2-50				
nonane	2-43	2-50	2-72			
nonene	2-50					
nonnewtonian fluids	6-4	6-19	6-27	6-40	6-51	6-53
heat transfer in	5-19					
normal distribution	3-72					
NRTL equation	4-22	4-23	13-18			
number:						
cavitation	6-44	6-49				
Dean	6-19	6-49				
Deborah	6-5	6-49				
Hatta	23-42					
mach	6-22	6-23	6-49			
Peclet	23-16	23-55				
power	6-34	6-50				
pumping	6-35					
Reynolds	6-6	6-9	6-19	6-31	6-37	6-46
	6-50	6-53				
Strouhal	6-41	6-48	6-50			
Weber	6-50					
number of transfer units (NTU):						
in adsorption and ion exchange	16-7	16-34				
in liquid-liquid extraction	15-19					
numerical analysis and approximate						
methods	3-49					
Fast Fourier transform	3-64					
interpolation of finite difference	3-51					
linear equations	3-50					
Monte Carlo simulations	3-60					
nonlinear equations	3-50					
numerical differentiation	3-53					
numerical integration	3-53					
numerical solution of integral equations	3-60					
numerical solution of ODEs:						
boundary value problems	3-57					
luitial value problems	3-54					
numerical solution of PDEs	3-61					
spline functions	3-67					
numerical approximations to some						
expressions	3-49					
Nusselt number	3-89					
Nyquist critical frequency	3-64					
octadecane	2-43	2-50				
octane	2-43	2-50	2-72			
octene	2-50					
octyl acetate	2-43					

<u>Index Terms</u>	<u>Links</u>					
octyl alcohol	2-43					
octylene	2-43					
octyne	2-50					
oleic acid	2-43					
optimization	3-65					
conditions for	3-66					
constrained optimization	8-30					
formulation objective function	8-30					
multivariable optimization	8-30					
indirect methods	8-30					
Nelder-Meade method	8-30					
Powell's method	8-30					
real-time process	8-27					
reduced gradient algorithm (GRC)	8-31					
single-variable optimization	8-30					
interpolation	8-30					
region elimination	8-30					
square curve-fitting	8-29					
steady -state	8-27					
strategies of	3-67					
techniques	8-28					
unconstrained optimization	8-30					
orcinol	2-43					
ordinary differential equations	3-35					
first order	3-35					
higher orders	3-36					
nonhomogeneous	3-37					
orifice meters	8-48					
annular	10-17					
quadrant-edge	10-16					
segmental and eccentric	10-17					
square-edged	10-15					
orifices	6-21	6-27	18-19			
orthogonal collocation	3-59					
osmium	2-20					
osmium chloride	2-20					
osmosis, reverse	22-48					
oxalic acid	2-43					
oxygen	2-20	2-53	2-59	2-127	2-145	2-152
	2-165	2-191	2-262			
ozone	2-20	2-59	2-128	2-152	2-191	
package handling:						
conveyors	21-68					
system of	21-67					
package storage:						
storage racks	21-71					

<u>Index Terms</u>	<u>Links</u>		
packaging:			
agency and administrative law of	21-41		
coding	21-62		
cost of containers	21-37		
ecology concerns	21-36		
labeling	21-62		
liquid packaging:			
containers	21-44		
safety regulation	21-46		
seals and closures	21-45		
weighing	21-45		
metric system	21-42		
operations of	21-51		
bag fillers, packers	21-55		
performance data	21-52		
sealing, wrapping, loading	21-58		
weighing	21-51	21-54	21-55
package testing	21-44		
regulation of	21-36		
solid packaging:			
boxes	21-50		
containers	21-50		
liners	21-50		
multiwall paper bags	21-46		
types of	21-59		
packed columns	14-38		
distillation applications	14-52		
end effects	14-50		
flooding	14-41		
hydraulics	14-40		
interfacial area	14-51		
liquid distribution	14-48		
liquid holdup	14-46		
loading	14-41		
maldistribution	14-50		
mass transfer	14-52		
packed vs. plate columns	14-39		
pressure drop	14-42		
support plates	14-46		
packed tower design	14-8		
HETP data, use of	14-10		
mass-transfer-rate expression	14-8		
operating curve	14-8		
stripping equations	14-9		
transfer units	14-9		
paddles	18-9		
palladium	2-20		
palladium bromide	2-20		
palladium chloride	2-20		
palladium cyanide	2-20		
palladium hydride	2-20		



<b><u>Index Terms</u></b>	<b><u>Links</u></b>		
palladous dichlorodiamine	2-20		
palmitic acid	2-43	2-72	2-177
Pappus theorem	3-12		
paramagnetic	19-40		
parametric pumping	16-54		
partial derivative	3-25		
partial differential equation	3-38		
first order	3-38		
higher orders	3-38		
partial condenser, definition of	11-35		
particle:			
fracture	20-10		
permeametry	20-10		
sampling	20-7		
size of:			
average	20-6		
distribution	20-5		
measurement	20-7		
surface area	20-9		
particle size:			
analysis	20-5		
distribution	20-5		
enlargement	20-56		
equations	20-5		
Gates-Gaudin-Schumann	20-5		
Gaudin-Meloy	20-5		
Rosin-Rammler-Bennett	20-5		
measurement	20-7		
reduction	20-10		
particle size distribution	20-5		
particle size measurement	20-7		
centrifugal sedimentation	20-8		
dynamic	20-10		
electrical sensing zone	20-9		
elutriation	20-9		
field scanning methods	20-9		
gravitational sedimentation	20-7		
light blockage methods	20-9		
light diffraction	20-9		
light scattering methods	20-9		
microscope methods	20-8		
on-line procedures	20-10		
permeametry	20-10		
photon correlation spectroscopy	20-9		
sedimentation balance	20-8		
sieving methods	20-9		
dry sieving	20-9		
wet sieving	20-9		
static	20-10		
stream-scanning methods	20-8		

<u>Index Terms</u>	<u>Links</u>		
particle size reduction	20-10		
abrasion index	20-12		
attainable size and energy required	20-13		
ball-mill	20-11		
bond law	20-13		
energy laws	20-13		
milling problems	20-11		
mill wear	20-11		
properties of solids	20-10		
safety	20-12		
particular solutions	3-36		
particulate emissions, source control of	25-46		
partition ratio	16-5	16-30	
payback period (PBP)	9-10	9-19	
payment	9-13		
annual	9-13		
capitalized	9-13		
example of	9-13		
peat	27-7		
pellet coolers and dryers	12-75		
pendular state	20-60		
Peng-Robinson (PR) equation	4-21	13-17	
pentachloroethane	2-43	2-72	
pentyne	2-50		
pentadecane	2-43	2-50	
pentaerythritol	2-43		
pentandiol	2-43		
pentane	2-43	2-50	2-72
pentene	2-50	2-72	
perchloric acid	2-20		
percolators:			
batch	18-55		
continuous	18-55		
endless-belt	18-56		
perfect fluid	10-5		
perforated-pipe distributors	6-32		
periodic acid	2-20		
perlargonic acid	2-43	2-72	
permanganic acid	2-20		
permeability	6-39		
permolybdic acid	2-20		
persulfuric acid	2-20		
perturbation method	3-37	3-50	
pervaporation	22-67		
Petlyuk tower	13-5		
petroleum:			
chemical and physical properties	27-9		
commercial	27-10		
liquid fuel	27-8		
safety	27-11		

<b><u>Index Terms</u></b>	<b><u>Links</u></b>	
pressure:		
dynamic	10-5	
stagnation	10-5	
static	10-6	
total	10-5	
pressure coefficient	10-45	
phase change, heat transfer in	5-20	
boiling (vaporization) of liquids	5-22	
mechanisms	5-22	
condensation	5-20	
coefficients	5-20	
mechanisms	5-20	
phase diagrams:		
multicomponent systems	15-7	
right-triangular diagram	15-6	
ternary-phase equilibrium	15-6	15-8
tie lines	15-16	
phase dispersion	14-62	
gas-in-liquid	14-69	
axial dispersion	14-80	
bubble and foam formation	14-70	
characteristics of dispersion	14-72	
mass transfer	14-79	
methods of gas dispersion	14-73	
liquid-in-gas	14-62	
atomizers	14-63	14-66
droplet breakup	14-62	
droplet distribution	14-63	
drop size	14-63	
drop size distribution	14-68	
entrainment	14-66	
fog condensation	14-67	
pressure drop and nozzle size	14-64	
phase equilibrium	13-10	
binary systems	13-10	
table	13-11	
liquid-liquid	15-6	
phase rule:		
application	4-25	
degrees of freedom	4-23	
phase separation	14-81	
gas-phase continuous system	14-81	
collection design	14-82	
collection equipment	14-83	
collection of fine mists	14-93	
collection mechanism s	14-82	
electrostatic precipitators	14-94	
gas sampling	14-81	
particle-size analysis	14-82	

<u>Index Terms</u>	<u>Links</u>			
phase separation ( <i>Cont.</i> )				
liquid-phase continuous system	14-95			
defoaming techniques	14-97			
foam control	14-98			
foam prevention	14-98			
types of dispersions	14-95			
unstable systems	14-95			
phenacetin	2-43			
phenanthrene	2-43			
phenetidine	2-43	2-72		
phenetole	2-43			
phenol	2-43	2-51	2-72	2-177
phenolphthalein	2-43			
phenolsulfonic acid	2-43			
phenyl acetaldehyde	2-43			
phenyl acetic acid	2-43	2-72		
phenylacetylene	2-43			
phenyl aniline	2-43			
phenylene-diamine	2-44			
phenylethyl alcohol	2-43			
phenylglycine	2-43			
phenylhydrazine	2-43	2-72		
phenyl hydrazine sulfonic acid	2-43			
phenyl isocyanate	2-43			
phenyl methylpyrazolone	2-43			
phenylmustard oil	2-43			
phenyl naphthalene	2-43			
phenyl naphthylamine	2-43			
phenyl phenol	2-43			
phenyl propyl alcohol	2-43			
phenyl quinoline	2-43			
phenyl salicylate, salol	2-43			
phenyl stearate	2-43			
phenyl urethane	2-43			
phonoglucinol	2-44			
phonone	2-44	2-72		
phosgene	2-44	2-72		
phosphoric acid	2-20			
phosphatomolybdic acid	2-20			
phosphine	2-20	2-59		
phosponium chloride	2-20	2-59		
phosphoric acid	2-21			
phosphorous	2-21	2-59	2-165	2-191
phosphorous chloride	2-21	2-59	2-165	2-192
phosphorous oxide	2-21	2-59	2-192	
phosphorous oxychloride	2-21			
phosphotungstic acid	2-21			
photosynthesis	24-5			
phthalic acid	2-44			
phthalic anhydride	2-44	2-72		

<u>Index Terms</u>	<u>Links</u>	
phthalic nitrile	2-44	
phthalide	2-44	2-72
phthalimide	2-44	
physical-chemical treatment	25-76	
adsorption	25-76	
chemical oxidation	25-77	
ion exchange	25-77	
membrane processes	25-77	
physical constants	1-22	
physical properties:		
organic compounds	2-28	
prediction and correlation	2-337	
density	2-355	
diffusivity	2-370	
enthalpy of vaporization and fusion	2-349	
flammability properties	2-374	
ideal gas thermal properties	2-347	
pure component constants	2-340	
solid and liquid heat capacity	2-351	
surface tension	2-372	
vapor and liquid thermal conductivity	2-367	
vapor pressure	2-345	
viscosity	2-361	
pure substances	2-7	
picoline	2-44	2-72
picramic acid	2-44	
picric acid	2-44	
Piezometer opening:		
definition of	10-6	
dimensions	10-7	
piezometer ring	10-7	
specifications for	10-6	
pinacol	2-44	
pinacolone	2-44	
pinene	2-44	2-72
pinene hydrochloride	2-44	
pinol	2-44	
pipe:		
asbestos cement	10-70	10-96
bends and fittings. See also fittings	10-83	
borosilicate glass	10-70	
cement-lined steel	10-98	
chemical-porcelain	10-99	
cast-iron flanges	10-99	
chemical ware	10-98	
concrete	10-98	
dope	10-71	
flanged end	10-75	
fused silica	10-100	
glass	10-99	
glass-lined steel	10-99	

<u>Index Terms</u>	<u>Links</u>		
pipe ( <i>Cont.</i> )			
gravity sewer	10-97		
impregnated graphite	10-70	10-97	
joint in. See joint			
metals:			
alloy steels	10-68		
aluminum	10-68	10-93	
carbon steel	10-68	10-70	
copper	10-68	10-93	
irons	10-68	10-90	10-93
nickel	10-68	10-95	
stainless steels	10-68	10-70	
tantalum	10-70		
titanium	10-70	10-95	
zirconium	10-70	10-96	
nonmetals:			
reinforced thermosetting resins	10-70		
thermoplastics	10-70		
plastic	10-100		
plastic-lined	10-100		
properties of steel pipe	10-72	10-74	
rubber-lined	10-100		
rubber-lined steel	10-100		
subaqueous	10-98		
support	10-124		
vitrified clay sewer	12-98		
welded	10-70		
wood	10-100		
wood-lined steel	10-100		
piperidine	2-44	2-73	
piperidine carboxylic acid	2-44		
piping:			
assembly	10-126		
bends and fittings in	10-83		
code for process-plant	10-67		
government regulations	10-67		
national standards	10-67		
pressure-piping code	10-67		
costs of	10-133	10-134	
design of	10-102		
dynamic effects	10-103		
erection	10-126		
fabrication	10-126		
forces of	10-133		
heat tracing of	10-133		
scope of	10-69		
selection of material in	10-68		
metals	10-68		
nonmetals	10-70		
testing	10-107		
vibration	10-133		

<u>Index Terms</u>	<u>Links</u>		
pitometer	10-7		
pitot tubes	10-8		
angle of attack	10-9		
mach number	10-9		
pulsating flow on	10-9		
pitot-venturi	10-7		
Pitzer's corresponding states correlation	4-16		
plane analytic geometry:			
asymptotes	3-16		
conic sections	3-17		
coordinate systems	3-16		
graphs of polar equations	3-18		
parametric equations	3-18		
straight line	3-16		
plant model preparation	30-13		
plant performance, analysis	30-4		
initial constraints	30-24		
spreadsheet solutions	30-24		
interpretation	30-30		
introduction	30-4		
overview	30-4		
personnel barriers	30-8		
technical barriers	30-8		
measurements	30-23		
preparation	30-10		
analyst	30-10		
guidelines	30-17		
laboratory	30-16		
plant	30-14		
plant model	30-13		
reconciliation	30-25		
rectification	30-29		
plastic as a construction material	28-43	28-47	28-49
acetals	28-44		
acrylonitrile butadiene styrene	28-43		
cellulose acetate butyrate	28-44		
chlorotrifluoroethylene (Kel-F, Plaskon)	28-43		
corrosion resistance of	28-49		
perfluoroalkoxy	28-43		
polyamides and polyimides	28-44		
polycarbonate	28-44		
polyethylene	28-43		
polyphenylene oxide	28-44		
polyphenylene sulfide	28-44		
polypropylene	28-44		
polysulfone	28-44		
polyvinyl chlorides (Saran)	28-43		
polyvinylidene fluorine	28-43		
properties of	28-51		
tetrafluoroethylene (Teflon)	28-43		
thermosetting	28-44	28-47	

<u>Index Terms</u>	<u>Links</u>			
plastic pipe	10-100			
polyethylene	10-101			
polypropylene	10-101			
polyvinyl chloride	10-101			
reinforced thermosetting-resin	10-101			
plate columns	14-24			
column capacity	14-25			
downflow flooding	14-29			
entrainment	14-28			
entrainment flooding	14-26			
weeping	14-29			
phase inversion	14-34			
plate efficiency	14-34			
plate layouts	14-29			
plate types	14-24			
pressure drop	14-30			
downcomer loss	14-33			
hydraulic gradient	14-33			
plate efficiency	14-34			
plate tower design	14-11			
algebraic methods	14-11			
graphical procedure	14-11			
stripping equations	14-11			
tray efficiencies	14-12			
platinum	2-21	2-59	2-165	2-192
platinum chloride	2-21			
platinum cyanide	2-21			
plug flow reactor	23-17			
Poisson probability distribution	3-71			
Poisson process	3-71			
polarity, relative	13-80			
pollutant:				
combustion	27-26			
gaseous	25-22			
particulate	25-23			
pollution prevention:				
assessment procedures	25-16			
barriers and incentives to	25-18			
at the domestic and office levels	25-20			
economic considerations associated with	25-19			
ethical considerations	25-21			
hierarchy	25-14			
life-cycle analysis	25-15			
multimedia analysis	25-15			
polyethylene	10-101			
polymerization	23-35			
types	23-36			
polypropylene	10-101			
polyvinyl chloride	10-101			
popular variance	3-70			



<u>Index Terms</u>	<u>Links</u>				
porcelain and stoneware as construction material	28-38				
properties of	28-62				
pore diffusion in adsorbent particles	16-19				
porous media	6-39				
positive-displacement pumps	10-31				
diaphragm pumps	10-33				
pneumatically actuated	10-33				
fluid-displacement pumps	10-35				
gear	10-34				
metering	10-33				
piston pumps	10-32				
duplex double-acting	10-32				
simplex double-acting	10-32				
plunger pump	10-32				
power pump	10-33				
proportioning	10-33				
reciprocating pumps	10-32				
diaphragm	10-32				
multicylinder	10-32				
piston	10-33				
plunger	10-32				
single-cylinder	10-32				
rotary	10-34				
exterior-bearing type	10-34				
interior-bearing type	10-34				
screw	10-34				
potassium	2-21	2-59	2-166	2-192	2-264
potassium acetate	2-21				
potassium aluminate	2-21				
potassium amide	2-21				
potassium arsenate	2-21				
potassium auricyanide	2-21				
potassium aurocyanide	2-21				
potassium bicarbonate	2-21				
potassium bisulfate	2-21				
potassium bromate	2-21				
potassium bromide	2-21				
potassium carbonate	2-21				
potassium chlorate	2-21				
potassium chloride	2-21	2-59	2-104	2-123	
	2-166	2-185	2-192	2-202	
potassium chloroplatinate	2-21				
potassium chromate	2-21				
potassium cyanate	2-21				
potassium cyanide	2-21				
potassium dichromate	2-21				
potassium ferricyanide	2-21				
potassium ferrocyanide	2-21				
potassium formate	2-21				
potassium hydride	2-21				

<u>Index Terms</u>	<u>Links</u>			
potassium hydrosulfide	2-21			
potassium hydroxide	2-21			
potassium iodate	2-21			
potassium iodide	2-21	2-59	2-192	2-202
<i>tri-</i>	2-22			
potassium iodoplatinate	2-22			
potassium manganate	2-22			
potassium metabisulfate	2-22			
potassium nitrate	2-22			
potassium nitrite	2-22			
potassium oxalate	2-22			
potassium oxide	2-22			
potassium perchlorate	2-22			
potassium permanganate	2-22			
potassium persulfate	2-22			
potassium phosphate	2-22			
potassium phthalate	2-22			
potassium platinocyanide	2-22			
potassium silicate	2-22			
potassium sulfate	2-22			
potassium sulfide	2-22			
potassium sulfite	2-22			
potassium tartrate	2-22			
potassium thiocyanate	2-22			
potassium thiosulfate	2-22			
powder compaction:				
compact density	20-71			
compaction cycles	20-72			
compact strength	20-71			
controlling	20-73			
Hiestand tableting indices	20-72			
mechanisms of	20-71			
powder feeding	20-73			
transmission of force	20-71			
powder mechanics	20-58			
measurements	20-70			
yield locus	20-70			
powders:				
cohesive	20-6			
free-flowing	20-6			
sampling	20-6			
<i>See also</i> particles				
power law fluid	6-13	6-19	6-40	
power recovery from liquid streams	29-46			
design considerations	29-48			
economics of	29-46			
electrical generation	29-54			
fluid volumes	29-50			
hydraulic behavior	29-47			
efficiency	29-47			
installation features	29-49			

**Index Terms****Links**

power recovery from liquid streams ( <i>Cont.</i> )	
integral units	29-54
operating behavior	29-47
performance	29-48
overcapacity	29-53
principles of	29-46
process controls	29-50
speed of	29-53
startup	29-53
vaporizing fluids	29-50
power transmission:	
with speed change	29-60
without speed change	29-57
flexible couplings	29-59
synchro-self-shifting clutches	29-58
variable-speed electric motor drives	29-57
variable-speed mechanical drives	29-57
variable-speed turbo coupling	29-58
power transmission equipment	29-61
lubricant	29-61
grease	29-61
oil	29-62
Poynting factor	4-26
Prandtl number	3-89
praseodymium	2-22
precipitation, biochemical separation	22-73
precipitators	17-51
alternating current	17-59
application	17-53
charging particles	17-52
conditioning agents	17-55
current flow	17-52
electrical	17-51
electric wind	17-52
field strength	17-51
particle mobility	17-52
potential and ionization	17-51
power supply	17-58
rapping	17-57
resistivity	17-55
single-stage	17-56
two-stage	17-58
present value	9-13
presses:	
belt	18-126
disk	18-126
roll	18-126
screw	18-126
tube	18-127
variable-volume filter	18-126

<u>Index Terms</u>	<u>Links</u>
pressure compaction processes:	
piston and molding presses	20-81
roll presses	20-82
tableting presses	20-81
pressure drop:	
in condenser	11-11
packed column	14-42
plate column	14-30
pressure measurement	8-47
elastic-element methods	8-47
bellows element	8-47
Bourdon-tube elements	8-47
diaphragm elements	8-48
electrical methods	8-48
piezoelectric transducers	8-48
piezoresistive transducers	8-48
strain gauges	8-48
liquid-column method	8-47
pressure tap:	
corner taps	10-15
flange taps	10-15
pipe taps	10-15
radius taps	10-15
vena-contracta taps	10-15
<i>See also</i> piezometer opening	
pressure vessels:	
ASME Code	10-144
brittle fracture	10-148
care of	10-151
ceramic	10-150
Code administration	10-144
corrosion in	10-151
cost of	10-151
design and construction	10-149
graphite	10-150
lined	10-150
metal fatigue	10-148
plastic	10-150
unusual construction of	10-149
vacuum in	10-151
weight	10-151
pretreatment	25-63
equalization	25-63
grease and oil removal	25-63
neutralization	25-63
toxic substances	25-64
prilling	20-81

<b><u>Index Terms</u></b>	<b><u>Links</u></b>	
primary treatment	25-63	
chemical precipitation	25-64	
gravity sedimentation	25-63	
grit chambers	25-63	
screens	25-63	
probability density	3-69	
process analyzers	8-52	
sampling system	8-52	
sample conditioning	8-53	
sample transport	8-53	
sample withdrawal	8-52	
sampling point	8-52	
process control:		
language	8-59	
plant safety	8-81	
automation	8-81	
safety interlock system	8-82	
process dynamics:		
closed loop	8-4	
dead-time element	8-9	
distance/velocity lag	8-9	
first -order lag	8-8	
higher-order lags	8-9	
mathematical model	8-5	
continuous model	8-7	
empirical model	8-5	
linear model	8-6	
nonlinear model	8-6	
physical model	8-5	
simulation	8-6	
multiinput, multioutput system	8-10	
open loop	8-4	
pulse-testing	8-10	
pseudo random binary system (PRBS)	8-10	
responses	8-5	8-8
second-order element	8-8	
process economics, nomenclature and		
units	9-3	
process engineering, intelligent systems in	3-91	
process hazard analysis (PHA)	26-9	
process heating equipment	27-47	
processing cost, annual	9-58	
process measurements:		
calibration	8-45	
general considerations	8-43	
selection criteria	8-44	
process safety	26-1	
damage estimation	26-17	
definition of	26-4	
discharge rates from punctured lines		
and vessels	26-84	

<u>Index Terms</u>	<u>Links</u>				
process safety ( <i>Cont.</i> )					
effluent collection and handling	26-31				
flame arresters	26-38				
hazard analysis	26-8				
hazardous materials and conditions	26-43				
combustion	26-51				
explosions	26-53				
gas dispersion	26-78				
measures of toxicity	26-44				
reactive chemicals	26-49				
static electricity	26-70				
storage	26-44				
vacuum	26-73				
plant design	26-5				
pressure relief systems	26-26				
project review process	26-21				
risk analysis	26-11				
process simulation	3-90				
process valves	8-77				
batch	8-77				
check valve	8-78				
gate valve	8-78				
isolation	8-77				
on/off applications	8-77				
pressure relief valves	8-78				
relief valve	8-78				
profit:					
gross annual	9-6				
net annual	9-6				
profitability	9-5				
progressions	3-9	3-13			
progressive freezing	22-4				
propane	2-44	2-50	2-73	2-135	2-266
cracking	23-13				
property changes of mixing	4-11	4-12			
propionic acid	2-44	2-52			
propionic aldehyde	2-44	2-73			
propionic anhydride	2-44				
propinquity effect	18-53				
propyl acetate	2-44	2-52			
propyl alcohol	2-44	2-51	2-73	2-115	2-185
propyl amine	2-44	2-52			
propyl aniline	2-44				
propyl benzoate	2-44	2-73			
propyl bromide	2-44	2-73			
propyl chloride	2-44	2-73			
propylene	2-44	2-50	2-73	2-128	2-267
propylene bromide	2-44				
propylene chloride	2-44				
propylene chlorohydrin	2-44				
propylene glycol	2-44	2-73			

<u>Index Terms</u>	<u>Links</u>	
propylene oxide	2-44	2-73
propyl formate	2-44	2-52
propyl furoate	2-44	
propyl i-butyrate	2-44	2-73
propyl lactate	2-44	
propyl mercaptan	2-53	
propyl n-butyrate	2-44	2-73
propyl propionate	2-44	
propyl thiocyanate	2-44	
propyl valerate	2-44	
proteins	24-4	
protocatechuic acid	2-44	
pseudolayering	20-86	
pseudoparameters	4-16	
psychometric charts	12-4	
examples illustrating use	12-4	
psychrometric charts	12-4	
pulegol	2-45	
pulegone	2-45	
pulsations	6-44	
pulverizers	27-29	
Aero	20-42	
Atrita	20-41	
Blue Streak dual screen	20-41	
Imp	20-41	
jet	20-47	
Majac jet	20-47	
MBF	20-45	
Mikro-ACM	20-43	
Mikro pulverizer	20-41	
Turbo	20-42	
Pulvocron	20-43	
pump-down time	6-15	
pumping:		
equipment for. <i>See</i> pumps and compressors		
of gases	10-37	
of liquids	10-21	
speed	6-15	
work performance in	10-23	
pumps	18-20	
canned-motor	10-29	
capacity of	10-22	
casings	10-24	
cavitation in	10-23	
centrifugal. <i>See</i> centrifugal pumps	10-24	
classification of	10-21	
close-coupled	10-29	
common standards	10-21	
definition of	10-20	
diagnostics	10-37	10-38

<u>Index Terms</u>	<u>Links</u>
pumps ( <i>Cont.</i> )	
diaphragm	10-33
diffusion	10-58
efficiency	10-23
electromagnetic	10-35
fluid displacement	10-35
gear	10-34
head	10-22
jet	10-35
ejectors	10-35
injectors	10-35
material of construction	10-24
metering	10-33
multistage centrifugal	10-29
piston	10-32
plunger	10-32
positive displacement	10-31
power	10-33
power input	10-23
power output	10-23
process	10-28
propellor and turbine	10-29
axial-flow	10-29
regenerative	10-31
turbine	10-31
proportioning	10-33
ranges of operation, coverage chart	10-24
reciprocating	10-32
rotary	10-34
sealing in	10-28
selection of	10-23
screw	10-34
solids in	10-24
specifications	10-37      10-40
suction limitation of	10-23
sump	10-29
vertical	10-29
vibration in	10-36
vibration monitoring in	10-36
alert level	10-36
<i>See</i> positive displacement pumps	
pure-species parameters	4-21
pyrazole	2-45
pyrazoline	2-45
pyrazolone	2-45
pyrene	2-45
pyridazine	2-45
pyridine	2-45      2-53
pyrocatechol	2-45
pyrogallol	2-45
pyrometallurgical processes	23-60



<u>Index Terms</u>	<u>Links</u>	
pyrone	2-45	
pyrrole	2-45	
pyrrolidine	2-45	
pyrroline	2-45	
pyruvic acid	2-45	
Q-line equation	13-29	
quadratic equations	3-14	
quantitative risk analysis (QRA)	26-9	26-11
quartic equations	3-14	
quenching:		
dry	20-79	
wet	20-79	
quench tank	26-33	
sizing and design	26-36	
Quercitrin	2-45	
quinaldine	2-45	
quinoline	2-45	2-73
quinone	2-45	
R-acid	2-45	
radiation:		
density gauges measurement	8-50	
emissivities of combustion products	5-32	
flames	5-35	
gas emissivity/adsorptivity (example)	5-34	
mean beam lengths	5-23	
particle clouds	5-36	
exchange, gases	5-36	
area	5-37	
enclosure by refractory walls	5-39	
example	5-36	
in furnace (example)	5-41	
thermal performance	5-41	
exchange, solid surfaces	5-25	
absorbance	5-25	
area (example)	5-27	5-29
black surface enclosures	5-27	5-29
emissivities	5-25	5-28
emittance	5-25	
in furnace chamber (example)	5-31	
nonblack surface enclosures	5-29	
specific surfaces	5-26	5-28
view factor (example)	5-27	5-29
nomenclature	5-23	
radiation	5-23	
thermal	5-23	5-24
blackbody	5-24	
Wein equation	5-25	
Wein's displacement law	5-24	

<u>Index Terms</u>	<u>Links</u>		
radium	2-22		
radium bromide	2-22		
radon	2-22	2-59	2-166
raffinose	2-45		
ragging	19-30		
random variables	3-69		
Raoult's law	4-26	13-55	
rate constants	7-8		
rate of reaction	7-5		
rate equations, chemical reaction:			
analysis of three simultaneous reactions	7-10		
Arrhenius equations	7-5		
catalysis by solids	7-11		
adsorption rate controlling	7-13		
Langmuir-Hinshelwood mechanism	7-11		
surface reaction controlling	7-12		
chain polymerization	7-11		
chemical equilibrium	7-13		
complex rate equations	7-8		
concentration expression	7-5		
continuously stirred tank reactor (CSTR)	7-4		
derivation of	7-8		
differential equation	7-8		
integrated equation	7-8		
derivation of half-times	7-8		
diffusion between phases	7-11		
enzyme kinetic	7-10		
isothermal rate equations	7-14		
integrals	7-14		
Laplace transform	7-15		
law of mass action	7-4	7-5	
linear analysis of catalytic			
rate equations	7-9		
mass transfer resistance	7-4		
mole fraction expression	7-5		
multiple reactions	7-8		
partial pressure expression	7-5		
plots	7-6		
plug flow reactor (PFR)	7-4		
rates of change at constant pressure	7-7		
rates of change at constant volume	7-7		
solid-catalyzed reactions	7-4	7-11	
Stoichiometric balances	7-10		
typical units of specific rates	7-7		
rate of reaction	23-29		
with diffusional resistances	23-52		
rate of return	9-8		
discounted-cash-flow rate of return			
(DCFRR)	9-14		
Rayleigh distillation	13-96		
reaction coordinate	4-31		

<u>Index Terms</u>	<u>Links</u>	
reaction reactors:		
autocatalytic reaction with recycle	7-32	
batch reaction with heat transform	7-29	
batch reactor	7-15	
concentration profile	7-16	
daily yield	7-16	
energy balance	7-15	7-17
filling and emptying periods	7-16	
material balance	7-15	7-17
optimum operation of reversible		
reaction	7-16	
types of flow reactors	7-16	
CSTR reactor	7-15	7-17
comparison to batch	7-17	7-31
material and energy balance	7-19	
dispersion	7-25	
heat effects	7-21	
batch reactions	7-21	
CSTR reactions	7-22	
packed bed reaction	7-22	
plug flow reactions	7-22	
heat transfer in a cylindrical reactor	7-33	
instantaneous and gradual feed rates	7-31	
laminar flow	7-23	
minimum residence time in PFR	7-32	
multiple steady states	7-23	
optimum conditions	7-25	
optimum cycle period with downtime	7-24	
plug flow reactor (PFR)	7-15	7-19
frictional pressure drop	7-19	
material and energy balance	7-20	
true contact time	7-21	
pressure drop, conversion in PFR	7-33	
recycle and separation modes	7-20	
reactor size with recycle	7-20	
segregated flow	7-25	
semibatch	7-30	
unsteady conditions	7-22	
semibatch process	7-23	
reactions:		
carbothermic	23-58	
catalytic organic	23-28	
exothermic catalytic	23-31	
gas/liquid	23-39	
gas/liquid/solid	23-52	
homogeneous	23-37	
liquid/liquid	23-50	
noncatalytic gas phase	23-34	
solid	23-55	

<u>Index Terms</u>	<u>Links</u>	
reaction time	7-7	
derivation of	7-8	
residence time	7-7	
space velocity	7-7	
reactive distillation. <i>See</i> also distillation	13-81	
reactive system screening tool (RSST)	26-50	
reactors:		
bubble	23-49	
efficiency	23-15	
entrainment	23-38	
falling film	23-50	
flooded fixed bed	23-53	
multitubular	23-37	
slurry	23-38	
with solid catalysts	23-27	
for solids	23-59	
transpose	23-38	
tubular	23-49	
reactotherm	12-71	
real-number system	3-8	
absolute value	3-8	
indeterminants	3-8	
inequalities	3-8	
integral exponents	3-8	
logarithms	3-9	
order	3-8	
properties	3-8	
roots	3-9	
reboiler:		
definition of	11-35	
kettle	11-13	
thermal design of	11-13	
Thermosiphon reboiler	11-13	
rectifying section	13-4	
recuperators	27-53	
recycled heat energy, value of	9-62	
Redlich/Kwong equation	4-21	
alternative form	4-21	
reduced T and P	4-16	
refractive-index measurement	8-50	
refrigerants:		
definition of	11-93	
secondary	11-94	
salt brines	11-94	
refrigerants' thermodynamic properties	2-269	2-317
refrigeration:		
absorption systems	11-88	
Brines	11-94	

<u>Index Terms</u>	<u>Links</u>		
refrigeration ( <i>Cont.</i> )			
equipment for	11-79		
centrifugal compressors	11-83		
compressors	11-79		
condensers	11-83		
evaporators	11-84		
positive-displacement compressors	11-80		
vapor-compression system	11-77		
cycles of	11-77		
multistage systems	11-78		
regeneration	16-5	16-48	27-52
in adsorption	16-48	16-60	
pressure swing adsorption (PSA)	16-49		
purge/concentration swing adsorption	16-51		
with steam	16-55		
temperature swing adsorption (TSA)	16-48		
in ion exchange	16-52	16-64	
backwash	16-52		
countercurrent	16-64		
loading	16-52		
rinse	16-52		
thermal	16-32		
regime:			
coating	20-65		
inertial	20-65		
noninertial	20-65		
regulators	8-79		
oven-pressure protection	8-81		
pilot-operated	8-81		
self-operated	8-80		
throttling process	8-80		
relative volatility	13-10	13-27	
required relief rate	26-29		
residence time	23-7	23-16	23-53
residence time distribution	6-11	23-15	23-19
residue curve maps (RCM)	13-56		
Resorcinol	2-45	2-73	
retene	2-45		
reverse osmosis	22-48		
Reynolds number	3-89	10-45	
for annulus	10-17		
condensate film	5-20		
equation	10-5		
impeller	18-10		
shell side	11-9		
Reynolds stress	6-45		
rhamnose	2-45		
rhenium	2-22		
rheology	6-4		
rhodium	2-22		
rhodium chloride	2-22		

<u>Index Terms</u>	<u>Links</u>				
ribbon theory	20-27				
ricinoleic acid	2-45				
ring dryers	12-80				
risk	9-23				
analysis:					
example of	9-28				
numerical measures of	9-30				
example of	9-30				
Robbins chart	13-79				
table	13-56				
roll crushers:					
capacity of	20-27				
corrugated	20-27				
smooth	20-27				
toothed	20-27				
roll press	20-28				
Romberg's method	3-54				
rosaniline	2-45				
Rosin-Rammler-Bennett	20-5				
rosolic acid	2-45				
rotameter	8-48				
rubber as a construction material	28-47	28-49			
butyl	28-47	28-49			
chloroprene	28-47				
chlorosulfonated polyethylene (Hypalon)	28-49				
<i>cis</i> -polybutadiene	28-49				
<i>cis</i> -polyisoprene	28-49				
ethylene-propene	28-49				
fluoroelastomers	28-49				
hard	28-47				
natural	28-47				
nitrile	28-47				
polyvinyl chloride elastomer (koroseal)	28-49				
properties of	28-58				
silicone	28-49				
styrene	28-47				
rubidium	2-22	2-59	2-166	2-192	2-299
Runge-Kutta-Feldberg formulas	3-55				
Runge-Kutta methods	3-55				
runner	20-45				
ruthenium	2-22				
 saccharin	2-45				
safrole	2-45	2-73			
salicylic acid	2-45	2-73			
salicylic aldehyde	2-45				
saligenin	2-45				
saltation	6-30				
samarium	2-22				
sample mean	3-70				
sample standard deviation	3-70				

<u>Index Terms</u>	<u>Links</u>
sampler:	
cross-belt	19-8
rotary	19-7
rotary-table	19-8
traversing	19-7
sampling	19-4
cross-stream	19-6
dry	19-4      19-9
equipment for	19-7
cost of	19-9
cross-belt sampler	19-8
rotary sampler	19-7
rotary-table sampler	19-8
traversing sampler	19-7
error variance in	19-5
gravity	19-6
mechanical	19-6
for moisture analysis	19-6
process of	19-4
for size analysis	19-5
slurry	19-4      19-9
solids	19-3
theory of	19-5
saturated volume	12-3
saturation temperature	12-3
scaling. <i>See</i> fouling	
scandium	2-22
Schaeffer's salt	2-45
screening	19-18
capacity	19-23
definitions of	19-18
efficiency	19-23
equipment for	19-19
feeding	19-23
noise	19-23
operations	19-22
probability	19-22
safety	19-23
surface	19-18      19-22
screens:	
aperture	19-18
capacity	19-23
efficiency	19-23
grizzly:	
flat	19-20
stationary	19-20
vibrating	19-20
gyratory	19-21
gyratory riddles	19-22
mechanical shaking	19-20
mesh	19-18

<u>Index Terms</u>	<u>Links</u>	
screens ( <i>Cont.</i> ):		
open area of	19-18	
oscillating	19-21	
reciprocating	19-21	
revolving	19-20	
selection of	19-22	
sieve	19-18	
surface	19-22	
bar screens	19-22	
punched plates	19-22	
silk bolting cloth	19-22	
woven-wire cloth	19-22	
vibrated:		
electrically	19-21	
mechanically	19-20	
scrubbers	17-32	
condensation scrubbing	17-35	
contacting parer correlation	17-33	
cut-power correlation	17-35	
cyclone	17-37	17-39
dry scrubbing	17-39	
Ejector-Venturi	17-37	
electrically augmented	17-39	
entrainment separation	17-35	
fiber-bed	17-38	17-40
impingement plate	17-38	
mechanical	17-38	
mobile-bed	17-36	17-39
packed-bed	17-36	
particulate scrubbers	17-32	
performance	17-33	
curve	17-34	
models	17-33	
spray	17-37	
self-induced	17-37	
types	17-33	
seals:		
external	10-63	
face	10-58	
fixed seal rings	10-61	
floating seal rings	10-61	
internal	10-63	
labyrinth	10-59	10-60
Elgi leakage formula	10-61	
material used	10-64	
mechanical face	10-62	
arrangement	10-62	
environment	10-62	
equipment for	10-62	
face combinations	10-63	
gland plate	10-63	



<u>Index Terms</u>	<u>Links</u>			
seals: mechanical face ( <i>Cont.</i> )				
main body	10-63			
product	10-62			
secondary packing	10-62			
selection of	10-62			
noncontacting	10-58	10-59		
packing	10-61			
application of	10-61			
lubricant in	10-62			
seal cage	10-62			
ring	10-61			
throttle bushings	10-64			
secondary treatment	25-65			
activated sludge	25-69			
biological treatment systems, design of	25-66			
fixed film reactor systems	25-74			
fluidized beds, biological	25-75			
lagoons	25-72			
reactor concepts	25-67			
sedimentation:				
balance	20-8			
centrifugal	18-106	20-8		
drive assemblies in	18-68			
feedwell	18-69			
overall flow arrangements	18-69			
rake-lifting mechanisms	10-68			
rake mechanism	18-69			
underflow arrangements	18-69			
flocculation	18-63			
by gravity	18-60			
classification of settleable solids	18-60			
components and accessories	18-67			
continuous countercurrent decantation.				
<i>See</i> decantation				
design of unit	18-73			
test of	18-60			
<i>See also</i> thickness and clarifiers				
other gravitational methods	20-7	20-8		
hydrometer method	20-7			
photosedimentation methods	20-8			
pipet method	20-7			
x-ray sedimentation methods	20-8			
torque requirement	18-63			
segregated flow	23-21	23-16		
selenic acid	2-22			
selenium	2-22	2-59	2-166	2-192
selenous acid	2-23			
semicarbazide	2-45			
semicarbazide hydrochloride	2-45			
sensitivity analysis	9-19			
example of	9-20			

<u>Index Terms</u>	<u>Links</u>
sensors:	
hall effect	8-52
sludge bed level	18-71
separation:	
dense-media	19-36
electrostatic	19-50
magnetic	19-40
of solid-liquid	18-60
selection of separators	18-131
superconducting magnetic	19-47
thermoadhesive	19-18
separation factor	16-14
separation process:	
biochemical	22-69
final purification	22-75
general	22-69
initial product harvest	22-71
initial purification	22-73
crystallization, from the melt:	
bulk liquid	22-6
falling-film	22-10
progressive freezing	22-4
zone melting	22-5
membrane	22-37
electrodialysis	22-42
gas separation	22-61
general	22-37
microfiltration	22-57
nanofiltration	22-48
pervaporation	22-67
reverse osmosis	22-48
ultrafiltration	22-52
solid/liquid	22-20
by adsorptive-bubble methods	22-30
by electric field	22-20
surface-based with second liquid phase	22-28
supercritical fluids	22-14
applications	22-17
mass transfer	22-17
phase equilibria	22-15
physical properties	22-14
process concepts	22-15
separators:	
classifiers	19-24
cone	19-38
cyclone	19-38
drum	19-38
electrostatic	19-51
magnetic	19-42
screens	19-19
septum. <i>See</i> filter medium	

<b><u>Index Terms</u></b>	<b><u>Links</u></b>			
shadow prices, adjoint variables,				
dual variables	3-66			
shape factor	20-7			
shear thinning	6-4			
sheet-metal gauges	1-21			
shift rate	21-3			
shock sensitivity, reactive chemicals	26-50			
shooting methods	3-57			
sieves:				
scale	19-18			
series	19-19			
testing	19-19			
sieve scale	19-18			
sieve series:				
international test	19-19			
Tyler standard	19-19			
U.S.	19-19			
signal transmission:				
alarms	8-55			
analog	8-55			
discreet	8-55			
ganging	8-56			
intelligent	8-56			
analog	8-53			
electronic	8-53			
pneumatic	8-53			
digital	8-53			
analog inputs and outputs	8-53			
microprocessor-based transmitters	8-54			
pulse inputs	8-54			
serial interfaces	8-54			
transmitter/actuator networks	8-54			
filtering and smoothing	8-55			
smoothing equations	8-55			
silicic acid	2-23			
silicon	2-23	2-59	2-166	2-193
silicon carbide	2-23			
silicon chloride	2-23			
silicon dioxide	2-23			
silicon fluoride	2-23			
silicon hydride	2-23			
silver	2-23	2-60	2-166	2-193
silver bromide	2-23			
silver carbonate	2-23			
silver chloride	2-23	2-60	2-167	2-193
silver cyanide	2-23			
silver nitrate	2-23			
Simpson's rule	3-53			
singular solution	3-36			
sink-float processing.				
<i>See also</i> dense-media separation				

<u>Index Terms</u>	<u>Links</u>					
S.I. units	1-2					
base units	1-3					
derived units of	1-3					
graphic relationships of	1-2					
prefixes	1-3					
size:						
classifiers	20-17					
internal classification	20-17					
selectivity	20-17					
size enlargement:						
agglomeration	20-56					
coalescence	20-58					
equipment. See granulator						
formulation	20-57					
granulation	20-57					
layering	20-86					
methods and applications of	20-58					
nucleation	20-58					
physical transformations	20-57					
pressure compaction processes	20-81					
sintering	20-57					
spray-drying	20-57	20-81				
spray processes	20-80					
thermal processes	20-84					
drying	20-85					
hardening	20-84					
sintering	20-84					
solidification	20-85					
wetting	20-57					
skatole	2-45					
slip velocity	6-27	6-31				
slot distributors	6-33					
sludge	25-78					
disposal	25-79					
incineration	25-79					
landfills	25-80					
land spreading	25-80					
processing	25-78					
concentration	25-78					
stabilization	25-78					
slurries, sampling	19-4	19-9				
snowballing	20-86					
Soave-Redlich-Kwong (SRK) equation	4-21	13-7				
sodium	2-23	2-60	2-153	2-167	2-193	2-300
sodium acetate	2-23					
sodium aluminate	2-23					
sodium amide	2-23					
sodium ammonium phosphate	2-23					
sodium antimonate	2-23					
sodium arsenate	2-23					
sodium arsenite	2-23					

<u>Index Terms</u>	<u>Links</u>					
sodium benzoate	2-23					
sodium bicarbonate	2-23					
sodium bifluoride	2-23					
sodium bisulfate	2-23					
sodium bisulfite	2-23					
sodium bromate	2-23					
sodium bromide	2-23	2-60	2-104	2-153	2-167	2-193
sodium carbonate	2-23					
sodium chlorate	2-24					
sodium chloride	2-24	2-60	2-123	2-153	2-167	
	2-185	2-193	2-202			
sodium chromate	2-24					
sodium citrate	2-24					
sodium cyanide	2-24	2-60	2-153	2-193	2-202	
sodium dichromate	2-24					
sodium ferricyanide	2-24					
sodium ferrocyanide	2-24					
sodium fluoride	2-24	2-60	2-153	2-167	2-193	2-202
sodium formate	2-24					
sodium hydride	2-24					
sodium hydrosulfide	2-24					
sodium hydrosulfite	2-24					
sodium hydroxide	2-24	2-60	2-89	2-105	2-123	2-153
	2-185	2-193	2-202	2-302		
sodium hypochlorite	2-24					
sodium iodide	2-24	2-60	2-153	2-167	2-193	2-203
sodium lactate	2-24					
sodium methylate	2-45					
sodium nitrate	2-24					
sodium nitrite	2-24					
sodium oxide	2-24					
sodium perborate	2-24					
sodium perchlorate	2-24					
sodium peroxide	2-24					
sodium phosphate	2-24					
sodium potassium tartrate	2-24					
sodium sesquicarbonate	2-24					
sodium silicate	2-24					
sodium silicofluoride	2-24					
sodium stannate	2-24					
sodium sulfate	2-24					
sodium sulfide	2-25					
sodium sulfite	2-25					
sodium tartrate	2-25					
sodium tetraborate	2-23					
sodium thiocyanate	2-25					
sodium thiosulfate	2-25					
sodium tungstate	2-25					
sodium uranate	2-25					
sodium vanadate	2-25					
soil as a construction material	28-43					

<u>Index Terms</u>	<u>Links</u>
soldering	10-126
solid analytic geometry:	
coordinate systems	3-18
lines and planes	3-19
surfaces	3-19
solidification	11-27      11-58
equipment for	11-58
agitated-pan type	11-58
belt	11-59
rotating-drum	11-60
rotating-shelf	11-61
vibratory type	11-59
solids:	
jigging	19-30
mixing	19-10
physical transformations	20-57
properties of	20-10
sampling	19-4
screening	19-18
separations	19-34
sorting	19-17
tabling	19-31
wet classification	19-23
solids-liquid separator:	
selection of	18-131
solid waste	25-80
collection	25-86
disposal	25-102
generation	25-81
handling, storage, processing	25-84
legislation and regulations	25-12
processing	25-91
transport	25-89
waste combustors, regulations	25-99
solubilities	2-120
solvent extraction. <i>See</i> extraction/ liquid-liquid	
sonic flow	6-22
sorbents, selection of	16-5
<i>See also</i> adsorbents	
sorbitol	2-45
sorbose	2-45
sorption, equilibrium. <i>See also</i> adsorption	16-11
sorting	19-17
electrical conductivity in	19-18
optical	19-17
source-control-problem strategy	25-29
space velocity	23-7

<b><u>Index Terms</u></b>	<b><u>Links</u></b>	
special differential equations	3-37	
Bessel's equation	3-37	
Euler's equation	3-37	
Hermite's equation	3-38	
Laguerre's equation	3-38	
Legendre's equation	3-38	
specific gravity	1-20	
degrees API	1-20	
degrees baumé	1-20	
degrees twaddell	1-20	
pounds per cubic foot	1-20	
pounds per gallon	1-20	
specific heats of aqueous solutions	2-184	
specific heats of miscellaneous materials	2-186	
specific heats of pure compounds	2-161	
specific rate	23-43	
specific surface	20-6	
speed pumps, adjustable	8-79	
spiral concentration	19-34	
costs of	19-35	19-36
maintenance of	19-35	
operating characteristics of	19-35	
operation	19-34	
requirements for	19-35	
water requirement for	19-35	
spiral-plate exchanger	11-55	
applications of	11-55	
types of	11-55	
spiral-tube exchanger	11-56	
applications of	11-56	
spouted beds	12-75	
spray ponds	12-21	
spray processes:		
flash-drying	20-81	
prilling	20-81	
spray-drying	20-81	
S-shaped curves	9-26	
logistics curve	9-26	
example of	9-26	
stainless steel	28-29	
austenitic alloys	28-4	28-34
properties of	28-39	
cast corrosion-resistant, properties of	28-41	
cast heat-resistant, properties of	28-41	
cast stainless alloys	28-34	
ferritic alloys	28-29	
properties of	28-39	
martensitic alloys	28-29	
properties of	28-38	
special types, properties of	28-40	

<u>Index Terms</u>	<u>Links</u>			
standard deviation	3-70			
standard state	4-31			
stannic chloride	2-25	2-60	2-168	2-194
stannic oxide	2-25			
stannic sulfate	2-25			
stannous bromide	2-25	2-60	2-194	
stannous chloride	2-25			
stannous sulfate	2-25			
starch	2-45			
starters:				
control of	29-10	29-13		
multispeed alternating-current	29-13			
synchronous-motor	29-13			
types of	29-10			
state functions	3-26			
static electricity	26-70			
static pressure:				
average	10-6			
definition of	10-5			
local	10-6			
measurement of	10-7			
piezometer taps	10-6			
static temperature	10-8			
statistics:	3-69			
error analysis	3-87			
experiment design and variance analysis	3-87			
hypothesis testing	3-76			
least squares	3-83			
measuring and sampling data	3-72			
probability distributions	3-71			
steam engines	29-14			
expanding	29-14			
nonexpanding	29-14			
uniflow design	29-14			
steam generator, definition of	11-35			
steam jet:				
condenser	11-90			
flash tank	11-92			
primary steam ejector	11-90			
refrigeration	11-92			
steam turbines	29-17			
blades and staging	29-18			
Curtis stage	29-18			
impulse stage	29-18			
reaction stage	29-18			
control-system components	29-21			
efficiency of	29-18	29-20		
extraction-pressure control	29-22			



<u>Index Terms</u>	<u>Links</u>		
steam turbines ( <i>Cont.</i> )			
operating problems:			
erosion	29-28		
leakage from the glands	29-27		
power loss	29-28		
sticking of valve stems	29-27		
temperature bow	29-27		
turbine bearings	29-28		
performance	29-18	29-20	29-27
mechanical	29-27		
thermodynamic	29-27		
selection of	29-22		
speed-control systems	29-21		
electrohydraulic	29-21	29-25	
mechanical-hydraulic	29-21	29-25	
remote or process speed control	29-21		
stage and valve options	29-17	29-19	
multistage, single-valve	29-17	29-19	
single-stage, single-valve	29-17		
steam rate	29-20		
actual	29-20		
theoretical	29-20		
types of	29-17		
stearic acid	2-45	2-73	
stearic anide	2-45		
Stedman disintegrator. <i>See</i> cage mills			
steel	28-28		
carbon	28-6		
low-alloy	28-29		
properties	28-36		
stainless. <i>See</i> stainless steel			
Stefan-Maxwell equations	5-47	5-54	
sterilization	24-13		
<i>See also</i> biochemical engineering			
stirred tanks	23-44		
correlations of mass-transfer coefficients	23-46		
hydrogenation of oils	23-46		
Stoichiometric number	4-31		
stokers	27-32		
Stokes-Cunningham correction	6-54		
Stokes diameter	20-7		
Stokes-Einstein	5-50	5-52	
Stokes flow	10-5		
Stokes law	6-50	20-7	
Stokes number	20-65		
determination of	20-66		
storage:			
cost of	10-142		

<u>Index Terms</u>	<u>Links</u>				
storage ( <i>Cont.</i> ):					
of gases	10-141				
gas holders	10-141				
materials	10-141				
in pressure vessels	10-141				
solution of gases in liquids	10-141				
of liquids	10-138				
atmospheric tanks	10-138				
container materials and safety	10-140				
pond and underground	10-141				
pressure tanks	10-138				
volume calculation	10-139				
storage of bulk solids:					
storage bins, silos, hoppers:					
flow-factor tester	21-28				
funnel flow	21-27				
mass flow	21-27				
storage piles:					
discharge arrangements	21-27				
mobile equipment	21-27				
reclaiming	21-27				
strain index	20-72				
stresses:					
allowable	10-110				
bending	10-117				
displacement	10-109				
flexibility	10-117				
longitudinal	10-103				
reduction factors	10-116				
stripping section	13-4				
strontium	2-25	2-60	2-153	2-167	2-193
strontium acetate	2-25				
strontium carbonate	2-25				
strontium chloride	2-25				
strontium hydroxide	2-25				
strontium nitrate	2-25				
strontium oxide	2-25	2-60	2-193		
strontium peroxide	2-25				
strontium sulfate	2-25				
styrene	2-45	2-51	2-73		
subcooling	11-12				
suberic acid	2-45				
subsonic flow	6-22				
successive substitutions method	3-51				
succinic acid	2-45				
sucrose	2-45				
suction head	10-22				
suction-specific speed	10-25				
sulfamic acid	2-25				
sulfanilic acid	2-45				

<u>Index Terms</u>	<u>Links</u>					
sulfur	2-25	2-60	2-153	2-167	2-194	
in coal	27-5					
sulfur bromide	2-25					
sulfur chloride	2-25	2-60	2-153	2-167	2-194	
sulfur dioxide	2-77	2-124	2-128	2-153	2-167	2-194 2-302
sulfuric acid	2-25	2-78	2-107	2-185	2-203	2-303
sulfuric oxychloride	2-26					
sulfurous oxybromide	2-26					
sulfurous oxychloride	2-26					
sulfur oxide	2-25	2-54				
as a pollutant	27-28					
supercritical fluids	22-14					
mass transfer	22-17					
phase equilibria	22-15					
cosolvents	22-16					
glass transition	22-16					
liquid-fluid	22-15					
models	22-16					
polymer-fluid	22-16					
solid-fluid	22-16					
surfactants	22-16					
physical properties	22-14					
process concepts	22-15					
separations, applications to	22-17					
adsorption	22-17					
antisolvent	22-18					
cleaning	22-18					
crystallization	22-18					
desorption	22-17					
drying	22-18					
extraction	22-17					
food and pharmaceutical	22-17					
polymers	22-18					
reactive separation	22-18					
temperature-controlled residuum oil						
supercritical extraction (ROSE)	22-17					
supercritical	23-34					
superheated	11-11					
superheated vaporizer, definition of	11-35					
supersaturation coefficient	18-37					
supersonic flow	6-22					
superconductivity	11-97					
surfactants	22-16					
sylverstrene	2-45					
symbols	1-24					
mathematical	1-24					
systems of variable composition:						
partial molar properties	4-7					
summability equation	4-7					

<u>Index Terms</u>	<u>Links</u>				
tabling	19-31				
agglomeration	19-33				
dry	19-33				
wet	19-31				
tanks:					
atmospheric	10-138				
fixed roofs	10-138				
floating roofs	10-138				
open	10-138				
pressure	10-138				
volume calculation	10-139				
tantalum	2-26				
as a construction material	28-37				
tartaric acid	2-45				
tartronic acid	2-45				
tax, annual amount of	9-6				
Taylor's series	3-32				
tellurium	2-26	2-60	2-153	2-167	2-194
TEMA heat exchangers, shell-and-tube	11-33				
temperature	1-19				
conversion formulas	1-19				
dynamic	10-6				
static	10-6				
total	10-6				
temperature-controlled residuum oil					
supercritical extraction (ROSE)	22-17				
temperature measurement:					
bimetal thermometers	8-46				
types of elements	8-46				
filled-system thermometers	8-46				
application of	8-46				
international practical temperature					
scale	8-45				
pyrometers	8-46				
accuracy pyrometer	8-47				
types of pyrometers	8-47				
resistance thermometers	8-45				
thermistors	8-45				
thermocouples	8-45				
terbium	2-26				
terephthalic acid	2-45				
terminal settling velocity	6-50				
terpineol	2-45	2-73			
terpin hydrate	2-45				
terpinyl acetate	2-45				
tetrabromoacetate	2-45				
tetrachloroethane	2-45				
tetrachloroethylene	2-45				
tetracosane	2-45				
tetradecane	2-45	2-50			
tetraethylthiuram disulfide	2-45				

<u>Index Terms</u>	<u>Links</u>			
tetrafluoroethylene	2-46			
tetrahydrofuran	2-46			
tetrahydrofurfuryl alcohol	2-46			
tetrahydropyran	2-46			
tetralin	2-46	2-74		
tetramethylthiuram disulfide	2-46			
tetryl	2-46			
thallium	2-26	2-60	2-167	2-194
thallium acetate	2-26			
thallium chloride	2-26			
thallium sulfate	2-26			
theobromine	2-46			
theoretical or equilibrium stages,				
definition of	15-5			
calculation in liquid-liquid extraction	15-16			
height equivalent to a theoretical stage	15-20			
shortcut methods	15-17			
theory:				
of compression	10-37			
of filtration	18-74			
thermal conductivity measurement	8-50			
thermal cracking	23-13			
thermal decomposition	23-56			
thermal design	11-4			
cocurrent flow	11-4			
condenser thermal design	11-11			
countercurrent flow	11-4			
cross-flow	11-5			
design	11-4			
evaporator design	11-13			
heat-exchange design	11-4			
insulation	11-68			
mean temperature difference	11-4			
overall heat -transfer coefficient	11-4			
reboiler thermal design	11-3			
single-phase heat transfer thermal				
design	11-5			
solid processing design	11-24			
tank-coil design	11-20			
thermal expansion	2-128			
coefficients of	10-118	10-126		
for metals and alloys	28-34			
thermocouples	10-7			
range of	10-8			
thermodynamic efficiency	4-35			
thermodynamic properties	2-205			

<u>Index Terms</u>	<u>Links</u>			
thermodynamics:				
first law:				
closed and open system	4-3			
heat, work	4-3			
multivariable calculus and	3-26			
properties:				
intensive and extensive	4-3			
second law	4-3			
thermosiphon reboiler	11-13			
thickeners:				
basin area	18-61			
classes of	18-65			
bridge-supported	18-65	18-67		
center-column supported	18-65	18-67		
traction drives	18-65	18-67		
costs of	18-73			
design criteria	18-72			
high-density	18-64			
high-rate	18-64			
operation of	18-65			
selection of	18-73			
Thiele-Geddes (TG) method	13-40			
thioacetic acid	2-46	2-74		
thioaniline	2-46			
thiocarbanilide	2-46			
thionaphthol	2-46			
thiophene	2-46	2-53		
thiophenol	2-46	2-74		
thiosalicylic acid	2-46			
thiourea	2-46			
thorium	2-26			
thorium oxide	2-26			
thorium sulfate	2-26			
three-point formulas	3-53			
throughput	6-15			
parameter	16-7	16-30		
throw	20-24			
thulium	2-26			
thymol	2-46	2-74		
time-dependent motion	6-52			
time value of money	9-10			
tin	2-26	2-60	2-168	2-194
titanic acid	2-26			
titanium	2-26			
as construction material	28-37			
properties of	28-48			
titanium chloride	2-26	2-60	2-168	2-194
titanium dioxide	2-26			
tolidine	2-46			
toluene	2-46	2-74	2-304	
toluene sulfonic acid	2-46			

<u>Index Terms</u>	<u>Links</u>		
toluene sulfonic amide	2-46		
toluene sulfonic chloride	2-46		
toluic acid	2-46		
toluidine	2-46	2-74	2-177
toluidine hydrochloride	2-46		
toluidene sulfonic acid	2-46		
toluylene diamine	2-46		
tolyene diisocyanate	2-46		
tower packings	6-40		
towers:			
countercurrent absorption	23-41		
mechanical-draft	12-15		
cross-flow	12-16		
forced-draft	12-15		
induced-draft	12-16		
removal of carbon dioxide and			
hydrogen sulfide	23-44		
sulfur dioxide, spray	23-44		
types	23-39		
tracers	23-15		
equations	23-17		
response	23-16		
tracing:			
electric	10-135		
MI cables	10-13		
polymer-insulated constant wattage			
electric heaters	10-137		
SECT	10-137		
self-regulating	10-137		
heat	10-133		
impedance	10-137		
selections of	10-137		
steam	10-133		
transducers:			
F/P transducer	8-68		
rotational motion	8-52		
differential transformer	8-52		
gear train	8-52		
hall-effect sensors	8-52		
transfer function	23-17	23-19	
transformer, differential	8-52		
transportation:			
of bulk solids	21-72		
of packaged items:			
vehicle choice	21-74		
transport of fluids. <i>See</i> fluids,			
bulk transport of			
transport properties	2-318		
trapezoidal rule	3-53		
tray dryers, direct heat	12-42		
trehalose	2-46		

<u>Index Terms</u>	<u>Links</u>		
triethylamine	2-46		
tributyl amine	2-46		
tributyl phosphite	2-46		
trichloroacetic acid	2-46	2-74	2-177
trichlorobenzene	2-46	2-74	
trichloroethane	2-46	2-74	
trichloroethylene	2-46	2-74	
trichlorophenol	2-46	2-74	
tricosane	2-46	2-75	
trimesyl phosphate	2-47		
tridecane	2-46	2-50	
triethanol amine	2-46		
triethylamine	2-46	2-52	
triethylbenzene	2-46	2-75	
triethyl borate	2-46		
triethyl citrate	2-46	2-75	
triethylene glycol	2-46	2-75	
trifluorochloroethylene	2-46		
trifluorochloromethane	2-46		
trifluorotrichloroethane	2-46		
trigonometric series	3-32		
trigonometry:			
approximation	3-23		
functions of circular trigonometry	3-20		
hyperbolic trigonometry	3-22		
inverse trigonometric functions	3-21		
trigonometry, plane	3-20		
angles	3-20		
circular trigonometry, functions of	3-20		
identities	3-21		
hyperbolic trigonometry	3-22		
inverse trigonometric functions	3-21		
sides of triangles and angles, relations			
between	3-21		
trimethoxybutane	2-46		
trimethylamine	2-46	2-52	
trimethylene bromide	2-46		
trimethylene chloride	2-46		
trimethylene glycol	2-46		
trinitrobenzene	2-46		
trinitrobenzoic acid	2-46		
trinitronaphthalene	2-46		
trinitrophenol	2-47		
trinitrotert-butylxylene	2-46		
trinitrotoluene	2-47		
trional	2-47		
triphenylarsine	2-47		
triphenyl carbinol	2-47		
triphenyl guanidine	2-47		
triphenyl methane	2-47	2-75	
triphenyl methyl	2-47		



<u>Index Terms</u>	<u>Links</u>			
triphenyl phosphate	2-47	2-75		
tripropylamine	2-47			
troubleshooting plant performance	30-20	30-30		
tube banks	6-36			
tubing, <i>See</i> piping				
tungsten	2-26	2-60	2-168	2-194
tungsten carbide	2-26			
tungsten trioxide	2-26			
tungstic acid	2-26			
turbine:				
flat-blade	18-7			
pitched-blade	18-7			
turbine meter	8-48			
turbulent flow, forced convection	5-16			
two-way test	3-82			
ultrafiltration	22-52			
ultrasonic techniques	10-149			
unconfined vapor cloud explosion, (UVCEs)	26-57			
undecane	2-47	2-50		
Underwood's equations	13-35			
undetermined coefficients method	3-37			
UNIFAC equation	13-18			
method	4-22			
unified alloy numbering system	28-34			
UNIQUAC equation	4-22	4-23	13-18	
unit operations, control of:				
batch logic	8-42			
batch operations	8-37			
automation functions	8-39			
control of process states	8-40			
discrete devices	8-39			
production monitoring	8-39			
production scheduling	8-39			
regulatory control	8-40			
sequence logic	8-41			
batch production facilities	8-41			
chemical reactor	8-33			
composition control	8-35			
dryers	8-36			
evaporators	8-35			
temperature control	8-35			
distillation column	8-33			
basic control	8-33			
product quality	8-33			
heat exchangers	8-32			
enthalpy control	8-32			
feed forward control	8-32			

<u>Index Terms</u>	<u>Links</u>	
units	1-1	
common	1-4	
S.I.	1-2	
U.S. Customary	1-4	
upper flammable limit (UFL)	26-54	
uranic acid	2-26	
uranium	2-26	
uranium carbide	2-26	
uranium oxide	2-26	
uranium sulfate	2-27	
uranyl acetate	2-27	
uranyl carbonate	2-27	
uranyl sulfate	2-27	
urea	2-47	
urea nitrate	2-47	
uric acid	2-47	
U.S. Customary units	1-4	
 vacuum	26-73	
vacuum systems:		
equipment for	10-57	10-59
valeric acid	2-47	2-75
valeric aldehyde	2-47	
valeric amide	2-47	
valves:		
angle	10-90	
ball	10-90	
butterfly	10-91	
diaphragm	10-90	
dimensions of	10-88	
gate	10-87	
inclined-seat	10-87	
parallel-seat	10-87	
globe	10-87	
lift check	10-91	
plug cocks	10-90	
lubricated	10-90	
swing check	10-91	
tilting-disk check	10-91	
trim	10-91	
vanadic acid	2-27	
vanadium	2-27	
vanadium chloride	2-27	
vanadium oxide	2-27	
vanadium oxychloride	2-27	
vanadyl chloride	2-27	2-60
vanillic acid	2-47	
vanillic alcohol	2-47	
vanillin	2-47	2-75
Van Laar equation	4-27	13-18
Van Ness	4-26	

<u>Index Terms</u>	<u>Links</u>		
vaporization of liquids, heat transfer in.			
<i>See</i> boiling of liquids			
vapor pressures of pure substances	2-48		
vapor pressures of solutions	2-76		
variation of parameters method	3-37		
velocity:			
collisional	20-65		
measurement of	10-8		
velocity head	10-22		
velocity head method	6-16		
vent sizing package (VSP)	26-50		
Venturi flowmeter	6-9	8-48	
Herschel-type	10-14		
veratrole	2-47		
vinyl acetate	2-47	2-52	
vinyl acetic acid	2-47		
vinyl acetylene	2-47	2-50	
vinyl alcohol	2-47		
vinyl chloride	2-47	2-53	2-75
vinyl propionate	2-47		
virial equations of state:			
cross coefficient	4-19		
empirical interaction parameter	4-20		
in pressure	4-19		
second virial coefficient	4-20		
virial coefficient	4-19		
viruses	24-4		
visbreaking	23-10		
viscoelastic	6-4	6-17	6-40
viscosity	6-4		
kinematic	6-4		
measurement	8-50		
Volterra equation	3-43		
volume:			
change	4-15		
expansivity	4-15		
relation to compressibility factor	4-15		
Von Kármán coefficient	6-42		
vortex depth	18-12		
Vortex shedding	6-41	11-35	
vorticity	6-5		
Wagner equation	4-15		
wall effects	6-54		
Ward-Leonard system	29-9		
waste-heat boiler, definition of	11-35		
waste processing	20-55		

<u>Index Terms</u>	<u>Links</u>						
waste, solid	25-81						
properties	25-82						
quantities	25-83						
sources	25-82						
types	25-81						
wastewater characteristics	25-60						
eutrophication, nutrients and	25-62						
inorganics	25-62						
oil and grease	25-63						
organics	25-60						
oxygen, dissolved	25-62						
pH	25-62						
priority pollutants	25-60						
solids	25-62						
temperature	25-62						
wastewater treatment	25-63						
physical-chemical treatment	25-76						
pretreatment	25-63						
primary treatment	25-64						
secondary treatment	25-65						
sludge disposal	25-79						
sludge processing	25-78						
water	2-27	2-48	2-54	2-90	2-91	2-147	2-304
heavy	2-27						
as a supercritical fluid	22-14						
water hammer	6-44						
water quality legislation and regulations	25-9						
water-vapor content of air	2-90						
Wegstein method	3-51						
weighing of bulk solids:							
batch weighing:							
additive weigh scale	21-34						
loss-of weigh scale	21-34						
principle of operation	21-32						
continuous weighing							
equipment	21-55						
weight sensing	21-35						
weights and measures	1-19						
U.S. Customary	1-19						
Wein:							
displacement law	5-24						
equation	5-25						
weirs:							
broad-crested	10-19						
narrow rectangular notches	10-20						
rectangular	10-19						
sharp-edged	10-19						
triangular-notch	10-20						
welding	10-126						

<u>Index Terms</u>	<u>Links</u>				
wet-bulb temperature	12-3				
and adiabatic-saturation temperature:					
flow past cylinders	12-3				
psychrometric ratio	12-3				
relation	12-3				
wet classification	19-23				
definition of	19-23				
equipment for	19-24				
wetted-wall columns	14-56				
wetting:					
Bartell cell	20-62				
contact angle	20-61				
controlling	20-63				
flotation test	20-61				
mechanism of	20-61				
rate	6-42				
Washburn test	20-62				
Wilson equation	4-22	4-23	13-18	13-19	
wire gauges	1-21				
Wong and Sandler	4-28				
wood as a construction material	28-50				
chemical resistance of	28-62				
work:					
ideal work	4-35				
lost work	4-35				
minimum work required	4-35				
shaft work	4-35				
work analysis	4-35				
lost work analysis	4-36				
work index	20-11	20-14			
working-capital cost	9-7				
Xenon	2-27	2-60	2-149	2-168	2-315
X-factors	10-42				
xylene	2-47	2-51	2-75		
xylene sulfonic acid	2-47				
xylidine	2-47	2-75			
xylose	2-47				
xylylene dichbride	2-47				
yaw	10-9				
ytterbium	2-27				
yttrium	2-27				
zinc	2-27	2-60	2-168	2-194	
zinc acetate	2-27				
zinc bromide	2-27				
zinc carbonate	2-27				
zinc chloride	2-27	2-60	2-159	2-168	2-194 2-203
zinc cyanide	2-27				
zinc diethyl	2-47				

<u>Index Terms</u>	<u>Links</u>			
zinc dimethyl	2-47			
zinc dimethyl-dithiocarbamate	2-47			
zinc hydroxide	2-27			
zinc iodide	2-27			
zinc nitrate	2-27			
zinc oxide	2-27			
zinc peroxide	2-27			
zinc phosphide	2-27			
zinc silicate	2-27			
zinc sulfate	2-27			
zinc sulfide	2-27			
zinc sulfite	2-27			
zirconium	2-27	2-60	2-168	2-196
as a construction material	28-37			
zirconium dioxide	2-27			
zone melting	22-5			
z-transform	3-45			