THE SHERMAN-KLOVE CO.

CHICAGO, ILLINOIS . U. S. A.



1943 TOOLS - TOOL AND TACKLE BOXES



FOREWORD

In order to increase tonnage of tools essential to the war effort, production of items deemed nonessential has been drastically curtailed. The end result of this policy has reduced the number of items which we are able to supply by about 40%.

The accompanying reprint in part of Schedule II of War Production Board Order L-216 sets forth in detail those tools previously furnished by us, which can still be manufactured. For complete information on our products please read the reprint carefully and check our catalogue and price sheets against your old buying records.

Tool sets, which have in the past contained items now effected by L-216, are suspended. In their place sets similarly numbered, but less the effected items, are offered. These "war issue" sets are the same as to content as previously offered except that the items effected by L-216 are omitted. For example our old No. 4502 Set is now 4502 W. We omit the 40121 and 40131 — 21/32" and 31/32" 12 Point Sockets. Please note that the catalogue illustrations show peace time sets. When making sales, offer the listed contents and not contents as pictured.

Distributors are allowed to buy for shelf stock individual parts of 1/4", 3/8", 1/2" and 3/4" drives and individual box wrenches, also 1/4" drive tool sets.

Distributors are not allowed to buy for shelf stock tool sets of $\frac{3}{8}$ ", $\frac{1}{2}$ " and $\frac{3}{4}$ " drives and box wrenches, also tool sets having any combination of $\frac{1}{4}$ ", $\frac{3}{8}$ ", $\frac{1}{2}$ " and $\frac{3}{4}$ " drives and box wrenches.

Distributors can purchase these sets only to fill specific orders from ultimate consumers.

Priority ratings of sufficient importance to secure delivery must, of course, be extended.

REPLACEMENT POLICY

S-K Tools proven to be defective will be replaced. Distributors are not authorized to make replacement of tools shown in this catalogue with the symbol "F", preceding the part number. Any of these tools showing a defect in workmanship or material will be repaired or replaced free of charge, if returned to the factory by the user, provided the tool has been used properly and does not show signs of abuse.

THE SHERMAN-KLOVE CO.

CHICAGO



ILLINOIS



S-K Box Wrenches

RUST PROOF FINISH

The long type 45° gives the necessary leverage which is often needed, while the short type wrench makes accessible those tight places so often found on the modern automobile. Drop Forged. Precision broached Walls are thin but exceptional strength is given by the best available Steels used in their manufacture.

SHORT TYPE

| No. | Sizes | Length | Std. Cart. | Carton Wt. |
|-------|--------------|--------|------------|------------|
| 33512 | 3/8" × 7/6" | 43/4" | 6 | .60 lb. |
| 33516 | 1/2" × 9/6" | 538" | 6 | .90 lb. |
| 33590 | 5/8" ×11/16" | 6" | 6 | 1.50 lb. |

No. 3350 Set

Above three short type in carton.

Shipping Weight, 1/2 lb.

LONG TYPE

| No. | Sizes | Length | Std. Cart. | Carton Wt |
|-------|--------------|--------|------------|-----------|
| 33012 | 3/8" × 7/6" | 73/8" | 6 | .90 lb. |
| 33016 | 1/2" × 9/6" | 83/8" | 6 | 1.32 lb. |
| 33020 | 5/8" x11/6" | 95/8" | 6 | 1.92 lb. |
| 33024 | 3/4" ×25/2" | 111/8" | 6 | 2.88 lb. |
| 33026 | 13/6" × 7/8" | 123/1" | 6 | 4.08 lb. |
| 33030 | 15/6" × 1" | 141/4" | 6 | 5.40 lb. |

No. 3300 Set

Above six long type in carton.

Shipping Weight, 31/4 lbs.

No. 3310 Set

Same as No. 3300 Set with No. 33030, 156" x 1" Wrench eliminated.
Shipping Weight, 2½ lbs.

By the terms of Order L-216 Box Wrench Seta can be purchased only by distributors to fill specific orders from ultimate consumers. They cannot be bought for shelf stock.



Short Type No. 3350

See Above



Long Type No. 3300

See Above

"Items marked "SUSPENDED" have been dropped to make room for more necessary war production.

All S-K Tools Are Guaranteed Against Defective Material or Workmanship





409 Series, 1/4" Sq. Drive



451 Series, 3/4" Sq. Drive



F406 Series, 3/8" Sq. Drive



S-K Sockets

Carefully Heat Treated and Tested Rust Proof Finish. Thin Wall.

1/4" SQUARE DRIVE SOCKETS

6 Point

| Part No. | Size | Std. Cart | Height | Shipping Wt |
|----------------|-------|-----------|----------------------|-------------|
| 40906 | 3/16" | 1 | 7/8" | .05 lb. |
| 40907 | 7/62" | 1 | 78 | .05 lb. |
| 40908 | 1/4" | 1 | 78, | .05 lb. |
| 40909 40910 | 3/32 | 1 | 78" | .05 lb. |
| | | 12 Point | | |
| 40911 | 11/6" | 1 | 7/8" | .06 lb. |
| 40912 | 3/8 | 1 | 7/8" 7/8" 7/8" | .06 lb. |
| 40914 | 7/6" | 1 | 7/8" | .07 lb. |
| | | 8 Point | | |
| 40988 | 1/4" | 1 1 | 7/8" | .06 lb. |
| 40900 | 3/16" | 1 | 78" | .07 lb. |
| 40901 | 3/8" | 1 | 1/8" | .09 lb. |

3/8" SQUARE DRIVE SOCKETS

12 Point

| Part No. | Size | Std. Cart. | Height | Carton Wt |
|----------|-------|------------|--------|-----------|
| 45112 | 3,6" | 6 | 7/9" | .42 lb. |
| 45114 | 7/c" | 6 | 7/8" | .42 lb. |
| 45116 | 1/2" | 6 | 7/8" | .48 lb. |
| 45118 | 9/4" | 6 | 1/8" | .48 lb. |
| 45120 | 5/9" | 6 | 7/8" | .72 lb. |
| 45122 | 11/4" | 6 | 1" | .90 lb. |
| 45124 | 3/4" | 6 | 1" | .96 lb. |

| 8 Poi | nt | | | |
|-------|----|------|-----|--|
| 6 | - | - 10 | a a | |

| 3/4" | 6 | /8 | .48 15. |
|------|---|------|--------------------|
| 5% | 6 | 1/8" | .54 lb. |
| 38" | 6 | 7.6 | .54 lb. .60 lb. |
| . 78 | | 1 /8 | 100.101 |
| | | | |

Suspended

UNIVERSAL JOINT SOCKETS—3/8" SQUARE DRIVE FRICTION SPRING TYPE Double Hex.

| Part No. | Size | Std. Cart. | Length | Carton Wt. |
|--------------------------------------|-------------------------|------------|-------------------------------|---|
| F40612 F40614 F40616 | 3/8" 7/6" 1/2" | 6 6 | 121/32" 121/32" 111/16" | .72 lb. .72 lb. .72 lb |
| F40618 F40620 F40622 F40624 | 9.16" 5/8" 11/16" | 6 6 | 1 34" 1 25 62" 1 13 16" | .78 lb. .78 lb .96 lb 1.02 lb. |

EXTRA DEEP SOCKETS-3/8" SQUARE DRIVE

Double Hex

| | | Doddie Flex. | 11 11 | |
|--|-------------------------------|---------------------------------------|--|--|
| Part No. | Size | Std. Cart. | Dingth | Carton Wt. |
| 40419 40414 40416 40418 †40420 40422 40422 | 3/8" 7/16" 1/2" 3/4" | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 134" 134" 134" 134" 212" 212" 212" | .60 lb. .72 lb. .78 lb. .96 lb. 1.14 lb. 1.50 lb. 1.68 lb. |

* 1941-42 Chevrolet and 1941 Buick Spark Plugs.

45188 45100

45101

^{*}Items marked "SUSPENDED" have been dropped to make room for more necessary war production.

S-K Sockets

Carefully Heat Treated and Tested Rust Proof Finish. Thin Wall.

1/2" SQUARE DRIVE SOCKETS-Double Hex.

| | Part No. | Size | Std. Cart. | Height | Carton Wt. |
|-----|--|--|-----------------------|--|--|
| | 40114 40116 40118 40119 40120 | 7/6" 1/2" 9/6" 19/4" 5/8" | 6 6 6 6 | 13%" 183%" 117%" 18564" 1966" | .90 lb. .90 lb. 1.02 lb. 1.02 lb. 1.08 lb. |
| • = | 40122 40124 40125 40126 40128 40130 | 11/16 3/4" 25/2" 13/16 7/8" 13/16 | 6 6 6 6 6 | 119/2" 18964" 15/6" 11/4" 121/22" 143/64" | 1.20 Suspend 1.20 Ib. 1.44 Ib. 1.56 Ib. 1.68 Ib. 1.92 Ib. 2.16 Ib. |
| | 40132 40134 40136 40138 40140 | 1" 116" 118" 136" 134" | 6 6 6 6 | 1 1561" 1 2360" 1 1764" 1 364" 1 364" | 2.40 lb. 2.82 lb. 3.00 lb. 3.24 lb. 3.24 lb. 3.42 lb. |
| | | | Double Square | | |
| | 40103 40104 40105 40106 | 1/2" 16" 5/8" 11/16" | 6 6 6 | 13/8" 13/8" 13/8" 13/8" | 1.32 lb. 1.44 lb. 1.56 lb. 1.80 lb. |

3/4" SQUARE DRIVE SOCKETS-Double Hex.


| Part No. | Size | Std. Cart. | Height | Carton Wt. |
|----------|--------|------------|--------|------------------|
| * 47130 | *716 | 7 | 7 | -54 ID: |
| 47131 | 11/0" | | 2" | 55 lb. Suspended |
| 47132 | 11 | 1 | 2* | .57 lb. |
| 47134 | 11/6" | 1 | 2" | .57 lb. |
| 47136 | 11/8" | 1 | 21/16" | .70 lb. |
| 47138 | 13/6" | 1 | 23/6" | .82 lb. |
| 47140 | 11/4" | 1 | 21/8" | .85 lb. |
| 47142 | 15%" | 1 | 25/4" | 1.05 lbs. |
| 47144 | 138" | 1 | 23/6" | 1.08 lbs. |
| 47146 | 13/6" | 1 | 21/4" | 1.14 lbs |
| 47148 | 11/9" | 1 | 25/4" | 1,18 lbs. |
| 47150 | 19/6" | 1 | 2116" | 1,40 lbs. |
| 47152 | 15/4" | 1 | 93/4 | 1.40 lbs. |
| 47154 | 111/6" | 1 | 97/4" | 1.63 lbs. |
| 47156 | 13/4" | 1 | 21/6" | 2.08 lbs. |
| 47158 | 1136" | 1 | 99/4" | 2.10 lbs. |
| 47160 | 13/6" | 1 | 95/6" | 2.30 lbs. |
| 47164 | 2" | 1 | 211/6" | 2.44 lbs. |

SPARK PLUG SOCKETS-1/2" SQUARE DRIVE-Double Hex.

| Part No. | Size | Std. Cart. | Length | Carton Wt. |
|------------------------------------|-------------------------------|-------------|----------------------------------|--|
| 40818 †40820 40822 40824 | 3/6" 5/8" 11/6" 3/4" | 6 6 6 | 31/4" 31/4" 31/4" 31/4" | 2.28 lb. 2.28 lb. 2.28 lb. 2.40 lb. |
| *B40826 | 13/16" | 6 | 31/2" | 3.30 lb. Suspe |
| *B40828 40830 40832 40836 | 78" 15/6" 1" 11/8" | 6 6 6 | 3½" 3½" 3½" 3½" | 3.54 lb. 3.66 lb. 3.84 lb. 5.40 lb. |



401 Series, 1/2" Sq. Drive 471 Series, 3/4" Sq. Drive



408 Series, 1/2" Sq. Drive

^{*}Items marked "SUSPENDED" have been dropped to make room for more necessary war production.











Spin Type Speeder





S·K

S-K Handles

Rust Proof Finish

FLEXIBLE HEAD HANDLES

Without question Flexible Head Handles are the most useful tool used in connection with socket wrenches. Nos. F41353 and F41653 have $\frac{1}{2}$ " square female opening in handle end which permits their use as an extension.

| No. | Drive Size | Length | Diameter | Std. Cart. | Carton Wt. | |
|-------------------|---|----------------|----------------|------------|-----------------------|-----------|
| F40953 F45153 | 1/4" Square 3/8" Square | 51/4" 71/2" | 1/2" 5/8" | 6 | 1.50 lb. 4.50 lb. | |
| 10252 | - PROBLE | 1012 | 10 | - | 9.00 lb. | Suspender |
| F41653* F47155 | 1/2" Square 1/2" Square 3/4" Square | 17" 19" | 5/8" 13/16" | 6 | 12.00 lb. 4.25 lb. | ouspender |
| F47157 | Se James | 20 | 100 | | 4:50 lb | Suspende |

^{*}With female 1/2" Square Handle End.

CROSS BARS

| No. | Used With | Length | Diameter | Std. Cart. | Carton Wt. |
|----------------|------------------|-------------|----------------|------------|----------------------|
| 40950 45150 | F40953 F45153 | 41/2" 6" | 5/16" 5/16" | 6 | 1.20 lb. 1.20 lb. |
| 41650 | F41653 | 10" | 916" | 6 | 4.80 lb. |

Suspended

SLIDE TEE WRENCHES

| No. | Drive Size | Length | Diameter | Std. Cart. | Carton Wt. |
|-------|-------------|--------|---------------|------------|------------|
| 40152 | 1/2" Square | 10" | 9/16" 7/8" | 6 | 6.00 lb. |
| 47153 | 3/4" Square | 18" | 7/8" | 1 | 4.00 lb. |

RATCHET WRENCH

| No. | Drive Size | Length | Diameter | Std. Cart. | Carton Wt. |
|--------|--------------|--------|----------|------------|------------|
| F4070R | 1/2" Reverse | 101/2" | 15/8" | 6 | 9.60 lb. |

SPIN TYPE SPEEDER

| No. | Drive Size | Length | Std. Cart. | Carton Wt. |
|-------|-------------|--------|------------|------------|
| 40954 | 1/4" Square | 63/8" | 6 | 1.20 |

EXTENSIONS

| No. | Drive Size | Length | Diameter | Std. Cart. | Carton Wt. |
|-------|-------------|--------|----------|------------|------------|
| 40961 | 1/4" Square | 2" | 21,64" | 6 | .60 lb. |
| 40962 | 1/4" Square | 6" | 21/6 | 6 | 1.08 lb. |
| 45160 | 8 Square | 25/8' | 7/16 | 6 | 1.20 lb. |
| 45161 | 3/8 Square | 6" | 3/6" | 6 | 2.40 lb. |
| 45162 | 3/8 Square | 11" | 7/6" | 6 | 3.60 lb. |
| 40161 | 1/2" Square | 5" | 5/8" | 6 | 3.60 lb. |
| 40162 | 1/2" Square | 10" | 5/8" | 6 | 6.00 lb. |
| 47161 | 34" Square | 8" | 15/16" | 1 | 2.00 lb. |
| 47162 | 3/4" Square | 16" | 15/16" | 1 | 3.50 lb. |

SPEEDER HANDLES

| No. | Drive Size | Length | Diameter | Std. Cart. | Carton Wt. |
|----------------|----------------------------|-------------|----------|------------|-----------------------|
| 45181 40181 | 3/8" Square 1/2" Square | 16½" 18" | 3/8" | 6 | 6.00 lb. 12.00 lb. |

^{*}Items marked "SUSPENDED" have been dropped to make room for more necessary war production.

S-K Reversible Ratchet Wrenches

Thumb Action Reverse Rust Proof Finish

These Ratchets are what the mechanic has wanted for years — they have from 2 to 4 times as many teeth as are found in ordinary ratchet wrenches. This large number of teeth enables the mechanic to secure a new bite in each 5° to 6° of the circumference. Drop forged, all parts precision manufactured and carefully heat treated.

| No. | Drive Size | Length | Head Diam. | Std. Cart. | Carton Wt. |
|--------|------------|--------|------------|------------|------------|
| F40970 | 1/4" | 41/2" | 13/6" | 6 | 1.20 lb. |
| F45170 | 3/8" | 71/2" | 15/6 | 6 | 4.50 lb. |
| F42470 | 1/2" | 101/4" | 15/8" | 6 | 9.60 lb. |
| F47170 | 3/4 | 18" | 23/4" | 1 | 5.50 lb. |

Ford V8 Connecting Rod Socket

This socket is designed for use in removing the nuts holding the connecting rod on Ford VB. The best available steel is used in making this socket, but due to the fact the walls must be extra thin this socket is not guaranteed.

| No. | Size | Drive Size | Height | Std. Cart. | Carton Wt. |
|-------|------|-------------|--------|------------|------------|
| 4V118 | 9/6" | 1/2" Square | 11/4" | 6 | .48 lb. |

Extra Thin - Not Guaranteed.

Drag Link Socket

The ideal socket to use on slotted nuts, tie rods and drag links.

| No. | Drive Size | Blade | Length | Std. Cart. | Carton Wt. |
|-------|-------------|-------------|--------|------------|------------|
| 40809 | 1/2" Square | 15/6"x.120" | 119/2" | 6 | 1.50 lb. |

Rust Proof Finish

Adaptor

| No. | Drive Size | Length | Diameter | Std. Cart. | Carton Wt. |
|-------|-------------|--------|-------------|------------|------------|
| 40160 | 1/2" Square | 11/2" | 1/2" Square | 6 | 1.20 lb. |

Universal Joints

| No. | Drive Size | Length | Std. Cart. | Carton Wt. |
|------------------|-------------|---|------------|----------------------|
| F45190 F40190 | 3/8" Square | 2" 2 ²¹ / ₈₂ " | 6 | 1.20 lb. 1.80 lb. |

Patented



Nos. 40970, 45170, 42470, 47170



No. 4V118



No. 40809



No. 40160



Nos. 45190, 40190

"Items marked "SUSPENDED" have been dropped to make room for more necessary war production.

All S-K Tools Are Guaranteed Against Defective Material or Workmanship


Rust Proof Finish



No. 4097 See Above



No. 4098 See Above



S-K

S-K Wrench Sets

Thin Taper Wall 6 Point, 8 Point and 12 Point Sockets
Rust Proof Finish
1/4" and 1/2" Square Drive

No. 4097 Set

Indispensable for fast work on ignition, carburetor, radio, and other tight places where you can't get in with large tools. This set is packed in a metal box, baked enamel finish, and contains one each of the following:

| No. | Description | No. | Description |
|---|---|--|---|
| 40953 40950 40908 40909 40910 | Flex Handle Cross Bar 1/4" 6 pt. Socket 1/4" 6 pt. Socket 1/6" 6 pt. Socket | 40911 40912 40914 40988 40900 40901 | 11/2" 12 pt. Socket 38" 12 pt. Socket 76" 12 pt. Socket 74" 8 pt. Socket 56" 8 pt. Socket 38" 8 pt. Socket |

No. 4097 Set (1/4" Square Drive)

12 to a Case.

Case Shipping Weight, 14 lbs.

No. 4098 Set

The added flexibility secured by the No. 40970 Reverse Ratchet and the Nos. 40961 and 40962, 9" and 6" Extensions respectively, makes this set indispensable to the mechanic who is working on carburetor, radio, ignition and aviation equipment. The complete set includes the following items listed below. Packed in a metal case, baked enamel finish.

| No. | Description | No. | Description |
|-------|--|-------|--------------------|
| 40953 | Flex Handle Cross Bar Reversible Ratchet 2" Extension 6" Extension 14" 6 pt. Socket 36" 6 pt. Socket | 40910 | %6" 6 pt. Socket |
| 40950 | | 40911 | 112" 12 pt. Socket |
| 40970 | | 40912 | 3%" 12 pt. Socket |
| 40961 | | 40914 | 76" 12 pt. Socket |
| 40962 | | 40988 | 14" 8 pt. Socket |
| 40908 | | 40900 | 56" 8 pt. Socket |
| 40909 | | 40901 | 3%" 8 pt. Socket |

No. 4098 Set (1/4" Square Drive)

12 to a Case.

Case Shipping Weight, 201/2 lbs.

No. 4257 Set

This set contains the $\frac{1}{4}$ " sq. drive midget tools included in the No. 4097 set shown above, plus 10 sockets in the $\frac{1}{2}$ " sq drive, a $14\frac{1}{2}$ " flex handle and cross bar along with a reversible ratchet. Packed in a metal box. The detailed contents of this set are listed below.

| No. | Description | No. | Deciption |
|---|---|---|---|
| 1/4" Sq. Dri | ve Sockets and Handles | 1/2" Sq. Driv | e Sockets and Handles |
| 40953 40950 40908 40909 40910 40911 40912 40914 40988 40900 40901 | Flex Handle Cross Bar 14" 6 pt. Socket 92" 6 pt. Socket 14" 12 pt. Socket 14" 12 pt. Socket 14" 12 pt. Socket 14" 8 pt. Socket 14" 8 pt. Socket 16" 8 pt. Socket 16" 8 pt. Socket 16" 8 pt. Socket 16" 8 pt. Socket | 40253 40250 40702 40114 40116 40118 40120 40121 40122 40124 40126 40128 40130 | Handle Cross Bar Reversible Ratchet 76" Socket 12" Socket 96" Socket 215" Socket 1116" Socket 1316" Socket 1316" Socket 1316" Socket 1316" Socket 1316" Socket 1316" Socket |

No. 4257, complete 6 to a Case.

Case Shipping Weight, 49 lbs.

No. 450 Set (as above less 1/4" Square Drive Sockets and Parts)
6 to \$C. See Shipping Weight, 45 lbs.

*Items marked "SUSPENDED" have been dropped to make room for more necessary war production.

S-K Wrench Sets

Thin Straight Wall 8 Point and 12 Point Sockets Rust Proof Finish 3/8" Square Drive

No. 4513 Set

A nine piece selection including 7 sockets and 2 handles in the 38 sq. drive. Packed in a baked enamel finish metal case.

Contents:

| No. | Description | No. | Description |
|-------|-------------|-------|--------------|
| 45153 | Flex Handle | 45116 | 1/2" Socket |
| 45150 | Cross Bar | 45118 | % Socket |
| 45112 | 3/8" Socket | 45120 | 5/8 Socket |
| 45114 | 1/6" Socket | 45122 | 11/6" Socket |
| | | 45124 | 3/4" Socket |

No. 4513 Set (3/8" Square Drive)
12 to a Case. Case Shipping Weight, 22 lbs.

No. 4517W Set

A fourteen piece set of the latest type 3/8" square drive straight wall tools for the places hard to get at. Packed in baked enamel finish metal case with hasp.

Contents

| No. | Description | No. | Description |
|-------|-----------------|-------|--------------|
| 45153 | Flex Handle | 45112 | 3/8" Socket |
| 45150 | Cross Bar | 45114 | 36 Socket |
| 45181 | Speeder | 45116 | 1/2" Socket |
| 45170 | Reverse Ratchet | 45118 | 36 Socket |
| 45161 | 6" Extension | 45120 | 5/8 Socket |
| 45162 | 11" Extension | 45122 | 11/6" Socket |
| 45190 | Universal Joint | 45124 | 3/4" Socket |

No. 4517W Set (3/8" Square Drive) Case Shipping Weight, 19 lbs.

No. 4517W Tools Only

1 to a Case.

Case Shipping Weight, 4 lbs.

No. 4531W Set

Work on the modern automobile demands a complete range of straight wall, and Universal Joint Sockets, plus extensions, handles, and a reversible ratchet in the 3% sq. drive. This set includes all of these tools. It is packed in a hip roof chest, which contains a lift out tote tray with carrying bar. The tote tray is large enough to accommodate the 21 pieces of this set leaving ample room below for many additional tools. Has plano type hinge, hasp and bolts and round leather handle. Baked enamel finish. Overall dimensions $20'' \times 6'' \times 6''$.


Contents:

| No. | Description | No. | Description |
|--|---|---|---|
| 45153 45150 45181 45170 45160 45161 45162 45190 45112 45114 | Flex Handle Cross Bar Speeder Reversible Ratchet: 25% Extension 6" Extension 11" Extension Universal Joint 3%" Socket 716" Socket | 45116 45118 45120 45122 45124 40614 40616 40618 40620 40622 40624 | 3/2 Socket 3/6" Socket 5/8 Socket 1/16" Socket 3/4" Socket 1/16" Univ. Joint Socket 3/6" Univ. Joint Socket 9/16" Univ. Joint Socket 1/16" Univ. Joint Socket 1/1/6" Univ. Joint Socket |


No. 4531 W Set (3/8" Square Drive)

Case Shipping Weight, 14 lbs.

Tool sets shown on this page are all 3/8" drive and by the terms of Order L-216 they are to be purchased only by distributors to fill specific orders from ultimate consumers. They cannot be bought for shelf stock.



See Above



No. 4517 See Above




*Items marked "SUSPENDED" have been dropped to make room for more necessary war production.

Page 10

Tool sets on this page are either 1/2" drive or combinations of 1/4" and 1/2" drives. By the terms of Order L-216 they are to be purchased only by distributors to fill specific orders from ultimate con-sumers. They cannot be bought for shelf stock.



No. 4168 See Above



S-K Wrench Sets

Thin Taper Wall 12 Point Sockets Extra Long

Rust Proof Finish

1/2" Square Drive

No. 4168W Set

With this practical set it is possible to do most of the tearing down and reassembling on any automobile or truck job. The improved No. 41653 17" Flex Handle is long enough to give the leverage required on any job. The reversible ratchet saves the mechanic time. In baked enamel finished metal case.

Contents

| No. | Description | No. | Description |
|-------|-----------------|-------|---------------|
| 41653 | Flex Handle | 40122 | 11/16" Socket |
| 41650 | Cross Bar | 40124 | 3/4" Socket |
| 42470 | Reverse Ratchet | 40126 | 13/6" Socket |
| 40114 | 7/6" Socket | 40128 | 3/8 Socket |
| 40116 | 1/2" Socket | 40130 | 15/6" Socket |
| 40118 | %" Socket | 40132 | 1" Socket |
| 40119 | 196" Socket | 40134 | 11/6" Socket |
| 40120 | 5/8" Socket | 40136 | 11% Socket |

No. 4168W Set, complete

6 to a Case.

Case Shipping Weight, 59 lbs.

No. 4167W Set, (as above less 42470 Reverse Ratchet) 6 to a Case. Case Shipping Weight, 49 lbs.

No. 4347W Set

Present day necessity for speed in automobile repairing makes a set of this type indispensable to the professional mechanic if he is to hold his place in competition. The 4097 Midget Set complete is included in separate box which is removable.

Contents:

| No. | Description | No. | Description |
|--|--|---|--|
| 1/4" Sq. Di 40953 40950 40908 40909 40910 40911 40912 40914 40988 40900 40901 | Flex Handle Cross Bar 4" 6 pt. Socket 92" 6 pt. Socket 112" 12 pt. Socket 112" 12 pt. Socket 14" 8 pt. Socket 14" 8 pt. Socket 16" 8 pt. Socket 16" 8 pt. Socket 18" 8 pt. Socket | 42470 40161 40162 40152 40114 40116 40118 40119 40120 40124 40124 40125 40126 | Reversible Ratche 5" Extension 10" Extension Slide Tee Wrench 16" Socket 12" Socket 18" Socket |
| 1/2" Sq. Drive Sockets and Handles | | 40128 40130 | 7/8" Socket |
| 41653 41650 40181 | Flex Handle Cross Bar Speeder | 40132 40134 40136 | 1" Socket 116" Socket 118" Socket |

No. 4347W Set, complete

3 to a Case.

Case Shipping Weight, 50 lbs

No. 4241 W Set (as above less 4097 Midget Set)

Case Shipping Weight, 47 lbs.

3 to a Case.

No. 4241 W Tools only

1 to a Case.

Case Shipping Weight, 12 lbs.

*Items marked "SUSPENDED" have been dropped to make room for more necessary war production.

S-K Wrench Sets

Thin Taper Wall 12 Point Sockets Extra Long
Rust Proof Finish
1/9" Square Drive

No. 4237 Set

For the mechanic who wants a very handy seems low cost.

Contents:

| No. | Description | NB. | Description |
|-------|-------------|-------|--------------|
| 40253 | Flex Handle | 40121 | 21/2" Socket |
| 40250 | Cross Ba | 40122 | 11/16 Socket |
| 40114 | 3 Socker | 40124 | 3/4" Socket |
| 40116 | Socket | 40126 | 1816 Socket |
| 40118 | 316 Socket | 40128 | 1/8 Socket |
| 40120 | 5/8 Socket | 40130 | 15/16 Socket |

* Na. 4237 Set, complete

24 to a Case.

Case Shipping Weight, 135 lbs.

No. 4502W Set

Contents:

| No. | Description | No. | Description |
|---|--|--|---|
| 1/4" Sq. D | rive Sockets and Handles | 42470 | Reversible Ratche |
| 40953 40950 40908 40909 40910 40911 40912 40914 40988 40900 40901 | Flex Handle Cross Bar 4" 6 pt. Socket 2" 6 pt. Socket 56 6 pt. Socket 12 pt. Socket 14 12 pt. Socket 14 12 pt. Socket 14 8 pt. Socket 18 8 pt. Socket 18 8 pt. Socket 18 8 pt. Socket | 40161 40162 40152 40114 40116 40118 40119 40120 40122 40124 40125 40126 | 10" Extension Slide Tee Wrench 36" Socket 36" Socket 36" Socket 36" Socket 36" Socket 34" Socket 34" Socket 34" Socket 34" Socket |
| 1/2" Sq. D | rive Sockets and Handles | 40128 | Nocket 15/16 Socket |
| 41653 41650 40181 | Flex Handle Cross Bar Speeder | 40132 40134 40136 | 1" Socket 116 Socket 118 Socket |

The above selection of tools is packed in the 4502-C chest. The lift-out tray in this chest will hold the complete set leaving ample room in the bottom of the chest for practically all the other tools a mechanic may need for any job. Sturdy construction throughout. Piano type hinges across both sides of the top. Round leather handle. Hasp for padlock, heavy bolts and corner irons. Tray has heavy carrying bar. Baked enamel finish. Overall dimensions 191/8" x 71/4" x 83/4" high.

The No. 4097 Midget Set complete is included in separate box which is removable.

No. 4502W Set, complete

1 to a Case. Ship

Shipping Weight, 25 1/2 lbs.

No. 4503W Set, (as above less 4097 Midget Set)
1 to a Case.

Shipping Weight, 241/2 lbs.

1 to a Case. S No. 4502C Chest and Tray only

1 to a Case.


Shipping Weight, 12 lbs.

No. 4502T Tote Tray only

1 to a Case.

Shipping Weight, 4 lbs.

Tool sets on this page are either $\frac{1}{2}$ " drive or combinations of $\frac{1}{2}$ " and $\frac{1}{2}$ " drives. By the terms of Order L-216 they are to be purchased only by distributors to fill specific orders from ultimate consumers. They cannot be bought for shelf stock.




No. 4237 See Above



"Items marked "SUSPENDED" have been dropped to make room for more necessary war production.

Page 12

Tool sets on this page are 3/4" drive and by the terms of Order L-216 they are to be purchased only by distributors to fill specific orders from ultimate consumers. They cannot be bought for shelf stock.







S-K Heavy Duty Wrench Sets

Thin Taper Wall 12 Point Sockets Extra Long
Rust Proof Finish
3/4" Square Drive

No. 4727 Set

Designed for Heavy Duty Truck, Tractor and Bus work. This reasonably priced assortment of tools will handle most of the everyday work of this character.

Contents:

| No. | Description | No. | Description |
|--|---|---|---|
| 47153 47161 47162 47170 47134 47136 | 18" Slide Tee Wrench 8" Extension 16" Extension Reversible Ratchet 11/6" Socket | 47140 47144 47146 47148 47152 | 138" Socket 138" Socket 136" Socket 132" Socket 158" Socket |

No. 4727 Set (3/4" Square Drive)

1 to a Case.

Shipping Weight, 251/2 lbs.

No. 4717 Set (as above less 47170 Reverse Ratchet)

1 to a Case. Shipping Weight, 20 lbs.

No. 4717 Tools only

1 to a Case.

Shipping Weight, 16 lbs.

No. 4707W

A complete setup for Heavy Duty Truck, Tractor, Bus, Oil Well and Cotton Gin work. This complete reasonably priced assortment of 34° sq. drive tools will handle practically everything the mechanic will meet in work of this character. Packed in a heavy, well constructed chest with lift out tray. Piano type hinges across both sides of the top. Finished with hasp for padlock, heavy bolts and corner irons. Furnished with round leather handle. Baked enamel finish.

Contents:

| No. | Description | No. | Description |
|-------|----------------------|-------|----------------|
| 47153 | 18" Slide Tee Wrench | 47146 | 13/4" Socket |
| 47161 | 8" Extension | 47148 | 134 Socket |
| 47162 | 16" Extension | 47150 | 1% Socket |
| 47170 | Reversible Ratchet | 47152 | 158" Socket |
| 47134 | 11/6" Socket | 47154 | 111/16" Socket |
| 47136 | 118 Socket | 47156 | 13/4" Socket |
| 47138 | 1% Socket | 47158 | 113/6" Socket |
| 47140 | 11/4" Socket | 47160 | 178" Socket |
| 47142 | 1% Socket | 47164 | 2" Socket |
| 47144 | 13% Socket | | 2 Journey |

No. 4707W Set (3/4" Square Drive)

1 to a Case.

Shipping Weight, 46 lbs.

"Items marked "SUSPENDED" have been dropped to make room for more necessary war production.

All S-K Tools Are Guaranteed Against Defective Material or Workmanship

SOCKETCHEST

No. 4000W - 66-Piece Complete Socket Wrench Set

Contents:

| escription | |
|------------------------------------|--|
| 1/4" Sq. Drive Sockets and Handles | |
| Handle | |
| s Bar | |
| 6 pt. Socket | |
| 6 pt. Socket | |
| 6 pt. Socket | |
| 12 pt. Socket | |
| 12 pt. Socket | |
| 12 pt. Socket | |
| B pt. Socket | |
| | |
| 8 pt. Socket 8 pt. Socket | |
| | |

3/8" Sq. Drive Sockets and Handles

| 45153 | Flex Handle |
|-------|--------------------|
| 45150 | Cross Bar |
| 45181 | Speeder |
| 45170 | Reversible Ratchet |
| 45161 | 6" Extension |
| 45169 | 11" Extension |
| 45190 | Univ. Joint |
| 45119 | 3/ 12 pt. Socket |
| 45114 | 1/4" 12 pt. Socket |
| 45116 | 34" 12 pt. Socket |
| 45118 | %" 12 pt. Socket |
| 45120 | 3/ 19 pt. Socket |
| 45122 | 116" 12 pt. Socket |
| 45124 | 34" 19 pt. Socket |

1/2" Sq. Drive Sockets and Handles

| 41650 Cross Bar 40181 Speeder 42470 Reversible Ratchet 5" Extension 40162 10" Extension 40190 Univ. Joint 40116 36" Socket 40118 5" Socket 40119 55" Socket 40119 55" Socket 40119 55" Socket 40119 55" Socket 40120 55" Socket 40121 55" Socket 40122 15" Socket 40124 55" Socket 40125 55" Socket 40126 55" Socket 40127 55" Socket 40128 55" Socket 40130 55" Socket 40131 55" Socket 40132 55" Socket 40134 55" Socket 40135 55" Socket 40136 55" Socket 40136 55" Socket | 41653 | Flex Handle |
|---|-------|------------------|
| ### A | 41650 | Cross Bar |
| 42470 40161 5" Extension 40162 10" Extension 40190 40192 5" Socket 40114 40164 40118 40" Socket 40119 40190 5" Socket 40192 40192 40192 40193 40195 40196 40198 40196 40197 5000000000000000000000000000000000000 | 40181 | Speeder |
| 40161 5" Extension 40162 10" Extension 40190 Univ. Joint 40152 Side Tee Wrench 40114 5" Socket 40118 5" Socket 40119 5" Socket 40120 5" Socket 40121 5" Socket 40122 5" Socket 40125 5" Socket 40126 5" Socket 40127 5" Socket 40128 5" Socket 40130 5" Socket 40131 5" Socket 40132 5" Socket 40133 5" Socket 40134 5" Socket | 49470 | |
| 40162 40190 40190 Univ. Joint 40152 Slide Tee Wrench 1/4 Socket 40116 4/2 Socket 40118 40119 40190 54 Socket 40192 40192 40194 40195 56 Socket 40196 40198 57 Socket 40198 57 Socket 40198 58 Socket 40198 59 Socket 40198 50 Socket | | |
| 40190 Univ. Joint 40152 Slide Tee Wrench 40114 1/4 Socket 40118 1/4 Socket 40119 1/4 Socket 401190 1/4 Socket 401192 1/4 Socket 401194 1/4 Socket 401195 1/4 Socket 401196 1/4 Socket 401197 1/4 Socket 401198 1/4 Socket 40130 1/4 Socket 40131 1/4 Socket 40132 1/4 Socket | | |
| 40152 Slide Tee Wrench 40114 16 36 Socket 40118 16 50 Socket 40119 16 Socket 40120 57 Socket 40121 16 Socket 40122 17 Socket 40125 17 Socket 40126 17 Socket 40128 37 Socket 40132 17 Socket 40133 17 Socket 40134 17 Socket | | |
| 40114 | | Slide Tee Wrench |
| 40116 34" Socket 40118 56" Socket 40119 156" Socket 40190 57" Socket 40192 156" Socket 40195 356" Socket 40196 356" Socket 40198 56" Socket 40130 156" Socket 40131 17" Socket 40131 17" Socket | | |
| 40118 | | 18 Socket |
| 40119 196" Socket 40129 56" Socket 40124 116" Socket 40125 36" Socket 40126 136" Socket 40126 136" Socket 40130 166" Socket 40132 17" Socket 40132 17" Socket | | 29 Socket |
| 40190 5 Socket 40192 1 Socket 40194 5 Socket 40195 25 Socket 40196 1 Socket 40198 5 Socket 40130 1 Socket 40131 1 Socket 40132 1 Socket | | % Socket |
| 40192 116" Socket 40194 84" Socket 40195 32" Socket 40196 134" Socket 40130 15" Socket 40132 1" Socket 40134 116" Socket | | |
| 40194 40195 36 Socket 40196 136 Socket 40198 36 Socket 40130 17 Socket 40131 17 Socket 40134 136 Socket | | % Socket |
| 40194 40195 36 Socket 40196 136 Socket 40198 36 Socket 40130 17 Socket 40131 17 Socket 40134 136 Socket | 40199 | 11/4" Socket |
| 40126 134" Socket 40128 14" Socket 40130 14" Socket 40132 1" Socket 40134 114" Socket | 40194 | 36" Socket |
| 40126 40128 40130 40130 40132 40134 40134 40134 40134 40134 40134 | 40125 | 286" Socket |
| 401 98 401 30 401 32 401 34 11/4" Socket 401 34 11/4" Socket | 40196 | |
| 40130 | | |
| 40132 1" Socket 40134 11/4" Socket | | |
| 40134 11/6" Socket | | |
| | | |
| 40130 1 138 SOCKET | | |
| | 40130 | 158 SOCKEL |

3/4" Sq. Drive Sockets and Handles

| 47153 | Slide Tee Wrench |
|-------|------------------|
| 47161 | 8" Extension |
| 47162 | 16" Extension |
| 47134 | 11/6" Socket |
| 47136 | 11/8" Socket |
| 47140 | 134" Socket |
| 47144 | 13%" Socket |
| 47146 | 11/4" Socket |
| 47148 | 134" Socket |
| 47152 | 150 Socket |

Box Wrenches

| 33519 | 3 × 36" Short | |
|-------|------------------|--|
| 33516 | 36" x 36" Short | |
| 33520 | 98" x 114" Short | |
| 33012 | 3x" x 36" Long | |
| 33016 | 36" x 36" Long | |
| 33090 | 36" x 116" Long | |
| 33094 | 34" x 25 6" Long | |
| 33026 | 136" x 37" Long | |
| 33030 | 186" x 1" Long | |

The only truly portable chest of its kind. The heavy steel, leather-covered handle is on top of the chest for easy handling. Chest is made of heavy gauge steel with piano type hinges, corner irons, and hasp for padlock. The lift-out tray with heavy carrying bar which can be carried to the job is a tool box in itself. Chest dimensions are 20" x 8" x 93/4". Baked enamel finish.

The selection of S-K tools listed covers the most important tools necessary for the widest variety of work. Rust proof finish.

No. 4000W Socketchest
1 to a Case. Shipping wt. 57 lbs.

No. 4002W Socketchest (same as above except 3/4" sq. drive Tools are omitted making a 56 piece set)

1 to a Case. Shipping wt. 44 lbs.

No. 4000C Chest and Tray only 1 to a Case. Shipping wt. 15 lbs.

No. 4000T Tote Tray only 1 to a Case. Shipping wt. 5 lbs.



See Below

Tool sets on this page are combinations of $\frac{1}{4}"-\frac{1}{2}"-\frac{1}{2}"$ and $\frac{3}{4}"$ drives and by the terms of Order L-216 they are to be purchased only by distributors to fill specific orders from ultimate consumers. They cannot be bought for shelf stock.



^{*}Items marked "SUSPENDED" have been dropped to make room for more necessary war production.

All S-K Tools Are Guaranteed Against Defective Material or Workmanship

Page 14

[FZ]

Z

[J]



S-K RED TOOL WAGON

No. 6702

113 PIECE COMPLETE SOCKET WRENCH SET



THE COMPLETE TOOL CONTENT IS LISTED ON OPPOSITE PAGE

All S-K Tools Are Guaranteed Against Defective Material or Workmanship

[&]quot;Items marked "SUSPENDED" have been dropped to make room for more necessary war production.

S-K RED TOOL WAGON

No. 6702 113-PIECE COMPLETE SOCKET WRENCH SET As Illustrated on Opposite Page

Contents:

| No. | Description | No. | Description | No. | Description |
|--|---|---|--|---|---|
| 1/ | " Square Drive | 3/6 | " Square Drive | 1/5 | " Square Drive |
| F40970 40961 40962 F40953 40950 40908 40909 40910 40911 40912 | Reverse Ratchet 2" Extension 6" Extension Flex. Handle Cross Bar 14" Hex. Socket 15" Hex. Socket 15" Hex. Socket 15" Hex. Socket 38" Hex. Socket | | 16" Univ. Joint Socket 14" Univ. Joint Socket 14" Univ. Joint Socket Univ. Joint Socket Univ. Joint Socket 18 Metal Box | 40818 40820 40822 40824 40826 60828 40830 40832 40836 40836 40836 | 96" Spark Plug Socke 56" Spark Plug Socke 116" Spark Plug Socke 34" Spark Plug Socke 156" Spark Plug Socke 156" Spark Plug Socke 156" Spark Plug Socke 17" Spark Plug Socke 18" Spark Plug Socke Ell Handle Spark Plug Sockets in |
| 40914 40988 | 兆" Hex. Socket ¼" Sq. Socket | 1/5 | " Square Drive | | Metal Box |
| 40900 40901 | 5/6" Sq. Socket | F41653 41650 | 17" Flex. Handle | 3/ | " Square Drive |
| Above Pac | 38" Sq. Socket sked in Separate Steel Box | 40181 F42470 40161 40162 | Cross Bar Speeder Ratchet 5"Extension 10 Secusion | 47157 47161 47162 47153 | 92" Flex Handle 8" Extension 16" Extension Slide Tee Wrench |
| 3/1 | g" Square Drive | F40190 | Universal Joint | F47170 | 18" Ratchet |
| 45153 45150 F45170 45160 45161 45162 45181 45112 45114 45116 45118 45120 45122 45124 45188 45100 45101 F45190 | Flex. Handle Cross Bar Reverse Ratchet 25%" Extension 6" Extension 11" Extension 18" Speeder 16" Hex. Socket 12" Hex. Socket 15" | 40152 40114 40116 40118 40129 40121 40122 40124 40125 40126 40131 40132 40134 40136 40134 40136 40136 | Slide Tee Wrench 7/6" Hex. Socket 1/2" Hex. Socket 1/2" Hex. Socket 1/4" Hex. Socket 1/6" Ford V8 Socket 1/6" Ford V8 Socket 1/6" Ford V8 Socket 1/6" Ford V8 Socket | 47130 47131 47132 47134 47136 47138 47140 47142 47144 47146 47150 47159 47150 47159 47154 47156 47158 47160 47164 | 15/6" Hex. Socket 1" Hex. Socket 1" Hex. Socket 13/6" Hex. Socket 13/6" Hex. Socket 13/6" Hex. Socket 13/6" Hex. Socket 15/6" Hex. Socket 17/6" Hex. Socket 17/6" Hex. Socket 17/6" Hex. Socket 11/6" Hex. Socket |
| 40412 | Mar Long Type Sooket | | Dieg with ordinar | | x End Wrenches |
| 40414 40416 40418 40420 40422 40424 Above | 16" Long Type Socket 12" Long Type Socket 16" Long Type Sockets in | | | 33512 33516 33520 33012 33016 33020 33024 33026 33030 | 38"x1'16" Short Type 12'x3'16" Short Type 38"x1'16" Short Type 38"x1'16" Long Type 12"x3'16" Long Type 13"16" X3"8 Long Type 13"16" X1" Long Type 13"16" X1" Long Type |

The Tool was illustrated complete with 113 Tools, enables the mechanic to buy an efficient quality unit at a price he can afford to pay. The two drawers and tote trays have ampie space for the storage of these tools, leaving the large compartment below, which measures 123 × 16 % × 26 % open for storage of large body tools, jacks, etc. The removable tote trays enable the user to take any necessary tools out on an emergency job. The top drawer and drop front which are equipped with tumbler locks give the mechanic security against loss while away from the garage. The detachable valve holder will carry 16 valves. If desired the wagon can be rendered stationary by removal of the 3" casters. A durable Red and Black Wrinkle finish makes this a very attractive piece of equipment. Overall dimensions: 34" x 26 % x 19".

No 6702 Tool Wagon, Complete with 113 Tools.

Shipped Knocked Down.

No. 6703, same as above, except the 3/4" Square Drive Tools are left out, making this a 90 piece unit.

Shipped Knocked Down.

Shipped Knocked Down.

"Items marked "SUSPENDED" have been dropped to make room for more necessary war production.







No. 6700

This cabinet work bench has many feature for found in any other make. There is space for the orderly the age of the 71 tools listed plus room for twice as many additional tools without using the work bench top. The work bench top is available for use at all times. When open, the door of cabinet slides out of the way under top drawer. S-K "EASY-SLIDE" on Drawers and Tote Trays. The landy valve holder is detachable and will carry 16 valves. The draways can be carried to the job and these alone will holder 71 tools. The 3" casters can be taken off, making the wagon a permanent stand, resting on the two side approns. resting on the two side aprons.

Attractive red and black wrinkle finish with two tumbler locks and two keys. Secral dimensions 34"x267%"x19". The selection of S. Took above listed covers the most important tools necessal for the widest variety of work.

No. 6700 Tool Wagon with Tools

1 to a Case Shipped knocked down. Shipping wt. 165 lbs.

No. 6713 Wagon, with valve holder "no tools" Shipping wt. 118 lbs.

1 to a Case Shipped knowled down. No. 6715 Valve Holder

1 to a Case

Shipping wt. 2 lbs.


S-K Red Tool Wagon

No. 6700

71-Piece Complete Socket Wrench Set

Contents:

| No. | Description | No. | Description |
|---|--|--|--|
| 34" Sq. Drive 40953 40950 40908 40909 40910 40911 40912 40914 40988 | Sockets and Handles Flex Handle Cross Bar 34" 6 pt. Socket 56" 6 pt. Socket 116" 12 pt. Socket 14" 12 pt. Socket 14" 12 pt. Socket 14" 12 pt. Socket 14" 18 pt. Socket 14" 18 pt. Socket | 40114 40116 40118 40119 40121 40121 40122 40123 40123 40128 | 76" Socket 34" Socket 36" Socket 35" Socket 12" Socket 115" Socket 14" Socket 13" Socket 13" Socket 13" Socket 13" Socket |
| | 8 pt. Socket 8 pt. Socket Sockets and Hamiler | 40130 40131 40132 40134 | Socket "Socket "Socket "Socket "Socket |
| 45153 45150 45181 45170 | Cross Bar Speeder Reversible Ratchet | 40136 %" Sq. Drive | 11/4 Socket 11/4 Socket Sockets and Handles |
| 45161 45162 45190 45190 45100 45101 45111 45114 45116 45118 45118 | 6" Extension 11" Extension 1 Iniv Joint 8 pt Socket 8 pt Socket 12 pt Socket 12 pt Socket 12 pt Socket 14 12 pt Socket 15 12 pt Socket 16 12 pt Socket | 47153 47161 47162 47134 47136 47140 47146 47146 47148 47152 | Slide Tee Wrenci 8" Extension 16" Extension 154" Socket 154" Socket 154" Socket 154" Socket 154" Socket 154" Socket 154" Socket |
| 42122 | 12 pt. Socket _ | Box | Wrenches |
| 41053 41053 41050 40181 42470 40161 40162 40190 40152 | Sockets and Handles Flex Handle Cross Bar Speeder Reversible Ratchet 5" Extension 10" Extension Univ. Joint Slide Tee Wrench | 33512 33516 33520 33012 33016 33020 33024 33026 33030 | 98" x 3%" Short 36" x 3%" Short 98 x 3%" Short 78" x 3%" Long 36" x 1%" Long 36" x 1%" Long 34" x 35" Long 34" x 35" Long 34" x 35" Long 34" x 37" Long |



Work Table Top 11/4" x 185/8" x 263/4"

> Drawer 4" x 185/8" x 21"

Drawer 21/2" x 181/8" x 203/4"

Tote Tray 41/2" x 61/2" x 203/4"

Tote Tray 41/2" x 71/2" x 203/4"

Cabinet 123/4" x 185/8" x 263/4"

3" Swivel Casters

^{*}Items marked "SUSPENDED" have been dropped to make room for more necessary war production.

No. 4010W Socketchest

CONTENTS:

distributors to fill specific orders from ultimate



We have long felt that there would be a market for a set of tools that would offer the mechanic a complete setup that would take care of his everyday needs. This set contains a complete selection of necessary sockets, handles, extensions, ratchets, universal joints and universal joint sockets, in the 1/4", 3/8" and 1/2" sq. drives. These tools are packed in our large No. 6610 Heavy Duty Tool Chest. This is an ideal Tool Chest for the garage me-chanic. The top compartment contains an 18" Tote Tray which makes it possible for the mechanic to carry emergency Tools to the job. The top compartment is arranged with partitions to accommodate a complete Set of Socket Wrenches. The top drawer is divided into compartments for Box End Wrenches and miscellaneous small Tools. The bottom drawer will accommodate the 3/4" Drive Heavy Duty Sockets and other long and bulky Tools. The drawers have the "S-K" "EASYSLIDE" feature. It is finished in attractive green baked enamel. Equipped with hasp for padlock and side catches. A sturdy handle is affixed to each end for easy carrying. The size is 22" x 10" x 10".

No. 4010W Socketchest, 78 pieces, packed in No. 6610 Heavy Duty Mechanics Chest to a Case.

See Above

Shipping Weight, 70 lbs.

No. 4011W, same as No. 4010W except the Tools Only of the No. 4727 Set are added, making this an 89 piece Set 1 to a Case. See Above Shipping Weight, 83 lbs.

No. 4001W, Tools, same as No. 4010W, except that the set is packed in a No. 4000-C Portable Chest Shipping Weight, 48 lbs.

Page 18

Tool sets on this page are 1/4" and 1/2" drives and by the terms of Order L-216 they are to be purchased only by distributors to fill specific orders from ultimate consumers. They cannot be bought for shelf stock.



No. 4407



No. F4606



S-K Wrench Sets

Straight Wall 12 Point Sockets Extra Long Rust Proof Finish

7 PIECE LONG TYPE SOCKET SET

The straight thin wall sockets in this set are designed to fit book in running board channels, fender and body supports, 10 mm. chark plugs, etc. The 40420-58" can be used for 1941 Chevrol and Buick spark plugs.

Packed in a steel case, baked enable finish.

CONTENTS:

| No. | Description | No. | Description |
|-------------------------|------------------------------------|----------------------------------|--|
| 40412 40414 40416 | 36" Deep Socket 16" Deep Socket | 40418 40420 40422 40424 | %" Deep Socket 58" Deep Socket 11/16" Deep Socket 34" Deep Socket |

No. \$607 Set (3/8" Square Drive)
1 to a Case.

Shipping Weight, 11/2 lbs.

6 PIECE FRICTION TYPE UNIVERSAL JOINT SOCKET SET

On the modern automobile, nuts are found in many inaccessible places, therefore Universal Joint Sockets are an absolute necessity. The concealed spring holds the socket in any working position in which it is placed. Packed in a steel case, baked enamel finish.

CONTENTS:

| No. | Description | No. | Description |
|----------------|----------------------|----------------|-----------------------|
| 40614 40616 | 76° Univ. Jt. Socket | 40620 40622 | 5/8" Univ. Jt. Socket |
| 40618 | %" Univ. Jt. Socket | 40624 | 34" Univ. Jt. Socket |

No. F4606 Set (3/8" Square Drive)

1 to a Case.

Shipping Weight, 1 lb.

10 PIECE SPARK PLUG SOCKET SET

This set contains 9 of the most popular size sockets, including the 16" and 11/16" for use on 10mm. spark plugs. The 40820-5%" can be used for 1941 Chevrolet and Buick Spark Plugs. Packed in strong metal box with hinge cover.

CONTENTS:

| No. | Description | No. | Description |
|--|---|-------------------------|---|
| 40818 40820 40822 40824 B40826 | %" Spark Plug Socket % Spark Plug Socket 116" Spark Plug Socket 4" Spark Plug Socket 136" Spark Plug Socket | 40830 40832 40836 | 78" Spark Plug Socket 136" Spark Plug Socket 1" Spark Plug Socket 1 Spark Plug Socket 1 Spark Plug Socket Ell Handle |

No. B4810 Set, (1/2" Square Drive)

1 to a Case.

Shipping Weight, 6 lbs.

No 4810 Set (1/0 Square Drive





^{*}Items marked "SUSPENDED" have been dropped to make room for more necessary war production.

Page 19







Work Bench and Tool Cabinet

No. 6612

This combination work bench and tool capinet comes equipped with two cylinder locks and two keys. The drawer is $19\frac{1}{2}$ " x 15" x $4\frac{1}{8}$ " and has the S-K "EASY-SLIDE" Feature. The bottom cabinet also under lock and key is $22\frac{3}{4}$ " x 15" x 9". When opened, the door of the bottom cabinet slides out of the way under salf.

This cabinet can be used in connection with any one of our tool boxes illustrated in our catalogue, but we especially recommend our No. 6610 tool chest or No. 6610 machinist chest. There is ample room on the work bench top for these chests.

Attractive green finish with handle, locks and 3" swivel casters. Overall dimensions 311/8" x 23" x 151/4". Shipped knocked down.

No. 612 Work Bench

1 to a Case.

Shipping Weight, 61 lbs.

"Items merked "SUSPENDED" have been dropped to make room for more necessary war production.



Heavy Duty Tool Chest

No. 6610

An ideal heavy duty tool chest for the garage mechanic. The top compartment contains an 18" tote tray which makes it possible for the mechanic to carry emergency tools right to the job. The top compartment is arranged with partitions to accommodate a complete set of socket wrenches. The top drawer is divided into compartments for end wrenches and miscellaneous small tools. The bottom drawer will accommodate 34" drive heavy duty sockets and other long and bulky tools. The drawers have the S-K "EASYSLIDE" feature.

Attractive green baked enamel finish. Equipped with hasp for padlock and side catches. Sturdy handle on each end for easy carrying. Size 22" x 10" x 10".

No. 6610 Tool Chest

1 to a Case.

Shipping Weight, 40 lbs.



Heavy Duty Machinist Chest

No. 6614

Steel construction throughout with felt bottom on all drawers and top compartment. Steel chests are not affected by climatic changes. These five S-K "EASYSLIDE" drawers will move freely at all times. Drawers can be taken out at any time. Built-in lock with key. Every machinist should have one of these chests for micrometers and other small instruments.

Attractive green baked enamel finish. Equipped with durable rust proof hardware, leather carrying handle. Size $20'' \times 8\%'' \times 13''$.

No. 6614 Machinist Chest

1 to a Case.

Shipping Weight, 30 lbs.

*Items marked "SUSPENDED" have been dropped to make room for more necessary war production.

Heavy Duty Mechanics Chests

AUTO MECHANICS TOOL CHESTS

Space for plenty of tools used in garage work. The lift-out tray has heavy carrying bar and it is partioned for socket wrenches the full length. They can be taken to the job wiht enough tools to do the work. 22 gauge steel thruout. Round leather handle. Sturdy hasp lock, bolts and corner irons. Baked enamel finish.

| No. | Size | Packed | Ship. Wt. |
|--------------|----------------------------------|-------------|------------------|
| 1503 1502 | 20 × 6 × 6" 19 × 7½ × 9" | 1 in carton | 10 lbs. |
| 1500 | 20 x 101/4 x 125/8" | 1 in carton | 18 lbs. |
| 1512 1510 | 1502 Tray only 1500 Tray only | 1 in carton | 4 lbs. 6 lbs. |

GENERAL PURPOSE TOOL CHESTS


Made of 22 gauge steel. Designed for the mechanic who must have a box that will stand up. Full sized round leather handle. Lift-out tray. No. 632 has handle on end in addition to one on top. Equipped with corner irons throughout. Has heavy lock. Baked enamel finish.

| No. | Size | Packed | Ship. Wt. |
|-----|----------------|---|-----------|
| 619 | 19 x 7 x 71/4" | Individual carton 6 in shipping case | 52 lbs. |
| 626 | 26 x 8 x 8" | 1 in carton | 14 lbs. |
| 632 | 32 × 8 × 9" | 1 in carton | 18 lbs. |


CARPENTERS TOOL CHEST

A handy tool chest with space for plenty of carpenters tools. Built of 22 gauge steel. Has two level clips welded to inside front, slot for square at right front end. The bottom is covered with plywood that has blocks to hold three saws. Full size round leather handle on end in addition to the one on top. Heavy corner irons and sturdy hasp for padlock. Has piano type hinge running full length of the chest. Attractive baked enamel finish.


| No. | Size | Packed | Ship.Wt. | | | |
|------|--------------|-------------|----------|--|--|--|
| 1532 | 32 × 8 × 10" | 1 in carton | 16 lbs. | | | |



1500 - 1502



619 - 626 - 632



"Items marked "SUSPENDED" have been dropped to make room for more necessary war production.

ALL PURPOSE UTILITY CHESTS

Round Corners

Baked Enamel Finish

No. 114-C CANTILEVER 14" CHEST

General Utility Box with many exclusive sale features. The handy size for household use, junton mechanic, etc. Corners are rounded which present tearing clothing, when carrying. Leather handle, tequipped with lock and side catches. Rigid construction. All seams electrically welded. Bakes enamel finish. Cantilever tray. Made of 26 gaugessteel. Size 14 x 6 x 6 4 high.

*No 114-C Chest

6 to a Case Shipping Weight, 26 lbs.



114-C

No. 119-C CANTILEVER 19" CHEST

Same as No. 114-C except larger. Can be used to tool up to 19" in length. Baked enamel wish. Dickeled lock and side catches. Leather handle. Size 19 x 6 x 6½" high.

*No a Case Chest

Shipping Weight, 36 lbs.

"Items marked "SUSPENDED" have been dropped to make room for more necessary war production.

All S-K Tools Are Guaranteed Against Defective Material or Workmanship

THE SHERMAN-KLOVE CO., 3535 West 47th St., CHICAGO, ILLINOIS, U.S.A.

Printed in U. S. of America

Carb-O-Mang Socket Wrench Sets

Taper Wall Sockets, Case Hardened and Cadmium Plated, 1/4" and 1/2' Square Drive

No. 1208 Set

A 14-Piece Midget Set designed to do fast work on carburetors, ignition, radio and other tight places where you can't get in with large tools. 1/4" square drive. Codmium plated. Contents: One 6" Spinner Handle, one Midget Slide Tee Wrench, one 6" Extension, one Adaptor, four 6 point sockets, 1/4", 1/4", 1/6", three 19 point sockets 11/2", 1/6", and three 8 point sockets 1/6", 1/4", and 1/6". Packed in Steel Case, finished in wrinkle.

No. 1208 Set, Complete 50 to a Case

Shoping Weight, 56 lbs.

No. 1209 Set (as above less 6" Spinner)

50 to a Case

Shipping Weight, 50 lbs.



A compact set with ten most used sockets.

Contents: One Slide (1927) and le, one Adaptor and ten 12 Point Sockets, 7/6", 7/2", 5/8", 11/6", 3/4", 13/6" and 7/8". Packed in Steel Slide Cover Box, finished in crystalline.

No. 1211 — 12 Place Set 25 to a Case

Shipping Weight, 82 lbs.



No. 1212 Set

A selection of tools permitting an unusual number of combinations with only 14 pieces.

Contents: One Slide Tee Handle, one Adaptor, one 4½" Extension, one 9" Extension, and ten 12 Point Sockets, 16", ½", 36", 136", 34", 136" and 38". Pasked in Steel Slide Cover Box, finished in crystalline.

No. 1212 - 14 Piece Set

* 25 to a Case

Shipping Weight, 110 lbs.



No. 1208



No. 1211



No. 1212

*Items marked "SUSPENDED" have been dropped to make room for more necessary war production.

Carb-O-Mang Socket Wrench Sets

Taper Wall Sockets, Case Hardened and Cadmium Plated, 1/2" Square Drive

No. 1203 Set

An inexpensive set of thirty pieces to give maximum usefulness.

Contents: One 18" Speeder, one Reconet Handle, one Slide Tee Handle, one 9" Extension Bar, one 4½" Extension Bar, one Adaptor, 18 Two Point Hex. Sockets, 16" to 1½" and six Double Square Sockets 16" to ½". Packed in Steel Cass with suitcase bolts and carrying handle, finished in Castalline.

No. 1203 — 30 Piece Set, in Steel Case
10 to a Shipping Weight, 130 lbs.

No 1204 — 30 Piece Set, in Fibre Box
10 to a Case Shipping Weight, 102 lbs.

No. 1202 Set

A favorite set for many years, and a heavy seller.

Contents: One 18" Speeder, one Ratchet Sandle, one Slide Tee Handle, one 9" Extension Bar one 4½" Extension Bar, one Adaptor, one Screw Driver Bit, one Valve Grinder, one Universal Joint, 20 Twelve Point Hex. Sockets, 56" to 1¼" and seven Double Square Sockets 56" to 1¼6". Packed in Steel Case with suitcase bolts and carrying handle, finished in Crystalline.

No. 1202 — 86 Piece Set, in Steel Case
Shipping Weight, 147 lbs.

No. 1201 — 36 Piece Set, in Fibre Box 10 to a Case Shipping Weight, 117 lbs.

No. 1206 Set

This set permits a great variety of combinations with its 40 pieces.


Contents: One 18" Speeder, one Batchet Handle, one Slide Tee Handle, one 9" Extension Bar, one 4½" Extension Bar, one Adaptor, one Section Driver Bit, one Valve Grinder, one Universal Joint, one Short Speeder, 22 Twelve Point Hex. Sockets 26" to 1½", and eight Double Square Sockets 3 to 3%". Packed in Steel Case with suitcase bolts and carrying handle, finished in Crystalline.

No. 1206 — 40 Piece Set, in Steel Case
10 to a Shipping Weight, 169 lbs.

* No. 1205 — 40 Piece Set, in Fibre Box 10 to a Case Shipping Weight, 142 lbs.



No. 1203



No. 1202



No. 1206

*Items marked "SUSPENDED" have been dropped to make room for more necessary war production.

Carb-O-Mang Socket Wrench Sets

Taper Wall Sockets, Case Hardened and Cadmium Plated, 1/2" Square Drive


No. 1245 Set

A forty-five piece set for practically every repair b.

Contents: One 18" Speeder, one Ratchet Wench, one Slide Tee Wrench, one 9" Extension Bay one 4½" Extension Bar, one Adaptor, one Scraw Driver Bit, one Valve Grinder, one Midget Slide Tee Wrench, one Midget Long Extension, one Midget Adaptor, 25 Twelve Point Hex. Sockets, to 16" and nine Double Square Sockets, 36" to 55°. Poked in Steel Case with suitcase bolts and carrying handle, finished in Crystalline.

* No. 1245 — 45 Piece Set, in Steel Case

10 to a Case Shipping Weight, 135 lbs.



No. 1245


No. 1253 Set

This set of unusual value, with 53 pieces per sthe greatest variety of combinations.

Contents: One 18" Speeder, one 2" Speeder, one Ratchet Wrench, one Slide Tee Wrench, one 9" Extension Bar, one 4½" Extension Bar, one Adaptor, one Screw Driver Bit, one valve Grader, one Universal Joint, one Midget Slide Tee Wrench one Midget Long Extension, one Midget Adaptor, 29 Twelve Point Hex. Sockets, 10 1½" and eleven Double Square Sockets, 16" to 1½". Packed in New Type Steel Box, Crystalline Finish, Nickel Olock and Bolts. Tray has Carrying Bar — Overate dimensions, 19" x 6" x 6½".

No. 1253 — 53 Piece Set 10 to a Case


Shipping Weight, 190 lbs.



"Items marked "SUSPENDED" have been dropped to make room for more necessary war production.

All S-K Tools Are Guaranteed Against Defective Material or Workmanship







Extra heavy handle, positive action, Pawl and Cog hardened. 1/2" square opening. Cadmium Plated.

No. 20170 - Heavy Ratchet Wrench



Short Extension



Made of ½" square steel. Hardened. 1½" long. Cadmium Plated. Fitted with 2 friction balls. For use in connection with ratchet wrenches having 1/2 square opening.

No. 20160 - Short Extension




Medium Extension



 $4\frac{1}{2}$ long, hardened, and admium Plated. Fitted with 2 friction balls. For use in connection with ratchet wrenches having $\frac{1}{2}$ square opening.

No. 20161 — Medium Extension



9" long, hardened, and Cadmium Plated. Fitted with 2 friction balls. For use in connection with ratchet wrenches having 1/2" square opening.

No. 20162 - Long Extension




Short Speeder Wrench



12" long. Knurled handle, fitted with friction ball. 1/2" square end. Cadmium Plated.

No. 20180 — Short Speeder



18" long. Knurled handle fixed with friction ball. 1/2" square end. Cadmium Plates

No. 20181 - Long Speeder





1/2" Square Standard Handle Opening


12 Point Sockets

| No. 20110 20111 20112 20114 20116 20118 20119 20120 20121 20122 20123 | Size 5.16 11 22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | No. 20124 20125 20126 20128 20130 20131 20134 20136 20138 20140 | Size 34" 2542" 1316" 78" 1516" 114" 114" |
|---|---|---|--|



1/2" Square Standard Handle Opening 8 Point Sockets

| No. | Size | No. | Size |
|-------|------|-------|-------|
| 20100 | 3/4" | 20105 | 8,6" |
| 20101 | 3.0" | 20106 | 11/2" |
| 20102 | 3/6" | 20107 | 3/4 |
| 20103 | 1/2" | 20108 | 7/9" |
| 20104 | 376" | | , , |
| | | | |




Universal Joint

A most efficient Universal on 1/2" square opening. Case adened Steel. Codmium Plated.

No. F20190 - Universal Joint

Slide Wrench



A tool with a wide variety of uses. Extra heavy steel. Cadmium Plated. ½" squarety e.

No. 20152 - Slide "T" Wrench

^{*}Items marked "SUSPENDED" have been dropped to make room for more necessary war production.

Wheel Puller Set



The five most popular sizes of wheel pullers packed in a strong metal box with those cover and finished in crystalline. Set consists of Shos. 1911, 1912, 1913, 1914 and 1916.

No. 1920 - Wheel Puller Set

Weight, Each, 31/2 lbs.

Rim Wrenches



15½" long, ½" diameter body Socket made from high manganese steel and case hardened.

| No. | 1830 | ١ | | | 1 | 1 | 2 | | | | | | | | | | | | | | 5/8" | Hex. | |
|-----|------|----|----|---|---|---|---|--|---|--|-----|--|--|---|---|-----|---|----|---|---|--------|--------|--|
| No. | 1831 | | .6 | 0 | | | | | · | | . , | | | | | | | | | | 34" | Hex. | |
| No. | 1832 | 4. | | 4 | | | | | | | | | | 4 | 1 | .) | | | | è | 13/16" | Hex. | |
| No. | 1833 |) | | | | | | | | | | | | | | | | | | | 7/8" | Hex. | |
| No. | 1834 | | | | | | | | | | | | | | | | 1 | 14 | 4 | | 11/6" | Hex. | |
| - | | | | | | | | | | | | | | | | | | | | | | 3 lbs. | |

Knockout Wheel Pullers



S-K Knockout Wheel Pullers are made of high grade case hardened steel. Pulls any kind of a wheel. Leaves axle in perfect condition.

All wheel pullers packed in individual cartons.

No 1911, fits Chevrolet up to 1924, Durant, Essex all 6 cyl. 1994. Flint 40, Ford Model A, 84, V8, Ford Model T, Hudson 1930.31, Locomobile, Jr., Overland 4, Gray, Star, Dover Truck, Rugby Truck and others. Size x 18.

No. 1911 (Old No. 1)

Weight, Each, 7/10 lb.

No. 1912, fits Ajax, Buick Series 60-1932, Chandler Std. Chevrolet 1932 early models, Chevrolet Superior, Chevrolet FB and 6, Chrysler 50-52, De Soto all models up to 1939, Dodge DC, Dodge 6-1929-1936, Erskine, Flint, Franklin all models inc. 1932, Maxwell, Moon A, Nash Lt. 6, Nash Std. 6, Plymouth all models incl. 1936, Pontiac, Scripps Booth and others. Size 3/4" x 16.

No. 1912 (Old No. 2)

Weight Each, 7/10 lb.

No. 1913, Special for late models 1939 Chevrolet. No. 1913 - Special Chev. 32 Wheel Puller

Weight, Each, 7/10 lb.

No. 1914, fits Auburn, Buick, Cheviolet for Truck, Chandler 1918-22, Chrysler 1925-1932, Dodge, Dodge Truck, Dodge B-1929-1932, Durant 6, Essex, Ford 1 Ton to 1928, Ford AA Truck 929, Graham "Prosperity 6" 1932, Hudson 1929-1932, Hupmobile 6 and 8 1932, Jewett, Jordan, Moon, Nash 1930-32 models 1980 and 1090, Oakland 54, Oakland 1916-1932, Overland, Paige, Pontiac 1929-1932, Stearns, Studebaker "6," Dictator 8, Commander 8, 1932, Stutz, all models 1932, Whippet, Willys Knight 1932, Willys 1933 and others. Size 3" x 14.

No. 1914 (Old No. 3) Weight, Each, 7/10 lb.

No. 1915 Special, Wheel Puller for Hudson and Essex 1932 cars. Size %" x 18.

No. 1915

Weight, Each, 7/10 lb

No. 1916, fits Auburn 192147, Buick Std. 6, Buick—Series 50.1932, Chevrolet 1 Ion, Chicago Truck 10, Commerce Truck 20, Diamond T Truck 75.76.77, Elear 4.40, BO, Graham Paige 6.14 and B27-1929. Hug Truck 2 Ions, Indiana Truck 11, Marmon 1932 model 8.95 and 79, Oakland 6.44, Oldsmobile 4, Oldsmobile 1926-1932, Packard 6, Peerless 125, Reo 20.23, Reo Truck 28.30, Peo Truck Model BA. Reo Model "S" 1932 back to 1927, Studebaker Speer 6 Diglebaker Big 6, Studebaker "President" 1932, Willys Knight. Size 1

No. 1916 (Old No. 4)

Weight, Each, 8/10 lb.

No. 1917, fits Available Truck 1 Ton, Buick Series 80-90, 1932, Chicago Truck 1 7-25-26, Reo Speed Wagon, Reo Truck Model FA, FB, FE, FF to 1923, Chevrollu Truck 1½ Tons 30, Graham "Bluestreak" 1932, Haynes 57-60, Mack Duck 9-AB, Commerce Truck ¼ Ton, Paige 6-66, Maccar Truck Compilation Truck, G.M.C. Truck K16, Stutz "Black Hawk" 1932 6 and 8. Shee 1½ x 12.

No. 1917

Weight, Each, 9/10 lb.

No. 1918, fits Model AA Ford Truck 1930, Chevrolet Truck 1930, 1931 Truck Models FC, FD, FH to 1932. Size 134" x 12. No_1918 Weight, Each, 1.2 lbs.

"Items marked "SUSPENDED" have been dropped to make room for more necessary war production.

